


GENERAL REGISTER OFFICE

W. H. M. L.  
REFERENCE ONLY

THE  
REGISTRAR GENERAL'S  
STATISTICAL REVIEW  
OF  
ENGLAND AND WALES  
FOR THE YEAR  
1966

PART I  
TABLES, MEDICAL



LONDON

HER MAJESTY'S STATIONERY OFFICE

PRICE £2 10s. 0d. NET

GENERAL REGISTER OFFICE

STUDIES ON  
MEDICAL AND POPULATION SUBJECTS

No. 20

**Accuracy of Certification of  
Cause of Death**

**A report on a survey conducted in 1959 in 75 hospitals of the  
National Health Service to obtain information on the extent of  
agreement between clinical and post-mortem diagnoses**

by

M. A. Heasman, M.R.C.S., L.R.C.P., D.P.H.

and

L. Lipworth, M.B., Ch.B., B.Sc.

The report of an investigation into the correlation between clinical and post-mortem diagnoses in which the clinicians and pathologists in 75 teaching and non-teaching hospitals in England and Wales participated.

The results of the inquiry in relation to national mortality statistics and to selected causes of death are discussed in the report.

*Price 21s. (By post 21s. 8d.)*

*Published by*

**HER MAJESTY'S STATIONERY OFFICE**

*and obtainable from the Government Bookshops in London (post orders to P.O. Box 569, S.E.1),  
Edinburgh, Cardiff, Belfast, Manchester, Birmingham and Bristol, or through any bookseller*

Registrar General's Statistical Review of England and Wales  
for 1966, Part I, Tables, Medical

CORRECTIONS

Table I, Page 2

Home population

Age 20

For 679.4 read 686.3; For 340.1 read 346.8;  
For 339.3 read 339.5

All ages under 21

For 15,457.0 read 15,463.9; For 7903.5 read 7910.2;  
For 7553.5 read 7553.7

Civilian population

Age 20

For 658.0 read 673.0; For 320.8 read 334.9;  
For 337.2 read 338.1

All ages under 21

For 15,379.2 read 15,394.2; For 7833.4 read 7847.5;  
For 7545.8 read 7546.7

Please note that these amended figures should also replace those already published in the Registrar General's Annual Estimates of the Population of England and Wales and of Local Authority Areas 1966, Appendix B, page 15, and in the Registrar General's Quarterly Return for England and Wales, No.471, September Quarter 1966, Appendix A, page 24.

General Register Office.  
January 1968.

LONDON: HER MAJESTY'S STATIONERY OFFICE



GENERAL REGISTER OFFICE

THE  
REGISTRAR GENERAL'S  
STATISTICAL REVIEW  
OF  
ENGLAND AND WALES  
FOR THE YEAR  
1966

PART I  
TABLES, MEDICAL

WELLCOME INSTITUTE LIBRARY	
Coll.	welM0mec
Call	
No.	

LONDON

HER MAJESTY'S STATIONERY OFFICE

1967

# TABLE OF CONTENTS

Explanatory Notes	.. .. .	Page vi
Corrections	.. .. .	xix

## Population

Table 1.	Estimated population, total, home and civilian, by sex and age, as at 30th June, 1966. England and Wales .. .. .	2
Table 2.	Estimated home population by sex and age, as at 30th June, 1966. England and Wales, regions, Wales, conurbations, urban and rural aggregates outside conurbations, hospital regions .. .. .	3

## Serial mortality records

Table 3.	Deaths, death rates, mortality comparisons, infant mortality, and live and still birth rates, 1841 to 1966. England and Wales .. .. .	5
Table 4.	Death rates per 1,000 living in age-groups and infant mortality per 1,000 live births, 1841 to 1966. England and Wales .. .. .	6
Table 5.	Quarterly death registrations, rates and ratios to yearly rates, 1841 to 1966. England and Wales .. .. .	9
Table 6.	Standardised Mortality Ratios (all ages) and death rates per million population at ages under 15 years from the principal epidemic and general diseases, 1851-1966. England and Wales .. .. .	11
Table 7.	Deaths by cause and sex at all ages, 1956 to 1966. England and Wales .. .. .	12
Table 8.	Crude death rates per million living from certain causes, by sex at all ages, 1956 to 1966. England and Wales .. .. .	41
Table 9.	Standardised Mortality Ratios (base years 1950-1952) by sex for certain causes of death, 1956 to 1966. England and Wales .. .. .	55
Table 10.	Death rates per 100,000 population at all ages and at ages over one year and infant mortality rates (deaths under 1 year per 1,000 live births) from certain causes, by sex, in each year 1962 to 1966. England and Wales .. .. .	59
Table 11.	Deaths of infants under 1 year from certain causes, 1956 to 1966. England and Wales .. .. .	63
Table 12.	Infant mortality rates (deaths under 1 year per 1,000 live births) from certain causes, 1956 to 1966. England and Wales .. .. .	64

## Vital statistics by local areas

Table 13.	Home population, births, deaths, infant mortality and perinatal mortality, 1966. England and Wales, regions, Wales, conurbations, hospital regions, counties, Greater London, City of London, London and county boroughs, urban and rural districts .. .. .	66
-----------	---	----

## Deaths by age

Table 14.	Deaths by sex at each year of age (with marital condition), 1966. England and Wales .. .. .	101
Table 15.	Constructed analysis of 1966 deaths by age and marital condition. England and Wales .. .. .	103
Table 16.	Deaths at different ages by month of occurrence, January to December, 1966. England and Wales .. .. .	104
Table 17.	Causes of death at different age periods, 1966. England and Wales .. .. .	105

	Page
Table 17A. Death rates per million living, by sex and age, from principal causes, 1966. England and Wales .. .. .	157
Table 18A. Accidental poisoning and other non-transport accidents by place of occurrence, by sex and age, 1966. England and Wales .. .. .	168
Table 18B. Suspended	

# **Cause analysis**

Table 18C. Deaths from violent causes - External cause according to nature of injury, 1966. England and Wales .. .. .	175
Table 18D. Deaths from road traffic accidents and from accidental falls- Nature of injury according to external cause, sex and age, 1966. England and Wales. .. .. .	176
Table 18E. Deaths from accidents in the home and residential institutions by cause, sex and age, and death rates per million living, 1966. England and Wales .. .. .	179
Table 19. Causes of death at different periods of life and Standardised Mortality Ratios, by sex, 1966. England and Wales, regions, Wales, conurbations, urban and rural aggregates outside conurbations, and hospital regions .. .. .	180
Table 20. Suspended	254
Table 21. Causes of death by sex, 1966, classified in accordance with the Abridged List and Supplementary Abridged List. England and Wales, regions, Wales, conurbations, hospital regions, Greater London, City of London, London and county boroughs, administrative counties .. .. .	255
Table 22. Causes of death by month of occurrence, January to December, 1966. England and Wales .. .. .	293
Table 22 SUPPLEMENT. Causes of accidental death occurring in the home and residential institutions by month of occurrence, January to December, 1966. England and Wales .. .. .	300

# **Stillbirths and Infant mortality**

Table 23. Stillbirths by sex and legitimacy (with rates per 1,000 total births), 1966. England and Wales, regions, Wales, conurbations, hospital regions, Greater London, City of London, London and county boroughs, urban and rural aggregates in each administrative county .. .. .	301
Table 23A. Stillbirths by cause, sex and mother's age at maternity (with, for certain selected causes, rates per 1,000 total births), 1966. England and Wales .. .. .	304
Table 23B. Legitimate stillbirths by cause and parity of mother (with, for certain selected causes, rates per 1,000 total births), 1966. England and Wales .. .. .	309
Table 23C. Stillbirths by cause and month of occurrence (with, for certain selected causes, rates per 1,000 total births), 1966. England and Wales .. .. .	312
Table 23D. Stillbirths by cause and area of residence of mother (with, for certain selected causes, rates per 1,000 total births), 1966. England and Wales, regions, Wales, urban and rural aggregates, and hospital regions .. .. .	316
Table 23E. Stillbirths by cause and length of gestation, 1966. England and Wales .. .. .	326
Table 23F. Stillbirths by cause and birth weights, 1966. England and Wales .. .. .	328
Table 23G. Stillbirths by cause and place of confinement (with, for certain selected causes, rates per 1,000 total births), 1966. England and Wales .. .. .	331
Table 23H. Legitimate stillbirths by certain selected causes, parity of mother and number of previous stillbirths with rates per 1,000 total births, 1966. England and Wales .. .. .	333

Table 23I.	Stillbirths by cause, sex and year of occurrence (with, for certain selected causes, rates per 1,000 total births), 1961 to 1966. England and Wales .. .. .	Page 335
Table 24.	Deaths at various periods in the first year of life and death rates per 1,000 live births; stillbirths and combined stillbirths and infant deaths per 1,000 total births, 1966. England and Wales, regions, Wales, conurbations, urban and rural aggregates and hospital regions .. .. .	340
Table 24 SUPPLEMENT.	Stillbirth rates and infant death rates in various age periods, 1906 to 1966. England and Wales .. .. .	342
Table 25.	Deaths at various periods in the first year of life and death rates per 1,000 live births; stillbirths, and combined stillbirths and infant deaths per 1,000 total births, 1966, and the four quarters thereof. England and Wales .. .. .	343
Table 25 SUPPLEMENT.	Infant mortality rates per 1,000 live births for principal causes and at certain ages, and stillbirth rates per 1,000 total births, for year and quarters and quarterly percentages of the annual rates, 1966. England and Wales ..	344
Table 26.	Infant mortality from certain causes, 1966. Deaths of infants under 1 year and various sub-divisions of the first year, with rates per 1,000 live births. Deaths of illegitimate infants, and rates per 1,000 illegitimate live births. England and Wales, regions, Wales, conurbations, urban and rural aggregates and hospital regions .. .. .	345
Table 27.	Causes of death at various ages under 5 years, 1966. England and Wales .. .. .	357
Table 27 SUPPLEMENT.	Infant death rates per 1,000 live births in various age periods, by sex, from principal causes, 1966. England and Wales .. .. .	368
<b>Infectious diseases</b>		
Table 28.	Weekly notifications of certain infectious diseases and deaths for certain causes, 1966. England and Wales .. .. .	369
Table 29.	Cases of certain infectious diseases notified, 1956 to 1966. England and Wales .. .. .	370
Table 30.	Cases of certain infectious diseases notified, by sex and age, 1966. England and Wales, regions, Wales, conurbations, urban and rural aggregates outside conurbations, and hospital regions .. .. .	371
Table 30 SUPPLEMENT.	Notification rates per 100,000 living for certain infectious diseases, by sex and age, 1966. England and Wales ..	389
Table 31.	Cases of certain infectious diseases notified, 1966. England and Wales, regions, Wales, conurbations, urban and rural aggregates outside conurbations, hospital regions, counties, London and county boroughs .. .. .	390
Table 31 SUPPLEMENT.	Corrected notifications and deaths assigned to a few uncommon infectious diseases, 1966. England and Wales ..	400
<b>Weather</b>		
Table 32.	Quarterly air temperature, rainfall and sunshine, 1966. England and Wales .. .. .	401
Table 33.	Rainfall, mean temperature and sunshine, 1914 to 1966. England and Wales .. .. .	402
Table 34.	Meteorological observations, 1966. Kew Observatory, Richmond ..	403

	Page
Appendix A. Standardised Mortality Ratios (based on United Kingdom and Irish Republic experience), age specific death rates and infant mortality rates from selected causes and estimated mid-year populations, 1966. England and Wales, Scotland, Northern Ireland, Irish Republic .. .. .	406
Appendix B. Abridged life table, 1966. England and Wales .. .. .	412
Appendix C1. Tuberculosis of the respiratory system, death rates per million living, by sex and age, 1957 to 1966. England and Wales ..	413
Appendix C2. Tuberculosis of the respiratory system, notification rates* per 100,000 living, by sex and age, 1957 to 1966. England and Wales ..	413
Appendix C3. Tuberculosis of respiratory system, death rates per million living, by sex and age, notification ratios (notification per 100 deaths) and Standardised Mortality Ratios, 1966. England and Wales, regions, Wales, conurbations, urban and rural aggregates and hospital regions .. .. .	414
Appendix C4. Tuberculosis of respiratory system, notification rates per 100,000 living, by sex and age, and Standardised Notification Ratios, 1966. England and Wales, regions, Wales, conurbations, urban and rural aggregates and hospital regions .. .. .	415
Appendix D. Cancer, Standardised Mortality Ratios by sex for selected sites, 1966. England and Wales, regions, Wales, conurbations, urban and rural aggregates and hospital regions .. .. .	416
Appendix E. Diseases of the circulatory system and vascular lesions affecting the central nervous system, death rates per million living, by sex at ages 45-64 and 65 and over, 1966. England and Wales, regions, Wales, conurbations, urban and rural aggregates .. .. .	418
Appendix F1. Maternal deaths from principal causes, and associated maternal deaths, maternal mortality rates and associated maternal mortality rates per 100,000 total births, 1936 to 1966. England and Wales ..	419
Appendix F2. Deaths certified as associated with pregnancy or childbearing but not assigned to those causes, 1966. England and Wales .. .. .	420
Appendix G. Deaths from selected causes by sex and age; and deaths in which autopsy or operation was known to have been performed (and the percentage of such deaths to all deaths), 1966. England and Wales ..	421
Appendix H1. Deaths from encephalitis certified as secondary to infectious disease by underlying cause, sex and age, 1966. England and Wales ..	423
Appendix H2. Deaths due to tetanus, by sex and age, showing cause of tetanus, 1966. England and Wales .. .. .	423
Appendix H3. Deaths connected with the administration of anaesthetics by cause, sex and age, 1966. England and Wales .. .. .	424
Appendix H4. Deaths by cause and sex according to type of institution, etc., in which they occurred, 1966. England and Wales .. .. .	425
Appendix H5. Deaths by cause and sex, according to method of certification, 1966. England and Wales .. .. .	428

## EXPLANATORY NOTES

### 1. New or recent changes in presentation

The following changes were introduced in 1965 as a result of the transfer to this volume of certain data previously included in the Registrar General's Statistical Reviews, Part III, Commentary.

- Table 5.** Revised to include quarterly rates and ratios to yearly rates
- Table 10.** Revised to include section for acute leukaemia(ICD 204.3)
- Table 18E.** New table showing deaths from accidents in the home and residential institutions by cause, sex and age, and death rates per million living
- Table 19.** Revised to include death rates per million population by sex and age for 'all causes'
- Table 22 Supplement.** New tables showing causes of accidental death occurring in the home and residential institutions by month of occurrence
- Table 24.** Revised to include rates for stillbirths and combined stillbirths and infant deaths per 1,000 total births
- Table 24 Supplement.** New serial table showing stillbirth rates and infant death rates in various age periods
- Table 25.** Revised to include death rates per 1,000 live births, stillbirths and combined stillbirths and infant deaths per 1,000 total births
- Table 25 Supplement.** New table showing infant mortality rates per 1,000 live births for principal causes and at certain ages, and stillbirth rates per 1,000 total births for the year and quarters, and quarterly percentages of the annual rates
- Table 26.** Revised to show, in respect of deaths under 1 year of all infants and of illegitimate infants, rates per 1,000 live births and illegitimate live births respectively
- Table 27 Supplement.** New table showing infant death rates per 1,000 live births in various age periods, by sex, from principal causes
- Table 30 Supplement.** New table showing notification rates per 100,000 living for certain infectious diseases, by sex and age
- Table 31 Supplement.** New table showing corrected notifications and deaths assigned to a few uncommon infectious diseases
- Appendix C1.** New table showing, for tuberculosis of the respiratory system, death rates per million living, by sex and age
- Appendix C2.** New table showing, for tuberculosis of the respiratory system, notification rates per 100,000 living, by sex and age
- Appendix C3.** New table showing, for tuberculosis of the respiratory system, death rates per million living, by sex and age, notification ratios (notification per 100 deaths) and Standardised Mortality Ratios
- Appendix C4.** New table showing, for tuberculosis of the respiratory system, notification rates per 100,000 living, by sex and age, and Standardised Notification Ratios
- Appendix D.** New table showing, for cancer, Standardised Mortality Ratios, by sex, for selected sites

- Appendix E.** New table showing, for diseases of the circulatory system and vascular lesions affecting the central nervous system, death rates per million living, by sex at ages 45-64 and 65 and over
- Appendix F1.** New serial table showing maternal deaths from principal causes, and associated maternal deaths, maternal mortality rates and associated maternal mortality rates per 100,000 total births
- Appendix F2.** New table showing deaths certified as associated with pregnancy or childbearing but not assigned to those causes
- Appendix G.** New table showing deaths from selected causes, by sex and age; and deaths in which autopsy or operation was known to have been performed (and the percentage of such deaths to all deaths)
- Appendix H1.** New table showing deaths from encephalitis certified as secondary to infectious disease by underlying cause, sex and age
- Appendix H2.** New table showing deaths due to tetanus, by sex and age, and cause of tetanus
- Appendix H3.** New table showing deaths connected with the administration of anaesthetics by cause, sex and age
- Appendix H4.** New table showing deaths by cause and sex according to type of institution, etc., in which they occurred
- Appendix H5.** New table showing deaths by cause and sex according to method of certification

## 2. Additional tables and data

The following unpublished items are available for reference at the General Register Office, or copies can be supplied on payment:

- (i) Cancer mortality by site, sex, age, and month of occurrence.
- (ii) Cancer mortality by site, sex, age and hospital region of residence.
- (iii) Deaths by cause (Registrar General's Abridged List - see Table 21), sex and age, for each county borough, London borough, municipal borough, urban district and rural district in England and Wales. Also, for each area, the live births, stillbirths, deaths under 1 year, deaths under 4 weeks and deaths under 1 week, all by sex and legitimacy.
- (iv) Stillbirths by area, place of confinement, mothers' age and parity.
- (v) Full list of I.C.D. categories for Table 17.

## 3. Populations

The estimates of populations appearing in this volume and described as 'home', 'total' or 'civilian' populations have the following content:

- Home population* - the population, of all types, actually in England and Wales, distributed by area according to residence.
- Total population* - the home population plus members of H.M. Forces belonging to England and Wales and serving overseas but minus the forces of other countries temporarily in England and Wales.
- Civilian population* - the total population minus members of H.M. Forces belonging to England and Wales at home or overseas.

#### 4. Deaths

The deaths recorded in this volume are those registered in England and Wales. No distinction is made between deaths of civilians and deaths of non-civilians, except where stated for past years in serial tables.

Except in **Tables 16, 22 and 22 supplement** the deaths recorded are those registered in the calendar period, the time lag between the date of occurrence and the date of registration being usually only a day or two. In **Tables 16, 22 and 22 supplement** deaths are classified by calendar month of occurrence, but they exclude deaths occurring in the current year which were registered after 31st March in the following year.

In general deaths are assigned to the area of usual residence of the deceased if this is within England or Wales; if not, to the area of occurrence. Accommodation provided under Parts III and IV of the National Assistance Act, 1948, is regarded as the place of residence of persons dying there. Before 1st January 1958 chronic sick and psychiatric hospitals were similarly treated for this purpose but from this date the method of classification was modified, the main change being that a death in such a hospital is now assigned to the area of occurrence only if the deceased had been there six months or more. If the deceased had been there less than six months the death is transferred to the area of previous usual residence.

In some small areas the number of deaths may also have been appreciably affected by the opening, closing or change of use of certain institutions, so that figures may not be comparable with those of earlier years.

#### 5. Causes of death

The classification of causes of death is that prescribed in the *International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955\** (Seventh Revision) operating from the year 1958 in accordance with international agreement. In the tables this classification is referred to as ICD. Violent deaths are generally classified according to the External Cause of Injury (E codes), but the alternative method of classification by the Nature of Injury (N codes) is also used in **Tables 7, 8, 17, 17A, 18C, 18D, 19 and 27**. The Abridged List used for separate areas in **Table 21** is an adaption of the International List and was adopted by the Registrar General in consultation with the Ministry of Health; it is extended by the Supplementary Abridged List in the same table. The list used in **Table 19** is designed so that it can be condensed into either the International Abbreviated List or the Abridged List of **Table 21**. **Tables 18C and 18D** employ both of the alternative classifications for violent deaths in the International Intermediate List.

The 1955 International Classification differs only very slightly from that for 1948. For most causes of death, therefore, statistics compiled according to the 1955 Classification should be comparable with those compiled according to that for 1948. (see Appendix B of the *1957 Statistical Review, Part III, Commentary*†).

Where more than one cause of death is mentioned on the medical certificate, the choice of the assigned cause is in accordance with international procedure, determined in the main from the statement of the certifier, and not by arbitrary rules of precedence.

#### 6. Death Rates

The death rates for 1950 and on (except for infant mortality and maternal mortality) are derived from the total deaths registered in this country and are based on the home population, while those for 1940-49 are derived from civilian deaths and populations (see note 3 on page vii). All death rates for years prior to 1958 have been revised so far as possible to the new method of cause classification. Death rates for the years 1951 to 1953 shown in this volume are in some cases slightly different from corresponding rates published in Parts I and II for these years because the estimated populations on which

---

\* Manual obtainable from Her Majesty's Stationery Office, price 35s. Od. net.

† Obtainable from Her Majesty's Stationery Office, price 16s. 6d. net.

they are based have been revised in the light of final data from the 1951 Census. Similarly, death rates for 1961 and 1962 have been recalculated using final data from the 1961 Census.

The crude death rates for local areas in **Table 13** (col. 14) may not be comparable one with another. In the first place, the populations on which they are based may have widely differing structures by sex and age. In order to eliminate differences between local death rates due to this cause a standardising factor, termed an Area Comparability Factor, is calculated (as described on page 57 of the *1954 Statistical Review, Part III, Commentary\**). In the second place, the populations on which the crude death rates are based may include a disproportionate number of invalids if there are certain types of hospitals in the area. In order to eliminate this difference the Area Comparability Factors are adjusted so that they have the effect of apportioning the deaths and the populations in chronic sick and psychiatric hospitals over all areas of the country according to their non-institutional populations. The product of the crude death rate and the adjusted Area Comparability Factor (col. 15 in **Table 13**) is a rate which makes allowance for these two influences. The ratio of this adjusted rate to the rate for England and Wales as a whole is shown in col. 16 of **Table 13**.

Infant mortality rates are based upon the live births occurring in the year, except in the years 1931 to 1956 when they were based upon related live births, i.e. the combined live births of the associated and preceding year to which they relate. Maternal mortality rates are based upon live and still births occurring in the calendar year, except in the case of deaths from abortion which are based on the estimated numbers of women aged 15-44. Perinatal mortality rates are based on the number of deaths under one week plus still-births per thousand total live and still births.

## 7. Standard mortality comparisons

The Comparative Mortality Index introduced in 1942 has since 1958 been replaced by a Standardised Mortality Ratio (SMR) which shows the number of deaths registered in the year of experience as a percentage of those which would have been expected in that year had the sex/age mortality of a standard period (1950-52) operated on the sex/age population of the year of experience. SMR's based on the standard period (1950-52) are shown in **Tables 3, 6 and 9**. In **Table 19**, SMR's for areas are similarly calculated by applying the sex/age mortality in England and Wales in the year under review to the sex/age populations of the area. In **Appendix A** a United Kingdom and Irish Republic standard is similarly used.

## 8. Births and birth rates

The births recorded are those occurring in the calendar year. Births are assigned to the area of the mother's usual residence if this is within England or Wales; if not, to the area of occurrence.

The crude birth rates for local areas in **Table 13** (col. 8) may not be comparable one with another because the populations on which they are based may contain different relative numbers of women of childbearing ages. In order to eliminate differences between local birth rates due to this cause a standardising factor, termed an Area Comparability Factor, is calculated (as described on page 30 of the *1954 Statistical Review, Part III, Commentary\**). The product of the crude birth rate and this Area Comparability Factor (col. 9 in **Table 13**) is a rate which makes allowance for this influence. The ratio of this adjusted rate to the rate for England and Wales as a whole is shown in col. 10 of **Table 13**.

## 9. Causes of stillbirth

Classification of causes of stillbirth in **Tables 23A-23I** is according to the Supplementary List for causes of stillbirth, set out on pages 336-348 of the *International Statistical Classification of Diseases, Injuries and Causes of Death, 1955†* (Seventh Revision), with further sub-division of certain rubrics, and as modified by the following changes of assignment:

---

\* Obtainable from Her Majesty's Stationery Office, price 8s. Od. net.

† Manual obtainable from Her Majesty's Stationery Office, price 35s. Od. net.

Cause of stillbirth	Rubric to which cause is assigned	
	(i) in International Classification	(ii) in tables listed above
Patent ductus arteriosus	39.5	38.41
Patent foramen ovale		38.43
Congenital heart condition NOS		38.45
Foetal heart condition NOS		38.45

## 10. Notification of infectious diseases

Tables 29, 30, 30 Supplement, 31, 31 Supplement and Appendices C2, C3, C4, are based on notifications corrected for subsequent amendments of diagnosis by the notifying medical practitioner or by the medical superintendent of the infectious disease hospital. Non-civilians are included unless otherwise stated.

## 11. Changes in boundaries

Areas which have undergone a change of boundary during the year are identified in **Table 13** by an asterisk \*, newly created areas by the sign †, and abolished areas by the sign ‡. For any such area the statistics shown for the current year represent the events assigned to the area within the boundaries as they existed at the date of registration of the event, and the population given in **Table 13** (col. 2) which is used for the calculation of crude birth and death rates, is a weighted average of the mid-year populations of the area as constituted before and after the change. This population figure may therefore differ from any given in **Table 2** for the same region, conurbation, etc., which relates to the area as constituted at mid-year. Details of boundary changes are given in an appendix to Part II of the Statistical Review.

In the case of areas in the West Midlands Conurbation, where extensive alteration of boundaries took place on 1st April, 1966, a supplement is given to **Table 13** showing approximate figures for the reconstituted areas covering the whole calendar year.

## 12. Indication of reliability

Rates given as 0 indicate that the actual rate is less than one half of a unit. A dash (-) in any column indicates that there were no events. Where a cell has been left blank, no denominator is available.

Rates calculated from less than 20 births, deaths or notifications are distinguished by italic type as a warning to the user that the smallness of the experiences may affect their reliability as a measure.

### Numbers

If  $\bar{d}$  represents the deaths in an area and  $p$  the population in that area then, if  $\bar{d}/p$  is small, the standard error (s.e.) of  $\bar{d}$  is approximately  $\sqrt{\bar{d}}$  assuming that the deaths are independent of one another. Clearly, the larger the number of deaths the smaller will be the proportionate variability. A deviation either way of twice the s.e. may be expected about once in 20 times. Using this criterion one might expect towns each averaging 20 deaths per year to yield in the same year numbers ranging between 11 and 29 without such differences having any statistical significance. Alternatively it could be said that if 20 deaths were recorded for a town, this number would have a 95 per cent confidence interval of approximately  $\pm 9$ , there being a 95 per cent chance that the underlying mortality is represented by a number of deaths within this interval.

If  $\bar{d}$  is thought to be an extreme variation it would be more reliable to use as the standard error not  $\sqrt{\bar{d}}$  but  $\sqrt{\bar{d}'}$  where  $\bar{d}'$  is the number of deaths expected is some standard rate (e.g. the national rate) where applied.

### Rates

The appropriate standard error of a death rate when  $\bar{d}$  represents the number of deaths and  $p$  the population is

$$\frac{\sqrt{\bar{d}}}{p} \text{ or } \frac{m}{\sqrt{\bar{d}}}$$

where  $m$  is the death rate. The difference between two local death rates  $m_1$  and  $m_2$  can be regarded as significant only if it amounts to more than twice the standard error of the difference, viz.

$$2 \sqrt{\left(\frac{m_1^2}{d_1} + \frac{m_2^2}{d_2}\right)}$$

#### Comparison of adjusted rates

Before comparisons are made, other known sources of variations (such as differences in the sex and age composition of the population) must be removed. If  $C$  is the local death Area Comparability Factor, then  $mC$  is to be compared with  $m'$ , the national death rate. The s.e. of  $mC$  is

$$C \sqrt{\left(\frac{m}{p}\right)}$$

and

$$mC \pm 2C \sqrt{\left(\frac{m}{p}\right)}$$

is to be compared with  $m'$ . As already indicated,  $m'$  can be used instead of  $m$  in the calculation of the s.e.;  $m'$  has the advantage of itself having only a small sampling error.

#### 13. Abbreviations

A.C. - administrative county  
C.B. - county borough  
L.B. - London borough  
M.B. - municipal borough  
U.D. - urban district  
R.D. - rural district

Greater London - the Greater London Council Area, comprising the City of London (including the Inner and Middle Temple) and the London boroughs.

#### 14. Regions

The constitution of the regions of England and Wales used in this volume is as follows:-

Northern	West Midland	South Western
Cumberland	Herefordshire	Cornwall
Durham	Shropshire	Devon
Northumberland	Staffordshire	Dorset, Part of <sup>1</sup>
Westmorland	Warwickshire	Gloucestershire
Yorkshire, North Riding	Worcestershire	Somerset
		Wiltshire

1. All except Poole M.B.

Regions - continued

Yorkshire and Humberside	East Anglia	Wales I (South Eastern)
Lincolnshire, Parts of Lindsey, Yorkshire, East Riding Yorkshire, West Riding	Cambridgeshire and Isle of Ely Huntingdon and Peterborough Norfolk Suffolk, East Suffolk, West	Breconshire Carmarthenshire Glamorgan Monmouthshire
North Western	South Eastern	Wales II (Remainder)
Cheshire Derbyshire, Part of <sup>2</sup> Lancashire	Bedfordshire Berkshire Buckinghamshire Dorset, Part of <sup>4</sup> Essex Greater London Hampshire Hertfordshire Kent Oxfordshire Surrey Sussex, East Sussex, West Wight, Isle of	Anglesey Caernarvonshire Cardiganshire Denbighshire Flintshire Merionethshire Montgomeryshire Pembrokeshire Radnorshire
East Midland		
Derbyshire, Part of <sup>3</sup> Leicestershire Lincolnshire Parts of Holland Parts of Kesteven Northamptonshire Nottinghamshire Rutland		

2. Buxton M.B. Glossop M.B., New Mills U.D., Whaley Bridge U.D., Chapel en le Frith R.D.

3. All except areas in 2 above

4. Poole M.B. only

15. Outer Metropolitan Area

The part of the South Eastern region outside Greater London is split in some tables into Outer Metropolitan area and Remainder of South Eastern. The composition of the Outer Metropolitan area is as follows:-

	Buckinghamshire, (part)	Kent, (part)
Hertfordshire	Aylesbury M.B. Beaconsfield U.D. Bletchley U.D. Chesham U.D. Eton U.D. High Wycombe M.B. Marlow U.D. Slough M.B. Amersham R.D. Aylesbury R.D. Eton R.D. Wing R.D. Wycombe R.D.	Chatham M.B. Dartford M.B. Gillingham M.B. Gravesend M.B. Maidstone M.B. Northfleet U.D. Rochester M.B. Royal Tunbridge Wells M.B. Sevenoaks U.D. Southborough U.D. Swanscombe U.D. Tonbridge U.D. Dartford R.D. Maidstone R.D. Malling R.D. Sevenoaks R.D. Strood R.D. Tonbridge R.D.
Surrey		

<i>Bedfordshire, (part)</i>	<i>Essex, (part)</i>	<i>Oxfordshire, (part)</i>
Luton C.B. Dunstable M.B. Leighton - Linslade U.D. Luton R.D.	Southend on Sea C.B. Basildon U.D. Benfleet U.D. Brentwood U.D. Canvey Island U.D. Chelmsford M.B. Chigwell U.D. Epping U.D. Harlow U.D. Rayleigh U.D. Thurrock U.D. Waltham Holy Cross U.D. Chelmsford R.D. Epping and Ongar R.D. Rochford R.D.	Henley-on-Thames M.B. Henley R.D.
<i>Berkshire, (part)</i>	<i>Hampshire, (part)</i>	<i>Sussex, East, (part)</i>
Reading C.B. Maidenhead M.B. New Windsor M.B. Wokingham M.B. Bradfield R.D. Cookham R.D. Easthampstead R.D. Windsor R.D. Wokingham R.D.	Aldershot M.B. Farnborough U.D. Fleet U.D. Hartley Wintney R.D.	Burgess Hill U.D. Cuckfield U.D. East Grinstead U.D. Cuckfield R.D. Uckfield R.D.
		<i>Sussex, West, (part)</i>
		Crawley U.D. Horsham U.D. Horsham R.D.

## 16. Conurbations

The conurbation areas each consist of an aggregation of entire local authority areas and are constituted as follows:-

<b>Tyneside</b>		
<i>Durham (part)</i>	<i>Northumberland (part)</i>	
Gateshead C.B. South Shields C.B.	Newcastle upon Tyne C.B. Tynemouth C.B.	Newburn U.D. Wallsend M.B. Whitley Bay M.B.
Felling U.D. Hebburn U.D. Jarrow M.B. Whickham U.D.	Gosforth U.D. Longbenton U.D.	
<b>West Yorkshire</b>		
<i>Yorkshire, West Riding (part)</i>		
Bradford C.B. Dewsbury C.B. Halifax C.B. Huddersfield C.B. Leeds C.B. Wakefield C.B.	Colne Valley U.D. Denby Dale U.D. Denholme U.D. Elland U.D. Heckmondwike U.D. Holmfirth U.D.	Mirfield U.D. Morley M.B. Ossett M.B. Pudsey M.B. Queensbury and Shelf U.D. Ripponden U.D.
Aireborough U.D. Bailldon U.D. Batley M.B. Bingley U.D. Brighouse M.B.	Horbury U.D. Horsforth U.D. Keighley M.B. Kirkburton U.D. Meltham U.D.	Rothwell U.D. Shipley U.D. Sowerby Bridge U.D. Spenborough M.B. Stanley U.D.

## South East Lancashire

[illegible]

## Merseyside

<i>Cheshire (part)</i>		<i>Lancashire (part)</i>
Birkenhead C.B.	Ellesmere Port M.B.	Bootle C.B.
Wallasey C.B.	Hoylake U.D.	Liverpool C.B.
	Neston U.D.	
Bebington M.B.	Wirral U.D.	Crosby M.B.
		Huyton-with-Roby U.D.
		Litherland U.D.

West Midlands (prior to 1st April 1966)

Staffordshire (part)		Warwickshire (part)
Smethwick C.B.	Darlaston U.D.	Birmingham C.B.
Walsall C.B.	Rowley Regis M.B.	Solihull C.B.
West Bromwich C.B.	Sedgley U.D.	
Wolverhampton C.B.	Tettenhall U.D.	Sutton Coldfield M.B.
	Tipton M.B.	
Aldridge U.D.		
Amblecote U.D.	Wednesbury M.B.	Worcestershire (part)
Bilston M.B.	Wednesfield U.D.	Dudley C.B.
Brierley Hill U.D.	Willenhall U.D.	
Coseley U.D.		Halesowen M.B.
		Oldbury M.B.
		Stourbridge M.B.

West Midlands (from 1st April 1966)

Staffordshire (part)	Warwickshire (part)	Worcestershire (part)
----------------------	---------------------	-----------------------

Dudley C.B.  
Walsall C.B.  
West Bromwich C.B.  
Wolverhampton C.B.  
Aldridge - Brownhills U.D.

Birmingham C.B.  
Solihull C.B.  
Sutton Coldfield M.B.

Warley C.B.  
Halesowen M.B.  
Stourbridge M.B.

Greater London

Greater London Council Area

17. Hospital regions

The hospital regions presented in this volume consist of aggregations of entire local authority areas. They are identical with the areas of regional hospital boards except where the boundaries of the latter divide local authority areas. Any such divided local authority area is allocated to the hospital region containing the greater proportion of the population.

Newcastle

Cumberland

Durham

Northumberland

Westmorland (part)

Appleby M.B.

North Westmorland R.D.

Yorkshire, North Riding (part)

Middlesbrough C.B.

Eston U.D.

Guisborough U.D.

Loftus U.D.

Northallerton U.D.

Redcar M.B.

Richmond M.B.

Saltburn and Marske-by-the-Sea U.D.

Skelton and Brotton U.D.  
Thornaby-on-Tees M.B.

Croft R.D.

Northallerton R.D.

Reeth R.D.

Richmond R.D.

Startforth R.D.

Stokesley R.D.

Leeds

Yorkshire, East Riding

Yorkshire, North Riding (part)  
(except areas stated in Newcastle Region)

Yorkshire, West Riding (part)  
(except areas stated in Sheffield Region)

Sheffield		
Leicestershire	Yorkshire, West Riding (part)	
Lincolnshire	Barnsley C.B.	Royston U.D.
Parts of Holland	Doncaster C.B.	Stocksbridge U.D.
Parts of Lindsey	Rotherham C.B.	Swinton U.D.
Nottinghamshire	Sheffield C.B.	Tickhill U.D.
Derbyshire (part)	Adwick-le-Street U.D.	Wath-upon-Deane U.D.
(except areas stated in Manchester Region)	Bentley with Arksey U.D.	Wombwell U.D.
Lincolnshire	Conisbrough U.D.	Worsbrough U.D.
Parts of Kesteven (part)	Cudworth U.D.	Doncaster R.D.
(except areas stated in East Anglia Region)	Darfield U.D.	Kiveton Park R.D.
Rutland (part)	Darton U.D.	Penistone R.D.
Oakham U.D.	Dearne U.D.	Rotherham R.D.
Oakham R.D.	Dodworth U.D.	Thorne R.D.
Uppingham R.D.	Hoyland Nether U.D.	Wortley R.D.
	Maltby U.D.	
	Mexborough U.D.	
	Penistone U.D.	
	Rawmarsh U.D.	
East Anglia		
Cambridge and Isle of Ely	Suffolk, West	Lincolnshire
Huntingdon and Peterborough	Essex (part)	Parts of Kesteven (part)
Norfolk	Saffron Walden M.B.	Stamford M.B.
Suffolk, East	Saffron Walden R.D.	Bourne U.D.
	Hertfordshire (part)	South Kesteven R.D.
	Royston U.D.	Rutland (part)
		Ketton R.D.
North West Metropolitan		
Bedfordshire	Berkshire (part)	Greater London (part)
Hertfordshire (part)	Maidenhead M.B.	Barnet L.B.
(except areas stated in East Anglia and North East Metropolitan Regions)	New Windsor M.B.	Brent L.B.
Surrey (part)	Cookham R.D.	Camden L.B.
Sunbury-on-Thames U.D.	Easthampstead R.D.	Ealing L.B.
Staines U.D.	Windsor R.D.	Haringey L.B.
	Buckinghamshire (part)	Harrow L.B.
	Beaconsfield U.D.	Hillingdon L.B.
	Eton U.D.	Hounslow L.B.
	Slough M.B.	Islington L.B.
	Eton R.D.	Richmond-upon-Thames L.B.
		Westminster L.B.

Hospital regions - *continued*

North East Metropolitan		
Essex (part) (except areas stated in East Anglia Region)	Hertfordshire (part) Ware U.D. Braughing R.D. Hertford R.D. Ware R.D.	Greater London (part) - <i>ctd.</i> Barking L.B. Enfield L.B. Hackney L.B. Havering L.B. Newham L.B. Redbridge L.B. Tower Hamlets L.B. Waltham Forest L.B.
Hertfordshire (part) Bishop's Stortford U.D. Cheshunt U.D. Hertford M.B. Hoddesdon U.D. Sawbridgeworth U.D.	Greater London (part) City of London Inner and Middle Temple	
South East Metropolitan		
Kent  Sussex, East	Greater London (part) Bexley L.B. Bromley L.B. Greenwich L.B.	Lewisham L.B. Southwark L.B.
South West Metropolitan		
Surrey (part) (except areas stated in North West Metropolitan Region)	Hampshire (part) Aldershot M.B. Farnborough U.D. Fleet U.D.	Greater London (part) - <i>ctd.</i> Hammersmith L.B. Kensington and Chelsea L.B. Kingston-upon-Thames L.B. Lambeth L.B. Merton L.B. Sutton L.B. Wandsworth L.B.
Sussex, West	Greater London (part) Croydon L.B.	
Wessex		
Wight, Isle of  Dorset (part) (all areas except Lyme Regis M.B.)  Hampshire (part) (except areas stated in South West Metropolitan Region)		Wiltshire (part) Salisbury M.B. Wilton M.B. Amesbury R.D. Mere and Tisbury R.D. Salisbury and Wilton R.D.
Oxford		
Northamptonshire  Oxfordshire  Berkshire (part) (except areas stated in North West Metropolitan Region)	Gloucestershire (part) Cirencester U.D.  Cirencester R.D. North Cotswold R.D. Northleach R.D.	Wiltshire (part) Marlborough M.B. Swindon M.B.  Cricklade and Wootton Bassett R.D. Highworth R.D. Marlborough and Ramsbury R.D. Pewsey R.D.
Buckinghamshire (part) (except areas stated in North West Metropolitan Region)		

# **Hospital regions - continued**

## **South Western**

<i>Cornwall</i>	<i>Devon</i>	<i>Somerset</i>	<i>Gloucestershire (part)</i> (except areas stated in Oxford Region)
	<i>Dorset (part)</i>		<i>Wiltshire (part)</i> (except areas stated in Wessex and Oxford Regions)
<i>Lyme Regis M.B.</i>			

## **Welsh**

All areas in Wales including Monmouthshire

## **Birmingham**

*Herefordshire*      *Shropshire*      *Staffordshire*      *Warwickshire*      *Worcestershire*

## **Manchester**

<i>Cheshire (part)</i> (except areas stated in Liverpool Region)	<i>Derbyshire (part)</i>
<i>Lancashire (part)</i> (except areas stated in Liverpool Region)	<i>Buxton M.B.</i>
<i>Westmorland (part)</i> (except areas stated in Newcastle Region)	<i>Glossop M.B.</i>
	<i>New Mills U.D.</i>
	<i>Whaley Bridge U.D.</i>
	<i>Chapel en le Frith R.D.</i>

## **Liverpool**

<i>Cheshire (part)</i>	<i>Lancashire (part)</i>
<i>Birkenhead C.B.</i>	<i>Bootle C.B.</i>
<i>Chester C.B.</i>	<i>Liverpool C.B.</i>
<i>Wallasey C.B.</i>	<i>St. Helens C.B.</i>
<i>Bebington M.B.</i>	<i>Southport C.B.</i>
<i>Ellesmere Port M.B.</i>	<i>Warrington C.B.</i>
<i>Hoylake U.D.</i>	<i>Crosby M.B.</i>
<i>Lymm U.D.</i>	<i>Formby U.D.</i>
<i>Neston U.D.</i>	<i>Golborne U.D.</i>
<i>Runcorn U.D.</i>	<i>Haydock U.D.</i>
<i>Wirral U.D.</i>	<i>Huyton-with-Roby U.D.</i>
<i>Chester R.D.</i>	<i>Kirkby U.D.</i>
<i>Runcorn R.D.</i>	<i>Litherland U.D.</i>
<i>Tarvin R.D.</i>	<i>Newton-le-Willows U.D.</i>
	<i>Ormskirk U.D.</i>
	<i>Prescot U.D.</i>
	<i>Rainford U.D.</i>
	<i>Skelmersdale U.D.</i>
	<i>Widnes M.B.</i>
	<i>Warrington R.D.</i>
	<i>West Lancashire R.D.</i>
	<i>Whiston R.D.</i>

## **18. Urban and rural aggregates**

These aggregates comprise (a) the six conurbations combined (b) the aggregates of urban local authority areas outside the conurbations in three groups according to the size of their resident population at the 1961 Census and (c) the aggregate of rural local authority areas outside the conurbations. Urban areas include boroughs and urban districts as defined by the Local Government Acts, and rural areas are rural districts as similarly defined.

## CORRECTIONS

### STATISTICAL REVIEW, 1964: PART I, TABLES, MEDICAL

Page 117 Table 17      Upper sectional table, causes 240-245 to 251,  
age-group 45-:  
*for* 524, 651, 63, 3, 15, -, 1, -, -, blank  
*read* 52, 64, 51, 63, 3, 15, -, 1, -, -

### STATISTICAL REVIEW, 1965: PART I, TABLES, MEDICAL

Page 39 Table 7      Line N860-N869 Internal injury of chest,  
abdomen and pelvis, 1965 column:  
*for* 466 *read* 446

Page 167 Table 18A      Table title should read 1965 *not* 1963

Page 169 Table 18A      Section E891 Accidental poisoning by motor  
vehicle exhaust gas, Home columns:  
All ages *for* 20 and 2 *read* 21 and 3  
65 and over *for* 6 and - *read* 7 and -

Page 318 Table 23D      Line Y38.1 Hydrocephalus, South Eastern column:  
*for* 04 *read* 104

Page 368 Table 27 Supp.      Line total immaturity males, late neonatal  
mortality (1 week and under 4 weeks) column:  
*for* 7.27 *read* 0.27



PART I  
TABLES, MEDICAL

**TABLE 1. Estimated population, total, home and civilian,  
by sex and age, as at 30th June 1966**

**England and Wales**

*See explanatory note 3.*

*(Figures in thousands)*

Age	Total			Home			Civilian		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
<b>All ages</b>	<b>48,188.7</b>	<b>23,504.3</b>	<b>24,684.4</b>	<b>48,075.3</b>	<b>23,392.4</b>	<b>24,682.9</b>	<b>47,821.8</b>	<b>23,150.6</b>	<b>24,671.2</b>
0	839.5	430.5	409.0	839.5	430.5	409.0	839.5	430.5	409.0
1	849.0	435.6	413.4	849.0	435.6	413.4	849.0	435.6	413.4
2	842.7	432.3	410.4	842.7	432.3	410.4	842.7	432.3	410.4
3	826.9	424.0	402.9	826.9	424.0	402.9	826.9	424.0	402.9
4	809.1	415.0	394.1	809.1	415.0	394.1	809.1	415.0	394.1
<b>0-4</b>	<b>4,167.2</b>	<b>2,137.4</b>	<b>2,029.8</b>	<b>4,167.2</b>	<b>2,137.4</b>	<b>2,029.8</b>	<b>4,167.2</b>	<b>2,137.4</b>	<b>2,029.8</b>
5	776.5	398.5	378.0	776.5	398.5	378.0	776.5	398.5	378.0
6	739.8	379.6	360.2	739.8	379.6	360.2	739.8	379.6	360.2
7	725.3	371.9	353.4	725.3	371.9	353.4	725.3	371.9	353.4
8	709.8	364.0	345.8	709.8	364.0	345.8	709.8	364.0	345.8
9	682.6	349.9	332.7	682.6	349.9	332.7	682.6	349.9	332.7
<b>5-9</b>	<b>3,634.0</b>	<b>1,863.9</b>	<b>1,770.1</b>	<b>3,634.0</b>	<b>1,863.9</b>	<b>1,770.1</b>	<b>3,634.0</b>	<b>1,863.9</b>	<b>1,770.1</b>
10	657.6	337.7	319.9	657.6	337.7	319.9	657.6	337.7	319.9
11	644.8	330.2	314.6	644.8	330.2	314.6	644.8	330.2	314.6
12	655.4	335.1	320.3	655.4	335.1	320.3	655.4	335.1	320.3
13	649.6	332.2	317.4	649.6	332.2	317.4	649.6	332.2	317.4
14	648.5	331.5	317.0	648.5	331.5	317.0	648.5	331.5	317.0
<b>10-14</b>	<b>3,255.9</b>	<b>1,666.7</b>	<b>1,589.2</b>	<b>3,255.9</b>	<b>1,666.7</b>	<b>1,589.2</b>	<b>3,255.9</b>	<b>1,666.7</b>	<b>1,589.2</b>
15	666.3	340.6	325.7	666.4	340.7	325.7	665.4	339.7	325.7
16	696.5	356.1	340.4	697.3	356.9	340.4	688.4	348.0	340.4
17	729.4	373.5	355.9	729.5	373.5	356.0	715.5	360.5	355.0
18	796.4	406.7	389.7	789.9	400.2	389.7	773.6	386.2	387.4
19	847.1	433.6	413.5	837.4	424.1	413.3	821.2	410.2	411.0
<b>15-19</b>	<b>3,735.7</b>	<b>1,910.5</b>	<b>1,825.2</b>	<b>3,720.5</b>	<b>1,895.4</b>	<b>1,825.1</b>	<b>3,664.1</b>	<b>1,844.6</b>	<b>1,819.5</b>
20	695.9	356.1	339.8	679.4	340.1	339.3	658.0	320.8	337.2
<b>All ages under 21</b>	<b>15,488.7</b>	<b>7,934.6</b>	<b>7,554.1</b>	<b>15,457.0</b>	<b>7,903.5</b>	<b>7,553.5</b>	<b>15,379.2</b>	<b>7,833.4</b>	<b>7,545.8</b>
20-24	3,342.8	1,703.1	1,639.7	3,297.1	1,658.2	1,638.9	3,230.6	1,595.5	1,635.1
25-29	3,014.2	1,541.0	1,473.2	2,990.9	1,518.0	1,472.9	2,943.0	1,470.8	1,472.2
30-34	2,928.8	1,513.2	1,415.6	2,916.2	1,500.7	1,415.5	2,887.9	1,472.8	1,415.1
35-39	3,006.2	1,533.3	1,472.9	2,996.6	1,523.8	1,472.8	2,974.0	1,501.5	1,472.5
40-44	3,215.0	1,616.9	1,598.1	3,210.9	1,612.9	1,598.0	3,195.7	1,598.0	1,597.7
45-49	3,046.9	1,512.1	1,534.8	3,044.7	1,509.9	1,534.8	3,033.8	1,499.3	1,534.5
50-54	3,135.2	1,524.8	1,610.4	3,134.5	1,524.1	1,610.4	3,129.4	1,519.2	1,610.2
55-59	3,058.0	1,468.7	1,589.3	3,058.0	1,468.7	1,589.3	3,057.4	1,468.2	1,589.2
60-64	2,727.3	1,268.1	1,459.2	2,727.3	1,268.1	1,459.2	2,727.3	1,268.1	1,459.2
65-69	2,163.8	923.0	1,240.8	2,163.8	923.0	1,240.8	2,163.8	923.0	1,240.8
70-74	1,626.7	622.5	1,004.2	1,626.7	622.5	1,004.2	1,626.7	622.5	1,004.2
75-79	1,124.6	393.3	731.3	1,124.6	393.3	731.3	1,124.6	393.3	731.3
80-84	646.8	206.0	440.8	646.8	206.0	440.8	646.8	206.0	440.8
85 and over	359.6	99.8	259.8	359.6	99.8	259.8	359.6	99.8	259.8

**TABLE 2. Estimated home population by sex and age, as at 30th June 1966**

**England and Wales, regions, Wales, conurbations, urban and rural aggregates outside conurbations, hospital regions**

(Figures in thousands)

Note. A definition of the modified hospital regions used in this volume appears in Section 17 of the explanatory notes.

	All ages	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 and over
<b>ENGLAND AND WALES</b>	M 23,392.4 F 24,682.9	430.5 409.0	1,706.9 1,620.8	1,863.9 1,770.1	1,666.7 1,589.2	1,895.4 1,825.1	1,658.2 1,638.9	1,518.0 1,472.9	1,500.7 1,415.5	1,523.8 1,472.8	1,612.9 1,598.0	1,509.9 1,534.8	1,524.1 1,610.4	1,468.7 1,589.3	1,268.1 1,459.2	923.0 1,240.8	622.5 1,004.2	699.1 1,431.9
<b>Regions and conurbations:</b>																		
<b>Northern</b>	M 1,630.9 F 1,685.9	29.2 27.7	119.6 113.7	143.3 136.9	123.0 117.5	132.1 125.5	109.9 112.9	104.8 103.8	106.7 101.6	110.0 103.5	113.9 109.6	100.2 99.7	100.8 104.3	98.2 105.9	86.7 95.5	63.3 81.5	42.6 63.6	46.6 82.7
<b>Tyneside Conurbation</b>	M 411.2 F 436.9	7.4 7.0	29.9 28.5	36.2 34.5	30.7 29.6	32.5 32.5	27.3 29.6	26.4 26.5	25.8 26.8	27.9 26.8	29.8 29.4	25.5 26.1	25.7 27.1	25.0 25.0	22.1 25.3	16.3 21.8	10.8 16.9	11.1 21.5
<b>Remainder of Northern</b>	M 1,219.7 F 1,249.0	21.8 20.7	89.7 85.2	107.1 102.4	92.3 87.9	99.6 93.0	82.6 83.3	78.4 77.3	80.1 75.8	82.1 76.7	84.1 80.2	74.7 73.6	75.1 77.2	73.2 77.9	64.6 70.2	47.0 53.7	31.8 46.7	35.5 61.2
<b>Yorkshire and Humberside</b>	M 2,300.3 F 2,431.8	42.7 40.6	169.5 160.8	187.6 178.1	168.5 160.2	187.0 181.5	154.3 159.3	144.2 143.6	143.6 138.0	151.6 142.6	158.5 156.4	149.6 151.5	145.9 159.3	145.9 158.5	127.7 148.3	91.8 123.0	60.9 97.2	65.9 133.3
<b>West Yorkshire Conurbation</b>	M 826.8 F 901.0	15.6 14.9	62.2 58.9	67.3 63.4	60.2 56.3	62.1 61.4	52.5 56.5	51.3 50.9	51.4 50.0	55.3 52.0	56.9 56.0	54.6 56.2	55.2 60.5	55.0 62.2	48.6 59.1	34.1 49.9	22.2 39.0	22.3 51.8
<b>Remainder of Yorkshire and Humberside</b>	M 1,473.5 F 1,530.8	27.1 25.7	107.3 101.9	120.3 114.7	108.3 101.9	124.9 120.1	104.8 102.8	92.9 92.3	92.2 88.0	98.3 90.6	101.6 100.4	95.0 95.3	95.8 98.9	90.9 96.3	79.1 89.2	57.7 73.1	38.7 58.2	43.6 81.5
<b>North Western</b>	M 3,232.6 F 3,499.3	61.2 58.1	249.2 272.4	272.4 258.0	241.2 231.1	256.2 252.5	210.2 224.0	201.3 199.0	201.4 194.0	207.4 203.2	218.2 222.4	208.1 217.6	215.1 233.2	208.2 231.6	179.3 215.7	129.7 184.1	85.5 146.4	87.8 182.0
<b>South East Lancashire Conurbation</b>	M 1,177.8 F 1,275.6	22.7 21.5	91.7 87.1	97.1 94.5	86.8 83.3	91.3 84.1	76.3 81.6	73.1 72.2	73.0 70.3	78.2 75.2	81.2 81.7	77.9 80.9	80.6 87.1	76.8 85.0	64.8 78.3	45.9 68.8	30.4 53.0	30.4 69.0
<b>Merseyside Conurbation</b>	M 656.0 F 717.2	13.2 12.6	55.0 52.2	61.1 59.6	52.3 50.6	55.5 56.2	47.6 51.4	44.0 43.1	41.5 40.0	39.4 40.1	41.8 44.1	39.7 42.7	39.9 44.0	39.0 42.8	32.2 39.2	23.7 34.2	15.7 27.5	15.7 37.9
<b>Remainder of North Western</b>	M 1,398.8 F 1,506.5	25.3 24.0	102.5 97.3	114.2 107.9	102.1 97.2	109.4 105.2	86.3 91.0	84.2 83.7	86.9 83.7	89.8 87.9	95.4 96.4	90.5 94.0	94.6 102.1	93.4 103.8	82.3 98.2	60.1 83.1	40.1 65.9	41.7 85.1
<b>East Midlands</b>	M 1,633.0 F 1,665.5	30.1 28.5	119.7 113.7	130.7 125.3	119.6 111.5	135.3 126.9	110.3 110.5	105.3 101.4	107.1 98.4	109.3 108.4	116.0 108.4	106.1 101.4	104.0 107.0	101.2 104.8	87.6 94.9	62.3 79.5	41.1 62.8	47.1 88.2
<b>West Midlands</b>	M 2,492.8 F 2,528.6	47.7 45.2	186.8 177.5	201.7 190.0	178.5 169.6	217.0 204.9	178.4 175.8	166.1 157.7	169.8 153.3	170.3 159.1	180.8 172.1	165.1 157.0	157.9 158.6	148.8 153.1	124.2 137.8	83.9 110.6	54.9 86.3	59.9 120.0
<b>West Midlands Conurbation</b>	M 1,205.0 F 1,232.1	23.4 22.2	90.4 85.8	94.7 89.1	94.6 90.7	104.6 101.4	89.2 87.4	81.9 76.2	82.4 73.6	82.2 77.1	85.2 81.7	81.7 77.4	77.4 78.0	71.9 75.2	59.5 67.9	40.0 54.8	25.5 42.3	26.8 57.8
<b>Remainder of West Midlands</b>	M 1,287.8 F 1,296.5	24.3 23.0	96.4 91.7	107.0 100.9	93.9 88.9	112.4 103.5	91.2 88.4	94.2 81.5	87.4 79.7	89.1 82.0	91.0 86.9	83.4 79.6	80.5 80.6	76.9 77.9	64.7 69.9	43.9 55.8	29.4 44.0	33.1 62.2
<b>East Anglia</b>	M 789.8 F 792.7	13.3 12.7	52.6 49.8	60.8 57.0	52.2 51.6	66.6 60.6	68.4 52.9	53.8 47.6	51.0 46.0	50.1 45.9	51.9 48.8	46.2 48.0	47.9 49.2	47.0 49.1	43.0 46.4	31.9 40.9	23.9 34.4	29.2 51.8
<b>South Eastern</b>	M 8,226.1 F 8,645.8	132.7 145.1	591.7 561.9	618.7 586.8	582.5 535.9	647.0 635.8	604.1 603.9	551.5 538.7	532.1 508.0	531.0 527.4	567.4 574.3	543.4 563.6	552.2 590.5	536.0 574.4	443.2 519.9	323.6 445.3	221.4 372.1	257.6 562.2
<b>Greater London Conurbation</b>	M 3,778.9 F 4,134.7	74.5 68.0	258.1 243.2	249.2 238.0	239.0 225.2	289.9 304.3	284.0 308.9	262.8 284.8	244.0 233.3	245.2 247.0	267.8 273.4	265.4 278.7	273.1 293.2	260.4 280.4	242.4 243.8	149.3 209.7	97.5 173.6	140.9 259.4
<b>Outer Metropolitan Area</b>	M 2,452.8 F 2,556.5	46.3 43.9	193.1 183.4	212.5 193.4	190.7 176.5	196.9 185.1	165.0 165.4	137.9 127.7	170.1 165.2	170.9 166.4	174.3 173.6	163.7 158.5	159.4 161.9	143.7 149.3	115.6 133.5	78.1 104.5	54.4 87.4	64.2 134.6
<b>Remainder of South Eastern</b>	M 1,994.4 F 2,154.6	34.9 33.2	142.5 135.3	157.0 149.4	142.8 134.2	160.2 146.4	155.1 129.6	124.8 116.4	118.0 109.5	114.9 111.0	125.3 127.3	113.9 126.4	119.7 135.4	121.9 144.7	115.2 142.6	95.2 131.1	69.5 141.1	82.5 169.0
<b>South Western</b>	M 1,763.9 F 1,855.1	30.9 29.4	124.9 118.6	140.7 134.3	125.7 119.7	145.6 134.1	131.8 114.0	110.4 103.2	107.5 98.9	107.2 105.4	114.2 114.7	107.5 111.8	110.8 119.5	109.6 121.4	100.2 116.0	78.8 102.7	54.2 84.9	63.9 126.5
<b>Wales</b>	M 1,323.0 F 1,378.2	22.7 21.7	92.9 88.2	108.0 103.7	95.5 92.1	108.6 103.3	89.6 85.8	80.6 78.3	81.5 77.3	86.9 83.2	91.8 91.5	83.7 84.2	84.4 88.6	83.8 90.5	76.2 84.7	57.7 73.2	38.0 56.5	41.1 75.2
<b>Wales I (South East)</b>	M 952.8 F 982.5	16.5 15.7	67.8 64.4	75.2 78.5	69.2 66.4	78.8 74.8	63.1 62.4	59.7 57.6	59.6 56.3	64.6 61.6	67.5 67.1	61.1 60.5	60.8 62.8	60.1 63.5	54.1 59.5	40.0 49.7	25.8 37.7	28.9 48.0
<b>Wales II (remainder)</b>	M 370.2 F 395.7	6.2 6.0	25.1 23.8	29.8 28.2	26.3 25.7	29.8 28.5	26.5 23.4	21.9 20.7	21.9 21.0	22.3 21.6	24.3 24.4	22.6 23.7	23.6 26.0	23.7 27.0	22.1 26.2	17.7 23.5	12.2 18.8	14.2 27.2

TABLE 2 - continued

	All ages	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 and over
Urban and rural aggregates:																		
Conurbations	M 8,055.7 F 8,697.5	153.8 146.2	585.3 555.7	605.6 575.1	553.6 527.7	635.9 646.9	575.9 615.4	539.5 523.5	518.9 493.0	528.2 518.2	567.3 569.8	545.2 562.0	551.9 589.9	527.1 573.6	439.6 513.6	309.3 437.2	204.4 352.3	217.2 497.4
Areas outside conurbations:																		
Urban areas with populations of 100,000 and over	M 2,960.6 F 3,127.6	54.3 51.5	209.9 199.9	239.8 231.1	211.8 204.3	251.6 241.7	217.9 210.6	197.5 178.9	188.1 173.0	193.8 186.6	202.8 200.3	191.1 194.7	191.3 202.9	185.4 203.5	162.3 188.5	114.0 157.6	77.6 126.6	81.4 175.9
Urban areas with populations of 50,000 and under 100,000	M 2,287.5 F 2,427.6	42.3 40.3	172.4 165.9	188.6 181.3	166.9 161.4	186.3 177.5	160.9 150.9	148.7 146.3	149.0 141.8	149.2 144.6	157.0 155.8	139.2 143.8	140.8 151.5	133.7 151.1	117.9 141.5	86.8 122.5	60.0 100.9	67.8 146.5
Urban areas with populations under 50,000	M 5,021.1 F 5,580.1	91.1 86.8	361.5 347.8	412.5 395.5	368.2 352.2	398.5 389.7	339.0 337.1	315.1 312.4	316.5 308.2	326.4 326.2	344.1 345.4	318.7 328.2	322.1 344.9	314.5 349.5	277.7 328.8	209.2 283.0	143.1 229.3	185.9 331.1
Rural districts	M 5,087.5 F 5,050.1	89.0 84.2	377.8 354.6	447.4 387.1	368.2 343.6	423.1 363.3	365.5 320.9	327.2 311.8	329.2 302.3	326.2 304.1	341.7 326.7	315.7 306.1	318.0 321.2	308.0 311.6	270.8 289.8	203.7 240.5	140.4 195.1	166.8 281.0
Hospital regions:																		
Newcastle	M 1,510.4 F 1,561.9	26.9 25.6	110.5 105.0	132.7 126.8	113.8 108.8	122.2 115.9	101.4 104.1	96.7 95.8	98.5 93.9	102.0 95.8	105.5 101.5	92.8 92.5	93.6 96.8	94.2 98.5	80.7 89.1	58.9 75.9	39.7 59.2	43.3 76.7
Leeds	M 1,550.6 F 1,639.6	28.7 27.3	114.0 108.1	126.3 120.0	113.5 108.0	125.8 122.1	103.6 106.8	96.8 96.2	98.5 92.8	102.3 96.0	106.9 105.4	100.9 102.2	102.0 107.6	98.7 107.3	86.5 100.6	62.3 83.4	41.3 65.8	44.5 90.0
Sheffield	M 2,261.2 F 2,306.9	41.6 39.4	165.4 157.2	181.0 173.3	165.6 154.3	187.1 175.4	152.4 152.0	145.2 139.9	147.9 136.1	151.5 141.8	160.5 150.1	147.0 140.5	144.2 148.6	140.4 145.7	121.9 132.2	86.8 110.7	57.3 87.4	65.4 122.2
East Anglian	M 826.2 F 829.5	13.9 13.3	54.9 52.0	63.6 59.5	54.6 54.0	69.6 63.4	71.2 55.0	56.0 49.6	53.2 48.0	52.4 48.0	54.3 51.1	48.3 50.2	50.2 51.6	49.4 51.6	45.2 48.8	33.6 36.2	25.1 36.2	30.7 54.2
North West Metropolitan	M 2,083.7 F 2,241.3	38.6 36.7	149.7 142.1	156.7 148.5	142.4 135.8	163.7 160.6	152.4 152.1	139.1 136.0	134.4 128.4	134.7 133.5	143.6 145.5	137.6 142.9	140.1 149.9	133.5 146.1	112.9 132.5	82.4 113.4	56.5 94.7	65.4 142.6
North East Metropolitan	M 1,571.6 F 1,690.3	29.0 27.6	112.8 107.1	118.2 112.0	107.5 102.4	123.4 121.2	114.9 114.8	104.9 102.5	101.4 96.8	101.6 100.7	108.3 109.7	103.8 107.8	105.7 113.1	100.8 110.2	85.1 100.0	62.3 85.5	42.5 71.4	49.4 107.5
South East Metropolitan	M 1,626.6 F 1,749.7	30.1 28.6	116.8 110.9	122.2 116.0	111.2 105.9	127.7 125.4	119.0 118.9	109.6 106.1	105.0 100.2	105.1 104.2	112.1 113.6	107.5 111.6	109.4 117.0	104.3 114.1	88.1 103.5	64.4 88.5	44.0 73.9	51.1 111.3
South West Metropolitan	M 1,615.1 F 1,737.0	29.9 28.4	115.8 109.9	121.6 115.2	110.3 105.2	126.9 124.7	118.2 118.1	107.6 105.4	104.1 99.6	104.3 103.4	111.4 112.7	108.7 110.7	108.7 116.1	103.7 113.1	87.4 102.8	63.9 88.0	43.7 73.3	50.9 110.4
Wessex	M 922.9 F 922.9	17.1 16.3	66.2 62.9	69.4 65.6	63.1 60.2	72.5 71.1	67.5 67.4	61.6 60.3	59.5 56.9	59.5 59.2	63.7 64.5	61.0 63.3	62.1 66.3	59.2 64.8	50.0 59.7	36.5 50.3	25.0 41.9	29.0 63.2
Oxford	M 876.8 F 943.4	16.3 15.5	62.9 59.8	66.0 62.5	60.0 57.1	69.8 67.6	64.1 64.1	59.5 57.2	56.5 54.1	56.6 56.2	60.5 61.2	57.9 60.1	59.0 63.1	56.2 61.5	47.5 55.8	34.7 47.8	23.7 39.9	27.6 59.9
South Western	M 1,477.8 F 1,554.8	25.8 24.5	104.4 99.2	118.0 112.5	105.3 100.3	124.8 112.0	109.9 95.0	92.1 86.2	89.8 82.7	89.8 88.2	95.7 96.1	90.1 93.8	92.9 100.3	92.0 102.1	84.4 97.8	66.4 86.6	45.7 71.4	53.7 108.1
Welsh	M 1,323.0 F 1,378.2	22.7 21.7	92.9 88.2	108.0 103.7	95.5 92.1	108.6 103.3	99.6 85.8	80.6 78.3	81.5 77.3	86.9 83.2	91.8 91.5	83.7 84.2	84.4 88.8	83.8 90.5	76.2 84.7	57.7 73.2	39.0 56.5	41.1 75.2
Birmingham	M 2,432.8 F 2,528.6	47.7 45.2	186.8 177.5	201.7 190.0	178.5 169.6	217.0 204.9	179.4 175.8	166.1 157.7	168.8 153.3	170.3 159.1	180.8 172.1	165.1 157.0	157.9 159.6	149.8 153.1	124.2 117.8	83.9 110.6	54.9 86.3	59.9 120.0
Manchester	M 2,182.8 F 2,357.6	40.6 38.4	164.2 155.9	178.8 168.8	160.0 152.9	169.8 165.9	137.2 145.5	132.6 131.5	135.0 130.1	142.5 138.0	149.6 151.0	142.7 148.3	148.7 160.7	144.5 160.6	125.2 150.5	90.3 127.7	59.8 101.2	61.3 130.6
Liverpool	M 1,070.9 F 1,171.3	21.6 20.5	88.6 85.0	99.7 95.7	85.4 82.6	90.5 91.6	77.4 83.5	71.6 70.2	67.6 65.3	64.3 65.5	69.2 72.0	64.8 71.9	65.2 70.1	62.2 70.1	52.8 64.4	38.9 56.2	25.3 45.1	28.8 62.0

**TABLE 3. Deaths, death rates, mortality comparisons, infant mortality, and live and still birth rates, 1841 to 1966**

England and Wales

*For explanation of Standardised Mortality Ratios see note 7.*

Period	Deaths			Crude rates per 1,000 living			Standardised Mortality Ratios (1950-52=100)			Deaths of infants under 1 year per 1,000 live births†			Live birth rates per 1,000 population	Stillbirth rates per 1,000 total (live and still) births
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Total	Legitimate	Illegitimate		
1841-1850	3,769,396	1,909,125	1,860,271	22.4	23.1	21.6	357	320	396	153			32.6	
1851-1860	4,210,715	2,138,536	2,072,179	22.2	23.1	21.4	348	313	384	154			34.1	
1861-1870	4,794,498	2,459,489	2,335,009	22.5	23.7	21.4	351	319	383	154			35.2	
1871-1880	5,178,311	2,679,416	2,498,895	21.4	22.7	20.1	335	308	362	149			35.4	
1881-1890	5,244,770	2,698,316	2,546,454	19.1	20.3	18.1	304	281	327	142			32.4	
1891-1900	5,575,375	2,865,226	2,710,149	18.2	19.3	17.1	288	268	307	153			29.9	
1901-1910	5,248,774	2,706,356	2,542,418	15.4	16.4	14.4	235	221	248	128			27.2	
1911-1920*	5,188,052	2,684,511	2,503,541	14.4	15.9	13.0	197	187	207	100	96	194	22.7	
1921-1930	4,722,991	2,407,475	2,315,516	12.1	12.9	11.4	151	142	159	72	70	130	18.3	
1931-1940*	4,992,208	2,551,612	2,440,596	12.3	13.1	11.5	131	125	136	59	57	95	14.9	40
1941-1950*	4,997,653	2,586,188	2,411,465	12.4	14.1	11.0	106	104	107	43	41	61	18.0	27
1951-1960	5,188,116	2,669,747	2,518,369	11.6	12.4	10.9	94	96	92	25	24	31	15.8	22
1841-1845	1,746,110	885,168	860,942	21.4	22.1	20.6	344	307	381	148			32.3	
1846-1850	2,023,286	1,023,957	999,329	23.3	24.1	22.6	369	331	409	157			32.8	
1851-1855	2,087,236	1,061,271	1,025,965	22.7	23.5	21.8	356	321	392	156			33.9	
1856-1860	2,123,479	1,077,265	1,046,214	21.8	22.6	21.0	341	306	377	152			34.4	
1861-1865	2,331,957	1,192,943	1,139,014	22.6	23.7	21.5	353	320	387	151			35.1	
1866-1870	2,462,541	1,266,546	1,195,995	22.4	23.7	21.2	349	318	380	157			35.3	
1871-1875	2,572,749	1,330,063	1,242,686	22.0	23.3	20.7	342	314	371	153			35.5	
1876-1880	2,605,562	1,349,353	1,256,209	20.8	22.1	19.5	328	302	354	145			35.3	
1881-1885	2,585,164	1,330,461	1,254,703	19.4	20.5	18.3	308	284	333	139			33.5	
1886-1890	2,659,606	1,367,855	1,291,751	18.9	20.0	17.8	300	278	322	145			31.4	
1891-1895	2,785,391	1,427,164	1,358,227	18.7	19.8	17.7	296	275	318	151			30.5	
1896-1900	2,789,984	1,438,062	1,351,922	17.7	18.8	16.6	279	262	297	156			29.3	
1901-1905	2,671,566	1,379,931	1,291,635	16.0	17.1	15.0	249	234	264	138			28.2	
1906-1910	2,577,208	1,326,425	1,250,783	14.7	15.6	13.8	221	208	234	117	113	224	26.3	
1911-1915*	2,598,719	1,344,171	1,254,548	14.3	15.4	13.3	205	195	215	110	105	210	23.9	
1916-1920*	2,589,333	1,340,340	1,248,993	14.4	16.5	12.8	190	180	199	90	85	179	21.5	
1921-1925	2,336,270	1,189,865	1,146,405	12.1	12.9	11.4	157	147	166	76	73	140	19.9	
1926-1930	2,386,721	1,217,610	1,169,111	12.1	12.9	11.4	145	137	153	68	65	119	16.7	
1931-1935	2,426,435	1,232,370	1,194,065	12.0	12.7	11.4	134	127	141	62	60	103	15.0	41
1936-1940*	2,565,773	1,319,242	1,246,531	12.5	13.5	11.6	128	123	132	55	54	86	14.9	38
1941-1945*	2,497,013	1,301,357	1,195,656	12.8	15.1	11.1	112	110	113	50	48	71	17.6	30
1946-1950*	2,500,640	1,284,831	1,215,809	11.8	12.8	10.9	101	99	102	36	36	51	18.4	24
1951-1955	2,571,153	1,325,747	1,245,406	11.7	12.5	10.9	97	98	95	27	27	34	15.2	23
1956-1960	2,616,963	1,344,000	1,272,963	11.6	12.3	10.9	91	94	89	23	22	28	16.4	21
1961-1965	2,766,372	1,415,447	1,350,925	11.8	12.4	11.2	91	95	87	21	20	26	18.0	17
1947*	517,615	267,714	249,901	12.3	13.6	11.3	107	106	108	41	40	58	21.1	24
1948*	469,898	242,899	226,999	11.0	11.9	10.1	94	93	95	34	33	45	18.1	23
1949*	510,736	260,686	250,050	11.8	12.6	11.1	101	99	103	32	32	45	16.9	23
1950	510,301	261,152	249,149	11.6	12.3	11.0	99	98	101	30	29	39	15.8	23
1951	549,380	281,724	267,656	12.5	13.4	11.8	106	106	106	30	29	38	15.4	23
1952	497,484	257,760	239,724	11.3	12.2	10.5	95	96	93	28	27	35	15.3	23
1953	503,529	259,490	244,039	11.4	12.2	10.7	95	96	94	27	27	33	15.4	22
1954	501,896	259,797	242,099	11.3	12.2	10.5	93	95	91	25	25	32	15.1	23
1955	518,864	266,976	251,888	11.7	12.5	10.9	95	97	93	25	25	32	15.0	23
1956	521,331	267,904	253,427	11.7	12.5	10.9	94	96	92	24	23	29	15.6	23
1957	514,870	266,407	248,463	11.5	12.3	10.7	91	94	88	23	23	30	16.1	22
1958	526,843	270,639	256,204	11.7	12.4	11.0	92	95	90	23	22	28	16.4	22
1959	527,651	269,878	257,773	11.6	12.3	11.0	91	94	89	22	22	27	16.5	21
1960	526,268	269,172	257,096	11.5	12.2	10.9	89	92	87	22	22	26	17.2	20
1961	551,752	280,782	270,970	11.9	12.6	11.4	92	95	90	21	21	25	17.6	19
1962	557,636	285,154	272,482	11.9	12.6	11.3	92	96	89	22	21	27	18.0	18
1963	572,868	292,410	280,458	12.2	12.8	11.6	94	98	91	21	21	26	18.2	17
1964	534,737	274,773	259,964	11.3	11.9	10.7	87	91	83	20	19	26	18.5	16
1965	549,379	282,328	267,051	11.5	12.2	10.9	88	93	83	19	19	25	18.1	16
1966	563,624	288,622	275,002	11.7	12.3	11.1	89	94	85	19	19	25	17.7	15

\* For the years 1915-20 and from 3rd September 1939 to 31st December 1949, for males, and from 1st June 1941 to 31st December 1949, for females, the mortality rates are based upon civilians only, but, as in other years, the number of deaths include those of non-civilians registered in England and Wales.

† Based on related live births from 1931 to 1956.

TABLE 4. Death rates per 1,000 living in age-groups and infant mortality per 1,000 live births, 1841 to 1966

England and Wales

Period	PERSONS												Deaths under 1 year per 1,000 live births†
	1-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over	
1841-1850		9.05	5.29	7.48	9.29	10.3	12.9	17.0	29.9	63.6	141.5	301.0	153
1851-1860		8.46	4.97	7.04	8.67	9.76	12.3	16.5	28.9	61.7	139.9	296.5	154
1861-1870		7.99	4.49	6.42	8.21	9.83	12.7	17.4	30.4	62.8	140.4	296.6	154
1871-1880		6.47	3.71	5.35	7.07	8.96	12.7	17.8	31.6	65.0	142.2	308.3	149
1881-1890		5.30	3.03	4.37	5.63	7.56	11.5	17.1	31.4	65.0	137.6	284.0	142
1891-1900		4.34	2.51	3.73	4.74	6.40	10.5	16.8	31.5	65.0	137.2	270.8	153
1901-1910		3.56	2.11	2.99	3.82	5.13	8.31	14.3	28.1	58.8	127.2	260.8	128
1911-1920*		3.60	2.28	3.32	4.29	5.47	7.41	12.6	25.0	55.8	125.5	254.2	100
1921-1930		2.42	1.64	2.55	3.21	3.64	5.54	10.0	21.3	50.8	120.9	260.2	72
1931-1940*	5.65	2.01	1.31	2.17	2.85	3.04	4.58	9.26	20.2	48.8	119.5	259.8	59
1941-1950*	2.55	1.13	0.85	1.58	2.24	2.37	3.38	7.44	17.6	42.4	104.0	216.5	43
1951-1960	1.02	0.44	0.37	0.65	0.89	1.12	2.27	6.11	16.2	41.0	102.5	227.5	25
1841-1845		8.69	5.01	7.21	8.81	9.66	12.2	16.1	28.7	62.0	137.2	295.3	148
1846-1850		9.39	5.56	7.74	9.77	10.9	13.6	18.1	31.4	65.9	145.7	306.5	157
1851-1855		8.64	5.23	7.48	9.06	10.1	12.7	17.2	29.6	62.9	143.2	299.6	156
1856-1860		8.33	4.72	6.74	8.33	9.38	12.0	16.1	28.4	61.0	136.7	293.4	152
1861-1865		8.39	4.72	6.64	8.39	9.79	12.6	17.2	30.3	62.5	139.1	299.0	151
1866-1870		7.62	4.28	6.21	8.03	9.86	12.9	17.6	30.6	63.2	141.7	294.3	157
1871-1875		6.86	3.97	5.81	7.74	9.61	13.1	18.0	31.6	65.3	141.7	305.2	153
1876-1880		6.10	3.47	4.93	6.46	8.35	12.3	17.5	31.6	64.7	142.9	311.5	145
1881-1885		5.76	3.23	4.63	5.96	8.01	11.8	17.2	31.0	63.5	136.2	277.9	139
1886-1890		4.86	2.84	4.13	5.32	7.15	11.1	17.1	31.8	66.4	139.0	290.1	145
1891-1895		4.56	2.65	3.98	5.01	6.81	11.0	17.3	32.5	67.3	140.7	273.9	151
1896-1900		4.12	2.36	3.48	4.50	6.03	10.1	16.2	30.5	62.9	133.8	267.7	156
1901-1905		3.74	2.19	3.11	4.00	5.44	8.86	14.9	28.7	59.4	127.3	258.6	138
1906-1910		3.38	2.03	2.87	3.64	4.84	7.81	13.7	27.5	58.1	127.0	262.4	117
1911-1915*		3.39	2.08	2.88	3.58	4.57	7.28	13.1	26.2	57.3	126.2	257.9	110
1916-1920*		3.81	2.48	3.77	5.16	6.55	7.54	12.1	24.0	54.5	124.8	250.7	90
1921-1925		2.48	1.71	2.61	3.30	3.79	5.71	10.1	21.6	51.1	121.8	251.4	76
1926-1930		2.37	1.57	2.49	3.11	3.49	5.37	9.94	21.0	50.6	120.2	268.2	68
1931-1935	6.56	2.18	1.41	2.33	2.96	3.20	4.82	9.44	20.1	49.0	119.3	255.7	62
1936-1940*	4.70	1.84	1.20	2.01	2.72	2.87	4.35	9.09	20.4	48.5	119.7	263.4	55
1941-1945*	3.50	1.50	1.08	1.96	3.06	3.04	3.95	8.00	18.1	43.0	104.5	213.0	50
1946-1950*	1.77	0.77	0.62	1.18	1.63	1.84	2.89	6.94	17.1	41.9	103.5	219.3	36
1951-1955	1.14	0.47	0.41	0.68	0.96	1.24	2.40	6.36	16.6	42.0	105.7	235.7	27
1956-1960	0.91	0.41	0.34	0.63	0.82	0.99	2.13	5.87	15.9	40.1	99.7	221.0	23
1961-1965	0.86	0.40	0.33	0.67	0.78	0.91	2.11	5.86	15.9	39.5	97.5	220.2	21
1947*	2.18	0.90	0.70	1.39	1.92	2.03	3.08	7.24	17.5	42.8	108.3	234.4	41
1948*	1.75	0.75	0.60	1.20	1.55	1.82	2.79	6.70	16.4	39.4	94.1	191.9	34
1949*	1.56	0.69	0.56	1.10	1.51	1.70	2.80	6.81	17.2	43.1	105.7	227.5	32
1950	1.35	0.64	0.48	0.90	1.24	1.57	2.62	6.72	17.0	42.7	106.9	227.6	30
1951	1.35	0.55	0.47	0.76	1.12	1.45	2.63	6.90	18.0	46.1	117.2	266.9	30
1952	1.18	0.49	0.43	0.71	1.03	1.26	2.42	6.35	16.5	41.0	102.3	228.4	28
1953	1.18	0.49	0.41	0.64	0.92	1.22	2.35	6.26	16.3	41.1	103.3	230.9	27
1954	0.94	0.41	0.37	0.63	0.87	1.15	2.37	6.19	16.1	40.6	101.0	222.2	25
1955	1.00	0.43	0.38	0.64	0.86	1.10	2.23	6.14	16.1	41.4	105.1	233.5	25
1956	0.91	0.40	0.34	0.57	0.80	1.04	2.19	5.95	16.1	41.0	104.1	233.3	24
1957	0.97	0.41	0.38	0.68	0.84	1.03	2.20	6.00	16.2	40.4	97.4	208.0	23
1958	0.88	0.40	0.32	0.60	0.80	0.98	2.27	5.92	15.9	40.4	101.0	224.2	23
1959	0.91	0.41	0.34	0.65	0.83	0.96	2.09	5.77	15.9	39.9	99.2	223.2	22
1960	0.87	0.44	0.32	0.64	0.81	0.93	2.07	5.73	15.6	38.8	97.0	217.3	22
1961	0.93	0.40	0.32	0.66	0.81	0.94	2.08	5.85	16.0	40.5	100.8	226.9	21
1962	0.86	0.38	0.34	0.64	0.79	0.91	2.08	5.83	16.1	40.3	100.3	227.8	22
1963	0.91	0.40	0.32	0.63	0.77	0.92	2.12	5.97	16.3	40.9	102.8	235.5	21
1964	0.81	0.39	0.33	0.70	0.78	0.90	2.13	5.82	15.5	37.8	91.5	202.9	20
1965	0.82	0.40	0.36	0.70	0.75	0.88	2.14	5.83	15.6	38.3	92.5	209.9	19
1966	0.84	0.37	0.34	0.74	0.75	0.88	2.07	5.81	15.6	38.8	94.5	219.1	19

\* Civilian mortality only in 1915-20 and from 3rd September 1939 to 31st December 1949 for males, and from 1st June 1941 to 31st December 1949, for females.

† Based on related live births from 1931 to 1956.

TABLE 4 - continued

## MALES

Period	1-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over	Deaths under 1 year per 1,000 live birthst
1841-1850		9.17	5.13	7.05	9.51	9.94	12.9	18.2	31.8	67.5	148.3	312.3	167
1851-1860		8.51	4.88	6.69	8.83	9.57	12.5	18.0	30.9	65.3	146.7	308.2	168
1861-1870		8.19	4.48	6.19	8.48	9.94	13.5	19.3	33.1	67.1	147.2	315.0	168
1871-1880		6.71	3.71	5.25	7.36	9.34	13.8	20.1	34.9	69.7	150.8	327.4	163
1881-1890		5.35	2.95	4.32	5.73	7.77	12.4	19.4	34.7	70.5	146.6	305.8	155
1891-1900		4.31	2.45	3.79	5.06	6.76	11.5	18.9	34.9	70.4	146.1	286.8	168
1901-1910		3.50	2.05	3.09	4.18	5.57	9.15	16.2	31.8	64.8	137.7	279.2	140
1911-1920*		3.61	2.23	3.44	4.94	6.46	8.61	14.5	29.0	63.5	139.3	274.5	112
1921-1930		2.52	1.65	2.62	3.41	3.86	6.34	11.6	24.6	58.2	135.4	285.8	81
1931-1940*	5.96	2.13	1.36	2.30	3.08	3.20	5.17	11.1	24.3	56.8	137.5	282.9	66
1941-1950*	2.72	1.28	0.95	1.79	2.72	2.72	3.93	9.16	22.7	51.6	120.2	234.7	48
1951-1960	1.11	0.52	0.44	0.87	1.18	1.28	2.58	7.63	22.2	54.2	124.7	251.0	28
1841-1845		8.82	4.84	6.76	8.99	9.37	12.2	17.2	30.3	65.5	143.7	350.1	162
1846-1850		9.54	5.39	7.35	10.0	10.5	13.6	19.2	33.2	69.5	152.9	319.5	172
1851-1855		8.75	5.15	6.98	9.24	9.95	12.9	18.6	31.6	66.7	150.9	310.9	172
1856-1860		8.30	4.63	6.42	8.44	9.17	12.2	17.5	30.4	64.3	142.7	305.3	166
1861-1865		8.53	4.68	6.39	8.65	9.76	13.2	18.9	32.8	66.4	145.9	316.6	166
1866-1870		7.88	4.30	5.99	8.31	10.1	13.7	19.6	33.5	67.8	148.7	313.5	170
1871-1875		7.10	3.99	5.71	8.07	10.0	14.3	20.3	34.8	70.1	149.6	323.3	167
1876-1880		6.34	3.44	4.84	6.70	8.70	13.4	19.8	34.9	69.4	152.2	331.5	159
1881-1885		5.85	3.16	4.53	6.00	8.16	12.8	19.3	34.2	68.8	145.4	297.9	152
1886-1890		4.86	2.76	4.12	5.48	7.40	12.1	19.4	35.2	72.1	147.9	313.7	159
1891-1895		4.53	2.57	4.00	5.23	7.07	11.9	19.5	35.8	72.5	149.2	290.8	165
1896-1900		4.09	2.32	3.59	4.90	6.47	11.1	18.4	34.1	68.3	143.1	282.8	170
1901-1905		3.68	2.14	3.20	4.39	5.89	9.74	17.0	32.4	65.3	137.6	274.6	151
1906-1910		3.33	1.97	2.97	3.97	5.25	8.62	15.5	31.2	64.4	137.7	283.0	129
1911-1915*		3.42	2.05	3.01	3.98	5.15	8.20	14.9	30.2	64.1	139.2	281.6	121
1916-1920*		3.81	2.41	3.91	6.60	8.58	9.07	14.0	27.9	63.0	139.4	267.8	101
1921-1925		2.55	1.69	2.66	3.53	4.05	6.51	11.6	24.9	58.2	135.5	272.7	86
1926-1930		2.48	1.61	2.58	3.30	3.68	6.18	11.6	24.4	58.3	135.4	298.1	77
1931-1935	6.88	2.28	1.44	2.45	3.15	3.31	5.40	11.2	23.6	56.7	135.2	278.9	70
1936-1940*	5.00	1.96	1.27	2.15	2.99	3.09	4.95	11.0	25.0	56.8	139.5	286.3	62
1941-1945*	3.72	1.69	1.20	2.22	5.00	4.16	4.81	9.85	23.1	51.7	121.6	226.1	56
1946-1950*	1.90	0.88	0.69	1.33	1.75	1.92	3.23	8.55	22.4	51.6	119.0	241.6	41
1951-1955	1.23	0.55	0.48	0.86	1.23	1.39	2.71	7.93	22.5	54.6	126.7	265.9	30
1956-1960	0.99	0.49	0.40	0.88	1.12	1.17	2.45	7.35	21.9	53.7	122.7	239.2	25
1961-1965	0.94	0.47	0.41	0.94	1.09	1.09	2.44	7.37	21.8	54.2	122.6	253.2	23
1947*	2.38	1.04	0.78	1.62	2.05	2.12	3.44	8.98	22.9	52.5	125.9	266.5	46
1948*	1.87	0.88	0.64	1.30	1.54	1.87	3.15	8.24	21.6	49.0	108.6	210.2	38
1949*	1.69	0.80	0.63	1.27	1.59	1.75	3.12	8.39	22.6	53.2	120.7	249.0	36
1950	1.42	0.75	0.56	1.01	1.39	1.69	2.92	8.26	22.5	53.3	122.5	250.4	34
1951	1.44	0.65	0.57	0.89	1.36	1.61	2.96	8.62	24.3	58.8	136.9	307.8	34
1952	1.32	0.57	0.50	0.90	1.33	1.43	2.75	7.91	22.2	53.1	122.1	265.1	31
1953	1.26	0.56	0.46	0.82	1.18	1.37	2.61	7.81	22.2	53.7	123.4	258.1	30
1954	1.08	0.48	0.43	0.81	1.12	1.29	2.66	7.69	21.9	53.3	123.0	249.6	29
1955	1.04	0.49	0.45	0.88	1.18	1.25	2.53	7.66	22.0	54.2	128.5	256.2	28
1956	0.98	0.46	0.41	0.79	1.07	1.21	2.49	7.45	22.1	54.2	127.5	256.2	27
1957	1.04	0.48	0.44	0.91	1.15	1.19	2.50	7.51	22.3	54.0	119.9	226.8	26
1958	0.99	0.49	0.39	0.83	1.07	1.17	2.43	7.40	21.9	54.3	124.6	242.6	25
1959	1.00	0.49	0.39	0.94	1.14	1.13	2.42	7.23	21.8	53.6	122.2	240.0	25
1960	0.95	0.53	0.38	0.91	1.17	1.12	2.41	7.17	21.4	52.5	119.6	232.1	25
1961	1.04	0.48	0.39	0.92	1.11	1.15	2.41	7.33	21.9	54.7	124.5	256.9	24
1962	0.94	0.44	0.42	0.92	1.10	1.06	2.39	7.34	22.1	55.3	125.2	261.1	24
1963	0.98	0.49	0.40	0.89	1.11	1.10	2.46	7.50	22.4	56.0	129.4	272.8	24
1964	0.87	0.46	0.41	0.98	1.10	1.09	2.47	7.33	21.3	52.0	115.8	234.0	22
1965	0.87	0.48	0.42	1.00	1.05	1.07	2.48	7.36	21.4	53.0	118.4	242.4	21
1966	0.92	0.44	0.42	1.06	1.04	1.06	2.43	7.26	21.4	53.6	120.8	258.2	21

\* Civilian mortality only in 1915-20 and from 3rd September 1939 to 31st December 1949.

† Based on related live births from 1931 to 1956.

TABLE 4 - continued

## FEMALES

Period	1-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over	Deaths under 1 year per 1,000 live births†
1841-1850		8.90	5.44	7.89	9.09	10.6	12.9	16.0	28.4	61.0	135.9	293.3	137
1851-1860		8.42	5.06	7.39	8.53	9.93	12.1	15.2	27.0	59.7	134.5	288.9	139
1861-1870		7.80	4.51	6.65	7.97	9.72	12.1	15.6	27.9	59.1	134.9	285.1	139
1871-1880		6.23	3.72	5.45	6.81	8.61	11.6	15.6	28.7	61.0	135.4	296.4	134
1881-1890		5.26	3.11	4.42	5.54	7.38	10.6	15.1	28.5	60.4	130.6	270.8	128
1891-1900		4.37	2.57	3.67	4.46	6.08	9.59	14.7	28.4	60.7	130.6	261.4	138
1901-1910		3.61	2.17	2.89	3.50	4.74	7.53	12.5	24.8	53.9	119.8	250.3	114
1911-1920		3.59	2.34	3.21	3.87	4.78	6.42	10.9	21.5	49.6	116.3	243.6	89
1921-1930		2.33	1.63	2.48	3.02	3.45	4.85	8.61	18.3	44.9	111.6	248.2	63
1931-1940	5.34	1.90	1.26	2.04	2.63	2.88	4.07	7.71	16.7	42.3	107.9	249.1	51
1941-1950*	2.36	0.97	0.76	1.40	1.97	2.11	2.91	5.96	13.4	35.2	93.3	207.9	37
1951-1960	0.93	0.36	0.30	0.43	0.61	0.95	1.97	4.67	11.4	31.8	89.2	216.8	21
1841-1845		8.56	5.17	7.65	8.64	9.92	12.1	15.1	27.2	59.1	131.8	288.6	133
1846-1850		9.23	5.72	8.12	9.57	11.2	13.7	17.0	29.7	62.7	140.0	297.7	142
1851-1855		8.54	5.32	7.75	8.90	10.3	12.6	15.8	27.8	59.7	137.2	292.1	141
1856-1860		8.35	4.82	7.06	8.24	9.57	11.8	14.8	26.5	58.1	131.9	285.8	137
1861-1865		8.26	4.76	6.89	8.17	9.82	12.1	15.5	27.9	59.1	133.8	287.9	136
1866-1870		7.37	4.27	6.42	7.78	9.63	12.1	15.8	27.9	59.1	136.1	282.3	142
1871-1875		6.61	3.95	5.92	7.43	9.23	12.0	15.9	28.7	61.3	135.3	293.9	138
1876-1880		5.87	3.50	5.02	6.23	8.03	11.3	15.3	28.6	60.8	135.5	299.0	130
1881-1885		5.68	3.30	4.72	5.93	7.86	10.9	15.2	28.1	59.1	129.0	265.5	125
1886-1890		4.85	2.93	4.15	5.17	6.92	10.3	15.0	28.8	61.7	132.3	276.1	131
1891-1895		4.59	2.73	3.97	4.81	6.57	10.1	15.2	29.5	63.0	134.3	264.0	135
1896-1900		4.15	2.40	3.37	4.14	5.63	9.10	14.3	27.4	58.5	127.0	258.7	141
1901-1905		3.79	2.24	3.02	3.66	5.04	8.05	13.1	25.4	54.8	119.9	249.4	124
1906-1910		3.44	2.09	2.76	3.34	4.46	7.05	12.0	24.3	53.1	119.6	250.9	105
1911-1915		3.37	2.11	2.75	3.25	4.08	6.46	11.4	22.7	51.7	117.5	245.4	97
1916-1920		3.81	2.56	3.66	4.47	5.48	6.39	10.4	20.4	47.7	115.1	241.9	79
1921-1925		2.41	1.72	2.56	3.11	3.58	5.03	8.79	18.7	45.5	112.9	241.2	66
1926-1930		2.25	1.53	2.41	2.94	3.33	4.69	8.44	18.0	44.4	110.4	254.4	59
1931-1935	6.23	2.07	1.37	2.22	2.77	3.09	4.33	7.96	17.0	42.8	108.9	245.0	54
1936-1940	4.40	1.71	1.13	1.87	2.49	2.68	3.83	7.47	16.5	41.8	107.1	252.7	48
1941-1945*	3.26	1.31	0.97	1.74	2.41	2.46	3.27	6.43	14.0	36.0	93.5	206.6	44
1946-1950*	1.62	0.64	0.54	1.05	1.54	1.76	2.56	5.51	12.8	34.4	93.2	208.9	32
1951-1955	1.04	0.39	0.34	0.50	0.70	1.09	2.11	4.89	11.8	33.1	92.4	222.0	23
1956-1960	0.82	0.33	0.27	0.38	0.52	0.81	1.83	4.46	10.9	30.7	86.4	212.5	20
1961-1965	0.78	0.32	0.25	0.38	0.47	0.72	1.78	4.42	10.6	29.6	84.2	206.6	18
1947*	1.96	0.75	0.61	1.21	1.82	1.94	2.74	5.72	13.1	35.2	96.6	219.8	36
1948*	1.63	0.62	0.55	1.12	1.56	1.77	2.45	5.33	12.2	32.1	84.5	183.5	30
1949*	1.43	0.57	0.49	0.96	1.43	1.65	2.48	5.39	12.8	35.5	95.8	217.5	28
1950	1.27	0.53	0.41	0.78	1.09	1.45	2.32	5.30	12.6	34.7	96.6	216.9	26
1951	1.26	0.46	0.37	0.64	0.90	1.30	2.32	5.32	13.0	36.9	104.4	249.1	26
1952	1.03	0.41	0.34	0.52	0.76	1.10	2.09	4.90	11.9	32.3	89.6	212.3	24
1953	1.09	0.41	0.35	0.46	0.67	1.07	2.11	4.79	11.6	32.1	90.7	218.8	24
1954	0.82	0.34	0.31	0.46	0.63	1.01	2.09	4.75	11.4	31.6	87.4	209.7	22
1955	0.97	0.36	0.32	0.40	0.55	0.94	1.93	4.70	11.3	32.3	90.9	222.9	21
1956	0.83	0.33	0.27	0.36	0.53	0.87	1.90	4.52	11.2	31.8	90.1	222.7	20
1957	0.90	0.34	0.30	0.45	0.54	0.86	1.92	4.56	11.2	30.9	84.2	199.2	20
1958	0.77	0.31	0.24	0.35	0.54	0.80	1.80	4.50	10.9	30.9	87.5	215.6	20
1959	0.81	0.33	0.29	0.37	0.53	0.79	1.78	4.36	10.8	30.5	86.3	215.4	20
1960	0.78	0.34	0.26	0.36	0.44	0.73	1.73	4.35	10.6	29.5	84.4	210.4	19
1961	0.81	0.32	0.25	0.39	0.51	0.73	1.76	4.45	10.8	30.9	87.8	214.1	19
1962	0.77	0.32	0.25	0.35	0.48	0.76	1.78	4.39	10.8	30.2	86.9	213.8	19
1963	0.83	0.32	0.23	0.35	0.43	0.74	1.79	4.50	10.9	30.7	88.7	220.2	18
1964	0.74	0.32	0.25	0.40	0.46	0.70	1.78	4.38	10.3	28.2	78.8	190.3	17
1965	0.76	0.31	0.29	0.40	0.45	0.68	1.79	4.36	10.3	28.3	79.2	197.1	16
1966	0.75	0.29	0.25	0.40	0.45	0.69	1.70	4.42	10.3	28.6	81.1	204.0	16

\* Civilian mortality only from 1st June 1941 to 31st December 1949.

† Based on related live births from 1931 to 1956.

**TABLE 5. Quarterly death registrations, rates and ratios to yearly rates, 1841 to 1966**

**England and Wales**

Period	Quarter ended											
	31st March	30th June	30th Sept.	31st Dec.	31st March	30th June	30th Sept.	31st Dec.	31st March	30th June	30th Sept.	31st Dec.
	Persons				Males				Females			
	Deaths											
1841-1850	1,029,485	926,091	892,964	920,856	522,415	471,969	452,208	462,533	507,070	454,122	440,756	458,323
1851-1860	1,157,916	1,040,596	965,924	1,046,279	587,846	532,002	491,400	527,288	570,070	508,594	474,524	518,991
1861-1870	1,323,406	1,156,834	1,126,288	1,187,970	677,517	597,458	578,694	605,820	645,889	559,376	547,594	582,150
1871-1880	1,422,776	1,259,064	1,195,003	1,301,468	731,877	658,454	621,924	667,070	690,899	600,519	573,079	634,398
1881-1890	1,459,550	1,271,775	1,194,102	1,319,343	744,679	661,355	618,271	674,011	714,871	610,420	575,831	645,332
1891-1900	1,562,345	1,337,754	1,311,675	1,363,601	790,553	697,093	682,542	695,038	771,792	640,661	629,133	668,563
1901-1910	1,490,235	1,246,735	1,185,415	1,326,389	756,871	648,442	621,683	679,360	733,364	598,293	563,732	647,029
1911-1920*	1,532,334	1,220,642	1,074,835	1,360,241	785,560	638,473	565,071	695,407	746,774	582,169	509,764	664,834
1921-1930	1,489,996	1,136,431	936,261	1,160,303	746,920	585,095	484,852	590,608	743,076	551,336	451,409	569,695
1931-1940*	1,578,974	1,177,988	1,005,878	1,229,368	798,598	604,458	518,256	630,300	780,376	573,530	487,622	599,068
1941-1950*	1,553,399	1,179,497	1,004,665	1,260,092	801,980	612,766	519,908	651,534	751,419	566,731	484,757	608,558
1951-1960	1,640,302	1,199,991	1,038,678	1,309,145	840,969	615,560	534,854	678,364	799,333	584,431	503,824	630,781
1953	171,350	114,644	98,545	118,990	87,706	59,119	50,977	61,688	83,644	55,525	47,568	57,302
1954	153,120	117,205	104,114	127,457	79,372	60,528	53,851	66,046	73,748	56,677	50,263	61,411
1955	168,645	124,230	101,677	124,312	86,465	63,433	52,582	64,496	82,180	60,797	49,095	59,816
1956	170,292	120,059	104,131	126,849	87,175	61,748	53,381	65,600	83,117	58,311	50,750	61,249
1957	134,557	118,122	110,037	152,154	68,995	60,972	56,828	79,612	65,562	57,150	53,209	72,542
1958	163,595	124,169	105,629	133,450	84,474	63,140	53,762	69,263	79,121	61,029	51,867	64,187
1959	176,880	120,172	103,398	127,201	90,251	61,404	52,919	65,304	86,629	58,768	50,479	61,897
1960	149,037	124,338	112,477	140,416	76,121	63,324	57,799	71,928	72,916	61,014	54,678	68,488
1961	177,043	125,194	110,747	138,768	90,012	63,669	56,141	70,960	87,031	61,525	54,606	67,808
1962	178,210	128,681	110,688	140,057	89,956	65,508	57,137	72,553	88,245	63,173	53,551	67,504
1963	196,875	129,013	113,918	133,062	99,493	65,681	58,699	68,537	97,382	63,332	55,219	64,525
1964	156,072	127,013	113,551	138,101	79,885	65,136	58,096	71,656	76,187	61,877	55,455	66,445
1965	157,184	129,865	119,173	143,157	80,346	66,594	61,413	73,975	76,838	63,271	57,760	69,182
1966	173,438	131,661	118,005	140,520	88,311	67,534	60,676	72,101	85,127	64,127	57,329	68,419
Annual death rates per 1,000 living, by quarter												
1841-1850	24.7	22.1	21.0	21.7	25.6	23.0	21.8	22.3	23.9	21.2	20.3	21.2
1851-1860	24.7	22.1	20.2	21.9	25.7	23.1	21.1	22.6	23.8	21.1	19.5	21.3
1861-1870	25.2	21.8	21.0	22.2	26.5	23.1	22.2	23.2	23.9	20.6	19.9	21.2
1871-1880	23.8	20.9	19.6	21.3	25.1	22.4	20.9	22.5	22.5	19.4	18.3	20.3
1881-1890	20.3	18.6	17.3	19.1	22.7	20.0	18.5	20.1	20.5	17.4	16.2	18.2
1891-1900	20.6	17.5	17.0	17.7	21.6	18.9	18.3	18.6	19.7	16.3	15.8	16.8
1901-1910	17.7	14.6	13.8	15.4	18.5	15.7	14.9	16.3	16.8	13.6	12.7	14.5
1911-1920*	17.4	13.7	12.0	15.1	19.3	15.6	13.6	16.8	15.7	12.1	10.5	13.7
1921-1930	15.5	11.7	9.5	11.8	16.2	12.6	10.3	12.6	14.8	10.9	8.8	11.1
1931-1940*	15.6	11.6	9.8	12.0	16.5	12.4	10.5	12.8	14.8	10.8	9.1	11.2
1941-1950*	14.7	11.1	9.3	11.7	15.7	11.9	10.0	12.5	13.8	10.3	8.7	10.9
1951-1960	14.9	10.8	9.2	11.6	15.8	11.5	9.9	12.5	14.0	10.1	8.6	10.8
1953	15.8	10.4	8.9	10.7	16.8	11.2	9.5	11.5	14.8	9.7	8.2	9.9
1954	14.0	10.6	9.3	11.4	15.1	11.4	10.0	12.3	13.0	9.9	8.7	10.6
1955	15.4	11.2	9.1	11.1	16.4	11.9	9.8	12.0	14.5	10.6	8.5	10.3
1956	15.3	10.8	9.3	11.3	16.3	11.5	9.9	12.1	14.4	10.1	8.7	10.5
1957	12.2	10.6	9.7	13.4	12.9	11.3	10.4	14.6	11.4	9.9	9.1	12.4
1958	14.7	11.0	9.3	11.7	15.8	11.7	9.8	12.6	13.7	10.5	8.8	10.9
1959	15.8	10.6	9.0	11.1	16.7	11.3	9.6	11.8	14.9	10.0	8.5	10.4
1960	13.1	10.9	9.8	12.2	13.9	11.5	10.4	12.9	12.4	10.3	9.2	11.5
1961	15.5	10.9	9.5	11.9	16.3	11.4	10.0	12.6	14.8	10.4	9.1	11.3
1962	15.5	11.1	9.4	11.9	16.1	11.6	10.0	12.7	14.9	10.5	8.8	11.1
1963	17.0	11.0	9.6	11.2	17.7	11.5	10.2	11.9	16.3	10.5	9.1	10.6
1964	13.2	10.8	9.5	11.6	13.9	11.3	10.0	12.3	12.6	10.2	9.1	10.8
1965	13.3	10.9	9.9	11.9	14.0	11.5	10.5	12.6	12.7	10.3	9.3	11.2
1966	14.6	11.0	9.7	11.6	15.3	11.6	10.3	12.2	14.0	10.4	9.2	11.0

\* See footnote to Table 3.

TABLE 5 - continued

Period	Quarter ended											
	31st March	30th June	30th Sept.	31st Dec.	31st March	30th June	30th Sept.	31st Dec.	31st March	30th June	30th Sept.	31st Dec.
	Persons				Males				Females			
	Ratios of annual death rates by quarter to each yearly rate taken as 100											
1841-1850	110	99	94	97	111	99	94	96	110	98	94	98
1851-1860	111	99	91	99	111	100	91	98	111	99	91	99
1861-1870	112	97	93	99	112	97	94	98	112	96	93	99
1871-1880	111	98	92	100	110	99	92	99	112	97	91	101
1881-1890	106	97	90	100	112	99	91	99	113	96	90	101
1891-1900	113	96	93	97	112	98	95	96	115	95	92	98
1901-1910	115	95	90	100	113	96	91	100	117	94	88	101
1911-1920*	120	94	83	104	118	96	83	103	121	93	81	105
1921-1930	128	96	78	97	125	97	80	97	130	96	77	97
1931-1940*	128	95	80	98	127	95	81	98	129	94	79	98
1941-1950*	126	95	80	100	126	95	80	100	127	94	80	100
1951-1960	128	93	79	100	127	93	80	101	129	93	79	99
1953	138	91	78	94	137	92	78	94	139	91	77	93
1954	123	93	82	101	124	93	82	101	123	94	83	101
1955	132	96	78	95	131	95	79	96	133	97	78	94
1956	131	93	80	97	131	92	80	97	132	92	79	96
1957	106	92	85	117	105	92	84	119	107	93	85	116
1958	126	94	80	100	127	94	79	101	125	96	80	99
1959	136	91	77	95	135	92	78	96	136	91	77	95
1960	114	95	85	106	114	94	85	106	114	95	85	106
1961	130	91	80	100	130	91	80	100	130	92	80	99
1962	130	93	79	100	128	92	79	101	132	93	78	98
1963	140	90	79	92	138	90	80	93	141	91	79	91
1964	117	96	84	103	117	95	88	103	118	96	85	101
1965	116	95	86	103	115	95	86	104	117	95	85	103
1966	125	94	83	99	124	94	84	99	126	94	83	99

\* See footnote to Table 3.

**TABLE 6. Standardised Mortality Ratios (all ages) and death rates per million population at ages under 15 years from the principal epidemic and general diseases, 1851 to 1966**

England and Wales

Note. 1 For explanation of Standardised Mortality Ratio see explanatory note 7.  
2 Changes in cause assignment are allowed for throughout as far as possible.

Period	Standardised Mortality Ratios (base years 1950-52 taken as 100)											Death rates per million population at ages under 15 years					
	Tuberculosis (all forms) 001-019	Syphilis 020-029	Typhoid and paratyphoid fevers 040, 041	Meningococcal infections 057	Cancer 140-205	Diabetes mellitus 260	Diseases of heart 410-443	Influenza 480-483	Pneumonia (all forms) 490-493, 763	Peptic ulcer 540-542	Suicide E970-E979	Scarlet fever 050	Diphtheria 055	Whooping cough 056	Poliomyelitis 080, 081	Measles 085	
1851-1860	1,438																
1861-1870	1,346										102	2,282	1,122	1,319		1,082	
1871-1880	1,190		85,518								109	1,664	747	1,316		976	
1881-1890	1,004		52,087								121	787	804	1,171		1,153	
1891-1900	815		45,789					446			136	383	873	1,037		1,144	
1901-1910	649		23,581				156	254			147	271	571	815		915	
1911-1920*	541		8,926	246			162	605			120	123	437	554	13	838	
1921-1930	362		2,729	157			154	345		99	136	64	298	405	11	389	
1931-1939*	245		1,180	343	97		176	222		110	142	46	290	197	11	217	
1940-1949*	196	150	387	355	98		129	90	125	102	100	7	112	111	11	62	
1950-1959	60	80	59	82	101	88	94	69	105	93	108	0	1	17	9	13	
1851-1855	1,502															1,047	
1856-1860	1,377											1,919	1,347	1,300		1,114	
1861-1865	1,370										101	2,307	1,389	1,336		1,189	
1866-1870	1,323										103	2,258	871	1,405		1,109	
1871-1875	1,217		98,690								103	1,760	788	1,282		962	
1876-1880	1,165		73,165								116	1,575	709	1,349		988	
1881-1885	1,053		57,187								117	1,012	828	1,180		1,070	
1886-1890	958		47,292								124	572	781	1,163		1,234	
1891-1895	867		45,643					514			137	434	875	1,070		1,104	
1896-1900	767		45,934					383			135	331	872	1,003		1,184	
1901-1905	690		29,456				148	233			149	319	653	874		955	
1906-1910	610		18,029				163	274			146	224	491	756		874	
1911-1915*	542		12,044	214			177	198		93	132	161	434	633	14	1,043	
1916-1920*	540		5,734	281			148	985		88	109	84	439	473	12	625	
1921-1925	393		3,147	125			149	359		89	125	79	302	448	11	420	
1926-1930	333		2,331	191			159	333		109	145	48	294	360	12	357	
1931-1935	270		1,277	407	97		172	260		109	150	50	293	223	11	270	
1936-1939*	216		1,063	261	97		181	178		111	133	27	287	163	11	149	
1940-1944*	221	178	564	585	97		153	129	146	109	95	11	192	140	7	78	
1945-1949*	174	123	224	155	98		107	54	107	95	104	3	30	81	16	47	
1950-1954	85	93	72	100	100	94	97	82	99	98	104	1	2	29	14	19	
1955-1959	36	71	45	64	101	83	91	58	110	88	113	0	0	6	5	8	
1960-1964	21	53	23	40	103	92	90	38	130	72	113	0	0	3	1	7	
1952	79	94	102	103	100	92	94	24	95	99	97	1	2	18	10	14	
1953	66	83	24	105	100	87	92	88	105	93	106	0	2	24	14	24	
1954	58	81	36	94	101	81	92	24	90	98	112	1	1	13	5	5	
1955	48	78	83	75	101	87	93	39	103	98	110	0	1	9	8	17	
1956	39	76	41	69	101	85	93	34	108	94	115	0	0	9	4	2	
1957	35	71	47	67	101	81	89	85	107	86	115	0	0	8	6	9	
1958	32	68	23	52	101	84	92	30	111	84	113	0	0	3	4	5	
1959	28	61	29	56	102	80	88	98	122	77	111	0	-	2	2	8	
1960	24	60	15	33	102	88	89	13	110	79	107	-	0	3	1	3	
1961	24	56	11	44	102	95	91	86	129	73	109	0	1	3	3	13	
1962	22	51	39	45	103	92	92	40	135	77	116	0	0	2	1	4	
1963	21	50	28	47	103	91	93	38	154	71	118	0	0	3	0	10	
1964	17	48	17	31	104	93	85	12	124	63	114	0	-	4	0	6	
1965	16	51	44	34	104	98	87	9	128	63	105	0	-	2	2	11	
1966	16	50	5	32	105	99	86	42	144	64	101	-	0	2	0	6	

\* Civilian mortality only in 1915-20 and from 3rd September 1939 to 31st December 1949, for males, and from 1st June 1941 to 31st December 1949, for females.

TABLE 7. Deaths by cause and sex at all ages, 1956 to 1966

England and Wales

Note. 1 The following categories of the 1955 International Statistical Classification are not applicable to primary death tabulation and are therefore omitted from this table: 306, 308, 649, 775.

2 Deaths due to certain underlying causes where the interval since the onset was stated to exceed one year have for certain years been assigned to other conditions mentioned on the certificate. The numbers of such 'late effects' are given in footnotes. The years and categories affected are as follows:  
1955 and on: 040-043, 050, 055, 056, 058, 085-087, 100-108, 640-689.  
1958 and on: 051, 052, 057.0, 057.1, 057.3, 059, 061, 089, 091, 094, 480-483, 490-493.

3 For causes from which there have been few deaths from 1955, see list at end of table.

ICD No.	Causes of death	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
	<b>ALL CAUSES</b>	<b>M 267,904</b> <b>F 253,427</b>	<b>266,407</b> <b>248,463</b>	<b>270,639</b> <b>256,204</b>	<b>269,878</b> <b>257,773</b>	<b>269,172</b> <b>257,096</b>	<b>280,782</b> <b>270,970</b>	<b>285,154</b> <b>272,482</b>	<b>292,410</b> <b>280,458</b>	<b>274,773</b> <b>259,964</b>	<b>282,328</b> <b>267,051</b>	<b>288,622</b> <b>275,002</b>
001-138	<b>I INFECTIVE AND PARASITIC DISEASES</b>	<b>M 5,340</b> <b>F 2,678</b>	<b>4,976</b> <b>2,501</b>	<b>4,543</b> <b>2,317</b>	<b>4,142</b> <b>1,991</b>	<b>3,762</b> <b>1,868</b>	<b>3,674</b> <b>1,965</b>	<b>3,455</b> <b>1,716</b>	<b>3,328</b> <b>1,698</b>	<b>2,904</b> <b>1,495</b>	<b>2,704</b> <b>1,606</b>	<b>2,741</b> <b>1,635</b>
001-019	Tuberculosis (all forms)	<b>M 3,804</b> <b>F 1,571</b>	<b>3,414</b> <b>1,370</b>	<b>3,207</b> <b>1,273</b>	<b>2,810</b> <b>1,044</b>	<b>2,502</b> <b>933</b>	<b>2,406</b> <b>928</b>	<b>2,282</b> <b>806</b>	<b>2,191</b> <b>769</b>	<b>1,853</b> <b>631</b>	<b>1,641</b> <b>641</b>	<b>1,678</b> <b>676</b>
001-008	Tuberculosis of respiratory system	<b>M 3,534</b> <b>F 1,319</b>	<b>3,150</b> <b>1,099</b>	<b>2,949</b> <b>1,050</b>	<b>2,620</b> <b>854</b>	<b>2,342</b> <b>763</b>	<b>2,240</b> <b>762</b>	<b>2,101</b> <b>873</b>	<b>2,022</b> <b>587</b>	<b>1,711</b> <b>498</b>	<b>1,500</b> <b>493</b>	<b>1,559</b> <b>531</b>
001	With mention of occupational disease	<b>M 247</b> <b>F 6</b>	<b>215</b> <b>-</b>	<b>215</b> <b>6</b>	<b>199</b> <b>4</b>	<b>215</b> <b>7</b>	<b>171</b> <b>5</b>	<b>166</b> <b>6</b>	<b>154</b> <b>4</b>	<b>141</b> <b>5</b>	<b>131</b> <b>6</b>	<b>132</b> <b>4</b>
002	Pulmonary	<b>M 3,263</b> <b>F 1,291</b>	<b>2,899</b> <b>1,085</b>	<b>2,706</b> <b>1,028</b>	<b>2,402</b> <b>839</b>	<b>2,117</b> <b>746</b>	<b>2,060</b> <b>751</b>	<b>1,922</b> <b>662</b>	<b>1,857</b> <b>574</b>	<b>1,549</b> <b>461</b>	<b>1,351</b> <b>493</b>	<b>1,406</b> <b>515</b>
003	Pleural	<b>M 18</b> <b>F 19</b>	<b>31</b> <b>11</b>	<b>23</b> <b>11</b>	<b>13</b> <b>8</b>	<b>5</b> <b>7</b>	<b>7</b> <b>4</b>	<b>10</b> <b>2</b>	<b>8</b> <b>6</b>	<b>15</b> <b>8</b>	<b>11</b> <b>3</b>	<b>11</b> <b>7</b>
	0 Pleurisy specified as tuberculous	<b>M 6</b> <b>F 4</b>	<b>12</b> <b>1</b>	<b>8</b> <b>2</b>	<b>7</b> <b>1</b>	<b>4</b> <b>1</b>	<b>6</b> <b>2</b>	<b>8</b> <b>1</b>	<b>6</b> <b>2</b>	<b>9</b> <b>3</b>	<b>3</b> <b>1</b>	<b>5</b> <b>2</b>
	1 Pleurisy with effusion without mention of cause	<b>M 12</b> <b>F 15</b>	<b>19</b> <b>10</b>	<b>15</b> <b>9</b>	<b>6</b> <b>7</b>	<b>1</b> <b>6</b>	<b>1</b> <b>2</b>	<b>2</b> <b>1</b>	<b>2</b> <b>4</b>	<b>6</b> <b>5</b>	<b>8</b> <b>2</b>	<b>6</b> <b>5</b>
005	Tracheobronchial glandular, with symptoms	<b>M 4</b> <b>F 2</b>	<b>1</b> <b>1</b>	<b>4</b> <b>3</b>	<b>2</b> <b>-</b>	<b>2</b> <b>-</b>	<b>5</b> <b>-</b>	<b>-</b> <b>1</b>	<b>-</b> <b>1</b>	<b>-</b> <b>1</b>	<b>-</b> <b>3</b>	<b>1</b> <b>-</b>
007	Other respiratory	<b>M -</b> <b>F -</b>	<b>1</b> <b>1</b>	<b>-</b> <b>-</b>	<b>-</b> <b>3</b>	<b>2</b> <b>-</b>	<b>-</b> <b>1</b>	<b>-</b> <b>-</b>	<b>-</b> <b>-</b>	<b>-</b> <b>1</b>	<b>1</b> <b>2</b>	<b>-</b> <b>1</b>
008	Unspecified site	<b>M 2</b> <b>F 1</b>	<b>3</b> <b>1</b>	<b>1</b> <b>2</b>	<b>4</b> <b>-</b>	<b>1</b> <b>3</b>	<b>2</b> <b>1</b>	<b>3</b> <b>2</b>	<b>3</b> <b>1</b>	<b>5</b> <b>2</b>	<b>4</b> <b>1</b>	<b>9</b> <b>4</b>
010-019	Tuberculosis, other forms	<b>M 270</b> <b>F 252</b>	<b>264</b> <b>271</b>	<b>258</b> <b>223</b>	<b>190</b> <b>190</b>	<b>160</b> <b>170</b>	<b>166</b> <b>166</b>	<b>181</b> <b>133</b>	<b>169</b> <b>182</b>	<b>142</b> <b>133</b>	<b>141</b> <b>133</b>	<b>119</b> <b>145</b>
010	Meninges and central nervous system	<b>M 39</b> <b>F 52</b>	<b>47</b> <b>63</b>	<b>44</b> <b>49</b>	<b>50</b> <b>37</b>	<b>26</b> <b>35</b>	<b>35</b> <b>30</b>	<b>39</b> <b>24</b>	<b>37</b> <b>34</b>	<b>26</b> <b>18</b>	<b>17</b> <b>27</b>	<b>29</b> <b>27</b>
011	Intestines, peritoneum, and mesenteric glands	<b>M 35</b> <b>F 35</b>	<b>28</b> <b>27</b>	<b>25</b> <b>35</b>	<b>17</b> <b>21</b>	<b>17</b> <b>15</b>	<b>20</b> <b>25</b>	<b>13</b> <b>19</b>	<b>14</b> <b>25</b>	<b>9</b> <b>14</b>	<b>19</b> <b>15</b>	<b>7</b> <b>13</b>
012	Bones and joints, active or unspecified	<b>M 48</b> <b>F 36</b>	<b>42</b> <b>49</b>	<b>49</b> <b>43</b>	<b>37</b> <b>48</b>	<b>31</b> <b>35</b>	<b>33</b> <b>30</b>	<b>39</b> <b>19</b>	<b>25</b> <b>40</b>	<b>23</b> <b>27</b>	<b>34</b> <b>24</b>	<b>21</b> <b>21</b>
	0 Vertebral column	<b>M 37</b> <b>F 28</b>	<b>33</b> <b>39</b>	<b>38</b> <b>34</b>	<b>26</b> <b>40</b>	<b>27</b> <b>26</b>	<b>26</b> <b>22</b>	<b>36</b> <b>15</b>	<b>18</b> <b>29</b>	<b>18</b> <b>22</b>	<b>29</b> <b>22</b>	<b>14</b> <b>17</b>
	1-3 Other	<b>M 11</b> <b>F 8</b>	<b>9</b> <b>10</b>	<b>11</b> <b>9</b>	<b>11</b> <b>8</b>	<b>4</b> <b>9</b>	<b>7</b> <b>8</b>	<b>3</b> <b>4</b>	<b>7</b> <b>11</b>	<b>5</b> <b>5</b>	<b>5</b> <b>2</b>	<b>7</b> <b>4</b>
013	Late effects, bones and joints	<b>M 4</b> <b>F 5</b>	<b>2</b> <b>3</b>	<b>2</b> <b>-</b>	<b>-</b> <b>5</b>	<b>2</b> <b>4</b>	<b>2</b> <b>3</b>	<b>4</b> <b>1</b>	<b>3</b> <b>3</b>	<b>4</b> <b>4</b>	<b>2</b> <b>1</b>	<b>1</b> <b>3</b>
014	Skin and subcutaneous cellular tissue	<b>M -</b> <b>F 4</b>	<b>2</b> <b>2</b>	<b>2</b> <b>6</b>	<b>-</b> <b>3</b>	<b>-</b> <b>2</b>	<b>-</b> <b>2</b>	<b>-</b> <b>1</b>	<b>-</b> <b>-</b>	<b>-</b> <b>-</b>	<b>1</b> <b>-</b>	<b>1</b> <b>-</b>
015	Lymphatic system	<b>M 9</b> <b>F 6</b>	<b>5</b> <b>13</b>	<b>3</b> <b>4</b>	<b>5</b> <b>9</b>	<b>3</b> <b>5</b>	<b>1</b> <b>4</b>	<b>2</b> <b>5</b>	<b>4</b> <b>8</b>	<b>3</b> <b>6</b>	<b>1</b> <b>7</b>	<b>2</b> <b>7</b>
016	Genito-urinary system	<b>M 82</b> <b>F 64</b>	<b>81</b> <b>44</b>	<b>64</b> <b>36</b>	<b>44</b> <b>43</b>	<b>45</b> <b>34</b>	<b>37</b> <b>37</b>	<b>48</b> <b>28</b>	<b>42</b> <b>26</b>	<b>41</b> <b>32</b>	<b>32</b> <b>26</b>	<b>26</b> <b>35</b>
017	Adrenal glands	<b>M 11</b> <b>F 5</b>	<b>9</b> <b>9</b>	<b>13</b> <b>7</b>	<b>8</b> <b>5</b>	<b>5</b> <b>7</b>	<b>4</b> <b>4</b>	<b>7</b> <b>5</b>	<b>6</b> <b>9</b>	<b>7</b> <b>2</b>	<b>8</b> <b>5</b>	<b>7</b> <b>4</b>
018	Other organs	<b>M 6</b> <b>F 8</b>	<b>10</b> <b>13</b>	<b>7</b> <b>9</b>	<b>5</b> <b>5</b>	<b>8</b> <b>3</b>	<b>9</b> <b>5</b>	<b>7</b> <b>5</b>	<b>11</b> <b>7</b>	<b>9</b> <b>1</b>	<b>6</b> <b>4</b>	<b>4</b> <b>4</b>
019	Disseminated	<b>M 36</b> <b>F 39</b>	<b>38</b> <b>48</b>	<b>49</b> <b>34</b>	<b>24</b> <b>14</b>	<b>23</b> <b>30</b>	<b>25</b> <b>26</b>	<b>22</b> <b>26</b>	<b>27</b> <b>30</b>	<b>20</b> <b>29</b>	<b>21</b> <b>24</b>	<b>21</b> <b>31</b>
	0-1 Acute miliary tuberculosis	<b>M 2</b> <b>F 1</b>	<b>3</b> <b>5</b>	<b>5</b> <b>5</b>	<b>2</b> <b>3</b>	<b>1</b> <b>1</b>	<b>1</b> <b>1</b>	<b>-</b> <b>1</b>	<b>3</b> <b>3</b>	<b>1</b> <b>-</b>	<b>-</b> <b>3</b>	<b>3</b> <b>2</b>
	2 Other forms	<b>M 34</b> <b>F 38</b>	<b>35</b> <b>43</b>	<b>44</b> <b>29</b>	<b>22</b> <b>11</b>	<b>22</b> <b>29</b>	<b>24</b> <b>25</b>	<b>22</b> <b>25</b>	<b>24</b> <b>27</b>	<b>19</b> <b>29</b>	<b>21</b> <b>21</b>	<b>18</b> <b>29</b>

TABLE 7 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
020-029	Syphilis and its sequelae	M	772	728	653	627	623	556	509	485	496	513	498
		F	378	344	388	331	321	344	313	335	295	343	340
020	Congenital syphilis	M	6	3	10	5	4	3	3	1	1	2	5
		F	8	7	3	2	2	2	5	4	4	-	2
022	Aneurysm of aorta	M	329	358	306	295	312	286	303	277	325	354	343
		F	171	183	219	190	186	194	198	209	195	260	246
023	Other cardiovascular syphilis	M	271	231	208	181	186	159	126	110	107	88	92
		F	126	88	94	68	75	92	71	78	55	41	50
024	Tabes dorsalis	M	66	53	41	50	44	41	23	29	15	24	18
		F	15	22	16	22	17	19	6	16	12	9	7
025	General paralysis of insane	M	56	48	57	62	56	37	28	39	24	23	25
		F	28	20	28	27	22	17	16	10	12	16	21
026	Other syphilis of central nervous system	M	33	26	17	22	12	21	23	25	12	15	12
		F	19	18	20	16	14	12	13	16	10	15	9
027	Other forms of late syphilis	M	10	7	10	9	7	6	2	4	8	2	2
		F	9	4	6	6	4	7	3	1	5	2	3
029	Syphilis, unqualified	M	1	2	4	3	2	3	1	-	4	5	1
		F	1	2	2	-	1	-	1	1	2	-	2
030-039	Gonococcal infection and other venereal diseases	M	8	5	21	24	29	14	9	13	9	10	8
		F	-	1	1	-	2	-	-	-	-	-	1
030	Acute or unspecified gonorrhoea	M	1	2	1	-	-	-	-	1	2	1	3
		F	-	-	-	-	-	-	-	-	-	-	-
035	Late effects of gonococcal infection	M	6	3	18	23	28	12	9	11	5	9	4
		F	-	-	-	-	-	-	-	-	-	-	-
040-049	Infectious diseases commonly arising in intestinal tract	M	46	42	42	40	40	34	38	43	15	30	19
		F	55	38	36	42	41	34	20	25	22	25	18
040	Typhoid fever*	M	-	1	2	2	2	1	2	3	1	4	-
		F	2	5	-	1	-	-	2	1	1	2	-
041	Paratyphoid fever*	M	2	-	1	-	-	1	3	-	1	2	1
		F	3	2	1	2	1	-	-	1	-	-	-
042	Other Salmonella infections*	M	20	29	21	18	20	17	10	12	6	12	8
		F	26	20	15	18	17	14	11	8	9	8	7
044	Brucellosis (undulant fever)	M	2	-	1	-	-	-	1	2	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-
045	Bacillary dysentery	M	13	7	12	14	9	11	16	16	3	11	7
		F	13	8	14	12	17	17	5	9	10	15	5
046	Amoebiasis	M	2	4	3	4	5	4	4	5	2	1	2
		F	1	1	1	2	2	-	-	2	-	-	3
048	Unspecified forms of dysentery	M	2	-	1	-	1	-	1	-	2	-	1
		F	2	2	-	1	2	2	2	3	-	-	2
049	Food poisoning (infection and intoxication)	M	5	1	1	2	3	-	1	5	-	-	-
		F	7	-	4	5	2	1	-	1	2	-	1
050-064	Other bacterial diseases	M	257	208	169	180	148	169	190	192	184	160	166
		F	209	208	159	134	125	144	132	138	148	160	146
050	Scarlet fever*	M	-	1	3	-	-	-	-	1	2	1	-
		F	1	2	1	1	-	3	2	1	-	-	-
051	Streptococcal sore throat*	M	15	7	4	12	10	2	2	6	6	2	2
		F	13	9	6	8	13	6	6	2	2	6	2
052	Erysipelas*	M	3	5	2	3	4	-	-	3	5	6	3
		F	4	1	5	3	3	3	7	2	2	5	4
053	Septicaemia and pyaemia	M	57	38	45	38	47	63	64	61	75	58	72
		F	40	39	36	32	29	39	45	40	58	67	65
	0 Streptococcus	M	8	4	6	6	4	10	4	6	8	2	9
		F	6	5	6	5	3	3	4	8	3	14	7
	1 Staphylococcus	M	16	10	23	17	21	28	24	23	21	24	20
		F	12	11	9	13	9	10	18	11	19	18	20

\* Excluding the following 'late effects' (see note 2 at head of table):

		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
040 Typhoid fever	M	-	-	2	-	1	-	-	2	-	-	1
	F	-	2	1	1	-	1	-	-	-	-	-
041 Paratyphoid fever	M	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
042 Other Salmonella infections	M	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	1	-	-	-	-
050 Scarlet fever	M	8	3	1	5	3	3	2	1	1	4	-
	F	6	4	3	4	5	5	3	1	4	1	-
051 Streptococcal sore throat	M	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
052 Erysipelas	M	-	-	-	1	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-

TABLE 7 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
	2 Pneumococcus	M	3	3	3	-	1	5	5	1	6	5	6
		F	2	2	2	-	-	3	3	1	8	3	2
	3 Other specified organism	M	3	1	1	1	1	4	8	7	7	2	6
		F	2	2	1	1	3	4	1	2	3	4	5
	4 Organism unspecified	M	27	20	12	14	20	16	23	24	33	25	31
		F	18	19	18	13	14	19	19	18	25	28	31
055	Diphtheria*	M	2	2	4	-	2	3	2	1	-	-	4
		F	1	2	4	-	3	7	-	1	-	-	1
056	Whooping cough*	M	41	32	13	11	20	17	15	15	22	7	9
		F	51	55	14	14	17	10	9	21	22	14	14
057	Meningococcal infections*	M	109	94	71	97	46	65	88	88	53	60	60
		F	80	90	74	62	49	65	50	58	45	52	45
061	Tetanus	M	22	23	10	17	15	15	13	10	13	15	10
		F	15	5	10	8	3	9	6	3	8	6	8
062	Anthrax	M	3	1	-	-	1	-	1	1	-	2	-
		F	-	-	-	-	-	-	-	-	-	-	-
063	Gas gangrene	M	4	4	5	1	2	3	3	4	6	3	4
		F	1	4	4	1	4	1	3	7	5	3	1
064	Other bacterial diseases	M	1	-	12	1	1	1	1	2	2	5	1
		F	2	1	5	5	3	-	3	3	5	6	6
070-074	Spirochaetal diseases, except syphilis	M	11	18	19	11	10	14	14	3	7	6	14
		F	1	3	1	2	1	-	2	-	2	2	1
070	Vincent's infection	M	-	1	-	1	-	-	-	-	-	-	-
		F	1	2	-	2	-	-	1	-	1	-	-
072	Leptospirosis	M	11	17	18	10	10	14	14	3	5	6	13
		F	-	-	1	-	-	-	1	-	1	1	1
080-096	Diseases attributable to viruses	M	382	493	380	381	344	415	337	352	281	282	302
		F	402	478	399	380	389	448	375	344	322	377	378
080	Acute poliomyelitis	M	68	143	71	41	19	44	12	2	2	1	-
		F	46	83	58	25	4	15	6	1	2	2	1
	0 Specified as bulbar or polio-encephalitis	M	25	63	34	14	7	11	2	1	1	1	-
		F	15	30	18	15	3	5	3	-	-	1	-
	1 With other paralysis	M	14	21	14	6	6	9	5	-	-	-	-
		F	9	16	14	1	-	1	2	-	1	-	-
	3 Unspecified	M	29	59	23	21	6	24	5	1	1	-	-
		F	22	37	26	9	1	9	1	1	1	1	1
081	Late effects of acute poliomyelitis	M	9	21	11	11	12	12	14	24	16	8	15
		F	14	8	14	10	11	8	13	11	9	8	6
082	Acute infectious encephalitis	M	58	59	52	55	62	56	60	52	55	43	57
		F	48	50	40	53	62	64	57	35	43	47	45
083	Late effects of acute infectious encephalitis	M	82	55	72	64	54	48	46	51	51	27	31
		F	67	50	63	44	60	38	43	39	34	33	45
084	Smallpox	M	-	1	1	-	-	-	7	-	-	-	-
		F	-	1	-	-	-	-	19	-	-	-	-
085	Measles*	M	14	53	23	49	13	79	20	62	30	52	43
		F	14	41	26	49	18	73	19	65	43	63	37
086	Rubella (German measles)	M	-	1	1	-	2	1	2	1	2	2	-
		F	1	1	1	-	1	1	4	-	1	2	-
087	Chickenpox	M	4	5	7	10	8	10	17	13	15	8	11
		F	8	9	5	8	11	8	6	9	14	7	6
088	Herpes zoster	M	17	24	21	16	14	18	22	17	12	20	13
		F	45	49	44	33	34	48	30	38	35	41	45
089	Mumps	M	4	3	4	1	4	6	2	2	3	2	3
		F	-	6	4	7	6	7	1	5	7	1	7
092	Infectious hepatitis	M	116	119	110	119	139	123	113	106	82	86	84
		F	156	173	135	145	169	173	163	124	114	146	144

\* Excluding the following 'late effects' (see note 2 at head of table):

		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
055	Diphtheria	M	3	-	-	1	2	-	2	-	-	-
		F	2	-	3	2	4	1	3	-	-	-
056	Whooping cough	M	1	1	-	-	1	-	-	-	-	-
		F	2	-	1	1	-	2	-	-	-	-
057	Meningococcal infections	M	-	-	1	1	-	-	-	1	1	1
		F	-	-	2	-	-	1	-	-	-	-
085	Measles	M	1	1	1	1	1	-	-	-	-	-
		F	1	-	1	1	-	-	-	1	-	-

TABLE 7 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
093	Glandular fever (infectious mononucleosis)	M	5	3	2	2	4	5	4	4	-	4	3
		F	1	2	2	1	2	3	2	1	2	7	5
096	Other diseases attributable to viruses	M	4	6	5	13	13	13	18	18	13	31	42
		F	2	5	7	7	11	10	7	16	18	20	37
100-108	Typhus and other rickettsial diseases†	M	-	-	-	1	1	-	-	1	-	-	2
		F	-	-	-	-	-	-	-	1	-	-	-
110-117	Malaria	M	3	3	2	-	3	6	4	4	2	2	1
		F	1	1	2	2	-	1	1	2	-	2	-
112	Falciparum malaria (malignant tertian)	M	1	1	2	-	1	-	4	3	1	1	-
		F	1	1	2	1	-	-	1	1	-	1	-
116	Other and unspecified forms of malaria	M	2	1	-	-	2	5	-	1	1	1	1
		F	-	-	-	1	-	-	1	1	-	1	-
120-138	Other infective and parasitic diseases	M	57	65	50	68	62	60	72	44	57	60	53
		F	61	58	58	56	56	67	67	84	75	56	75
122	Other protozoal diseases	M	1	3	1	1	2	1	1	-	2	3	3
		F	1	1	-	2	-	-	3	1	3	1	3
123	Schistosomiasis	M	-	-	1	1	1	1	2	1	2	1	1
		F	1	-	1	1	1	-	1	-	1	-	1
125	Hydatid disease	M	4	11	2	7	5	3	9	3	6	5	5
		F	6	8	2	8	8	5	7	2	2	5	1
126	Other cestode infestation	M	5	5	-	4	1	2	1	1	2	-	1
		F	-	1	1	-	-	-	-	-	-	-	1
132	Actinomycosis	M	1	4	3	4	1	2	5	1	-	2	2
		F	4	2	4	-	1	-	-	-	-	1	-
134	Other fungus infections	M	14	13	9	16	21	17	13	12	19	18	11
		F	7	8	11	7	15	13	10	18	11	7	8
138	Other infective and parasitic diseases	M	31	27	33	35	30	34	39	26	25	31	30
		F	41	38	39	39	31	48	45	62	57	42	61
140-239	II NEOPLASMS	M	49,675	50,792	51,273	52,324	53,392	54,045	55,292	55,846	56,959	58,146	59,242
		F	44,679	44,853	45,727	46,069	46,777	47,188	47,560	47,964	49,235	49,624	50,315
140-205	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues	M	48,935	50,056	50,735	51,783	52,779	53,441	54,735	55,192	56,247	57,464	58,571
		F	43,775	43,961	45,069	45,334	46,009	46,474	46,873	47,224	48,451	48,874	49,587
140-148	Malignant neoplasm of buccal cavity and pharynx	M	1,234	1,259	1,267	1,249	1,120	1,070	1,061	978	1,020	970	945
		F	654	669	657	613	666	645	631	602	656	637	655
140	Lip	M	80	83	83	74	68	85	63	55	58	56	47
		F	13	9	4	10	13	9	7	6	8	8	12
	0 Upper lip	M	*	*	8	10	1	9	5	3	8	7	6
		F	*	*	-	2	8	3	3	2	2	3	2
	1 Lower lip	M	*	*	71	53	54	70	51	47	43	40	36
		F	*	*	4	7	10	4	3	3	5	5	9
	8, 9 Both lips, unspecified	M	*	*	4	11	6	7	5	7	9	5	5
		F	*	*	-	1	2	2	1	1	1	-	1
141	Tongue	M	359	336	359	363	307	273	289	268	294	252	233
		F	165	158	143	152	134	145	128	124	134	160	139
	0 Base of tongue	M	*	*	137	134	103	99	113	83	90	81	79
		F	*	*	47	34	39	44	29	34	35	50	34
	7 Other specified parts of tongue	M	*	*	180	180	158	135	132	136	133	123	104
		F	*	*	77	98	80	77	81	68	71	82	78
	8, 9 Multiple and unspecified parts of tongue	M	*	*	42	49	46	39	44	49	71	48	50
		F	*	*	19	20	15	24	18	22	28	28	27
142	Salivary gland	M	78	81	90	67	77	86	74	66	68	82	84
		F	57	64	76	77	64	54	73	58	62	57	69
	0 Parotid gland	M	*	*	74	55	58	69	62	47	55	60	64
		F	*	*	68	62	51	44	59	41	50	48	57
	7 Other salivary gland	M	*	*	14	10	16	13	12	16	8	19	16
		F	*	*	8	13	13	8	13	11	9	8	8
	8, 9 Multiple and unspecified salivary gland	M	*	*	2	2	3	4	-	3	5	3	4
		F	*	*	-	2	-	2	1	6	3	1	4

\* Comparable figures not available.

† Excluding the following 'late effects' (see note 2 at head of table):

	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
106 Volhynian fever (trench fever)	M	-	-	-	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-	-	-

TABLE 7 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
143	Floor of mouth	M	78	63	57	71	73	71	63	94	84	83	73
		F	21	20	21	23	23	21	18	23	35	28	23
144	Other parts of mouth and mouth unspecified	M	199	186	208	185	173	158	153	122	119	106	111
		F	82	71	84	49	95	81	72	68	94	67	71
145	Oral mesopharynx	M	110	153	183	154	143	118	142	104	135	128	140
		F	44	47	42	55	49	48	61	44	44	49	62
	O Tonsil (excluding pillars)	M	*	*	144	121	112	87	98	75	98	93	101
		F	*	*	39	46	43	37	53	35	38	35	48
	7-9 Other multiple and unspecified parts of oral mesopharynx	M	*	*	39	33	31	31	44	29	37	35	39
		F	*	*	3	9	6	11	8	9	6	14	14
146	Nasopharynx	M	73	78	86	98	83	91	92	80	94	82	86
		F	42	45	42	33	39	47	41	47	49	48	45
147	Hypopharynx	M	83	85	133	169	142	133	125	150	123	139	133
		F	152	157	209	180	218	210	211	193	202	183	194
148	Pharynx, unspecified	M	174	194	68	68	54	55	60	39	45	42	38
		F	78	98	36	34	31	30	20	39	28	37	40
150-159	Malignant neoplasm of digestive organs and peritoneum	M	19,077	19,348	19,136	19,160	19,023	19,030	19,061	19,067	19,050	19,133	19,586
		F	18,060	17,882	18,365	18,585	18,440	18,330	18,412	18,443	18,391	18,431	18,609
150	Oesophagus	M	1,372	1,306	1,300	1,369	1,301	1,356	1,391	1,375	1,349	1,426	1,485
		F	952	956	993	955	1,007	1,055	1,050	1,064	1,191	1,141	1,197
151	Stomach	M	7,712	7,951	7,934	7,930	7,846	7,784	7,722	7,744	7,500	7,487	7,520
		F	6,163	5,966	6,178	6,146	6,107	6,004	5,874	5,937	5,569	5,562	5,653
152	Small intestine, including duodenum	M	111	97	110	104	117	136	121	91	124	122	113
		F	98	75	108	104	133	102	106	112	107	122	121
	O Duodenum	M	*	*	23	33	36	38	39	24	22	33	32
		F	*	*	25	32	36	26	19	26	31	30	19
	7-9 Other multiple and unspecified parts of small intestine	M	*	*	87	71	81	98	82	67	102	89	81
		F	*	*	83	72	97	76	87	86	76	92	102
153	Large intestine, except rectum	M	3,795	3,793	3,698	3,611	3,612	3,678	3,693	3,567	3,616	3,622	3,826
		F	5,433	5,388	5,431	5,542	5,448	5,455	5,473	5,391	5,474	5,530	5,387
	3 Sigmoid colon	M	*	*	1,418	1,306	1,297	1,336	1,314	1,208	1,183	1,233	1,329
		F	*	*	1,827	1,854	1,765	1,711	1,782	1,643	1,673	1,683	1,679
	0-2, 7, 8 Other parts of large intestine	M	*	*	2,238	2,262	2,281	2,302	2,343	2,314	2,398	2,338	2,450
		F	*	*	3,551	3,628	3,634	3,693	3,627	3,696	3,736	3,761	3,658
	9 Intestinal tract, part unspecified	M	*	*	42	43	34	40	36	45	45	51	47
		F	*	*	53	60	49	51	64	52	65	66	50
154	Rectum	M	3,152	3,102	3,132	3,059	3,029	2,919	2,953	2,935	2,961	2,937	2,947
		F	2,368	2,275	2,501	2,602	2,444	2,428	2,440	2,533	2,605	2,524	2,592
155	Biliary passages and of liver (stated to be primary site)	M	486	535	579	603	575	609	619	639	620	620	677
		F	812	784	909	871	883	862	935	889	879	834	902
	O Liver	M	*	*	213	243	230	272	256	252	265	247	283
		F	*	*	178	180	212	188	205	166	164	156	173
	1, 8 Gallbladder, other and multiple sites	M	*	*	366	360	345	337	363	387	355	373	394
		F	*	*	731	691	671	674	730	723	715	678	729
156	Liver (secondary and unspecified)†	M	457	494	273	287	319	317	325	300	349	396	400
		F	489	474	297	314	292	298	298	293	323	303	312
157	Pancreas	M	1,839	1,885	1,980	2,081	2,077	2,075	2,103	2,238	2,357	2,350	2,469
		F	1,546	1,710	1,747	1,851	1,882	1,904	2,017	1,985	2,010	2,150	2,216
158	Peritoneum	M	130	163	95	80	108	124	102	134	151	131	115
		F	180	230	156	163	200	177	186	191	202	217	187
159	Unspecified digestive organs	M	23	22	35	36	39	32	32	44	23	42	34
		F	19	24	45	37	44	45	23	48	31	48	42
160-165	Malignant neoplasm of respiratory system	M	16,452	17,212	17,899	19,026	19,759	20,289	21,064	21,563	22,236	23,031	23,396
		F	2,879	2,983	3,092	3,202	3,441	3,652	3,806	3,948	4,181	4,464	4,753
160	Nose, nasal cavities, middle ear, and accessory sinuses	M	134	114	123	121	120	99	114	115	127	115	124
		F	97	86	96	96	126	91	115	93	108	101	126
	O Nose (internal) and nasal cavities	M	*	*	16	30	24	13	24	21	29	24	26
		F	*	*	14	7	21	12	21	8	15	12	15
	1 Eustachian tube and middle ear	M	*	*	8	11	9	22	15	16	10	6	15
		F	*	*	12	14	18	14	13	16	18	9	11
	2 Maxillary sinus	M	*	*	84	72	79	60	64	68	75	75	67
		F	*	*	63	71	80	63	72	61	69	70	95
	7 Other specified sinus (accessory)	M	*	*	10	6	5	4	10	9	13	9	11
		F	*	*	6	4	5	-	8	7	6	8	1
	8, 9 Multiple and unspecified sites of nose, etc.	M	*	*	5	2	3	-	1	1	-	1	5
		F	*	*	1	-	2	2	1	1	-	2	4

\* Comparable figures not available.  
† Enquiries made from 1958 onwards.

TABLE 7 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
161	Larynx	M F	675 169	661 174	662 171	643 180	699 157	652 165	626 153	632 140	571 144	613 163	605 158
162, 163	Trachea, bronchus and lung	M F	15,544 2,553	16,358 2,670	17,040 2,780	18,181 2,882	18,882 3,118	19,460 3,350	20,278 3,501	20,757 3,677	21,476 3,895	22,231 4,167	22,610 4,415
162	Bronchus and trachea, and of lung specified as primary	M F	10,141 1,665	10,740 1,744	11,432 1,847	12,231 1,881	12,843 2,101	13,360 2,190	13,912 2,335	14,644 2,518	15,062 2,623	15,468 2,832	15,608 2,980
	0 Trachea	M F	* *	* *	27 9	27 11	17 8	33 11	24 11	27 15	33 13	30 14	18 10
	1 Bronchus and lung	M F	* *	* *	11,397 1,838	12,198 1,866	12,824 2,091	13,323 2,178	13,882 2,321	14,611 2,502	15,027 2,610	15,436 2,816	15,585 2,969
	2 Pleura	M F	* *	* *	6 -	3 4	1 2	4 1	2 1	2 1	2 -	1 1	1 1
	8 Multiple sites	M F	* *	* *	2 -	3 -	1 -	- -	2 2	4 -	- -	1 1	4 -
163	Lung, unspecified as to whether primary or secondary	M F	5,403 888	5,618 926	5,608 933	5,950 1,001	6,039 1,017	6,100 1,160	6,366 1,166	6,113 1,159	6,414 1,272	6,763 1,335	7,002 1,435
164	Mediastinum	M F	68 42	57 36	58 29	66 29	50 28	58 24	32 20	36 28	36 16	45 20	25 31
165	Thoracic organs (secondary)	M F	31 18	22 17	16 16	15 15	18 12	20 22	14 17	23 10	26 18	27 13	32 23
170-181	Malignant neoplasm of breast and genito-urinary organs	M F	6,657 17,028	6,591 17,139	6,800 17,840	6,704 17,593	6,903 18,098	6,975 18,261	7,414 18,414	7,314 18,394	7,400 19,060	7,649 19,024	7,739 19,246
170	Breast	M F	69 8,522	70 8,552	73 8,949	62 8,708	63 9,059	81 9,286	79 9,351	70 9,442	84 9,860	81 9,688	100 9,822
171	Cervix uteri	F	2,494	2,456	2,702	2,555	2,599	2,504	2,511	2,465	2,577	2,453	2,483
172	Corpus uteri	F	1,176	1,207	1,189	1,214	1,245	1,245	1,255	1,187	1,106	1,215	1,181
173	Other parts of uterus, including chorionepithelioma	F	39	36	34	39	38	21	40	35	22	28	22
174	Uterus, unspecified	F	212	213	190	195	206	211	209	282	284	281	264
175	Ovary, Fallopian tube, and broad ligament	F	2,791	2,854	2,890	2,939	2,959	3,057	3,061	3,050	3,154	3,225	3,316
	0 Ovary	F	*	*	2,866	2,919	2,933	3,031	3,032	3,025	3,140	3,207	3,297
	1 Fallopian tube and broad ligament	F	*	*	21	19	24	25	27	24	14	18	19
	8, 9 Multiple and unspecified sites of ovary, etc.	F	*	*	3	1	2	1	2	1	-	-	-
176	Other and unspecified female genital organs	F	475	519	519	530	541	492	520	502	514	544	557
	0 Vulva	F	*	*	365	373	390	360	376	356	359	408	423
	1 Vagina	F	*	*	143	150	141	124	138	139	143	128	126
	7-9 Other multiple and unspecified sites of female genital organs	F	*	*	11	7	10	8	6	7	12	8	8
177	Prostate	M	3,538	3,460	3,614	3,590	3,655	3,658	3,820	3,795	3,728	3,982	3,914
178	Testis	M	201	175	203	193	224	185	207	216	219	222	229
179	Other and unspecified male genital organs	M	140	139	140	143	111	149	129	139	133	120	113
	0 Penis	M	*	*	110	106	86	121	105	104	107	90	86
	1 Scrotum	M	*	*	28	30	22	25	19	32	20	24	23
	7-9 Other multiple and unspecified sites of male genital organs	M	*	*	2	7	3	3	5	3	6	6	4
180	Kidney	M F	700 463	704 433	761 504	704 459	710 518	750 518	842 501	824 522	860 550	876 532	891 573
181	Bladder and other urinary organs	M F	2,009 856	2,043 869	2,009 863	2,012 954	2,140 933	2,152 927	2,337 966	2,270 909	2,376 993	2,368 1,058	2,492 1,028
	0, 8 Bladder	M F	* *	* *	1,997 849	1,993 932	2,125 912	2,137 898	2,323 941	2,250 890	2,365 973	2,360 1,036	2,476 1,004
	7 Other urinary organs and sites	M F	* *	* *	12 14	19 22	15 21	15 29	14 25	20 19	11 20	8 22	16 24
190-199	Malignant neoplasm of other and unspecified sites	M F	2,975 3,039	2,919 3,124	2,926 2,904	2,853 2,952	2,954 2,902	3,108 3,060	3,141 3,027	3,099 3,256	3,251 3,454	3,456 3,466	3,504 3,466
190	Malignant melanoma of skin	M F	166 181	145 247	125 206	161 220	168 224	155 232	171 250	185 236	192 276	203 294	221 271
191	Other malignant neoplasm of skin	M F	310 249	316 254	282 235	265 228	269 232	276 218	248 206	224 208	217 231	256 237	253 197

\* Comparable figures not available.

TABLE 7 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
192	Eye	M	57	60	63	61	60	61	87	64	56	66	68
		F	56	51	62	70	67	77	64	61	66	63	69
193	Brain and other parts of nervous system	M	889	894	1,079	1,046	1,102	1,135	1,137	1,119	1,170	1,191	1,130
		F	659	667	794	823	788	847	783	848	814	805	826
	0 Brain	M	*	*	998	983	1,029	1,042	1,024	987	1,051	1,038	997
		F	*	*	743	750	722	757	700	751	698	705	731
	1 Spinal cord	M	*	*	15	11	14	13	17	20	11	22	13
		F	*	*	10	23	13	11	14	20	17	15	16
	2 Meninges	M	*	*	7	7	2	2	6	5	12	7	13
		F	*	*	3	8	5	5	12	13	8	7	6
	3 Peripheral nerves	M	*	*	2	3	5	1	7	4	1	4	10
		F	*	*	2	4	5	3	1	3	8	1	8
	4 Sympathetic nervous system	M	*	*	35	29	27	39	40	38	45	48	38
		F	*	*	17	27	29	37	25	28	29	32	26
	8, 9 Multiple and unspecified sites of brain, etc.	M	*	*	22	13	25	39	43	65	50	72	59
		F	*	*	19	11	14	34	31	53	54	45	39
194	Thyroid gland	M	113	89	92	100	102	97	110	100	98	86	122
		F	272	264	244	280	274	278	275	300	281	298	287
195	Other endocrine glands	M	66	71	67	58	51	45	59	51	60	64	61
		F	55	54	45	38	42	48	37	50	53	42	40
	0 Suprarenal gland	M	*	*	46	40	40	33	42	32	40	39	35
		F	*	*	29	21	30	28	25	35	33	30	18
	3 Pituitary gland and craniopharyngeal duct	M	*	*	6	4	4	5	6	6	4	1	7
		F	*	*	7	6	2	5	4	5	9	4	5
	1, 2, 4-8 Other and multiple	M	*	*	15	14	7	7	11	13	16	24	19
		F	*	*	9	11	10	15	8	10	11	8	17
196	Bone	M	385	351	354	330	337	349	322	280	261	344	298
		F	304	288	300	265	255	262	259	240	254	241	208
197	Connective tissue	M	121	125	113	110	108	133	141	123	131	120	117
		F	111	103	112	93	96	109	149	119	123	128	132
198	Secondary and unspecified malignant neoplasm of lymph nodes	M	37	37	45	43	39	35	51	50	42	34	38
		F	14	22	21	16	29	26	25	28	24	32	31
199	Other and unspecified sites	M	831	831	706	679	718	822	815	903	1,024	1,092	1,196
		F	1,138	1,174	885	919	895	963	979	1,166	1,332	1,326	1,405
200-205	Neoplasms of lymphatic and haematopoietic tissues	M	2,540	2,727	2,707	2,791	3,020	2,969	2,994	3,171	3,290	3,225	3,401
		F	2,115	2,164	2,211	2,389	2,462	2,526	2,583	2,581	2,709	2,852	2,858
200	Lymphosarcoma and reticulosarcoma	M	459	486	517	552	591	580	613	652	719	688	688
		F	372	381	429	442	451	516	473	495	494	567	596
	0 Reticulum-cell sarcoma	M	169	170	195	203	222	215	229	268	263	243	238
		F	144	157	175	171	176	218	186	218	213	231	236
	1 Lymphosarcoma	M	266	284	298	322	332	343	360	352	416	409	402
		F	194	207	235	243	252	275	252	255	255	298	319
	2 Other primary malignant neoplasms of lymphoid tissue	M	24	32	24	27	37	22	24	32	40	36	48
		F	34	17	19	28	23	23	35	22	26	38	41
201	Hodgkin's disease	M	507	584	472	543	508	545	550	521	489	539	573
		F	309	288	314	332	355	307	352	305	352	318	311
202	Other forms of lymphoma (reticulosia)	M	78	78	110	70	93	92	93	96	115	104	141
		F	62	76	87	72	80	86	79	84	121	104	116
	0 Giant follicular lymphoma (Brill-Symmers' disease)	M	13	7	14	17	21	16	13	19	21	16	21
		F	7	13	17	19	21	12	15	21	23	21	18
	1 Other	M	65	71	96	53	72	76	80	77	94	88	120
		F	55	63	70	53	59	74	64	63	98	83	98
203	Multiple myeloma (plasmocytoma)	M	250	268	298	295	335	330	334	375	398	425	416
		F	277	314	290	311	350	369	356	374	428	449	500
204	Leukaemia and aleukaemia	M	1,229	1,301	1,301	1,315	1,476	1,408	1,392	1,511	1,564	1,454	1,567
		F	1,066	1,093	1,085	1,219	1,218	1,237	1,315	1,319	1,303	1,406	1,329
	0 Lymphatic leukaemia	M	288	339	270	284	309	306	320	328	347	320	370
		F	211	222	184	228	220	225	217	236	247	268	245
	1 Myeloid leukaemia	M	296	299	229	243	225	253	239	285	275	260	249
		F	296	307	247	285	294	278	291	271	288	266	279
	2 Monocytic leukaemia	M	119	103	105	114	118	94	108	104	114	102	104
		F	111	112	110	82	94	98	114	88	83	106	66
	3 Acute leukaemia	M	487	519	662	631	788	708	691	734	778	712	779
		F	428	420	512	592	583	603	655	679	640	718	702
	4 Other and unspecified leukaemia	M	39	41	35	43	36	47	34	60	50	60	65
		F	40	32	32	32	27	33	38	45	45	48	37

\* Comparable figures not available.

TABLE 7 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
205	Mycosis fungoides	M	17	10	9	16	17	14	12	16	5	15	16
		F	9	12	6	13	8	11	8	4	11	8	6
210-229	Benign neoplasm	M	305	329	319	316	356	327	284	304	336	303	307
		F	548	555	499	524	546	479	470	450	468	460	433
210	Buccal cavity and pharynx	M	3	2	1	1	-	2	3	2	1	1	3
		F	1	1	-	-	4	1	3	1	1	3	2
211	Other parts of digestive system	M	23	17	16	24	29	26	26	27	25	34	24
		F	29	28	19	15	32	24	28	31	18	36	18
212	Respiratory system	M	13	10	11	15	12	13	13	15	28	31	28
		F	6	10	8	12	7	6	3	6	12	8	18
213	Breast	M	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	2	2	1	2	-	-	-	1	-
214	Uterine fibromyoma	F	93	87	81	84	71	51	54	60	48	42	42
215	Other benign neoplasm of uterus	F	17	12	7	11	7	10	7	2	7	1	8
216	Ovary	F	122	112	93	86	95	79	78	82	82	83	76
217	Other female genital organs	F	1	1	1	3	3	1	-	2	2	2	-
219	Kidney and other urinary organs	M	67	91	75	73	86	82	51	52	58	48	40
		F	34	41	34	36	25	29	26	24	24	33	30
221	Pilonidal cyst	M	-	2	1	-	-	-	-	-	-	-	-
		F	-	-	1	1	1	1	-	-	2	-	-
222	Other benign neoplasm of skin	M	1	1	-	-	1	1	2	-	-	-	-
		F	-	3	1	1	-	1	-	-	-	-	1
223	Brain and other parts of nervous system	M	125	131	138	129	139	130	125	130	133	105	127
		F	163	179	158	187	193	180	173	160	179	149	152
224	Endocrine glands	M	39	38	48	40	51	40	45	47	45	46	36
		F	45	44	55	51	61	60	58	48	62	54	48
225	Bone and cartilage	M	6	12	5	5	5	2	1	2	5	6	4
		F	11	8	7	4	9	5	3	7	5	8	3
226	Lipoma	M	3	3	1	2	2	3	-	3	1	1	8
		F	1	4	3	3	4	3	3	1	1	4	1
227	Other benign neoplasm of muscular and connective tissue	M	5	5	7	9	11	9	7	11	13	12	16
		F	12	5	6	9	13	12	11	14	13	16	12
228	Haemangioma and lymphangioma	M	17	14	13	15	15	15	8	12	21	14	18
		F	8	13	18	15	17	8	15	10	4	12	13
229	Other and unspecified organs and tissues	M	3	3	3	2	5	3	3	3	4	5	3
		F	4	7	4	4	3	6	8	2	8	8	9
230-239	Neoplasm of unspecified nature	M	435	407	219	225	257	277	273	350	376	379	364
		F	356	337	159	211	222	235	217	290	316	290	295
230	Digestive organs	M	18	26	13	21	15	21	24	25	28	39	19
		F	26	23	26	19	25	30	22	29	40	37	44
231	Respiratory organs	M	23	14	30	15	34	23	13	31	38	34	35
		F	10	10	8	10	8	10	8	12	14	17	17
233	Uterus	F	1	-	1	2	-	4	2	-	4	1	2
234	Ovary	F	7	1	2	2	4	3	5	3	8	3	4
236	Other genito-urinary organs	M	5	6	4	6	4	8	3	8	11	9	8
		F	4	2	7	5	5	6	3	11	6	9	9
237	Brain and other parts of nervous system	M	375	344	160	171	183	203	210	271	281	275	282
		F	295	279	97	156	163	165	159	207	211	193	194
238	Skin and musculo-skeletal system	M	1	5	3	7	8	4	9	7	6	10	3
		F	3	5	4	4	3	3	4	5	4	8	2
239	Other and unspecified organs	M	13	12	9	5	13	18	14	8	12	12	17
		F	10	17	14	13	14	14	12	23	27	20	23
240-289	III ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES	M	2,335	2,138	2,217	2,032	2,133	2,303	2,396	2,576	2,650	2,823	2,873
		F	4,022	3,924	3,980	3,824	4,111	4,364	4,439	4,711	4,542	5,067	5,003
240-245	Allergic disorders	M	812	720	625	539	528	566	605	710	804	921	941
		F	907	798	840	689	684	719	777	982	1,045	1,198	1,153
240	Hay fever	M	1	-	-	-	-	1	1	-	-	-	-
		F	1	-	1	-	1	-	-	1	-	-	-
241	Asthma	M	806	715	617	534	516	560	587	691	776	902	907
		F	902	792	836	680	672	709	765	964	1,024	1,178	1,133
242	Angioneurotic oedema	M	5	3	7	-	4	1	1	2	3	5	4
		F	2	4	2	6	6	2	1	1	6	4	2
245	Other allergic disorders	M	-	2	-	5	8	4	16	17	25	14	29
		F	2	2	1	3	5	8	11	15	15	15	18

TABLE 7 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
250-254	Diseases of thyroid gland	M	99	89	96	114	99	90	120	108	95	109	79
		F	597	590	589	621	646	665	697	788	527	622	565
250	Simple goitre	M	7	4	4	7	3	1	2	5	2	2	3
		F	20	22	17	15	10	13	8	16	16	17	12
251	Non-toxic nodular goitre	M	5	2	11	5	3	2	1	1	4	2	3
		F	27	22	25	18	19	27	16	11	9	19	16
252	Thyrotoxicosis with or without goitre	M	50	59	40	55	40	42	64	31	39	40	27
		F	300	314	282	296	311	286	277	264	207	216	217
	0 Toxic diffuse goitre	M	48	57	39	54	40	40	64	31	39	39	26
		F	286	292	262	281	287	278	260	252	195	203	205
	1 Toxic nodular goitre	M	2	2	1	1	-	-	-	-	-	-	1
		F	14	22	20	15	24	8	17	12	12	13	12
253	Myxoedema and cretinism	M	34	22	37	42	50	41	48	67	48	60	44
		F	241	223	250	279	289	327	378	478	280	347	296
254	Other diseases of thyroid gland	M	3	2	4	5	3	4	5	4	2	5	2
		F	9	9	15	13	17	12	18	19	15	23	24
260	Diabetes mellitus	M	1,108	1,013	1,152	1,100	1,193	1,331	1,330	1,371	1,409	1,461	1,512
		F	2,134	2,124	2,163	2,093	2,366	2,538	2,481	2,433	2,522	2,745	2,789
270-277	Diseases of other endocrine glands	M	124	112	135	97	121	119	134	142	121	113	93
		F	146	156	132	141	151	144	152	160	142	139	132
270	Disorders of pancreatic internal secretion other than diabetes mellitus	M	8	4	10	3	6	8	4	15	14	15	7
		F	4	5	-	3	5	6	7	5	10	12	8
271	Diseases of parathyroid gland	M	1	2	2	3	3	2	6	3	4	1	2
		F	11	11	7	12	9	4	9	7	9	8	7
272	Diseases of pituitary gland	M	37	40	38	37	40	45	38	50	44	32	27
		F	58	65	55	55	50	58	49	59	43	53	52
273	Diseases of thymus gland	M	13	6	4	7	1	4	4	8	7	2	4
		F	2	5	4	2	3	3	4	4	5	-	4
274	Diseases of adrenal glands	M	49	42	63	33	57	45	69	58	45	53	46
		F	49	50	48	48	57	54	69	67	60	48	45
277	Polyglandular dysfunction and other diseases of endocrine glands	M	16	18	18	14	14	15	13	8	7	10	7
		F	21	20	18	21	27	19	14	18	15	18	16
280-289	Avitaminoses and other metabolic diseases	M	192	204	209	182	192	197	207	245	221	219	248
		F	238	256	256	280	264	298	332	348	306	363	364
280	Beriberi	M	4	2	1	2	2	1	-	1	-	-	1
		F	-	1	-	-	2	1	1	1	-	-	-
281	Pellagra	M	-	-	1	-	-	1	-	-	-	-	-
		F	1	2	-	1	-	2	-	-	-	-	-
282	Scurvy	M	1	1	4	2	1	1	-	-	2	2	-
		F	1	4	1	-	1	3	-	-	2	1	1
283	Active rickets	M	1	-	-	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	1
284	Late effects of rickets	M	-	1	-	2	-	-	-	-	-	-	-
		F	2	3	1	-	-	-	-	1	1	4	-
285	Osteomalacia	M	1	-	2	-	-	1	-	-	2	1	1
		F	2	1	1	2	5	6	3	4	4	4	7
286	Other avitaminoses and nutritional deficiency states	M	50	41	50	46	38	53	67	56	46	54	69
		F	69	56	62	64	58	64	84	66	79	85	87
	0 Steatorrhoea and sprue	M	15	22	20	19	22	26	34	19	34	28	38
		F	28	24	22	21	20	25	36	23	41	34	33
	5 Malnutrition, unqualified	M	22	14	24	20	10	14	20	30	7	12	24
		F	31	21	31	28	28	31	32	30	18	33	36
	1-4, 6, 7 Other deficiency states	M	13	5	6	7	6	13	13	7	5	14	7
		F	10	11	9	15	10	8	16	13	20	18	18
287	Obesity, not specified as of endocrine origin	M	41	55	52	41	46	36	46	52	44	55	46
		F	101	127	123	146	127	158	160	176	137	171	151
288	Gout	M	16	17	10	15	14	17	12	13	14	14	29
		F	2	3	6	1	4	5	-	5	5	6	8
289	Other metabolic diseases	M	78	87	89	74	91	87	81	123	113	93	102
		F	58	59	62	66	67	59	84	95	78	92	109
	0 Lipidosis (disturbance of lipid metabolism)	M	16	15	18	7	11	13	16	16	19	10	9
		F	12	7	10	7	9	14	14	14	13	9	10
	1 Amyloidosis	M	18	36	23	30	37	30	21	41	36	34	34
		F	12	21	14	27	24	15	28	33	30	28	42
	2 Other	M	44	36	48	37	43	44	44	66	58	49	59
		F	34	31	38	32	34	30	42	48	35	55	57

TABLE 7 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
290-299	IV DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	M F	707 1,379	741 1,348	742 1,308	756 1,313	777 1,248	764 1,344	776 1,318	739 1,382	772 1,256	798 1,415	777 1,333
290	Pernicious and other hyperchromic anaemias	M F	262 650	260 622	247 578	227 582	253 517	218 544	205 514	214 487	186 449	171 486	183 460
	0 Pernicious anaemia	M F	218 567	216 551	214 502	195 489	198 445	171 471	175 447	171 407	161 378	139 405	136 383
	1 Subacute combined degeneration of spinal cord	M F	18 36	13 28	16 25	11 32	14 20	19 19	10 20	11 10	5 11	5 6	7 6
	2 Other hyperchromic anaemias	M F	26 47	31 43	17 51	21 61	41 52	28 54	20 47	32 70	20 60	27 75	40 71
291	Iron deficiency anaemias (hypochromic anaemias)	M F	70 192	70 193	73 194	100 223	78 221	81 252	95 218	89 274	91 213	93 245	83 262
292	Other anaemias of specified type	M F	189 216	181 237	203 225	203 219	191 196	205 219	210 229	181 286	215 280	227 274	211 250
	4 Aplastic anaemia	M F	128 138	107 151	128 133	118 118	108 105	116 116	126 128	99 173	113 134	124 155	104 126
	0-3, 5-7 Other specified anaemias	M F	61 78	74 86	75 92	85 101	83 91	89 103	84 101	82 113	102 126	103 119	107 124
293	Anaemia of unspecified type	M F	46 108	48 115	53 112	52 85	71 132	69 121	69 140	74 140	73 156	94 203	81 152
294	Polycythaemia	M F	20 32	37 28	45 28	50 42	60 31	47 40	57 49	67 42	58 47	64 60	57 52
295	Haemophilia	M F	9 -	19 -	8 -	16 -	9 -	14 -	17 -	13 1	14 -	11 -	13 1
296	Purpura and other haemorrhagic conditions	M F	59 63	70 73	62 82	52 79	60 62	66 95	67 93	51 85	58 63	72 76	70 70
297	Agranulocytosis	M F	12 20	8 8	10 12	7 13	12 12	10 12	10 20	10 11	13 18	8 13	14 8
298	Diseases of spleen	M F	33 87	38 62	30 60	36 56	22 59	33 42	28 39	17 30	27 24	27 26	25 32
299	Other diseases of blood and blood-forming organs	M F	7 11	10 10	11 17	13 14	21 18	21 19	18 16	23 26	37 26	31 32	40 46
300-326	V MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS	M F	374 764	347 698	341 565	364 644	401 643	392 682	461 708	430 723	464 647	489 715	489 823
300-309	Psychoses	M F	278 643	259 593	243 475	254 519	298 534	305 572	329 571	317 598	349 552	372 629	365 702
300	Schizophrenic disorders (dementia praecox)	M F	28 24	27 23	22 19	21 23	10 17	22 18	19 22	16 28	19 20	13 17	14 18
301	Manic-depressive reaction	M F	17 52	9 30	14 27	8 18	6 17	6 8	7 14	6 10	7 9	7 6	4 13
302	Involuntional melancholia	M F	3 1	5 5	1 3	2 1	2 6	- 2	2 2	- 1	2 2	- 1	- 1
303	Paranoia and paranoid states	M F	2 4	- 3	1 -	3 3	- -	1 1	1 -	- 3	- -	1 1	2 2
304	Senile psychosis	M F	176 500	161 440	151 339	155 381	204 390	212 437	233 436	216 466	237 421	265 515	260 578
305	Presenile psychosis	M F	37 47	43 61	30 66	48 71	46 69	41 69	49 70	53 63	66 69	66 66	58 62
307	Alcoholic psychosis	M F	- 2	3 4	5 1	2 -	7 3	6 2	1 1	3 2	1 1	- -	4 1
309	Other and unspecified psychoses	M F	15 13	11 27	19 20	15 22	23 32	17 35	17 26	23 25	17 30	20 23	23 27
310-318	Psychoneurotic disorders	M F	16 38	14 36	15 31	23 54	14 39	11 33	15 51	12 34	4 20	14 18	12 31
310	Anxiety reaction without mention of somatic symptoms	M F	2 3	- 1	3 2	3 5	1 2	1 2	- 3	1 -	1 1	4 1	1 4
311	Hysterical reaction without mention of anxiety reaction	M F	4 22	7 23	3 23	6 36	7 26	7 23	4 34	6 24	2 11	6 9	4 16
314	Neurotic-depressive reaction	M F	2 5	- 8	3 1	2 5	2 6	1 4	8 7	3 6	1 7	2 4	3 6
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	M F	- 1	1 2	- -	- 3	1 3	- 1	1 -	- 1	- -	- -	2 -
317	Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems	M F	5 2	2 -	2 -	4 -	1 -	- -	- 1	- -	- -	- -	- -

TABLE 7 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
318	Psychoneurotic disorders, other, mixed and unspecified types	M F	3 4	2 2	2 4	6 5	2 2	2 3	2 5	1 3	- 1	2 3	2 4
320-326	Disorders of character, behaviour, and intelligence	M F	80 83	74 69	83 59	87 71	89 70	76 77	117 86	101 91	111 75	103 68	112 90
320	Pathological personality	M F	4 1	- -	1 2	- -	- -	- -	- 1	- -	1 1	1 -	- -
322	Alcoholism	M F	20 18	15 8	25 17	33 15	23 20	24 17	31 20	31 21	48 23	44 15	43 20
	0 Acute	M F	2 -	1 2	5 -	6 3	2 3	3 2	6 2	1 -	10 4	9 -	7 -
	1 Chronic	M F	12 18	10 5	15 15	20 11	15 16	16 13	21 16	24 20	26 16	21 12	31 17
	2 Unspecified	M F	6 -	4 1	5 2	7 1	6 1	5 2	4 2	6 1	12 3	14 3	5 3
323	Other drug addiction	M F	- 1	- 1	2 1	4 1	- 3	1 1	4 2	3 2	5 3	9 1	11 6
325	Mental deficiency	M F	56 62	59 60	55 39	50 55	66 44	51 58	82 63	67 68	57 48	49 52	58 64
330-398	VI DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	M F	33,707 46,334	33,242 45,959	33,915 47,763	33,593 47,184	33,644 48,191	33,893 49,019	34,443 49,657	35,033 51,176	32,589 47,319	34,405 49,544	34,535 50,250
330-334	Vascular lesions affecting central nervous system	M F	31,034 43,453	30,537 43,132	31,298 44,879	30,897 44,253	31,006 45,216	31,160 45,863	31,673 46,624	32,264 48,076	29,818 44,147	31,616 46,531	31,743 47,081
330	Subarachnoid haemorrhage	M F	1,244 1,902	1,193 1,902	1,214 2,039	1,231 1,934	1,310 2,137	1,328 2,105	1,397 2,299	1,407 2,334	1,450 2,362	1,477 2,365	1,469 2,357
331	Cerebral haemorrhage	M F	12,562 18,192	11,970 17,408	11,923 17,784	11,493 16,791	11,688 17,305	11,444 16,827	11,550 17,136	11,754 17,656	11,390 16,642	11,599 16,724	11,755 17,376
332	Cerebral embolism and thrombosis	M F	14,791 20,366	14,914 20,806	15,452 21,670	15,341 21,863	15,250 22,042	15,311 22,368	15,408 22,464	15,719 23,139	13,574 20,173	14,822 21,949	14,569 21,514
333	Spasm of cerebral arteries	M F	- -	1 -	1 2	1 1	1 1	1 1	3 -	1 -	1 2	- -	- -
334	Other and ill-defined vascular lesions affecting central nervous system	M F	2,437 2,993	2,459 3,016	2,708 3,384	2,831 3,664	2,757 3,731	3,076 4,562	3,325 4,725	3,383 4,947	3,403 4,948	3,718 5,493	3,950 5,834
340-345	Inflammatory diseases of central nervous system	M F	653 793	736 787	689 820	685 795	703 818	690 847	700 826	720 836	756 870	705 813	677 829
340	Meningitis, except meningococcal and tuberculous	M F	191 153	233 143	197 142	180 134	209 160	208 164	234 186	212 183	251 204	229 191	199 186
	0 H. influenzae	M F	22 20	29 14	11 10	23 10	25 12	23 13	23 18	26 13	20 18	21 22	21 14
	1 Pneumococcus	M F	98 71	112 60	80 66	79 56	64 65	75 57	84 75	73 65	67 62	63 63	63 60
	2 Due to other specified organism	M F	35 27	39 35	55 29	42 24	49 30	48 41	42 30	37 36	48 43	40 32	26 31
	3 With no organism specified as cause	M F	36 35	53 34	51 37	36 44	71 53	62 53	85 63	76 69	116 81	105 74	89 81
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	M F	6 11	15 16	10 7	9 12	7 13	13 7	8 12	16 18	15 19	11 17	8 14
342	Intracranial and intraspinal abscess	M F	57 32	71 26	41 39	49 16	34 26	37 31	47 15	59 26	46 31	46 34	50 24
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	M F	49 66	74 62	68 56	60 48	64 43	58 54	59 45	57 75	61 51	47 54	62 56
344	Late effects of intracranial abscess or pyogenic infection	M F	37 38	33 38	47 37	47 34	42 42	38 41	44 50	39 40	53 34	49 42	39 32
345	Multiple sclerosis	M F	313 493	310 502	326 539	340 551	347 534	336 550	308 518	337 494	330 531	323 475	319 517
350-357	Other diseases of central nervous system	M F	1,812 1,925	1,788 1,903	1,761 1,941	1,809 2,005	1,791 1,988	1,871 2,161	1,865 2,081	1,902 2,098	1,864 2,138	1,952 2,076	1,975 2,222
350	Paralysis agitans	M F	675 891	685 838	686 867	726 952	696 946	699 1,001	697 936	698 922	676 928	686 908	670 948
351	Cerebral spastic infantile paralysis	M F	79 61	61 56	65 47	61 53	73 51	62 51	66 61	59 49	57 48	45 46	68 57
352	Other cerebral paralysis	M F	237 295	206 310	214 306	232 301	238 310	240 383	270 341	296 364	263 416	313 357	335 454
353	Epilepsy	M F	387 341	374 319	358 343	346 280	327 312	388 324	373 328	383 331	337 270	352 302	372 275

TABLE 7 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
	2 Status epilepticus	M	144	134	124	136	118	140	148	127	120	139	136
		F	131	132	143	115	141	140	148	113	112	121	111
	0, 1, 3 Other epilepsy	M	243	240	234	210	209	248	225	256	217	213	236
		F	210	187	200	165	171	184	180	218	158	181	164
355	Other diseases of brain	M	97	115	104	96	111	135	118	140	146	150	164
		F	111	126	128	121	115	136	157	165	181	175	187
356	Motor neurone disease and muscular atrophy	M	297	317	298	308	311	306	311	290	346	375	341
		F	199	223	231	260	227	230	228	227	258	265	271
	0 Progressive muscular atrophy	M	172	197	184	187	161	165	150	122	130	142	117
		F	138	148	141	147	136	118	122	117	110	106	103
	1 Amyotrophic lateral sclerosis	M	56	44	46	47	36	33	41	38	36	28	22
		F	25	25	40	40	26	26	21	30	18	26	11
	2, 3 Other motor neurone disease	M	69	76	68	74	114	108	120	130	180	205	202
		F	36	50	50	73	65	86	85	80	130	133	157
357	Other diseases of spinal cord	M	40	30	36	40	35	40	29	36	39	31	25
		F	26	30	19	35	27	36	29	39	36	23	29
360-369	Diseases of nerves and peripheral ganglia	M	38	33	49	36	29	52	50	40	36	29	42
		F	42	29	20	35	69	33	39	50	47	32	33
361	Trigeminal neuralgia	M	3	1	2	1	-	-	1	2	-	-	1
		F	5	2	2	4	9	3	2	5	5	1	-
363	Sciatica	M	1	1	2	-	1	-	1	2	2	1	1
		F	1	1	-	-	-	-	1	1	1	1	1
364	Polyneuritis and polyradiculitis	M	28	25	37	22	21	36	39	31	26	16	26
		F	23	19	11	19	43	20	24	31	31	19	15
365	Erythroedema polyneuritica	M	3	2	-	1	1	-	-	1	1	-	1
		F	1	1	1	1	1	-	-	-	-	-	1
366	Other and unspecified forms of neuralgia and neuritis	M	3	2	5	10	3	7	4	2	4	4	6
		F	9	5	5	9	11	7	4	5	3	6	2
368	Other diseases of peripheral nerves except autonomic	M	-	1	2	1	3	7	2	2	2	8	4
		F	1	1	-	1	2	1	5	4	3	4	12
370-379	Inflammatory diseases of eye	M	2	1	1	2	2	2	6	2	3	-	3
		F	7	5	6	3	4	-	4	2	4	2	2
370	Conjunctivitis and ophthalmia	M	-	-	-	1	-	1	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	1	-
376	Other inflammation of uveal tract	M	-	1	1	-	-	-	2	2	-	-	-
		F	3	3	-	-	-	-	-	-	1	-	1
377	Inflammation of optic nerve and retina	M	1	-	-	-	-	-	3	-	-	-	3
		F	1	1	3	3	2	-	1	1	3	-	-
379	Other inflammatory diseases of eye	M	-	-	-	-	-	-	-	-	2	-	-
		F	2	1	2	-	1	-	-	-	-	1	1
380-389	Other diseases and conditions of eye	M	18	23	14	26	19	24	24	13	18	12	12
		F	34	34	40	36	34	43	31	30	35	25	28
381	Corneal ulcer	M	-	1	1	-	-	-	-	-	-	-	-
		F	-	-	2	1	2	2	-	-	-	-	1
384	Strabismus	M	1	2	1	1	2	1	2	-	1	2	1
		F	1	-	-	3	3	2	1	-	-	-	-
385	Cataract	M	9	11	6	15	10	8	8	9	6	5	5
		F	21	22	15	22	19	27	15	15	24	11	20
386	Detachment of retina	M	3	2	-	2	1	3	3	-	1	2	-
		F	3	5	3	2	1	3	2	1	2	2	2
387	Glaucoma	M	2	3	3	4	1	7	5	2	6	3	3
		F	4	2	14	5	7	7	10	8	6	10	4
388	Other diseases of eye	M	1	3	1	2	5	2	2	2	4	-	3
		F	3	2	4	3	1	1	2	4	3	2	1
389	Blindness	M	2	1	2	2	-	2	1	-	-	-	-
		F	2	3	2	-	1	1	-	2	-	-	-
390-398	Diseases of ear and mastoid process	M	150	124	103	138	94	94	125	92	94	91	83
		F	80	69	57	57	62	72	52	84	78	65	55
391	Otitis media without mention of mastoiditis	M	121	95	79	109	73	78	98	77	82	79	68
		F	61	52	47	45	48	57	49	74	72	54	44
392	Otitis media with mastoiditis	M	3	6	6	11	7	4	6	5	3	4	4
		F	4	5	2	4	1	-	1	2	1	3	4
393	Mastoiditis without mention of otitis media	M	24	21	16	17	13	9	14	7	8	5	10
		F	14	8	6	5	9	10	2	6	4	8	4
394	Other inflammatory diseases of ear	M	2	-	2	-	-	2	1	1	-	2	-
		F	-	-	-	-	1	-	-	1	-	-	-

TABLE 7 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
395	Meniere's disease	M F	- -	1 1	- 1	- -	- -	- 2	1 -	- -	- -	- -	- 1
396	Other diseases of ear and mastoid process	M F	- 1	1 1	- 1	- 2	1 3	- 3	4 -	2 1	1 -	1 -	1 2
400-468	VII DISEASES OF THE CIRCULATORY SYSTEM	M F	98,065 95,470	95,784 92,566	99,907 97,738	96,306 95,526	100,244 98,319	102,364 102,394	105,466 102,857	108,513 105,106	101,956 96,297	106,281 99,980	106,989 101,011
400-402	Rheumatic fever	M F	102 106	78 96	70 61	63 63	61 64	56 47	62 44	52 45	30 31	48 32	41 35
400	Rheumatic fever without mention of heart involvement	M F	5 7	3 2	3 3	1 4	2 3	- 3	2 2	1 2	- -	1 1	- -
401	Rheumatic fever with heart involvement	M F	92 81	68 81	63 51	57 47	54 46	56 38	59 39	47 39	27 30	42 29	37 30
	0 Active rheumatic pericarditis	M F	29 22	23 14	27 23	21 28	30 22	32 18	31 22	18 24	20 21	36 24	28 22
	1 Active rheumatic endocarditis	M F	15 15	10 17	10 11	19 5	5 6	5 6	10 8	10 7	1 4	3 1	3 1
	2 Active rheumatic myocarditis	M F	2 4	2 9	4 -	4 2	5 1	- -	1 -	5 1	- 2	- -	- 1
	3 Active rheumatic fever with other and multiple types of heart involvement	M F	46 40	33 41	22 17	13 12	14 17	19 14	17 9	14 7	6 3	3 4	6 6
402	Chorea	M F	5 18	7 13	4 7	5 12	5 15	- 6	1 3	4 4	3 1	5 2	4 5
	0 Without mention of heart involvement	M F	5 17	6 12	1 4	2 8	4 13	- 3	- -	1 -	1 -	1 2	1 1
	1 With heart involvement	M F	- 1	1 1	3 3	3 4	1 2	- 3	1 3	3 4	2 1	4 -	3 4
410-416	Chronic rheumatic heart disease	M F	3,049 5,161	2,989 5,228	2,567 4,867	2,482 4,589	2,469 4,652	2,580 4,892	2,529 4,783	2,382 4,542	2,126 4,045	2,093 4,123	2,033 3,967
410	Diseases of mitral valve	M F	1,989 3,926	1,937 3,933	1,633 3,629	1,551 3,381	1,504 3,433	1,592 3,538	1,549 3,492	1,464 3,293	1,284 2,893	1,315 2,907	1,230 2,800
411	Diseases of aortic valve specified as rheumatic	M F	325 177	342 171	343 187	313 172	332 179	362 198	379 174	344 231	327 197	298 225	283 194
412	Diseases of tricuspid valve	M F	11 6	3 8	7 6	4 11	11 10	11 12	10 15	9 15	6 7	9 12	20 14
414	Other endocarditis specified as rheumatic	M F	259 344	236 347	182 282	163 277	146 266	152 276	147 236	138 169	124 187	85 200	94 170
415	Other myocarditis specified as rheumatic	M F	96 128	77 141	67 112	62 93	46 62	55 89	44 95	38 75	25 40	22 43	23 28
416	Other heart disease specified as rheumatic	M F	369 580	394 628	335 651	389 655	430 702	408 779	400 771	389 759	360 721	364 736	383 761
420-422	Arteriosclerotic and degenerative heart disease	M F	73,012 64,175	71,151 61,598	75,237 65,770	72,700 64,224	76,064 66,194	77,639 68,368	81,063 69,548	83,559 71,256	79,699 65,727	83,327 68,391	83,494 68,889
420	Arteriosclerotic heart disease, including coronary disease	M F	47,476 28,500	48,266 28,910	52,085 31,956	52,193 32,729	56,514 35,447	58,396 37,379	62,686 39,792	65,840 42,016	65,082 41,208	69,261 44,190	69,547 45,219
	0 Arteriosclerotic heart disease so described	M F	273 286	344 364	454 541	406 498	516 623	608 805	676 911	727 891	694 830	617 836	670 862
	1 Heart disease specified as involving coronary arteries	M F	46,909 27,781	47,655 28,339	51,389 31,223	51,576 32,059	55,815 34,657	57,611 36,438	61,864 38,731	64,973 40,994	64,293 40,283	68,551 43,252	68,796 44,271
	2 Angina pectoris without mention of coronary disease	M F	294 233	267 207	242 192	211 172	183 167	177 136	146 150	140 131	95 95	93 102	81 86
421	Chronic endocarditis not specified as rheumatic	M F	1,612 1,371	1,757 1,631	1,675 1,519	1,506 1,520	1,687 1,570	1,611 1,654	1,697 1,645	1,589 1,610	1,421 1,296	1,401 1,459	1,424 1,444
	0 Of mitral valve, specified as non-rheumatic	M F	71 109	97 183	110 195	103 217	96 216	103 219	127 243	94 220	90 168	87 178	72 191
	1 Of aortic valve, not specified as rheumatic	M F	1,149 773	1,313 913	1,257 879	1,137 910	1,327 986	1,308 1,073	1,350 1,079	1,341 1,126	1,200 913	1,215 1,065	1,217 1,054
	2 Of tricuspid valve, specified as non-rheumatic	M F	3 1	1 1	- 1	- 1	2 -	2 -	1 2	1 -	1 -	1 1	2 -
	3 Of pulmonary valve, not specified as rheumatic	M F	- 2	1 3	7 1	4 1	8 7	2 2	5 7	3 1	5 1	4 4	3 1
	4 Other and ill-defined, not specified as rheumatic	M F	390 486	345 531	301 443	262 391	254 361	196 360	214 314	150 263	125 214	94 211	130 198
422	Other myocardial degeneration	M F	23,924 34,504	21,128 31,057	21,477 32,295	19,001 29,975	17,863 29,177	17,632 29,335	16,680 28,411	16,130 27,630	13,196 23,223	12,665 22,742	12,523 22,226
	0 Fatty degeneration	M F	92 166	85 141	78 122	66 128	35 108	53 107	33 77	44 89	34 80	37 77	28 58

TABLE 7 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
	1 With arteriosclerosis	M	10,791	9,448	9,830	8,899	8,400	8,350	8,036	7,792	6,490	6,106	6,056
		F	14,375	13,444	14,162	13,440	13,285	13,423	12,872	12,818	10,731	10,670	10,266
	2 Other	M	13,041	11,595	11,569	10,036	9,428	9,229	8,611	8,294	6,672	6,522	6,439
		F	19,963	17,472	18,011	16,407	15,784	15,805	15,162	14,723	12,412	11,995	11,902
430-434	Other diseases of heart	M	5,252	5,668	5,845	5,644	6,019	6,429	6,389	6,602	6,031	6,207	6,786
		F	6,435	6,772	7,150	7,120	7,479	8,232	8,213	8,399	7,671	8,196	8,496
430	Acute and subacute endocarditis	M	196	195	187	196	174	198	188	203	178	158	163
		F	121	128	135	112	138	114	120	122	129	108	106
	0 Acute and subacute bacterial endocarditis	M	194	193	185	193	168	196	184	200	176	156	162
		F	119	127	129	111	133	111	118	119	128	107	103
	1 Other acute endocarditis	M	2	2	2	3	6	2	4	3	2	2	1
		F	2	1	6	1	5	3	2	3	1	1	3
431	Acute myocarditis not specified as rheumatic	M	77	66	53	74	63	71	78	87	78	75	72
		F	60	72	67	70	65	72	80	85	61	70	58
432	Acute pericarditis specified as non-rheumatic	M	12	15	6	5	13	12	9	16	10	16	12
		F	9	8	13	11	10	8	14	13	16	9	12
433	Functional disease of heart	M	2,157	2,113	2,164	1,927	1,927	1,868	1,860	1,807	1,544	1,498	1,549
		F	3,441	3,351	3,422	3,268	3,174	3,309	3,083	3,052	2,673	2,635	2,592
434	Other and unspecified diseases of heart	M	2,810	3,277	3,435	3,442	3,842	4,280	4,254	4,489	4,221	4,460	4,990
		F	2,804	3,213	3,513	3,659	4,092	4,729	4,916	5,127	4,792	5,374	5,728
440-443	Hypertensive heart disease	M	5,782	5,491	5,173	4,656	4,678	4,495	4,266	4,082	3,427	3,468	3,280
		F	7,251	7,101	7,110	6,719	6,616	6,730	6,265	6,201	5,232	5,083	4,935
440	Essential benign hypertensive heart disease	M	97	106	98	95	78	84	83	68	50	53	42
		F	138	150	129	122	135	159	119	120	82	60	78
441	Essential malignant hypertensive heart disease	M	121	110	106	94	107	95	105	74	60	84	80
		F	65	77	80	67	52	58	58	38	34	24	25
442	Hypertensive heart disease with arteriolar nephrosclerosis	M	143	125	116	98	75	68	74	60	37	28	28
		F	138	130	129	107	96	101	72	89	57	46	45
443	Other and unspecified hypertensive heart disease	M	5,421	5,150	4,853	4,369	4,418	4,248	4,004	3,880	3,280	3,303	3,130
		F	6,910	6,744	6,772	6,423	6,412	6,412	5,954	5,954	5,059	4,953	4,787
444-447	Other hypertensive disease	M	3,776	3,570	3,524	3,269	3,123	2,897	2,599	2,574	2,171	2,109	1,892
		F	3,994	3,684	3,839	3,555	3,407	3,372	3,022	2,901	2,365	2,330	2,154
444	Essential benign hypertension	M	2,628	2,482	2,421	2,166	2,080	2,035	1,768	1,696	1,391	1,406	1,238
		F	3,154	2,932	3,037	2,784	2,737	2,733	2,417	2,304	1,789	1,804	1,698
445	Essential malignant hypertension	M	721	704	701	724	711	559	484	516	498	441	430
		F	378	365	400	379	345	297	253	260	235	209	216
446	Hypertension with arteriolar nephrosclerosis	M	425	382	398	377	331	300	347	360	279	260	222
		F	460	385	399	391	322	341	351	356	359	315	237
447	Other hypertensive disease without mention of heart	M	2	2	4	2	1	3	-	2	3	2	2
		F	2	2	3	1	3	1	1	1	2	2	3
450-456	Diseases of arteries	M	6,006	5,727	6,411	6,208	6,428	6,713	6,959	7,420	6,643	7,041	7,385
		F	6,689	6,457	7,173	7,368	7,814	8,356	8,549	8,932	8,346	8,744	9,294
450	General arteriosclerosis	M	4,723	4,297	4,801	4,578	4,655	4,867	4,816	5,032	4,347	4,591	4,821
		F	5,596	5,367	5,913	6,130	6,378	6,896	6,854	7,172	6,564	6,842	7,338
	0 Without mention of gangrene	M	4,145	3,827	4,273	4,082	4,087	4,355	4,237	4,511	3,903	4,106	4,330
		F	5,106	4,876	5,414	5,611	5,830	6,255	6,273	6,590	6,025	6,313	6,772
	1 With mention of gangrene as a consequence	M	578	470	528	496	568	512	579	521	444	485	491
		F	490	491	499	519	548	641	581	582	539	529	566
451	Aortic aneurysm, non-syphilitic, and dissecting aneurysm	M	1,004	1,135	1,312	1,310	1,425	1,466	1,753	1,933	1,877	1,993	2,097
		F	834	856	1,003	946	1,106	1,083	1,289	1,327	1,321	1,423	1,430
452	Other aneurysm, except of heart and aorta	M	61	63	62	79	58	62	66	68	81	72	58
		F	55	48	36	47	44	36	44	60	44	51	53
453	Peripheral vascular disease	M	63	59	54	62	69	72	79	76	58	73	85
		F	31	12	21	25	37	35	37	45	39	55	58
	0 Raynaud's disease	M	5	3	1	1	2	2	3	3	1	4	1
		F	10	5	4	7	10	8	7	8	7	8	3
	1 Thrombo-anglitis obliterans	M	45	39	34	32	31	32	27	21	17	24	19
		F	6	1	7	5	11	2	4	3	3	3	5
	2, 3 Other peripheral vascular disease	M	13	17	19	29	36	38	49	52	40	45	65
		F	15	6	10	13	16	25	26	34	29	44	50
454	Arterial embolism and thrombosis	M	34	36	35	27	48	62	49	75	73	76	84
		F	51	40	43	57	64	67	85	83	105	97	110
455	Gangrene of unspecified cause	M	23	12	19	17	26	26	35	33	28	34	41
		F	6	12	13	22	18	35	25	28	49	48	43
456	Other diseases of arteries	M	101	125	128	135	149	158	161	203	179	202	199
		F	116	142	144	141	167	204	215	217	224	228	262

TABLE 7 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
460-468	Diseases of veins and other diseases of circulatory system	M F	1,086 1,659	1,112 1,630	1,080 1,768	1,284 1,888	1,402 2,093	1,555 2,397	1,599 2,433	1,842 2,830	1,829 2,880	1,988 3,081	2,078 3,241
460	Varicose veins of lower extremities	M F	55 197	53 172	48 172	61 168	57 180	57 173	68 156	69 174	33 139	47 164	45 184
461	Haemorrhoids	M F	23 13	19 8	18 14	16 11	20 12	15 18	19 10	7 3	6 5	11 6	13 8
462	Varicose veins of other specified sites	M F	17 24	27 26	26 16	20 24	17 25	30 28	26 21	28 32	22 20	21 27	28 24
463	Phlebitis and thrombophlebitis of lower extremities	M F	156 261	132 254	131 247	138 256	141 261	134 300	133 280	169 259	118 239	113 238	110 183
464	Phlebitis and thrombophlebitis of other sites	M F	13 20	14 24	12 17	15 25	20 30	27 23	14 26	20 26	21 33	17 34	9 33
465	Pulmonary embolism and infarction	M F	457 574	486 565	486 675	630 723	698 807	761 908	784 952	847 1,087	859 1,146	919 1,117	980 1,249
466	Other venous embolism and thrombosis	M F	332 535	359 545	324 592	371 647	415 735	492 904	521 942	652 1,195	716 1,239	781 1,409	821 1,478
467	Other diseases of circulatory system	M F	26 29	19 26	26 30	24 25	28 37	35 33	28 36	44 50	48 48	55 57	66 73
468	Certain diseases of lymph nodes and lymph channels	M F	7 6	3 10	9 5	9 9	6 6	4 10	6 10	6 4	6 11	14 9	6 9
470-527	VIII DISEASES OF THE RESPIRATORY SYSTEM	M F	36,080 24,428	37,939 24,066	37,024 23,784	40,756 27,796	34,833 22,122	43,372 29,732	42,923 29,871	46,870 33,195	38,510 25,867	39,974 26,644	44,396 32,030
470-475	Acute upper respiratory infections	M F	68 70	68 72	59 59	57 62	68 57	65 71	60 56	65 64	50 62	54 58	61 68
470	Acute nasopharyngitis (common cold)	M F	3 4	6 8	2 8	4 4	5 3	3 3	3 10	4 8	1 -	1 1	- 4
471	Acute sinusitis	M F	3 3	2 1	2 -	1 1	2 3	5 -	- -	- 2	2 2	- 1	- 1
472	Acute pharyngitis	M F	13 14	7 7	12 4	11 13	9 7	7 12	4 9	5 9	6 9	9 14	4 6
473	Acute tonsillitis	M F	13 18	17 14	14 12	12 10	17 12	10 14	13 8	12 9	11 8	8 7	13 13
474	Acute laryngitis and tracheitis	M F	24 18	24 29	19 27	22 21	30 26	32 36	33 27	31 29	23 31	29 20	28 28
475	Acute upper respiratory infection of multiple or unspecified sites	M F	12 13	12 13	10 8	7 13	5 6	8 6	7 2	13 7	7 12	7 15	16 16
480-483	Influenza	M F	1,272 1,354	3,553 3,163	1,216 1,185	3,898 3,964	553 545	3,487 3,615	1,511 1,797	1,442 1,772	494 549	404 410	1,639 2,033
480	Influenza with pneumonia*	M F	661 645	2,516 2,236	767 706	2,605 2,533	330 322	2,167 2,227	941 1,104	909 1,116	317 332	278 251	1,053 1,302
481	Influenza with other respiratory manifestations, and influenza unqualified*	M F	597 693	1,009 892	433 463	1,280 1,408	215 204	1,305 1,366	559 673	519 643	167 208	122 148	572 711
482	Influenza with digestive manifestations, but without respiratory symptoms	M F	6 14	9 18	8 9	8 16	7 16	8 16	8 17	11 9	6 9	2 8	10 18
483	Influenza with nervous manifestations but without digestive or respiratory symptoms*	M F	8 2	19 17	8 7	5 7	1 3	7 6	3 3	3 4	4 -	2 3	4 2
490-493	Pneumonia†	M F	11,169 11,245	11,645 11,203	11,799 11,939	13,203 13,387	11,818 12,525	14,087 15,188	14,472 16,437	16,945 19,118	13,830 15,679	14,351 16,674	16,137 19,374
490	Lobar pneumonia*	M F	1,977 1,451	1,889 1,354	1,746 1,351	1,778 1,412	1,635 1,357	1,878 1,469	1,900 1,565	2,008 1,652	1,646 1,369	1,782 1,420	1,703 1,428
491	Bronchopneumonia*	M F	8,439 9,156	8,906 9,156	9,321 9,991	10,628 11,214	9,374 10,440	11,281 12,831	11,694 14,019	14,025 16,545	11,364 13,570	11,737 14,489	13,531 17,078
492	Primary atypical pneumonia*	M F	86 76	145 115	98 94	133 119	140 140	183 148	170 134	204 166	203 147	238 206	251 213
493	Pneumonia, other and unspecified*	M F	667 562	705 578	634 503	664 642	669 588	745 740	708 719	708 755	617 593	594 559	652 655

† 490-493. See 763 (Pneumonia of newborn) for pneumonia deaths at ages under 4 weeks.

\* Excluding the following 'late effects' (see note 2 at head of table):

	1959	1960	1961	1962	1963	1964	1965	1966
480 Influenza with pneumonia	M 2	2	-	1	-	-	-	-
	F 1	1	-	-	-	-	-	-
481 Influenza with other respiratory manifestations, and influenza unqualified	M 2	1	1	2	1	-	-	2
	F 1	1	1	-	1	1	1	-
483 Influenza with nervous manifestations but without digestive or respiratory symptoms	M -	-	-	1	-	-	-	-
	F -	-	-	-	-	-	-	-
490 Lobar pneumonia	M 1	1	-	2	1	-	2	-
	F -	2	2	3	-	-	-	-
491 Bronchopneumonia	M 3	3	4	2	-	2	3	1
	F 3	-	1	-	3	-	1	1
492 Primary atypical pneumonia	M -	-	-	-	-	-	-	-
	F -	-	1	-	-	-	-	-
493 Pneumonia, other and unspecified	M 8	3	7	1	3	5	2	7
	F 4	2	3	2	3	-	3	1

TABLE 7 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
500-502	Bronchitis	M F	19,890 10,019	18,956 8,141	20,326 9,070	20,193 8,858	18,997 7,488	22,203 9,160	23,351 9,942	24,832 10,500	20,773 7,967	21,784 7,785	23,121 8,741
500	Acute bronchitis	M F	1,678 2,009	1,397 1,453	1,494 1,599	1,487 1,577	1,149 1,164	1,365 1,500	1,448 1,587	1,605 1,724	1,065 1,171	1,062 995	1,154 1,214
501	Bronchitis, unqualified	M F	1,057 1,123	884 845	969 1,003	917 932	767 712	907 923	886 983	967 1,116	751 741	782 688	791 833
502	Chronic bronchitis	M F	17,155 6,887	16,675 5,843	17,863 6,468	17,789 6,349	17,081 5,612	19,931 6,737	21,017 7,372	22,260 7,660	18,957 6,055	19,940 6,102	21,176 6,694
	0 Bronchitis with emphysema	M F	8,369 1,820	8,529 1,563	9,316 1,815	9,223 1,845	8,998 1,682	10,255 1,969	10,724 2,112	11,354 2,271	9,700 1,825	10,066 1,830	10,481 1,994
	1 Other	M F	8,786 5,067	8,146 4,280	8,547 4,653	8,566 4,504	8,083 3,930	9,676 4,768	10,293 5,260	10,906 5,389	9,257 4,230	9,874 4,272	10,695 4,700
510-527	Other diseases of respiratory system	M F	3,681 1,740	3,717 1,487	3,624 1,531	3,405 1,525	3,397 1,507	3,530 1,698	3,529 1,639	3,586 1,741	3,363 1,610	3,381 1,717	3,438 1,814
510	Hypertrophy of tonsils and adenoids	M F	16 13	17 5	17 18	13 8	9 8	10 6	11 11	7 6	4 2	8 4	2 6
511	Peritonsillar abscess (quinsy)	M F	4 6	5 6	5 8	5 4	4 8	1 2	2 -	5 5	5 4	5 1	2 6
512	Chronic pharyngitis and nasopharyngitis	M F	3 2	2 2	1 2	1 2	1 1	1 4	- 1	- 1	- -	- 1	1 2
513	Chronic sinusitis	M F	25 18	28 11	27 20	31 18	17 9	28 12	20 6	27 12	20 13	14 7	16 6
514	Deflected nasal septum	M F	2 1	- 1	1 -	1 -	1 -	3 -	- -	2 1	- -	1 -	- -
515	Nasal polyp	M F	4 4	3 2	2 -	1 1	- 1	6 2	1 1	1 -	- 3	1 1	1 2
516	Chronic laryngitis	M F	- -	1 1	- 2	1 -	- -	- 1	- -	1 1	- -	1 1	- -
517	Other diseases of upper respiratory tract	M F	14 10	17 14	20 9	22 14	23 15	32 18	25 17	29 29	23 11	46 20	37 33
518	Empyema	M F	86 44	72 35	83 52	73 38	66 45	63 35	56 29	76 44	49 24	71 29	54 37
519	Pleurisy	M F	59 40	30 24	23 25	27 27	50 54	46 33	43 40	34 25	30 32	42 39	35 30
520	Spontaneous pneumothorax	M F	6 1	5 2	7 2	5 1	5 3	7 4	8 5	13 3	18 5	15 3	17 1
521	Abscess of lung	M F	43 24	58 32	46 16	39 22	55 29	58 29	66 22	45 39	70 26	57 34	54 27
522	Pulmonary congestion and hypostasis	M F	255 474	167 339	198 354	195 382	240 414	215 482	249 489	279 465	242 457	286 554	301 555
523	Pneumoconiosis due to silica and silicates (occupational)	M F	666 9	760 7	713 10	637 9	650 16	700 12	667 15	663 6	659 11	600 9	609 5
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	M F	17 6	16 3	28 2	25 7	12 3	24 3	23 6	11 4	14 1	16 4	16 2
525	Other chronic interstitial pneumonia	M F	204 73	175 93	190 106	169 114	195 97	218 118	225 120	280 153	298 168	278 167	277 187
526	Bronchiectasis	M F	1,273 724	1,305 677	1,199 615	1,133 586	1,060 543	1,079 628	1,025 580	985 601	917 538	846 510	842 495
527	Other diseases of lung and pleural cavity	M F	1,004 291	1,056 233	1,064 290	1,027 292	1,009 261	1,039 309	1,108 297	1,128 346	1,014 315	1,094 333	1,174 420
	0 Pulmonary collapse (1 year and over)	M F	6 7	6 3	4 10	11 6	5 8	6 8	14 9	11 11	9 8	23 6	16 8
	1 Emphysema without mention of bronchitis	M F	926 234	981 182	997 216	939 223	927 211	955 221	1,008 243	1,002 242	892 230	931 220	962 257
	2 Other	M F	72 50	69 48	63 64	77 63	77 42	78 80	86 45	115 93	113 77	140 107	196 155
530-587	IX DISEASES OF THE DIGESTIVE SYSTEM	M F	8,554 7,177	8,336 7,010	8,215 6,948	7,748 7,159	8,002 7,414	7,951 7,488	8,018 7,540	7,714 7,667	7,413 7,495	7,318 7,447	7,428 7,692
530-539	Diseases of buccal cavity and oesophagus	M F	95 138	125 129	110 146	97 150	106 154	105 152	123 160	118 188	115 151	114 159	134 142
530	Dental caries	M F	1 -	- -	1 -	1 1	- -	1 3	- -	- -	- -	1 -	- -
531	Abscesses of supporting structures of teeth	M F	2 4	2 1	3 3	1 -	- -	1 1	3 1	1 1	- 1	- 2	- -
532	Other inflammatory diseases of supporting structures of teeth	M F	6 3	8 3	- 1	3 1	1 -	2 1	1 1	2 1	2 -	2 1	- 1

TABLE 7 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
533	Disorders of occlusion, eruption, and tooth development	M F	6 8	8 8	1 1	- 1	- 1	- 1	2 -	- 1	- -	- -	- -
535	Other diseases of teeth and supporting structures	M F	- -	- -	3 6	6 6	7 7	5 1	3 -	4 7	5 3	3 2	3 4
536	Stomatitis	M F	2 4	3 2	2 -	2 2	1 3	3 5	3 1	2 8	1 1	2 1	- -
537	Diseases of salivary glands	M F	13 58	25 56	22 64	22 74	27 59	15 61	20 69	23 63	15 46	17 54	14 49
538	Other diseases of buccal cavity	M F	6 6	9 9	8 1	7 1	5 6	2 5	2 4	- 5	1 2	2 7	4 4
539	Diseases of oesophagus	M F	59 55	70 50	70 70	55 64	65 78	76 74	89 84	86 102	91 98	87 92	113 84
540-545	Diseases of stomach and duodenum	M F	3,962 1,671	3,693 1,547	3,552 1,570	3,232 1,576	3,323 1,636	3,109 1,550	3,253 1,679	2,964 1,661	2,733 1,466	2,668 1,542	2,730 1,586
540	Ulcer of stomach	M F	1,803 998	1,665 960	1,608 944	1,455 959	1,487 988	1,386 939	1,398 978	1,339 988	1,235 853	1,250 916	1,190 944
	0 Without mention of perforation	M F	1,318 776	1,214 725	1,189 770	1,102 765	1,119 760	1,044 740	1,004 767	1,025 766	969 659	948 741	893 747
	1 With perforation	M F	485 222	451 235	419 174	353 194	368 228	342 199	394 211	314 222	266 194	302 175	297 197
541	Ulcer of duodenum	M F	1,975 566	1,903 501	1,817 529	1,635 514	1,678 552	1,564 516	1,697 619	1,460 554	1,333 523	1,272 530	1,414 536
	0 Without mention of perforation	M F	1,263 349	1,194 304	1,133 315	1,040 307	1,031 330	1,000 304	1,104 353	901 302	807 302	771 305	871 307
	1 With perforation	M F	712 217	709 197	684 214	595 207	647 222	564 212	593 266	559 252	526 221	501 225	543 229
542	Gastrojejunal ulcer	M F	50 15	33 7	41 10	50 10	55 9	51 11	39 12	40 12	18 7	27 6	33 7
	0 Without mention of perforation	M F	36 9	24 5	27 7	33 8	33 7	42 8	28 10	30 9	14 4	16 6	17 3
	1 With perforation	M F	14 6	9 2	14 3	17 2	22 2	9 3	11 2	10 3	4 3	11 -	16 4
543	Gastritis and duodenitis	M F	49 51	34 38	34 54	31 47	30 46	38 40	34 35	31 53	30 36	32 40	21 42
544	Disorders of function of stomach	M F	11 7	9 6	9 13	5 11	5 8	6 8	9 6	9 8	12 7	5 7	10 12
545	Other diseases of stomach and duodenum	M F	74 34	49 35	43 20	56 35	68 33	64 36	76 29	85 46	105 40	82 43	62 45
550-553	Appendicitis	M F	522 331	497 302	462 328	430 271	367 271	361 284	347 259	299 257	274 224	277 234	237 215
550	Acute appendicitis	M F	425 250	415 252	395 272	371 223	304 225	304 235	302 215	253 214	224 182	219 190	195 168
	0 Without mention of peritonitis	M F	74 41	74 30	58 37	54 31	42 28	49 37	41 29	33 39	37 23	29 26	30 24
	1 With peritonitis	M F	351 209	341 222	337 235	317 192	262 197	255 198	261 186	220 175	187 159	190 164	165 144
551	Appendicitis, unqualified	M F	93 75	79 49	62 50	52 45	60 45	55 47	42 40	44 42	47 39	51 38	40 47
552	Other appendicitis	M F	3 4	2 -	1 6	4 1	2 1	2 2	- 1	1 1	3 1	4 2	1 -
553	Other diseases of appendix	M F	1 2	1 1	4 -	3 2	1 -	- -	3 3	1 -	- 2	3 4	1 -
560-561	Hernia of abdominal cavity	M F	768 865	769 806	707 742	705 839	700 767	747 827	740 848	693 776	689 796	676 751	631 759
560	Hernia of abdominal cavity without mention of obstruction	M F	188 182	210 158	195 179	223 207	217 201	215 236	233 248	219 253	277 289	242 262	237 285
	0 Inguinal	M F	69 7	84 9	66 6	82 10	55 7	64 9	62 14	61 9	73 10	54 8	53 8
	1 Femoral	M F	4 10	8 9	5 8	5 16	5 17	4 8	6 7	4 12	4 16	5 14	5 12
	2 Umbilical	M F	17 36	31 16	26 26	25 24	26 26	36 38	29 39	25 30	42 25	23 29	33 35
	3 Ventral (incisional)	M F	9 32	6 15	5 19	10 24	10 5	8 21	9 19	9 10	5 14	12 22	7 19

TABLE 7 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
	4, 5 Other sites	M	89	81	93	101	121	103	127	120	153	148	139
		F	97	109	120	133	146	160	169	192	224	189	211
561	Hernia of abdominal cavity with obstruction	M	580	559	512	482	483	532	507	474	412	434	394
		F	683	648	563	632	566	591	600	523	507	489	474
	0 Inguinal	M	357	330	305	301	301	327	302	281	253	260	215
		F	72	71	66	74	78	68	67	63	55	63	61
	1 Femoral	M	91	96	81	65	62	73	69	68	67	52	43
		F	308	312	271	298	259	275	275	262	239	211	225
	2 Umbilical	M	42	36	41	31	30	33	39	35	23	32	47
		F	104	93	75	85	75	58	93	53	63	69	52
	3 Ventral (incisional)	M	35	33	25	31	36	33	40	31	24	29	25
		F	109	86	77	96	80	95	78	70	72	69	68
	4, 5 Other sites	M	55	64	60	54	54	66	57	59	45	61	64
		F	90	86	74	79	74	95	87	75	78	77	68
570-578	Other diseases of intestines and peritoneum	M	1,781	1,806	1,863	1,814	1,947	2,012	1,979	2,046	2,000	1,934	2,027
		F	2,157	2,207	2,215	2,276	2,498	2,585	2,556	2,708	2,733	2,636	2,873
570	Intestinal obstruction without mention of hernia	M	713	673	693	708	752	778	705	779	712	695	738
		F	720	658	722	731	832	837	848	885	842	859	904
	0 Intussusception	M	32	30	39	31	31	26	33	24	26	18	28
		F	35	27	27	26	25	20	25	25	21	12	12
	1 Paralytic ileus	M	19	6	14	9	13	27	14	20	18	34	17
		F	8	10	11	8	12	16	8	10	14	17	18
	2 Mesenteric infarction	M	203	186	205	206	242	274	259	276	259	270	263
		F	200	240	243	275	323	344	333	347	335	319	366
	3 Volvulus	M	221	201	178	215	168	205	152	185	181	150	204
		F	189	147	156	154	161	141	159	167	185	167	170
	4 Impaction of intestine	M	48	24	22	17	40	20	34	26	19	26	21
		F	79	53	49	50	56	62	62	73	49	53	57
	5 Other	M	190	226	235	230	258	226	213	248	209	197	205
		F	209	181	236	218	255	254	261	263	238	291	281
571	Gastro-enteritis and colitis, except ulcerative age 4 weeks and over	M	357	355	380	359	382	404	455	434	449	387	425
		F	366	397	344	365	439	478	484	459	534	426	470
572	Chronic enteritis and ulcerative colitis	M	493	542	582	561	603	594	589	566	567	569	566
		F	829	887	947	969	996	1,054	967	1,054	1,041	1,047	1,156
	0 Regional enteritis	M	29	39	26	34	36	35	49	49	40	49	41
		F	31	32	46	54	46	40	48	49	44	64	76
	1 Diverticulitis	M	288	318	379	365	391	401	373	363	350	363	387
		F	484	562	617	672	676	739	663	719	756	738	817
	2 Ulcerative colitis	M	162	176	173	157	172	152	161	152	171	151	132
		F	302	280	270	230	258	238	247	275	229	234	249
	3 Other	M	14	9	4	5	4	6	6	2	6	6	6
		F	12	13	14	13	16	11	9	11	12	11	14
573	Functional disorders of intestines	M	15	10	11	10	10	13	9	10	14	10	10
		F	19	15	18	22	17	25	12	22	25	13	11
574	Anal fissure and fistula	M	1	3	-	-	1	-	1	3	-	2	-
		F	1	1	2	2	1	-	3	1	1	1	1
575	Abscess of anal and rectal regions	M	8	20	15	15	11	11	6	9	12	16	10
		F	9	11	4	10	7	4	13	9	8	4	7
576	Peritonitis	M	47	56	55	40	50	48	45	61	63	57	53
		F	48	57	46	48	45	56	48	57	78	66	70
577	Peritoneal adhesion	M	6	5	5	6	7	6	5	9	6	11	11
		F	4	4	13	7	6	9	11	11	5	9	13
578	Other diseases of intestines and peritoneum	M	141	142	122	115	131	158	164	175	177	187	214
		F	161	177	119	122	155	148	170	210	199	211	241
580-587	Diseases of liver, gallbladder and pancreas	M	1,426	1,446	1,521	1,470	1,559	1,617	1,576	1,594	1,602	1,649	1,669
		F	2,015	2,019	1,947	2,047	2,088	2,090	2,038	2,077	2,125	2,125	2,117
580	Acute and subacute yellow atrophy of liver	M	37	45	31	40	40	46	42	33	37	40	26
		F	66	66	62	62	52	67	65	73	76	69	68
581	Cirrhosis of liver	M	618	667	644	617	685	737	697	701	657	726	731
		F	535	539	532	586	587	633	605	621	652	658	635
582	Suppurative hepatitis and liver abscess	M	14	9	13	14	20	19	17	16	15	16	15
		F	11	10	9	11	12	11	6	21	16	18	20
583	Other diseases of liver	M	28	24	45	41	55	52	43	61	85	69	79
		F	33	36	41	34	58	65	58	79	78	88	81

TABLE 7 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
584	Cholelithiasis	M	275	246	276	274	235	213	239	229	217	236	227
		F	572	581	526	543	518	497	461	431	461	436	434
585	Cholecystitis and cholangitis, without mention of calculi	M	191	183	187	173	160	172	149	152	166	139	133
		F	412	386	382	367	393	374	337	318	315	293	297
586	Other diseases of gallbladder and biliary ducts	M	27	29	31	23	43	45	50	66	58	66	70
		F	49	59	59	76	89	88	92	93	113	112	136
587	Diseases of pancreas	M	236	243	294	288	321	333	339	336	367	357	388
		F	337	342	336	368	379	355	414	441	414	451	446
	0 Acute pancreatitis	M	142	136	176	166	191	197	220	206	244	238	259
		F	235	238	220	241	244	254	283	320	305	332	317
	1 Chronic pancreatitis	M	22	33	26	32	16	40	26	27	27	40	31
		F	28	31	33	22	36	30	27	24	19	37	38
	2 Other diseases of pancreas	M	72	74	92	90	114	96	93	103	96	79	98
		F	74	73	83	105	99	71	104	97	90	82	91
590-637	X DISEASES OF THE GENITO-URINARY SYSTEM	M	7,761	7,336	7,106	6,888	6,821	6,551	6,300	5,946	5,650	5,361	5,259
		F	3,775	3,664	3,677	3,676	3,725	3,849	3,903	4,026	4,014	3,932	3,896
590-594	Nephritis and nephrosis	M	2,554	2,250	2,158	1,923	2,005	1,866	1,769	1,695	1,518	1,557	1,493
		F	2,125	1,945	1,920	1,762	1,709	1,632	1,654	1,484	1,404	1,327	1,247
590	Acute nephritis	M	121	89	89	72	99	77	70	60	60	54	52
		F	87	68	65	50	62	61	60	45	47	42	37
591	Nephritis with oedema, including nephrosis	M	207	196	188	144	149	118	136	119	111	121	116
		F	154	143	127	120	120	92	86	94	90	83	80
592	Chronic nephritis	M	2,004	1,736	1,663	1,512	1,529	1,424	1,277	1,211	1,036	982	911
		F	1,738	1,572	1,572	1,402	1,347	1,278	1,265	1,081	955	888	763
593	Nephritis not specified as acute or chronic	M	208	218	204	189	215	234	275	289	304	386	406
		F	148	151	148	187	168	195	238	247	305	303	360
594	Other renal sclerosis	M	14	11	14	6	13	13	11	16	7	14	8
		F	18	11	8	3	12	6	5	17	7	11	7
600-609	Other diseases of urinary system	M	1,264	1,335	1,274	1,367	1,459	1,523	1,563	1,707	1,731	1,703	1,703
		F	1,430	1,519	1,542	1,722	1,829	2,035	2,077	2,355	2,442	2,438	2,467
600	Infections of kidney	M	651	716	722	803	907	964	988	1,161	1,150	1,207	1,253
		F	909	995	1,013	1,217	1,288	1,525	1,567	1,804	1,885	1,950	2,019
	0 Pyelitis, pyelocystitis, and pyelonephritis	M	622	685	704	779	868	942	961	1,126	1,124	1,179	1,229
		F	884	968	981	1,184	1,255	1,493	1,551	1,764	1,853	1,917	1,985
	1 Abscess of kidney and perirenal tissue	M	18	27	15	22	24	17	17	23	16	17	14
		F	19	20	27	26	24	22	13	24	20	22	18
	2 Other	M	11	4	3	2	15	5	10	12	10	11	10
		F	6	7	5	7	9	10	3	16	12	11	16
601	Hydronephrosis	M	64	71	75	68	67	82	76	74	99	62	63
		F	86	80	61	58	80	51	57	60	61	48	53
602	Calculi of kidney and ureter	M	136	139	122	135	130	142	136	129	100	110	85
		F	152	154	140	135	134	126	133	141	131	117	88
603	Other diseases of kidney and ureter	M	42	44	33	48	35	47	61	73	69	61	64
		F	41	38	38	50	44	62	57	65	65	55	48
604	Calculi of other parts of urinary system	M	33	36	32	33	38	25	26	24	15	21	21
		F	6	14	9	9	11	10	6	9	7	6	2
605	Cystitis	M	147	119	148	122	139	105	109	80	89	70	63
		F	186	179	215	195	190	184	180	175	172	146	143
606	Other diseases of bladder	M	61	78	67	72	55	73	56	73	85	64	62
		F	18	27	22	23	26	28	26	32	33	32	32
607	Urethritis (non-venereal)	M	2	3	2	3	4	4	2	3	1	-	4
		F	1	1	-	1	1	1	-	-	1	-	-
608	Stricture of urethra	M	103	94	42	57	46	44	48	37	39	36	23
		F	2	1	3	1	6	3	-	2	1	-	4
609	Other diseases of urethra	M	25	35	31	26	38	37	61	53	84	72	65
		F	29	30	41	33	49	45	51	67	86	64	78
610-617	Diseases of male genital organs	M	3,943	3,751	3,674	3,597	3,356	3,162	2,968	2,544	2,401	2,101	2,063
610	Hyperplasia of prostate	M	3,852	3,645	3,577	3,505	3,259	3,075	2,901	2,479	2,338	2,042	2,007
611	Prostatitis	M	50	72	69	56	55	48	37	29	33	34	23
612	Other diseases of prostate	M	16	14	13	11	15	15	12	18	15	10	12
613	Hydrocele	M	3	2	3	1	1	4	1	2	1	1	5
614	Orchitis and epididymitis	M	1	4	4	2	2	2	1	1	4	2	5
615	Redundant prepuce and phimosis	M	8	3	4	6	7	8	7	3	3	2	4

TABLE 7 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
617	Other diseases of male genital organs	M	13	11	4	16	16	10	9	12	7	10	7
620-626	Diseases of breast, ovary, Fallopian tube, and parametrium	M F	- 54	- 41	- 28	1 44	1 34	- 38	- 39	- 41	- 40	- 35	- 46
621	Other diseases of breast	M F	- 3	- 3	- 2	1 7	1 2	- 2	- 2	- 3	- 3	- 1	- 5
622	Acute salpingitis and oophoritis	F	1	5	-	3	4	-	1	-	1	1	5
623	Chronic salpingitis and oophoritis	F	2	3	2	-	2	2	4	1	1	2	1
624	Salpingitis and oophoritis, unqualified	F	28	18	13	25	14	19	17	14	14	10	9
625	Other diseases of ovary and Fallopian tube	F	4	2	1	3	3	2	2	1	3	5	6
626	Diseases of parametrium and pelvic peritoneum (female)	F	16	10	10	6	9	13	13	22	18	16	20
630-637	Diseases of uterus and other female genital organs	F	166	159	187	148	153	144	133	146	128	132	136
630	Infective disease of uterus, vagina, and vulva	F	12	8	17	14	9	11	10	17	18	13	2
631	Uterovaginal prolapse	F	108	106	119	89	103	78	68	63	59	64	52
632	Malposition of uterus	F	1	-	3	3	2	-	2	1	-	-	-
633	Other diseases of uterus	F	18	30	25	15	19	29	28	44	31	33	34
634	Disorders of menstruation	F	17	12	17	19	14	12	15	15	8	14	15
635	Menopausal symptoms	F	-	1	1	-	1	3	-	-	-	-	-
637	Other diseases of female genital organs	F	9	2	4	8	5	10	8	5	10	7	13
640-689	XI DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	F	* 374	* 333	* 328	* 290	* 310	* 274	* 299	* 243	* 227	* 221	* 223
640-648	Complications of pregnancy	F	144	114	105	96	99	82	105	93	71	66	70
640	Pyelitis and pyelonephritis of pregnancy	F	5	-	4	2	1	-	3	3	-	1	2
641	Other infections of genito-urinary tract during pregnancy	F	-	2	-	1	-	2	-	-	-	-	-
642	Toxaemias of pregnancy	F	82	72	58	50	60	46	50	43	30	38	35
644	Other haemorrhage of pregnancy	F	10	7	9	3	1	2	4	6	-	1	-
645	Ectopic pregnancy	F	21	21	13	12	17	12	22	16	21	11	17
646	Anaemia of pregnancy	F	3	3	2	1	2	1	-	2	-	3	-
648	Other complications arising from pregnancy	F	23	9	19	27	18	19	26	23	20	12	15
650-652	Abortion	F	72	61	63	47	62	54	57	49	50	52	53
650	Abortion without mention of sepsis or toxæmia	F	24	24	25	16	23	18	28	14	16	21	19
651	Abortion with sepsis	F	40	33	35	29	33	32	28	32	29	29	29
652	Abortion with toxæmia, without mention of sepsis	F	8	4	3	2	6	4	1	3	5	2	5
660	Delivery without mention of complication	F	1	7	6	4	3	7	4	6	5	9	9
670-678	Delivery with specified complication	F	96	92	90	85	105	88	82	59	58	58	65
670	Placenta praevia or antepartum haemorrhage	F	23	20	16	18	24	18	19	11	7	12	12
671	Retained placenta	F	10	5	8	3	7	8	3	6	5	5	4
672	Other postpartum haemorrhage	F	14	17	25	20	12	15	17	15	7	6	10
673	Abnormality of bony pelvis	F	1	1	-	1	2	-	2	-	-	-	1
674	Disproportion or malposition of foetus	F	15	10	11	7	10	8	8	3	7	3	9
675	Prolonged labour of other origin	F	18	16	10	10	14	7	10	6	6	9	6
677	With other trauma	F	10	14	10	7	16	12	8	7	11	1	5
678	With other complications of childbirth	F	5	9	10	19	20	20	15	11	15	22	18
680-689	Complications of the puerperium	F	61	59	64	58	41	43	51	36	43	36	26
681	Sepsis of childbirth and the puerperium	F	8	16	9	14	7	4	9	5	10	4	7
682	Puerperal phlebitis and thrombosis	F	27	24	23	19	19	23	25	15	16	14	9
684	Puerperal pulmonary embolism	F	5	8	17	11	8	1	9	5	6	3	2

\* Excluding the following cases in which it was stated that death followed the maternal condition after an interval of more than 12 months: 1956 - 25; 1957 - 16; 1958 - 22; 1959 - 21; 1960 - 26; 1961 - 11; 1962 - 20; 1963 - 24; 1964 - 6; 1965 - 9; 1966 - 17.

TABLE 7 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
685	Puerperal eclampsia	F	8	5	6	6	2	8	3	2	4	7	2
686	Other forms of puerperal toxæmia	F	3	-	2	1	1	1	-	1	-	3	1
687	Cerebral haemorrhage in the puerperium	F	5	4	5	3	2	5	2	4	1	3	2
688	Other and unspecified complications of the puerperium	F	1	2	2	4	1	-	2	4	4	1	3
689	Mastitis and other disorders of lactation	F	4	-	-	-	-	1	1	-	1	-	-
690-716	XII DISEASES OF THE SKIN AND CELLULAR TISSUE	M	183	194	204	173	170	197	161	136	174	149	149
		F	292	247	283	282	294	315	248	247	247	243	298
690-698	Infections of skin and subcutaneous tissue	M	72	74	89	83	72	81	61	51	78	63	48
		F	91	74	90	90	88	93	90	81	80	69	82
690	Boil and carbuncle	M	26	25	28	26	21	27	7	8	18	8	5
		F	26	20	16	21	13	15	13	13	9	7	4
691	Cellulitis of finger and toe	M	-	2	3	4	1	3	2	2	2	-	-
		F	1	1	2	5	4	1	1	1	1	1	-
692	Other cellulitis and abscess without mention of lymphangitis	M	42	38	53	44	45	47	40	40	47	51	34
		F	56	43	64	46	59	60	65	53	55	47	63
693	Other cellulitis and abscess with lymphangitis	M	-	-	-	1	-	-	-	-	1	-	-
		F	1	3	1	-	-	-	1	1	1	3	-
695	Impetigo	M	-	-	-	-	-	1	1	-	-	-	2
		F	2	1	-	-	2	-	1	-	1	-	-
698	Other local infections of skin and subcutaneous tissue	M	4	9	3	8	5	3	10	1	10	4	6
		F	5	6	7	17	10	16	9	12	12	11	15
700-716	Other diseases of skin and subcutaneous tissue	M	111	120	115	90	98	116	100	85	96	86	101
		F	201	173	193	192	206	222	158	166	167	174	216
700	Seborrhoeic dermatitis	M	1	-	-	1	-	-	-	-	1	1	-
		F	1	-	2	2	1	-	-	-	-	1	-
701	Eczema	M	7	7	11	4	5	6	6	4	3	5	2
		F	9	6	7	3	6	6	5	7	1	-	4
703	Other dermatitis	M	4	1	2	3	-	3	3	-	2	2	1
		F	2	4	-	1	4	7	2	4	3	2	2
704	Pemphigus	M	28	27	28	20	29	24	16	15	18	14	20
		F	42	40	36	37	31	37	24	20	22	18	29
705	Erythematous conditions	M	23	29	17	22	21	27	23	19	13	18	19
		F	30	24	23	27	26	20	21	23	24	24	22
706	Psoriasis and similar disorders	M	2	3	2	6	4	5	4	5	7	5	3
		F	5	2	5	4	4	7	6	2	8	6	3
708	Pruritus and related conditions	M	1	-	1	-	-	-	1	1	-	2	-
		F	3	1	3	1	1	-	-	-	1	-	1
710	Other hypertrophic and atrophic conditions of skin	M	18	22	24	14	18	26	21	15	23	15	22
		F	47	38	51	59	55	57	48	42	53	59	58
714	Diseases of sweat and sebaceous glands	M	-	2	1	1	1	-	1	-	1	1	-
		F	-	-	-	1	1	1	-	-	1	-	-
715	Chronic ulcer of skin	M	24	23	22	17	19	23	22	26	26	19	33
		F	58	58	64	55	74	85	52	66	53	64	93
716	Other diseases of skin	M	2	1	3	1	-	-	2	-	2	2	1
		F	4	-	-	2	1	2	-	2	-	-	3
720-749	XIII DISEASES OF THE BONES AND ORGANS OF MOVEMENT	M	624	584	613	613	861	669	672	649	627	643	690
		F	1,236	1,225	1,307	1,331	1,334	1,370	1,382	1,398	1,391	1,378	1,378
720-727	Arthritis and rheumatism, except rheumatic fever	M	351	309	353	355	388	353	356	363	345	339	344
		F	951	941	1,019	1,027	1,066	1,053	1,059	1,033	1,033	1,001	994
720	Acute arthritis due to pyogenic organisms	M	15	10	16	13	8	8	6	17	12	3	10
		F	5	11	12	18	18	9	15	16	18	13	21
722	Rheumatoid arthritis and allied conditions	M	206	183	222	221	252	246	230	222	222	210	219
		F	729	705	757	754	799	771	798	750	735	724	720
	0 Rheumatoid arthritis	M	189	169	206	208	225	225	209	195	196	189	194
		F	727	700	753	746	791	764	792	746	725	718	712
	1 Spondylitis ankylopoietica	M	17	14	16	13	26	21	21	27	26	21	25
		F	2	5	4	8	7	7	6	4	10	6	8
723	Osteo-arthritis (arthrosis) and allied conditions	M	122	107	103	111	120	84	111	108	95	108	99
		F	212	208	235	240	226	257	231	248	247	239	235
724	Other specified forms of arthritis	M	-	1	4	3	1	-	2	1	2	1	1
		F	2	3	3	6	5	3	3	1	4	4	3
725	Arthritis, unspecified	M	2	-	2	-	4	8	4	8	9	6	6
		F	2	3	7	5	11	4	7	13	20	14	7

TABLE 7 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
726	Muscular rheumatism	M F	3 -	6 8	4 3	5 4	3 6	7 9	3 4	6 5	5 7	11 6	8 8
727	Rheumatism, unspecified	M F	3 1	2 3	2 2	2 -	- 1	- -	- 1	1 -	- 2	- 1	1 -
730-738	Osteomyelitis and other diseases of bone and joint	M F	156 189	157 187	137 197	143 206	148 195	167 206	158 204	133 254	138 248	151 263	159 277
730	Osteomyelitis and periostitis	M F	37 42	43 35	45 28	36 31	38 27	33 17	32 11	25 27	29 17	21 20	31 19
731	Osteitis deformans	M F	93 83	76 87	68 93	68 81	69 83	87 81	67 98	62 92	61 96	82 76	77 96
733	Other diseases of bone	M F	19 52	18 54	16 66	28 77	27 68	30 95	43 86	28 114	34 122	32 153	39 140
735	Displacement of intervertebral disc	M F	4 7	15 6	5 5	5 7	10 6	9 5	9 6	12 13	10 3	11 5	8 5
737	Ankylosis of joint	M F	1 1	1 1	1 -	- 4	- -	2 -	3 -	- 1	- -	- -	- 1
738	Other diseases of joint	M F	2 3	4 3	1 5	6 6	3 9	3 7	4 3	5 7	2 10	4 9	4 15
740-749	Other diseases of musculoskeletal system	M F	117 96	118 97	123 91	115 98	125 73	149 111	158 119	153 111	144 110	153 114	187 107
740	Bunion	M F	- 1	- -	- 1	- 5	1 1	- 2	1 3	- 2	- -	1 2	- 4
741	Synovitis, bursitis, and tenosynovitis, without mention of occupational origin	M F	4 4	- 1	3 2	- 3	2 1	1 -	- 2	6 -	2 2	1 1	4 -
743	Infective myositis and other inflammatory diseases of tendon and fascia	M F	- 1	1 -	- 1	1 2	1 -	- -	1 1	- -	2 1	2 -	- 2
744	Other diseases of muscle, tendon and fascia	M F	87 63	92 57	105 60	96 62	104 57	126 73	132 79	115 73	116 77	126 83	149 50
745	Curvature of spine	M F	21 21	22 31	12 18	13 21	14 11	18 29	17 27	27 31	19 28	17 22	30 42
747	Hallux valgus and varus	M F	- 2	- 2	- 3	- 2	2 1	- 2	1 1	1 1	- 1	- 2	- 2
748	Clubfoot	M F	2 -	1 2	- 1	- -	1 -	- 1	2 -	1 -	- -	- -	2 -
749	Other deformities	M F	3 4	2 4	3 5	5 3	- 2	4 4	4 6	3 4	5 1	6 4	2 7
750-759	XIV CONGENITAL MALFORMATIONS	M F	2,442 2,133	2,589 2,341	2,589 2,301	2,503 2,408	2,696 2,426	2,671 2,525	2,836 2,590	2,783 2,466	2,741 2,417	2,602 2,311	2,511 2,215
750	Monstrosity	M F	59 73	57 96	59 106	50 115	80 110	67 118	75 130	83 109	97 123	86 121	75 94
751	Spina bifida and meningocele *	M F	348 462	328 462	340 458	301 411	294 399	258 395	245 368	306 486	248 448	274 391	245 393
752	Congenital hydrocephalus *	M F	209 221	201 223	201 243	237 275	245 299	265 304	227 310	115 100	108 98	88 81	85 92
753	Other congenital malformations of nervous system and sense organs	M F	48 67	83 74	61 68	69 76	83 78	68 73	60 79	64 83	70 101	69 88	76 62
754	Congenital malformations of circulatory system	M F	1,017 791	1,126 911	1,124 870	1,102 921	1,161 1,009	1,214 1,056	1,330 1,087	1,395 1,099	1,313 1,047	1,280 1,022	1,257 996
755	Cleft palate and harelip	M F	16 15	12 10	11 6	11 7	5 5	5 8	5 4	6 6	11 4	5 4	4 -
756	Congenital malformations of digestive system	M F	288 172	294 173	286 179	274 194	295 167	285 185	311 190	270 167	295 183	247 172	222 197
	0 Congenital hypertrophic pyloric stenosis	M F	25 10	27 7	24 6	20 4	31 5	22 3	30 3	25 8	19 3	19 1	14 4
	1 Imperforate anus	M F	27 6	30 11	11 4	21 6	21 9	24 4	23 6	19 6	19 4	16 8	17 5
	2 Other	M F	236 156	237 155	251 169	233 184	243 153	239 178	258 181	226 153	257 176	212 163	191 188
757	Congenital malformations of genito-urinary system	M F	267 178	274 223	261 182	248 224	307 185	273 210	321 201	291 210	303 185	290 227	278 210
	1 Polycystic disease of kidney	M F	141 114	130 170	142 133	131 167	152 131	162 150	165 146	148 163	167 129	135 164	148 157
	0, 2, 3 Other	M F	126 64	144 53	119 49	117 57	155 54	111 60	156 55	143 47	136 56	155 63	130 53
758	Congenital malformations of bone and joint	M F	30 21	32 39	39 33	29 34	33 27	36 24	41 42	31 25	40 47	40 28	47 42

\* From January 1963 deaths having joint mention of conditions in 751 (Spina bifida and meningocele) and 752 (Congenital hydrocephalus) have been assigned to 751.

TABLE 7 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
759	Other and unspecified congenital malformations, not elsewhere classified	M	160	182	207	182	193	200	218	222	256	223	222
		F	133	130	156	151	147	152	179	181	181	177	129
760-776	XV CERTAIN DISEASES OF EARLY INFANCY	M	5,575	5,616	5,618	5,506	5,698	5,828	5,862	5,600	5,395	5,105	4,959
		F	3,778	3,812	3,800	3,807	3,822	3,925	3,833	3,815	3,755	3,429	3,384
760-773	5 With immaturity	M	1,761	1,886	1,950	1,982	1,986	2,158	2,131	2,051	2,201	1,885	1,923
		F	1,119	1,237	1,227	1,272	1,315	1,321	1,303	1,346	1,417	1,270	1,333
760-769	Birth injuries, asphyxia, and infections of newborn	M	3,238	3,322	3,381	3,404	3,356	3,537	3,465	3,307	3,322	3,044	2,924
		F	2,057	2,158	2,158	2,140	2,123	2,211	2,181	2,166	2,222	1,985	1,943
760	Intracranial and spinal injury at birth	M	922	805	914	929	902	968	871	852	874	791	723
		F	539	542	536	529	516	540	464	551	523	468	432
761	Other birth injury	M	219	255	221	243	250	336	304	321	330	314	295
		F	176	159	134	150	157	199	223	219	214	220	173
762	Postnatal asphyxia and atelectasis	M	1,460	1,628	1,590	1,646	1,597	1,602	1,623	1,532	1,561	1,425	1,435
		F	924	1,068	1,057	1,064	1,080	1,045	1,052	983	1,079	908	972
763	Pneumonia of newborn	M	502	429	512	445	451	426	470	401	354	333	302
		F	304	285	325	305	281	278	293	278	229	230	229
764	Diarrhoea of newborn	M	27	22	21	30	33	32	32	42	33	30	34
		F	21	13	13	14	13	31	23	23	22	18	32
765	Ophthalmia neonatorum	M	-	-	-	2	-	-	-	-	1	-	-
		F	3	-	-	-	1	-	-	-	-	-	-
766	Pemphigus neonatorum	M	4	4	2	4	3	1	-	2	-	1	1
		F	4	4	8	1	1	1	3	2	1	2	-
767	Umbilical sepsis	M	12	17	9	10	10	13	7	9	6	6	6
		F	12	11	3	3	6	7	5	5	6	6	2
768	Other sepsis of newborn	M	19	22	29	20	27	31	22	35	37	27	45
		F	17	22	19	15	16	25	22	27	25	20	22
769	Neonatal disorders arising from certain diseases of the mother during pregnancy	M	73	60	83	75	83	128	136	113	126	117	83
		F	57	54	63	59	52	85	96	78	123	93	81
770-776	Other diseases peculiar to early infancy	M	2,337	2,294	2,237	2,102	2,342	2,291	2,397	2,293	2,073	2,061	2,035
		F	1,721	1,654	1,642	1,667	1,699	1,714	1,652	1,649	1,533	1,444	1,441
770	Haemolytic disease of newborn (erythroblastosis)	M	182	203	182	184	201	172	191	197	174	157	162
		F	171	175	197	176	174	163	164	149	147	156	149
771	Haemorrhagic disease of newborn	M	142	120	162	127	124	111	156	127	101	111	118
		F	82	64	87	92	80	79	76	91	83	54	76
772	Nutritional maladjustment	M	8	6	9	3	4	1	5	8	-	2	3
		F	3	1	2	-	-	1	2	3	-	2	3
773	Ill-defined diseases peculiar to early infancy	M	178	155	172	180	229	294	301	358	315	313	308
		F	110	114	107	123	161	159	167	180	182	180	194
774	Immaturity with mention of any other subsidiary condition	M	64	81	73	76	66	71	72	61	18	49	34
		F	63	48	72	78	60	60	57	51	26	30	17
776	Immaturity, unqualified	M	1,763	1,729	1,639	1,532	1,718	1,642	1,672	1,562	1,465	1,429	1,410
		F	1,292	1,252	1,177	1,198	1,224	1,252	1,186	1,175	1,095	1,022	1,002
780-795	XVI SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	M	3,490	2,935	2,989	2,718	2,435	2,454	2,281	2,173	1,725	1,547	1,535
		F	6,030	5,213	5,265	5,094	4,873	4,876	4,476	4,092	3,444	3,224	3,153
780-789	Symptoms referable to systems or organs	M	124	114	96	69	88	106	81	116	106	124	95
		F	140	126	91	65	99	113	83	102	104	98	114
780	Certain symptoms referable to nervous system and special senses	M	11	7	7	4	2	7	5	6	8	13	8
		F	5	4	8	4	4	8	4	5	4	5	5
	2 Convulsions	M	10	5	6	4	2	5	5	3	8	12	6
		F	4	3	8	4	4	6	3	5	2	3	4
	0, 1, 3-9 Others included under 780	M	1	2	1	-	-	2	-	3	-	1	2
		F	1	1	-	-	-	2	1	-	-	2	1
782	Symptoms referable to cardiovascular and lymphatic system	M	91	90	41	32	46	53	46	57	52	53	48
		F	109	107	54	31	59	69	53	65	58	44	61
	4 Acute heart failure, undefined	M	88	85	40	29	44	46	39	54	50	50	40
		F	107	102	50	30	56	63	49	63	53	42	58
	0-3,5-9 Other symptoms referable to cardio-	M	3	5	1	3	2	7	7	3	2	3	8
		F	2	5	4	1	3	6	4	2	5	2	3
783	Symptoms referable to respiratory system	M	3	2	1	2	4	2	3	5	6	4	2
		F	4	-	4	1	7	5	4	-	4	5	2
784	Symptoms referable to upper gastro-intestinal tract	M	7	5	26	18	11	21	17	19	19	25	15
		F	11	8	16	18	14	18	11	14	21	20	22
785	Symptoms referable to abdomen and lower gastro-intestinal tract	M	2	3	7	4	8	8	5	9	4	5	3
		F	5	4	2	6	7	7	6	3	7	9	8
786	Symptoms referable to genito-urinary system	M	6	4	9	6	12	7	3	12	6	13	3
		F	2	-	3	1	2	2	1	-	-	2	1

TABLE 7 - continued

ICD No.	Causes of death	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
788	Other general symptoms	M 2 F 3	3 3	4 3	3 4	3 5	3 3	2 3	8 11	7 7	9 9	13 11
789	Abnormal urinary constituents of unspecified cause	M 2 F 1	- -	- 1	- -	- 1	4 1	- 1	- 1	- -	- 2	- -
790-795	Senility and ill-defined diseases	M 3,366 F 5,890	2,821 5,087	2,893 5,174	2,649 5,029	2,347 4,774	2,348 4,763	2,200 4,393	2,057 3,990	1,619 3,340	1,423 3,126	1,440 3,039
790	Nervousness and debility	M - F 1	- -	- -	- 1	- -	1 -	- 1	- -	1 2	- -	1 1
792	Uraemia	M 26 F 15	12 15	27 16	22 19	20 27	39 19	27 27	38 26	34 27	24 26	39 27
794	Senility without mention of psychosis	M 3,275 F 5,844	2,750 5,034	2,817 5,132	2,578 4,970	2,269 4,716	2,253 4,710	2,125 4,335	1,964 3,926	1,520 3,262	1,338 3,069	1,337 2,969
795	Ill-defined and unknown causes of mortality	M 65 F 30	59 38	49 26	49 39	58 31	55 34	48 30	55 38	64 49	61 31	63 42
E800-E999	XVII ACCIDENTS, POISONINGS, AND VIOLENCE	M 12,992 F 8,878	12,858 8,703	13,343 9,113	13,456 9,379	13,503 9,619	13,654 9,660	13,812 10,085	14,074 10,549	14,244 10,316	13,983 10,271	14,049 10,363
E800-E802	Railway accidents	M 292 F 39	288 21	300 46	250 30	219 28	254 29	209 22	215 27	189 25	167 19	121 18
E800	Involving railroad employee	M 164 F -	162 1	119 2	140 2	115 3	139 1	94 -	102 1	95 1	74 1	55 -
E801	Involving passenger	M 44 F 19	19 3	97 33	20 11	20 8	30 9	25 7	37 12	18 7	22 3	9 5
E802	Involving other and unspecified person	M 84 F 20	107 17	84 11	90 17	84 17	85 19	90 15	76 14	76 17	71 15	57 13
E810-E825	Motor vehicle traffic accidents*	M 3,655 F 1,284	3,608 1,219	3,966 1,400	4,345 1,607	4,676 1,881	4,669 1,875	4,451 1,779	4,522 1,754	5,160 2,030	5,227 2,205	5,218 2,145
E810	Involving collision with railway train	M 11 F 3	13 2	15 4	8 -	- -	20 5	6 4	13 -	7 5	6 4	5 1
E812	To pedestrian	M 1,275 F 844	1,219 753	1,323 900	1,299 979	1,488 1,174	1,512 1,129	1,421 1,076	1,418 1,099	1,606 1,213	1,689 1,278	1,720 1,251
E813	To pedal cyclist	M 458 F 67	428 68	446 56	524 90	477 91	481 74	412 68	431 58	431 68	420 58	394 60
E814	To rider or passenger of motorcycle in collision with non-motor vehicle or object	M 59 F 8	62 4	57 3	57 4	65 8	48 2	44 3	50 2	47 2	32 4	25 1
E815	To rider or passenger of motorcycle in collision with other motor vehicle	M 746 F 57	730 60	862 63	977 77	1,054 99	925 85	840 65	775 56	827 76	752 69	749 53
E816	Other motor vehicle traffic accident involving two or more motor vehicles	M 437 F 165	370 171	533 204	626 253	659 276	746 370	797 339	934 326	1,141 412	1,274 524	1,301 530
E817	To occupant of motor vehicle in collision with pedestrian or pedal cycle	M 1 F 1	- -	- 1	1 -	2 1	2 -	1 1	- -	3 -	1 -	- -
E818	Involving collision with animal or animal-drawn vehicle	M 2 F -	1 1	- 1	3 3	- 1	3 2	1 5	1 2	5 -	3 3	- 1
E819	Involving collision with fixed or unspecified object	M 3 F 2	10 -	10 3	9 -	10 5	9 1	16 6	19 5	10 4	11 5	13 3
E820	While boarding and alighting	M 21 F 8	24 10	11 7	22 13	13 21	7 8	10 10	9 13	11 8	12 9	9 18
E821	To rider of motorcycle without antecedent collision	M 327 F 23	387 32	332 38	396 51	410 44	409 38	306 25	315 27	392 33	301 27	258 27
E822	Involving overturning in roadway	M 48 F 10	53 16	54 16	55 20	42 13	47 16	82 13	72 15	61 25	72 14	69 17
E823	Involving running off roadway	M 190 F 61	231 57	238 61	271 75	349 97	349 101	405 114	379 98	518 143	522 144	560 139
E824	Other non-collision motor vehicle traffic accident	M 63 F 34	62 32	64 23	61 26	58 31	66 30	78 25	55 27	48 15	62 31	53 13
E825	Of unspecified nature	M 13 F 4	17 13	21 20	36 16	43 20	45 14	34 25	51 26	53 26	70 35	62 31
E830-E835	Motor vehicle non-traffic accidents*	M 84 F 13	65 6	68 5	69 5	78 8	84 6	71 5	67 8	78 3	71 12	75 16
E830	To pedestrian	M 47 F 9	40 6	37 4	39 4	36 6	50 4	34 5	29 6	36 3	34 12	43 12
E832	To rider or passenger of motorcycle	M 5 F -	5 -	7 -	9 1	10 -	12 -	15 -	11 -	14 -	16 -	10 -
E833	Other motor vehicle non-traffic accident involving two or more motor vehicles	M 1 F -	1 -	3 -	2 -	- -	- -	2 -	4 -	1 -	2 -	2 -
E834	While boarding and alighting	M - F 1	1 -	1 -	- -	1 2	2 1	1 -	- 2	- -	- -	4 1

\* E810-E835 Motor vehicle accidents. An analysis of these deaths for years 1955 and on according to the type of vehicle involved (as provided for in the 1955 International Statistical Classification) is not included in this table, but details are available at the General Register Office.

TABLE 7 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
E835	Of other and unspecified nature	M F	30 3	16 -	20 1	18 -	29 -	19 1	18 -	23 -	26 -	17 -	16 3
E840-E845	Other road vehicle accidents	M F	157 43	170 50	152 66	112 54	114 46	98 46	99 40	74 34	71 41	61 23	65 27
E840	Street car accident to pedestrian	M F	6 3	- 1	- 1	1 1	- 1	1 -	1 1	1 1	- 1	- -	1 -
E841	Other street car accident, excluding collision with motor vehicle	M F	- 2	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -
E842	Accident to pedestrian caused by pedal cycle	M F	35 25	38 21	24 32	15 25	19 23	18 22	14 22	9 13	10 20	7 9	7 10
E843	Accident to rider of pedal cycle not involving collision with motor vehicle	M F	101 9	126 21	119 17	81 21	88 14	71 11	77 9	55 10	57 10	45 6	50 10
E844	Accident to pedestrian caused by other non-motor road vehicle	M F	4 1	- -	1 -	1 -	1 1	- 1	- 1	- -	1 -	- -	- -
E845	Other non-motor road vehicle accidents	M F	11 3	6 7	7 16	14 7	6 7	8 12	7 7	9 10	3 10	9 8	7 7
E850-E858	Water transport accidents	M F	140 6	156 5	134 4	147 5	168 6	172 13	164 8	166 5	150 10	136 10	171 18
E850	Submersion of occupant of small boat	M F	52 4	62 4	66 3	64 4	86 2	81 7	67 5	73 4	74 5	76 8	82 6
E851	Other water transport injury by submersion	M F	44 -	41 -	33 1	31 -	35 1	58 4	46 2	46 -	32 1	34 2	47 11
E852	Fall on stairs and ladders in water transport	M F	9 -	3 -	3 -	7 -	5 1	2 -	5 -	5 -	3 -	2 -	6 -
E853	Other falls from one level to another in water transport	M F	12 -	15 -	11 -	16 -	18 1	16 -	11 -	14 -	19 -	11 -	13 -
E854	Falls on same level in water transport	M F	- 1	3 -	2 -	1 -	- -	2 -	1 -	3 -	- 1	1 -	1 -
E855	Unspecified falls in water transport	M F	1 -	1 -	2 -	1 -	- -	1 -	- -	- -	- -	- -	1 -
E856	Machinery accident in water transport	M F	3 -	7 -	6 -	9 -	6 -	4 -	7 -	9 -	4 -	3 -	2 -
E857	Other specified accidents in water transport	M F	19 1	23 1	9 -	18 -	18 1	8 2	25 1	16 1	18 3	8 -	19 1
E860-E866	Aircraft accidents	M F	130 6	145 12	170 27	75 3	51 -	35 2	68 12	34 -	61 5	88 2	61 1
E860	Accident to personnel in military aircraft	M F	100 1	81 -	63 -	36 -	37 -	13 -	28 -	20 -	31 -	59 -	31 -
E861	Injury to occupant by accident to commercial 'transport' aircraft	M F	7 1	49 7	82 22	25 -	1 -	7 1	18 7	- -	16 3	2 -	1 -
E863	Injury to occupant by accident to other specified aircraft	M F	5 1	6 1	11 1	2 -	4 -	8 1	15 3	9 -	6 -	21 -	27 1
E864	Aircraft accident at airfield to person not in aircraft	M F	3 -	1 -	5 -	1 -	2 -	- -	2 -	1 -	4 1	1 -	1 -
E865	Aircraft accident elsewhere to person not in aircraft	M F	5 3	2 3	2 3	4 3	- -	1 -	1 2	- -	- -	- 2	- -
E866	Other and unspecified aircraft accidents	M F	10 -	6 1	7 1	7 -	7 -	6 -	4 -	4 -	3 1	5 -	1 -
E870-E888	Accidental poisoning by solid and liquid substances	M F	165 191	176 177	158 191	175 197	195 253	223 241	260 313	324 348	309 423	336 383	384 456
E870	Morphine and other opium derivatives	M F	- 1	1 1	- 1	3 -	- 1	1 2	1 1	1 2	2 1	2 2	- 2
E871	Barbituric acid and derivatives	M F	91 132	96 112	88 117	96 136	115 178	144 159	176 217	218 264	192 314	229 296	268 350
E872	Aspirin and salicylates	M F	18 21	18 26	13 29	18 25	24 41	30 37	18 36	30 30	27 30	18 18	17 23
E873	Accidental poisoning by bromides	M F	- 1	- 1	- -	1 -	1 -	1 1	1 -	- -	- 1	- -	1 -
E874	Other analgesic and soporific drugs	M F	5 6	10 14	10 14	17 10	8 10	3 6	7 9	15 12	18 21	21 25	27 31
E876	Strychnine	M F	- 3	2 -	- 2	1 -	- 1	- 1	- 2	- -	- 1	- -	1 -
E878	Other and unspecified drugs	M F	14 11	16 7	16 9	16 12	13 14	15 24	28 36	23 24	27 33	27 25	27 29
E880	Alcohol	M F	13 4	15 5	5 4	5 3	15 -	11 1	7 6	17 6	15 6	17 3	23 6

TABLE 7 - continued

ICD No.	Causes of death		1955	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
E881	Petroleum products	M	-	-	-	-	1	2	2	1	-	-	-
		F	-	1	-	-	-	-	-	-	-	-	-
E882	Industrial solvents	M	3	4	2	3	-	2	2	5	3	3	8
		F	2	-	1	1	-	-	1	-	2	1	-
E883	Corrosive aromatics, acids, and caustic alkalis	M	4	4	8	9	4	8	11	5	8	4	4
		F	6	6	8	7	4	4	2	3	5	5	4
E884	Mercury and its compounds	M	1	-	1	1	-	1	-	-	1	-	-
		F	-	-	1	-	-	-	-	1	-	1	-
E885	Lead and its compounds	M	3	-	5	1	2	1	-	1	3	-	2
		F	-	-	-	1	-	2	-	2	1	2	1
E888	Other and unspecified solid and liquid substances	M	12	10	10	4	12	4	7	8	12	14	5
		F	3	3	4	1	3	3	3	4	8	4	9
E890-E895	Accidental poisoning by gases and vapours	M	360	369	430	433	464	444	562	604	471	429	430
		F	452	464	525	553	560	570	696	796	559	495	498
E890	Utility (illuminating gas)	M	301	309	368	377	412	375	481	527	395	372	356
		F	440	448	502	538	536	550	685	751	540	469	463
E891	Motor vehicle exhaust gas	M	15	9	13	10	11	15	17	21	26	21	15
		F	-	1	-	1	1	-	-	2	-	3	-
E892	Other carbon monoxide gas	M	29	27	33	30	28	29	47	40	36	30	40
		F	11	14	21	12	22	20	29	37	18	23	33
E894	Other specified gases and vapours	M	14	22	14	16	11	16	15	14	10	6	15
		F	1	1	2	2	1	-	2	6	1	-	2
E895	Accidental poisoning by unspecified gases and vapours	M	-	1	2	-	1	4	1	2	2	-	3
		F	-	-	-	-	-	-	-	-	-	-	-
E900-E904	Accidental falls	M	2,124	1,991	2,010	2,105	1,906	1,889	2,006	2,073	1,873	1,873	1,881
		F	3,459	3,305	3,474	3,538	3,559	3,487	3,490	3,613	3,441	3,447	3,570
E900	Fall on stairs	M	412	371	373	385	368	343	345	344	324	327	346
		F	536	545	557	544	529	491	510	483	463	452	460
E901	Fall from ladders	M	82	74	78	82	69	77	64	78	65	57	65
		F	11	9	6	11	10	12	14	9	7	2	6
E902	Other falls from one level to another	M	457	450	458	497	447	429	478	429	426	448	462
		F	254	246	236	279	229	213	246	210	197	200	228
E903	Fall on same level	M	482	498	585	627	640	621	799	850	712	703	725
		F	1,024	1,100	1,307	1,521	1,652	1,684	1,923	1,991	1,814	1,884	1,986
E904	Unspecified falls	M	691	598	516	514	382	419	320	372	346	338	283
		F	1,634	1,405	1,368	1,183	1,139	1,087	797	920	960	909	890
E910-E936	Other accidents	M	2,413	2,414	2,504	2,360	2,305	2,450	2,375	2,410	2,460	2,377	2,496
		F	1,153	1,100	1,113	1,118	1,078	1,071	1,217	1,388	1,218	1,271	1,240
E910	Blow from falling or projected object or missile	M	285	299	319	266	277	252	222	239	241	226	214
		F	20	7	18	14	19	15	16	15	11	18	10
E911	Caused by vehicle	M	67	83	86	59	55	60	59	72	39	49	69
		F	-	-	1	-	-	-	-	-	1	-	-
E912	Caused by machinery	M	233	245	254	211	207	241	224	207	234	215	246
		F	10	3	6	5	7	7	6	4	4	9	5
E913	Caused by cutting and piercing instruments	M	15	13	21	13	13	18	8	11	7	9	13
		F	3	6	6	5	5	7	4	3	6	1	4
E914	Caused by electric current	M	109	106	101	92	97	111	93	111	112	105	103
		F	14	19	21	29	20	22	19	32	17	21	25
E915	Caused by explosion of pressure vessel	M	7	8	5	7	4	10	9	10	8	6	2
		F	1	1	-	-	-	-	1	2	-	-	-
E916	Caused by fire and explosion of combustible material*	M	233	232	226	268	228	297	315	323	314	325	343
		F	439	398	404	422	413	382	494	560	466	468	462
E917	Caused by hot substance, corrosive liquid and steam*	M	70	52	76	52	47	66	46	51	44	42	39
		F	80	54	63	64	42	38	52	52	39	41	50
E919	Caused by firearm	M	74	74	82	75	59	77	78	69	54	57	49
		F	3	7	1	6	6	6	2	8	6	1	4
E921	Inhalation and ingestion of food, causing obstruction or suffocation	M	249	230	228	212	223	271	278	254	306	341	318
		F	185	157	141	154	180	179	210	219	238	232	234
E922	Inhalation and ingestion of other object causing obstruction or suffocation	M	16	18	35	18	26	8	20	21	13	14	16
		F	11	12	3	14	6	11	5	12	8	17	7
E923	Foreign body entering other orifice	M	9	7	15	12	12	10	13	14	16	14	7
		F	15	5	9	16	16	13	7	11	16	15	12
E924	Accidental mechanical suffocation in bed and cradle*	M	118	93	103	82	76	71	94	94	102	91	91
		F	95	74	77	59	55	51	72	54	67	72	53
E925	Accidental mechanical suffocation in other and unspecified circumstances	M	56	39	31	49	52	63	64	86	57	44	47
		F	1	5	9	7	5	10	14	19	8	13	10

\* E916, E917, E924. See footnotes to these causes in Table 18A.

TABLE 7 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
E926	Lack of care of infants under 1 year of age	M	28	26	19	30	20	26	23	34	16	31	20
		F	16	34	36	23	12	24	20	27	25	32	20
E927	Accidents caused by bites and stings of venomous animals and insects	M	1	3	4	3	3	3	5	5	1	3	2
		F	4	3	5	1	1	4	-	3	1	2	2
E928	Other accidents caused by animals	M	12	14	12	12	12	14	17	11	13	11	9
		F	3	5	7	8	3	8	3	2	10	7	1
E929	Accidental drowning and submersion	M	637	703	695	719	677	680	591	528	647	561	637
		F	188	227	220	214	197	197	187	174	187	156	196
E931	Excessive heat and insolation	M	-	1	-	3	3	2	-	2	3	1	-
		F	1	4	-	2	1	-	-	1	2	-	1
E932	Excessive cold	M	11	4	8	3	9	6	27	69	11	22	32
		F	9	3	2	6	6	2	13	79	17	44	33
E933	Hunger, thirst, and exposure	M	24	14	14	16	23	19	24	33	26	24	19
		F	10	12	18	11	7	10	17	28	6	17	16
E934	Cataclysm	M	7	-	-	2	1	-	4	-	1	1	1
		F	2	1	1	-	-	-	4	2	-	-	-
E935	Lightning	M	7	7	9	6	6	4	4	2	2	1	1
		F	2	-	2	1	3	3	1	-	1	-	-
E936	Other and unspecified accidents	M	145	143	161	150	175	141	155	162	193	182	216
		F	41	62	63	57	74	82	70	81	82	105	95
E940-E946	Complications due to non-therapeutic medical and surgical procedures	M	4	6	6	1	6	7	5	1	1	4	8
		F	5	7	7	2	4	2	7	3	4	5	3
E940	Generalized vaccinia following vaccination	M	1	1	-	-	1	2	2	-	-	1	-
		F	-	-	1	1	-	1	1	-	-	-	-
E941	Postvaccinal encephalitis	M	1	1	3	1	3	2	2	-	-	1	1
		F	2	2	2	-	1	-	2	-	2	-	1
E944	Other complications of prophylactic inoculation	M	2	3	3	-	1	3	1	1	1	1	5
		F	2	1	2	-	1	1	1	-	1	2	-
E946	Other complications due to non-therapeutic medical and surgical procedures	M	-	-	-	-	1	-	-	-	-	1	-
		F	-	2	-	1	2	-	-	1	1	1	2
E950-E959	Therapeutic misadventure and late complications of therapeutic procedures	M	27	23	8	10	4	12	12	7	15	23	23
		F	23	28	5	8	3	8	9	17	15	31	23
E950	Therapeutic misadventure in surgical treatment	M	22	17	4	5	1	5	2	-	3	4	1
		F	19	20	3	2	-	3	3	2	1	4	-
E951	Therapeutic misadventure in infusion or transfusion	M	-	1	1	1	-	1	3	-	2	4	5
		F	-	3	-	1	3	1	-	3	-	6	4
E953	Therapeutic misadventure in administration of drugs or biologicals	M	2	2	1	-	1	3	5	4	9	12	14
		F	-	2	1	4	-	1	4	7	12	17	15
E954	Therapeutic misadventure in anaesthesia	M	-	-	-	-	-	1	1	-	1	2	1
		F	1	2	-	-	-	1	-	-	-	1	1
E955	Other and unspecified therapeutic misadventure	M	3	2	1	3	1	1	1	1	-	-	2
		F	2	-	-	-	-	2	1	1	-	3	-
E960-E965	Late effects of injury and poisoning	M	153	159	154	155	136	142	138	142	100	100	114
		F	29	37	25	26	31	30	25	22	15	20	25
E960	Late effect of motor vehicle accident	M	9	10	12	13	20	21	22	21	16	19	28
		F	4	2	3	5	6	7	5	3	4	5	7
E961	Late effect of accidental poisoning	M	-	1	1	1	1	1	-	2	1	2	-
		F	-	-	-	1	1	-	-	-	-	-	-
E962	Late effect of other accidental injury	M	44	48	70	63	57	69	73	59	58	41	66
		F	23	32	22	19	23	22	19	19	11	14	18
E965	Late effects of injury due to war operations	M	100	100	71	78	57	51	43	59	25	38	19
		F	2	2	-	1	-	-	-	-	-	1	-
E970-E979	Suicide and self-inflicted injury	M	3,198	3,170	3,175	3,116	3,058	3,025	3,264	3,307	3,175	2,942	2,823
		F	2,084	2,145	2,123	2,091	2,054	2,175	2,324	2,407	2,391	2,219	2,171
E970	Poisoning by analgesic and soporific substances	M	314	294	330	327	335	385	544	704	745	725	663
		F	388	401	445	451	504	634	761	976	1,053	1,078	1,075
E971	Poisoning by other solid and liquid substances	M	104	85	69	75	56	76	78	86	79	71	66
		F	54	55	33	46	48	36	58	67	50	42	36
E972	Poisoning by gases in domestic use	M	1,347	1,399	1,448	1,417	1,421	1,319	1,396	1,367	1,183	987	922
		F	1,183	1,202	1,189	1,177	1,078	1,060	1,073	1,001	900	715	671
E973	Poisoning by other gases	M	45	67	67	58	94	109	107	115	126	140	154
		F	8	5	7	6	8	10	10	10	17	16	9
E974	Injury by hanging and strangulation	M	562	553	485	438	417	456	465	444	458	394	428
		F	117	132	128	120	124	132	145	106	117	121	122
E975	Injury by submersion (drowning)	M	271	264	251	249	256	232	224	195	185	176	153
		F	213	211	205	197	182	177	172	151	149	147	152

TABLE 7 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
E976	Injury by firearms and explosives	M F	210 9	189 14	187 8	212 8	168 9	174 12	187 5	152 9	153 8	185 9	172 1
E977	Injury by cutting and piercing instruments	M F	138 35	130 30	131 31	119 17	107 18	97 24	71 14	64 16	66 14	62 10	74 17
E978	Injury by jumping from high place	M F	63 43	70 58	68 38	74 41	60 43	70 36	59 35	51 32	47 50	54 38	59 33
E979	Injury by other and unspecified means	M F	144 34	119 37	139 39	147 28	144 40	107 54	133 51	129 39	128 35	148 43	132 55
E980-E985	Homicide and injury purposely inflicted by other persons (not in war)	M F	90 91	116 127	108 102	103 142	123 108	150 105	123 138	128 127	128 136	147 129	178 152
E980	Non-accidental poisoning by another person	M F	21 14	24 29	11 15	9 26	11 11	12 11	16 15	18 12	14 15	13 9	12 14
E981	Assault by firearm and explosive	M F	10 10	14 13	4 11	7 13	9 10	14 6	14 15	12 12	9 10	12 11	21 6
E982	Assault by cutting and piercing instruments	M F	10 15	17 19	19 14	17 22	25 20	29 26	20 21	30 23	38 27	47 27	48 34
E983	Assault by other means	M F	49 52	59 66	70 62	64 81	75 67	88 62	70 87	66 80	65 84	75 82	97 98
E985	Execution	M F	- -	2 -	4 -	6 -	3 -	7 -	3 -	2 -	2 -	- -	- -
E990-E999	Injury resulting from operations of war	M F	- -	2 -	- -	- -	- -	- -	5 -	- -	3 -	2 -	1 -
E999	Injury due to war operations but occurring after cessation of hostilities	M F	- -	2 -	- -	- -	- -	- -	- -	- -	1 -	- -	- -
N800-N999	XVII ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS, AND VIOLENCE (NATURE OF INJURY)	M F	12,992 8,878	12,858 8,703	13,343 9,113	13,456 9,379	13,503 9,619	13,654 9,660	13,812 10,085	14,074 10,549	14,244 10,316	13,983 10,271	14,049 10,363
N800-N804	Fracture of skull	M F	3,125 972	3,064 903	3,210 952	3,233 1,017	3,317 1,136	3,249 1,090	3,068 1,047	2,958 1,013	3,282 1,122	3,301 1,157	3,332 1,186
N805-N809	Fracture of spine and trunk	M F	793 408	782 406	855 449	888 481	855 555	873 550	855 511	962 549	888 541	890 588	897 571
N810-N829	Fracture of limbs	M F	1,243 2,787	1,205 2,594	1,166 2,825	1,157 2,836	1,142 2,893	1,151 2,822	1,165 2,847	1,164 2,902	1,125 2,835	1,103 2,911	1,033 2,939
N830-N839	Dislocation without fracture	M F	42 23	43 25	50 27	46 22	39 21	49 21	47 21	38 22	32 28	40 23	29 20
N840-N848	Sprains and strains of joints and adjacent muscles	M F	4 -	3 3	6 4	6 1	3 4	3 1	7 5	12 4	3 3	2 1	2 2
N850-N856	Head injury (excluding skull fracture)	M F	916 432	896 446	957 400	1,067 495	1,016 486	1,056 536	1,072 526	1,003 534	994 513	950 494	1,026 453
N860-N869	Internal injury of chest, abdomen, and pelvis	M F	933 186	937 186	1,057 242	1,150 294	1,158 316	1,235 333	1,206 329	1,381 336	1,512 404	1,577 446	1,808 535
N870-N908	Laceration and open wounds	M F	398 94	395 96	425 104	402 104	372 129	350 133	347 98	318 109	345 115	359 120	317 128
N910-N929	Superficial injury, contusion and crushing with intact skin surface	M F	54 56	48 58	46 53	43 45	42 60	18 46	38 41	45 41	34 40	21 36	29 37
N930-N936	Effects of foreign body entering through orifice	M F	281 213	265 176	278 156	246 186	265 201	292 201	320 226	294 242	343 265	384 265	353 254
N940-N949	Burns	M F	265 464	272 406	278 437	269 444	227 402	271 359	278 485	285 522	262 422	239 419	247 404
N960-N979	Effects of poisons	M F	2,458 2,356	2,509 2,391	2,603 2,450	2,614 2,508	2,667 2,524	2,697 2,639	3,079 3,006	3,341 3,313	3,060 3,117	2,868 2,842	2,803 2,892
N950-N959 N980-N999	All other and unspecified effects of external causes	M F	2,480 887	2,439 1,013	2,412 1,014	2,368 946	2,367 892	2,410 929	2,330 943	2,273 962	2,364 911	2,249 969	2,173 942

TABLE 7 - continued Causes of death not included in the tabular series

004	Primary tuberculosis complex with symptoms, 1963, 1F; 1964, 1M; 1965, 2M.	375	Choroiditis, 1962, 1F.
006	Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere, -.	378	Inflammation of Lachrymal glands and ducts, 1960, 1F; 1962, 2F.
021	Early syphilis, 1956, 1F; 1961, 1F.	380	Refractive errors, -.
028	Latent syphilis, -.	382	Corneal opacity, 1961, 1M; 1962, 3M, 1F.
031	Chronic gonococcal infection of genito-urinary system, 1958, 1M; 1963, 1M; 1964, 1M.	383	Pterygium, -.
032	Gonococcal infection of joint, -.	390	Otitis externa, 1959, 1M; 1961, 1M; 1962, 1M; 1964, 1F.
033	Gonococcal infection of eye, -.	397	Deaf mutism, 1957, 1F.
034	Gonococcal infection of other sites, 1956, 1M; 1961, 1M.	398	Other deafness, 1957, 1F; 1959, 1F.
036	Chancroid, -.	413	Diseases of pulmonary valve specified as rheumatic, -.
037	Lymphogranuloma venereum, 1957, 1F; 1958, 1F; 1959, 1M; 1960, 1M, 1F; 1964, 1M; 1966, 1F.	534	Toothache from unspecified cause, -.
038	Granuloma inguinale, venereal, 1961, 1M.	616	Sterility, male, 1960, 1M.
039	Other and unspecified venereal diseases, 1958, 1M; 1960, 1F; 1966, 1M.	620	Chronic cystic disease of breast, -.
043	Cholera, -.	626	Sterility, female, 1956, 1F; 1958, 1F; 1961, 1F; 1962, 2F; 1963, 1F; 1964, 2F; 1965, 1F.
047	Other protozoal dysentery, 1958, 1F.	643	Placenta praevia, 1966, 1F.
054	Bacterial toxæmia, 1956, 1F; 1957, 1M; 1960, 1F; 1962, 1F; 1965, 1M, 1F.	647	Pregnancy with malposition of foetus in uterus, -.
056	Plague, 1962, 1M.	676	Delivery with laceration of perineum, without mention of other laceration, -.
059	Tularæmia, -.	680	Puerperal urinary infection without other sepsis, 1960, 1F; 1964, 1F; 1965, 1F.
060	Leprosy, 1961, 1F; 1964, 1F; 1966, 1M.	683	Pyrexia of unknown origin during the puerperium, -.
071	Relapsing fever, -.	694	Acute lymphadenitis, 1959, 1F; 1961, 1F; 1964, 1F.
073	Yaws, -.	696	Infectious warts, 1958, 2M; 1962, 1M; 1963, 1F; 1966, 1M.
074	Other spirochaetal and leptospirochaetal infections, 1957, 1F; 1958, 1M; 1960, 1F; 1964, 1M; 1965, 1F; 1966, 1M.	697	Molluscum contagiosum, -.
080-2	Acute poliomyelitis specified as non-paralytic, -.	702	Occupational dermatitis, 1960, 1M; 1961, 1M.
090	Dengue, -.	707	Lichen planus, 1958, 2M; 1962, 1M; 1964, 1F.
091	Yellow fever, -.	709	Corns and callosities, 1957, 1M; 1958, 1M; 1965, 1M.
094	Rabies, 1956, 1M.	711	Other dermatoses, 1957, 2M; 1959, 1M; 1960, 1F; 1965, 1M; 1966, 1F.
095	Trachoma, -.	712	Diseases of nail, 1956, 1M; 1957, 1M; 1958, 1F; 1960, 1F; 1961, 1M.
100	Louse-borne epidemic typhus, -.	713	Diseases of hair and hair follicles, 1957, 1M; 1958, 1M, 1F.
101	Flea-borne endemic typhus (murine), -.	721	Acute non-pyogenic arthritis, -.
102	Brill's disease, not specified as louse- or flea-borne typhus, 1959, 1M; 1963, 1M.	722-2	Chronic rheumatoid nodular fibrositis, 1960, 1M, 1F.
103	Tabardillo (Mexican typhus), not specified as louse- or flea-borne, -.	732	Osteochondrosis, 1956, 1F; 1958, 1M; 1960, 1F; 1961, 1M, 1F; 1963, 1M; 1965, 1M.
104	Tick-borne typhus, -.	734	Internal derangement of knee joint, 1957, 1F; 1960, 2M, 1F; 1961, 2M; 1964, 1M.
105	Mite-borne typhus, -.	736	Affection of sacro-iliac joint, 1964, 1M; 1966, 1F.
106	Volhynian fever (trench fever), -.	742	Synovitis, bursitis and tenosynovitis, without mention of occupational origin, -.
107	Typhus, unspecified, 1966, 1M.	746	Flat foot, -.
108	Other rickettsial diseases, 1960, 1M; 1963, 1F; 1966, 1M.	781	Other symptoms referable to nervous system and special senses, 1958, 1M; 1960, 2M; 1961, 1M; 1963, 3F; 1964, 4M, 3F; 1965, 2M, 2F; 1966, 3M, 3F.
110	Vivax malaria (benign tertian), 1957, 1M; 1961, 1M.	787	Symptoms referable to limbs and back, 1966, 1F.
111	Malariae malaria (quartan), -.	791	Headache, -.
113	Ovale malaria, -.	793	Observation, without need for further medical care, -.
114	Mixed malarial infections, -.	E811	Motor vehicle traffic accident involving collision with streetcar, 1956, 1M; 1957, 1M.
115	Blackwater fever, -.	E831	Motor vehicle non-traffic accident to pedal cyclist, 1956, 1M; 1957, 2M; 1959, 1M; 1960, 2M; 1961, 1M; 1962, 1M; 1964, 1M; 1965, 2M.
117	Recurrent induced malaria, -.	E858	Water transport accident of unspecified cause, 1957, 1M; 1958, 2M; 1962, 1M; 1965, 1M.
120	Leishmaniasis, 1958, 1M; 1960, 1M; 1964, 1M.	E862	Other injury in commercial 'transport' aircraft, 1964, 1M.
121	Trypanosomiasis, 1957, 2M.	E875	Accidental poisoning by sulfonamides, 1965, 1F.
124	Other trematode infestation, 1961, 1F.	E877	Accidental poisoning by belladonna, hyoscyne, and atropine, 1964, 1M; 1966, 1M.
127	Filariasis, -.	E879	Accidental poisoning by noxious foodstuffs, 1956, 1M; 1957, 1F; 1960, 1F.
128	Trichiniasis, -.	E886	Accidental poisoning by arsenic and antimony, and their compounds, 1958, 1F; 1959, 1F; 1961, 1F; 1965, 1M.
129	Ankylostomiasis, 1962, 1M.	E887	Accidental poisoning by fluorides, 1956, 1F; 1966, 1F.
130	Infestation with worms of other, mixed and unspecified type, 1962, 1M, 1F; 1963, 1F.	E893	Accidental poisoning by cyanide gas, 1956, 1M; 1957, 1M; 1960, 1M; 1961, 5M; 1962, 1M; 1964, 2M; 1966, 1M.
131	Dermatophytosis, 1956, 1M, 1F; 1964, 1F.	E918	Accident caused by radiation, -.
133	Coccidioidomycosis, -.	E920	Foreign body entering the eye and adnexa, 1957, 1F.
135	Scabies, -.	E930	High and low air pressure, 1962, 2M; 1963, 2M; 1965, 2M; 1966, 2M.
136	Pediculosis, -.	E942	Other complications of smallpox vaccination, 1957, 1M, 1F; 1958, 1F; 1962, 3F; 1965, 2F; 1966, 1M.
137	Other arthropod infestation, -.	E943	Post-immunization jaundice and hepatitis, 1957, 1F.
218	Benign neoplasm of male genital organs, 1959, 1M; 1964, 2M.	E945	Complications of anaesthesia for non-therapeutic purpose, 1956, 1F; 1958, 1F; 1963, 2F; 1966, 1M.
220	Benign melanoma of skin, 1961, 1M.	E952	Therapeutic misadventure in local applications, 1956, 1F; 1958, 1F; 1959, 1F; 1961, 1M; 1963, 1M; 2F; 1964, 2F; 1965, 1M; 1966, 2F.
232	Neoplasm of unspecified nature of breast, 1962, 2F; 1964, 1F; 1965, 2F.	E956	Late complication of surgical operation, 1957, 1F; 1961, 1F; 1963, 1F; 1965, 1F.
235	Neoplasm of unspecified nature of other female genital organs, 1964, 1F.	E957	Late complication of amputation stump, -.
243	Urticaria, 1958, 1M; 1963, 1F; 1965, 1F; 1966, 1M.	E958	Late complication of irradiation, 1958, 1M; 1963, 1F.
244	Allergic eczema, -.	E959	Late complications of other forms of treatment, 1957, 1M; 1959, 1M; 1960, 1M; 1963, 1M.
275	Ovarian dysfunction, 1956, 1F.	E963	Late effect of self-inflicted injury, 1957, 1F; 1960, 1M; 1961, 1F; 1962, 1F; 1963, 1M.
276	Testicular dysfunction, -.	E964	Late effect of injury purposely inflicted by another person (not in war), 1960, 1F; 1966, 1M.
312	Phobic reaction, 1957, 1M.	E984	Injury by intervention of police, -.
313	Obsessive-compulsive reaction, 1957, 1M; 1958, 1M; 1959, 2M; 1962, 1F; 1966, 1F.	E990	War injury by gas and chemicals, 1965, 1M.
315	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system, 1956, 1F; 1958, 1M, 1F; 1963, 1M; 1965, 1F.	E991	War injury by gunshot, 1966, 1M.
321	Immature personality, 1960, 2F; 1961, 1F.	E992	War injury by grenade and land mine, 1964, 1M; 1965, 1M.
324	Primary childhood behavior disorders, -.	E993	War injury by bomb, -.
326	Other and unspecified character, behavior and intelligence disorders, 1956, 1F; 1960, 1F.	E994	War injury by marine bomb, depth charge and torpedo, -.
354	Migraine, 1956, 1F; 1957, 1F; 1959, 3F; 1961, 1M; 1962, 1M, 1F; 1963, 1F; 1964, 1F; 1966, 1F.	E995	War injury by explosion of artillery shell, -.
360	Facial paralysis, 1958, 1M; 1960, 1F; 1961, 1M; 1962, 1F; 1963, 2F; 1964, 2F; 1966, 2M, 1F.	E996	War injury by explosion of undetermined origin, -.
362	Brachial neuritis, -.	E997	War injury by aircraft destruction, 1962, *5M.
367	Other diseases of cranial nerves, 1956, 1F; 1958, 1F; 1959, 1F; 1962, 2M; 1964, 1F; 1966, 1F.	E998	War injury by other and unspecified means, 1964, 1M.
369	Diseases of peripheral automatic nervous system, 1956, 1F; 1957, 1M; 1958, 1M; 1960, 2F; 1961, 1M, 2F; 1962, 1M, 2F; 1963, 2F; 1964, 1M, 1F; 1965, 1F; 1966, 1M.		
371	Blepharitis, 1961, 1M.		
372	Hordeolum (stye), 1956, 1F; 1959, 1M; 1960, 1M; 1962, 1M.		
373	Iritis, 1956, 1M; 1958, 1F.		
374	Keratitis, 1960, 1M; 1963, 1F.		

\* E997. These deaths which occurred on the 11th November 1944 were registered in 1962, and are therefore included in the 1962 deaths.

TABLE 8. Crude death rates per million living from certain causes, by sex at all ages, 1956 to 1966

England and Wales

Note. 1 Rates are based on total deaths and home populations.

2 Footnotes to individual causes in Table 7 apply also to those causes in this table.

3 The symbols M, F and P in the second column indicate 'Males', 'Females', and all 'Persons' respectively.

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
	Estimated mid-year population (in thousands)	M F P	21,517 23,150 44,667	21,648 23,259 44,907	21,744 23,365 45,109	21,885 23,501 45,386	22,097 23,678 45,775	22,353 23,852 46,205	22,660 24,049 46,709	22,834 24,194 47,028	23,044 24,358 47,401	23,227 24,536 47,763	23,392 24,683 48,075
	ALL CAUSES	M F P	12,451 10,947 11,672	12,306 10,682 11,465	12,447 10,965 11,679	12,332 10,969 11,626	12,196 10,855 11,502	12,561 11,360 11,941	12,584 11,330 11,939	12,806 11,592 12,182	11,924 10,673 11,281	12,155 10,884 11,502	12,338 11,141 11,724
001-138	I INFECTIVE AND PARASITIC DISEASES	M F P	248 116 180	230 108 166	209 99 152	189 85 135	170 79 123	164 82 122	152 71 111	146 70 107	126 61 93	116 65 90	117 66 91
001-019	Tuberculosis (all forms)	M F P	177 68 120	158 59 107	147 54 99	128 44 85	113 39 75	108 39 72	101 34 66	96 32 63	80 26 52	71 26 48	72 27 49
001-008	Respiratory system	M F P	164 57 109	146 47 95	136 45 89	120 36 77	106 32 68	100 32 65	93 28 59	89 24 55	74 20 47	65 21 42	67 22 43
010-019	Other forms	M F P	13 11 12	12 12 12	12 10 11	9 8 8	7 7 7	7 7 7	8 6 7	7 8 7	6 5 6	5 5 6	5 6 5
010	Meninges and central nervous system	M F P	2 2 2	2 3 2	2 2 2	2 2 2	1 1 1	2 1 1	2 1 1	2 1 2	1 1 1	1 1 1	1 1 1
011	Intestines, peritoneum and mesenteric glands	M F P	2 2 2	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	0 1 0	1 1 1	0 1 0
012, 013	Bones and joints	M F P	2 2 2	2 2 2	2 2 2	2 2 2	1 2 2	2 1 1	2 1 1	1 2 2	1 1 1	2 1 1	1 1 1
016	Genito-urinary system	M F P	4 3 3	4 2 3	3 2 2	2 2 2	2 1 2	2 2 2	2 1 2	2 1 1	2 1 2	1 1 1	1 1 1
019	Disseminated tuberculosis	M F P	2 2 2	2 2 2	2 1 2	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
020-029	Syphilis and its sequelae	M F P	36 16 26	34 15 24	30 17 23	29 14 21	28 14 21	25 14 19	22 13 18	21 14 17	22 12 17	22 14 18	21 14 17
022	Aneurysm of aorta	M F P	15 7 11	17 8 12	14 9 12	13 8 11	14 8 11	13 8 10	13 8 11	12 9 10	14 8 11	15 11 13	15 10 12
023	Other cardiovascular syphilis	M F P	13 5 9	11 4 7	10 4 7	8 3 5	8 3 6	7 4 5	6 3 4	5 3 4	5 2 3	4 3 3	4 2 3
024	Tabes dorsalis	M F P	3 1 2	2 1 2	2 1 1	2 2 2	2 1 1	2 1 1	1 0 1	1 1 1	1 0 1	1 0 1	1 0 1
025	General paralysis of insane	M F P	3 1 2	2 1 2	3 1 2	3 1 2	3 1 2	2 1 1	1 1 1	2 0 1	1 0 1	1 1 1	1 1 1
026	Other syphilis of central nervous system	M F P	2 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	0 0 1	1 1 1	0 0 0
040-049	Infectious diseases commonly arising in intestinal tract	M F P	2 2 2	2 2 2	2 2 2	2 2 2	2 2 2	2 1 1	2 1 1	2 1 1	1 1 1	1 1 1	1 1 1
050-064	Other bacterial diseases	M F P	12 9 10	10 9 9	8 7 7	8 6 7	7 5 6	8 6 7	8 5 7	8 6 7	8 6 7	7 7 7	7 6 6
053	Septicaemia and pyaemia	M F P	3 2 2	2 2 2	2 2 2	2 1 2	2 1 2	3 2 2	3 2 2	3 2 2	3 2 3	2 3 3	3 3 3
056	Whooping cough	M F P	2 2 2	1 2 2	1 1 1	1 1 1	1 1 1	1 0 1	1 0 1	1 1 1	1 1 1	0 1 0	0 1 0
057	Meningococcal infections	M F P	5 3 4	4 4 4	3 3 3	4 3 4	2 3 2	3 3 3	4 2 3	4 2 3	2 2 2	3 2 2	3 2 2
080-096	Diseases attributable to viruses	M F P	18 17 18	23 21 22	17 17 17	17 16 17	16 16 16	19 19 19	15 16 15	15 14 15	12 13 13	12 15 14	13 15 14
080, 081	Acute poliomyelitis including late effects	M F P	4 3 3	8 4 6	4 3 3	2 1 2	1 1 1	3 1 2	1 1 1	1 0 1	1 0 1	0 0 0	1 0 0

TABLE 8 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
082, 083	Acute infectious encephalitis including late effects	M F P	7 5 6	5 4 5	6 4 5	5 4 5	5 4 5	5 4 4	5 4 4	5 3 4	5 3 4	3 3 3	4 4 4
085	Measles	M F P	1 1 1	2 2 2	1 1 1	2 2 2	1 1 1	4 3 3	1 7 1	3 3 3	1 2 2	2 3 2	2 1 2
092	Infectious hepatitis	M F P	5 7 6	5 7 7	5 6 5	5 6 6	6 7 7	6 7 6	5 7 6	5 5 5	4 5 4	4 6 5	4 6 5
140-239	II NEOPLASMS	M F P	2,309 1,930 2,112	2,346 1,928 2,130	2,358 1,957 2,150	2,391 1,960 2,168	2,416 1,976 2,188	2,418 1,978 2,191	2,440 1,978 2,202	2,446 1,982 2,207	2,472 2,021 2,240	2,503 2,023 2,256	2,533 2,038 2,279
140-205	Cancer, including Hodgkin's disease, leukaemia and aleukaemia	M F P	2,274 1,891 2,076	2,312 1,890 2,094	2,333 1,929 2,124	2,366 1,929 2,140	2,389 1,943 2,158	2,391 1,948 2,162	2,415 1,949 2,175	2,417 1,952 2,178	2,441 1,989 2,209	2,474 1,992 2,226	2,504 2,009 2,250
140-200, 202, 203, 205	Cancer, excluding Hodgkin's disease, leukaemia and aleukaemia	M F P	2,194 1,831 2,005	2,225 1,831 2,021	2,252 1,869 2,054	2,281 1,863 2,065	2,299 1,877 2,080	2,303 1,884 2,088	2,330 1,880 2,098	2,328 1,885 2,100	2,352 1,921 2,131	2,388 1,922 2,149	2,412 1,943 2,171
140-148	Malignant neoplasm of buccal cavity and pharynx	M F P	57 28 42	58 29 43	58 28 43	57 26 41	51 28 39	48 27 37	47 26 36	43 25 34	44 27 35	42 26 34	40 27 33
140	Lip	M F P	4 1 2	4 0 2	4 0 2	3 0 2	3 1 2	4 0 2	3 0 1	2 0 1	3 0 1	2 0 1	2 0 1
141	Tongue	M F P	17 7 12	16 7 11	17 6 11	17 6 11	14 6 10	12 5 9	13 5 9	12 5 8	13 6 9	11 7 9	10 6 8
142	Salivary gland	M F P	4 2 3	4 3 3	4 3 4	3 3 3	3 3 3	3 2 3	3 3 3	3 2 3	3 3 3	4 2 3	4 3 3
143-148	Other or unspecified parts of buccal cavity and pharynx	M F P	33 18 25	35 19 27	34 19 26	34 16 25	30 19 25	28 18 23	28 18 23	26 17 21	26 19 22	25 17 21	25 18 21
150-159	Malignant neoplasm of digestive organs and peritoneum	M F P	887 780 831	894 769 829	880 786 831	875 791 832	861 779 818	851 768 809	841 766 802	835 762 798	827 755 790	824 751 786	837 754 794
150	Oesophagus	M F P	64 41 52	60 41 50	60 42 51	63 41 51	59 43 50	61 44 52	61 44 52	60 44 52	59 49 54	61 47 54	63 48 56
151	Stomach	M F P	358 266 311	367 257 310	365 264 313	362 262 310	355 258 305	348 252 298	341 244 291	339 245 291	325 229 276	322 227 273	321 229 274
152	Small intestine, including duodenum	M F P	5 4 5	4 3 4	5 5 5	5 4 5	5 6 5	6 4 5	5 4 5	4 5 4	5 4 5	5 5 5	5 5 5
153	Large intestine, except rectum	M F P	176 235 207	175 232 204	170 232 202	165 236 202	163 230 198	165 228 198	163 228 196	156 223 190	157 225 192	156 225 192	164 218 192
154	Rectum	M F P	146 102 124	143 98 120	144 107 125	140 111 125	137 103 120	131 102 116	130 101 115	129 105 116	128 107 117	126 103 114	126 105 115
155	Biliary passages and of liver (stated to be primary site)	M F P	23 35 29	25 34 29	27 39 33	28 37 32	26 37 32	27 36 32	27 39 33	28 37 32	27 36 32	27 34 30	29 37 33
156	Liver (secondary and unspecified)	M F P	21 21 21	23 20 22	13 13 13	13 13 13	14 12 13	14 12 13	14 12 13	13 12 13	13 12 14	17 12 15	17 13 15
157	Pancreas	M F P	85 67 76	87 74 80	91 75 83	95 79 87	94 79 86	93 80 86	93 84 88	98 82 90	102 83 92	101 88 94	108 90 97
158	Peritoneum	M F P	6 8 7	8 10 9	4 7 6	4 7 5	5 8 7	6 7 7	5 8 6	6 8 7	7 8 7	6 9 7	5 8 6
160-165	Malignant neoplasm of respiratory system	M F P	765 124 433	795 128 450	823 132 465	869 136 490	894 145 507	908 153 518	930 158 532	944 163 542	965 172 557	992 182 576	1,000 193 586
160	Nose, nasal cavities, middle ear and accessory sinuses	M F P	6 4 5	5 4 4	6 4 5	6 4 5	5 5 5	4 4 4	5 5 4	5 4 4	6 4 5	5 4 5	5 5 5
161	Larynx	M F P	31 7 19	31 7 19	30 7 18	29 8 18	31 7 18	29 7 18	28 6 17	28 6 16	25 6 15	26 7 16	26 6 16
162	Bronchus and trachea, and of lung specified as primary	M F P	471 72 264	496 75 278	526 79 294	559 80 311	581 89 326	598 92 337	614 97 348	641 104 365	654 108 373	666 115 383	667 121 387

TABLE 8 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
163	Lung, unspecified as to whether primary or secondary	M F P	251 38 141	260 40 146	258 40 145	272 43 153	273 43 154	273 49 157	281 48 161	268 48 155	278 52 162	291 54 170	299 58 175
164	Mediastinum	M F P	3 2 2	3 2 2	3 1 2	3 1 2	2 1 2	3 1 2	1 1 1	2 1 1	2 1 1	2 1 1	1 1 1
170-181	Malignant neoplasm of breast and genito-urinary organs	M F P	309 736 530	304 737 528	313 764 546	306 749 535	312 764 546	312 766 546	327 766 553	320 760 547	321 783 558	329 775 558	331 780 561
170	Breast	M F P	3 368 192	3 368 192	3 383 200	3 371 193	3 363 199	4 389 203	3 389 202	3 390 202	4 405 210	3 395 205	4 398 206
171-174	Uterus	F	169	168	176	170	173	167	167	164	164	162	160
171	Cervix uteri	F	108	106	116	109	110	105	104	102	106	100	101
172	Corpus uteri	F	51	52	51	52	53	52	52	49	45	50	48
173, 174	Other and unspecified parts of uterus	F	11	11	10	10	10	10	10	13	13	13	12
175	Ovary, Fallopian tube and broad ligament	F	121	123	124	125	125	128	127	126	129	131	134
176	Other and unspecified female genital organs	F	21	22	22	23	23	21	22	21	21	22	23
177	Prostate	M	164	160	166	164	165	164	169	166	162	171	167
178	Testis	M	9	8	9	9	10	8	9	9	10	10	10
179	Other and unspecified male genital organs	M	7	6	6	7	5	7	6	6	6	5	5
180	Kidney	M F P	33 20 26	33 19 25	35 22 28	32 20 26	32 22 27	34 22 27	37 21 29	36 22 29	37 23 30	38 22 29	38 23 30
181	Bladder and other urinary organs	M F P	93 37 64	94 37 65	92 37 64	92 41 65	97 39 67	96 39 67	103 40 71	99 38 68	103 41 71	102 43 72	107 42 73
190-199	Malignant neoplasm of other and unspecified sites	M F P	139 131 135	135 134 135	135 124 129	130 126 128	134 123 128	139 128 133	139 126 132	136 135 135	141 142 141	149 141 145	150 140 145
190, 191	Skin	M F P	22 19 20	21 22 21	19 19 19	19 19 19	20 19 20	19 19 19	18 19 19	18 18 18	18 21 19	20 22 21	20 19 20
192	Eye	M F P	3 2 3	3 2 2	3 3 3	3 3 3	3 3 3	3 3 3	4 3 3	3 3 3	2 3 3	3 3 3	3 3 3
193	Brain and other parts of nervous system	M F P	41 28 35	41 29 35	50 34 42	48 35 41	50 33 41	51 36 43	50 33 41	49 35 42	51 33 42	51 33 42	48 33 41
194	Thyroid gland	M F P	5 12 9	4 11 8	4 10 7	5 12 8	5 12 8	4 12 8	5 11 8	4 12 9	4 12 8	4 12 8	5 12 9
195	Other endocrine glands	M F P	3 2 3	3 2 3	3 2 2	3 2 2	2 2 2	2 2 2	3 2 2	2 2 2	3 2 2	3 2 2	3 2 2
196	Bone	M F P	18 13 15	16 12 14	16 13 14	15 11 13	15 11 13	16 11 13	14 11 12	12 10 11	11 10 11	15 10 12	13 8 11
197	Connective tissue	M F P	6 5 5	6 4 5	5 5 5	5 4 4	5 4 4	6 5 5	6 6 6	5 5 5	6 5 5	5 5 5	5 5 5
198, 199	Other and unspecified sites	M F P	40 50 45	40 51 46	35 39 37	33 40 37	34 39 37	38 41 40	38 42 40	42 49 46	46 56 51	48 55 52	53 58 56
200-205	Neoplasms of lymphatic and haematopoietic tissues	M F P	118 91 104	126 93 109	124 95 109	128 102 114	137 104 120	133 106 119	132 107 119	139 107 122	143 111 127	139 116 127	145 116 130
200	Lymphosarcoma and reticulosarcoma	M F P	21 16 19	22 16 19	24 18 21	25 19 22	27 19 23	26 22 24	27 20 23	29 20 24	31 20 26	30 23 26	29 24 27
201	Hodgkin's disease	M F P	24 13 18	27 12 19	22 13 17	25 14 19	23 15 19	24 13 18	24 15 19	23 13 18	21 14 18	23 13 18	24 13 18
202	Other forms of lymphoma (reticulosis)	M F P	4 3 3	4 3 3	5 4 4	3 3 3	4 3 4	4 3 4	4 3 4	4 3 4	5 5 5	4 4 4	6 5 5
203	Multiple myeloma (plasmocytoma)	M F P	12 12 12	12 14 13	14 12 13	13 13 13	15 15 15	15 15 15	15 15 15	16 15 16	17 18 17	18 18 18	18 20 19

TABLE 8 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
204	Leukaemia and aleukaemia	M	57	60	60	60	67	63	61	66	68	63	67
		F	47	47	46	52	51	52	55	55	53	57	54
		P	52	53	53	56	59	57	58	60	60	60	60
	0 Lymphatic leukaemia	M	13	16	12	13	14	14	14	14	15	14	16
		F	9	10	8	10	9	9	9	10	10	11	10
		P	11	12	10	11	12	11	11	12	13	12	13
	1 Myeloid leukaemia	M	14	14	11	11	10	11	11	12	12	11	11
		F	13	13	11	12	12	12	12	11	12	11	11
		P	13	13	11	12	11	11	11	12	12	11	11
	2-4 Other and unspecified leukaemia	M	30	31	37	36	43	38	37	39	41	38	41
		F	25	24	28	30	30	31	34	34	32	36	33
		P	27	27	32	33	36	34	35	36	36	37	36
210-229	Benign neoplasm	M	14	15	15	14	16	15	13	13	15	13	13
		F	24	24	21	22	23	20	20	19	19	19	18
		P	19	20	18	19	20	17	16	16	17	16	15
214	Uterine fibromyoma	F	4	4	3	4	3	2	2	2	2	2	2
216	Ovary	F	5	5	4	4	4	3	3	3	3	3	3
219	Kidney and other urinary organs	M	3	4	3	3	4	4	2	2	3	2	2
		F	1	2	1	2	1	1	1	1	1	1	1
		P	2	3	2	2	2	2	2	2	2	2	1
223	Brain and other parts of nervous system	M	6	6	6	6	6	6	6	6	6	5	5
		F	7	8	7	8	8	8	7	7	7	6	6
		P	6	7	7	7	7	7	6	6	7	5	6
230-239	Neoplasm of unspecified nature	M	20	19	10	10	12	12	12	15	16	16	16
		F	15	14	7	9	9	10	9	12	13	12	12
		P	18	17	8	10	10	11	10	14	15	14	14
237	Brain and other parts of nervous system	M	17	16	7	8	8	9	9	12	12	12	12
		F	13	12	4	7	7	7	7	9	9	8	8
		P	15	14	6	7	8	8	8	10	10	10	10
240-289	III ALLERGIC, ENDOCRINE SYSTEM, METABOLIC AND NUTRITIONAL DISEASES	M	109	99	102	93	97	103	106	113	115	122	123
		F	174	169	170	163	174	183	185	195	186	207	203
		P	142	135	137	129	136	144	146	155	152	165	164
240-245	Allergic disorders	M	38	33	29	25	24	25	27	31	35	40	40
		F	39	34	36	29	29	30	32	41	43	49	47
		P	38	34	32	27	26	28	30	36	39	44	44
241	Asthma	M	37	33	28	24	23	25	26	30	34	39	39
		F	39	34	36	29	28	30	32	40	42	48	46
		P	38	34	32	27	26	27	29	35	38	44	42
250-254	Diseases of thyroid gland	M	5	4	4	5	4	4	5	5	4	5	3
		F	26	25	25	26	27	28	29	33	22	25	23
		P	16	15	15	16	16	16	17	19	15	15	13
252	Thyrotoxicosis with or without goitre	M	2	3	2	3	2	2	3	1	2	2	1
		F	13	14	12	13	13	12	12	11	8	9	9
		P	8	8	7	8	8	7	7	6	5	5	5
253	Myxoedema and cretinism	M	2	1	2	2	2	2	2	3	2	3	2
		F	10	10	11	12	12	14	16	20	11	14	12
		P	6	5	6	7	7	8	9	12	7	9	7
260	Diabetes mellitus	M	51	47	53	50	54	60	59	60	61	63	65
		F	92	91	93	89	100	106	103	101	104	112	113
		P	73	70	73	70	78	84	82	81	83	88	89
270-277	Diseases of other endocrine glands	M	6	5	6	4	5	5	6	6	5	5	4
		F	6	7	6	6	6	6	6	7	6	6	5
		P	6	6	6	5	6	6	6	6	6	5	5
272	Diseases of pituitary gland	M	2	2	2	2	2	2	2	2	2	1	1
		F	3	3	2	2	2	2	2	2	2	2	2
		P	2	2	2	2	2	2	2	2	2	2	2
274	Diseases of adrenal glands	M	2	2	3	2	3	2	3	3	2	2	2
		F	2	2	2	2	2	2	3	3	2	2	2
		P	2	2	2	2	2	2	3	3	2	2	2
280-289	Avitaminoses, and other metabolic diseases	M	9	9	10	8	9	9	9	11	10	9	11
		F	10	11	11	12	11	12	14	14	13	15	15
		P	10	10	10	10	10	11	12	13	11	12	13
290-299	IV DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	M	33	34	34	35	35	34	34	32	34	34	33
		F	60	58	56	56	53	56	55	57	52	58	54
		P	47	47	45	46	44	46	45	45	43	46	44
290	Pernicious and other hyperchromic anaemias	M	12	12	11	10	11	10	9	9	8	7	8
		F	28	27	25	25	22	23	21	20	18	20	19
		P	20	20	18	18	17	16	15	15	13	14	13
	0 Pernicious anaemia	M	10	10	10	9	9	8	8	7	7	6	6
		F	24	24	21	21	19	20	19	17	16	17	16
		P	18	17	16	15	14	14	13	12	11	11	11
	1 Subacute combined degeneration of spinal cord	M	1	1	1	1	1	1	0	0	0	0	0
		F	2	1	1	1	1	1	1	0	0	0	0
		P	1	1	1	1	1	1	1	0	0	0	0

TABLE 8 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
291	Iron deficiency anaemias (hypochromic anaemias)	M	3	3	3	5	4	4	4	4	4	4	4
		F	8	8	8	9	9	11	9	11	9	10	11
		P	6	6	6	7	7	7	7	8	6	7	7
292	Other anaemias of specified type	M	9	8	9	9	9	9	9	8	9	10	9
		F	9	10	10	9	8	9	10	12	11	11	10
		P	9	9	9	9	8	9	9	10	10	10	10
	4 Aplastic anaemia	M	6	5	6	5	5	5	6	4	5	5	4
		F	6	6	6	5	4	5	5	7	6	6	5
		P	6	6	6	5	5	5	5	6	5	6	5
	0-3, 5-7 Other	M	3	3	3	4	4	4	4	4	4	4	5
		F	3	4	4	4	4	4	4	5	5	5	5
		P	3	4	4	4	4	4	4	4	5	5	5
293	Anaemia of unspecified type	M	2	2	2	2	3	3	3	3	3	4	3
		F	5	5	5	4	6	5	6	6	6	8	6
		P	3	4	4	3	4	4	4	5	5	6	5
300-326	V MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	M	17	16	16	17	18	18	20	19	20	21	21
		F	33	30	24	27	27	29	29	30	27	29	33
		P	25	23	20	22	23	23	25	25	23	25	27
300-309	Psychoses	M	13	12	11	12	13	14	15	14	15	16	16
		F	28	25	20	22	23	24	24	25	23	26	28
		P	21	19	16	17	18	19	19	19	19	21	22
304	Senile psychosis	M	8	7	7	7	9	9	10	9	10	11	11
		F	22	19	15	16	16	18	18	19	17	21	23
		P	15	13	11	12	13	14	14	15	14	16	17
320-326	Disorders of character, behaviour, and intelligence	M	4	3	4	4	4	3	5	4	5	4	5
		F	4	3	3	3	3	3	4	4	3	3	4
		P	4	3	3	3	3	3	4	4	4	4	4
325	Mental deficiency	M	3	3	3	2	3	2	4	3	2	2	2
		F	3	3	2	2	2	2	3	3	2	2	3
		P	3	3	2	2	2	2	3	3	2	2	3
330-398	VI DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	M	1,567	1,536	1,560	1,535	1,523	1,516	1,520	1,534	1,414	1,481	1,476
		F	2,001	1,976	2,044	2,008	2,035	2,055	2,065	2,115	1,943	2,019	2,036
		P	1,792	1,764	1,811	1,780	1,788	1,794	1,801	1,833	1,686	1,758	1,764
330-334	Vascular lesions affecting central nervous system	M	1,442	1,411	1,439	1,412	1,403	1,394	1,398	1,413	1,294	1,361	1,357
		F	1,877	1,854	1,921	1,883	1,910	1,923	1,939	1,987	1,812	1,896	1,907
		P	1,668	1,640	1,689	1,656	1,665	1,667	1,676	1,708	1,560	1,636	1,640
330	Subarachnoid haemorrhage	M	58	55	56	56	59	59	61	62	63	64	63
		F	82	82	87	82	90	88	96	96	98	96	95
		P	70	69	72	70	75	74	79	80	81	80	80
331	Cerebral haemorrhage	M	584	553	548	525	529	512	510	515	494	499	503
		F	786	748	761	714	731	705	713	730	683	682	704
		P	689	654	659	623	633	612	614	625	591	593	606
332	Cerebral embolism and thrombosis	M	687	689	711	701	690	685	680	688	589	638	623
		F	880	895	927	930	931	938	934	956	828	895	872
		P	787	795	823	820	815	815	811	826	712	770	751
333, 334	Spasm of cerebral arteries and other and ill-defined vascular lesions affecting central nervous system	M	113	114	125	129	125	138	147	148	148	160	169
		F	129	130	145	156	158	191	196	204	203	224	236
		P	122	122	135	143	142	165	172	177	176	193	204
340-345	Inflammatory diseases of central nervous system	M	30	34	32	31	32	31	31	32	33	30	29
		F	34	34	35	34	35	36	34	35	36	33	34
		P	32	34	33	33	33	33	33	33	34	32	31
340	Meningitis, except meningococcal and tuberculous	M	9	11	9	8	9	9	10	9	11	10	9
		F	7	6	6	6	7	7	8	8	8	8	8
		P	8	8	8	7	8	8	9	8	10	9	8
343	Encephalitis, myelitis, and encephalo-myelitis (except acute infectious)	M	2	3	3	3	3	3	3	2	3	2	3
		F	3	3	2	2	2	2	2	3	2	2	2
		P	3	3	3	2	2	2	2	3	2	2	2
345	Multiple sclerosis	M	15	14	15	16	16	15	14	15	14	14	14
		F	21	22	23	23	23	23	22	20	22	19	21
		P	18	18	19	20	19	19	18	18	18	17	17
350-357	Other diseases of central nervous system	M	84	83	81	83	81	84	82	83	81	84	84
		F	83	82	83	85	84	91	87	87	88	85	90
		P	84	82	82	84	83	87	84	85	84	84	87
350	Paralysis agitans	M	31	32	32	33	31	31	31	31	29	30	29
		F	38	36	37	41	40	42	39	38	38	37	38
		P	35	34	34	37	36	37	35	34	34	35	34
351	Cerebral spastic infantile paralysis	M	4	3	3	3	3	3	3	3	2	2	3
		F	3	2	2	2	2	2	3	2	2	2	2
		P	3	3	2	3	3	2	3	2	2	2	3
352	Other cerebral paralysis	M	11	10	10	11	11	11	12	13	11	13	14
		F	13	13	13	13	13	16	14	15	17	15	18
		P	12	11	12	12	12	13	13	14	14	14	16

TABLE 8 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
353	Epilepsy	M F P	18 15 16	17 14 15	16 15 16	16 12 14	15 13 14	17 14 15	16 14 15	17 14 15	15 11 13	15 12 14	16 11 13
355	Other diseases of brain	M F P	5 5 5	5 5 5	5 5 5	4 5 5	5 5 5	6 6 6	5 7 6	6 7 6	6 7 7	6 7 7	7 8 7
356	Motor neurone disease and muscular atrophy	M F P	14 9 11	15 10 12	14 10 12	14 11 13	14 10 12	14 10 12	14 9 12	13 9 11	15 11 13	16 11 13	15 11 13
	0 Progressive muscular atrophy	M F P	8 6 7	9 6 8	8 6 7	9 6 7	7 6 6	7 5 6	7 5 6	5 5 5	6 5 5	6 5 5	5 4 5
360-369	Diseases of nerves and peripheral ganglia	M F P	2 2 2	2 1 1	2 1 2	2 1 2	1 3 2	2 1 2	2 2 2	2 2 2	2 2 2	1 1 1	2 1 2
390-398	Diseases of ear and mastoid process	M F P	7 3 5	6 3 4	5 2 4	6 2 4	4 3 3	4 3 4	6 2 4	4 3 4	4 3 4	4 3 3	4 2 3
391	Otitis media without mention of mastoiditis	M F P	6 3 4	4 2 3	4 2 3	5 2 3	3 2 3	3 2 3	4 2 3	3 3 3	4 3 3	3 2 3	3 2 2
400-468	VII DISEASES OF THE CIRCULATORY SYSTEM	M F P	4,558 4,124 4,333	4,425 3,980 4,194	4,595 4,183 4,381	4,401 4,065 4,227	4,537 4,152 4,338	4,579 4,293 4,432	4,654 4,277 4,460	4,752 4,344 4,542	4,424 3,953 4,182	4,576 4,075 4,318	4,574 4,092 4,327
400-402	Rheumatic fever	M F P	5 5 5	4 4 4	3 3 3	3 3 3	3 3 3	3 2 2	3 2 2	2 2 2	1 1 1	2 1 2	2 1 2
410-416	Chronic rheumatic heart disease	M F P	142 223 184	138 225 183	118 208 165	113 195 156	112 196 156	115 205 162	112 199 157	104 188 147	92 166 130	90 168 130	87 161 125
410	Diseases of mitral valve	M F P	92 170 132	89 169 131	75 155 117	71 144 109	68 145 108	71 148 111	68 145 108	64 136 101	56 119 88	57 118 88	53 113 84
411	Diseases of aortic valve specified as rheumatic	M F P	15 8 11	16 7 11	16 8 12	14 7 11	15 8 11	16 8 12	17 7 12	15 10 12	14 8 11	13 9 11	12 8 10
412-414	Diseases of tricuspid valve, pulmonary valve specified as rheumatic, and other endocarditis specified as rheumatic	M F P	13 15 14	11 15 13	9 12 11	8 12 10	7 12 9	7 12 10	7 10 9	6 8 7	6 8 7	4 9 6	5 7 6
415	Other myocarditis specified as rheumatic	M F P	4 6 5	4 6 5	3 5 4	3 4 3	2 3 2	2 4 3	2 4 3	2 3 2	1 2 1	1 2 1	1 1 1
416	Other heart disease specified as rheumatic	M F P	17 25 21	18 27 23	15 28 22	18 28 23	19 30 25	18 33 26	18 32 25	17 31 24	16 30 23	16 30 23	16 31 24
420-422	Arteriosclerotic and degenerative heart disease	M F P	3,393 2,772 3,071	3,287 2,648 2,956	3,460 2,815 3,126	3,322 2,733 3,017	3,442 2,796 3,108	3,473 2,866 3,160	3,577 2,892 3,224	3,659 2,945 3,292	3,459 2,698 3,068	3,588 2,787 3,176	3,569 2,791 3,170
420	Arteriosclerotic heart disease, including coronary disease	M F P	2,206 1,222 1,696	2,230 1,243 1,719	2,395 1,368 1,863	2,385 1,393 1,871	2,558 1,497 2,009	2,612 1,567 2,073	2,766 1,655 2,194	2,883 1,737 2,293	2,824 1,692 2,242	2,982 1,801 2,375	2,973 1,852 2,387
	0 Arteriosclerotic heart disease so described	M F P	13 12 13	16 16 16	21 23 22	19 21 20	23 26 25	27 34 31	30 38 34	32 37 34	30 34 32	27 34 30	29 35 32
	1 Heart disease specified as involving coronary arteries	M F P	2,180 1,200 1,672	2,201 1,218 1,692	2,363 1,336 1,831	2,357 1,364 1,843	2,526 1,464 1,976	2,577 1,528 2,035	2,730 1,611 2,154	2,845 1,694 2,253	2,790 1,654 2,206	2,951 1,763 2,341	2,941 1,794 2,352
	2 Angina pectoris without mention of coronary disease	M F P	14 10 12	12 9 11	11 8 10	10 7 8	8 7 8	8 6 7	6 6 6	6 5 6	4 4 4	4 4 4	3 3 3
421	Chronic endocarditis not specified as rheumatic	M F P	75 59 67	81 70 75	77 65 71	69 65 67	76 66 71	72 69 71	75 68 72	70 67 68	62 53 57	60 59 60	61 59 60
	0 Of mitral valve, specified as non-rheumatic	M F P	3 5 4	4 8 6	5 8 7	5 9 7	4 9 7	5 9 7	6 10 8	4 9 7	4 7 5	4 7 6	3 8 5
	1 Of aortic valve, not specified as rheumatic	M F P	53 33 43	61 39 50	58 38 47	52 39 45	60 42 51	59 45 52	60 45 52	59 47 52	52 37 45	52 43 48	52 43 47
	2-4 Of tricuspid valve, specified as non-rheumatic, pulmonary valve, not specified as rheumatic, and other ill-defined, not specified as rheumatic	M F P	18 21 20	16 23 20	14 19 17	12 17 15	12 16 14	9 15 12	10 13 12	7 11 9	6 9 7	4 9 7	6 8 7

TABLE 8 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
422	Other myocardial degeneration	M	1,112	976	988	868	808	789	736	706	573	545	535
		F	1,490	1,335	1,382	1,275	1,232	1,230	1,169	1,142	953	927	900
		P	1,308	1,162	1,192	1,079	1,028	1,016	959	931	768	741	723
	0 Fatty degeneration	M	4	4	4	3	2	2	1	2	1	2	1
		F	7	6	5	5	5	4	3	4	3	3	2
		P	6	5	4	4	3	3	2	3	2	2	2
	1 With arteriosclerosis	M	502	436	452	407	380	374	355	341	282	263	259
		F	621	578	606	572	561	565	535	530	441	435	416
		P	563	510	532	492	474	471	448	438	363	351	340
	2 Other	M	606	536	532	459	427	413	380	363	290	281	275
		F	862	751	771	698	667	663	630	609	510	489	482
		P	739	647	656	583	551	542	509	489	403	388	382
430-434	Other diseases of heart	M	244	262	269	258	272	288	282	289	262	267	290
		F	278	291	306	303	316	345	342	347	315	334	344
		P	262	277	288	281	295	317	313	319	289	302	318
430	Acute and subacute endocarditis	M	9	9	9	9	8	9	8	9	8	7	7
		F	5	6	6	5	6	5	5	5	5	4	4
		P	7	7	7	7	7	7	7	7	6	6	6
431	Acute myocarditis not specified as rheumatic	M	4	3	2	3	3	3	3	4	3	3	3
		F	3	3	3	3	3	3	3	4	3	3	3
		P	3	3	3	3	3	3	3	4	3	3	3
433	Functional disease of heart	M	100	98	100	88	87	84	82	79	67	64	66
		F	149	144	146	139	134	139	128	126	110	107	105
		P	125	122	124	114	111	112	106	103	89	87	86
434	Other and unspecified diseases of heart	M	131	151	158	157	174	191	188	197	183	192	213
		F	121	138	150	156	173	198	204	212	197	219	232
		P	126	145	154	156	173	195	196	204	190	206	223
440-443	Hypertensive heart disease	M	269	254	238	213	212	201	188	179	149	149	140
		F	313	305	304	286	279	282	261	256	215	207	200
		P	292	280	272	251	247	243	225	219	183	179	171
440	Essential benign hypertensive heart disease	M	5	5	5	4	4	4	4	3	2	2	2
		F	6	6	6	5	6	7	5	5	3	2	3
		P	5	6	5	5	5	5	4	4	3	2	2
441	Essential malignant hypertensive heart disease	M	6	5	5	4	5	4	5	3	3	4	3
		F	3	3	3	3	2	2	2	2	1	1	1
		P	4	4	4	4	3	3	3	2	2	2	2
442	Hypertensive heart disease with arteriolar nephrosclerosis	M	7	6	5	4	3	3	3	3	2	1	1
		F	6	6	6	5	4	4	3	4	2	2	2
		P	6	6	5	5	4	4	3	3	2	2	2
443	Other and unspecified hypertensive heart disease	M	252	238	223	200	200	190	177	170	142	142	134
		F	298	290	290	273	267	269	250	246	208	202	194
		P	276	265	258	238	235	231	215	209	176	173	165
444-447	Other hypertensive disease	M	175	165	162	149	141	130	115	113	94	91	81
		F	173	158	164	151	144	141	126	120	97	95	87
		P	174	162	163	150	143	136	120	116	96	93	84
444	Essential benign hypertension	M	122	115	111	99	94	91	78	74	60	61	53
		F	136	126	130	118	116	115	101	95	73	74	69
		P	129	121	121	109	105	103	90	85	67	67	61
445	Essential malignant hypertension	M	34	33	32	33	32	25	21	23	22	19	18
		F	16	16	17	16	15	12	11	11	10	9	9
		P	25	24	24	24	23	19	16	17	15	14	13
446	Hypertension with arteriolar nephrosclerosis	M	20	18	18	17	15	13	15	16	12	11	9
		F	20	17	17	17	14	14	15	14	14	13	10
		P	20	17	18	17	14	14	15	15	13	12	10
447	Other hypertensive disease without mention of heart	M	0	0	0	0	0	0	-	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0
		P	0	0	0	0	0	0	0	0	0	0	0
450-456	Diseases of arteries	M	279	265	295	284	291	300	307	325	298	303	316
		F	289	278	307	314	330	350	355	369	343	356	377
		P	284	271	301	299	311	326	332	348	316	330	347
450	General arteriosclerosis	M	220	198	221	209	211	218	213	220	189	198	206
		F	242	231	253	261	269	289	285	296	269	279	297
		P	231	215	238	236	241	255	250	260	230	239	253
	0 Without mention of gangrene	M	193	177	197	187	185	195	187	198	169	177	185
		F	221	210	232	239	246	262	261	272	247	257	274
		P	207	194	215	214	217	230	225	236	209	218	231
	1 With mention of gangrene as a consequence	M	27	22	24	23	26	23	26	23	19	21	21
		F	21	21	21	22	23	27	24	24	22	22	23
		P	24	21	23	22	24	25	25	23	21	21	22
451	Aortic aneurysm, non-syphilitic, and dissecting aneurysm	M	47	52	60	60	64	66	77	85	81	86	90
		F	36	36	43	40	47	45	54	55	54	58	58
		P	41	44	51	50	55	55	65	69	67	72	73
452-456	Other diseases of arteries	M	13	14	14	15	16	17	17	20	18	20	20
		F	11	11	11	12	14	16	17	18	19	20	21
		P	12	12	12	13	15	16	17	19	19	20	21

TABLE 8 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
460-468	Diseases of veins and other diseases of circulatory system	M F P	50 72 61	51 70 61	50 76 63	59 80 70	63 88 76	70 100 86	71 101 86	81 117 99	79 118 99	86 126 106	89 131 111
460	Varicose veins of lower extremities	M F P	3 9 6	2 7 5	2 7 5	3 7 5	3 8 5	3 7 5	3 6 5	3 7 5	1 6 4	2 7 5	2 7 5
463	Phlebitis and thrombo-phlebitis of lower extremities	M F P	7 11 9	6 11 9	6 11 8	6 11 9	6 11 9	6 13 9	6 12 9	7 11 9	5 10 8	5 10 7	5 7 6
465	Pulmonary embolism and infarction	M F P	21 25 23	22 24 23	22 29 26	29 31 30	32 34 33	34 38 36	35 40 37	37 45 41	37 47 42	40 46 43	42 51 46
466	Other venous embolism and thrombosis	M F P	15 23 19	17 23 20	15 25 20	17 26 22	19 31 25	22 38 30	23 39 31	29 49 39	31 51 41	34 57 46	35 60 48
470-527	VIII DISEASES OF THE RESPIRATORY SYSTEM	M F P	1,677 1,055 1,355	1,753 1,035 1,381	1,703 1,018 1,348	1,862 1,183 1,510	1,576 934 1,244	1,940 1,247 1,582	1,894 1,242 1,558	2,053 1,372 1,703	1,671 1,062 1,358	1,721 1,086 1,395	1,898 1,298 1,590
470-475	Acute upper respiratory infections	M F P	3 3 3	3 3 3	3 3 3	3 3 3	3 2 3	3 3 3	3 2 2	3 3 3	2 2 2	2 2 2	3 3 3
480-483	Influenza	M F P	59 58 59	164 136 150	56 51 53	178 169 173	25 23 24	156 152 154	67 75 71	63 73 68	21 23 22	17 17 17	70 82 76
480	Influenza with pneumonia	M F P	31 28 29	116 96 106	35 30 33	119 108 113	15 14 14	97 93 95	42 46 44	40 46 43	14 14 14	12 10 11	45 53 49
481	Influenza with other respiratory manifestations, and influenza unqualified	M F P	28 30 29	47 38 42	20 20 20	58 60 59	10 9 9	58 57 58	25 28 26	23 27 25	7 9 8	5 6 6	24 29 27
490-493, 763	Pneumonia	M F P	542 499 520	558 494 525	566 525 545	624 583 602	555 541 548	649 648 649	659 696 678	760 802 781	616 653 635	632 689 661	703 794 750
490	Lobar pneumonia (age 4 weeks and over)	M F P	92 63 77	87 58 72	80 58 69	81 60 70	74 57 65	84 62 72	84 65 74	88 68 78	71 56 64	77 58 67	73 58 65
491	Bronchopneumonia (age 4 weeks and over)	M F P	392 396 394	411 394 402	429 428 428	486 477 481	424 441 433	505 538 522	516 583 550	614 684 650	493 557 526	505 591 549	578 692 637
492	Primary atypical pneumonia (age 4 weeks and over)	M F P	4 3 4	7 5 6	5 4 4	6 5 6	6 6 6	8 6 7	8 6 7	9 7 8	9 6 7	10 8 9	11 9 10
493	Pneumonia, other and unspecified	M F P	31 24 28	33 25 29	29 22 25	30 27 29	30 25 27	33 31 32	31 30 31	31 31 31	27 24 26	26 23 24	28 27 27
763	Pneumonia of the newborn*	M F P	1.40 0.89 1.15	1.15 0.81 0.99	1.34 0.90 1.13	1.15 1.84 1.00	1.12 0.74 0.93	1.02 0.71 0.87	1.09 0.72 0.91	0.91 0.67 0.80	0.78 0.54 0.67	0.75 0.55 0.65	0.69 0.56 0.62
500-502	Bronchitis	M F P	924 433 670	876 350 603	935 388 652	923 377 640	860 316 579	993 384 679	1,030 413 713	1,088 434 751	901 327 606	938 317 619	988 354 663
500	Acute bronchitis	M F P	78 87 83	65 62 63	69 68 69	68 67 68	52 49 51	61 63 62	64 66 65	70 71 71	46 48 47	46 41 43	49 49 49
501	Bronchitis, unqualified	M F P	49 49 49	41 36 39	45 43 44	42 40 41	35 30 32	41 39 40	39 41 40	42 46 44	33 30 31	34 28 31	34 34 34
502	Chronic bronchitis	M F P	797 297 538	770 251 501	822 277 539	813 270 532	773 237 496	892 282 577	927 307 608	975 317 636	823 249 528	858 249 545	905 271 580
	0 Bronchitis with emphysema	M F P	389 79 228	394 87 225	428 78 247	421 79 244	407 71 233	459 83 265	473 88 275	497 94 290	421 75 243	433 75 249	448 81 259
	1 Other	M F P	408 219 310	376 184 277	393 199 293	391 192 288	366 166 262	433 200 313	454 219 333	478 223 346	402 174 285	425 174 296	457 190 320
510-527	Other diseases of respiratory system	M F P	171 75 121	172 64 116	167 66 114	156 65 109	154 64 107	158 71 113	156 68 111	157 72 113	146 66 105	146 70 107	147 73 109
518	Empyema	M F P	4 2 3	3 2 2	4 2 3	3 2 2	3 2 2	3 1 2	2 1 2	3 2 3	2 1 2	3 1 2	2 1 2

\*763. Rates per 1,000 live births (related live births prior to 1957; live birth occurrences from 1957).

TABLE 8 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
519	Pleurisy	M	3	1	1	1	2	2	2	1	1	2	1
		F	2	1	1	1	2	1	2	1	1	2	1
		P	2	1	1	1	2	2	2	1	1	2	1
522	Pulmonary congestion and hypostasis	M	12	8	9	9	11	10	11	12	11	12	13
		F	20	15	15	16	17	20	20	19	19	23	22
		P	16	11	12	13	14	15	16	16	15	18	18
523, 524	Silicosis, and occupational pulmonary fibrosis	M	32	36	34	30	30	32	30	30	29	27	27
		F	7	0	7	7	7	7	1	0	0	7	0
		P	16	18	17	15	15	16	15	15	14	13	13
525	Other chronic interstitial pneumonia	M	9	8	9	8	9	10	10	12	13	12	12
		F	3	4	5	5	4	5	5	6	7	7	8
		P	6	6	7	6	6	7	7	9	10	9	10
526	Bronchiectasis	M	59	60	55	52	48	48	45	43	40	36	36
		F	31	29	26	25	23	26	24	25	22	21	20
		P	45	44	40	38	35	37	34	34	31	28	28
527	Other diseases of lung and pleural cavity	M	47	49	49	47	46	46	49	49	44	47	50
		F	13	10	12	12	11	13	12	14	13	14	17
		P	29	29	30	29	28	29	30	31	28	30	33
	1 Emphysema without mention of bronchitis	M	43	45	46	43	42	43	44	44	39	40	41
		F	10	8	9	9	9	9	10	10	9	9	10
		P	26	26	27	26	25	25	27	26	24	24	25
530-587	IX DISEASES OF THE DIGESTIVE SYSTEM	M	398	385	378	354	362	356	354	338	322	315	318
		F	310	301	297	305	313	314	314	317	308	304	312
		P	352	342	336	328	337	334	333	327	315	309	315
530-539	Diseases of buccal cavity and oesophagus	M	4	6	5	4	5	5	5	5	5	5	6
		F	6	6	6	6	6	6	7	8	6	6	6
		P	5	6	6	5	6	6	6	7	6	6	6
540-545	Diseases of stomach and duodenum	M	184	171	163	148	150	139	144	130	119	115	117
		F	72	67	67	67	69	65	70	69	60	63	64
		P	126	117	114	106	108	101	106	98	89	88	90
540	Ulcer of stomach	M	84	77	74	66	67	62	62	59	54	54	51
		F	43	41	40	41	42	39	41	41	35	37	38
		P	63	58	57	53	54	50	51	49	44	45	44
	0 Without mention of perforation	M	61	56	55	50	51	47	44	45	42	41	38
		F	34	31	33	33	32	31	32	32	27	30	30
		P	47	43	43	41	41	39	38	38	34	35	34
	1 With perforation	M	23	21	19	16	17	15	17	14	12	13	13
		F	10	10	7	8	10	8	9	9	8	7	8
		P	16	15	13	12	13	12	13	11	10	10	10
541	Ulcer of duodenum	M	92	88	84	75	76	70	75	64	58	55	60
		F	24	22	23	22	23	22	26	23	21	22	22
		P	57	54	52	47	49	45	50	43	39	38	41
	0 Without mention of perforation	M	59	55	52	48	47	45	49	39	35	33	37
		F	15	13	13	13	14	13	15	12	12	12	12
		P	36	33	32	30	30	28	31	26	23	23	25
	1 With perforation	M	33	33	31	27	29	25	26	24	23	22	23
		F	9	8	9	9	9	9	11	10	9	9	9
		P	21	20	20	18	19	17	18	17	16	15	16
550-553	Appendicitis	M	24	23	21	20	17	16	15	13	12	12	10
		F	14	13	14	12	11	12	11	11	9	10	9
		P	19	18	18	15	14	14	13	12	11	11	9
550	Acute appendicitis	M	20	19	18	17	14	14	13	11	10	9	8
		F	11	11	12	9	10	10	9	7	7	8	7
		P	15	15	15	13	12	12	11	10	9	9	8
	0 Without mention of peritonitis	M	3	3	3	2	2	2	2	1	2	1	1
		F	2	1	2	1	1	2	1	2	1	1	1
		P	3	2	2	2	2	2	1	2	1	1	1
	1 With peritonitis	M	16	16	15	14	12	11	12	10	8	8	7
		F	9	10	10	8	8	8	8	7	7	7	6
		P	13	13	13	11	10	10	10	8	7	7	6
551-553	Other and unqualified appendicitis	M	5	4	3	3	3	3	2	2	2	2	2
		F	3	2	2	2	2	2	2	2	2	2	2
		P	4	3	3	2	2	2	2	2	2	2	2
560, 561	Hernia of abdominal cavity	M	36	36	33	32	32	33	33	30	30	29	27
		F	37	35	32	36	32	35	35	32	33	31	31
		P	37	35	32	34	32	34	34	31	31	30	29
560	Hernia of abdominal cavity without mention of obstruction	M	9	10	9	10	10	10	10	10	12	10	10
		F	8	7	8	9	8	10	10	10	12	11	12
		P	8	8	8	9	9	10	10	10	12	11	11
561	Hernia of abdominal cavity with obstruction	M	27	26	24	22	22	24	22	21	18	19	17
		F	30	28	24	27	24	25	25	22	21	20	19
		P	28	27	24	25	23	24	24	21	19	19	18
570-578	Other diseases of intestines and peritoneum	M	83	83	86	83	88	90	87	90	87	83	87
		F	93	95	95	97	105	108	106	112	112	107	116
		P	88	89	90	90	97	99	97	101	100	96	102

TABLE 8 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
570	Intestinal obstruction without mention of hernia	M	33	31	32	32	34	35	31	34	31	30	32
		F	31	28	31	31	35	35	35	37	35	35	37
		P	32	30	31	32	35	35	33	35	33	33	34
	2 Mesenteric infarction	M	9	9	9	9	11	12	11	12	11	12	11
		F	9	10	10	12	14	14	14	14	14	13	15
		P	9	9	10	11	12	13	13	13	13	12	13
	3 Volvulus	M	10	9	8	10	8	9	7	8	8	6	9
		F	8	6	7	7	7	6	7	7	8	7	7
		P	9	8	7	8	7	7	7	7	8	7	8
	4 Impaction of intestine	M	2	1	1	1	2	1	2	1	1	1	1
		F	3	2	2	2	2	3	3	3	2	2	2
		P	3	2	2	1	2	2	2	2	1	2	2
	5 Other	M	9	10	11	11	12	10	9	11	9	8	9
		F	9	8	10	9	11	11	11	11	10	12	11
		P	9	9	10	10	11	10	10	11	9	10	10
571	Gastro-enteritis and colitis except ulcerative (age 4 weeks and over)	M	17	16	17	16	17	18	20	19	19	17	18
		F	16	17	15	16	19	20	20	19	22	17	19
		P	16	17	16	16	18	19	20	19	21	17	19
	0 Ages between 4 weeks and 2 years*	M	266	278	243	252	284	280	333	273	305	236	267
		F	195	197	163	163	196	230	272	202	227	179	201
		P	231	239	204	209	241	256	303	238	267	208	235
	1 Ages 2 years and over	M	8	7	9	8	8	8	8	9	8	8	8
		F	11	11	10	11	13	13	11	12	14	11	12
		P	10	9	10	10	10	11	10	11	11	10	10
572	Chronic enteritis and ulcerative colitis	M	23	25	27	26	27	27	26	25	25	24	24
		F	36	38	41	41	42	43	40	44	43	43	47
		P	30	32	34	34	35	35	33	34	34	34	36
	1 Diverticulitis	M	13	15	17	17	18	18	16	16	15	16	17
		F	21	24	26	29	29	31	28	30	31	30	33
		P	17	20	22	23	23	25	22	23	23	23	25
	2 Ulcerative colitis	M	8	8	8	7	8	7	7	7	7	7	6
		F	13	12	12	10	11	10	10	11	9	10	10
		P	10	10	10	9	9	8	9	9	8	8	8
573-578	Other diseases of intestines and peritoneum	M	10	11	10	8	10	11	10	12	12	12	13
		F	10	11	9	9	10	10	11	13	13	12	14
		P	10	11	9	9	10	10	10	12	12	12	13
580-587	Diseases of liver, gallbladder and pancreas	M	66	67	70	67	71	72	70	70	70	71	71
		F	87	87	83	87	88	88	85	86	87	87	86
		P	77	77	77	77	80	80	77	78	79	79	79
581	Cirrhosis of liver	M	29	31	30	28	31	33	31	31	29	31	31
		F	23	23	23	25	25	27	25	26	27	27	26
		P	26	27	26	27	28	30	28	28	28	29	28
584	Cholelithiasis	M	13	11	13	13	11	10	11	10	9	10	10
		F	25	25	23	23	22	21	19	18	19	18	18
		P	19	18	18	18	16	15	15	14	14	14	14
585	Cholecystitis and cholangitis, without mention of calculi	M	9	8	9	8	7	8	7	7	7	6	6
		F	18	17	16	16	17	16	14	13	13	12	12
		P	13	13	13	12	12	12	10	10	10	9	9
587	Diseases of pancreas	M	11	11	14	13	15	15	15	15	16	15	17
		F	15	15	14	16	16	15	17	18	17	18	18
		P	13	13	14	14	15	15	16	17	16	17	17
	0 Acute pancreatitis	M	7	6	8	8	9	9	10	9	11	10	11
		F	10	10	9	10	10	11	12	13	13	14	13
		P	8	8	9	9	10	10	11	11	12	12	12
590-637	X DISEASES OF THE GENITO-URINARY SYSTEM	M	361	339	327	315	309	293	278	260	245	231	225
		F	163	158	157	156	157	161	162	166	165	160	158
		P	258	245	239	233	230	225	218	212	204	195	190
590-594	Nephritis and nephrosis	M	119	104	99	88	91	83	78	74	66	67	64
		F	92	84	82	75	72	68	69	61	58	54	51
		P	105	93	90	81	81	76	73	68	62	60	57
590	Acute nephritis	M	6	4	4	3	4	3	3	3	3	2	2
		F	3	3	3	2	3	3	2	2	2	2	1
		P	4	3	3	3	4	3	3	2	2	2	2
591	Nephritis with oedema	M	10	9	9	7	7	5	6	5	5	5	5
		F	7	6	5	5	5	4	4	4	4	3	3
		P	8	8	7	6	6	5	5	5	4	4	4
592	Chronic nephritis	M	93	80	76	69	69	64	56	53	45	42	39
		F	75	68	67	60	57	54	53	45	39	36	31
		P	84	74	72	64	63	58	54	49	42	39	35
593	Nephritis not specified as acute or chronic	M	10	10	9	9	10	10	12	13	13	17	17
		F	6	6	6	8	7	8	10	10	13	12	15
		P	8	8	8	8	8	9	11	11	13	14	16

\*571.0 Rates per million population aged under 2 years.

TABLE 8 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
600-609	Other diseases of urinary system	M F P	59 62 60	62 65 64	59 66 62	62 73 68	66 77 72	68 85 77	69 86 78	75 97 86	75 100 88	73 99 87	73 100 87
600	Infections of kidney	M F P	30 39 35	33 45 38	33 43 38	37 52 45	41 54 48	43 64 54	44 65 55	51 75 63	50 77 64	52 79 66	54 82 68
	O Pyelitis, pyelocystitis and pyelonephritis	M F P	29 38 34	32 42 37	32 42 37	36 50 43	39 53 46	42 63 53	42 64 54	49 73 61	49 76 63	51 78 65	53 80 67
602	Calculi of kidney and ureter	M F P	6 7 6	6 7 7	6 6 6	6 6 6	6 6 6	6 6 6	6 6 6	6 6 6	4 5 5	5 5 5	4 4 4
605	Cystitis	M F P	7 8 7	5 8 7	7 9 8	6 8 7	6 8 7	5 8 6	5 7 6	4 7 5	4 7 6	3 6 5	3 6 4
608	Stricture of urethra	M F P	5 0 2	4 0 2	2 0 1	3 0 1	2 0 1	2 0 1	2 - 1	2 0 1	2 0 1	2 - 1	1 0 1
610-617	Diseases of male genital organs	M	183	173	169	164	152	141	131	111	104	90	88
610	Hyperplasia of prostate	M	179	168	165	160	147	138	128	109	101	88	86
611	Prostatitis	M	2	3	3	3	2	2	2	1	1	1	1
620-626	Diseases of breast, ovary, Fallopian tube, and parametrium	M F P	- 2 1	- 2 1	- 1 1	0 2 1	0 1 1	- 2 1	- 2 1	- 2 1	- 2 1	- 1 1	- 2 1
630-637	Diseases of uterus and other female genital organs	F	7	7	8	6	6	6	6	6	5	5	6
631	Uterovaginal prolapse	F	5	5	5	4	4	3	3	3	2	3	2
*640-689	XI DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	F	0.52	0.45	0.43	0.38	0.39	0.33	0.35	0.28	0.25	0.25	0.26
*640-649 660-689	Deliveries and complications of pregnancy, childbirth and the puerperium, excluding abortion	F	0.42	0.37	0.35	0.32	0.31	0.27	0.28	0.22	0.20	0.19	0.20
*640-648	Complications of pregnancy	F	0.20	0.15	0.14	0.13	0.12	0.10	0.12	0.11	0.08	0.08	0.08
*642	Toxaemias of pregnancy	F	0.11	0.10	0.08	0.07	0.07	0.06	0.06	0.05	0.03	0.04	0.04
*645	Ectopic pregnancy	F	0.03	0.03	0.02	0.02	0.02	0.01	0.03	0.02	0.02	0.01	0.02
†650-652	Abortion	F	8	7	7	5	7	6	6	5	5	5	6
†650	Without mention of sepsis or toxaemia	F	3	3	3	2	3	2	3	1	2	2	2
†651	With sepsis	F	4	4	4	3	4	4	3	3	3	3	3
†652	With toxaemia, without mention of sepsis	F	1	0	0	0	1	0	0	0	1	0	1
*670-678	Delivery with specified complication	F	0.13	0.12	0.12	0.11	0.13	0.11	0.10	0.07	0.07	0.07	0.08
*670	Placenta praevia or antepartum haemorrhage	F	0.03	0.03	0.02	0.02	0.03	0.02	0.02	0.01	0.01	0.01	0.01
*671, 672	Retained placenta, and other postpartum haemorrhage	F	0.03	0.03	0.04	0.03	0.02	0.03	0.02	0.02	0.01	0.01	0.02
*673-675	Abnormality of bony pelvis, disproportion or malposition of foetus, and prolonged labour of other origin	F	0.05	0.04	0.03	0.02	0.03	0.02	0.02	0.01	0.01	0.01	0.02
*680-689	Complications of the puerperium	F	0.09	0.08	0.08	0.08	0.05	0.05	0.06	0.04	0.05	0.04	0.03
*681	Sepsis of childbirth and the puerperium	F	0.01	0.02	0.01	0.02	0.01	0.00	0.01	0.01	0.01	0.00	0.01
*682	Puerperal phlebitis and thrombosis	F	0.04	0.03	0.03	0.02	0.02	0.03	0.03	0.02	0.02	0.02	0.01
*684	Puerperal pulmonary embolism	F	0.01	0.01	0.02	0.01	0.01	0.00	0.01	0.01	0.01	0.00	0.00
*685	Puerperal eclampsia	F	0.01	0.01	0.01	0.01	0.00	0.01	0.00	0.00	0.00	0.01	0.00
690-716	XII DISEASES OF THE SKIN AND CELLULAR TISSUE	M F P	9 13 11	9 11 10	9 12 11	8 12 10	8 12 10	9 13 11	7 10 9	6 10 8	8 10 9	6 10 8	6 12 9
690-698	Infections of skin and subcutaneous tissue	M F P	3 4 4	3 4 3	4 4 4	4 4 4	3 4 3	4 4 4	3 4 3	2 3 3	3 3 3	3 3 3	2 3 3
700-716	Other diseases of skin and subcutaneous tissue	M F P	5 9 7	6 7 7	5 8 7	4 8 6	4 9 7	5 9 7	4 7 6	4 7 5	4 7 6	4 7 5	4 9 7
720-749	XIII DISEASES OF THE BONES AND ORGANS OF MOVEMENT	M F P	29 53 42	27 53 40	28 56 43	28 57 43	30 56 44	30 57 44	30 57 44	28 58 44	27 57 43	28 56 42	29 56 43
720-727	Arthritis and rheumatism except rheumatic fever	M F P	16 41 29	14 40 28	16 44 30	16 44 30	18 45 32	16 44 30	16 44 30	16 43 30	15 42 29	15 41 28	15 40 28
722	Rheumatoid arthritis and allied conditions	M F P	10 31 21	8 30 20	10 32 22	10 32 21	11 34 23	11 32 22	10 33 22	10 31 21	10 30 20	9 30 20	9 29 20
	O Rheumatoid arthritis	M F P	9 31 21	8 30 19	9 32 21	10 32 21	10 33 22	10 32 21	9 33 21	9 31 20	9 30 19	8 29 19	8 29 19

\* Rates per 1,000 total (live and still) births.

† Rates per million women age 15-44 years.

TABLE 8 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
723	Osteo-arthritis (arthrosis) and allied conditions	M	6	5	5	5	5	4	5	5	4	5	4
		F	9	9	10	10	10	11	10	10	10	10	10
		P	7	7	7	8	8	7	7	8	7	7	7
	O Osteo-arthritis (arthrosis)	M	4	4	4	3	3	3	3	3	3	3	3
		F	8	8	8	9	9	9	8	9	8	8	8
		P	6	6	6	6	6	6	6	6	6	6	5
730-738	Osteomyelitis and other diseases of bone and joint	M	7	7	6	7	7	7	7	6	6	7	7
		F	8	8	8	9	8	9	8	10	10	11	11
		P	8	8	7	8	7	8	8	8	8	9	9
730	Osteomyelitis and periostitis	M	2	2	2	2	2	1	1	1	1	1	1
		F	2	2	1	1	1	1	0	1	1	1	1
		P	2	2	2	1	1	1	1	1	1	1	1
731	Osteitis deformans	M	4	4	3	3	3	4	3	3	3	4	3
		F	4	4	4	3	4	3	4	4	4	3	4
		P	4	4	4	3	3	4	4	3	3	3	4
740-749	Other diseases of musculoskeletal system	M	5	5	6	5	6	7	7	7	6	7	8
		F	4	4	4	4	3	5	5	5	5	5	4
		P	5	5	5	5	4	6	6	6	5	6	6
750-759	XIV CONGENITAL MALFORMATIONS	M	113	120	119	114	122	119	125	122	119	112	107
		F	92	101	98	102	102	106	108	102	99	94	90
		P	102	110	108	108	112	112	116	112	109	103	98
750	Monstrosity	M	3	3	3	2	4	3	3	4	4	4	3
		F	3	4	5	5	5	5	5	5	5	5	4
		P	3	3	4	4	4	4	4	4	5	4	4
751	Spina bifida and meningocele	M	16	15	16	14	13	12	11	13	11	12	10
		F	20	20	20	17	17	17	15	20	18	16	16
		P	18	18	18	16	15	14	13	17	15	14	13
752	Congenital hydrocephalus	M	10	9	9	11	11	12	10	5	5	4	4
		F	10	10	10	12	13	13	13	4	4	3	4
		P	10	9	10	11	12	12	11	5	4	4	4
753	Other congenital malformations of nervous system and sense organs	M	2	4	3	3	4	3	3	3	3	3	3
		F	3	3	3	3	3	3	3	3	4	4	3
		P	3	3	3	3	4	3	3	3	4	3	3
754	Congenital malformations of circulatory system	M	47	52	52	50	53	54	59	61	57	55	54
		F	34	39	37	39	43	44	45	45	43	42	40
		P	40	45	44	45	47	49	52	53	50	48	47
756	Congenital malformations of digestive system	M	13	14	13	13	13	13	14	12	13	11	9
		F	7	7	8	8	7	8	8	7	8	7	8
		P	10	10	10	10	10	10	11	9	10	9	9
757	Congenital malformations of genito-urinary system	M	12	13	12	11	14	12	14	13	13	12	12
		F	8	10	8	10	8	9	8	9	8	9	9
		P	10	11	10	10	11	10	11	11	10	11	10
760-776*	XV CERTAIN DISEASES OF EARLY INFANCY †	M	15.55	15.08	14.75	14.28	14.10	13.95	13.58	12.77	11.96	11.52	11.34
		F	11.16	10.86	10.56	10.49	10.04	9.97	9.42	9.18	8.84	8.17	8.20
		P	13.43	13.03	12.71	12.44	12.13	12.02	11.56	11.02	10.45	9.89	9.82
780-795	XVI SYMPTOMS, SENILITY AND ILL-DEFINED CONDITIONS	M	162	136	137	124	110	110	101	95	75	67	66
		F	260	224	225	217	206	204	186	169	141	131	128
		P	213	181	183	172	160	159	145	133	109	100	98
780-789	Symptoms referable to systems or organs	M	6	5	4	3	4	5	4	5	5	5	4
		F	6	5	4	3	4	5	3	4	4	4	5
		P	6	5	4	3	4	5	4	5	4	5	4
790-795	Senility and ill-defined diseases	M	156	130	133	121	106	105	97	90	70	61	62
		F	254	219	221	214	202	200	183	165	137	127	123
		P	207	176	179	169	156	154	141	129	105	95	93
794	Senility without mention of psychosis	M	152	127	130	118	103	101	94	86	66	58	57
		F	252	216	220	211	199	197	180	162	134	125	120
		P	204	173	176	166	153	151	138	125	101	92	90
E800-E999	XVII ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)	M	604	594	614	615	611	611	610	616	618	602	601
		F	383	374	390	399	406	405	419	436	424	419	420
		P	490	480	498	503	505	505	512	524	518	508	508
E800-E802	Railway accidents	M	14	13	14	11	10	11	9	9	8	7	5
		F	2	1	2	1	1	1	1	1	1	1	1
		P	7	7	8	6	5	6	5	5	5	4	3
E810-E835	Motor vehicle accidents	M	174	170	186	202	215	213	200	201	227	228	226
		F	56	53	60	69	80	79	74	73	83	90	88
		P	113	109	121	132	145	144	135	135	153	157	155
E812	To pedestrian	M	59	56	61	59	67	68	63	62	70	73	74
		F	36	32	39	42	50	47	45	45	50	52	51
		P	47	44	49	50	58	57	53	54	59	62	62
E813	To pedal cyclist	M	21	20	21	24	22	22	18	19	19	18	17
		F	3	3	2	4	4	3	3	2	3	2	2
		P	12	11	11	14	12	12	10	10	11	10	9

\* For details of causes 760-776, see Table 12.

† Rates per 1,000 live births (related live births prior to 1957; live birth occurrences from 1957).

TABLE 8 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
E815	To rider or passenger of motorcycle in collision with other motor vehicle	M	35	34	40	45	48	41	37	34	36	32	32
		F	2	3	3	3	4	4	3	2	3	3	2
		P	18	18	21	23	25	22	19	18	19	17	17
E816	Other motor vehicle traffic accident involving two or more motor vehicles	M	20	17	25	29	30	33	35	41	50	55	56
		F	7	7	9	11	12	16	14	13	17	21	21
		P	13	12	16	19	20	24	24	27	33	38	38
E821	To rider of motorcycle without antecedent collision	M	15	18	15	18	19	18	14	14	17	13	11
		F	1	1	2	2	2	1	1	1	1	1	1
		P	8	9	8	10	10	7	7	9	9	7	6
E823	Involving running off roadway	M	9	11	11	12	16	16	18	17	22	22	24
		F	3	2	3	3	4	4	5	4	6	6	6
		P	6	6	7	8	10	10	11	10	14	14	15
E840-E845	Other road vehicle accidents	M	7	8	7	5	5	4	4	3	3	3	3
		F	2	2	3	2	2	2	2	1	2	1	1
		P	4	5	5	4	3	3	3	2	2	2	2
E843	Accident to rider of pedal cycle not involving collision with motor vehicle	M	5	6	5	4	4	3	3	2	2	2	2
		F	0	1	1	1	1	0	0	0	0	0	0
		P	2	3	3	2	2	2	2	1	1	1	1
E850-E858	Water transport accidents	M	7	7	6	7	8	8	7	7	7	6	7
		F	0	0	0	0	0	1	0	0	0	0	1
		P	3	4	3	3	4	4	4	4	3	3	4
E860-E866	Aircraft accidents	M	6	7	8	3	2	2	3	1	3	4	3
		F	0	1	1	0	-	0	0	-	0	0	0
		P	3	3	4	2	1	1	2	1	1	2	1
E870-E888	Accidental poisoning by solid and liquid substances	M	8	8	7	8	9	10	11	14	13	14	16
		F	8	8	8	8	11	10	13	14	17	16	18
		P	8	8	8	8	10	10	12	14	15	15	17
E871	Barbituric acid and derivatives	M	4	4	4	4	5	6	8	10	8	10	11
		F	6	5	5	6	8	7	9	11	13	12	14
		P	5	5	5	5	6	7	8	10	11	11	13
E870, E872-E888	Remainder, accidental poisoning by solid and liquid substances	M	3	4	3	4	4	4	4	5	5	5	5
		F	3	3	3	3	3	3	4	3	4	4	4
		P	3	3	3	3	3	3	4	4	5	4	5
E890-E895	Accidental poisoning by gases and vapours	M	17	17	20	20	21	20	25	26	20	18	18
		F	20	20	22	24	24	24	29	33	23	20	20
		P	18	19	21	22	22	22	27	30	22	19	19
E890	Utility (illuminating) gas	M	14	14	17	17	19	17	21	23	17	16	15
		F	19	19	21	23	23	23	28	31	22	19	19
		P	17	17	19	20	21	20	25	27	20	18	17
E900-E904	Accidental falls	M	99	92	92	96	86	85	89	91	81	81	80
		F	149	142	149	151	150	146	145	149	141	140	145
		P	125	118	122	124	119	116	118	121	112	111	113
E910-E936	Other accidents	M	112	112	115	108	104	110	105	106	107	102	107
		F	50	47	48	48	46	45	51	57	50	52	50
		P	80	78	80	77	74	76	77	81	78	76	78
E910	Blow from falling or projected object or missile	M	13	14	15	12	13	11	10	10	10	10	9
		F	1	0	1	1	1	1	1	1	0	1	0
		P	7	7	7	6	6	6	5	5	5	5	5
E912	Caused by machinery	M	11	11	12	10	9	11	10	9	10	9	11
		F	0	0	0	0	0	0	0	0	0	0	0
		P	5	6	6	5	5	5	5	4	5	5	5
E914	Caused by electric current	M	5	5	5	4	4	5	4	5	5	5	4
		F	1	1	1	1	1	1	1	1	1	1	1
		P	3	3	3	3	3	3	2	3	3	3	3
E916	Caused by fire and explosion of combustible material	M	11	11	10	12	10	13	14	14	14	14	15
		F	19	17	17	18	17	16	21	23	19	19	19
		P	15	14	14	15	14	15	17	19	16	17	17
E917	Caused by hot substance, corrosive liquid, and steam	M	3	2	3	2	2	3	2	2	2	2	2
		F	3	2	3	3	2	2	2	2	2	2	2
		P	3	2	3	3	2	2	2	2	2	2	2
E921-E925	Accidental mechanical obstruction or suffocation	M	21	18	19	17	18	19	21	21	21	22	20
		F	13	11	10	11	11	11	13	13	14	14	13
		P	17	14	14	14	14	15	17	17	18	18	17
E921	Inhalation and ingestion of food causing obstruction or suffocation	M	12	11	10	10	10	12	12	11	13	15	14
		F	8	7	6	7	8	8	9	9	10	9	9
		P	10	9	8	8	9	10	10	10	11	12	11
E924	Accidental mechanical suffocation in bed and cradle	M	5	4	5	4	3	3	4	4	4	4	4
		F	4	3	3	3	2	2	3	2	3	3	2
		P	5	4	4	3	3	3	4	3	4	3	3
E929	Accidental drowning and submersion	M	30	32	32	33	31	30	26	23	28	24	27
		F	8	10	9	9	8	8	8	7	8	6	8
		P	18	21	20	21	19	19	17	15	18	15	17
E960-E965	Late effects of injury and poisoning	M	7	7	7	7	6	6	6	6	4	4	5
		F	1	2	1	1	1	1	1	1	1	1	1
		P	4	4	4	4	4	4	3	3	2	3	3

TABLE 8 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
E970-E979	Suicide and self-inflicted injury	M F P	149 90 118	146 92 118	146 91 117	142 89 115	138 87 112	135 91 113	144 97 120	145 99 122	138 98 117	127 90 108	121 88 104
E970	Poisoning by analgesic and soporific substances	M F P	15 17 16	14 17 15	15 19 17	15 19 17	15 21 18	17 27 22	24 32 28	31 40 36	32 43 38	31 44 38	28 44 36
E971	Poisoning by other solid and liquid substances	M F P	5 2 4	4 2 3	3 1 2	3 2 3	3 2 2	3 2 2	3 2 3	4 3 3	3 2 3	3 2 2	3 1 2
E972	Poisoning by gases in domestic use	M F P	63 51 57	65 52 58	67 51 58	65 50 57	64 46 55	59 44 51	62 45 53	60 41 50	52 37 44	42 29 36	39 27 33
E974	Hanging and strangulation	M F P	26 5 15	26 6 15	22 5 14	20 5 12	19 5 12	20 6 13	21 6 13	19 4 12	20 5 12	17 5 11	18 5 11
E975	Submersion (drowning)	M F P	13 9 11	12 9 11	12 9 10	11 8 10	12 8 10	10 7 9	10 7 8	9 6 7	8 6 7	8 6 7	7 6 6
E976	Firearms and explosives	M F P	10 0 5	9 1 5	9 0 4	10 0 5	8 0 4	8 1 4	8 0 4	7 0 3	7 0 3	8 0 4	7 0 4
E977	Cutting and piercing instruments	M F P	6 2 4	6 1 4	6 1 4	5 1 3	5 1 3	4 1 3	3 1 2	3 1 2	3 1 2	3 0 2	3 1 2
E978	Jumping from high place	M F P	3 2 2	3 2 3	3 2 2	3 2 3	3 2 2	3 2 2	3 1 2	2 1 2	2 2 2	2 2 2	3 1 2
E979	Other and unspecified means	M F P	7 1 4	5 2 3	6 1 4	7 1 4	7 2 4	5 2 3	6 2 4	6 2 4	6 1 3	6 2 4	6 2 4
E980-E985	Homicide and injury purposely inflicted by other persons (not in war)	M F P	4 4 4	5 5 5	5 4 5	5 6 5	6 5 5	7 4 6	5 6 6	6 5 5	6 6 6	6 5 6	8 6 7
N800-N999	XVII ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS, AND VIOLENCE (NATURE OF INJURY)	M F P	604 383 490	594 374 480	614 390 498	615 399 503	611 406 505	611 405 505	610 419 512	616 436 524	618 424 518	602 419 508	601 420 508
N800-N804	Fracture of skull	M F P	145 42 92	142 39 88	148 41 92	148 43 94	150 48 97	145 46 94	135 44 88	130 42 84	142 46 93	142 47 93	142 48 94
N805-N809	Fracture of spine and trunk	M F P	37 18 27	36 17 26	39 19 29	39 20 29	40 23 32	39 23 31	38 21 29	42 23 32	39 22 30	38 24 31	38 23 31
N810-N829	Fracture of limbs	M F P	58 120 90	56 112 85	54 121 88	53 121 88	52 122 88	51 118 86	51 118 86	51 120 86	49 116 84	47 119 84	44 119 83
N830-N839	Dislocation without fracture	M F P	2 1 1	2 1 2	2 1 2	2 1 1	2 1 1	2 1 2	2 1 1	2 1 1	1 1 1	2 1 1	1 1 1
N840-N848	Sprains and strains of joints and adjacent muscles	M F P	0 - 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 0	0 0 0	0 0 0	0 0 0
N850-N856	Head injury (excluding skull fracture)	M F P	43 19 30	41 19 30	44 17 30	49 21 34	46 21 33	47 22 34	47 22 34	44 22 33	43 21 32	41 20 30	44 18 31
N860-N869	Internal injury of chest, abdomen and pelvis	M F P	43 8 25	43 8 25	49 10 29	53 13 32	52 13 32	55 14 34	53 14 33	60 14 37	66 17 40	68 18 42	77 22 49
N870-N908	Laceration and open wounds	M F P	18 4 11	18 4 11	20 4 12	18 4 11	17 5 11	16 6 10	15 4 10	14 5 9	15 5 10	15 5 10	14 5 9
N910-N929	Superficial injury, contusion and crushing with intact skin surface	M F P	3 2 2	2 2 2	2 2 2	2 2 2	2 3 2	1 2 1	2 2 2	2 2 2	1 2 2	1 1 1	1 1 1
N930-N936	Effects of foreign body entering through orifice	M F P	13 9 11	12 8 10	13 7 10	11 8 10	12 8 10	13 8 11	14 9 12	13 10 11	15 11 13	17 11 14	15 10 13
940-N949	Burns	M F P	12 20 16	13 17 15	13 19 16	12 19 16	10 17 14	12 15 14	12 20 16	12 22 17	11 17 14	10 17 14	11 16 14
960-N979	Effects of poisons	M F P	114 102 108	116 103 109	120 105 112	119 107 113	121 107 113	121 111 115	136 125 130	146 137 141	133 128 130	123 116 120	120 117 118
50-N959, 980-N999	All other and unspecified effects of external causes	M F P	115 38 75	113 44 77	111 43 76	108 40 73	107 38 71	108 39 72	103 39 70	100 40 69	103 37 69	97 39 67	93 38 65

**TABLE 9. Standardised Mortality Ratios (base years 1950-1952)  
by sex for certain causes of death, 1956 to 1966**

**England and Wales**

Note. 1 The S.M.R. shows the number of deaths registered in each of the years to which the table refers as a percentage of the numbers which would have been expected in those years had the sex/age mortality of a standard period (1950-1952) been experienced in those years. For years to 1957 inclusive causes of death were classified according to the sixth (1948) revision of the International Statistical Classification; from 1958 the seventh (1955) revision has been used, necessary adjustments being made for the standard period to make the figures comparable with those for other years.

2 Footnotes to Table 7 for individual causes apply also to this table.

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
	ALL CAUSES	M F P	96 92 94	94 88 91	95 90 92	94 89 91	93 87 89	96 90 93	96 89 92	98 91 94	91 83 87	93 83 88	94 85 89
001-138	Infective and parasitic diseases	M F	48 42	44 39	40 36	36 31	33 29	32 30	29 26	28 25	24 22	22 23	22 24
001-019	Tuberculosis, all forms	M F	43 33	38 28	36 26	31 21	27 19	26 19	24 16	23 15	19 12	17 13	17 13
001-008	Tuberculosis, respiratory	M F	44 32	39 27	36 26	32 21	28 19	27 18	25 16	24 14	20 12	17 12	18 13
010-019	Tuberculosis, other forms	M F	31 33	30 34	29 29	21 24	18 21	18 20	19 16	18 22	15 16	15 16	12 17
020-029	Syphilis and its sequelae	M F	74 82	70 73	62 82	58 69	57 66	51 70	46 63	43 67	44 58	44 67	43 66
053	Septicaemia and pyaemia	M F	88 65	58 63	68 58	57 51	69 46	91 61	91 69	86 61	104 87	79 99	97 95
057	Meningococcal infections	M F	74 63	63 70	47 57	63 47	29 37	40 47	53 36	52 40	31 31	34 35	33 30
080, 081	Acute poliomyelitis, including late effects	M F	32 33	69 50	34 40	22 19	13 8	23 12	10 10	10 6	7 6	3 5	6 4
082, 083	Acute infectious encephalitis, including late effects	M F	87 68	71 58	76 60	73 56	70 70	62 58	63 56	60 41	62 43	40 44	50 49
092	Infectious hepatitis	M F	87 108	89 119	81 92	87 98	101 112	88 114	80 110	75 80	57 73	59 92	58 90
140-239	Neoplasms	M F	104 97	105 96	105 97	106 96	107 96	108 96	109 96	110 96	111 97	111 96	112 97
140-205	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues	M F	105 97	106 96	106 97	107 97	108 97	108 96	110 96	111 96	111 98	112 97	113 98
140-148	Buccal cavity and pharynx	M F	76 96	77 97	77 94	75 87	66 92	63 88	62 86	57 81	59 87	55 84	53 85
150-159	Digestive organs and peritoneum	M F	90 90	90 88	88 88	87 88	85 86	85 84	84 84	84 83	83 81	82 80	83 80
150	Oesophagus	M F	88 104	82 103	81 104	85 99	79 102	82 106	84 104	83 105	80 115	83 109	86 113
151	Stomach	M F	91 89	93 84	92 85	91 83	88 81	87 79	86 76	86 76	82 71	81 69	80 70
153	Large intestine, except rectum	M F	86 89	84 86	81 85	79 85	78 82	79 81	79 81	76 79	76 79	75 78	78 75
154	Rectum	M F	84 90	82 84	82 91	79 93	77 86	74 84	74 84	74 86	73 87	72 83	71 85
157	Pancreas	M F	107 98	108 107	113 107	117 111	115 111	114 111	115 116	122 113	126 113	124 119	129 121
160-165	Respiratory system	M F	129 111	133 113	136 115	143 118	147 125	149 131	153 135	156 140	159 146	162 154	163 163
162, 163	Lung, bronchus and trachea	M F	133 115	138 118	142 121	149 124	153 132	156 141	161 146	164 152	168 159	171 168	172 177
170-181	Breast and genito-urinary organs	M F	109 99	106 98	108 100	106 98	108 99	108 99	114 99	112 98	112 101	114 100	114 100
170	Breast	M F	105 100	105 99	109 101	92 97	92 100	118 102	114 102	101 102	120 106	114 103	139 103
171	Cervix uteri	F	91	89	96	90	90	87	86	84	87	82	83

TABLE 9 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
172	Corpus uteri	F	92	93	90	91	92	91	91	85	78	85	82
175	Ovary, Fallopian tube, and broad ligament	F	106	107	106	107	107	109	109	108	111	113	115
177	Prostate	M	111	107	111	109	110	110	114	113	109	115	111
180	Kidney	M	110	109	117	107	106	111	123	120	124	124	125
		F	103	95	109	98	109	107	103	106	110	105	112
181	Bladder and other urinary organs	M	108	108	105	104	109	109	117	113	117	115	119
		F	105	104	101	110	106	104	107	100	107	112	108
190-199	Other and unspecified sites	M	108	104	103	99	102	106	106	104	108	114	114
		F	114	115	107	108	105	109	107	114	120	119	117
190	Malignant melanoma of skin	M	150	130	112	143	148	135	148	159	164	172	185
		F	117	157	130	138	139	143	153	143	166	175	161
193	Brain and other parts of nervous system	M	114	114	136	131	136	139	138	135	140	141	133
		F	125	126	149	153	146	156	143	155	148	146	149
194	Thyroid gland	M	119	93	95	102	103	97	109	99	96	83	116
		F	100	95	87	98	94	95	93	100	92	97	92
196	Bone, including jaw bone	M	86	77	77	71	72	74	67	58	53	69	59
		F	89	83	86	75	71	72	70	65	68	63	54
200-205	Neoplasms of lymphatic and haematopoietic tissues	M	116	123	121	124	133	129	129	135	139	135	141
		F	123	125	126	135	138	140	142	141	146	153	152
201	Hodgkin's disease	M	108	124	100	114	106	112	112	106	98	107	114
		F	112	104	113	118	125	108	122	105	121	108	105
204	Leukaemia and aleukaemia	M	116	122	121	121	134	127	124	133	136	125	134
		F	115	115	113	125	124	125	131	131	128	136	128
210-229	Benign neoplasm	M	80	85	82	81	90	82	70	75	82	73	73
		F	85	85	76	79	81	71	69	66	68	66	62
230-239	Neoplasm of unspecified nature	M	86	80	43	43	49	52	51	65	69	69	66
		F	85	80	37	49	51	53	49	65	70	64	65
240-289	Allergic endocrine system, metabolic and nutritional diseases	M	79	71	71	65	67	72	74	79	80	84	85
		F	82	78	79	75	80	84	84	88	84	93	90
240-245	Allergic disorders	M	67	59	50	43	41	44	47	54	61	69	69
		F	81	71	74	60	58	61	65	82	86	98	93
250-254	Diseases of thyroid gland	M	84	74	80	93	80	72	95	84	73	83	59
		F	74	72	71	74	76	77	80	90	59	69	62
252	Thyrotoxicosis, with or without goitre	M	71	82	55	75	54	56	84	41	51	51	34
		F	62	64	57	59	61	55	53	50	39	40	40
260	Diabetes mellitus	M	90	81	92	87	93	103	103	105	107	109	112
		F	82	80	80	77	85	90	87	84	86	92	92
270-277	Diseases of other endocrine glands	M	85	76	91	65	79	77	85	89	75	69	56
		F	70	74	62	66	70	66	69	73	64	62	59
290-299	Diseases of the blood and blood-forming organs	M	81	84	85	86	87	85	86	81	84	85	82
		F	86	82	80	79	74	79	76	79	71	78	73
290	Pernicious and other hyperchromic anaemias	M	67	66	62	57	62	53	50	52	45	40	43
		F	77	72	66	65	57	59	55	52	47	50	46
300-326	Mental, psychoneurotic and personality disorders	M	74	67	66	70	76	74	86	79	85	88	87
		F	92	83	66	74	72	76	78	78	69	75	85
330-398	Diseases of the nervous system and sense organs	M	102	99	101	99	98	98	99	100	92	96	95
		F	99	96	99	96	96	96	96	98	89	91	91
330-334	Vascular lesions affecting central nervous system	M	104	100	102	100	99	99	100	102	93	97	96
		F	100	97	99	96	96	96	97	99	89	92	92
340-345	Inflammatory diseases of central nervous system	M	92	103	92	90	91	89	89	90	94	86	82
		F	101	99	100	97	98	101	98	99	102	95	96
345	Multiple sclerosis	M	92	90	95	98	99	95	87	94	92	89	88
		F	97	98	105	107	103	106	99	95	102	91	98
350-357	Other diseases of central nervous system	M	89	87	86	88	86	89	88	89	86	89	89
		F	87	85	86	88	85	92	87	87	87	84	88
350	Paralysis agitans	M	96	96	96	101	96	95	94	94	90	90	87
		F	95	87	89	96	93	97	90	87	86	83	86
353	Epilepsy	M	82	79	75	72	68	79	75	76	67	69	73
		F	79	73	78	64	70	72	73	73	59	65	59

TABLE 9 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
356	Motor neurone disease and muscular atrophy	M	92	96	90	92	91	89	89	83	98	104	94
		F	93	102	105	117	100	101	99	98	110	111	113
390-398	Diseases of ear and mastoid process	M	60	49	40	54	36	35	46	33	34	32	29
		F	55	47	39	38	41	47	33	53	49	40	33
400-468	Diseases of circulatory system	M	99	95	98	94	97	98	100	103	96	98	98
		F	91	86	89	85	86	88	87	88	79	80	80
400-402	Rheumatic fever	M	52	39	35	31	30	27	30	25	14	23	19
		F	43	39	25	25	25	19	17	18	12	12	13
410-416	Chronic rheumatic heart disease	M	75	72	62	59	58	60	59	55	49	47	46
		F	76	75	70	65	65	68	66	62	55	55	53
420-422	Arteriosclerotic and degenerative heart disease	M	99	95	100	96	99	101	104	107	101	104	103
		F	88	82	86	82	83	84	84	85	77	78	78
420	Arteriosclerotic heart disease, including coronary disease	M	121	122	129	128	137	141	150	156	153	160	159
		F	119	119	129	130	138	144	151	158	152	160	162
421	Chronic endocarditis not specified as rheumatic	M	104	112	105	93	103	97	102	95	84	81	82
		F	100	116	107	105	107	111	109	106	84	93	91
422	Other myocardial degeneration	M	75	65	65	57	53	53	49	48	39	36	36
		F	74	64	66	60	57	56	53	51	42	40	39
430-434	Other diseases of heart	M	133	145	143	137	144	153	151	155	140	142	154
		F	124	131	144	141	145	158	155	157	141	148	151
440-443	Hypertension with mention of heart disease	M	79	74	69	61	61	58	55	52	43	43	40
		F	83	79	78	73	70	70	64	63	52	50	48
444-447	Hypertension without mention of heart	M	131	121	121	112	105	97	87	85	71	68	61
		F	136	125	122	111	104	102	90	86	69	66	60
450-456	Diseases of arteries	M	95	88	99	95	97	101	104	111	98	103	107
		F	96	90	97	98	101	106	107	110	101	103	108
460-468	Diseases of veins and other diseases of circulatory system	M	133	134	129	152	164	180	184	211	207	222	229
		F	135	130	139	147	160	182	182	211	212	223	232
470-527	Diseases of the respiratory system	M	95	98	96	104	88	109	107	116	94	96	105
		F	83	80	79	91	71	94	93	102	78	79	93
480-483	Influenza	M	36	99	34	107	15	94	40	38	13	10	42
		F	33	74	27	90	12	79	39	38	12	8	41
490-493, 763	Pneumonia (including newborn)	M	107	109	110	121	107	125	127	147	118	120	133
		F	110	107	112	123	113	134	143	163	131	136	156
490	Lobar pneumonia	M	84	79	73	73	66	76	76	80	64	69	65
		F	85	78	77	79	75	80	84	88	71	73	72
491	Bronchopneumonia	M	115	120	125	141	123	146	150	178	142	145	165
		F	118	115	124	136	124	150	161	187	150	157	183
500-502	Bronchitis	M	98	92	98	96	89	104	108	114	94	97	102
		F	77	61	68	65	54	65	69	72	54	52	57
510-527	Other diseases of respiratory system	M	101	100	96	90	88	91	90	91	84	83	84
		F	102	85	88	86	84	93	89	93	85	89	93
530-587	Diseases of the digestive system	M	88	84	83	77	79	77	77	74	70	68	68
		F	94	90	88	89	91	91	90	91	87	85	87
540-545	Diseases of stomach and duodenum	M	88	81	78	70	71	66	68	62	57	55	55
		F	107	97	97	96	98	91	98	96	83	86	88
540	Ulcer of stomach	M	85	77	74	66	67	62	62	59	54	54	50
		F	103	97	94	94	95	89	92	92	78	82	84
541	Ulcer of duodenum	M	93	88	83	74	75	70	75	64	58	55	60
		F	127	111	115	111	117	108	128	114	106	106	106
550-553	Appendicitis	M	75	71	65	60	51	49	47	40	36	36	31
		F	63	57	61	50	49	51	46	45	39	40	37
560-561	Hernia of abdominal cavity	M	90	88	81	80	78	83	81	75	74	71	66
		F	92	84	76	85	76	81	82	74	75	69	69
570-578	Other diseases of intestines and peritoneum	M	82	82	84	81	85	87	84	86	83	79	82
		F	91	92	91	92	99	101	99	103	102	97	104
580-587	Diseases of liver, gallbladder and pancreas	M	100	100	105	100	105	108	104	105	104	106	106
		F	95	94	89	93	93	92	89	90	90	89	88
581	Cirrhosis of liver	M	97	103	99	94	103	110	103	103	95	104	104
		F	107	106	104	113	112	120	113	116	120	120	115

TABLE 9 - continued

ICD No.	Causes of death		1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
584	Cholelithiasis	M	113	99	111	109	92	83	92	88	82	88	84
		F	89	88	79	80	75	71	65	60	64	59	58
585	Cholecystitis without mention of calculi	M	103	97	99	90	83	88	76	77	83	69	65
		F	82	76	74	70	73	69	61	57	55	51	51
587	Diseases of pancreas	M	109	111	133	129	142	145	146	144	155	148	159
		F	121	121	118	127	129	119	138	145	134	144	141
590-637	Diseases of the genito-urinary system	M	82	76	72	70	68	65	62	59	55	51	50
		F	80	76	74	73	73	74	75	76	75	73	71
590-594	Nephritis and nephrosis	M	79	69	66	58	60	55	52	50	44	44	42
		F	64	58	57	51	49	46	46	41	39	36	33
600-609	Other diseases of urinary system	M	102	106	100	107	113	117	119	129	129	125	124
		F	129	134	135	148	155	170	172	193	197	194	194
610-617	Diseases of male genital organs	M	78	73	71	70	64	60	56	48	45	39	38
610	Hyperplasia of prostate	M	80	74	73	71	65	61	58	49	46	39	38
640-689	Deliveries and complications of pregnancy, childbirth and the puerperium	F	74	67	66	59	63	55	60	48	45	44	44
690-716	Diseases of the skin and cellular tissue	M	65	68	71	59	58	66	53	45	57	48	47
		F	78	65	73	72	73	77	60	59	58	56	68
720-749	Diseases of the bones and organs of movement	M	112	103	108	107	114	114	113	109	104	105	112
		F	114	111	116	117	115	116	116	116	113	110	109
720-727	Arthritis and rheumatism except rheumatic fever	M	120	104	118	117	127	114	115	117	109	106	107
		F	114	110	117	116	118	115	114	110	108	103	101
722	Rheumatoid arthritis and allied conditions	M	117	102	123	122	137	133	123	118	117	109	113
		F	118	111	118	116	120	114	117	108	104	101	99
723	Osteo-arthritis (arthrosis and allied conditions)	M	141	121	116	124	132	92	121	117	102	114	104
		F	117	112	124	124	114	128	113	120	117	111	107
730-738	Osteomyelitis and other diseases of bone and joint	M	92	91	79	82	84	93	88	73	75	81	84
		F	115	112	116	120	111	116	113	139	134	139	145
750-759	Congenital malformations	M	107	112	111	106	111	108	111	107	103	96	91
		F	104	113	110	113	112	114	113	106	101	95	90
E800-E999	Accidents, poisonings and violence	M	105	103	106	106	105	105	105	106	106	103	103
		F	118	113	117	119	120	119	122	127	122	119	119
E810-E835	Motor vehicle accidents	M	113	111	121	131	139	138	129	129	146	146	145
		F	119	111	126	143	165	162	152	149	170	183	176
E890-E895	Accidental poisoning by gases and vapours	M	148	150	173	173	184	174	218	233	180	162	162
		F	144	145	162	168	167	168	203	230	159	138	137
E900-E904	Accidental falls	M	120	111	112	116	104	103	108	112	100	99	98
		F	120	111	115	115	113	108	107	109	102	100	102
E910-E936	Other accidents	M	90	89	92	86	83	87	83	83	84	80	83
		F	98	92	92	91	86	84	94	106	91	93	90
E970-E979	Suicide and self-inflicted injury	M	109	107	106	104	101	99	105	106	101	93	88
		F	126	129	127	124	121	127	135	140	138	127	124

TABLE 10. Death rates per 100,000 population at all ages and at ages over one year and infant mortality rates (deaths under 1 year per 1,000 live births) from certain causes, by sex, in each year 1962 to 1966

England and Wales

Age	Males					Females				
	1962	1963	1964	1965	1966	1962	1963	1964	1965	1966
All causes										
All ages	1,258	1,281	1,192	1,216	1,234	1,133	1,159	1,067	1,088	1,114
1-4	94	98	87	87	92	77	83	74	76	75
5-14	43	44	43	45	43	28	28	29	30	27
15-24	100	99	103	102	105	41	39	43	42	43
25-44	175	180	181	180	176	129	129	127	126	121
45-64	1,404	1,444	1,398	1,406	1,399	745	758	728	730	730
65-74	5,526	5,604	5,201	5,299	5,356	3,020	3,069	2,820	2,835	2,856
75 and over	14,381	14,920	13,251	13,608	14,038	10,848	11,121	9,837	10,030	10,337
Infant mortality	24.50	23.72	22.19	21.48	21.40	18.70	18.39	17.50	16.39	16.46
All diseases (ICD Nos: 001-795)										
All ages	1,197	1,219	1,131	1,155	1,174	1,091	1,116	1,025	1,047	1,072
1-4	69	74	62	62	65	61	66	57	60	57
5-14	26	26	25	26	24	21	21	21	22	20
15-24	39	37	35	35	37	30	27	27	27	28
25-44	129	133	133	133	128	113	111	110	109	105
45-64	1,337	1,374	1,330	1,341	1,335	709	721	693	695	696
65-74	5,410	5,492	5,097	5,196	5,259	2,942	2,986	2,741	2,758	2,780
75 and over	14,057	14,602	12,950	13,324	13,749	10,534	10,799	9,541	9,743	10,045
Infant mortality	23.74	22.94	21.34	20.57	20.53	18.08	17.76	16.82	15.66	15.80
Tuberculosis, all forms (ICD Nos: 001-019)										
All ages	10	9.6	8.0	7.1	7.2	3.4	3.2	2.6	2.6	2.7
1-4	0.66	0.63	0.43	0.36	0.35	0.55	0.80	0.58	0.44	0.56
5-14	0.29	0.12	0.12	0.06	0.08	0.09	0.18	0.09	0.09	0.12
15-24	0.68	0.54	0.32	0.29	0.37	0.47	0.39	0.15	0.29	0.20
25-44	3.4	3.6	2.6	2.1	1.9	2.8	2.7	2.0	1.7	1.7
45-64	18	18	14	12	13	5.1	4.7	3.6	3.7	4.2
65-74	51	43	38	35	32	7.5	6.6	5.8	6.7	6.7
75 and over	43	46	43	39	41	10	11	11	9.4	9.6
Infant mortality	0.01	0.01	0.00	0.00	0.01	0.01	0.00	0.00	0.01	0.00
All malignant neoplasms (ICD Nos: 140-205)										
All ages	242	242	244	247	250	195	195	199	199	201
1-4	10	12	10	10	11	9.5	8.2	8.2	8.6	8.6
5-14	6.4	7.6	7.5	8.5	7.0	5.7	5.7	5.5	5.7	5.1
15-24	11	10	9.2	9.9	9.9	6.6	6.3	6.4	7.1	6.4
25-44	34	35	38	37	35	47	45	47	46	44
45-64	387	388	391	392	389	269	270	277	276	277
65-74	1,209	1,228	1,238	1,248	1,257	611	602	615	616	621
75 and over	1,837	1,836	1,863	1,882	1,963	1,052	1,077	1,069	1,056	1,070
Infant mortality	0.06	0.09	0.06	0.08	0.05	0.07	0.06	0.08	0.05	0.06
Malignant neoplasm of stomach (ICD No: 151)										
All ages	34	34	33	32	32	24	25	23	23	23
1-4	-	-	-	-	-	-	-	-	-	-
5-14	-	-	-	-	-	-	-	-	-	-
15-24	0.12	0.09	0.06	0.06	0.03	0.13	0.09	0.06	0.06	0.12
25-44	3.3	3.9	3.4	2.9	3.0	2.5	2.0	1.9	2.1	1.6
45-64	53	52	50	50	48	22	22	21	20	20
65-74	178	182	173	170	171	85	83	79	79	78
75 and over	283	279	277	270	276	193	199	180	175	178
Infant mortality	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of trachea, bronchus and lung (ICD Nos: 162, 163)										
All ages	89	91	93	96	97	15	15	16	17	18
1-4	0.07	0.06	-	0.06	0.06	0.07	-	0.06	-	-
5-14	-	0.06	-	0.03	0.03	-	0.06	0.03	-	0.03
15-24	0.34	0.18	0.32	0.31	0.34	0.09	0.03	0.15	0.18	0.14
25-44	9.3	8.6	9.3	9.1	9.1	3.0	2.7	3.1	3.1	3.5
45-64	183	184	187	186	185	25	27	29	30	30
65-74	478	495	504	530	523	48	53	54	59	64
75 and over	360	388	420	433	472	55	55	57	59	63
Infant mortality	-	-	-	-	-	-	-	-	-	-

TABLE 10 - continued

Age	Males					Females				
	1962	1963	1964	1965	1966	1962	1963	1964	1965	1966
<b>Malignant neoplasm of breast (ICD No: 170)</b>										
All ages	0.35	0.31	0.36	0.35	0.43	39	39	40	39	40
1-4	-	-	-	-	-	-	-	-	-	-
5-14	-	-	-	-	-	-	-	-	-	-
15-24	-	-	-	-	-	0.09	0.09	0.18	0.12	0.03
25-44	0.08	0.05	0.03	0.03	0.13	13	13	14	13	13
45-64	0.55	0.51	0.74	0.46	0.83	69	70	72	70	71
65-74	1.1	1.2	1.6	2.0	1.7	105	102	110	104	103
75 and over	3.9	3.1	2.5	3.3	2.4	158	164	161	161	163
Infant mortality	-	-	-	-	-	-	-	-	-	-
<b>Malignant neoplasm of uterus (ICD Nos: 171-174)</b>										
All ages						17	16	16	16	16
1-4						-	-	0.06	-	-
5-14						-	-	-	-	0.03
15-24						0.06	0.15	0.12	0.15	0.14
25-44						7.0	6.7	6.7	6.8	5.7
45-64						28	28	28	29	27
65-74						50	46	49	44	48
75 and over						59	62	59	55	58
Infant mortality						-	-	-	-	-
<b>Acute leukaemia (ICD No: 204.3)</b>										
All ages	3.0	3.2	3.4	3.1	3.3	2.7	2.8	2.6	2.9	2.8
1-4	4.3	4.6	3.5	3.8	3.5	3.5	3.6	3.0	3.7	3.8
5-14	2.2	2.7	2.7	2.7	2.4	2.0	2.2	2.0	2.3	2.0
15-24	2.0	1.9	1.6	1.8	2.0	1.3	1.2	1.3	1.6	1.2
25-44	1.5	1.8	1.9	1.7	1.5	1.6	1.4	1.4	1.4	1.6
45-64	3.2	3.4	3.8	3.1	3.9	2.8	3.1	2.7	2.9	2.8
65-74	8.3	8.1	9.3	8.4	8.7	6.1	5.3	5.8	6.4	5.5
75 and over	12	11	14	11	15	6.6	8.4	7.1	8.6	9.4
Infant mortality	0.01	0.02	0.02	0.02	0.01	0.02	0.02	0.02	0.01	0.02
<b>Leukaemia and aleukaemia (ICD No: Rem. of 204)</b>										
All ages	3.1	3.4	3.4	3.2	3.4	2.7	2.6	2.7	2.8	2.5
1-4	0.73	0.38	0.43	0.54	0.47	0.48	0.33	0.71	0.31	0.43
5-14	0.43	0.66	0.40	0.60	0.54	0.36	0.52	0.33	0.36	0.21
15-24	0.55	0.68	0.55	0.34	0.45	0.47	0.33	0.24	0.35	0.14
25-44	1.0	1.2	1.1	0.95	0.96	1.1	0.87	0.77	0.71	0.87
45-64	4.4	4.6	4.5	4.4	3.9	3.2	3.3	3.0	3.0	2.7
65-74	13	16	15	14	16	8.6	7.5	8.1	17	7.1
75 and over	23	24	29	25	30	13	14	16	17	16
Infant mortality	-	0.00	0.01	0.01	0.00	0.00	0.01	0.01	0.00	-
<b>Diabetes mellitus (ICD No: 260)</b>										
All ages	5.9	6.0	6.1	6.3	6.5	10	10	10	11	11
1-4	-	0.44	0.43	0.18	0.12	0.28	0.07	0.13	0.06	0.25
5-14	0.23	0.38	0.26	0.14	0.17	0.15	0.24	0.15	0.33	0.21
15-24	0.37	0.24	0.29	0.37	0.28	0.28	0.12	0.24	0.26	0.09
25-44	1.3	1.1	1.4	1.5	1.5	1.2	0.79	0.67	0.89	1.1
45-64	5.6	6.3	6.3	6.6	7.0	7.1	6.9	6.6	7.3	7.4
65-74	30	29	29	29	31	42	41	41	44	43
75 and over	70	73	75	76	74	80	79	85	89	90
Infant mortality	0.01	0.01	0.00	0.01	0.00	0.01	-	0.00	0.00	0.00
<b>Vascular lesions of central nervous system (ICD Nos: 330-334)</b>										
All ages	140	141	129	136	136	194	199	181	190	191
1-4	0.39	0.44	0.37	0.30	0.18	0.14	0.13	0.32	0.44	0.25
5-14	0.66	0.46	0.40	0.55	0.71	0.69	0.40	0.49	0.57	0.33
15-24	1.7	1.6	1.7	1.5	1.4	1.4	1.2	1.3	1.1	1.3
25-44	7.6	8.0	7.8	8.0	8.0	8.0	7.7	7.4	7.9	7.4
45-64	105	107	107	107	102	93	92	87	85	83
65-74	672	670	612	642	624	549	551	501	497	493
75 and over	2,259	2,337	2,057	2,186	2,232	2,166	2,239	1,988	2,109	2,122
Infant mortality	0.04	0.03	0.04	0.04	0.05	0.01	0.02	0.03	0.02	0.04
<b>Arteriosclerotic heart disease (ICD No: 420)</b>										
All ages	277	288	282	298	297	165	174	169	180	183
1-4	-	-	-	0.06	-	-	0.07	-	0.06	0.06
5-14	-	-	-	-	0.03	0.03	-	-	0.03	0.03
15-24	0.40	0.42	0.26	0.49	0.31	0.13	0.09	0.06	0.18	0.17
25-44	31	32	34	37	35	4.2	4.7	5.0	5.5	5.0
45-64	407	433	436	453	445	101	105	104	109	109
65-74	1,419	1,472	1,413	1,466	1,467	615	640	614	644	637
75 and over	2,529	2,649	2,542	2,728	2,722	1,530	1,607	1,537	1,625	1,666
Infant mortality	0.01	-	0.00	0.00	-	0.00	0.00	-	0.00	0.00

TABLE 10 - continued

Age	Males					Females				
	1962	1963	1964	1965	1966	1962	1963	1964	1965	1966
All cardiovascular diseases (ICD Nos: 401-468)										
All ages	465	475	442	458	457	428	434	395	407	409
1-4	0.66	0.76	0.68	1.1	1.1	0.97	0.87	0.58	0.94	0.86
5-14	0.60	0.87	0.72	0.60	0.68	0.63	0.46	0.82	0.57	0.80
15-24	4.3	4.3	3.5	3.4	3.6	3.5	3.0	2.4	2.4	2.9
25-44	46	49	50	51	49	20	19	19	19	18
45-64	531	558	551	567	557	199	200	190	194	190
65-74	2,149	2,184	2,026	2,070	2,074	1,175	1,194	1,081	1,108	1,083
75 and over	6,040	6,179	5,467	5,647	5,660	4,859	4,910	4,347	4,414	4,449
Infant mortality	0.04	0.05	0.04	0.04	0.08	0.05	0.03	0.05	0.05	0.05
All diseases of respiratory system (ICD Nos: 470-527)										
All ages	189	205	167	172	190	124	137	106	109	130
1-4	19	23	15	19	17	18	21	15	19	17
5-14	4.8	3.8	2.9	3.1	3.4	3.7	3.3	2.9	3.1	3.0
15-24	4.9	4.1	4.8	3.9	4.6	3.2	2.6	2.9	2.1	3.1
25-44	12	11	9.3	9.5	9.5	7.8	8.6	6.5	7.4	7.5
45-64	185	194	160	157	168	53	60	47	46	54
65-74	905	962	797	822	894	297	318	244	240	286
75 and over	2,437	2,796	2,220	2,313	2,622	1,387	1,526	1,155	1,177	1,423
Infant mortality	3.26	3.72	2.97	3.02	3.24	2.42	2.86	2.27	2.31	2.32
Influenza (ICD Nos: 480-483)										
All ages	6.7	6.3	2.1	1.7	7.0	7.5	7.3	2.3	1.7	8.2
1-4	0.46	0.51	0.18	0.12	0.59	0.90	0.54	0.13	0.19	0.68
5-14	0.57	0.20	0.09	0.06	0.37	0.36	0.18	0.15	0.06	0.27
15-24	0.92	0.27	0.26	0.23	0.45	0.78	0.24	0.15	0.15	0.43
25-44	1.1	0.85	0.48	0.63	0.78	1.0	0.67	0.28	0.26	0.84
45-64	6.3	5.7	2.3	1.3	5.7	3.5	3.1	1.0	0.86	3.5
65-74	27	25	6.8	5.9	27	18	16	5.8	3.4	17
75 and over	91	97	30	27	112	81	86	24	18	93
Infant mortality	0.05	0.05	0.03	0.01	0.03	0.04	0.04	0.01	0.01	0.05
Pneumonia (ICD Nos: 490-493, 763)										
All ages	66	76	62	63	70	70	80	65	69	79
1-4	13	15	10	12	11	12	15	9.7	14	12
5-14	2.8	2.6	1.9	1.8	2.2	2.1	1.9	2.1	2.1	1.8
15-24	2.7	2.4	2.8	2.3	2.9	1.8	1.3	1.7	1.1	1.6
25-44	4.9	4.3	3.7	4.0	3.6	3.4	4.2	2.9	3.4	3.1
45-64	37	44	35	32	38	21	25	20	19	23
65-74	225	260	212	213	234	139	159	127	129	148
75 and over	1,075	1,285	1,036	1,098	1,239	823	944	763	802	939
Infant mortality	3.57	3.81	3.09	3.08	3.13	2.61	2.87	2.31	2.40	2.26
Bronchitis (ICD Nos: 500-502)										
All ages	103	109	90	94	99	41	43	33	32	35
1-4	3.5	4.4	2.9	4.3	3.3	3.5	3.8	4.2	2.8	2.8
5-14	0.63	0.58	0.49	0.63	0.65	0.54	0.82	0.33	0.39	0.51
15-24	0.55	0.71	0.73	0.74	0.65	0.34	0.27	0.57	0.32	0.49
25-44	3.5	3.5	3.1	3.1	3.3	1.9	2.3	1.8	2.2	1.9
45-64	119	123	103	105	106	23	25	20	20	22
65-74	575	598	503	531	560	123	125	97	92	105
75 and over	1,138	1,264	1,019	1,040	1,120	420	434	311	296	327
Infant mortality	0.57	0.59	0.49	0.49	0.52	0.41	0.48	0.34	0.31	0.35
Ulcer of stomach and duodenum (ICD Nos: 540-541)										
All ages	14	12	11	11	11	6.6	6.4	5.6	5.9	6.0
1-4	0.07	0.06	0.06	0.06	-	-	-	0.06	-	-
5-14	-	0.03	0.09	-	-	-	-	-	0.06	0.06
15-24	0.31	0.18	0.17	0.06	0.17	0.03	0.09	0.03	-	-
25-44	1.8	1.6	1.7	1.4	1.3	0.48	0.67	0.56	0.36	0.44
45-64	16	15	14	12	13	4.5	4.3	3.7	3.7	3.6
65-74	71	58	53	53	54	21	19	18	15	16
75 and over	149	148	129	135	133	64	61	52	60	61
Infant mortality	0.01	0.00	0.01	0.00	0.00	0.01	0.01	0.00	0.00	-
Appendicitis (ICD Nos: 550-553)										
All ages	1.5	1.3	1.2	1.2	1.0	1.1	1.1	0.92	0.95	0.87
1-4	1.0	0.63	0.43	0.78	0.70	0.21	0.27	0.39	0.44	0.43
5-14	0.46	0.43	0.55	0.49	0.45	0.42	0.24	0.36	0.42	0.30
15-24	0.58	0.48	0.29	0.31	0.39	0.41	0.21	0.21	0.18	0.14
25-44	0.55	0.40	0.29	0.35	0.29	0.30	0.31	0.23	0.25	0.29
45-64	2.0	1.4	1.2	1.5	1.2	0.83	1.0	0.64	0.67	0.84
65-74	6.4	5.5	5.1	4.1	3.6	2.9	3.1	2.5	3.1	2.2
75 and over	10	11	11	9.3	7.2	7.5	6.8	6.8	5.9	5.1
Infant mortality	0.01	0.00	0.01	0.01	0.00	-	-	0.00	-	0.00

TABLE 10 - continued

Age	Males					Females				
	1962	1963	1964	1965	1966	1962	1963	1964	1965	1966
Nephritis and nephrosis (ICD Nos: 590-594)										
All ages	7.8	7.4	6.6	6.7	6.4	6.9	6.1	5.8	5.4	5.1
1-4	0.39	0.63	0.43	0.42	0.35	0.41	0.47	0.45	0.25	0.19
5-14	0.57	0.72	0.66	0.55	0.42	0.60	0.58	0.52	0.85	0.30
15-24	2.3	2.0	1.9	2.6	1.6	1.7	1.9	1.4	1.1	1.1
25-44	4.1	4.0	3.5	3.4	3.4	2.8	2.1	1.9	1.8	1.8
45-64	11	9.9	9.4	9.6	8.9	7.4	6.4	5.8	5.6	5.7
65-74	26	26	22	22	22	17	17	16	14	13
75 and over	59	60	49	50	49	44	37	37	35	31
Infant mortality	0.02	0.01	0.02	0.02	0.02	0.01	0.02	0.01	0.01	0.01
All violent causes (ICD Nos: E800-E999)										
All ages	61	62	62	60	60	42	44	42	42	42
1-4	25	24	25	25	27	16	17	17	17	19
5-14	18	18	19	19	19	7.1	6.8	8.0	7.8	7.6
15-24	62	62	68	67	68	12	12	15	15	15
25-44	45	47	48	47	47	16	18	17	17	16
45-64	68	70	69	65	64	36	37	35	35	35
65-74	116	112	104	104	97	79	83	78	77	76
75 and over	324	317	300	284	289	314	322	296	287	292
Infant mortality	0.75	0.78	0.85	0.90	0.87	0.62	0.63	0.68	0.73	0.65
Motor vehicle traffic accidents (ICD Nos: E810-E825)										
All ages	20	20	22	23	22	7.4	7.2	8.3	9.0	8.7
1-4	8.0	8.8	8.9	8.2	9.7	5.6	5.7	5.6	5.9	5.9
5-14	8.3	9.2	8.9	9.7	9.5	4.1	3.7	4.8	4.7	4.6
15-24	39	38	46	45	45	6.1	5.3	8.7	9.7	8.7
25-44	15	16	17	17	17	3.3	3.4	4.0	3.6	3.7
45-64	17	18	19	20	19	6.8	7.4	6.9	8.6	8.2
65-74	29	27	30	33	29	16	16	18	19	18
75 and over	64	60	74	71	73	30	27	32	33	31
Infant mortality	0.02	0.01	0.02	0.02	0.03	0.01	0.01	0.02	0.01	0.02
Accidents in the home and residential institutions (ICD Nos: E870.0 and 7 - E936.0 and 7)										
All ages	12	13	12	12	12	20	21	19	19	19
1-4	10	9.8	11	9.4	11	7.6	8.5	8.8	8.4	9.8
5-14	1.7	1.5	1.7	1.5	1.8	1.3	1.5	1.5	1.8	1.0
15-24	2.3	3.3	2.6	2.7	3.2	1.5	1.5	1.5	1.4	1.0
25-44	3.8	3.9	4.0	3.9	4.1	2.5	3.0	2.6	2.6	2.7
45-64	8.0	9.4	8.1	8.3	8.3	7.6	8.2	7.8	7.1	7.7
65-74	30	32	24	25	24	34	37	31	31	30
75 and over	166	166	148	139	145	231	233	208	202	205
Infant mortality	0.63	0.67	0.73	0.76	0.71	0.52	0.50	0.54	0.61	0.52
Suicide and self-inflicted injury (ICD Nos: E970-E979)										
All ages	14	14	14	13	12	9.7	9.9	9.8	9.0	8.8
1-4	-	-	-	-	-	-	-	-	-	-
5-14	0.17	0.12	0.06	0.09	0.08	0.09	0.06	0.06	-	0.03
15-24	6.5	6.9	6.3	6.3	6.8	2.3	3.1	2.7	2.6	3.0
25-44	14	14	13	13	13	8.2	9.6	8.7	8.8	7.8
45-64	25	26	25	22	20	18	17	18	16	15
65-74	36	34	31	29	27	21	20	21	19	20
75 and over	44	39	37	31	31	15	18	17	14	15
Infant mortality	-	-	-	-	-	-	-	-	-	-

TABLE 11. Deaths of infants under 1 year from certain causes, 1956 to 1966

England and Wales

ICD No.	Causes of death	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
	ALL CAUSES	16,554	16,720	16,685	16,629	17,118	17,393	18,187	18,042	17,445	16,395	16,147
010	Tuberculosis of meninges and central nervous system	5	3	3	4	3	7	5	2	1	2	-
001-008, 011-019	Other tuberculosis	8	10	9	11	7	5	1	2	1	4	5
056	Whooping cough	63	68	18	16	26	19	18	29	32	15	22
057	Meningococcal infections	71	76	72	62	47	57	60	59	35	40	43
085	Measles	4	20	15	23	6	29	4	24	13	24	18
Rem. of 001-138	Other infective and parasitic diseases	79	63	74	76	78	68	86	74	90	84	85
140-199	Malignant neoplasms	26	26	33	32	29	25	31	42	27	29	32
200-205	Neoplasms of lymphatic and haematopoietic tissues	17	29	28	19	26	28	26	22	33	25	15
250-277	Diseases of the endocrine glands	47	40	45	37	32	38	55	48	46	35	33
295,296,771	Haemorrhagic conditions	234	192	256	225	214	196	247	226	195	172	202
340-343	Inflammatory diseases of central nervous system	149	166	175	131	140	187	195	170	212	187	164
390-398	Diseases of ear and mastoid process	61	43	36	49	41	34	56	60	68	68	51
480-483	Influenza	30	77	33	71	26	33	38	36	19	12	31
490-493	Pneumonia	1,495	1,464	1,461	1,472	1,676	1,606	1,842	2,183	1,792	1,809	1,771
500-502	Bronchitis	311	291	348	389	364	319	412	459	365	345	372
470-475, 510-527	Other respiratory diseases	90	86	103	92	89	108	97	141	128	143	198
571, 764	Gastro-enteritis	319	318	270	301	343	387	450	397	420	341	378
750	Monstrosity	130	152	165	165	186	184	204	192	218	206	169
751	Spina bifida and meningocele	758	733	737	666	654	613	572	711	626	585	567
752	Congenital hydrocephalus	351	342	351	414	451	455	448	141	137	115	127
754.0- 754.5	Congenital malformations of heart	1,108	1,151	1,117	1,130	1,173	1,236	1,368	1,352	1,325	1,262	1,228
757	Congenital malformations of genito-urinary system	116	145	135	115	161	142	180	177	185	185	166
Rem. of 750-759	Other congenital malformations	752	825	884	908	924	974	1,066	1,010	1,144	1,008	976
760, 761	Injury at birth	1,845	1,830	1,805	1,851	1,825	2,043	1,862	1,943	1,940	1,813	1,622
762	Postnatal asphyxia and atelectasis	2,381	2,694	2,645	2,709	2,676	2,647	2,673	2,513	2,639	2,333	2,407
763	Pneumonia of newborn	806	714	837	750	732	704	763	679	583	563	531
766-768	Pemphigus and sepsis of newborn	68	80	70	53	63	78	59	80	74	62	76
770	Haemolytic disease of newborn	349	371	377	360	372	334	353	342	317	312	311
774, 776	Immaturity	3,161	3,108	2,960	2,884	3,068	3,024	2,987	2,849	2,604	2,530	2,463
E900-E904	Accidental falls	11	17	13	23	19	21	22	31	21	29	35
E916, E917	Accident by fire or hot substance	10	9	13	20	19	15	22	27	38	35	26
E921, E922	Obstruction by inhalation or ingestion	249	200	200	186	186	223	252	248	315	314	291
E924, E925	Accidental mechanical suffocation	192	162	175	140	134	118	160	145	161	157	146
Rem. of E800-E965	Other accidents	77	96	97	94	80	98	90	126	101	140	112
	All other causes	1,161	1,119	1,125	1,151	1,248	1,338	1,483	1,502	1,540	1,411	1,474

TABLE 12. Infant mortality rates (deaths under 1 year per 1,000 live births\*) from certain causes, 1956 to 1966

England and Wales

ICD No.	Causes of death	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
	ALL CAUSES	23.75	23.11	22.53	22.22	21.81	21.44	21.68	21.13	19.92	19.00	19.00
010	Tuberculosis of meninges and central nervous system	0.07	0.00	0.00	0.07	0.00	0.07	0.07	0.00	0.00	0.00	-
001-008, 011-019	Other tuberculosis	0.07	0.07	0.07	0.07	0.07	0.07	0.00	0.00	0.00	0.00	0.07
056	Whooping cough	0.09	0.09	0.02	0.02	0.03	0.02	0.02	0.03	0.04	0.02	0.03
057	Meningococcal infections	0.10	0.11	0.10	0.08	0.06	0.07	0.07	0.07	0.04	0.05	0.05
085	Measles	0.00	0.03	0.02	0.03	0.07	0.04	0.00	0.03	0.07	0.03	0.02
Rem. of 001-138	Other infective and parasitic diseases	0.11	0.09	0.10	0.10	0.10	0.08	0.10	0.09	0.10	0.10	0.10
140-199	Malignant neoplasms	0.04	0.04	0.04	0.04	0.04	0.03	0.04	0.05	0.03	0.03	0.04
200-205	Neoplasms of lymphatic and haematopoietic tissues	0.02	0.04	0.04	0.03	0.03	0.03	0.03	0.03	0.04	0.03	0.02
250-277	Diseases of the endocrine glands	0.06	0.06	0.06	0.05	0.04	0.05	0.07	0.06	0.05	0.04	0.04
295,296,771	Haemorrhagic conditions	0.33	0.27	0.35	0.30	0.27	0.24	0.29	0.26	0.22	0.20	0.24
340-343	Inflammatory diseases of central nervous system	0.21	0.23	0.24	0.18	0.18	0.23	0.23	0.20	0.24	0.22	0.19
390-398	Diseases of ear and mastoid process	0.09	0.06	0.05	0.07	0.05	0.04	0.07	0.07	0.08	0.08	0.06
480-483	Influenza	0.04	0.11	0.04	0.09	0.03	0.04	0.05	0.04	0.02	0.07	0.04
490-493	Pneumonia	2.14	2.02	1.97	1.97	2.14	1.98	2.20	2.56	2.05	2.10	2.08
500-502	Bronchitis	0.45	0.40	0.47	0.52	0.46	0.39	0.49	0.54	0.42	0.40	0.44
470-475, 510-527	Other respiratory diseases	0.13	0.12	0.14	0.12	0.11	0.13	0.12	0.17	0.15	0.17	0.23
571, 764	Gastro-enteritis	0.46	0.44	0.36	0.40	0.44	0.48	0.54	0.46	0.48	0.40	0.44
750	Monstrosity	0.19	0.21	0.22	0.22	0.24	0.23	0.24	0.22	0.25	0.24	0.20
751	Spina bifida and meningocele	1.09	1.01	0.99	0.89	0.83	0.76	0.68	0.83	0.71	0.68	0.67
752	Congenital hydrocephalus	0.50	0.47	0.47	0.55	0.57	0.56	0.53	0.17	0.16	0.13	0.15
754.0-754.5	Congenital malformations of heart	1.59	1.59	1.51	1.51	1.49	1.52	1.63	1.58	1.51	1.46	1.45
757	Congenital malformations of genito-urinary system	0.16	0.20	0.18	0.15	0.21	0.18	0.21	0.21	0.21	0.21	0.20
Rem. of 750-759	Other congenital malformations	1.08	1.14	1.19	1.21	1.18	1.20	1.27	1.18	1.31	1.17	1.15
760, 761	Injury at birth	2.64	2.53	2.44	2.47	2.32	2.52	2.22	2.28	2.21	2.10	1.91
762	Postnatal asphyxia and atelectasis	3.40	3.72	3.57	3.62	3.41	3.26	3.19	2.94	3.01	2.70	2.83
763	Pneumonia of newborn	1.16	0.99	1.13	1.00	0.93	0.87	0.91	0.80	0.67	0.65	0.62
766-768	Pemphigus and sepsis of newborn	0.10	0.11	0.09	0.07	0.08	0.10	0.07	0.09	0.08	0.07	0.09
770	Haemolytic disease of newborn	0.50	0.51	0.51	0.48	0.47	0.41	0.42	0.40	0.36	0.36	0.37
774, 776	Immaturity	4.55	4.30	4.00	3.85	3.91	3.73	3.56	3.34	2.97	2.93	2.90
E900-E904	Accidental falls	0.07	0.02	0.02	0.03	0.02	0.03	0.03	0.04	0.02	0.03	0.04
E916, E917	Accident by fire or hot substance	0.07	0.07	0.02	0.03	0.02	0.02	0.03	0.03	0.04	0.04	0.03
E921, E922	Obstruction by inhalation or ingestion	0.36	0.28	0.27	0.25	0.24	0.27	0.30	0.29	0.36	0.36	0.34
E924, E925	Accidental mechanical suffocation	0.27	0.22	0.24	0.19	0.17	0.15	0.19	0.17	0.18	0.18	0.17
Rem. of E900-E965	Other accidents	0.11	0.13	0.13	0.13	0.10	0.12	0.11	0.15	0.12	0.16	0.13
	All other causes	1.67	1.55	1.52	1.54	1.59	1.65	1.77	1.76	1.76	1.64	1.73

\*Based on related live births prior to 1957.



TABLE 13. Home population, births, deaths, infant mortality and perinatal mortality, 1966

England and Wales, regions, Wales, conurbations, hospital regions, counties, Greater London, City of London, London and county boroughs, urban and rural districts

Note. The perinatal mortality rate is the number of deaths under one week plus stillbirths per 1,000 total live and still births. See explanatory notes. For explanation of symbols \*, †, ‡, used in this table see note 11.

Area	Estimated home population as at 30th June 1966	Live births						Deaths						Deaths under 1 year		Deaths under 1 week	Stillbirths	Perinatal mortality rate																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		Legitimate		Illegitimate		Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local to national rate	M	P	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local to national rate				Number	Rate per 1,000 live births																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
		M	F	M	F																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		3	4	5	6	7	8	9	10	11	12	13	14	15	16				17	18	19																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
1	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										</

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
North West Metropolitan	4,325,000	36,219	34,240	3,924	3,761	78,144	18.1	0.91	0.93	22,483	21,528	44,011	10.2	1.06	0.92	1,350	17	950	831	1,041	24
	3,261,900	28,081	26,192	2,257	2,036	58,566	18.0	0.98	1.00	19,119	16,800	34,919	10.7	1.04	0.95	961	16	677	608	827	24
	3,576,300	27,230	25,295	2,473	2,435	57,433	17.0	1.06	1.02	21,013	21,590	42,603	12.6	0.85	0.92	941	16	643	560	807	23
	3,352,100	26,589	24,669	2,977	2,823	56,858	17.0	0.96	0.92	19,075	20,362	39,437	11.8	0.89	0.90	977	17	687	611	787	24
	4,915,900	15,523	14,609	1,399	1,335	32,866	17.2	1.05	1.02	11,808	11,397	23,205	12.1	0.87	0.90	597	18	400	342	444	24
	1,820,200	16,759	16,073	1,204	1,118	35,151	19.3	0.99	1.08	9,550	8,863	18,413	10.1	1.02	0.88	551	16	377	338	465	23
	3,032,600	24,367	22,924	1,920	1,769	50,980	16.8	1.07	1.02	19,363	19,325	38,688	12.8	0.86	0.94	847	17	581	482	731	23
	2,701,200	21,608	20,419	1,433	1,406	44,866	16.6	1.05	0.98	15,599	16,044	34,643	12.8	1.03	1.13	911	20	617	525	850	30
	5,021,400	44,899	42,598	3,459	3,304	94,260	18.8	0.97	1.03	27,968	25,285	53,253	10.6	1.14	1.03	1,836	19	1,261	1,068	1,620	28
	4,540,400	37,641	35,485	3,433	3,415	79,974	17.6	1.05	1.04	30,702	30,402	61,104	13.5	1.02	1.18	1,742	22	1,176	1,020	1,399	30
Berkshire	2,242,200	19,924	18,720	1,578	1,430	41,652	18.6	0.97	1.02	12,944	12,533	25,477	11.4	1.15	1.12	877	21	578	486	761	29
	427,970	4,429	4,280	346	335	9,390	21.9	0.93	1.15	2,164	1,833	3,997	9.3	1.12	0.89	156	17	103	90	122	22
	152,560	1,609	1,581	168	163	3,521	23.1	0.92	1.20	725	612	1,337	8.8	1.26	0.95	69	19	41	36	55	25
	275,410	2,820	2,699	178	172	5,869	21.3	0.94	1.13	1,439	1,221	2,660	9.7	1.05	0.87	88	15	62	54	67	20
	142,850	1,496	1,387	121	110	3,114	21.8	0.93	1.15	702	636	1,338	9.4	1.06	0.85	48	15	33	28	37	21
	4,580	46	37	77	71	86	18.8	0.97	1.03	35	35	70	15.3	0.74	0.97	27	18	20	18	21	23
	67,430	709	622	80	60	1,479	21.9	0.92	1.14	341	302	643	9.5	1.11	0.90	27	18	20	18	21	23
	8,530	80	60	15	15	151	17.5	1.04	1.03	48	47	95	11.0	0.72	0.88	2	13	5	3	8	16
	28,740	319	332	18	16	685	23.8	0.86	1.16	123	93	216	7.5	1.59	0.69	9	13	6	3	8	16
	11,080	103	111	6	3	223	20.1	1.04	1.18	56	65	121	10.9	0.90	0.84	4	18	2	2	18	20
Berkshire	17,820	203	130	12	8	414	23.2	0.91	1.13	78	71	134	8.6	0.97	0.71	6	14	3	3	6	21
	4,570	36	35	2	3	76	16.6	1.04	0.98	21	18	39	8.5	1.01	0.73	-	-	-	-	-	-
	132,560	1,324	1,312	57	62	2,755	20.8	0.96	1.13	737	585	1,322	10.0	1.04	0.89	40	15	29	26	30	20
	30,340	308	329	19	17	633	22.4	0.93	1.30	162	141	303	9.9	0.99	0.84	10	15	9	9	9	26
	32,200	334	336	15	10	675	19.3	0.97	1.06	218	151	339	10.6	0.97	0.98	10	15	5	4	9	19
	34,950	341	347	17	19	724	20.7	0.83	0.97	190	172	362	11.2	0.88	0.94	10	15	6	6	4	15
	585,450	5,670	5,305	388	356	11,719	20.0	0.95	1.07	2,813	2,739	5,552	9.5	1.03	0.84	194	17	133	120	165	24
	125,230	1,222	1,078	127	93	2,520	20.1	1.01	1.15	727	671	1,398	11.2	0.97	0.93	41	16	25	20	40	23
	460,220	4,448	4,227	261	263	9,199	20.0	0.93	1.05	2,086	2,068	4,154	9.0	1.06	0.82	153	17	108	100	125	24
	140,710	1,282	1,226	83	76	2,667	19.0	0.94	1.01	712	735	1,447	10.3	0.90	0.79	49	18	34	33	38	26
Berkshire	15,410	140	128	10	13	291	17.7	0.95	0.96	73	61	134	8.2	1.27	0.99	-	-	-	-	-	3
	42,760	417	379	26	17	839	19.6	0.92	1.02	209	217	426	10.0	0.85	0.73	14	17	13	13	12	29
	21,960	181	197	14	17	409	18.6	1.02	1.07	126	138	264	12.0	0.81	0.83	10	24	6	6	6	29
	29,260	233	243	18	15	509	17.4	0.86	0.85	155	125	280	9.6	1.14	0.94	12	24	9	8	9	33
	5,730	60	66	2	2	130	22.7	0.94	1.21	32	42	74	12.9	0.45	0.50	4	31	2	2	2	30
	7,570	67	62	3	2	134	17.7	0.98	0.98	30	28	58	7.7	0.81	0.53	-	58	-	-	-	15
	17,020	184	151	10	10	355	20.9	1.01	1.19	87	124	211	12.4	0.85	0.90	9	25	4	4	4	22
	319,510	3,166	3,001	178	187	6,532	20.4	0.93	1.07	1,374	1,333	2,707	8.5	1.13	0.82	104	16	74	57	87	23
	35,550	303	316	10	30	659	18.5	0.93	0.97	123	137	260	7.3	1.26	0.79	11	17	7	6	6	18
	35,760	406	394	23	24	837	23.4	0.91	1.20	150	127	277	7.7	1.24	0.82	11	17	7	6	5	13
Berkshire	18,180	138	142	10	12	302	16.6	0.93	0.87	87	69	156	8.6	1.14	0.84	4	13	3	3	1	13
	55,010	562	460	39	23	1,084	19.7	0.83	0.92	183	154	337	6.1	1.38	0.72	23	21	18	14	16	27
	15,880	160	162	8	17	347	21.9	1.02	1.26	70	71	141	8.9	1.07	0.81	5	14	2	2	3	14
	10,310	92	71	8	5	176	17.1	1.09	1.05	84	68	152	14.7	0.78	0.93	2	11	-	-	6	33
	22,220	185	198	22	18	423	19.0	0.98	1.05	108	116	224	10.1	1.08	0.93	9	21	6	6	12	41
	21,800	249	253	9	10	526	24.1	1.04	1.42	124	145	269	12.3	0.82	0.86	3	16	1	1	8	17
	19,460	203	181	11	10	405	20.8	0.97	1.14	68	84	152	7.8	1.21	0.81	7	17	6	5	4	22
	17,240	141	125	12	8	286	16.6	0.94	0.88	109	98	207	12.0	0.75	0.77	5	17	2	2	20	29
	68,100	727	704	26	30	1,487	21.8	0.94	1.16	268	264	532	7.8	1.25	0.93	24	16	22	22	20	29

TABLE 13 - continued

Area	Estimated home population as at 30th June 1966	Live births						Deaths						Deaths under 1 year		Deaths under 1 week	Stillbirths	Perinatal mortality rate				
		Legitimate			Illegitimate			Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local to national rate	M	F	Total	Crude rate per 1,000 home population				Comparability factor	Ratio of local to national rate	Number	Rate per 1,000 live births
		M	F	Total	M	P	Total															
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	
BUCKINGHAMSHIRE																						
Municipal boroughs and urban districts																						
	542,020	4,924	4,699	336	309	10,268	18.9	0.96	1.03	2,703	2,273	4,976	9.2	1.13	0.89	163	16	125	105	131	23	
	268,900	2,649	2,515	193	180	5,537	20.6	0.93	1.08	1,313	1,070	2,383	8.9	1.24	0.94	83	15	65	54	69	22	
	34,580	421	340	32	29	822	23.9	0.85	1.15	184	123	307	9.9	1.31	1.00	14	17	12	12	14	31	
	11,480	68	81	3	6	158	13.8	0.99	0.77	45	68	111	9.7	1.11	0.92	3	19	3	3	1	25	
	23,520	320	270	9	10	609	25.9	0.82	1.20	86	72	158	6.7	1.75	1.00	13	21	8	7	5	20	
	4,810	41	28	2	2	73	15.2	1.07	0.92	30	21	51	10.6	1.02	0.92	2	27	2	1	-	14	
	19,680	239	225	12	8	484	24.6	0.84	1.17	103	69	172	8.7	1.20	0.89	5	10	3	1	6	14	
	5,300	25	28	1	5	59	11.1	1.13	0.71	13	14	27	5.1	1.54	0.87	2	34	2	1	1	33	
	55,170	530	574	39	33	1,176	21.3	0.94	1.13	248	210	458	8.3	1.23	0.87	11	9	9	7	16	19	
	9,990	96	98	6	7	207	20.7	0.95	1.11	53	47	100	10.0	1.14	0.80	3	14	1	1	1	10	
	5,470	45	46	1	1	93	17.0	1.25	1.20	43	68	111	20.3	0.48	0.80	2	22	1	1	-	11	
	85,690	743	713	79	73	1,608	18.8	0.94	1.00	410	303	713	8.3	1.42	1.01	24	15	21	17	21	23	
	13,430	121	112	9	6	248	18.5	1.19	1.24	98	77	175	13.0	0.85	0.94	4	16	3	4	28	4	
Rural districts																						
	273,120	2,275	2,184	143	129	4,731	17.3	1.00	0.98	1,390	1,203	2,593	9.5	1.04	0.84	80	17	60	51	62	24	
	61,920	469	483	30	22	1,004	16.2	0.98	0.90	298	275	573	9.3	1.00	0.79	17	17	16	12	8	20	
	36,150	298	264	18	20	600	16.6	1.03	0.97	200	179	379	10.5	0.97	0.87	7	12	6	6	3	15	
	9,700	76	78	5	6	165	17.0	1.27	1.22	50	41	91	9.4	1.09	0.89	1	6	1	1	4	30	
	71,240	537	504	37	38	1,116	15.7	0.93	0.82	317	279	596	8.4	1.24	0.89	29	26	21	17	18	51	
	14,700	123	124	8	6	261	17.8	1.18	1.19	93	74	167	11.4	0.81	0.79	6	23	5	5	4	34	
	9,600	71	73	5	7	156	16.3	1.06	0.98	51	49	100	10.4	0.95	0.84	3	19	2	2	3	31	
	9,020	99	89	6	8	202	22.4	1.17	1.48	70	72	142	15.7	0.85	0.87	4	20	2	3	15	15	
	60,790	602	569	34	22	1,227	20.2	0.98	1.12	311	234	545	9.0	1.12	0.86	13	11	9	8	19	22	
CAMBRIDGESHIRE AND ISLE OF ELY																						
Municipal boroughs and urban districts																						
	155,810	1,064	1,041	100	79	2,284	14.7	0.98	0.81	838	832	1,670	10.7	0.98	0.90	36	16	23	16	36	22	
	99,850	862	855	66	54	1,437	14.4	0.96	0.78	486	489	975	9.6	1.05	0.86	16	11	9	7	25	22	
	5,820	25	32	2	2	61	11.1	1.06	0.66	31	24	55	10.0	1.02	0.87	1	16	1	1	-	16	
	10,030	76	64	3	6	149	14.9	0.97	0.82	77	97	174	17.3	0.68	1.01	-	-	-	-	1	7	
	13,200	92	88	9	3	192	14.5	1.05	0.86	88	64	151	11.4	1.01	0.98	3	16	2	2	5	25	
	9,820	62	76	6	2	145	14.9	1.01	0.85	47	40	87	8.9	1.14	0.87	5	34	4	3	34	34	
	17,410	147	126	14	12	299	17.2	1.03	1.00	130	113	248	14.2	0.78	0.95	11	37	7	5	2	26	
Rural districts																						
	138,200	1,150	1,144	60	41	2,395	17.3	0.99	0.97	732	654	1,386	10.0	0.93	0.79	33	14	26	26	36	26	
	50,080	416	408	24	14	862	17.2	0.94	0.91	268	248	516	10.3	0.86	0.76	12	14	9	9	13	25	
	14,630	103	101	4	6	214	14.6	1.07	0.88	90	58	146	10.0	1.01	0.86	4	19	2	2	7	47	
	22,040	187	190	9	5	391	17.7	1.02	1.02	110	105	215	9.8	0.93	0.78	2	5	2	2	3	73	
	4,570	25	26	3	1	55	12.0	1.02	0.69	31	20	51	11.2	1.04	1.00	-	-	-	-	2	35	
	33,810	306	315	15	7	643	19.0	1.01	1.08	172	170	342	10.1	0.95	0.82	12	19	10	10	6	25	
	13,070	113	104	5	8	230	17.6	1.01	1.00	61	55	116	8.9	1.09	0.83	3	13	3	3	5	34	
CHESHIRE																						
	1,471,630	12,737	11,965	836	782	26,320	17.9	1.01	1.02	8,713	8,681	17,394	11.8	1.05	1.06	487	19	332	290	423	27	
County boroughs																						
	447,770	3,784	3,659	355	327	8,125	18.1	1.01	1.03	2,740	2,739	5,479	12.2	1.04	1.08	174	21	120	102	152	31	
	145,580	1,294	1,174	126	117	2,711	18.9	0.99	1.06	816	817	1,633	11.4	1.11	1.08	65	24	46	40	47	32	
	60,360	495	514	58	47	1,114	18.5	1.02	1.07	354	329	683	11.3	1.10	1.06	11	12	11	8	19	24	
	140,990	1,136	1,170	114	103	2,523	17.9	1.02	1.03	906	946	1,852	13.1	1.02	1.14	61	24	44	37	56	36	
	102,840	859	801	57	60	1,777	17.3	1.03	1.01	664	647	1,311	12.7	0.97	1.05	35	20	19	17	50	25	

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
<b>Administrative county</b>	<b>1,023,860</b>	<b>8,953</b>	<b>8,306</b>	<b>481</b>	<b>455</b>	<b>18,195</b>	<b>17.8</b>	<b>1.01</b>	<b>1.02</b>	<b>5,973</b>	<b>5,942</b>	<b>11,915</b>	<b>11.6</b>	<b>1.05</b>	<b>1.04</b>	<b>313</b>	<b>17</b>	<b>212</b>	<b>188</b>	<b>271</b>	<b>25</b>
<b>Municipal boroughs and urban districts</b>	<b>790,920</b>	<b>7,087</b>	<b>6,511</b>	<b>400</b>	<b>367</b>	<b>14,365</b>	<b>18.2</b>	<b>1.00</b>	<b>1.03</b>	<b>4,574</b>	<b>4,634</b>	<b>9,208</b>	<b>11.6</b>	<b>1.07</b>	<b>1.06</b>	<b>249</b>	<b>17</b>	<b>170</b>	<b>150</b>	<b>219</b>	<b>25</b>
Alderley Edge	4,020	37	29	2	1	164	15.2	1.39	1.02	38	30	68	16.3	0.73	1.04	2	33	2	1	1	6
Alcester	9,780	86	74	3	4	164	16.8	0.84	0.80	44	37	81	9.3	1.46	1.04	2	33	2	1	1	6
Altrincham M.B.	41,130	337	318	16	13	689	18.8	1.00	0.85	262	260	522	12.7	1.04	1.13	4	24	4	8	13	30
Bebington M.B.	55,140	478	415	29	19	941	17.1	1.02	0.99	330	333	653	12.0	1.08	1.09	17	78	14	13	17	31
Bolton	5,910	44	59	1	4	107	18.1	1.07	1.09	41	45	86	14.6	0.98	1.22	-	-	-	-	-	3
Bowdon	4,680	31	16	4	2	53	11.4	1.06	0.68	24	42	66	14.2	0.87	0.81	1	19	1	1	1	27
Bredbury and Romiley	27,200	275	233	12	9	529	19.4	1.13	1.24	141	146	287	10.6	1.32	1.20	7	13	6	5	4	4
Cheadle and Gatley	53,580	567	463	19	28	1,077	20.1	0.87	0.99	232	256	488	9.1	1.45	0.90	18	17	12	11	10	19
Congleton M.B.	18,150	187	157	8	5	357	19.7	1.00	1.11	94	134	228	12.6	0.96	1.03	4	11	4	4	7	30
Crewe M.B.	52,600	434	406	31	32	903	17.2	1.01	0.89	365	296	661	12.6	1.47	1.26	25	28	17	17	18	38
Dukinfield M.B.	17,150	119	108	9	12	248	14.5	1.09	0.88	134	105	239	13.9	1.02	1.21	10	40	5	4	15	36
Ellesmere Port M.B.	51,140	579	493	37	28	1,157	22.2	0.88	1.10	223	185	408	8.0	1.60	1.09	26	23	16	13	15	24
Hale	16,240	130	96	9	5	170	14.8	1.06	0.89	178	92	170	10.5	0.91	0.82	4	17	2	2	8	24
Hazel Grove and Bramhall	34,050	303	341	13	9	666	19.6	0.99	1.10	164	146	310	9.1	1.19	0.93	12	18	8	8	8	24
Hoyle	32,590	193	206	12	11	422	13.0	1.10	0.81	218	230	448	13.8	0.84	0.99	4	9	3	3	6	21
Hyde M.B.	39,740	340	345	27	20	732	18.9	1.06	1.13	242	287	509	13.1	1.08	1.19	14	19	9	9	18	36
Knutsford	10,700	75	87	6	4	169	15.8	1.03	0.92	87	120	207	19.3	0.50	0.82	3	18	2	2	2	29
Longdendale	7,800	71	47	2	1	124	15.9	1.15	1.03	43	41	84	10.8	1.29	1.19	1	8	1	1	2	19
Lymm	8,350	85	70	2	3	160	19.2	0.98	1.06	48	46	94	11.3	1.08	1.02	1	6	1	1	2	19
Macclesfield M.B.	40,210	342	331	36	34	743	18.5	1.09	1.14	297	332	629	15.6	0.75	1.00	9	12	7	5	8	17
Marple	22,600	220	185	4	6	415	18.4	1.16	1.21	116	115	231	10.2	1.20	1.05	10	24	7	7	2	22
Middlewich	7,910	73	83	4	3	163	20.6	1.05	0.99	275	337	592	10.8	1.13	1.04	12	12	9	8	10	18
Nantwich	11,140	97	91	3	11	202	18.1	0.95	1.04	71	87	138	12.7	1.08	1.17	3	18	3	3	7	18
Neston	15,120	175	178	5	8	368	24.2	1.00	1.37	72	93	165	10.9	1.11	1.03	6	16	4	2	7	24
Northwich	19,240	106	142	8	11	267	13.9	1.06	0.83	135	129	284	13.7	0.95	1.11	4	15	-	-	3	11
Runcorn	27,720	274	257	20	18	569	20.5	0.99	1.14	161	139	300	10.8	1.29	1.19	6	11	2	1	10	19
Sale M.B.	54,930	523	458	27	20	1,018	19.5	0.95	0.99	275	337	592	10.8	1.13	1.04	12	12	9	8	10	18
Sandbach	10,870	91	87	4	6	189	17.4	1.06	1.04	71	87	138	12.7	1.08	1.17	3	18	3	3	7	18
Stalybridge M.B.	21,710	157	141	13	14	325	15.0	1.11	0.94	154	146	300	13.8	1.04	1.23	9	28	6	6	6	36
Wilmslow	27,820	258	196	13	11	478	17.2	0.99	0.86	138	148	284	10.2	1.26	1.10	7	15	6	6	5	23
Winsford	17,360	191	185	4	8	388	22.4	0.86	1.09	100	178	478	10.3	1.46	1.29	6	15	4	4	13	36
Wirral	25,370	228	216	14	5	463	18.2	1.08	1.11	133	144	277	10.9	1.01	0.94	5	11	5	4	13	36
<b>Rural districts</b>	<b>232,940</b>	<b>1,866</b>	<b>1,795</b>	<b>81</b>	<b>88</b>	<b>3,830</b>	<b>16.4</b>	<b>1.04</b>	<b>0.96</b>	<b>1,399</b>	<b>1,308</b>	<b>2,707</b>	<b>11.6</b>	<b>0.99</b>	<b>0.98</b>	<b>64</b>	<b>17</b>	<b>42</b>	<b>38</b>	<b>52</b>	<b>23</b>
Bucklow	21,240	172	189	13	16	390	18.4	0.95	0.99	102	83	185	8.7	1.45	1.08	6	15	5	5	5	23
Chester	33,320	291	263	12	13	579	17.4	1.12	1.10	218	253	441	13.2	0.77	0.87	8	14	2	2	8	17
Congleton	16,140	142	120	10	3	275	17.0	1.01	0.87	127	144	271	16.8	0.69	0.99	5	18	3	2	5	25
Disley	3,830	40	26	1	1	68	17.8	1.08	1.09	25	28	53	13.8	1.03	1.21	-	-	-	-	1	14
Macclesfield	28,240	214	186	4	12	416	15.9	1.04	0.93	172	113	285	10.9	0.97	0.90	4	10	3	3	6	21
Nantwich	30,680	210	230	8	8	456	14.9	1.03	0.92	187	132	339	11.1	1.01	0.96	9	20	5	4	6	22
Northwich	40,810	313	299	9	14	535	15.6	1.06	0.93	234	207	441	10.8	1.19	1.10	18	25	12	12	13	39
Runcorn	43,170	368	344	18	14	741	17.2	1.00	0.97	238	255	493	11.4	1.00	0.87	12	18	12	10	9	25
Warvin	16,070	105	131	6	7	249	15.3	1.06	0.93	98	91	179	11.1	1.01	0.96	8	18	-	-	-	-
Tintwistle	1,460	14	7	-	-	21	14.4	0.96	0.80	8	12	20	13.7	0.97	1.14	1	48	-	-	-	-
<b>CORNWALL *</b>	<b>353,100</b>	<b>2,537</b>	<b>2,506</b>	<b>173</b>	<b>179</b>	<b>5,395</b>	<b>15.3</b>	<b>1.13</b>	<b>0.98</b>	<b>2,560</b>	<b>2,488</b>	<b>5,048</b>	<b>14.3</b>	<b>0.80</b>	<b>0.98</b>	<b>78</b>	<b>14</b>	<b>57</b>	<b>49</b>	<b>109</b>	<b>29</b>
<b>Municipal boroughs and urban districts</b>	<b>199,230</b>	<b>1,444</b>	<b>1,482</b>	<b>108</b>	<b>113</b>	<b>3,147</b>	<b>15.8</b>	<b>1.11</b>	<b>0.99</b>	<b>1,535</b>	<b>1,509</b>	<b>3,044</b>	<b>15.3</b>	<b>0.75</b>	<b>0.99</b>	<b>45</b>	<b>14</b>	<b>34</b>	<b>28</b>	<b>63</b>	<b>28</b>
Bodmin M.B.	7,220	62	58	6	2	129	17.7	1.14	1.14	70	70	169	23.4	0.45	0.90	1	8	1	1	1	23
Bude-Stratton	5,200	33	30	4	1	68	13.1	1.25	0.93	55	52	107	20.6	0.65	1.14	2	29	1	1	1	14
Camborne-Redruth	37,200	283	297	19	18	597	16.0	1.06	0.96	263	261	524	14.1	0.87	1.05	7	12	4	2	18	33
Falmouth M.B.	17,570	429	411	11	11	262	15.1	1.15	0.98	149	139	278	16.0	0.81	1.11	4	15	4	4	18	33
Fowey M.B.	2,350	10	10	3	-	23	9.8	1.28	0.71	19	18	37	15.7	0.73	0.98	-	-	-	-	-	-
Helston M.B.	8,460	96	109	4	4	211	12.9	0.95	1.20	61	53	114	13.5	0.75	0.88	4	19	4	4	1	24
Launceston M.B.	4,570	27	25	1	6	59	24.9	1.09	0.79	44	36	80	17.5	0.59	0.88	4	19	4	2	2	33
Liskeard M.B.	4,700	31	37	4	-	72	15.3	1.20	1.04	63	57	120	25.0	0.49	1.07	2	28	2	2	-	28
Loce	4,010	20	24	5	1	50	12.5	1.26	0.89	28	32	60	15.0	0.70	0.90	-	-	-	-	-	-
Lostwithiel M.B.	1,910	19	15	1	1	36	18.8	1.18	1.25	24	12	36	18.8	0.72	1.16	1	28	1	1	1	54
Newquay	12,030	81	76	7	7	171	14.2	1.13	0.91	85	71	156	13.0	0.72	0.80	1	6	1	1	4	29
Padstow	2,650	14	25	1	3	43	16.2	1.09	1.00	17	21	38	14.3	0.85	1.04	1	23	1	-	1	29
Pennryn M.B.	4,950	32	42	2	2	83	16.8	1.02	0.97	23	25	48	9.7	1.13	0.94	2	24	1	1	1	35
Penzance M.B.	18,910	136	119	12	12	279	14.8	1.14	0.95	154	124	278	14.7	0.81	1.02	2	7	1	1	5	21
St. Austell	26,270	197	211	6	15	429	16.3	1.12	1.03	211	222	433	16.5	0.70	0.99	7	16	5	4	9	30

TABLE 13 - continued

Area	Estimated home population as at 30th June 1966	Live births					Deaths							Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate			
		Legitimate		Illegitimate		Total	Grade rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Grade rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate					Number	Rate per 1,000 live births	
		M	F	M	P																	
																						3
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	
CORNWALL - continued																						
Municipal boroughs and urban districts - continued																						
St. Ives M.B.	8,780	57	44	9	5	415	13.1	1.20	0.89	63	95	158	18.0	0.59	0.91	-	-	-	-	-	4	34
St. Just M.B.	3,520	15	30	1	5	51	14.5	1.11	0.91	23	40	63	17.9	0.81	1.24	-	-	-	-	-	4	73
Saltash M.B.	8,270	83	87	4	5	179	21.6	1.10	1.54	56	50	106	12.8	0.81	0.89	3	22	3	2	2	22	2
Torpoint	6,520	47	47	2	2	98	15.0	1.53	1.50	33	24	57	8.7	1.39	1.03	1	10	1	1	1	20	1
Truro M.B.	14,340	92	85	6	10	193	13.5	1.03	0.79	94	88	182	12.7	0.90	0.98	6	51	5	4	4	3	36
Rural districts*	153,870	1,093	1,024	65	66	2,248	14.6	1.14	0.94	1,025	979	2,004	13.0	0.86	0.96	33	15	23	21	46	29	29
Cannelford	6,940	37	59	3	2	101	14.6	1.24	1.02	56	56	95	13.7	0.70	0.82	-	-	-	-	-	4	34
Kerrier	22,820	160	185	10	8	343	15.0	1.09	0.92	148	122	270	11.8	0.84	0.95	2	6	2	2	7	25	7
*Launceston	6,760	40	35	2	3	80	11.8	1.10	0.73	45	44	89	13.2	0.94	1.06	3	38	1	2	7	37	2
Liskeard	13,450	95	77	8	9	189	14.1	1.20	0.86	66	69	135	10.7	0.89	0.73	5	28	1	1	3	30	3
St. Austell	22,070	164	156	13	11	344	15.6	1.07	0.94	119	127	246	11.1	0.89	0.94	8	23	5	4	14	50	5
*St. Germans	14,570	101	89	4	3	197	13.5	1.25	0.95	119	94	213	14.6	0.82	1.02	2	10	2	2	3	25	3
Scilly, Isles of	1,940	13	17	2	2	37	17.0	0.92	0.88	13	13	26	13.4	1.14	1.31	1	30	1	1	1	59	1
*Stratton	4,770	32	29	4	2	67	14.0	1.23	0.99	34	24	58	12.2	0.89	0.93	-	-	-	-	-	1	15
Truro	26,500	211	184	16	13	430	15.2	1.13	1.01	209	216	425	15.0	0.81	1.04	8	19	5	5	5	23	2
Wadebridge	14,750	112	102	1	3	222	15.1	1.11	0.95	89	91	180	12.2	0.94	0.98	1	5	1	1	4	22	4
West Penwith	17,520	124	111	2	5	242	13.8	1.15	0.90	127	140	267	15.2	0.78	1.01	3	12	3	2	6	32	6
CUMBERLAND	296,200	2,388	2,222	165	139	4,914	16.6	1.01	0.95	1,858	1,841	3,699	12.5	1.08	1.15	110	22	84	60	88	30	30
Carlisle C.B.	70,940	586	570	58	35	1,249	17.6	0.98	0.97	446	492	938	13.2	1.11	1.25	33	26	25	20	26	36	36
Administrative county	225,260	1,802	1,652	107	104	3,665	16.3	1.02	0.94	1,412	1,349	2,761	12.3	1.07	1.12	77	21	55	40	62	27	27
Municipal boroughs and urban districts	90,580	744	682	58	47	1,531	16.9	0.98	0.94	540	568	1,108	12.2	1.11	1.16	33	22	23	15	29	28	28
Cockermouth	6,140	46	58	1	3	108	17.6	1.00	0.99	41	44	85	13.8	1.08	1.27	3	28	2	-	3	27	3
Keswick	4,340	31	27	5	5	68	15.7	1.12	0.99	44	47	91	21.0	0.82	1.47	4	59	4	3	2	71	2
Maryport	12,150	112	93	4	5	214	17.6	0.96	0.95	90	79	169	13.9	1.14	1.35	1	5	1	1	3	14	3
Penrith	10,840	80	81	11	6	178	16.4	1.00	0.93	62	81	143	13.2	0.87	0.98	3	17	1	1	5	33	5
Whitehaven M.B.	27,130	211	210	18	8	447	16.5	0.93	0.87	127	157	284	10.5	1.26	1.13	10	22	5	4	4	18	4
Workington M.B.	29,930	264	213	19	20	516	17.2	1.00	0.97	176	160	336	11.2	1.12	1.07	12	23	10	7	12	36	18
Rural districts	134,680	1,058	970	49	57	2,134	15.8	1.05	0.94	872	781	1,653	12.3	1.05	1.10	44	21	36	25	33	27	27
Aston with Garrigill	2,060	15	10	1	2	28	13.6	1.25	0.86	10	13	23	11.2	0.85	0.81	-	-	-	-	-	5	23
Border	31,060	225	183	9	13	430	13.8	1.12	0.87	241	189	430	13.8	0.93	1.10	8	19	8	5	5	23	5
Cockermouth	21,180	147	164	9	7	327	15.4	1.02	0.89	136	108	244	11.3	1.09	1.07	4	12	3	2	3	15	3
Ennerdale	31,950	293	242	14	12	561	17.6	0.99	0.98	186	170	356	11.1	1.23	1.17	18	32	14	11	13	42	4
Milom	15,090	113	96	3	5	217	14.4	1.08	0.88	86	70	156	10.3	1.28	1.13	1	5	-	-	2	9	9
Penrith	11,460	81	86	4	8	179	15.6	1.07	0.94	72	71	143	12.5	1.03	1.10	5	28	4	3	3	33	3
Wigton	21,880	184	189	9	10	392	17.9	1.05	1.06	141	160	301	13.8	0.92	1.09	8	20	7	4	7	28	7
DERBYSHIRE	911,770	7,589	7,212	494	519	15,814	17.3	1.01	0.99	5,583	4,983	10,566	11.6	1.06	1.05	290	18	202	186	269	28	28
Derby C.B.	128,430	1,065	1,036	140	147	2,388	18.6	1.09	1.15	943	867	1,810	14.1	0.94	1.13	59	25	40	37	47	34	34
Administrative county	783,340	6,524	6,176	354	372	13,426	17.1	0.99	0.96	4,640	4,116	8,756	11.2	1.10	1.05	231	17	162	149	222	27	27

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Municipal boroughs and urban districts	379,440	2,948	2,858	192	212	6,210	16.4	1.02	0.95	2,400	2,232	4,632	12.2	1.03	1.07	116	19	77	71	96	26
	22,740	159	133	6	9	340	13.9	1.06	0.83	131	116	247	10.9	1.22	1.04	12	2	1	1	8	28
	4,050	49	43	4	5	92	12.3	1.40	1.03	40	48	96	17.3	0.75	1.43	2	22	4	1	1	8
	16,080	109	113	3	2	233	14.5	1.42	1.53	31	53	20.8	0.14	0.73	1.07	4	17	3	3	9	50
	11,980	92	80	2	8	182	15.3	1.05	0.82	80	45	125	10.5	1.30	1.17	2	11	2	3	3	27
	19,630	156	148	12	12	325	16.7	1.05	0.99	140	153	293	14.9	0.83	1.06	5	15	3	10	38	38
	70,170	519	508	47	46	1,422	16.0	1.02	0.82	449	443	892	12.7	1.01	1.09	20	18	16	14	26	16
	9,380	74	68	9	7	158	16.8	1.05	1.00	52	49	101	10.8	1.17	1.08	1	—	—	16	19	19
	14,280	190	161	5	3	359	25.2	0.77	1.10	52	58	110	7.7	1.36	0.90	5	14	1	1	2	8
	19,150	155	175	16	15	362	18.9	1.12	1.20	140	119	259	13.5	0.89	1.03	10	28	7	6	4	27
	24,170	181	174	7	10	372	15.4	1.05	0.91	149	126	275	11.4	1.16	1.13	10	27	7	6	6	32
	35,270	271	269	15	23	578	16.4	1.01	0.94	211	171	392	11.1	1.22	1.16	16	28	8	9	10	31
	32,050	272	308	24	22	625	19.5	0.89	1.09	199	184	373	11.6	1.08	1.07	12	19	8	7	10	24
	19,530	156	133	6	14	311	15.9	1.01	0.84	108	119	227	11.6	1.00	0.99	6	19	3	3	3	19
	8,790	79	65	7	3	154	17.5	1.07	1.06	85	44	109	12.4	0.98	1.04	4	26	3	3	1	26
Rural districts	17,750	114	109	7	3	233	13.1	1.07	0.79	122	93	215	12.1	1.04	1.08	5	21	5	5	5	42
	18,570	150	129	11	14	304	16.4	1.01	0.94	150	107	227	12.2	1.21	1.26	9	30	5	4	29	24
	20,050	128	141	5	7	282	14.1	1.07	0.85	113	97	210	10.5	1.11	1.00	2	7	2	2	5	24
	5,240	38	38	2	3	81	15.5	1.16	1.02	31	42	73	13.9	0.98	1.16	2	25	1	—	—	—
	5,070	41	31	2	4	78	15.4	0.99	0.86	33	24	57	11.2	1.17	1.12	—	—	—	—	1	13
	403,900	3,576	3,318	162	160	7,216	17.9	0.96	0.97	2,240	1,884	4,124	10.2	1.16	1.01	115	16	85	78	126	28
	11,560	89	89	5	7	161	13.9	1.12	0.88	72	58	130	11.2	1.08	1.03	1	6	1	1	3	24
	18,770	141	125	7	2	275	14.7	1.09	0.91	109	118	227	12.1	0.90	0.93	2	7	2	2	6	28
	38,020	314	307	13	10	644	16.9	0.99	0.95	181	169	350	9.2	1.05	0.83	5	8	5	5	8	20
	44,160	403	377	28	26	834	18.9	1.00	1.07	255	218	473	10.7	1.22	1.12	20	24	16	15	12	30
	18,170	147	128	4	8	287	15.8	1.11	0.99	131	123	254	14.0	0.93	1.11	4	14	3	3	8	37
	106,250	956	871	46	57	1,930	18.2	0.96	0.99	577	417	994	9.4	1.37	1.06	35	18	24	22	35	29
	19,870	172	166	11	11	360	18.1	1.02	1.04	112	102	214	10.8	1.14	1.05	6	17	4	4	2	17
	41,960	357	315	12	5	689	16.4	0.87	0.90	262	225	487	11.6	1.03	0.99	9	13	6	5	14	27
	105,140	997	965	36	38	2,036	19.4	0.87	0.95	541	454	995	9.5	1.23	1.00	33	16	24	23	38	29
	865,400	6,353	5,978	603	482	13,416	15.5	1.13	0.99	5,978	6,068	12,046	13.9	0.77	0.91	240	18	156	123	162	21
County boroughs*	304,010	2,449	2,325	251	208	5,233	17.2	1.01	0.98	1,775	1,790	3,565	11.7	0.97	0.97	95	18	62	49	62	21
	90,030	648	639	70	46	1,403	15.6	0.99	1.03	509	628	1,137	12.6	0.87	0.94	24	17	13	11	13	17
	213,980	1,801	1,686	181	162	5,830	17.9	1.02	1.07	1,262	1,462	2,428	11.3	1.02	0.99	71	19	49	38	49	22
	561,390	3,904	3,653	352	274	8,183	14.6	1.21	1.00	4,203	4,278	8,481	15.1	0.70	0.90	145	18	94	74	100	21
	281,600	1,845	1,796	205	160	4,006	14.2	1.25	1.00	2,315	2,504	4,819	17.1	0.63	0.92	82	20	50	43	46	22
	2,850	32	27	5	2	66	23.2	1.15	1.51	25	20	45	15.8	0.68	0.89	—	—	—	—	1	15
	16,320	131	153	19	6	309	18.9	1.05	1.42	116	153	269	16.5	0.76	1.07	7	23	3	3	6	29
	10,830	83	81	3	4	171	15.8	1.13	1.01	81	76	157	14.5	0.70	0.87	7	41	6	6	3	52
	12,410	100	82	10	7	199	16.0	1.32	1.19	98	94	192	15.5	0.84	0.85	2	10	1	1	4	25
	2,520	11	17	1	—	29	11.5	1.33	0.86	20	17	37	14.7	0.72	0.90	2	69	1	1	—	34
	3,810	25	9	—	1	35	9.2	1.80	0.94	40	42	82	21.5	0.47	0.86	—	—	—	—	1	28
	4,880	35	37	2	4	78	16.0	1.06	0.96	42	43	85	17.4	0.89	1.32	3	38	3	3	1	51
	7,010	45	46	3	3	97	13.8	1.13	0.88	59	54	73	10.4	0.93	0.83	1	10	1	1	1	20
	7,820	45	40	4	2	91	11.6	1.35	0.88	65	78	143	18.3	0.73	1.14	3	33	3	3	3	15
	21,740	157	146	17	17	337	15.5	1.28	1.12	189	271	470	21.6	0.56	1.03	4	12	3	2	3	15
Administrative county*	2,880	17	20	—	—	37	12.8	1.19	0.86	25	49	74	25.7	0.56	1.23	1	27	—	—	—	—
	5,110	41	44	2	2	89	17.4	1.08	1.06	41	38	79	15.5	0.56	0.74	2	22	1	1	1	22
	9,250	67	62	11	10	150	18.2	1.28	1.32	76	67	143	17.4	0.67	1.00	—	—	—	—	—	—
	3,320	16	14	—	1	31	9.3	1.17	0.81	23	22	47	14.2	0.89	1.08	—	—	—	—	—	—
	1,680	7	13	1	—	21	12.5	1.14	0.81	11	10	21	12.5	0.58	0.62	—	—	—	—	—	—
	18,630	140	139	12	14	302	16.2	1.41	1.02	153	170	323	17.3	0.61	0.90	2	7	1	1	1	7
	1,220	37	31	4	3	91	12.1	1.22	0.90	42	53	124	17.2	0.70	1.03	4	44	3	3	2	54
	7,550	31	31	—	2	59	13.2	1.13	0.87	30	43	124	19.2	0.64	1.00	4	17	1	1	1	17
	3,800	24	23	—	1	39	14.0	1.37	0.87	24	33	54	14.3	0.65	0.63	1	15	—	—	2	29
	34,470	179	170	28	20	397	12.6	1.33	0.95	270	248	518	16.5	0.60	0.85	11	28	5	2	7	22
	2,420	15	10	6	1	32	13.2	1.33	0.92	17	14	31	12.8	0.63	0.69	1	31	1	1	—	31
	5,610	19	10	1	2	32	8.9	1.43	0.79	28	49	77	21.3	0.46	0.84	—	—	—	—	—	—
	11,460	58	35	6	2	101	8.8	1.77	0.86	117	134	251	21.9	0.44	0.82	3	30	3	3	1	39
	2,990	16	12	1	—	29	9.7	1.23	0.67	37	28	65	21.7	0.46	0.85	—	—	—	—	1	33
	(a) Tavistock																				

(a) Tavistock U.D. abolished 1st April 1966. Events included in figures for Tavistock R.D. from 1st January 1966.

TABLE 13 - continued

Area	Estimated home population as at 30th June 1966	Live births					Deaths					Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate																	
		Legitimate		Illegitimate		Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local to national rate	M	P	Total	Crude rate per 1,000 home population					Comparability factor	Ratio of local to national rate	Number	Rate per 1,000 live births													
		M	P	M	P																													
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22													
DEVON - continued																																		
Municipal boroughs and urban districts - continued																																		
Teignmouth	11,830	64	59	10	10	143	12.1	1.41	0.96	94	103	197	16.7	0.58	0.83	2	14	1	1	1	7													
Tiverton M.B.	14,030	125	111	4	9	249	17.7	1.06	1.06	96	68	164	11.7	0.80	0.80	3	12	1	1	1	16													
Torquay M.B.	52,300	283	321	50	36	700	13.4	1.27	0.96	424	471	895	17.1	0.85	0.85	18	26	9	7	5	17													
Totnes M.B.	5,620	27	31	4	3	65	11.6	1.19	0.78	51	79	130	23.1	0.60	1.18	4	62	3	2	2	74													
Rural districts*	279,790	2,059	1,857	147	114	4,177	14.9	1.17	0.98	1,888	1,774	3,662	13.1	0.79	0.88	63	15	44	31	54	20													
*Arminster	14,890	102	72	7	7	188	12.6	1.31	0.93	103	79	182	12.2	0.77	0.80	5	27	3	3	2	26													
Barnstaple	27,560	209	196	15	13	433	15.7	1.22	1.08	193	137	590	14.2	0.83	1.01	9	21	7	4	4	28													
Bideford	5,070	48	36	2	2	88	17.4	1.46	1.14	23	50	53	10.5	0.94	0.84	1	11	1	1	1	22													
*Broadwoodwidge	520	1	4	-	-	5	9.6	1.42	0.96	5	3	8	17.5	0.93	0.87	1	7	1	1	1	26													
Credon	9,840	74	67	5	4	150	15.2	1.42	0.96	50	57	107	10.9	0.93	0.87	1	7	1	1	1	26													
*Holsworthy	8,420	64	52	2	2	120	14.8	1.46	0.97	55	42	97	11.9	0.82	0.83	2	17	1	1	1	40													
*Honiton	41,160	53	46	4	4	109	15.2	1.47	1.00	44	30	74	10.3	0.83	0.82	2	17	1	1	1	19													
Kingsbridge	14,590	77	60	12	5	154	13.0	1.22	0.90	87	72	159	13.5	0.80	0.92	2	13	2	2	2	19													
Newton Abbot	28,190	198	193	21	13	425	15.1	1.20	1.02	220	210	430	15.3	0.72	0.94	3	27	2	2	5	16													
*Okehampton	41,390	83	62	8	5	158	13.9	1.28	1.01	83	71	154	13.5	0.81	0.93	2	13	2	2	1	19													
Plymouth St. Mary	48,030	419	394	17	18	848	17.7	1.03	1.03	261	262	543	11.3	0.88	0.85	14	17	10	4	10	16													
*St. Thomas	32,170	218	188	16	15	437	13.6	1.18	0.91	219	213	432	13.4	0.66	0.76	6	14	3	2	6	18													
*South Molton	8,410	70	50	6	4	130	15.5	1.19	1.04	52	40	92	10.9	0.90	0.84	2	7	5	4	4	38													
a) *Tavistock	22,510	136	145	9	7	297	13.2	1.22	0.91	157	143	300	13.3	0.83	0.94	2	7	2	2	4	20													
*Taverton	20,840	157	140	9	6	312	15.0	1.13	0.96	147	131	278	13.3	0.84	0.95	7	22	4	3	7	31													
Torrington	7,500	52	52	4	6	114	15.6	1.19	1.05	58	37	95	13.0	0.92	1.02	2	10	1	1	1	9													
Totnes	15,980	93	100	10	8	209	13.1	1.27	0.94	133	137	270	16.9	0.57	0.82	2	10	1	1	2	14													
DORSET*	332,970	2,508	2,355	211	171	5,245	15.8	1.14	1.02	2,225	2,147	4,372	13.1	0.83	0.93	75	14	52	44	75	22													
Municipal boroughs and urban districts																																		
Blandford Forum M.B.	203,540	1,497	1,470	155	111	3,233	15.9	1.14	1.02	1,382	1,378	2,760	13.6	0.82	0.95	54	17	35	33	50	25													
Bridport M.B.	3,530	42	32	4	2	80	22.0	1.18	1.47	38	37	75	20.7	0.73	1.29	2	19	2	2	2	12													
Dorchester M.B.	6,510	54	40	6	4	104	16.0	1.20	1.08	59	63	122	18.7	0.66	1.05	2	19	2	2	2	38													
Lyme Regis M.B.	13,420	81	414	6	7	208	15.5	1.07	0.94	98	116	214	15.9	0.75	1.02	3	14	2	2	2	19													
Lyne Regis M.B.	3,300	12	14	2	-	28	8.5	1.41	0.68	13	35	48	14.5	0.73	0.90	2	14	1	1	1	36													
Footle M.B.	96,390	733	733	81	56	1,603	16.6	1.42	1.05	612	631	1,243	12.9	0.83	0.92	22	31	14	12	25	30													
Portland	11,770	107	100	11	8	226	19.2	1.26	1.37	69	50	119	10.1	1.33	1.15	7	31	3	3	4	30													
Shaftesbury M.B.	3,430	15	33	1	2	51	14.9	1.25	1.05	22	15	37	10.8	0.78	0.72	2	39	2	2	2	39													
Sherborne	7,680	43	52	5	3	103	13.4	1.43	1.08	33	42	75	9.8	0.79	0.66	2	19	1	1	3	38													
Wareham M.B.	7,690	46	37	3	2	88	11.4	1.32	0.85	54	70	124	16.1	0.68	0.94	1	11	1	1	4	43													
Weymouth and Melcombe Regis M.B.	3,360	28	18	3	2	51	15.2	1.21	1.04	44	53	77	22.9	0.58	1.14	2	39	-	-	2	38													
Wimborne Minster	42,220	304	258	29	24	615	14.6	1.07	0.88	305	254	559	13.2	0.87	0.98	10	16	8	8	6	23													
Rural districts*	129,430	1,011	885	56	60	2,012	15.5	1.15	1.01	843	769	1,612	12.5	0.82	0.88	21	10	17	11	25	18													
*Beaminster	8,410	67	49	3	3	122	14.5	1.45	0.87	53	44	98	8.0	1.17	0.80	4	21	3	2	1	11													
Blandford	12,210	86	94	5	3	188	15.4	1.22	1.06	54	44	98	8.0	1.17	0.80	4	21	3	2	1	11													
*Bridport	8,060	44	39	3	6	92	11.4	1.36	0.88	60	54	114	14.1	0.75	0.90	3	12	2	2	3	20													
Dorchester	17,870	124	107	8	8	247	13.8	1.18	0.82	138	160	298	16.7	0.60	0.86	3	12	2	2	3	20													
*Shaftesbury	10,010	71	60	1	2	134	13.4	1.15	0.87	69	73	142	14.2	0.83	1.01	2	15	2	2	1	36													
*Sherborne	6,580	60	51	3	3	114	17.3	1.43	1.10	35	32	67	10.2	0.97	0.85	-	-	-	-	3	26													
*Sturminster	10,190	58	62	3	3	126	12.4	1.28	0.90	71	81	152	14.9	0.68	0.87	-	-	-	-	3	23													

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Wareham and Purbeck Wimborne and Cranborne	23,440 32,650	218 283	203 220	13 17	17 18	451 538	19.2 16.5	1.00 1.12	1.08 1.04	117 250	88 171	205 401	9.7 12.3	1.15 0.83	0.86 0.87	5 6	11 11	4 5	3 3	8 4	24 13
<b>DURHAM</b>	<b>1,541,470</b>	<b>13,057</b>	<b>12,502</b>	<b>769</b>	<b>731</b>	<b>27,059</b>	<b>17.6</b>	<b>0.97</b>	<b>0.98</b>	<b>9,899</b>	<b>8,252</b>	<b>18,151</b>	<b>11.8</b>	<b>1.17</b>	<b>1.18</b>	<b>578</b>	<b>21</b>	<b>378</b>	<b>318</b>	<b>475</b>	<b>29</b>
County boroughs	560,450	4,805	4,629	347	315	10,096	18.0	0.96	0.98	3,591	3,104	6,695	11.9	1.16	1.18	221	22	136	130	179	29
Darlington	84,630	712	625	54	55	1,446	17.1	1.02	0.99	646	568	1,214	14.3	0.99	1.21	30	21	19	26	31	19
Gateshead	101,200	860	865	55	52	1,832	18.1	0.97	0.99	667	568	1,235	12.2	1.14	1.19	36	20	30	26	28	29
South Shields	108,110	811	815	65	57	1,748	16.2	0.98	0.90	685	568	1,253	11.6	1.17	1.16	41	23	23	32	29	32
Sunderland	187,650	1,710	1,587	112	104	3,513	18.7	0.94	0.99	1,070	1,003	2,073	11.0	1.23	1.18	82	23	51	44	70	32
West Hartlepool	78,860	712	737	61	47	1,557	19.7	0.93	1.04	523	397	920	11.7	1.20	1.20	32	21	13	12	23	22
<b>Administrative county</b>	<b>981,020</b>	<b>8,252</b>	<b>7,873</b>	<b>422</b>	<b>416</b>	<b>16,963</b>	<b>17.3</b>	<b>0.98</b>	<b>0.96</b>	<b>6,308</b>	<b>5,148</b>	<b>11,456</b>	<b>11.7</b>	<b>1.18</b>	<b>1.18</b>	<b>357</b>	<b>21</b>	<b>242</b>	<b>198</b>	<b>296</b>	<b>29</b>
<b>Municipal boroughs and urban districts</b>	<b>665,110</b>	<b>5,523</b>	<b>5,245</b>	<b>301</b>	<b>303</b>	<b>11,372</b>	<b>17.1</b>	<b>0.99</b>	<b>0.96</b>	<b>4,302</b>	<b>3,425</b>	<b>7,727</b>	<b>11.6</b>	<b>1.21</b>	<b>1.20</b>	<b>248</b>	<b>22</b>	<b>183</b>	<b>131</b>	<b>218</b>	<b>30</b>
Barnard Castle	5,360	32	39	5	3	79	14.7	1.08	0.90	50	48	98	18.3	0.68	1.06	23	33	16	13	4	48
Billingham	34,890	321	336	12	27	696	19.9	0.89	1.00	474	132	306	8.8	1.66	1.25	25	33	16	13	14	38
Bishop Auckland	34,780	298	276	19	15	698	17.5	1.01	1.00	215	212	427	12.3	1.14	1.20	18	30	13	11	9	32
Blaydon	31,610	294	291	12	16	633	19.4	0.98	1.07	205	136	341	10.8	1.15	1.06	5	8	3	3	13	26
Boldon	26,120	203	225	8	16	452	17.3	0.93	0.91	121	146	267	10.2	1.12	0.98	6	13	5	4	9	28
Brandon and Byshottles	19,190	147	136	6	3	292	15.2	0.99	0.85	151	99	250	13.0	1.17	1.30	4	14	3	3	5	27
Chester-le-Street	19,980	185	160	12	10	387	18.4	1.03	1.07	170	115	285	14.3	0.97	1.19	4	16	5	3	5	22
Consett	37,800	300	280	14	22	596	15.9	1.00	0.90	252	164	416	11.1	1.19	1.13	12	20	9	8	13	34
Crook and Willington	24,040	166	159	8	9	341	14.2	1.06	0.85	217	168	385	16.0	0.95	1.30	6	18	6	4	4	23
Durham M.B.	24,210	163	151	6	4	324	13.4	1.21	0.92	134	147	281	11.6	1.00	0.99	2	6	1	1	5	9
Ellington	38,780	297	306	17	5	625	16.1	1.02	0.85	222	154	376	9.7	1.49	1.24	13	21	7	8	13	28
Hartlepool M.B.	18,110	135	124	10	15	234	15.7	0.98	0.87	106	82	188	10.4	1.41	1.25	11	25	8	8	5	45
Hebburn	25,030	207	214	15	12	448	17.9	0.99	0.94	139	135	274	10.9	1.34	1.25	11	25	8	8	12	39
Hetton	17,120	110	109	6	4	229	13.4	1.02	0.77	111	78	183	11.0	1.23	1.16	6	26	3	2	6	34
Houghton-le-Spring	31,190	295	227	9	10	541	17.3	0.97	0.95	184	176	360	11.5	1.18	1.16	14	26	13	12	7	35
Jarrow M.B.	26,520	207	219	17	9	452	17.0	1.04	1.00	169	150	319	12.0	1.20	1.23	9	20	6	14	14	41
Ryton	14,460	132	124	7	5	265	18.3	1.04	0.88	100	66	168	11.5	1.06	1.04	4	15	1	1	6	36
Seaham	25,330	170	185	6	16	377	14.9	0.99	1.03	159	121	290	11.1	1.29	1.22	10	27	5	4	9	26
Shildon	13,890	106	115	8	7	236	17.0	1.03	0.99	104	70	174	12.5	1.22	1.30	3	13	2	1	2	13
Spennymoor	18,550	118	131	7	4	260	14.0	1.01	0.80	133	100	233	12.6	1.21	1.30	8	31	5	2	3	19
Stanley	44,960	360	333	12	18	723	16.1	1.02	0.93	325	242	567	12.6	1.16	1.25	15	21	8	11	11	25
Stockton-on-Tees M.B.	83,260	837	747	56	59	1,699	20.4	0.95	1.09	522	442	964	11.6	1.26	1.25	38	22	22	16	35	29
Tow Law	2,830	19	15	1	1	36	12.7	1.06	0.76	27	17	47	4.5	1.03	1.36	2	56	1	1	28	28
Washington	19,870	162	151	11	3	327	16.5	0.95	0.99	126	104	230	11.6	1.36	1.45	9	28	6	4	6	30
Whickham	27,530	259	216	17	10	502	18.2	0.97	1.00	186	121	307	11.2	1.21	1.16	10	20	7	1	11	35
<b>Rural districts</b>	<b>315,910</b>	<b>2,729</b>	<b>2,628</b>	<b>121</b>	<b>113</b>	<b>5,591</b>	<b>17.7</b>	<b>0.96</b>	<b>0.96</b>	<b>2,006</b>	<b>1,723</b>	<b>3,729</b>	<b>11.8</b>	<b>1.13</b>	<b>1.14</b>	<b>109</b>	<b>19</b>	<b>79</b>	<b>67</b>	<b>78</b>	<b>26</b>
Barnard Castle	17,110	133	138	6	10	287	16.8	1.08	1.00	117	79	196	11.5	1.08	1.06	9	31	5	4	8	41
Chester-le-Street	45,090	394	398	15	15	822	18.2	0.98	1.01	256	241	497	11.0	1.21	1.14	11	13	8	6	7	16
Darlington	27,940	268	230	11	8	517	18.5	0.83	0.87	149	97	246	8.8	1.51	1.14	11	21	9	8	6	27
Durham	37,160	330	310	21	11	672	18.1	0.94	0.96	234	194	428	11.5	1.16	1.14	9	13	7	5	13	26
Easington	86,100	777	703	29	41	1,550	18.0	0.94	0.96	536	450	986	11.5	1.25	1.23	35	23	25	21	21	27
Lanchester	14,710	94	116	3	3	216	14.7	1.03	0.86	107	118	225	15.3	0.68	0.89	8	37	6	6	2	37
Sedgefield	35,200	265	267	16	13	561	15.9	1.03	0.93	307	268	575	16.3	0.94	1.31	12	21	7	5	5	18
Stockton	14,270	130	113	6	4	253	17.7	0.98	0.98	50	51	101	7.1	1.48	0.90	4	16	2	2	5	27
Sunderland	30,160	282	304	8	5	599	19.9	0.93	1.05	475	155	330	10.9	1.01	0.94	9	15	9	9	8	28
Weardale	8,170	56	49	6	3	114	14.0	1.16	0.92	75	70	145	17.7	0.81	1.23	1	9	1	1	3	34
<b>ESSEX</b>	<b>1,243,540</b>	<b>11,017</b>	<b>10,198</b>	<b>678</b>	<b>599</b>	<b>22,492</b>	<b>18.1</b>	<b>0.99</b>	<b>1.01</b>	<b>6,874</b>	<b>6,415</b>	<b>13,089</b>	<b>10.5</b>	<b>0.96</b>	<b>0.86</b>	<b>339</b>	<b>15</b>	<b>246</b>	<b>218</b>	<b>290</b>	<b>22</b>
Southend-on-Sea C.B.	165,860	1,093	1,073	132	117	2,415	14.6	1.18	0.97	1,459	1,308	2,467	14.9	0.75	0.96	36	15	30	25	38	26
<b>Administrative county</b>	<b>1,077,680</b>	<b>9,924</b>	<b>9,125</b>	<b>546</b>	<b>482</b>	<b>20,077</b>	<b>18.6</b>	<b>0.97</b>	<b>1.02</b>	<b>5,515</b>	<b>5,107</b>	<b>10,622</b>	<b>9.9</b>	<b>1.02</b>	<b>0.86</b>	<b>303</b>	<b>15</b>	<b>216</b>	<b>193</b>	<b>232</b>	<b>22</b>
<b>Municipal boroughs and urban districts</b>	<b>785,970</b>	<b>7,150</b>	<b>6,587</b>	<b>396</b>	<b>390</b>	<b>14,533</b>	<b>18.5</b>	<b>0.94</b>	<b>0.98</b>	<b>3,890</b>	<b>3,565</b>	<b>7,455</b>	<b>9.5</b>	<b>1.08</b>	<b>0.88</b>	<b>213</b>	<b>15</b>	<b>149</b>	<b>134</b>	<b>186</b>	<b>22</b>
Basildon	111,300	1,164	1,082	61	52	2,359	21.2	0.79	0.95	426	529	755	6.8	1.49	0.87	46	19	35	29	28	23
Benfleet	42,390	478	419	22	20	939	22.2	0.95	1.19	225	213	438	10.3	0.97	0.85	6	6	2	2	8	11
Braintree	21,720	199	199	15	12	425	19.6	0.89	0.80	151	107	238	11.0	0.86	0.81	6	19	5	4	6	21
Brentwood	56,446	439	446	31	21	937	16.6	0.93	0.87	300	358	658	11.7	0.72	0.72	9	10	8	7	11	19
Brightlingsea	5,680	37	48	3	4	92	16.2	1.22	1.42	51	39	90	15.8	0.68	0.92	2	22	1	1	1	11
Burnham-on-Crouch	4,500	33	26	1	1	61	13.6	1.25	0.96	20	33	53	11.8	0.93	0.78	4	16	1	4	1	17
Canvey Island	21,320	231	215	8	7	461	21.6	1.09	1.35	150	416	246	11.5	0.69	0.86	5	11	4	4	6	17
Chelmsford M.B.	54,480	598	500	32	28	1,159	21.3	0.91	1.10	259	223	462	8.5	0.92	0.98	7	15	6	6	8	12
Chigwell	56,180	530	519	22	20	691	12.3	1.11	0.77	257	242	499	8.9	1.26	0.96	9	13	6	6	12	26

(a) Tavistock U.D. abolished 1st April 1966. Events included in figures for Tavistock R.D. from 1st January 1966.

TABLE 13 - continued

Area	Live births										Deaths							Deaths under 1 year		Stillbirths	Perinatal mortality rate				
	Legitimate					Illegitimate					Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor			Ratio of local to national rate	Number	Rate per 1,000 live births	
	M		F		Total	M	F	Total	M	F															Total
	3	4	5	6																					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22				
ESSEX - continued																									
Municipal boroughs and urban districts - continued																									
Clacton	33,660	242	201	19	26	459	13.6	1.29	0.99	335	341	646	19.2	0.60	0.98	12	26	10	4	30					
Colchester M.B.	69,560	649	555	52	51	1,277	18.4	1.01	1.05	445	402	847	11.7	0.87	0.87	29	23	23	21	25	4				
Epping	10,690	98	88	8	4	198	18.5	0.93	0.82	155	38	93	8.7	1.07	0.80	1	5	1	1	15					
Frinton and Walton	11,360	57	45	2	3	107	9.4	1.37	0.73	107	102	209	18.4	0.59	0.91	3	28	1	1	2					
Halstead	6,710	51	48	3	4	106	15.8	1.08	0.95	45	41	86	12.8	0.87	0.95	2	19	2	2	1					
Harlow	68,740	733	675	35	30	1,473	21.4	0.74	0.89	151	142	263	3.8	2.64	0.86	20	14	12	10	15	17				
Harwich M.B.	14,250	102	98	4	8	212	14.9	1.06	0.89	87	76	163	11.4	1.09	1.06	3	14	2	2	2	19				
Waldon M.B.	11,840	141	118	1	7	237	20.0	1.08	1.20	73	86	159	13.4	0.69	0.79	2	8	1	1	2	13				
Rayleigh	24,190	245	192	11	7	455	18.8	0.90	0.96	101	109	210	8.7	1.16	0.86	7	15	4	4	4	26				
Saffron Walden M.B.	9,150	52	82	1	10	145	15.8	1.10	0.98	67	91	158	17.3	0.61	0.90	1	7	1	1	5	27				
Thurrock	120,790	1,037	935	52	59	2,083	17.2	0.99	0.96	531	406	937	7.8	1.41	0.94	30	14	22	17	40	27				
Waltham Holy Cross	12,680	135	125	6	4	270	21.3	0.85	1.00	44	41	85	6.7	1.45	0.85	7	26	5	5	4	33				
West Mersea	3,430	31	23	-	2	56	16.3	1.32	1.22	18	33	51	14.9	0.67	0.83	3	54	-	-	1	18				
Witham	10,890	94	94	3	6	197	18.1	1.08	1.10	66	44	110	10.1	1.01	0.87	-	-	-	-	4	20				
Wivenhoe	4,020	64	54	4	4	126	31.3	1.02	1.80	16	13	29	7.2	1.11	0.68	-	-	-	-	-	-				
Rural districts	291,710	2,774	2,538	150	92	5,554	19.0	1.03	1.11	1,625	1,542	3,167	10.9	0.87	0.81	90	16	67	59	66	22				
Braine	24,110	187	177	15	5	395	16.4	1.04	0.96	111	110	221	9.2	0.93	0.73	4	10	2	2	5	18				
Chelmsford	58,300	589	527	26	19	1,161	19.9	0.98	1.10	293	300	593	10.2	0.86	0.75	16	14	12	11	11	19				
Dunmow	22,870	230	165	19	9	423	18.5	1.03	1.08	131	94	225	9.8	0.97	0.81	8	19	6	5	7	28				
Epping and Ongar	41,360	355	346	20	11	732	17.7	0.93	0.93	177	171	348	8.4	1.14	0.82	18	25	13	11	8	26				
Halstead	17,350	152	121	6	4	283	16.3	1.19	1.10	113	99	212	12.2	0.79	0.82	4	14	2	1	3	14				
Lexden and Winstree	26,850	262	256	11	13	542	20.2	1.14	1.30	177	166	343	12.8	0.81	0.89	8	15	7	8	9	27				
Maldon	18,080	194	177	13	8	392	21.7	1.19	1.46	96	88	194	10.7	0.84	0.77	4	10	2	2	5	18				
Rochford	37,250	484	420	13	10	907	24.5	0.91	1.25	251	229	480	12.9	0.78	0.86	11	12	8	8	7	19				
Saffron Walden	18,910	157	145	13	3	318	16.8	1.12	1.06	95	93	188	9.9	0.89	0.75	8	19	6	3	28					
Tendring	26,630	184	193	14	10	401	15.1	1.16	0.99	181	182	363	13.6	0.74	0.86	11	27	9	7	6	32				
GLOUCESTERSHIRE*	1,054,320	9,248	8,668	753	704	19,373	18.4	1.00	1.04	6,233	5,956	12,189	11.6	1.00	0.99	320	17	218	188	275	24				
County boroughs*	501,570	4,068	3,899	440	421	8,818	17.6	1.02	1.01	3,144	3,095	6,239	12.4	0.95	1.01	152	17	106	92	127	24				
*Bristol	429,020	3,580	3,228	350	351	7,349	17.1	1.03	1.00	2,729	2,687	5,426	12.6	0.93	1.00	126	17	86	78	108	25				
Gloucester	72,550	688	661	80	70	1,459	20.7	0.99	1.16	415	396	813	11.2	1.06	1.01	26	17	20	14	19	22				
Administrative county*	552,750	5,180	4,779	313	283	10,555	18.1	0.97	1.05	3,089	2,861	5,950	10.8	1.04	0.96	168	16	112	96	148	23				
Municipal boroughs and urban districts - continued																									
Cheltenham	180,020	1,637	1,442	122	117	3,318	18.4	0.96	1.00	1,071	1,053	2,124	11.8	0.95	0.96	52	16	39	32	44	23				
Gloucester	9,390	81	69	6	2	157	16.7	1.00	0.94	52	50	102	10.9	0.97	0.90	2	13	1	1	2	19				
Stroud	75,510	654	546	69	65	1,334	17.7	0.98	0.98	455	526	981	13.0	0.88	0.98	25	19	15	12	19	23				
Cirencester	12,780	93	87	9	3	192	15.0	1.07	0.91	72	95	167	13.1	0.70	0.78	3	16	3	3	1	21				
*Kingswood	28,650	347	315	16	14	682	24.2	0.81	1.11	162	149	281	9.8	1.28	1.07	9	13	8	7	7	20				
*Mangotsfield	23,730	187	166	11	11	395	16.6	0.98	0.92	144	96	240	10.1	1.18	1.02	3	8	3	3	7	25				
Nailsworth	3,790	34	26	2	4	66	17.4	1.18	1.16	23	25	48	12.7	0.95	1.03	3	45	3	2	1	45				
Stroud	18,350	154	144	6	16	320	17.4	1.04	1.02	118	100	218	11.9	0.84	0.85	5	16	4	3	4	22				
Tewkesbury M.B.	7,820	87	70	3	2	162	20.7	0.91	1.06	45	42	87	11.1	0.90	0.85	2	12	2	1	3	24				
Rural districts*	372,730	3,543	3,337	191	166	7,237	19.4	0.98	1.07	2,018	1,808	3,826	10.3	1.09	0.96	116	16	73	64	104	23				
Cheltenham	39,030	368	336	20	22	746	19.1	0.94	1.01	186	151	377	9.7	1.19	0.99	6	8	2	2	4	28				
Cirencester	14,980	165	101	8	9	283	18.9	1.07	1.14	71	72	143	9.5	1.10	0.89	2	7	1	1	7	28				

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Dursley East Dean Gloucester	19,980 21,060 53,610	195 163 479	160 141 502	7 12 36	41 41 20	373 327 1,037	18.7 15.5 19.3	1.10 1.04 0.98	1.16 0.81 1.07	121 138 256	104 103 296	225 241 552	11.3 11.3 10.3	1.08 1.05 0.97	1.04 1.02 0.85	7 18 19	19 18 18	4 4 13	4 4 9	4 4 13	21 24 21
Lydney Newent North Cotswold Northleach *Sodbury	14,120 9,150 20,800 7,750 57,100	122 65 139 43 649	103 178 145 59 610	4 1 5 12 29	10 3 8 4 21	239 147 297 145 1,309	16.9 16.0 14.3 14.8 22.9	1.14 1.10 1.11 1.09 0.88	1.09 0.99 0.80 0.91 1.14	87 47 136 56 267	58 45 112 60 228	145 92 249 116 495	10.3 10.3 11.4 15.0 8.7	0.99 0.94 0.99 0.86 1.10	0.90 0.80 0.91 1.10 0.94	2 2 7 1 17	8 14 5 9 13	- 2 5 1 8	- 2 3 1 8	2 3 6 6 18	8 33 20 26 20
Stroud *Tetbury *Thornbury *Wormley West Dean	29,030 6,920 37,900 23,640 17,620	233 47 467 265 143	217 46 450 242 147	11 3 24 4 15	8 98 25 10 5	469 91 965 521 310	16.2 14.2 25.5 22.0 17.6	1.10 1.07 0.86 0.78 1.04	1.01 0.86 1.34 0.97 1.03	191 47 182 89 144	178 44 142 89 86	369 91 324 178 230	12.7 10.2 8.5 7.5 13.1	0.94 0.83 1.28 1.36 1.00	1.02 0.94 0.93 0.87 1.12	11 31 19 6 11	23 31 20 13 35	6 2 13 1 10	6 2 13 1 8	6 2 13 1 8	25 40 36 13 38
GREATHER LONDON	7,913,600	64,827	60,687	7,898	7,492	140,904	17.8	0.93	0.94	44,491	43,501	87,992	11.1	1.01	0.96	2,499	18	1,745	1,549	2,031	25
City of London	4,600	12	14	2	2	30	6.5	0.82	0.30	31	11	42	9.1	0.93	0.72	1	33	1	1	2	94
London Boroughs:																					
Barking	171,000	1,195	995	82	78	2,350	13.7	1.04	0.80	995	706	1,701	9.9	1.33	1.13	36	15	26	22	34	23
Barnet	316,730	2,198	2,121	189	193	4,691	14.8	0.99	0.83	1,726	1,927	3,553	11.2	0.90	0.86	62	13	47	42	66	23
Bexley	215,180	1,798	1,774	89	81	3,742	17.4	1.00	0.98	1,092	949	2,041	9.5	1.13	0.92	47	13	31	24	47	19
Brent	294,450	2,834	2,622	488	476	6,420	21.8	0.91	1.12	1,539	1,416	2,955	10.0	0.99	0.93	123	19	90	74	90	25
Bromley	301,680	2,342	2,119	182	167	4,610	15.9	1.01	0.91	1,457	1,662	3,119	10.3	0.97	0.85	68	14	46	40	71	23
Camden	239,770	1,631	1,525	323	334	3,813	15.9	0.72	0.65	1,308	1,232	2,540	10.6	1.11	1.01	87	23	57	51	50	26
Croydon	327,190	2,688	2,452	273	278	5,691	17.4	1.02	1.00	1,873	2,112	3,985	12.2	0.88	0.92	62	11	49	45	68	20
Ealing	303,940	2,583	2,557	275	248	5,663	18.6	0.97	1.02	1,765	1,814	3,579	11.8	0.93	0.94	103	18	74	62	92	27
Enfield	267,680	2,075	1,919	135	116	4,245	15.9	1.04	0.93	1,579	1,448	3,027	11.3	0.95	1.02	66	16	49	47	52	23
Greenwich	231,590	1,770	1,637	171	160	3,738	16.1	1.04	0.95	1,332	1,228	2,560	11.1	1.07	0.92	68	18	43	38	59	26
Hackney	251,310	2,462	2,406	448	408	5,724	22.8	0.90	1.16	1,511	1,468	2,379	11.9	1.09	1.11	127	22	86	79	91	29
Hammersmith	213,770	1,832	1,674	349	311	4,166	19.5	0.88	0.97	1,286	1,229	2,515	11.8	1.07	1.08	20	51	61	56	60	27
Haringey	254,650	2,620	2,440	357	338	5,655	22.2	0.92	1.15	1,459	1,454	2,913	11.4	0.97	0.95	99	18	66	61	78	24
Harrow	208,730	1,583	1,405	87	103	3,178	15.2	1.02	0.88	1,077	957	2,034	9.7	1.05	0.87	38	12	23	21	50	22
Havering	250,190	2,078	1,940	124	90	4,232	16.9	0.92	0.88	1,155	1,022	2,177	8.7	1.31	0.97	58	14	41	37	60	23
Hillingdon	233,030	1,852	1,719	127	122	3,820	16.4	0.96	0.89	1,063	949	1,992	8.5	1.25	0.91	52	14	36	32	48	21
Hounslow	207,320	1,652	1,533	177	168	3,530	17.0	0.97	0.93	1,173	1,057	2,230	10.8	1.04	0.96	69	20	49	42	41	23
Islington	255,150	2,647	2,398	445	388	5,878	23.0	0.83	1.08	1,406	1,420	2,826	11.1	1.06	1.01	120	20	81	77	68	24
Kensington and Chelsea	215,210	1,423	1,308	354	331	3,416	15.9	0.60	0.54	1,060	1,182	2,242	10.4	0.97	0.86	75	22	48	44	48	27
Kingston upon Thames	146,010	1,063	1,025	89	81	2,258	15.5	1.01	0.88	1,787	803	1,590	10.9	0.94	0.88	59	17	28	28	39	29
Lambeth	339,400	3,231	2,982	601	560	7,374	21.7	0.89	1.09	1,900	1,904	3,804	11.2	1.06	1.01	153	21	98	84	114	26
Lewisham	289,130	2,469	2,377	378	371	5,595	19.4	0.96	1.05	1,795	1,611	3,406	11.8	0.86	0.97	120	21	88	79	86	29
Merton	184,190	1,372	1,278	113	112	2,875	15.6	1.04	0.92	1,406	1,385	2,895	10.8	1.00	0.92	45	16	37	33	32	22
Newham	258,690	2,482	2,328	224	243	5,277	20.4	0.89	1.13	1,572	1,313	2,887	11.2	1.15	1.10	99	19	69	65	83	28
Redbridge	246,600	1,899	1,761	134	113	3,907	15.8	1.03	0.92	1,358	1,453	2,611	11.4	0.93	0.91	56	14	40	35	53	22
Richmond upon Thames	180,200	1,331	1,206	129	110	2,776	15.4	1.01	0.88	1,106	1,225	2,331	12.9	0.92	0.90	51	18	35	29	34	22
Southwark	304,140	2,612	2,442	333	335	5,722	18.8	0.93	0.99	1,830	1,730	3,820	11.9	1.05	1.07	99	17	69	57	90	25
Sutton	165,840	1,212	1,097	82	75	2,466	14.9	1.03	0.87	1,352	1,052	1,984	12.0	0.90	0.92	40	16	28	24	34	23
Tower Hamlets	202,560	1,676	1,599	211	211	3,697	18.3	0.93	0.96	1,228	1,017	2,445	11.1	1.14	1.08	62	17	45	39	64	27
Waltham Forest	239,520	1,926	1,851	165	129	4,071	17.0	1.06	1.02	1,445	1,468	2,313	12.2	0.90	0.94	79	19	51	48	67	28
Wandsworth	331,450	2,854	2,711	427	410	6,402	19.3	0.96	1.05	2,118	2,384	4,512	13.6	0.91	0.94	130	20	89	80	107	29
Westminster, City of	262,720	1,535	1,472	335	350	3,692	14.1	0.77	0.61	1,523	1,371	2,394	11.0	1.06	1.00	83	22	80	53	53	28
HAMPSHIRE	1,482,940	12,537	11,780	1,113	1,060	26,490	17.9	1.01	1.02	8,661	8,349	17,010	11.5	0.91	0.89	475	18	314	268	370	24
County boroughs	577,880	4,150	3,916	558	555	9,179	15.9	1.06	0.95	3,940	3,780	7,720	13.4	0.83	0.85	191	21	136	116	128	26
Bournemouth	157,730	1,474	1,322	120	145	3,861	12.3	1.23	0.85	1,195	1,369	2,564	17.0	0.61	0.89	28	23	22	18	25	23
Portsmouth	217,780	1,644	1,448	229	204	3,525	16.2	1.04	0.95	1,481	1,407	2,888	13.3	0.85	0.97	80	23	55	49	61	30
Southampton	209,370	1,732	1,646	209	206	3,793	18.1	0.99	1.01	1,264	1,004	2,268	10.8	1.11	1.02	83	22	59	50	42	24
Administrative county	905,060	8,387	7,864	555	505	17,311	19.1	0.98	1.06	4,721	4,569	9,290	10.3	0.97	0.85	284	16	178	152	242	22
Municipal boroughs and urban districts	552,980	5,200	4,914	350	292	10,756	19.5	0.95	1.05	2,789	2,589	5,378	9.7	1.05	0.87	173	16	99	85	155	22
Aldershot M.B.	36,590	398	344	30	19	791	21.6	0.92	1.12	1,179	1,136	3,15	8.6	1.37	1.01	14	18	9	8	15	29
Alton	10,100	104	94	7	1	203	20.1	0.97	1.10	44	69	113	11.2	0.95	0.91	3	15	2	2	3	24
Andover M.B.	20,510	219	213	11	14	457	22.3	0.97	1.22	137	109	246	12.0	0.79	0.81	6	13	4	4	6	22
Basingstoke M.B.	35,420	447	377	18	15	857	24.2	0.81	1.11	144	128	272	7.7	1.42	0.93	15	18	5	5	16	24

TABLE 13 - continued

Area	Estimated home population as at 30th June 1966	Live births					Deaths					Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate				
		Legitimate		Illegitimate		Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local to national rate	M	P	Total	Crude rate per 1,000 home population					Comparability factor	Ratio of local to national rate	Number	Rate per 1,000 live births
		M	F	M	F																
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
HAMPSHIRE - continued																					
Municipal boroughs and urban districts - continued																					
Christchurch M.B.	29,640	155	193	14	16	368	12.4	1.22	0.85	228	232	460	15.5	0.71	0.94	4	11	4	3	6	24
Eastleigh M.B.	41,820	343	328	13	12	696	16.6	1.00	0.94	216	187	383	9.2	1.10	0.86	8	11	5	4	15	27
Farnham	73,250	690	608	48	38	1,384	18.9	0.91	0.97	359	316	675	9.2	1.11	0.87	21	15	15	11	15	19
Farnborough	38,480	459	400	27	20	906	23.5	0.87	1.29	140	121	261	8.6	1.46	0.85	16	18	7	7	15	24
Fleet	19,800	189	197	5	3	394	19.9	0.91	1.02	60	66	126	6.4	1.04	0.57	2	5	-	-	4	70
Gosport M.B.	73,640	703	656	52	42	1,453	19.7	0.94	1.05	339	304	642	8.7	1.24	0.92	30	21	12	10	20	20
Havant and Waterloo	95,270	964	1,004	68	74	2,110	22.1	0.84	1.05	397	394	791	8.3	1.31	0.93	42	20	28	24	23	22
Lymington M.B.	32,120	188	187	26	10	411	12.8	1.34	0.97	294	250	544	16.9	0.58	0.84	4	10	2	1	6	17
Petersfield	8,500	62	61	3	3	129	15.2	1.12	0.96	54	74	128	15.1	0.69	0.93	1	8	1	1	1	8
Romsey M.B.	7,100	74	64	4	4	146	20.6	1.14	1.33	51	31	82	11.5	0.79	0.78	1	7	1	1	2	20
Winchester M.B.	30,790	205	201	24	21	451	14.6	1.04	0.86	148	192	340	11.0	0.74	0.70	6	13	4	4	9	28
Rural districts																					
Alton	352,080	3,187	2,950	205	213	6,555	18.6	1.04	1.09	1,932	1,980	3,912	11.1	0.86	0.82	111	17	79	67	87	23
Alderbury	27,250	288	242	30	29	589	21.6	1.08	1.32	149	170	319	11.7	0.90	0.90	13	22	7	5	1	10
Andover	20,460	182	153	9	6	350	17.1	1.06	1.02	94	69	163	8.0	1.30	0.89	12	34	8	6	9	42
Basingstoke	20,780	176	140	10	13	339	16.3	1.10	1.01	151	184	335	16.1	0.54	0.74	4	12	4	2	4	17
Droxford	24,880	191	188	10	12	401	16.1	1.09	0.99	165	193	358	14.4	0.58	0.71	3	7	3	3	7	25
Hartley Wintney	30,540	419	322	26	21	788	25.8	0.98	1.43	135	183	318	10.4	0.66	0.76	13	16	10	10	11	26
Kingsclere and Whitechurch	26,170	254	250	14	14	538	20.6	0.98	1.14	111	103	214	8.2	1.12	0.78	11	20	5	5	2	13
New Forest	65,950	552	619	44	39	1,254	19.0	0.97	1.05	332	273	605	9.2	1.06	0.83	18	14	12	11	10	17
Petersfield	28,700	246	217	7	23	493	17.2	1.00	0.97	156	152	288	10.0	1.01	0.86	8	16	6	5	11	32
Ringwood and Fordingbridge	29,640	191	183	20	14	408	13.8	1.21	0.94	213	225	438	14.8	0.62	0.78	2	5	2	2	8	24
Romsey and Stockbridge	24,420	229	174	13	15	431	17.6	1.06	1.05	130	112	242	9.9	1.01	0.85	8	19	5	5	6	25
Winchester	53,520	459	462	22	21	964	18.1	1.02	1.04	296	336	632	11.9	0.99	1.00	19	20	17	13	18	32
HEREFORDSHIRE																					
Municipal boroughs and urban districts																					
Bromyard	66,380	606	584	51	31	1,272	19.2	0.98	1.06	387	353	740	11.1	0.97	0.92	22	17	18	15	16	24
Bromyard	1,710	15	12	1	4	32	18.7	1.12	1.18	15	12	27	15.8	0.99	1.34	-	-	-	-	16	24
Hereford M.B.	45,870	440	431	38	19	928	20.2	0.94	1.07	230	204	434	9.5	1.14	0.93	19	20	15	13	14	29
Kington	1,900	13	16	3	-	32	16.8	1.13	1.07	27	15	42	22.1	0.62	1.17	-	-	-	-	-	-
Lebury	3,700	19	25	1	1	46	12.4	1.09	0.76	17	27	44	11.9	0.82	0.83	-	-	-	-	-	-
Leominster M.B.	6,930	62	48	5	2	117	16.9	1.07	1.02	51	48	99	14.3	0.69	0.84	3	26	3	2	1	25
Ross-on-Wye	6,270	57	52	3	5	117	18.7	1.11	1.17	47	47	94	15.0	0.75	0.96	-	-	-	-	1	8
Rural districts																					
Bromyard	73,410	551	526	34	31	1,142	15.6	1.15	1.01	424	431	855	11.6	0.87	0.86	29	25	21	16	24	34
Bromyard	6,870	39	39	4	1	83	12.1	1.15	0.79	50	57	107	15.6	0.68	0.91	4	48	3	2	4	69
Dore and Bredwardine	7,740	67	49	4	2	122	15.8	1.13	1.01	48	41	89	11.5	1.02	1.00	-	-	-	-	1	8
Hereford	19,550	150	158	9	13	330	16.9	1.13	1.08	105	115	220	11.3	0.80	0.77	7	21	7	5	10	44
Kington	4,340	37	30	2	2	71	16.4	1.19	1.10	22	23	45	10.4	0.87	0.77	1	14	-	-	1	14
Lebury	7,990	55	56	5	4	120	15.0	1.13	0.96	35	44	79	9.9	0.90	0.76	5	42	3	2	3	41
Leominster and Wigmore	9,580	81	70	1	-	152	15.9	1.16	1.04	68	61	129	13.5	0.89	1.03	5	33	4	4	26	26
Ross and Whitechurch	11,720	82	85	6	4	177	15.1	1.18	1.01	64	66	130	11.1	0.92	0.87	3	23	3	2	3	28
Weobley	5,620	40	39	3	5	87	15.5	1.17	1.02	32	24	56	10.0	0.96	0.82	3	34	1	1	2	34
HERTFORDSHIRE																					
Municipal boroughs and urban districts																					
Baldock	808,160	5,377	5,211	313	316	11,217	18.4	0.92	0.96	2,686	2,609	5,305	8.7	1.18	0.88	163	15	107	88	140	20
Berkhamstead	15,160	47	41	4	5	97	14.2	1.06	0.85	34	17	51	7.5	1.37	0.88	1	10	-	-	3	50
Berkhamstead	15,160	108	115	7	4	234	15.4	1.03	0.90	79	64	143	9.4	1.07	0.86	4	17	2	-	5	29

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	
Bishop's Stortford Bushey Cheshunt Chorleywood Harpenden Hemel Hempstead M.B. Hertford M.B. Hitchin Hoddesdon Huddersfield Letchworth Potters Bar Rickmansworth Royston St. Albans M.B. Sawbridgeworth Stevenage Tring Ware Watford M.B. Welwyn Garden City	20,830	204	159	15	13	391	18-8	0-85	0-90	80	105	185	8-9	1-06	0-81	6	15	4	4	4	2	15
	24,120	173	180	15	18	376	15-6	0-86	0-85	109	97	206	8-5	1-11	0-81	4	11	2	2	2	15	18
	41,990	400	406	15	14	835	19-9	0-84	0-94	146	109	255	6-1	1-52	0-79	17	20	10	8	8	15	27
	7,870	29	46	2	3	80	10-4	1-05	0-62	28	23	51	6-6	1-13	0-64	2	25	1	-	-	4	10
	21,390	203	168	9	8	388	18-1	1-02	1-04	100	98	198	9-3	1-09	0-87	-	-	-	-	-	-	-
	63,570	553	503	38	32	1,126	17-7	0-85	0-85	246	221	467	7-3	1-51	0-94	17	15	12	11	11	17	24
	18,560	171	159	7	5	342	18-4	0-97	1-01	88	78	166	8-9	1-10	0-84	4	12	3	3	3	6	18
	25,630	228	219	16	20	493	18-8	0-95	1-01	144	170	314	12-3	0-85	0-89	7	14	5	5	5	3	6
	20,240	225	215	6	6	452	22-3	0-90	1-13	90	78	168	8-3	1-16	0-82	2	4	1	1	1	1	1
	27,760	216	223	12	21	472	17-0	0-97	0-93	133	144	277	10-0	1-10	0-94	3	6	1	1	1	6	15
	24,650	196	185	14	9	404	16-4	1-00	0-93	103	111	214	8-7	1-13	0-84	3	7	3	2	2	5	17
	30,290	236	202	10	6	454	15-0	1-07	0-91	131	131	262	8-6	1-19	0-87	9	20	7	7	7	2	22
	6,920	64	57	6	7	134	19-4	0-95	1-04	37	52	89	12-9	0-88	0-97	2	15	1	1	1	2	22
	52,430	404	437	35	45	921	17-6	0-99	0-98	266	276	542	10-3	1-01	0-89	14	15	9	8	8	8	17
	5,140	41	33	2	4	80	15-6	1-14	1-00	21	30	51	9-9	1-08	0-91	4	50	3	-	-	-	-
	56,760	609	590	33	26	1,258	22-2	0-73	0-92	161	119	280	4-9	2-36	0-99	16	13	9	6	6	15	16
	7,740	76	76	5	4	161	20-8	0-99	1-16	31	31	62	8-0	1-14	0-78	1	6	1	1	1	3	24
	13,150	151	162	7	4	324	24-6	0-95	1-32	97	103	200	15-2	0-59	0-97	5	15	5	5	5	7	36
	76,350	717	700	47	42	1,506	19-7	0-98	1-09	443	439	882	11-6	0-96	0-95	28	19	18	15	15	18	22
	41,000	326	335	18	20	699	17-0	0-87	0-84	129	113	242	5-9	1-80	0-91	14	20	10	9	9	9	25
Rural districts Berkhamsted Braughing Elstree Hatfield Hemel Hempstead Hertford Hitchin St. Albans Ware Watford Welwyn	263,940	1,867	1,728	131	107	3,833	14-5	1-00	0-82	1,305	1,349	2,654	10-1	0-99	0-85	47	12	32	31	42	19	
	6,570	37	50	3	3	93	14-2	1-08	0-87	41	32	73	11-1	0-98	0-83	1	11	2	2	2	1	
	10,440	81	101	5	4	191	18-3	1-14	0-88	62	59	121	11-6	0-96	0-87	3	16	4	4	4	16	
	30,490	194	184	18	16	412	13-5	1-05	0-80	143	215	358	11-7	0-94	0-94	4	10	4	4	4	8	
	43,940	352	322	28	22	724	16-5	0-91	0-85	179	184	363	8-3	1-23	0-87	9	12	4	4	7	14	
	14,100	115	87	6	10	218	15-5	1-05	0-92	55	57	112	7-9	0-99	0-67	5	23	5	5	4	41	
	11,450	97	84	6	6	193	17-3	1-06	1-04	51	31	82	7-4	1-22	0-77	-	-	-	-	1	5	
	23,590	197	161	10	9	377	16-0	1-09	0-99	122	115	237	10-0	1-01	0-86	4	11	2	2	2	8	
	42,420	303	289	19	11	622	14-7	0-91	0-76	254	298	552	13-0	0-67	0-74	5	8	3	3	7	16	
	12,780	98	89	5	4	196	15-3	1-18	1-02	39	68	166	13-0	0-90	1-00	4	20	2	2	4	30	
	60,970	340	309	30	22	701	11-5	0-99	0-64	262	266	528	8-7	1-14	0-85	12	17	9	9	9	24	
	7,490	53	52	1	-	106	14-2	0-93	0-75	38	24	62	8-3	1-12	0-79	-	-	-	-	1	9	
HUNTINGDON AND PETERBOROUGH Municipal boroughs and urban districts Huntingdon and Godmanchester M.B. Old Fletton Peterborough M.B. Ramsay St. Ives M.B. St. Neots	183,710	1,734	1,570	102	136	3,542	19-3	0-96	1-05	917	860	1,777	9-7	1-12	0-93	57	16	35	30	42	20	
	114,240	1,097	1,020	68	98	2,283	20-0	0-91	1-03	630	590	1,220	10-7	1-04	0-95	40	18	24	21	26	20	
	13,930	186	144	10	19	359	26-0	0-79	1-16	81	82	163	11-8	1-03	1-04	7	19	5	4	5	25	
	12,750	141	142	7	6	266	20-9	0-87	1-03	56	59	145	9-0	1-36	1-05	4	15	4	4	3	26	
	65,760	561	532	37	56	1,466	18-0	0-95	0-97	394	365	759	11-5	0-96	0-94	21	18	10	8	15	19	
	5,820	51	42	5	3	101	17-4	0-99	0-97	25	18	43	7-4	1-14	0-72	-	-	-	-	-	-	
	5,000	68	44	4	4	120	24-0	0-88	1-19	26	26	52	10-4	1-19	1-06	4	33	3	3	3	33	
	11,080	120	116	5	10	251	22-7	0-89	1-14	48	40	88	7-9	1-16	0-78	4	16	2	2	2	16	
Rural districts Barnack Huntingdon Norman Cross Peterborough St. Ives St. Neots Thorney	69,470	637	550	34	38	1,259	18-1	1-05	1-07	287	270	557	8-0	1-31	0-90	17	14	11	9	16	20	
	16,450	50	34	-	3	87	13-5	1-38	1-05	22	21	43	6-7	2-03	1-16	3	34	3	1	-	11	
	14,750	151	127	5	4	287	19-4	1-15	1-26	47	38	85	5-8	1-53	0-76	2	17	1	1	2	10	
	10,860	102	103	5	5	215	19-8	0-97	1-09	42	60	102	9-4	1-34	1-08	3	14	1	1	1	9	
	9,030	97	80	8	5	190	21-0	1-01	1-20	41	38	79	8-7	1-12	0-83	3	16	2	2	5	36	
	17,250	136	115	10	10	271	15-7	0-96	0-85	83	64	147	8-5	1-23	0-89	5	18	3	3	5	29	
	8,500	78	68	4	8	158	18-6	1-07	1-12	45	39	84	9-9	1-05	0-89	1	6	1	1	1	13	
	2,600	23	23	2	3	51	19-6	1-04	1-15	7	10	17	6-5	1-34	0-74	-	-	-	-	2	38	
KENT Canterbury C.B.	1,324,790	11,658	10,743	804	831	24,036	18-1	1-06	1-08	8,198	8,069	16,297	12-3	0-84	0-88	386	16	266	237	335	23	
	32,770	249	220	28	22	519	15-8	1-07	0-96	192	231	423	12-9	0-79	0-87	8	15	6	5	4	17	
Administrative county	1,292,020	11,409	10,523	776	809	23,517	18-2	1-06	1-09	8,006	7,868	15,874	12-3	0-84	0-88	378	16	260	232	331	24	
	868,340	7,412	6,853	575	574	15,414	17-8	1-07	1-08	5,550	5,536	11,086	12-8	0-82	0-90	248	16	178	161	161	24	
Municipal boroughs and urban districts Ashford Broadstairs and St. Peter's Chatham M.B. Dartford M.B. Deal M.B. Dover M.B. Faversham M.B. Folkestone M.B.	32,330	323	305	19	8	655	20-3	1-05	1-20	169	158	327	10-1	0-94	0-81	13	20	12	11	10	32	
	19,990	105	109	6	15	235	14-8	1-61	1-07	137	170	367	18-4	0-51	0-80	4	17	3	3	3	21	
	53,770	593	506	44	33	1,176	21-9	0-92	1-14	262	233	495	9-2	1-22	0-96	18	15	14	14	26	28	
	46,700	402	399	17	31	849	18-2	0-92	0-95	293	307	600	12-8	0-85	0-93	15	18	12	11	14	26	
	26,340	183	175	11	20	389	14-8	1-13	0-94	176	199	375	14-2	0-85	1-03	3	8	3	3	5	20	
	36,110	290	237	26	17	570	15-8	1-10	0-98	217	189	406	11-2	0-99	0-95	16	28	9	8	5	23	
	14,010	125	107	10	5	247	17-6	1-10	1-09	88	88	195	13-9	0-66	0-78	3	12	2	1	1	20	
	45,720	269	266	40	35	610	14-0	1-21	0-96	302	334	636	14-5	0-73	0-90	10	16	6	6	13	30	

TABLE 13 - continued

Area	Estimated home population as at 30th June 1966	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate		
		Legitimate			Illegitimate			M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	Number	Rates per 1,000 live births						
		M	F	Total	M	F	Total														
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
KENT - continued																					
Municipal boroughs and urban districts - continued																					
Gillingham M.B.	82,830	775	701	67	58	1,601	19.3	1.02	1.11	448	375	823	9.9	1.05	0.89	22	14	14	12	24	25
Gravesend M.B.	54,250	597	534	39	42	1,242	22.3	0.92	1.16	291	260	551	10.2	1.17	1.02	21	17	12	10	22	26
Herne Bay	24,000	142	129	21	12	304	12.7	1.46	1.05	258	317	575	24.0	0.50	1.03	6	20	3	3	3	20
Hythe M.B.	11,110	77	54	5	2	138	12.4	1.45	1.02	90	100	190	17.1	0.53	0.77	3	22	2	2	2	29
Lydd M.B.	4,230	38	39	5	1	83	19.6	1.54	1.71	21	10	31	7.3	1.27	0.79	1	12	1	1	1	12
Maidstone M.B.	65,050	630	519	45	47	1,241	19.1	1.02	1.10	411	339	750	11.5	0.92	0.90	12	10	9	8	21	23
Margate M.B.	48,790	248	261	36	54	599	12.3	1.30	0.90	411	418	829	17.0	0.62	0.90	14	23	10	9	6	25
New Romney M.B.	3,560	35	36	3	4	78	21.9	1.07	1.32	25	13	38	10.7	1.00	0.91	3	38	1	1	3	49
Northfleet	24,160	253	237	19	9	518	21.4	0.93	1.12	138	116	254	10.5	1.23	1.10	11	21	10	9	8	32
Queenborough M.B.	3,110	27	22	2	4	55	17.7	1.09	1.09	23	10	33	10.6	1.09	0.99	2	36	1	1	1	33
Ramsgate M.B.	38,730	246	258	46	33	583	15.1	1.19	1.02	294	281	575	14.8	0.73	0.92	11	19	6	6	11	29
Rochester M.B.	54,200	537	504	25	23	1,089	20.1	0.97	1.10	274	262	536	9.9	1.06	0.90	11	10	8	6	9	14
Royal Tunbridge Wells M.B.	42,810	338	301	24	38	701	16.4	1.10	1.02	251	443	694	16.2	0.57	0.79	14	20	11	10	8	25
Sandwich M.B.	4,530	25	27	3	-	55	12.0	1.18	0.80	32	25	57	12.4	0.77	0.82	3	55	2	2	1	36
Sevenoaks	18,250	113	100	4	3	220	12.1	1.13	0.77	108	109	217	11.9	0.84	0.85	4	18	4	3	1	18
Sheerness	13,620	124	84	11	18	237	17.4	1.13	1.11	108	92	200	14.7	0.89	1.12	5	38	8	8	8	59
Sittingbourne and Milton	27,310	268	279	11	18	576	21.1	1.02	1.22	169	179	348	12.7	0.82	0.89	5	9	3	2	12	24
Southborough	9,850	56	68	10	5	139	14.1	1.14	0.91	69	68	137	13.9	0.83	0.99	1	7	1	1	1	7
Swanscombe	9,330	75	97	2	4	168	18.0	0.97	0.99	40	39	79	8.4	1.21	0.87	2	12	2	2	2	24
Tenterden M.B.	5,490	35	39	2	1	77	14.0	1.25	0.99	48	57	105	19.1	0.49	0.80	-	-	-	-	2	18
Tonbridge	28,230	306	313	14	22	855	23.2	0.97	1.27	161	142	303	10.7	1.02	0.93	7	11	6	5	7	18
Whitstable	21,880	177	157	8	12	354	16.2	1.54	1.41	176	185	361	18.5	0.55	0.78	4	11	3	5	4	20
Rural districts																					
Bridge-Blean	423,680	3,997	3,670	201	235	8,103	19.1	1.05	1.13	2,456	2,332	4,788	11.3	0.87	0.84	130	16	82	71	110	22
Cranbrook	24,180	205	200	9	11	425	17.5	1.15	1.15	202	183	385	15.9	0.61	0.83	7	16	7	6	5	26
Dartford	16,570	97	108	9	9	223	13.5	1.26	0.96	94	106	200	12.1	0.87	0.90	3	13	3	2	4	26
Dover	60,730	578	534	25	35	1,172	19.3	0.88	0.96	308	291	599	9.9	1.06	0.90	19	16	12	12	12	20
Dover	14,130	104	91	5	7	207	14.5	1.45	1.20	77	92	169	12.0	0.69	0.71	2	10	1	1	3	19
East Ashford	11,680	99	82	7	7	195	16.7	1.18	1.11	74	61	135	11.6	0.79	0.78	8	41	4	4	1	26
Eastly	23,720	199	187	11	11	408	17.2	1.13	1.10	177	225	402	16.9	0.65	0.94	5	12	2	2	9	26
Elham	11,010	68	73	6	3	150	13.6	1.29	0.99	103	117	220	20.0	0.40	0.68	4	27	3	-	4	11
Hollingbourn	18,870	175	173	10	11	369	19.6	1.10	1.22	105	84	189	10.0	0.96	0.82	4	11	-	-	4	11
Maidstone	25,300	277	240	6	12	535	21.1	1.08	1.29	160	150	310	12.3	0.73	0.77	6	11	3	3	10	24
Malling	49,110	604	543	27	25	1,199	24.4	0.95	1.31	223	213	436	8.9	1.20	0.91	14	12	9	6	21	22
Romney Marsh	5,260	44	34	5	4	87	16.5	1.20	1.12	30	33	63	12.0	0.86	0.88	2	23	1	1	1	23
Sevenoaks	43,340	323	278	20	24	645	14.9	1.07	0.90	207	195	402	9.3	0.99	0.79	7	11	6	6	5	17
Sheppey	11,600	100	114	4	10	228	19.7	1.22	1.36	80	61	141	12.1	1.02	1.06	2	9	1	1	1	6
Strood	38,530	472	393	22	24	911	23.6	0.89	1.19	175	138	313	8.1	1.44	1.00	23	25	16	13	14	29
Swale	22,170	173	204	10	8	395	17.8	1.06	1.07	126	110	236	10.6	1.02	0.92	11	28	6	4	2	15
Tenterden	7,890	65	63	4	5	137	17.4	1.18	1.16	33	37	70	8.9	0.87	0.66	1	7	-	-	1	7
Tonbridge	28,060	312	275	10	21	618	22.0	1.03	1.28	145	143	288	10.3	0.85	0.75	8	13	5	4	3	19
West Ashford	11,530	102	78	11	8	199	17.3	1.20	1.17	157	93	250	19.9	0.44	0.75	4	20	3	3	3	30

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
<b>LANCASHIRE</b>																					
<b>County boroughs</b>	<b>5,189,330</b>	<b>43,927</b>	<b>41,335</b>	<b>4,109</b>	<b>3,992</b>	<b>93,363</b>	<b>18-0</b>	<b>1-02</b>	<b>1-04</b>	<b>34,099</b>	<b>33,396</b>	<b>67,495</b>	<b>13-0</b>	<b>1-06</b>	<b>1-18</b>	<b>2,091</b>	<b>22</b>	<b>1,390</b>	<b>1,186</b>	<b>1,704</b>	<b>30</b>
<b>Barrow-in-Furness</b>	<b>2,823,310</b>	<b>23,383</b>	<b>22,125</b>	<b>2,849</b>	<b>2,768</b>	<b>51,125</b>	<b>18-1</b>	<b>1-02</b>	<b>1-04</b>	<b>18,864</b>	<b>18,520</b>	<b>37,384</b>	<b>13-2</b>	<b>1-07</b>	<b>1-21</b>	<b>1,250</b>	<b>24</b>	<b>806</b>	<b>677</b>	<b>975</b>	<b>32</b>
<b>Blackburn</b>	<b>64,810</b>	<b>514</b>	<b>498</b>	<b>56</b>	<b>42</b>	<b>1,468</b>	<b>18-1</b>	<b>1-05</b>	<b>1-07</b>	<b>1,803</b>	<b>1,798</b>	<b>1,899</b>	<b>13-8</b>	<b>0-99</b>	<b>1-47</b>	<b>15</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>20</b>	<b>32</b>
<b>Blackpool</b>	<b>104,790</b>	<b>846</b>	<b>802</b>	<b>84</b>	<b>74</b>	<b>1,806</b>	<b>17-7</b>	<b>1-11</b>	<b>1-11</b>	<b>1,798</b>	<b>843</b>	<b>1,641</b>	<b>16-1</b>	<b>0-86</b>	<b>1-48</b>	<b>60</b>	<b>33</b>	<b>36</b>	<b>30</b>	<b>29</b>	<b>35</b>
<b>Bolton</b>	<b>151,300</b>	<b>839</b>	<b>843</b>	<b>125</b>	<b>147</b>	<b>1,954</b>	<b>12-9</b>	<b>1-20</b>	<b>0-87</b>	<b>1,341</b>	<b>1,304</b>	<b>2,615</b>	<b>17-3</b>	<b>0-78</b>	<b>1-15</b>	<b>48</b>	<b>24</b>	<b>34</b>	<b>26</b>	<b>24</b>	<b>27</b>
	<b>157,200</b>	<b>1,260</b>	<b>1,447</b>	<b>155</b>	<b>130</b>	<b>2,692</b>	<b>17-1</b>	<b>1-08</b>	<b>1-04</b>	<b>1,116</b>	<b>1,074</b>	<b>2,190</b>	<b>13-9</b>	<b>1-04</b>	<b>1-24</b>	<b>68</b>	<b>25</b>	<b>34</b>	<b>30</b>	<b>45</b>	<b>27</b>
<b>Bootle</b>	<b>92,000</b>	<b>736</b>	<b>707</b>	<b>54</b>	<b>55</b>	<b>1,552</b>	<b>18-9</b>	<b>0-91</b>	<b>0-97</b>	<b>407</b>	<b>347</b>	<b>754</b>	<b>9-2</b>	<b>1-60</b>	<b>1-26</b>	<b>34</b>	<b>22</b>	<b>25</b>	<b>22</b>	<b>31</b>	<b>33</b>
<b>Burnley</b>	<b>78,380</b>	<b>538</b>	<b>556</b>	<b>80</b>	<b>78</b>	<b>1,248</b>	<b>15-9</b>	<b>1-12</b>	<b>1-01</b>	<b>601</b>	<b>627</b>	<b>1,226</b>	<b>15-7</b>	<b>0-95</b>	<b>1-27</b>	<b>37</b>	<b>30</b>	<b>27</b>	<b>26</b>	<b>25</b>	<b>40</b>
<b>Bury</b>	<b>63,820</b>	<b>642</b>	<b>592</b>	<b>55</b>	<b>50</b>	<b>1,313</b>	<b>20-6</b>	<b>1-03</b>	<b>1-20</b>	<b>393</b>	<b>437</b>	<b>830</b>	<b>13-0</b>	<b>1-01</b>	<b>1-42</b>	<b>15</b>	<b>11</b>	<b>10</b>	<b>8</b>	<b>31</b>	<b>29</b>
<b>Liverpool</b>	<b>742,040</b>	<b>6,269</b>	<b>5,949</b>	<b>649</b>	<b>588</b>	<b>13,455</b>	<b>18-9</b>	<b>0-94</b>	<b>1-00</b>	<b>4,230</b>	<b>4,068</b>	<b>8,298</b>	<b>11-7</b>	<b>1-18</b>	<b>1-48</b>	<b>308</b>	<b>23</b>	<b>206</b>	<b>174</b>	<b>276</b>	<b>33</b>
<b>Manchester</b>	<b>625,250</b>	<b>5,254</b>	<b>4,930</b>	<b>901</b>	<b>891</b>	<b>11,976</b>	<b>19-2</b>	<b>1-00</b>	<b>1-08</b>	<b>3,958</b>	<b>3,885</b>	<b>7,843</b>	<b>12-5</b>	<b>1-14</b>	<b>1-22</b>	<b>306</b>	<b>26</b>	<b>198</b>	<b>160</b>	<b>220</b>	<b>31</b>
<b>Oldham</b>	<b>110,640</b>	<b>949</b>	<b>848</b>	<b>111</b>	<b>128</b>	<b>2,036</b>	<b>18-4</b>	<b>1-07</b>	<b>1-11</b>	<b>829</b>	<b>838</b>	<b>1,667</b>	<b>15-1</b>	<b>1-03</b>	<b>1-33</b>	<b>58</b>	<b>28</b>	<b>33</b>	<b>28</b>	<b>26</b>	<b>26</b>
<b>Preston</b>	<b>107,400</b>	<b>874</b>	<b>826</b>	<b>125</b>	<b>116</b>	<b>1,941</b>	<b>18-1</b>	<b>1-08</b>	<b>1-10</b>	<b>688</b>	<b>701</b>	<b>1,539</b>	<b>12-9</b>	<b>1-11</b>	<b>1-22</b>	<b>46</b>	<b>24</b>	<b>30</b>	<b>23</b>	<b>39</b>	<b>31</b>
<b>Rochele</b>	<b>86,970</b>	<b>747</b>	<b>694</b>	<b>92</b>	<b>97</b>	<b>1,620</b>	<b>18-6</b>	<b>1-08</b>	<b>1-13</b>	<b>595</b>	<b>662</b>	<b>1,257</b>	<b>14-5</b>	<b>1-03</b>	<b>1-28</b>	<b>26</b>	<b>16</b>	<b>17</b>	<b>14</b>	<b>37</b>	<b>31</b>
<b>St. Helens</b>	<b>103,780</b>	<b>886</b>	<b>794</b>	<b>51</b>	<b>36</b>	<b>1,767</b>	<b>17-0</b>	<b>1-00</b>	<b>0-96</b>	<b>718</b>	<b>616</b>	<b>1,534</b>	<b>12-9</b>	<b>1-21</b>	<b>1-33</b>	<b>46</b>	<b>26</b>	<b>28</b>	<b>23</b>	<b>47</b>	<b>39</b>
<b>Salford</b>	<b>145,880</b>	<b>1,241</b>	<b>1,159</b>	<b>161</b>	<b>179</b>	<b>2,740</b>	<b>18-8</b>	<b>1-01</b>	<b>1-07</b>	<b>1,054</b>	<b>978</b>	<b>2,032</b>	<b>13-9</b>	<b>1-11</b>	<b>1-32</b>	<b>88</b>	<b>32</b>	<b>59</b>	<b>51</b>	<b>58</b>	<b>39</b>
<b>Southport</b>	<b>80,000</b>	<b>528</b>	<b>476</b>	<b>58</b>	<b>55</b>	<b>1,117</b>	<b>14-0</b>	<b>1-20</b>	<b>0-95</b>	<b>636</b>	<b>803</b>	<b>1,439</b>	<b>18-0</b>	<b>0-68</b>	<b>1-05</b>	<b>27</b>	<b>24</b>	<b>18</b>	<b>15</b>	<b>27</b>	<b>37</b>
<b>Warrington</b>	<b>74,370</b>	<b>656</b>	<b>607</b>	<b>65</b>	<b>69</b>	<b>1,397</b>	<b>18-8</b>	<b>1-05</b>	<b>1-12</b>	<b>502</b>	<b>479</b>	<b>981</b>	<b>13-2</b>	<b>1-11</b>	<b>1-25</b>	<b>44</b>	<b>31</b>	<b>22</b>	<b>20</b>	<b>24</b>	<b>31</b>
<b>Wigan</b>	<b>78,080</b>	<b>634</b>	<b>639</b>	<b>37</b>	<b>33</b>	<b>1,343</b>	<b>17-2</b>	<b>1-05</b>	<b>1-02</b>	<b>525</b>	<b>472</b>	<b>997</b>	<b>12-8</b>	<b>1-10</b>	<b>1-20</b>	<b>26</b>	<b>19</b>	<b>17</b>	<b>16</b>	<b>24</b>	<b>24</b>
<b>Administrative county</b>	<b>2,366,020</b>	<b>20,544</b>	<b>19,210</b>	<b>1,260</b>	<b>1,224</b>	<b>42,238</b>	<b>17-9</b>	<b>1-02</b>	<b>1-03</b>	<b>15,235</b>	<b>14,876</b>	<b>30,111</b>	<b>12-7</b>	<b>1-06</b>	<b>1-15</b>	<b>841</b>	<b>20</b>	<b>584</b>	<b>509</b>	<b>729</b>	<b>29</b>
<b>Municipal boroughs and urban districts</b>	<b>1,979,100</b>	<b>17,066</b>	<b>16,058</b>	<b>1,127</b>	<b>1,101</b>	<b>35,352</b>	<b>17-9</b>	<b>1-03</b>	<b>1-04</b>	<b>12,913</b>	<b>12,747</b>	<b>25,660</b>	<b>13-0</b>	<b>1-06</b>	<b>1-18</b>	<b>727</b>	<b>21</b>	<b>510</b>	<b>445</b>	<b>632</b>	<b>30</b>
<b>Abram</b>	<b>6,110</b>	<b>53</b>	<b>44</b>	<b>4</b>	<b>4</b>	<b>1,05</b>	<b>17-2</b>	<b>1-00</b>	<b>0-97</b>	<b>33</b>	<b>24</b>	<b>57</b>	<b>9-3</b>	<b>1-38</b>	<b>1-40</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>9</b>
<b>Accrington M.B.</b>	<b>37,690</b>	<b>282</b>	<b>253</b>	<b>28</b>	<b>30</b>	<b>593</b>	<b>15-7</b>	<b>1-13</b>	<b>1-00</b>	<b>283</b>	<b>310</b>	<b>593</b>	<b>15-7</b>	<b>0-93</b>	<b>1-25</b>	<b>15</b>	<b>25</b>	<b>10</b>	<b>9</b>	<b>8</b>	<b>28</b>
<b>Adlington</b>	<b>4,530</b>	<b>31</b>	<b>35</b>	<b>2</b>	<b>1</b>	<b>69</b>	<b>15-2</b>	<b>1-00</b>	<b>0-86</b>	<b>23</b>	<b>21</b>	<b>44</b>	<b>9-7</b>	<b>1-04</b>	<b>0-86</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>14</b>
<b>Ashton-in-Makerfield</b>	<b>22,300</b>	<b>250</b>	<b>243</b>	<b>10</b>	<b>8</b>	<b>511</b>	<b>22-9</b>	<b>0-95</b>	<b>1-23</b>	<b>156</b>	<b>129</b>	<b>285</b>	<b>12-8</b>	<b>1-24</b>	<b>1-36</b>	<b>13</b>	<b>25</b>	<b>10</b>	<b>10</b>	<b>7</b>	<b>33</b>
<b>Ashton-under-Lyne M.B.</b>	<b>49,050</b>	<b>360</b>	<b>383</b>	<b>32</b>	<b>37</b>	<b>842</b>	<b>16-6</b>	<b>1-08</b>	<b>1-01</b>	<b>356</b>	<b>317</b>	<b>673</b>	<b>13-7</b>	<b>1-02</b>	<b>1-49</b>	<b>20</b>	<b>25</b>	<b>16</b>	<b>15</b>	<b>22</b>	<b>44</b>
<b>Aspull</b>	<b>7,190</b>	<b>63</b>	<b>85</b>	<b>3</b>	<b>1</b>	<b>132</b>	<b>18-4</b>	<b>0-98</b>	<b>1-02</b>	<b>48</b>	<b>34</b>	<b>82</b>	<b>11-4</b>	<b>1-37</b>	<b>1-33</b>	<b>4</b>	<b>30</b>	<b>3</b>	<b>2</b>	<b>3</b>	<b>37</b>
<b>Atherton</b>	<b>20,340</b>	<b>224</b>	<b>196</b>	<b>7</b>	<b>9</b>	<b>436</b>	<b>21-4</b>	<b>1-04</b>	<b>1-26</b>	<b>144</b>	<b>183</b>	<b>327</b>	<b>16-1</b>	<b>0-85</b>	<b>1-47</b>	<b>16</b>	<b>37</b>	<b>12</b>	<b>10</b>	<b>12</b>	<b>49</b>
<b>Audenshaw</b>	<b>11,850</b>	<b>84</b>	<b>70</b>	<b>1</b>	<b>6</b>	<b>161</b>	<b>13-6</b>	<b>1-03</b>	<b>0-79</b>	<b>70</b>	<b>64</b>	<b>134</b>	<b>11-3</b>	<b>1-10</b>	<b>1-06</b>	<b>1</b>	<b>6</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>18</b>
<b>Bacup M.B.</b>	<b>16,600</b>	<b>122</b>	<b>119</b>	<b>14</b>	<b>13</b>	<b>268</b>	<b>16-1</b>	<b>1-06</b>	<b>0-96</b>	<b>110</b>	<b>143</b>	<b>253</b>	<b>15-2</b>	<b>1-08</b>	<b>1-40</b>	<b>11</b>	<b>41</b>	<b>8</b>	<b>8</b>	<b>5</b>	<b>48</b>
<b>Barrowford</b>	<b>4,670</b>	<b>23</b>	<b>21</b>	<b>2</b>	<b>4</b>	<b>50</b>	<b>10-7</b>	<b>1-25</b>	<b>0-76</b>	<b>57</b>	<b>43</b>	<b>100</b>	<b>21-4</b>	<b>0-80</b>	<b>1-46</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>3</b>	<b>26</b>
<b>Billingham and Winstanley</b>	<b>9,360</b>	<b>117</b>	<b>111</b>	<b>-</b>	<b>-</b>	<b>231</b>	<b>24-7</b>	<b>0-84</b>	<b>1-17</b>	<b>62</b>	<b>54</b>	<b>116</b>	<b>12-4</b>	<b>0-97</b>	<b>1-03</b>	<b>3</b>	<b>13</b>	<b>3</b>	<b>3</b>	<b>26</b>	<b>-</b>
<b>Blackrod</b>	<b>4,520</b>	<b>49</b>	<b>54</b>	<b>2</b>	<b>1</b>	<b>106</b>	<b>23-5</b>	<b>0-90</b>	<b>1-01</b>	<b>30</b>	<b>27</b>	<b>57</b>	<b>12-6</b>	<b>1-29</b>	<b>1-39</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>9</b>
<b>Brierfield</b>	<b>7,280</b>	<b>39</b>	<b>39</b>	<b>4</b>	<b>3</b>	<b>97</b>	<b>13-3</b>	<b>1-11</b>	<b>0-93</b>	<b>43</b>	<b>47</b>	<b>90</b>	<b>12-4</b>	<b>1-01</b>	<b>1-07</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>Carnforth</b>	<b>4,160</b>	<b>32</b>	<b>26</b>	<b>1</b>	<b>1</b>	<b>60</b>	<b>14-4</b>	<b>1-04</b>	<b>0-85</b>	<b>26</b>	<b>26</b>	<b>52</b>	<b>12-5</b>	<b>1-15</b>	<b>1-23</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>16</b>
<b>Chadderton</b>	<b>32,100</b>	<b>244</b>	<b>221</b>	<b>9</b>	<b>18</b>	<b>482</b>	<b>15-3</b>	<b>0-99</b>	<b>0-86</b>	<b>239</b>	<b>205</b>	<b>444</b>	<b>13-8</b>	<b>1-11</b>	<b>1-31</b>	<b>8</b>	<b>16</b>	<b>7</b>	<b>6</b>	<b>7</b>	<b>25</b>
<b>Chorley M.B.</b>	<b>31,170</b>	<b>250</b>	<b>228</b>	<b>13</b>	<b>16</b>	<b>507</b>	<b>16-3</b>	<b>1-07</b>	<b>0-99</b>	<b>211</b>	<b>243</b>	<b>454</b>	<b>14-6</b>	<b>0-98</b>	<b>1-22</b>	<b>13</b>	<b>26</b>	<b>9</b>	<b>8</b>	<b>10</b>	<b>35</b>
<b>Church</b>	<b>5,870</b>	<b>52</b>	<b>43</b>	<b>3</b>	<b>6</b>	<b>104</b>	<b>17-7</b>	<b>1-05</b>	<b>1-05</b>	<b>43</b>	<b>41</b>	<b>84</b>	<b>14-3</b>	<b>1-22</b>	<b>1-49</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>4</b>	<b>37</b>
<b>Clayton-le-Moors</b>	<b>6,340</b>	<b>46</b>	<b>43</b>	<b>6</b>	<b>4</b>	<b>99</b>	<b>15-6</b>	<b>1-07</b>	<b>0-94</b>	<b>58</b>	<b>42</b>	<b>80</b>	<b>12-6</b>	<b>1-08</b>	<b>1-46</b>	<b>2</b>	<b>20</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>30</b>
<b>Clietheroe M.B.</b>	<b>12,630</b>	<b>99</b>	<b>87</b>	<b>6</b>	<b>5</b>	<b>137</b>	<b>15-6</b>	<b>1-17</b>	<b>1-03</b>	<b>84</b>	<b>123</b>	<b>207</b>	<b>16-4</b>	<b>0-77</b>	<b>1-09</b>	<b>1</b>	<b>5</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>15</b>
<b>Cole M.B.</b>	<b>16,990</b>	<b>111</b>	<b>150</b>	<b>18</b>	<b>12</b>	<b>281</b>	<b>15-3</b>	<b>1-21</b>	<b>1-05</b>	<b>168</b>	<b>156</b>	<b>321</b>	<b>16-9</b>	<b>0-85</b>	<b>1-27</b>	<b>5</b>	<b>17</b>	<b>3</b>	<b>4</b>	<b>20</b>	<b>4</b>
<b>Crompton</b>	<b>14,800</b>	<b>199</b>	<b>156</b>	<b>4</b>	<b>10</b>	<b>389</b>	<b>24-9</b>	<b>1-14</b>	<b>1-00</b>	<b>108</b>	<b>91</b>	<b>186</b>	<b>13-2</b>	<b>0-93</b>	<b>1-21</b>	<b>7</b>	<b>12</b>	<b>5</b>	<b>5</b>	<b>3</b>	<b>22</b>
<b>Crosby M.B.</b>	<b>59,810</b>	<b>459</b>	<b>432</b>	<b>37</b>	<b>36</b>	<b>984</b>	<b>16-5</b>	<b>1-03</b>	<b>0-96</b>	<b>385</b>	<b>415</b>	<b>800</b>	<b>13-4</b>	<b>0-98</b>	<b>1-40</b>	<b>12</b>	<b>13</b>	<b>9</b>	<b>11</b>	<b>20</b>	<b>32</b>
<b>Dalton-in-Furness</b>	<b>10,730</b>	<b>101</b>	<b>98</b>	<b>5</b>	<b>6</b>	<b>208</b>	<b>19-4</b>	<b>1-05</b>	<b>1-15</b>	<b>88</b>	<b>62</b>	<b>150</b>	<b>14-0</b>	<b>1-08</b>	<b>1-27</b>	<b>4</b>	<b>19</b>	<b>3</b>	<b>2</b>	<b>24</b>	<b>24</b>
<b>Darwen M.B.</b>	<b>29,000</b>	<b>246</b>	<b>220</b>	<b>21</b>	<b>12</b>	<b>439</b>	<b>17-2</b>	<b>1-11</b>	<b>1-08</b>	<											

TABLE 13 - continued

Area	Estimated home population as at 30th June 1966	Live births					Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate			
		Legitimate		Illegitimate		Total	Grade rate per 1,000 home population	Comparability factor	Ratio of local to national rate	M	P	Total	Grade rate per 1,000 home population	Comparability factor					Ratio of local to national rate	Number	Rates per 1,000 live births
		M	F	M	P																
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
LANCASHIRE - continued																					
Municipal boroughs and urban districts - continued																					
Ince-in-Makerfield	17,480	139	148	5	9	304	17.2	1.03	1.00	113	107	220	12.6	1.26	1.36	4	13	3	3	8	36
Irlam	11,400	158	175	10	7	350	20.5	1.02	1.18	106	82	188	11.0	1.19	1.12	5	14	3	4	9	36
Kearsley	11,300	119	87	9	4	219	19.4	1.09	1.19	173	63	136	12.0	1.16	1.19	2	9	2	2	1	1
Kirkby	62,600	556	484	43	45	1,134	18.1	0.97	0.99	188	142	330	5.3	3.15	1.43	28	25	20	16	26	36
Kirkham	6,260	51	56	6	5	118	18.8	1.06	1.13	32	35	67	10.7	1.24	1.13	2	17	-	-	2	17
Lancaster M.B.	47,100	357	339	34	42	769	16.3	1.11	1.02	361	444	805	17.1	0.73	1.07	14	18	8	7	12	24
Lees	3,710	23	22	2	2	49	13.2	1.23	0.92	26	29	55	14.8	0.75	0.95	-	-	-	-	-	-
Leigh M.B.	46,360	411	381	19	20	831	17.9	1.10	1.11	310	284	594	12.8	1.15	1.26	18	22	13	12	19	36
Leyland	24,730	227	203	7	12	449	20.7	0.97	1.13	111	103	214	9.8	1.36	1.14	4	9	2	2	8	22
Litherland	24,990	230	204	13	9	456	18.2	0.87	1.00	117	116	233	9.3	1.44	1.14	16	35	9	8	13	45
Littleborough	10,800	86	90	8	13	197	18.2	1.07	1.10	63	94	157	14.5	1.08	1.34	7	36	5	5	4	23
Little Lever	5,980	77	87	6	3	173	28.9	0.97	1.58	34	32	66	11.0	1.15	1.08	3	23	2	1	1	10
Longridge	5,490	69	58	-	2	129	23.5	1.06	1.41	35	33	68	12.4	1.18	1.28	3	17	1	1	1	10
Lymm	36,600	175	133	21	20	409	11.2	1.25	0.79	332	382	714	19.5	0.81	1.08	7	17	5	4	4	19
Lytham St. Anne's M.B.	58,520	495	408	38	38	979	16.7	0.97	0.92	311	285	606	10.4	1.51	1.34	32	33	21	19	10	29
Milnrow	8,880	103	94	7	1	205	23.1	1.13	1.47	53	65	119	13.3	0.94	1.07	1	5	1	1	1	10
Morecambe and Heysham M.B.	48,740	248	213	24	26	541	12.5	1.26	0.89	349	344	693	17.0	0.70	1.02	8	16	6	4	13	32
Mossley M.B.	9,630	83	67	6	5	161	16.7	1.15	1.09	84	75	159	16.5	1.07	1.51	4	25	3	3	6	54
Nelson M.B.	30,980	285	204	30	28	547	17.7	1.14	1.14	257	260	517	16.7	0.88	1.26	12	22	8	6	4	18
Newton-le-Willows	22,120	204	190	13	10	417	18.9	1.01	1.08	173	124	297	13.4	1.15	1.32	14	34	10	10	8	42
Ormskirk	25,190	250	248	17	10	525	20.8	1.09	1.28	140	154	294	11.7	1.08	1.08	10	19	8	6	10	30
Oswaldtwistle	11,840	100	89	2	4	195	16.5	0.97	0.90	87	85	152	12.8	1.24	1.36	5	26	4	4	6	50
Padiham	13,060	131	111	9	8	259	19.8	1.10	1.23	100	102	202	15.5	0.96	1.27	8	31	7	6	2	37
Poulton-le-Fylde	10,210	83	81	11	6	181	17.7	1.11	1.11	75	74	149	14.6	0.95	1.49	8	44	6	4	3	38
Prestall	15,320	116	119	6	6	247	16.1	1.02	0.93	104	89	193	12.6	1.01	1.09	2	8	2	2	7	35
Prescot	3,300	14	11	-	-	25	7.6	1.82	0.78	30	33	63	19.1	0.58	0.95	-	-	-	-	-	-
Prescot	13,400	134	113	7	3	257	19.2	0.95	1.03	74	74	148	11.0	1.24	1.17	7	27	6	6	4	38
Prestwich M.B.	33,710	202	208	34	6	450	13.3	1.07	0.80	258	290	548	16.3	0.72	1.00	13	24	11	4	15	20
Radcliffe M.B.	27,430	288	223	14	19	542	19.8	1.07	1.20	217	176	393	14.3	1.07	1.26	13	24	11	5	15	43
Rainford	6,370	85	72	1	-	158	24.8	0.87	1.22	29	43	72	11.3	1.50	1.46	2	15	2	2	-	-
Ramsbottom	14,280	107	133	10	8	259	18.1	1.12	1.45	100	119	219	15.3	0.97	1.27	6	23	5	5	6	42
Ramsbottom M.B.	22,950	143	136	14	8	301	13.1	1.10	1.15	184	206	390	11.6	0.84	1.56	1	27	6	5	7	32
Rishton	5,440	40	39	3	9	82	21.7	1.13	0.98	121	124	245	11.6	0.94	1.56	1	12	1	1	1	12
Royton	16,900	182	167	8	9	382	21.7	1.04	1.22	113	113	227	14.0	1.10	1.32	8	22	5	4	4	24
Skelmersdale	7,740	88	87	2	5	182	23.5	0.91	1.21	43	37	80	10.3	1.19	1.05	2	11	2	2	2	16
Standish-with-Langtree	10,420	107	85	1	4	194	18.6	0.98	1.03	61	63	124	11.9	1.19	1.21	3	15	3	3	2	26
Stretford M.B.	60,450	535	483	65	57	1,121	18.5	1.02	1.07	357	333	690	11.5	1.20	1.18	17	15	14	13	25	33
Swinton and Pendlebury M.B.	40,980	344	327	16	25	712	17.4	1.02	1.00	263	258	521	12.7	1.15	1.25	20	28	18	17	12	40
Thornton Cleveleys	23,620	202	173	15	13	403	17.1	1.37	1.32	221	190	411	17.4	0.62	0.92	8	20	7	6	5	27
Tottington	6,490	55	57	3	3	120	18.5	1.12	1.17	54	66	120	18.5	0.74	1.07	-	-	-	-	1	1
Trawden	1,860	10	13	-	1	24	12.9	1.26	0.92	14	15	29	15.6	0.92	1.23	1	42	-	-	1	40
Turton	17,400	187	188	7	3	386	22.2	0.89	1.12	85	91	176	10.1	1.11	0.96	2	5	2	2	1	8
Tyldesley	19,010	211	210	7	4	431	22.7	1.10	1.41	114	105	219	14.5	1.11	1.09	8	19	5	5	7	27
Ulverston	10,400	80	92	4	8	184	17.7	1.09	1.09	69	107	176	16.9	0.74	1.07	3	16	2	2	1	11
Up Holland	9,540	93	84	5	4	186	19.5	0.92	1.01	50	49	99	10.4	1.43	1.27	-	-	-	-	-	-

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Urmston	43,300	364	332	13	19	728	16-8	0-95	0-90	210	229	439	10-1	1-23	1-06	13	18	10	8	12	27
Walton-le-Dale	23,360	253	277	14	5	549	23-5	0-84	1-12	121	94	215	9-2	1-40	1-10	4	7	1	1	1	28
Wadley	4,410	34	29	3	3	69	15-6	0-96	0-85	29	46	75	17-0	0-72	1-05	4	7	-	-	2	8
Westboughton	17,350	156	138	7	5	306	17-6	0-98	0-98	148	112	258	14-9	1-07	1-36	10	33	5	5	5	28
Whitefield	16,250	156	165	7	9	337	20-7	0-95	1-11	98	92	188	11-6	1-13	1-18	4	12	5	3	7	29
Whitworth	7,090	60	59	14	9	142	20-0	1-01	1-14	49	53	102	14-4	1-14	1-40	9	63	3	2	3	34
Widnes M.B.	54,500	558	489	50	41	1,158	20-9	0-94	1-11	322	280	582	10-7	1-33	1-22	31	27	15	11	21	28
Withnell	2,760	29	28	-	-	1,57	20-7	1-23	1-44	28	22	50	18-1	0-78	1-21	2	35	1	1	2	51
Worsley	47,800	395	360	22	16	791	16-5	0-96	0-89	276	268	545	11-4	1-43	1-59	22	28	15	14	17	38
<b>Rural districts</b>	<b>386,920</b>	<b>3,478</b>	<b>3,152</b>	<b>133</b>	<b>123</b>	<b>6,886</b>	<b>17-8</b>	<b>0-95</b>	<b>0-96</b>	<b>2,322</b>	<b>2,109</b>	<b>4,451</b>	<b>11-5</b>	<b>1-03</b>	<b>1-01</b>	<b>114</b>	<b>17</b>	<b>74</b>	<b>64</b>	<b>97</b>	<b>23</b>
Blackburn	17,750	139	126	8	6	279	14-9	0-93	0-78	132	108	247	13-2	1-14	1-29	4	14	3	2	4	25
Burnley	15,860	125	90	3	3	221	13-9	1-44	0-90	116	120	256	14-9	0-88	1-12	2	9	1	1	1	27
Chorley	31,180	282	232	10	16	540	17-3	1-07	1-05	200	181	381	12-2	1-03	1-07	15	28	5	5	10	27
Clitheroe	9,580	65	68	2	2	135	14-1	1-26	1-00	70	56	126	13-2	1-06	1-20	-	-	-	-	3	22
Fylde	18,210	183	143	14	10	361	19-8	0-98	1-10	129	132	261	14-3	0-76	0-93	8	22	6	5	2	19
Garstang	16,130	145	113	6	5	269	16-7	1-08	1-02	112	98	210	13-0	0-98	1-09	7	26	6	6	4	37
Lancaster	16,550	128	105	7	6	246	14-9	1-18	0-99	124	96	220	13-3	0-75	0-85	1	4	-	-	3	12
Lunesdale	9,720	81	74	4	1	160	16-5	1-09	1-02	62	83	125	12-9	0-97	1-07	2	13	1	1	1	25
North Lonsdale	15,840	114	95	8	6	223	14-1	1-47	0-93	112	123	235	14-8	0-83	1-05	4	18	2	2	6	35
Preston	48,320	447	382	15	13	857	17-7	1-08	1-08	363	330	693	14-3	0-77	0-94	15	18	11	10	21	35
Warrington	39,490	472	456	15	14	957	24-2	0-88	1-20	199	217	416	10-5	1-03	0-92	13	14	9	8	9	18
West Lancashire	65,630	557	603	19	18	1,197	18-2	0-90	0-93	349	311	660	10-1	1-17	1-01	22	18	16	10	13	18
Whiston	69,470	642	541	20	18	1,191	17-1	0-75	0-72	281	241	522	7-5	1-50	0-96	16	13	10	10	12	19
Wigan	12,190	130	113	2	5	250	20-5	0-88	1-02	66	53	119	9-8	1-37	1-15	5	20	4	4	1	20
<b>LEICESTERSHIRE*</b>	<b>716,110</b>	<b>6,347</b>	<b>5,930</b>	<b>514</b>	<b>477</b>	<b>13,268</b>	<b>18-5</b>	<b>1-00</b>	<b>1-05</b>	<b>3,985</b>	<b>3,917</b>	<b>7,902</b>	<b>11-0</b>	<b>1-00</b>	<b>0-94</b>	<b>264</b>	<b>20</b>	<b>175</b>	<b>156</b>	<b>213</b>	<b>27</b>
*Leicester C.B.	279,030	2,322	2,200	336	288	5,146	18-4	1-04	1-08	1,645	1,767	3,412	12-2	0-95	0-99	138	27	85	74	85	30
<b>Administrative county*</b>	<b>437,080</b>	<b>4,025</b>	<b>3,730</b>	<b>178</b>	<b>189</b>	<b>8,122</b>	<b>18-6</b>	<b>0-98</b>	<b>1-03</b>	<b>2,340</b>	<b>2,150</b>	<b>4,490</b>	<b>10-3</b>	<b>1-04</b>	<b>0-92</b>	<b>126</b>	<b>16</b>	<b>90</b>	<b>82</b>	<b>128</b>	<b>25</b>
<b>Municipal borough and urban districts*</b>	<b>201,730</b>	<b>1,811</b>	<b>1,737</b>	<b>92</b>	<b>98</b>	<b>3,738</b>	<b>18-5</b>	<b>1-01</b>	<b>1-06</b>	<b>1,018</b>	<b>976</b>	<b>1,994</b>	<b>9-9</b>	<b>1-09</b>	<b>0-92</b>	<b>56</b>	<b>15</b>	<b>37</b>	<b>32</b>	<b>57</b>	<b>23</b>
Asby de la Zouch	7,640	56	56	4	-	116	15-2	1-00	0-86	40	34	74	9-7	1-07	0-89	-	-	-	-	2	17
Asby Wouds	3,270	18	18	2	1	39	11-9	1-07	0-72	18	14	32	9-8	1-16	0-97	1	26	1	1	1	26
Coalville	28,000	233	206	9	9	457	16-3	1-02	0-94	150	123	273	9-8	1-14	0-95	10	22	8	6	8	30
Hinckley	43,070	371	333	24	20	748	17-4	0-99	0-97	212	199	411	9-5	1-18	0-96	9	12	5	5	12	22
Loughborough M.B.	39,530	329	313	25	41	708	17-9	1-03	1-04	224	224	448	11-3	1-04	1-00	16	23	10	8	13	29
Market Harborough	12,700	119	136	2	3	260	20-5	1-03	1-19	74	90	164	12-9	0-77	0-85	1	4	-	-	3	11
Melton Mowbray	17,750	182	184	13	8	387	21-8	0-98	1-21	92	103	195	11-0	0-80	0-75	6	16	5	5	7	30
*Oadby	15,910	123	124	1	1	252	15-8	0-85	0-76	47	54	101	6-3	1-26	0-68	3	12	3	3	4	27
*Shepshed	7,960	79	76	2	5	162	20-4	0-95	1-09	47	59	86	10-8	1-13	1-04	1	6	-	-	4	24
*Wigston	25,900	301	291	10	7	609	23-5	0-94	1-12	114	96	210	8-1	1-34	0-93	9	15	5	4	4	13
<b>Rural districts*</b>	<b>235,350</b>	<b>2,214</b>	<b>1,993</b>	<b>86</b>	<b>91</b>	<b>4,384</b>	<b>18-6</b>	<b>0-99</b>	<b>1-04</b>	<b>1,322</b>	<b>1,174</b>	<b>2,496</b>	<b>10-6</b>	<b>1-00</b>	<b>0-91</b>	<b>70</b>	<b>16</b>	<b>53</b>	<b>50</b>	<b>71</b>	<b>27</b>
Asby de la Zouch	13,700	99	86	4	7	196	14-3	1-02	0-82	85	82	147	10-7	1-08	0-99	3	15	3	3	14	25
Bloxworth upon Soar	64,570	582	551	20	29	1,152	17-9	0-97	0-98	336	303	639	9-9	1-08	0-92	20	17	19	18	14	26
*Ellesdon	13,130	100	80	4	7	191	14-5	0-92	0-75	61	48	107	8-1	1-10	0-78	4	21	3	13	15	51
*Ely	60,620	722	629	19	14	1,384	22-8	0-91	1-17	298	320	618	10-2	0-91	0-79	19	14	17	18	23	28
Castle Donington	10,950	119	78	3	2	202	18-4	1-08	1-42	73	51	124	11-3	1-11	1-07	4	20	2	1	5	29
Lutterworth	14,610	129	101	4	3	237	16-3	1-08	1-08	77	70	141	10-3	1-03	0-91	3	13	2	2	8	41
Market Bosworth	23,930	267	251	12	12	542	18-3	1-10	1-08	207	182	339	13-3	0-88	0-99	11	23	6	5	8	24
Market Harborough	10,820	81	65	40	17	142	18-2	1-15	1-08	172	184	336	13-3	0-92	1-05	4	24	3	3	4	18
Market and Belvoir	18,960	145	152	10	7	314	16-6	1-10	1-03	119	76	195	10-3	1-01	0-89	2	6	1	1	4	16
<b>LINCOLNSHIRE (PARTS OF HOLLAND)</b>	<b>105,000</b>	<b>793</b>	<b>743</b>	<b>50</b>	<b>47</b>	<b>1,633</b>	<b>15-6</b>	<b>1-00</b>	<b>0-88</b>	<b>627</b>	<b>561</b>	<b>1,188</b>	<b>11-3</b>	<b>0-98</b>	<b>0-95</b>	<b>34</b>	<b>21</b>	<b>24</b>	<b>21</b>	<b>25</b>	<b>28</b>
<b>Municipal borough and urban district</b>	<b>40,700</b>	<b>348</b>	<b>312</b>	<b>22</b>	<b>21</b>	<b>703</b>	<b>17-3</b>	<b>1-01</b>	<b>0-99</b>	<b>253</b>	<b>244</b>	<b>497</b>	<b>12-2</b>	<b>0-92</b>	<b>0-96</b>	<b>15</b>	<b>21</b>	<b>11</b>	<b>10</b>	<b>12</b>	<b>31</b>
Boston M.B.	25,150	205	177	14	17	413	16-4	1-01	0-94	140	139	279	11-1	1-07	1-02	12	29	9	9	8	40
Spalding	15,550	143	135	8	4	290	18-6	1-00	1-05	113	106	218	14-0	0-73	0-87	3	10	2	1	4	17
<b>Rural districts</b>	<b>64,300</b>	<b>445</b>	<b>451</b>	<b>28</b>	<b>26</b>	<b>930</b>	<b>14-5</b>	<b>1-00</b>	<b>0-82</b>	<b>374</b>	<b>317</b>	<b>691</b>	<b>10-7</b>	<b>1-02</b>	<b>0-93</b>	<b>19</b>	<b>20</b>	<b>13</b>	<b>11</b>	<b>13</b>	<b>25</b>
Boston	22,800	146	151	12	8	317	13-9	0-99	0-78	115	112	227	10-0	1-06	0-91	6	19	3	3	3	19
East Ellce	21,680	155	143	8	6	312	14-4	1-02	0-83	154	119	272	12-5	0-91	0-87	6	19	4	4	3	22
Spalding	19,820	144	137	8	12	301	15-2	0-98	0-84	105	87	192	9-7	1-13	0-94	7	23	6	4	7	36

TABLE 13 - continued

Area	Estimated home population as at 30th June 1966	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		Legitimate			Illegitimate			Total	Grande rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Grande rate per 1,000 home population					Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rates per 1,000 live births																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		M	F	P	M	F	P																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
																								3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
1	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
NORFOLK		585,500	4,469	4,012	352	337	9,170	15.7	1.04	0.92	3,648	3,296	6,944	11.9	0.85	0.86	167	18	108	91	148	26
County boroughs		170,520	1,160	1,082	135	137	2,524	14.8	1.06	0.89	1,088	1,017	2,105	12.3	0.89	0.94	63	25	43	35	44	31
Great Yarmouth		52,420	312	282	49	48	704	13.4	1.08	0.82	583	341	724	13.8	0.81	0.96	20	29	15	13	16	40
Norwich		116,100	848	800	56	89	1,823	15.4	1.05	0.91	705	676	1,361	11.7	0.93	0.93	43	24	28	22	28	27
Administrative county		414,980	3,309	2,920	217	200	6,646	16.0	1.04	0.94	2,560	2,279	4,839	11.7	0.84	0.84	104	16	55	56	104	24
Municipal boroughs and urban districts		84,700	687	613	63	49	1,412	16.7	1.01	0.85	564	528	1,082	12.9	0.82	0.90	33	23	18	17	21	27
Cromer		4,920	34	25	2	1	56	13.4	1.15	0.87	39	31	100	20.3	0.54	0.94	1	75	4	4	8	23
Diss		4,140	23	30	2	1	56	13.5	1.09	0.83	36	19	95	13.3	0.84	0.86	1	18	1	1	2	52
Downham Market		3,210	25	18	5	3	51	15.9	1.13	1.02	21	21	13.1	0.52	0.58	1	20	1	1	1	38	
East Dereham		7,880	53	48	6	5	112	14.2	1.08	0.87	52	53	105	13.3	0.78	0.89	5	45	3	3	2	44
Hunstanton		4,440	28	20	3	2	53	12.8	1.06	0.77	26	32	58	14.0	0.61	0.73	1	19	4	4	4	23
King's Lynn M.B.		28,190	237	218	29	20	504	17.9	0.99	1.00	178	157	335	11.9	0.95	0.97	9	18	4	4	8	23
North Walsham		5,330	37	30	5	3	75	14.1	1.15	0.92	29	34	83	11.8	0.73	0.74	2	27	2	2	1	39
Sheringham		4,920	25	28	1	1	55	11.2	1.25	0.79	46	43	59	16.1	0.62	0.96	1	18	1	1	1	39
Swaffham		3,490	26	19	-	2	47	13.5	0.96	0.73	31	19	49	10.4	0.80	0.98	2	43	1	1	1	39
Theford M.B.		9,730	131	116	6	3	259	26.6	0.76	1.14	40	58	98	10.1	1.40	0.95	6	23	5	4	3	27
Wells-next-the-Sea		2,450	10	17	-	-	27	11.0	1.14	0.71	15	15	42	11.0	0.84	0.79	1	37	1	1	1	36
Wymondham		6,300	55	44	4	4	107	17.0	1.04	1.00	41	29	70	11.1	0.93	0.88	3	28	2	2	3	45
Rural districts		330,280	2,622	2,307	154	151	5,234	15.8	1.05	0.94	1,996	3,747	3,747	11.3	0.84	0.81	71	14	47	39	83	23
Bliffield and Flegg		39,180	319	282	16	22	639	16.3	1.11	1.02	255	301	556	14.2	0.63	0.76	8	13	6	6	4	16
Depwade		17,850	134	104	10	4	252	14.1	1.19	0.95	143	107	250	14.0	0.75	0.90	2	8	1	1	4	20
Docking		18,160	129	94	10	9	242	13.3	1.06	0.80	113	94	207	11.4	0.88	0.86	4	17	3	3	4	28
Downham		25,090	223	199	9	19	450	17.9	1.04	1.05	125	91	216	8.6	1.20	0.88	4	9	3	2	12	30
Eringham		18,880	98	86	9	8	201	10.6	1.18	0.71	147	112	259	13.7	0.73	0.85	4	20	2	2	4	29
Forehoe and Henstead		30,390	249	239	13	11	512	16.8	1.02	0.97	172	183	355	11.7	0.62	0.62	7	14	3	2	16	34
Freebridge Lynn		12,810	114	96	8	8	226	17.6	0.99	0.98	74	70	144	11.2	0.94	0.90	5	22	3	2	4	26
Lodden		12,850	96	94	7	6	203	15.8	1.03	0.92	58	55	113	8.8	0.90	0.68	3	15	1	1	3	19
Marshalland		17,630	142	112	14	10	278	15.8	1.02	0.91	83	67	150	8.5	1.13	0.82	9	32	9	8	1	32
Mitford and Launditch		17,870	119	88	9	7	223	12.5	1.11	0.78	137	92	229	12.8	0.76	0.83	1	4	-	-	1	4
St. Faith's and Aylsham		52,530	471	405	18	24	918	17.5	0.90	0.89	304	263	567	10.8	0.91	0.84	10	11	4	3	14	18
Smallburgh		17,700	114	99	8	4	225	12.7	1.15	0.83	113	106	281	12.4	0.86	0.91	2	9	2	1	1	9
Swaffham		9,930	96	78	4	2	180	18.1	1.05	1.07	43	51	74	7.5	1.05	0.67	1	6	1	1	1	9
Walsingham		19,190	144	157	10	3	314	16.4	1.01	0.94	102	83	185	9.6	1.03	0.85	5	16	5	4	5	28
Weyland		20,220	174	174	9	14	371	18.3	1.11	1.15	127	96	223	11.0	0.97	0.91	6	16	3	3	10	34
NORTHAMPTONSHIRE		428,060	3,748	3,654	296	283	7,981	18.6	1.04	1.09	2,559	2,329	4,888	11.4	0.94	0.92	119	15	81	72	93	20
Northampton C.B.		121,560	1,032	1,011	112	90	2,245	18.5	1.02	1.07	743	738	1,481	12.2	0.88	0.92	28	12	18	15	30	20
Administrative county		306,500	2,716	2,643	184	193	5,736	18.7	1.05	1.11	1,816	1,591	3,407	11.1	0.97	0.92	91	16	54	57	63	21
Municipal boroughs and urban districts		177,610	1,652	1,580	124	119	3,475	19.6	1.01	1.12	1,030	887	1,917	10.8	1.02	0.94	61	18	31	36	48	24
Brackley M.B.		3,730	25	28	2	1	58	15.0	1.11	0.94	24	20	34	9.1	0.84	0.65	1	1	1	1	1	1
Burton Latimer		4,850	45	31	4	6	86	18.5	1.13	1.18	21	15	36	7.7	1.03	0.68	2	23	1	1	1	1
Corby		45,550	513	467	44	30	1,054	23.1	0.83	1.08	154	96	250	5.5	2.49	1.17	29	28	19	16	17	31
Daventry M.B.		6,410	53	68	-	2	123	19.2	0.91	0.99	40	40	80	12.5	0.63	0.67	2	16	1	1	2	24
Desborough		4,720	35	31	3	5	74	15.7	1.29	1.14	32	20	52	11.0	0.89	0.84	1	1	1	1	2	26
Higham Ferrers M.B.		4,350	51	30	3	2	86	19.8	1.20	1.14	25	21	46	10.6	1.02	0.92	1	1	1	1	1	1
Irthlingborough		6,230	58	36	5	2	101	19.3	1.03	1.12	41	22	63	12.0	1.06	1.09	1	10	1	1	1	1
Kettering M.B.		39,100	319	316	35	28	698	17.9	1.10	1.11	260	224	484	12.4	0.84	0.69	6	9	5	4	9	18
Oundle		3,480	24	28	1	1	54	15.5	1.31	1.15	28	30	58	16.7	0.44	0.63	1	19	1	1	1	1
Raunds		4,850	42	44	1	-	87	17.9	1.20	1.21	34	33	67	13.8	0.87	1.03	1	11	1	1	1	23
Rethwell		4,730	28	34	-	2	64	13.5	1.24	0.95	27	34	61	12.9	0.89	0.98	2	31	2	2	1	42
Rushden		17,680	167	175	4	9	355	20.1	1.08	1.23	121	105	226	12.8	0.95	1.04	4	11	2	2	7	25
Wellingborough		33,130	292	292	22	31	637	19.2	1.05	1.14	233	227	460	13.9	0.86	1.02	13	20	9	8	9	26
Rural districts		128,890	1,064	1,063	60	74	2,261	20.5	1.11	1.10	786	704	1,490	11.6	0.89	0.88	30	13	22	21	15	16
Brackley		12,970	117	129	8	8	262	17.2	1.12	1.28	75	51	126	9.7	1.05	0.87	4	15	4	4	1	19
Brixworth		16,690	128	106	4	5	243	14.6	1.11	0.92	93	119	212	12.7	0.81	0.88	2	8	2	2	2	16
Daventry		17,940	160	167	6	8	341	19.0	1.15	1.23	128	77	205	11.4	0.93	0.91	5	15	4	4	1	15
Kettering		12,020	88	90	10	8	196	16.3	1.13	1.04	64	60	124	10.3	1.02	0.90	2	10	1	1	2	15
Northampton		20,050	194	144	8	8	354	17.7	1.08	1.08	122	115	237	11.8	0.65	0.66	3	8	2	2	2	11
Oundle and Thrapston		18,590	135	125	9	13	282	15.3	1.11	0.96	110	107	217	11.8	1.03	1.04	5	18	2	2	4	21
Towcester		16,460	132	164	12	15	323	19.6	1.09	1.12	98	98	196	11.9	0.95	0.97	4	12	3	3	1	12
Wellingborough		14,580	110	138	3	9	260	18.1	1.10	1.12	96	77	173	12.0	0.95	0.97	5	19	4	3	2	19

TABLE 13 - continued

Area	Estimated home population as at 30th June 1966	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate				
		Legitimate			Illegitimate			Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local to national rate	M	F	Total	Crude rate per 1,000 home population					Comparability factor	Ratio of local to national rate	Number	Rates per 1,000 live births
		M	F	3	M	F	P																
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22		
NORTHUMBRIA																							
County boroughs																							
Newcastle upon Tyne	326,180	2,569	2,406	299	274	5,548	17.0	1.00	0.96	2,050	1,826	3,876	11.9	1.08	1.10	128	23	78	69	93	29		
Tynemouth	72,400	634	616	41	45	1,336	18.5	0.98	1.02	402	374	1,452	10.7	1.09	1.00	22	16	14	12	25	27		
Administrative county																							
501,380	3,717	3,412	188	196	7,513	15.0	1.00	0.85	3,181	2,981	6,162	12.3	1.03	1.08	152	20	102	87	137	28			
Municipal boroughs and urban districts																							
384,600	2,937	2,737	139	168	5,981	15.6	0.99	0.87	2,400	2,197	4,597	12.0	1.09	1.12	120	20	79	67	102	28			
Alnwick	7,570	45	53	7	6	111	14.7	1.02	0.93	43	43	86	11.4	1.09	1.06	3	27	3	3	4	46		
Ambie	4,980	46	47	2	1	96	19.3	1.03	1.12	28	21	49	9.8	1.04	0.87	1	70	1	1	4	50		
Ashington	28,360	182	193	4	14	393	14.9	1.04	0.86	184	119	303	11.5	1.19	1.17	5	13	3	3	7	23		
Bedlingtonshire	30,940	224	228	10	13	475	15.4	0.98	0.85	199	130	329	10.6	1.28	1.16	14	29	7	7	12	39		
Berwick-upon-Tweed M.B.	11,710	103	100	3	9	215	18.4	1.04	1.08	79	89	168	14.3	0.92	1.12	3	14	3	3	7	45		
Blyth M.B.	36,150	261	275	17	19	572	15.8	0.98	0.87	219	171	390	10.8	1.26	1.16	13	23	9	7	11	31		
Gosforth	27,510	190	199	8	8	406	14.8	0.97	0.81	210	236	446	16.2	0.72	1.00	5	12	4	4	4	3		
Hexham	9,710	80	50	8	5	143	14.7	1.06	0.88	63	77	140	14.4	0.88	1.08	3	21	2	2	4	17		
Longbenton	48,020	321	304	9	16	650	13.5	0.87	0.68	249	200	449	9.4	1.49	1.20	13	20	9	8	9	26		
Morpeth M.B.	14,150	115	101	4	—	220	15.5	0.99	0.87	97	90	187	13.2	0.89	0.78	1	5	1	1	3	28		
Newbiggin-by-the-Sea	9,920	70	63	3	5	141	14.2	1.01	0.81	59	54	113	11.4	1.25	1.22	3	21	3	2	2	21		
Newburn	32,480	279	231	10	14	534	16.4	0.97	0.90	169	166	335	10.3	1.24	1.09	10	19	6	5	5	19		
Prudhoe	10,660	77	77	3	5	162	15.2	0.94	0.81	74	64	138	12.9	1.12	1.23	4	25	4	2	2	24		
Seaton Valley	27,730	224	195	15	15	440	15.9	1.04	0.93	173	143	316	11.4	1.09	1.06	9	20	8	7	15	48		
Wallsend M.B.	48,370	435	364	19	32	850	17.6	0.99	0.98	269	264	533	11.0	1.32	1.24	27	32	11	9	16	29		
Whitley Bay M.B.	38,340	285	258	15	15	573	14.9	1.06	0.89	285	330	615	16.0	0.79	1.08	6	70	5	5	5	17		
Rural districts																							
116,780	780	675	49	28	1,532	13.1	1.05	0.78	781	784	1,565	13.4	0.85	0.97	32	21	23	20	25	29			
Alnwick	12,320	69	87	7	3	166	13.5	1.14	0.87	74	79	153	12.4	0.83	0.88	3	18	—	—	6	35		
Bedford	4,820	22	25	2	—	49	10.2	1.21	0.70	30	34	64	13.3	0.81	0.92	1	20	1	—	1	20		
Bellingham	5,130	41	41	3	—	85	16.6	1.20	1.13	22	34	56	10.9	1.11	1.03	4	47	4	3	—	35		
Castle Ward	33,470	213	196	11	11	431	12.9	0.88	0.64	258	271	529	15.8	0.70	0.95	8	19	5	5	7	27		
Glendale	6,740	48	33	4	2	87	12.9	1.13	0.82	49	35	84	12.5	0.96	1.03	—	—	—	—	3	33		
Halwisttle	6,730	56	34	—	—	90	13.4	1.15	0.87	39	35	74	11.0	0.93	0.87	3	33	2	2	1	33		
Hexham	20,490	155	121	8	7	291	14.2	1.09	0.87	147	157	304	14.8	0.85	1.08	6	21	6	6	3	31		
Morpeth	17,940	119	97	8	3	227	12.7	1.08	0.77	110	90	200	11.1	1.11	1.05	6	26	5	4	2	26		
Norham and Islandshires	3,850	20	19	2	1	42	10.9	1.26	0.78	24	24	48	12.5	0.92	0.98	1	24	—	—	1	23		
Rothbury	5,290	37	22	4	1	64	12.1	1.18	0.81	28	25	53	10.0	0.83	0.71	—	—	—	—	1	15		
NOTTINGHAMSHIRE																							
954,280	8,171	7,759	829	753	17,512	18.4	0.98	1.02	5,439	5,012	10,451	11.0	1.10	1.03	380	22	239	209	274	27			
Nottingham C.B.	310,280	2,604	2,524	454	438	6,020	19.4	0.99	1.09	2,002	1,936	3,938	12.7	1.06	1.15	170	28	104	91	92	30		
Administrative county																							
644,000	5,567	5,235	375	315	11,492	17.8	0.97	0.98	3,437	3,076	6,513	10.1	1.14	0.98	210	18	135	118	182	26			
Municipal boroughs and urban districts																							
430,320	3,704	3,421	267	217	7,609	17.7	0.98	0.98	2,378	2,129	4,507	10.5	1.13	1.01	144	19	92	81	130	27			
Arnold	30,260	256	246	15	9	528	17.4	0.94	0.92	140	101	241	8.0	1.21	0.83	6	17	5	5	7	23		
Beeston and Stapleford	60,760	557	493	26	22	1,098	18.1	0.94	0.96	266	247	513	9.4	1.28	0.92	22	20	13	13	16	26		
Carlton	41,280	368	367	24	19	776	18.8	1.00	1.06	212	177	389	9.4	1.17	0.94	14	18	9	8	8	20		
East Retford M.B.	18,700	142	134	10	5	291	15.6	0.99	0.87	117	128	245	13.1	0.95	1.06	2	7	1	1	5	20		
Eastwood	11,270	118	107	8	3	236	20.9	0.97	1.15	59	64	123	10.9	1.29	1.20	—	—	—	—	5	21		
Hucknall	25,460	210	214	12	10	446	17.5	1.01	1.00	127	127	254	10.0	1.26	1.07	9	20	5	5	5	31		

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Kirkby in Ashfield Mansfield M.B. Mansfield Woodhouse	22,370 55,260 23,420	225 435 248	169 410 215	14 47 15	6 35 11	414 927 489	18.5 16.8 20.9	0.96 1.02 0.91	1.00 0.97 1.07	148 338 119	88 308 91	236 648 210	10.5 14.7 9.0	1.23 0.99 1.41	1.10 0.99 1.08	7 17 11	17 22 22	5 11 7	5 9 5	9 23 8	33 31 26
Newark M.B. Sutton in Ashfield Warpoe West Bridgford Workshop M.B.	24,870 40,580 12,790 27,840 35,480	202 315 134 180 316	175 324 424 179 271	13 21 14 25 26	18 24 7 20 28	408 677 276 404 641	16.4 16.7 21.6 14.5 18.1	1.01 1.00 1.22 0.79 1.00	0.94 0.95 1.00 0.97 1.00	146 269 257 175 205	162 222 491 106 135 170	308 491 12.1 8.3 370 375	12.4 12.1 1.19 1.36 0.81 1.19	1.04 1.23 0.96 1.04 0.92 1.08	1.04 1.23 0.96 1.04 0.98 1.08	9 15 22 7 4 10	22 22 25 30 30 30	6 12 12 2 4 12	5 9 3 3 4 11	5 11 2 4 11 15	6 27 33 11 40
Rural districts Basford Bingham East Retford Newark Southwell Workshop	213,680 66,520 35,880 23,840 16,190 52,100 19,150	1,863 543 392 172 142 449 165	1,814 523 337 478 144 453 179	108 29 37 18 7	98 26 15 9 9	3,883 1,121 759 377 302	18.2 16.9 21.2 15.8 18.3	0.96 0.97 1.03 1.02 0.99	0.99 0.93 0.94 0.91 1.01	1,059 339 154 104 99	947 303 541 352 65	2,066 541 352 200 164	9.4 9.6 1.24 9.3 10.1	1.16 1.24 1.00 1.08 1.18	0.93 1.02 0.79 0.78 1.02	66 13 17 13 6	17 12 12 17 8	43 9 9 3 4	37 9 11 3 4	52 11 26 6 32	23 14 26 3 32
OXFORDSHIRE Oxford C.B.	348,770 109,510 239,260	3,028 738 2,290	2,937 775 2,162	244 105 139	223 89 134	6,432 1,707 4,725	18.4 15.6 19.7	0.95 0.93 0.97	0.99 0.82 1.08	1,681 538 1,143	1,661 566 1,085	3,342 1,104 2,238	9.6 10.1 9.4	1.05 0.96 1.10	0.86 0.83 0.88	101 28 73	16 16 15	68 15 53	62 14 48	76 13 63	21 16 23
Administrative county Municipal boroughs and urban districts Banbury M.B. Bicester Chipping Norton M.B. Henley-on-Thames M.B. Thame Witney Woodstock M.B.	66,440 25,760 8,310 4,320 10,470 5,370 10,010 2,200	650 280 99 27 85 60 75 24	596 232 92 30 82 56 73 31	40 17 7 3 3 2 7 1	40 19 7 1 8 2 3 -	1,326 548 205 61 178 120 158 56	20.0 21.3 24.7 14.1 17.0 22.3 15.8 25.6	0.92 0.90 0.82 1.14 0.98 0.97 0.83 1.00	1.04 1.08 1.14 0.81 0.94 1.22 1.11 1.44	352 131 28 27 73 23 51 19	364 133 30 26 73	716 264 58 53 155	10.8 10.2 7.0 12.3 14.8	1.05 1.11 1.66 0.99 0.75	0.97 0.97 0.99 1.04 0.95	29 14 3 4 22	22 26 15 3 3	22 9 2 2 3	19 9 1 2 3	18 29 32 10 28	23 29 32 10 28
Rural districts Banbury Bullington Chipping Norton Henley Ploughley Witney	172,820 18,170 47,950 17,680 27,140 32,400 29,480	1,640 161 500 159 223 323 302	1,566 165 500 140 190 312 259	99 10 4 7 7 19 16	94 14 29 7 8 13 23	3,399 1,350 1,041 313 428 667 800	19.7 19.3 21.7 17.7 15.8 20.6 20.4	0.98 1.06 1.14 1.07 1.15 0.90 0.96	1.09 1.16 1.14 1.07 1.03 1.05 1.11	791 351 222 99 130 146 133	731 108 228 74 123	1,522 199 450 173 253	8.8 11.0 9.4 9.8 9.3	1.13 0.91 1.07 1.01 1.04	0.85 0.86 0.86 0.85 0.83	44 11 20 5 12	13 4 13 5 12	31 4 13 5 5	29 4 13 5 5	45 6 28 13 10	23 4 28 13 10
RUSSIA Oakham U.D.	27,950 5,150	255 55	211 56	7 2	9 3	482 116	17.2 22.5	1.06 1.04	1.03 1.32	154 33	139 37	293 70	10.5 13.6	1.01 0.63	0.91 0.73	10 2	21 17	7 1	6 1	8 2	29 25
Rural districts Ketton Oakham Uppingham	22,800 3,860 12,570 6,570	200 31 119 50	155 19 95 41	5 - 4 1	6 1 3 2	366 51 221 94	16.1 13.2 17.6 14.8	1.06 1.02 1.01 1.19	0.96 0.76 1.00 1.00	121 18 58 45	102 10 59 35	223 28 117 78	9.8 7.3 9.3 12.2	1.14 1.24 1.31 0.94	0.95 0.71 1.04 0.98	8 7 7 1	22 32 32 1	6 5 5 1	5 4 2 -	6 4 2 -	30 28
SHERIFFS Municipal districts* Bishop's Castle M.B. Bridgnorth M.B. (a) Church Stretton *Dawley Ellesmere	321,720 154,450 1,260 9,590 18,650 2,390	2,900 1,361 110 110 150 28	2,600 1,289 98 81 154 26	199 103 8 14	172 87 9 5	5,871 2,840 119 225	18.2 18.4 13.1 24.0	1.02 0.98 1.26 0.97	1.05 1.02 1.32 0.99	1,959 989 107 61	1,777 915 48 43	3,736 1,914 35 104	11.6 12.4 27.8 11.1	1.03 0.99 1.02 1.06	1.02 1.05 1.02 1.01	92 44 4 18	16 15 18 3	60 28 3 3	53 24 3 3	102 48 4 4	26 25 31 31
(b) Ludlow M.B. *Market Drayton Newport *Oakengates Oswestry M.B.	7,080 5,420 15,450 12,120	63 57 152 106	40 56 169 81	3 3 6 14	3 3 8 5	107 119 335 206	15.1 22.0 21.7 17.0	1.04 0.93 1.18 0.97	0.89 1.16 1.08 0.93	68 42 79 76	55 23 75 69	123 65 154 145	17.4 12.0 10.0 12.0	0.80 1.03 1.06 1.06	1.19 1.06 1.08 1.09	2 2 2 1	19 17 10 5	1 2 - 1	1 2 8 1	3 33 23 14	36 33 23 14
Shrewsbury M.B. Wellington Wem *Wenlock M.B. Whitchurch	52,450 16,300 2,940 3,800 7,200	448 129 17 33 57	399 153 28 29 52	31 4 1 2 2	33 11 4 2 1	911 297 45 68 112	17.4 18.2 15.3 17.9 15.6	0.96 1.02 1.11 0.96 1.09	0.94 1.01 1.11 0.96 0.96	334 101 18 31 54	307 81 18 26 79	641 182 34 57 133	12.2 11.2 11.6 18.5 18.5	1.00 1.05 0.98 0.97 1.06	1.04 1.01 0.97 0.97 1.06	12 5 2 2 5	13 17 44 15 45	6 2 2 - 5	6 1 2 - 3	13 3 44 1 52	21 13 14 14 52

(a) Church Stretton U.D. abolished 1st April 1966. Events included in figures for Ludlow R.D. from 1st January 1966.  
(b) Market Drayton U.D. and Drayton R.D. abolished 1st April 1966. Events included in figures for Market Drayton R.D. from 1st January 1966.

TABLE 13 - continued

Area	Estimated home population as at 30th June 1966	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate				
		Legitimate			Illegitimate			Total	Grade rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Grade rate per 1,000 home population					Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rates per 1,000 live births
		M	F	P	M	F	P																
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22		
SHERPESHIRE - continued																							
Rural districts*																							
Atcham	1,539	1,311	96	85	3,031	18.1	1.05	1.07	960	862	1,822	10.9	1.06	0.99	48	16	32	29	54	27			
*Bridgnorth	249	208	11	17	485	19.4	1.03	1.13	122	113	235	9.4	1.03	0.83	7	14	6	5	20	19			
Clun	18,880	170	164	3	2	132	14.9	1.14	0.96	41	59	100	11.3	0.99	0.96	4	11	4	1	2	22		
(a)*Drayton	66	61	3	2	112	14.9	1.05	0.88	40	34	74	9.8	0.88	0.74	2	18	1	1	4	43			
Ellesmere	7,520	48	56	3	5	112	14.9	1.05	0.88	40	34	74	9.8	0.88	0.74	2	18	1	1	4	43		
(b)*Ludlow	16,280	107	128	6	9	248	15.2	1.16	1.00	112	94	203	12.5	0.87	0.93	3	12	1	1	6	28		
(a)*Market Drayton	170	118	8	11	307	18.3	0.99	1.02	105	87	192	11.4	1.06	1.03	5	16	4	4	6	32			
Oswestry	19,240	157	122	10	9	298	15.5	1.10	0.96	125	127	252	13.1	0.80	0.90	4	13	4	4	6	33		
*Shifnal	15,950	163	139	12	4	318	19.9	1.06	1.19	77	58	135	8.5	1.49	1.08	4	13	3	2	4	19		
*Wellington	306	231	24	14	575	21.6	1.02	1.24	151	115	266	10.0	1.35	1.15	15	26	7	6	15	36			
Wem	12,130	103	86	2	4	195	16.1	1.04	0.95	71	79	150	12.4	0.99	1.05	3	15	1	1	3	20		
SOMERSET*																							
Bath C.B.	82,570	570	526	36	54	1,186	14.4	1.04	0.85	510	587	1,097	13.3	0.78	0.89	23	19	18	12	25	31		
Administrative county*																							
Municipal boroughs and urban districts*																							
Bridgwater M.B.	265,130	1,956	165	130	4,381	16.5	1.08	1.01	1,714	1,996	3,710	14.0	0.79	0.95	79	18	55	46	63	25			
Burnham-on-Sea	26,500	287	194	21	11	493	18.6	0.98	1.03	148	158	306	11.5	0.82	0.90	8	16	5	5	26			
Chard M.B.	10,980	92	72	4	5	173	15.8	1.20	1.07	82	110	192	17.5	0.68	1.02	5	29	4	2	29			
Clevedon	8,690	57	46	4	2	109	16.3	1.12	1.03	50	46	96	14.3	0.72	0.88	3	28	3	3	2			
Crewkerne	12,530	86	104	4	6	200	16.0	1.19	1.08	89	144	233	18.6	0.55	0.87	1	15	1	1	2			
Cromford	4,550	32	28	-	3	63	13.8	1.21	0.94	27	27	54	11.9	0.91	0.93	1	16	1	1	31			
Frome	11,980	112	91	9	4	218	18.0	1.09	1.11	94	72	166	13.9	0.69	0.92	4	19	1	1	4			
Glastonbury M.B.	6,470	47	54	3	4	108	17.5	1.09	1.08	25	30	55	8.9	0.99	0.75	1	9	1	1	9			
Ilminster	2,810	17	13	2	1	33	11.7	0.98	0.85	17	19	36	12.8	0.97	1.06	-	-	-	-	-			
*Keynsham	16,820	140	107	4	7	258	15.3	0.98	0.85	96	85	181	10.8	1.06	0.98	3	12	3	3	38			
Minehead	7,400	33	47	4	3	87	11.8	1.35	0.90	63	92	155	20.9	0.48	0.86	2	23	2	2	1			
Norton-Radstock	13,940	135	135	8	3	282	20.2	1.03	1.18	74	84	158	11.3	1.04	1.00	7	25	7	6	42			
Portsmouth	7,370	75	65	10	5	155	21.0	1.10	1.31	36	46	82	11.1	1.12	1.06	2	13	2	1	13			
Shepton Mallet	5,500	39	37	3	3	82	14.9	1.05	0.88	34	34	68	12.4	0.82	0.87	1	7	1	1	14			
Street	7,440	71	65	3	3	142	19.1	0.97	1.05	42	41	83	11.2	1.08	1.03	1	7	1	1	14			
*Taunton M.B.	37,420	277	254	34	29	594	16.0	1.02	0.92	195	224	419	11.3	0.92	0.89	8	13	3	3	15			
Watchet	2,800	20	15	3	3	41	15.8	1.15	1.03	20	18	38	14.6	0.90	1.12	2	49	1	1	48			
Wellington	8,000	49	54	4	3	110	18.6	1.14	1.09	50	48	98	16.5	0.69	0.97	2	18	1	1	9			
Wells M.B.	7,520	68	68	6	2	144	19.1	1.06	1.14	62	73	135	18.0	0.60	0.92	4	28	1	1	14			
Weston-super-Mare M.B.	45,910	320	309	23	27	679	15.3	1.19	1.04	351	451	802	10.3	0.87	1.05	16	24	12	11	26			
Yeovil M.B.	25,500	192	198	16	6	412	16.3	1.06	0.98	159	160	319	12.6	0.89	0.96	9	22	7	4	29			
Rural districts*																							
Abbridge	290,560	2,376	2,173	129	144	4,822	16.6	1.09	1.02	1,694	1,625	3,319	11.4	0.85	0.83	60	12	44	36	63			
*Axbidge	34,740	264	236	13	17	530	15.3	1.20	1.04	211	187	398	11.5	0.85	0.84	7	13	4	3	29			
*Bathavon	21,410	177	134	8	12	331	15.5	1.06	0.93	118	103	221	10.3	0.86	0.76	2	6	2	2	24			
Bridgwater	24,580	228	187	16	15	449	18.3	1.05	1.09	132	110	242	9.8	0.98	0.82	1	6	4	2	17			
*Chard	12,540	96	86	8	4	194	15.5	1.22	1.07	87	84	171	13.6	0.85	0.99	5	26	5	5	36			
Clutton	18,980	138	166	5	11	320	16.9	1.08	1.03	125	105	230	12.2	0.91	0.95	3	16	3	3	28			
*Dulverton	4,120	28	47	1	2	48	11.7	1.24	0.82	18	22	40	9.7	0.90	0.75	1	16	1	1	20			
*Frome	11,480	103	100	1	6	210	18.3	1.13	1.17	52	44	96	8.4	0.98	0.70	5	24	5	2	4			
Langport	13,760	107	124	7	7	245	17.8	1.14	1.15	74	81	155	11.3	0.88	0.85	2	8	2	2	8			

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
*Long Ashton Shepton Mallet *Taunton *Wallington Wells *Wilton *Wincanton Yeovil	35,060 10,650 24,730 8,590 10,980 13,500 16,830 28,900	330 97 179 58 85 92 132 262	328 163 179 52 73 109 107 212	13 5 14 5 1 6 15 11	12 7 15 1 7 6 11	683 188 371 116 166 215 260 496	19.5 17.7 15.0 13.8 15.1 15.9 15.4 17.2	0.95 1.10 1.00 0.89 0.90 0.96 1.02 0.92	1.05 1.10 0.93 0.89 0.90 0.96 1.02 0.92	184 45 163 48 71 96 125 145	168 147 147 57 117 94 113 144	352 94 310 105 188 190 238 289	10.0 8.8 12.5 12.5 17.1 14.1 14.1 10.0	0.98 0.93 0.70 0.78 0.51 0.73 0.75 1.08	0.84 0.70 0.75 0.83 0.78 0.85 0.88 0.92	9 13 16 5 4 5 6 6	13 16 3 - 24 14 12 4	4 3 3 - 3 2 2 3	3 2 2 - 3 2 2 3	7 4 - 2 - 1 7 3	14 36 5 17 18 14 34 12
<b>STAFFORDSHIRE*</b>	1,831,960	16,990	16,001	998	947	34,836	19.1	0.94	1.01	10,378	9,136	19,514	10.7	1.21	1.11	705	20	483	403	647	30
<b>County boroughs*</b>	1,050,480	9,373	8,745	690	654	19,462	18.5	0.95	0.99	6,120	5,362	11,502	10.9	1.25	1.16	400	21	280	229	367	30
Burton upon Trent	50,140	498	455	50	47	1,050	20.9	1.01	1.19	307	305	612	12.2	0.99	1.03	16	15	11	11	29	29
(c) *Dudley	149,200	1,461	1,321	65	69	2,916	19.5	0.96	0.95	828	668	1,496	10.0	1.23	1.05	56	19	43	30	43	25
*Smethwick	16,840	131	129	14	11	291	17.3	0.99	0.89	134	120	254	15.1	1.1	1.25	5	17	5	5	21	1
Stoke-on-Trent	276,500	2,102	1,993	160	141	4,386	15.9	0.99	0.89	1,740	1,520	3,260	11.8	1.24	1.25	83	19	48	42	86	29
*Walsall	167,270	1,536	1,470	105	86	3,197	19.1	0.96	1.04	993	825	1,818	10.9	1.26	1.17	87	27	66	56	69	39
*West Bromwich	153,280	1,374	1,303	91	96	2,864	18.7	0.94	0.99	812	738	1,550	10.1	1.41	1.22	50	17	31	28	58	29
*Wolverhampton	237,450	2,265	2,084	205	204	4,758	20.0	0.95	1.07	1,306	1,206	2,512	10.6	1.23	1.11	103	22	76	57	90	30
<b>Administrative county*</b>	781,480	7,617	7,256	308	283	15,474	19.8	0.92	1.03	4,258	3,754	8,012	10.3	1.16	1.02	305	20	203	174	280	29
<b>Municipal boroughs and urban districts*</b>	511,610	4,913	4,590	203	191	9,897	19.3	0.91	0.99	2,852	2,503	5,355	10.5	1.16	1.04	213	22	134	116	182	30
*Aldridge	15,150	153	145	4	3	305	20.1	0.75	1.00	207	174	400	8.6	1.73	0.90	23	15	18	15	18	22
*Aldridge-Brownhills	62,840	723	715	23	30	1,488	23.7	0.75	1.00	207	174	400	8.6	1.73	0.90	23	15	18	15	18	22
*Ambleside	780	3	5	-	1	8	10.7	0.82	0.98	6	68	149	8.0	1.34	1.07	9	30	6	6	7	42
*Biddulph	16,000	149	142	5	4	300	16.9	0.92	0.98	83	58	121	14.9	1.34	1.07	4	31	1	1	2	23
*Bilston M.B.	8,100	71	51	3	4	129	15.9	0.92	0.98	63	58	121	14.9	1.34	1.07	4	31	1	1	2	23
*Brierley Hill	15,270	159	156	3	3	324	21.0	0.90	1.01	90	77	167	10.9	1.14	1.01	6	28	5	3	7	30
*Bromley	7,500	80	77	3	4	161	22.1	0.97	1.04	54	39	93	12.7	1.14	1.01	9	37	3	1	4	30
*Cannock	50,030	476	430	23	16	945	18.9	0.90	0.97	311	241	552	11.0	1.10	1.03	19	20	11	11	14	26
*Coseley	10,470	79	89	2	4	171	16.3	0.90	0.97	77	54	131	12.5	1.10	1.03	19	20	11	11	14	26
*Darlaston	5,350	33	36	-	2	71	13.3	0.90	0.97	41	36	77	14.4	1.10	1.03	19	20	11	11	14	26
Kidsgrove	21,700	203	212	8	6	429	19.8	0.90	1.01	109	83	192	8.8	1.51	1.14	10	23	7	7	14	47
Leek	19,140	121	128	4	4	261	13.6	1.00	0.85	126	154	280	14.5	0.79	0.99	8	31	7	6	5	41
Lichfield M.B.	21,130	252	246	12	11	521	24.7	0.90	1.26	111	102	213	10.1	0.92	0.79	21	21	5	5	12	32
Newcastle-under-Lyme M.B.	78,200	657	573	26	37	1,293	16.5	0.95	0.89	439	384	823	10.5	1.25	1.12	22	17	11	10	27	28
*Rowley Regis M.B.	12,330	100	66	1	4	171	13.9	0.92	0.97	97	59	156	12.7	1.25	1.12	3	18	2	2	5	40
Rugeley	16,500	213	236	8	7	464	28.1	0.90	1.43	71	57	128	7.8	1.51	1.01	13	28	5	4	6	21
*Sedgley	8,130	80	65	-	-	145	17.8	0.90	0.97	60	90	150	14.5	0.79	0.99	4	28	4	4	1	34
*Stafford M.B.	51,460	443	416	38	26	923	17.9	0.99	0.99	321	288	619	12.0	0.68	0.91	21	23	17	14	16	32
Stone	10,070	91	87	5	5	183	18.2	1.02	1.05	59	69	128	12.7	0.68	0.74	2	11	1	1	3	22
Tamworth M.B.	33,200	433	352	18	12	815	24.5	0.92	1.27	178	172	350	10.5	1.09	0.98	16	20	12	11	17	34
*Tettenhall	3,990	18	20	-	-	38	9.5	0.90	0.97	21	22	43	10.8	1.01	0.98	5	-	3	2	2	50
*Tipton M.B.	9,560	81	75	4	7	167	17.5	0.90	0.97	70	65	135	14.1	1.01	0.98	5	30	3	1	1	18
*Uttoxeter	8,370	75	61	3	6	145	17.3	1.00	0.98	42	38	80	9.6	1.08	0.89	2	16	1	1	2	20
*Wednesbury M.B.	8,710	58	64	1	4	127	14.6	0.90	0.98	53	48	101	11.6	1.08	0.89	2	16	1	1	2	20
*Wednesfield	8,850	75	62	1	2	140	15.8	0.90	0.98	48	35	83	9.4	1.08	0.89	4	29	3	2	4	42
*Willenhall	9,010	87	84	5	-	176	19.5	0.90	0.98	63	34	97	10.8	1.08	0.89	2	11	1	1	2	17
<b>Rural districts*</b>	269,870	2,704	2,666	105	102	5,577	20.7	0.95	1.11	1,406	1,251	2,657	9.8	1.13	0.95	92	16	69	58	98	27
*Cannock	39,960	540	538	24	24	1,126	28.2	0.94	1.34	180	127	2,657	7.2	1.44	0.89	15	13	9	6	19	22
Cheadle	37,200	317	291	11	8	627	16.9	1.02	0.97	245	255	502	13.0	0.86	0.99	13	21	10	9	19	22
Leek	13,500	103	114	6	5	228	16.9	1.02	0.97	82	55	137	10.1	1.19	1.03	6	26	3	3	2	22
*Lichfield	46,900	594	575	20	14	1,203	25.7	0.98	1.42	273	291	564	12.0	0.89	0.91	16	13	14	12	16	23
Newcastle-under-Lyme	19,410	141	121	3	8	273	14.1	0.96	0.76	108	89	197	10.1	1.12	0.97	4	15	3	3	1	15
*Seisdon	38,550	333	336	10	15	694	18.0	0.93	0.84	150	138	288	7.5	1.39	0.88	15	22	11	8	9	24
Stafford	20,700	174	192	8	8	382	18.5	0.98	1.02	114	72	186	9.0	1.27	0.89	3	16	2	5	9	36
Stone	20,000	178	162	8	6	354	17.7	0.95	0.95	114	76	190	9.5	1.10	0.86	3	18	2	2	9	30
Tutbury	21,460	231	238	9	10	488	22.7	0.99	1.26	103	87	190	9.5	1.10	0.86	3	18	2	2	9	30
Uttoxeter	12,190	93	99	6	4	202	16.6	1.21	1.13	57	59	116	8.9	1.32	1.07	7	14	7	6	5	43
<b>SUFFOLK, EAST</b>	370,990	2,899	2,762	247	223	6,121	16.5	1.06	0.99	2,236	2,203	4,439	12.0	0.85	0.87	103	17	72	64	75	22
Ipswich C.B.	121,280	4,045	917	110	102	2,444	17.7	1.01	1.01	704	633	1,337	11.0	0.96	0.90	32	15	19	17	30	22
<b>Administrative county</b>	249,710	1,874	1,845	137	121	3,977	15.9	1.09	0.98	1,532	1,570	3,102	12.4	0.82	0.87	71	18	53	47	45	23

(a) Market Drayton U.D. and Drayton R.D. abolished 1st April 1966. Events included in figures for Market Drayton R.D. from 1st January 1966.  
 (b) Church Stretton U.D. abolished 1st April 1966. Events included in figures for Ludlow R.D. from 1st January 1966.  
 (c) Associated prior to 1st April 1966 with Worcestershire; the figures above relate to the whole year.

TABLE 13 - continued

Area	Estimated home population 30th June 1966	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate				
		Legitimate			Illegitimate			Total	Grande rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Grude rate per 1,000 home population					Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rates per 1,000 live births
		M	F	P	M	F	P																
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22		
SUFFOLK, EAST - continued																							
Municipal boroughs and urban districts																							
Aldeburgh M.B.	109,750	833	797	73	64	1,767	16.1	1.08	0.98	674	769	1,443	13.1	0.79	0.88	27	15	16	15	21	20		
Beccles M.B.	3,070	19	14	-	3	35	11.4	1.10	0.71	30	37	67	21.8	0.69	1.29	1	29	-	1	1	56		
Bungay	7,730	54	55	4	3	112	14.5	1.08	0.88	51	46	97	12.5	0.86	0.92	-	-	-	-	-	-		
Eye M.B.	3,740	26	22	4	1	53	14.2	1.03	0.83	25	32	57	15.2	0.82	0.81	-	-	-	-	-	-		
	1,620	10	16	-	1	27	16.7	1.32	1.25	16	36	52	32.1	0.27	0.74	-	-	-	-	-	-		
Felixstowe	19,210	140	129	18	12	299	15.6	1.07	0.94	115	146	261	13.6	0.72	0.84	4	13	2	2	2	13		
Halesworth	2,660	20	18	3	1	42	15.8	1.16	1.04	15	16	31	11.7	0.97	0.97	-	-	-	-	-	-		
Leiston-cum-Sizewell	4,870	42	36	2	3	83	17.0	1.01	0.97	31	24	55	11.3	0.72	0.70	2	24	1	1	1	24		
Lowestoft M.B.	48,650	393	390	38	34	855	17.6	1.05	1.04	290	285	585	12.0	0.89	0.91	17	20	11	10	11	24		
Saxmundham	1,600	14	8	2	-	24	15.0	1.17	0.99	8	7	15	9.4	0.86	0.69	-	-	-	-	-	-		
Southwold M.B.	2,180	6	7	-	-	13	6.0	1.75	0.59	24	24	48	22.0	0.49	0.92	-	-	-	-	-	-		
Stowmarket	8,060	59	46	1	5	111	13.8	1.07	0.83	44	61	105	13.0	0.92	1.02	-	-	-	-	-	9		
Woodbridge	6,360	50	56	5	2	113	17.8	1.16	1.17	25	45	70	11.0	0.82	0.77	3	27	1	1	4	43		
Rural districts																							
Blyth	139,960	1,041	1,048	64	57	2,210	15.3	1.12	1.00	858	801	1,659	11.9	0.83	0.84	44	20	37	32	24	25		
Deben	19,170	116	141	6	12	275	14.3	1.15	0.93	124	137	261	13.6	0.72	0.84	6	22	4	4	3	22		
Gipping	36,860	253	259	18	15	545	14.8	1.07	0.89	223	202	425	11.5	0.74	0.73	12	22	12	12	6	33		
Hartismere	22,650	241	179	8	8	406	17.9	1.08	1.09	133	125	263	11.6	0.86	0.85	10	25	9	8	3	27		
	16,100	87	99	8	4	198	12.3	1.14	0.79	102	90	192	11.9	0.86	0.87	6	30	4	2	5	34		
Lothlingland	19,200	165	166	11	8	350	18.2	1.04	1.07	116	98	214	11.1	0.99	0.94	6	17	6	5	5	28		
Samford	19,300	148	144	11	4	307	15.9	1.34	1.20	109	117	226	11.7	0.86	0.86	2	7	1	1	1	10		
Wainford	6,680	61	60	2	6	129	19.3	1.09	1.19	46	32	78	11.7	1.01	1.01	2	16	1	1	-	8		
SUFFOLK, WEST																							
	148,270	1,366	1,302	83	75	2,826	19.1	1.00	1.08	790	706	1,496	10.1	0.96	0.83	64	23	49	44	31	26		
Municipal boroughs and urban districts																							
Bury St. Edmunds M.B.	56,230	534	489	29	26	1,078	19.2	0.95	1.03	324	286	610	10.8	0.86	0.79	20	19	14	13	14	25		
Hadleigh	23,690	200	191	11	6	408	17.2	0.98	0.95	132	125	257	10.8	0.80	0.74	6	15	4	4	4	19		
Haverhill	4,430	55	39	1	2	97	21.9	1.00	1.24	23	19	42	9.5	1.06	0.86	2	21	2	2	1	10		
Newmarket	9,480	133	129	4	6	272	28.7	0.75	1.22	41	26	67	7.1	1.55	0.94	5	18	3	3	6	32		
Sudbury M.B.	11,670	93	75	10	10	188	16.1	0.96	0.87	68	55	123	10.5	0.97	0.87	3	16	2	2	2	21		
	6,960	53	55	3	2	113	16.2	1.16	1.06	60	61	121	17.4	0.51	0.76	4	35	3	3	5	43		
Rural districts																							
Clare	92,040	832	813	54	49	1,748	19.0	1.04	1.12	466	420	886	9.6	1.04	0.85	44	25	35	31	17	27		
Cosford	10,100	76	93	6	5	180	17.8	1.13	1.14	50	45	95	9.5	0.86	0.70	1	6	1	1	1	11		
Medford	9,120	67	65	2	4	138	15.1	1.17	1.00	61	51	112	12.5	0.82	0.86	1	6	1	1	1	11		
Mildenhall	15,750	158	156	10	6	310	19.7	1.05	1.17	86	79	165	11.7	0.74	0.74	8	21	6	5	4	36		
	25,800	258	257	19	16	550	20.5	0.92	1.07	96	71	167	6.5	1.58	0.77	10	19	5	6	5	21		
Thedwastre	9,860	88	83	7	5	183	18.6	1.09	1.13	63	58	121	12.3	0.87	0.91	9	49	8	6	3	48		
Thringoe	21,410	185	159	10	13	407	19.0	1.06	1.14	110	96	206	9.6	1.14	0.94	9	22	9	9	5	34		
SURREY																							
	977,330	7,471	7,125	444	445	15,485	15.8	1.00	0.89	5,031	5,307	10,338	10.6	0.91	0.82	255	16	185	169	194	23		
Municipal boroughs and urban districts																							
Banstead	782,470	5,960	5,690	352	355	12,357	15.8	1.00	0.89	4,050	4,339	8,389	10.7	0.90	0.82	211	17	154	141	156	24		
Caterham and Warlingham	42,020	249	224	11	18	502	11.9	1.13	0.75	217	251	468	12.1	0.79	0.85	8	16	7	7	9	31		
Chertsey	36,930	256	264	14	11	545	14.8	0.98	0.88	184	188	372	10.1	0.98	0.85	9	17	6	5	7	22		
Dorking	44,250	481	477	17	20	941	21.3	0.85	1.02	177	208	385	8.7	1.47	0.82	18	19	14	13	16	30		
Egham	23,100	166	164	9	11	350	15.2	0.97	0.83	132	117	249	10.8	0.99	0.82	5	14	2	4	5	20		
	31,350	166	167	15	10	378	12.1	0.91	0.62	169	140	309	9.9	0.97	0.82	3	8	3	3	7	26		

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Epsom and Ewell M.B.	72,450	455	438	39	35	967	13.4	1.13	0.86	507	597	1,104	15.3	0.62	0.81	19	20	14	14	15	30
Esner	62,650	408	386	23	30	857	13.7	1.09	0.84	318	352	670	10.7	0.94	0.86	19	22	14	14	4	21
Farnham	29,850	219	190	11	11	431	14.5	1.08	0.88	198	197	395	13.3	0.72	0.82	4	9	2	2	6	18
Frimley and Camberley	59,850	431	451	21	50	933	23.4	0.87	1.15	131	129	178	8.5	1.41	0.78	13	14	6	5	10	16
Godalming M.B.	17,800	142	156	9	7	294	16.5	0.87	0.81	84	69	153	8.6	0.97	0.71	4	14	3	1	3	13
Guildford M.B.	55,200	407	374	34	34	846	15.3	0.95	0.82	338	277	645	11.1	0.94	0.99	23	27	15	14	10	28
Haslemere	37,540	176	179	11	11	169	12.7	1.16	0.82	69	113	162	13.6	0.70	0.81	5	30	3	7	8	18
Leatherhead	37,740	249	209	18	15	491	13.0	1.08	0.79	164	175	339	9.0	1.04	0.80	9	18	3	3	30	30
Reigate M.B.	55,330	377	354	25	28	784	14.0	1.04	0.82	328	334	662	11.8	0.82	0.83	16	20	10	9	6	19
Staines	54,430	495	457	35	25	1,007	18.5	0.89	0.93	229	220	449	8.2	1.28	0.90	13	19	16	16	11	27
Sunbury-on-Thames	38,850	363	356	21	18	758	19.5	0.84	0.93	186	213	399	10.3	1.07	0.94	9	12	9	9	10	25
Watton and Weybridge	50,220	376	376	43	43	784	15.6	1.06	0.93	263	281	544	10.8	0.86	0.79	10	13	9	10	10	25
Woking	77,010	664	585	54	57	1,320	17.1	0.99	0.96	356	438	794	10.3	0.84	0.74	18	14	13	9	19	21
Rural districts	194,860	1,511	1,435	92	90	3,128	16.1	1.02	0.93	981	968	1,949	10.0	0.95	0.81	44	14	31	28	38	21
Bagsbot	18,120	145	141	7	7	300	16.6	0.97	0.91	85	80	165	9.1	1.02	0.79	5	17	2	2	5	23
Dorking and Horley	34,260	248	271	23	15	557	16.3	1.00	0.92	154	141	295	8.6	1.08	0.78	6	11	2	4	5	16
Godstone	43,750	346	287	24	21	678	15.5	1.02	0.89	226	242	468	10.7	0.83	0.78	13	19	8	7	6	19
Guildford	62,140	530	487	24	34	1,055	17.0	1.02	0.90	294	279	573	9.2	1.09	0.86	14	13	11	10	15	23
Hambledon	56,590	242	269	14	13	538	14.7	1.08	0.90	222	226	448	12.2	0.81	0.84	6	11	5	5	7	22
SUSSEX, EAST	709,770	4,581	4,203	516	490	9,790	13.8	1.22	0.95	5,309	6,251	11,560	16.3	0.62	0.86	153	16	101	85	119	21
County boroughs	294,790	1,874	1,705	289	275	4,123	14.0	1.18	0.93	2,245	2,792	5,037	17.1	0.63	0.82	74	18	45	36	46	20
Brighton	162,500	1,090	1,000	175	176	2,441	15.0	1.11	0.94	1,165	1,357	2,523	15.5	0.71	0.84	48	20	31	26	25	21
Eastbourne	85,830	543	307	46	41	737	11.2	1.28	0.81	534	651	1,185	18.1	0.54	0.84	10	14	7	5	13	15
Hastings	66,660	441	356	48	58	945	14.2	1.27	1.02	545	784	1,329	19.9	0.54	0.92	16	17	7	5	16	22
Administrative county	414,980	2,707	2,498	247	215	5,667	13.7	1.25	0.97	3,064	3,459	6,523	15.7	0.62	0.83	79	14	56	49	73	21
Municipal boroughs and urban districts	222,070	1,478	1,334	151	136	3,099	14.0	1.27	1.00	1,676	2,008	3,684	16.6	0.60	0.85	47	15	33	31	36	21
Bexhill M.B.	31,910	109	108	15	12	244	7.6	1.74	0.75	294	361	165	20.5	0.46	0.81	6	25	3	3	7	40
Burgess Hill	16,500	173	161	4	3	341	20.7	1.01	1.18	84	76	160	9.7	1.04	0.66	3	1	1	1	2	9
Cuckfield	23,360	180	169	10	7	366	15.7	1.09	0.97	140	199	339	14.5	0.62	0.77	11	30	10	9	7	43
East Grinstead	17,020	149	126	5	8	288	16.9	1.01	0.96	92	104	196	11.5	0.72	0.71	2	7	1	1	3	14
Hove M.B.	72,600	395	340	80	76	891	12.3	1.36	0.95	681	893	1,574	21.7	0.53	0.98	9	10	7	7	8	17
Lewes M.B.	14,070	90	84	7	8	189	13.4	1.14	1.06	101	80	181	12.9	0.93	1.03	8	42	5	5	2	37
Newhaven	9,380	69	73	9	5	156	16.6	1.13	0.86	69	70	139	14.8	0.81	1.02	1	5	1	3	15	6
Portsmouth-by-Sea	18,130	205	169	5	8	387	21.3	0.97	1.17	87	81	168	9.3	1.02	0.81	5	13	1	3	3	15
Rye M.B.	4,400	24	38	2	2	66	15.0	1.18	1.00	34	26	57	13.0	0.84	0.93	1	15	1	1	1	30
Seaford	14,700	84	66	14	7	171	11.6	2.03	1.33	97	118	215	14.6	0.47	0.59	2	12	1	1	2	17
Rural districts	192,910	1,229	1,164	96	79	2,568	13.3	1.23	0.92	1,388	1,451	2,839	14.7	0.64	0.80	32	12	23	18	37	21
Battle	31,910	177	175	18	18	388	12.2	1.32	0.91	271	256	527	16.5	0.61	0.86	7	18	7	5	9	35
Chailly	27,430	167	160	15	12	354	12.9	1.31	0.95	216	271	487	17.8	0.51	0.78	3	8	3	2	1	8
Cuckfield	35,470	241	208	12	13	474	13.4	1.10	0.83	189	187	376	10.6	0.81	0.73	5	11	1	1	8	19
Hailsham	49,800	296	239	27	15	637	12.8	1.25	0.90	399	402	801	16.1	0.62	0.85	7	11	5	4	9	20
Uckfield	48,300	348	322	24	21	715	14.8	1.22	1.02	513	335	648	13.4	0.71	0.81	10	14	7	6	10	22
SUSSEX, WEST	450,170	3,055	2,889	234	221	6,399	14.2	1.17	0.94	3,114	3,504	6,618	14.7	0.66	0.83	92	14	72	58	78	21
Municipal boroughs and urban districts	268,660	1,798	1,747	149	135	3,829	14.3	1.13	0.91	1,820	2,305	4,125	15.4	0.66	0.87	54	14	41	31	48	20
Arundel M.B.	2,680	21	14	1	2	38	14.2	1.27	1.02	21	14	35	13.1	0.69	0.77	4	10	3	1	5	26
Bognor Regis	30,800	177	168	22	17	404	13.1	1.49	1.10	249	356	605	19.6	0.52	0.87	3	10	3	3	7	20
Chichester M.B.	20,700	146	142	6	7	301	14.5	1.04	0.85	144	197	341	16.5	0.59	0.83	3	10	3	2	7	27
Crawley	61,290	516	510	33	28	1,087	17.7	0.79	0.79	174	181	355	5.8	1.91	0.85	14	13	11	5	21	23
Horsham	24,190	212	181	16	11	420	17.4	1.06	1.04	139	131	270	14.2	0.90	0.86	5	12	2	2	3	12
Littlehampton	17,770	134	113	11	11	269	15.1	1.13	0.96	118	111	229	12.9	0.75	0.93	4	15	3	4	2	22
Shoreham-by-Sea	16,830	109	110	14	13	246	13.5	1.04	0.79	117	119	236	12.9	0.85	0.94	4	16	3	3	3	12
Southwick	11,900	60	76	4	7	147	12.4	1.14	0.90	83	86	169	14.2	0.82	1.00	1	17	1	1	11	23
Worthing M.B.	81,100	423	413	42	39	917	11.3	1.52	0.97	775	1,110	1,885	23.2	0.43	0.85	19	21	13	10	11	23
Rural districts	181,510	1,257	1,142	85	86	2,570	14.2	1.25	1.00	1,294	1,199	2,493	13.7	0.66	0.77	38	15	31	27	30	23
Chantonsbury	25,350	209	178	17	10	414	16.3	1.20	1.11	178	157	335	13.2	0.77	0.87	6	14	35	5	10	24
Chichester	57,900	370	341	30	30	771	13.3	1.24	0.93	336	280	616	10.6	0.78	0.71	12	16	10	8	15	23
Horsham	26,700	182	166	14	14	333	14.7	1.04	0.86	137	119	256	9.6	0.90	0.74	1	3	1	1	7	20
Midhurst	16,430	123	99	4	6	232	12.6	1.12	0.80	163	147	310	18.8	0.60	0.66	4	17	3	3	1	13
Petworth	10,130	67	84	3	1	155	15.3	1.22	1.05	57	74	131	12.9	0.71	0.78	1	25	12	10	4	25
Worthing	43,000	306	254	20	25	605	14.1	1.53	1.22	423	422	845	19.7	0.49	0.63	15	25	12	10	4	23

TABLE 13 - continued

Area	Estimated home population as at 30th June 1966	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate			
		Legitimate		Illegitimate		Total	Grade rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	P	Total	Grade rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate							
		M	F	M	P																	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	
WARWICKSHIRE*	2,093,890	18,374	17,732	1,844	1,819	39,769	19.0	0.97	1.04	11,201	10,233	21,434	10.2	1.16	1.01	780	20	531	460	642	27	
	County boroughs*	1,536,990	13,340	13,022	1,494	1,530	29,386	19.1	0.99	1.07	8,384	7,613	15,997	10.4	1.19	1.06	592	20	401	346	481	28
	*Birmingham	1,101,440	9,539	9,265	1,179	1,208	21,151	19.2	0.99	1.07	6,295	5,975	12,270	11.1	1.13	1.07	443	21	295	252	367	29
	C Coventry	331,950	3,005	2,890	283	290	6,608	19.6	0.95	1.07	1,695	1,276	2,971	12.7	1.34	1.05	134	20	97	86	100	28
	S Solihull	103,600	796	727	32	32	1,587	15.3	0.90	0.78	594	562	1,156	7.5	1.34	0.84	15	9	9	8	14	14
	Administrative county*	556,900	5,034	4,710	350	289	10,383	18.6	0.95	1.00	2,817	2,620	5,437	9.8	1.09	0.91	188	18	130	114	161	26
	Municipal boroughs and urban districts*	335,370	3,100	2,884	233	189	6,406	19.1	0.96	1.04	1,689	1,672	3,361	10.0	1.11	0.95	122	19	86	73	107	28
	Bedworth	17,100	476	452	29	14	204	21.9	0.99	1.00	204	203	407	11.1	1.09	1.02	16	22	15	14	22	32
	Kenilworth	19,950	176	169	8	10	363	18.2	0.98	1.01	80	69	149	7.5	1.38	0.88	6	17	4	4	5	24
	Nuneaton M.B.	61,800	568	535	51	27	1,161	18.9	0.98	1.04	298	293	591	9.5	1.24	1.01	22	19	13	9	28	31
Royal Leamington Spa M.B.	44,700	448	411	51	47	957	21.4	0.98	1.16	250	291	541	12.1	0.93	0.96	19	20	12	8	18	27	
Rugby M.B.	55,800	551	526	37	39	1,153	20.7	1.05	1.23	310	270	580	10.4	1.09	0.97	22	19	19	18	15	28	
	Stratford-upon-Avon M.B.	18,250	127	110	8	9	254	13.9	1.02	0.80	105	115	220	12.1	0.88	0.91	2	8	1	-	4	16
	*Sutton Coldfield M.B.	80,440	671	655	35	29	1,390	17.3	0.89	0.87	346	308	654	8.1	1.24	0.86	27	19	19	17	20	26
	Warwick M.B.	17,330	143	146	14	14	317	18.3	1.04	1.08	98	118	216	12.5	0.93	0.99	6	19	3	3	5	25
	Rural districts*	221,530	1,934	1,826	117	100	3,977	18.0	0.95	0.97	1,128	948	2,076	9.4	1.06	0.85	66	17	44	41	54	24
	Aleicester	19,530	206	173	10	11	400	20.5	1.00	1.16	120	98	218	11.2	0.95	0.91	8	20	7	7	34	7
Atherstone	34,400	371	346	19	12	748	21.7	0.97	1.19	211	144	355	10.3	1.27	1.12	15	20	8	7	12	25	
	*Meriden	61,320	470	454	29	29	982	16.0	0.96	0.78	258	211	469	7.6	1.51	0.98	17	17	12	10	9	19
	Rugby	25,670	192	198	15	15	418	16.3	0.98	0.90	104	76	180	7.0	1.28	0.77	5	12	3	3	8	26
	Shipston on Stour	9,400	86	69	4	5	164	17.4	1.12	1.10	68	66	134	14.3	0.69	0.84	2	12	1	1	1	12
	Souham	17,700	149	156	13	7	325	18.4	1.06	1.10	80	63	143	8.1	1.28	0.89	5	15	4	4	9	39
	Stratford-on-Avon	28,500	245	238	16	14	513	18.0	1.04	1.06	148	128	276	9.7	1.10	0.91	7	14	5	5	3	16
Warwick	25,010	215	194	11	7	427	17.1	0.93	0.90	139	162	301	12.0	0.77	0.79	7	16	4	4	5	21	
WESTMORLAND	67,410	455	468	33	36	992	14.7	1.13	0.94	457	481	938	13.9	0.86	1.02	21	21	18	18	14	32	
Municipal boroughs and urban districts	32,630	226	226	19	22	493	15.1	1.09	0.93	225	261	486	14.9	0.82	1.04	10	20	9	9	9	36	
	Appleby M.B.	1,790	17	7	-	24	13.4	1.08	1.02	142	135	277	15.1	1.09	1.04	1	20	2	2	1	40	
	Kendal M.B.	18,920	145	144	10	15	315	15.9	1.07	1.06	128	124	252	13.3	0.90	1.02	8	25	7	7	7	43
	Lakes	5,120	29	28	4	5	82	15.4	1.04	0.71	50	50	100	16.6	0.78	1.11	1	16	1	1	1	16
	Windermere	6,800	35	47	5	5	92	13.5	1.16	0.90	50	72	122	17.9	0.61	0.93	1	11	1	1	1	22
	Rural districts	34,780	229	242	14	14	499	14.3	1.16	0.94	232	220	452	13.0	0.91	1.01	11	22	9	9	5	28
North Westmorland	15,000	112	111	6	6	237	15.8	1.10	0.98	118	89	207	13.8	0.94	1.11	5	21	3	3	3	25	
South Westmorland	19,780	117	131	6	8	262	13.2	1.22	0.91	114	131	245	12.4	0.89	0.94	6	23	6	6	2	30	
WIGHT, ISLE OF	97,050	673	660	59	81	1,473	15.2	1.26	1.08	750	757	1,507	15.5	0.73	0.97	42	29	28	25	19	29	
Municipal boroughs and urban districts	78,050	562	544	43	67	1,216	15.6	1.25	1.10	600	607	1,207	15.5	0.73	0.97	31	25	21	19	15	28	
	Cowes	17,800	139	150	4	10	282	15.8	1.19	1.06	141	132	273	15.3	0.87	1.14	4	14	2	2	5	24
	Newport M.B.	19,150	152	158	13	13	336	17.5	1.20	1.19	138	167	305	15.9	0.70	0.95	13	39	10	9	1	30
	Ryde M.B.	20,930	152	145	19	28	344	16.4	1.19	1.10	150	130	280	13.4	0.75	0.88	7	20	4	3	4	20
	Sandown-Shanklin	13,930	80	80	5	11	176	12.6	1.49	1.06	109	109	218	15.6	0.71	0.95	5	28	3	3	5	44
	Ventnor	6,240	40	31	2	5	78	12.5	1.45	1.02	62	69	131	21.0	0.59	1.06	2	26	2	2	-	26
Isle of Wight R.D.	19,000	111	116	16	14	257	13.5	1.31	1.00	150	150	300	15.8	0.73	0.99	11	43	7	6	4	38	

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
<b>WILTSHIRE*</b>	<b>471,360</b>	<b>4,256</b>	<b>4,025</b>	<b>304</b>	<b>283</b>	<b>8,888</b>	<b>18.8</b>	<b>1.00</b>	<b>1.06</b>	<b>2,547</b>	<b>2,258</b>	<b>4,805</b>	<b>10.2</b>	<b>1.03</b>	<b>0.90</b>	<b>174</b>	<b>20</b>	<b>117</b>	<b>105</b>	<b>133</b>	<b>26</b>
<b>Municipal boroughs and urban districts</b>	<b>234,390</b>	<b>2,065</b>	<b>1,965</b>	<b>164</b>	<b>173</b>	<b>4,367</b>	<b>18.6</b>	<b>0.98</b>	<b>1.03</b>	<b>1,315</b>	<b>1,186</b>	<b>2,501</b>	<b>10.7</b>	<b>0.99</b>	<b>0.91</b>	<b>98</b>	<b>22</b>	<b>63</b>	<b>56</b>	<b>75</b>	<b>29</b>
Bradford-on-Avon	7,120	84	68	4	8	162	22.8	1.06	1.37	34	38	72	10.1	0.99	0.85	12	12	7	1	2	18
Caine M.B.	8,920	80	92	3	7	182	20.4	0.99	1.14	38	42	80	9.0	1.17	0.90	7	38	7	6	4	54
Chippenham M.B.	18,720	154	162	4	9	329	17.6	0.97	0.96	132	106	238	12.7	0.85	0.92	6	18	4	4	3	21
Devizes M.B.	8,930	80	65	6	11	162	19.1	1.00	1.02	73	69	142	15.9	0.62	0.84	3	19	3	3	4	42
Malmesbury M.B.	2,680	27	18	1	4	50	19.7	1.05	1.11	22	18	40	14.9	0.87	1.11	3	60	-	-	-	-
Marlborough M.B.	5,810	51	37	2	3	93	16.0	1.31	1.18	33	44	77	13.3	1.03	1.17	1	11	-	-	1	11
Melksham	9,250	86	101	6	7	200	21.6	0.97	1.18	53	53	37	9.7	1.23	1.02	6	30	3	3	2	25
Salisbury M.B.	35,780	292	244	35	50	601	16.8	1.00	0.95	241	244	485	13.6	0.87	0.78	12	20	6	6	5	18
Swindon M.B.	98,410	819	850	86	73	1,828	18.6	0.93	0.98	461	370	851	8.6	1.24	0.91	42	23	25	24	39	34
Trowbridge	17,330	168	148	9	9	334	19.3	1.05	1.14	97	105	202	11.7	0.99	0.99	7	21	4	3	8	32
Warminster	11,670	137	101	5	9	252	21.6	1.10	1.34	58	64	122	10.5	0.92	0.83	5	20	5	3	4	27
Westbury	5,670	58	50	3	3	114	20.1	1.14	1.29	31	28	59	10.4	1.01	0.90	2	18	2	1	3	34
Wilton M.B.	4,100	29	31	-	-	60	14.6	0.98	0.81	22	21	43	10.5	1.25	1.12	2	33	2	2	-	33
<b>Rural districts*</b>	<b>236,970</b>	<b>2,191</b>	<b>2,060</b>	<b>140</b>	<b>110</b>	<b>4,501</b>	<b>19.0</b>	<b>1.02</b>	<b>1.09</b>	<b>1,232</b>	<b>1,072</b>	<b>2,304</b>	<b>9.7</b>	<b>1.07</b>	<b>0.89</b>	<b>76</b>	<b>17</b>	<b>54</b>	<b>48</b>	<b>58</b>	<b>23</b>
Amesbury	27,660	302	249	21	19	591	21.4	0.93	1.12	118	68	186	6.7	1.66	0.95	15	25	10	8	5	22
*Bradford and Melksham	13,090	107	106	9	1	223	17.0	1.10	1.06	37	70	167	12.8	0.72	0.79	2	9	2	2	4	26
Caine and Chippenham	32,350	267	275	25	14	581	18.0	1.12	1.14	127	106	253	7.2	1.50	0.80	6	10	3	3	12	25
Cricklade and Wootton Bassett	22,300	208	191	5	8	410	18.4	1.14	1.19	104	91	195	8.7	1.37	1.02	9	22	8	8	5	31
<b>Devizes</b>	<b>44,760</b>	<b>417</b>	<b>402</b>	<b>41</b>	<b>41</b>	<b>231</b>	<b>15.6</b>	<b>1.13</b>	<b>1.00</b>	<b>100</b>	<b>100</b>	<b>200</b>	<b>13.5</b>	<b>0.84</b>	<b>0.74</b>	<b>2</b>	<b>9</b>	<b>4</b>	<b>1</b>	<b>4</b>	<b>4</b>
<b>Highworth</b>	<b>36,200</b>	<b>452</b>	<b>403</b>	<b>21</b>	<b>19</b>	<b>801</b>	<b>25.4</b>	<b>0.84</b>	<b>1.19</b>	<b>241</b>	<b>198</b>	<b>408</b>	<b>11.4</b>	<b>1.03</b>	<b>1.00</b>	<b>15</b>	<b>17</b>	<b>11</b>	<b>3</b>	<b>15</b>	<b>26</b>
<b>*Malmesbury</b>	<b>40,000</b>	<b>46</b>	<b>83</b>	<b>2</b>	<b>13</b>	<b>483</b>	<b>17.3</b>	<b>0.87</b>	<b>0.93</b>	<b>53</b>	<b>53</b>	<b>119</b>	<b>10.4</b>	<b>1.52</b>	<b>0.98</b>	<b>4</b>	<b>27</b>	<b>4</b>	<b>1</b>	<b>27</b>	<b>27</b>
<b>Marlborough and Ramsbury</b>	<b>10,370</b>	<b>81</b>	<b>67</b>	<b>8</b>	<b>7</b>	<b>163</b>	<b>15.7</b>	<b>1.10</b>	<b>0.98</b>	<b>66</b>	<b>53</b>	<b>119</b>	<b>11.5</b>	<b>0.99</b>	<b>0.87</b>	<b>2</b>	<b>12</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>24</b>
<b>*Mere and Tisbury</b>	<b>11,480</b>	<b>67</b>	<b>58</b>	<b>8</b>	<b>2</b>	<b>135</b>	<b>11.9</b>	<b>1.10</b>	<b>0.79</b>	<b>72</b>	<b>74</b>	<b>146</b>	<b>12.7</b>	<b>0.81</b>	<b>0.88</b>	<b>3</b>	<b>22</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>15</b>
<b>Pewsey</b>	<b>22,970</b>	<b>203</b>	<b>187</b>	<b>9</b>	<b>11</b>	<b>430</b>	<b>18.7</b>	<b>1.01</b>	<b>1.07</b>	<b>92</b>	<b>91</b>	<b>183</b>	<b>8.0</b>	<b>1.13</b>	<b>0.98</b>	<b>6</b>	<b>19</b>	<b>6</b>	<b>6</b>	<b>7</b>	<b>30</b>
<b>Salisbury and Wilton</b>	<b>22,000</b>	<b>173</b>	<b>187</b>	<b>16</b>	<b>14</b>	<b>390</b>	<b>17.7</b>	<b>1.03</b>	<b>1.03</b>	<b>111</b>	<b>95</b>	<b>206</b>	<b>9.4</b>	<b>0.97</b>	<b>0.98</b>	<b>8</b>	<b>15</b>	<b>4</b>	<b>4</b>	<b>3</b>	<b>18</b>
<b>Warminster and Westbury</b>	<b>13,470</b>	<b>120</b>	<b>126</b>	<b>5</b>	<b>12</b>	<b>263</b>	<b>19.5</b>	<b>1.21</b>	<b>1.33</b>	<b>61</b>	<b>71</b>	<b>152</b>	<b>11.3</b>	<b>0.92</b>	<b>0.89</b>	<b>3</b>	<b>11</b>	<b>2</b>	<b>1</b>	<b>3</b>	<b>15</b>
<b>WILTSHIRE*</b>	<b>634,010</b>	<b>5,478</b>	<b>5,155</b>	<b>333</b>	<b>304</b>	<b>11,270</b>	<b>17.8</b>	<b>1.00</b>	<b>1.01</b>	<b>3,619</b>	<b>3,355</b>	<b>6,974</b>	<b>11.0</b>	<b>1.05</b>	<b>0.99</b>	<b>208</b>	<b>18</b>	<b>148</b>	<b>121</b>	<b>189</b>	<b>27</b>
<b>County boroughs*</b>	<b>196,640</b>	<b>1,775</b>	<b>1,604</b>	<b>109</b>	<b>110</b>	<b>3,598</b>	<b>18.3</b>	<b>1.00</b>	<b>1.03</b>	<b>1,102</b>	<b>970</b>	<b>2,072</b>	<b>10.5</b>	<b>1.12</b>	<b>1.01</b>	<b>76</b>	<b>21</b>	<b>54</b>	<b>41</b>	<b>62</b>	<b>28</b>
(a) <b>Dudley</b>	<b>127,250</b>	<b>1,476</b>	<b>1,033</b>	<b>66</b>	<b>75</b>	<b>2,350</b>	<b>18.5</b>	<b>1.01</b>	<b>1.06</b>	<b>730</b>	<b>584</b>	<b>1,314</b>	<b>10.3</b>	<b>1.19</b>	<b>1.05</b>	<b>51</b>	<b>22</b>	<b>35</b>	<b>26</b>	<b>35</b>	<b>26</b>
<b>*Warley</b>	<b>69,390</b>	<b>589</b>	<b>571</b>	<b>43</b>	<b>35</b>	<b>1,248</b>	<b>18.0</b>	<b>0.97</b>	<b>0.99</b>	<b>372</b>	<b>386</b>	<b>758</b>	<b>10.9</b>	<b>0.97</b>	<b>0.90</b>	<b>25</b>	<b>20</b>	<b>19</b>	<b>15</b>	<b>27</b>	<b>33</b>
<b>Administrative county*</b>	<b>437,370</b>	<b>3,703</b>	<b>3,551</b>	<b>224</b>	<b>194</b>	<b>7,672</b>	<b>17.5</b>	<b>1.00</b>	<b>0.99</b>	<b>2,517</b>	<b>2,385</b>	<b>4,902</b>	<b>11.2</b>	<b>1.00</b>	<b>0.96</b>	<b>132</b>	<b>17</b>	<b>94</b>	<b>80</b>	<b>127</b>	<b>27</b>
<b>Municipal boroughs and urban districts*</b>	<b>301,560</b>	<b>2,804</b>	<b>2,548</b>	<b>165</b>	<b>136</b>	<b>5,453</b>	<b>18.1</b>	<b>0.98</b>	<b>1.00</b>	<b>1,714</b>	<b>1,676</b>	<b>3,390</b>	<b>11.2</b>	<b>1.02</b>	<b>0.98</b>	<b>91</b>	<b>17</b>	<b>60</b>	<b>50</b>	<b>87</b>	<b>25</b>
<b>Bewley M.B.</b>	<b>5,600</b>	<b>48</b>	<b>68</b>	<b>3</b>	<b>2</b>	<b>121</b>	<b>21.6</b>	<b>0.98</b>	<b>1.20</b>	<b>36</b>	<b>36</b>	<b>76</b>	<b>13.6</b>	<b>0.99</b>	<b>1.15</b>	<b>4</b>	<b>33</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>24</b>
<b>Bromsgrove</b>	<b>38,140</b>	<b>350</b>	<b>350</b>	<b>17</b>	<b>12</b>	<b>729</b>	<b>19.1</b>	<b>0.90</b>	<b>0.97</b>	<b>202</b>	<b>215</b>	<b>417</b>	<b>10.9</b>	<b>1.00</b>	<b>0.93</b>	<b>9</b>	<b>12</b>	<b>5</b>	<b>5</b>	<b>12</b>	<b>23</b>
<b>Droitwich M.B.</b>	<b>8,860</b>	<b>60</b>	<b>79</b>	<b>6</b>	<b>6</b>	<b>151</b>	<b>17.0</b>	<b>1.00</b>	<b>0.96</b>	<b>53</b>	<b>51</b>	<b>104</b>	<b>11.7</b>	<b>0.72</b>	<b>0.72</b>	<b>3</b>	<b>20</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>13</b>
<b>Evesham M.B.</b>	<b>13,050</b>	<b>111</b>	<b>88</b>	<b>7</b>	<b>5</b>	<b>209</b>	<b>16.0</b>	<b>1.01</b>	<b>0.91</b>	<b>103</b>	<b>105</b>	<b>208</b>	<b>15.9</b>	<b>0.70</b>	<b>0.95</b>	<b>1</b>	<b>5</b>	<b>1</b>	<b>1</b>	<b>4</b>	<b>23</b>
<b>*Halesowen M.B.</b>	<b>48,630</b>	<b>362</b>	<b>347</b>	<b>20</b>	<b>11</b>	<b>760</b>	<b>15.6</b>	<b>0.96</b>	<b>0.85</b>	<b>279</b>	<b>220</b>	<b>499</b>	<b>10.3</b>	<b>1.16</b>	<b>1.02</b>	<b>15</b>	<b>20</b>	<b>8</b>	<b>6</b>	<b>9</b>	<b>20</b>
<b>Kidderminster M.B.</b>	<b>44,540</b>	<b>408</b>	<b>396</b>	<b>22</b>	<b>21</b>	<b>837</b>	<b>18.8</b>	<b>1.00</b>	<b>1.06</b>	<b>258</b>	<b>272</b>	<b>531</b>	<b>11.9</b>	<b>0.94</b>	<b>0.96</b>	<b>18</b>	<b>22</b>	<b>10</b>	<b>8</b>	<b>13</b>	<b>26</b>
<b>Malvern</b>	<b>28,210</b>	<b>226</b>	<b>211</b>	<b>19</b>	<b>22</b>	<b>478</b>	<b>18.9</b>	<b>1.17</b>	<b>1.12</b>	<b>139</b>	<b>194</b>	<b>333</b>	<b>11.8</b>	<b>0.89</b>	<b>0.90</b>	<b>10</b>	<b>27</b>	<b>9</b>	<b>8</b>	<b>5</b>	<b>27</b>
<b>*Oldbury M.B.</b>	<b>13,690</b>	<b>95</b>	<b>98</b>	<b>10</b>	<b>5</b>	<b>208</b>	<b>15.2</b>			<b>110</b>	<b>85</b>	<b>195</b>	<b>14.2</b>			<b>4</b>	<b>19</b>	<b>3</b>	<b>5</b>	<b>4</b>	<b>33</b>
<b>*Redditch</b>	<b>36,780</b>	<b>372</b>	<b>333</b>	<b>28</b>	<b>24</b>	<b>757</b>	<b>20.6</b>	<b>0.97</b>	<b>1.13</b>	<b>185</b>	<b>170</b>	<b>365</b>	<b>9.9</b>	<b>1.14</b>	<b>0.96</b>	<b>8</b>	<b>11</b>	<b>6</b>	<b>6</b>	<b>16</b>	<b>28</b>
<b>*Stourbridge M.B.</b>	<b>49,750</b>	<b>369</b>	<b>440</b>	<b>18</b>	<b>19</b>	<b>866</b>	<b>17.4</b>	<b>0.95</b>	<b>0.93</b>	<b>260</b>	<b>265</b>	<b>525</b>	<b>10.6</b>	<b>1.06</b>	<b>0.96</b>	<b>16</b>	<b>18</b>	<b>13</b>	<b>9</b>	<b>17</b>	<b>29</b>
<b>Stourport-on-Severn</b>	<b>14,310</b>	<b>163</b>	<b>148</b>	<b>15</b>	<b>11</b>	<b>337</b>	<b>23.5</b>	<b>0.96</b>	<b>1.27</b>	<b>74</b>	<b>63</b>	<b>137</b>	<b>9.6</b>	<b>1.29</b>	<b>1.06</b>	<b>3</b>	<b>9</b>	<b>2</b>	<b>2</b>	<b>4</b>	<b>18</b>
<b>Rural districts*</b>	<b>135,810</b>	<b>1,089</b>	<b>1,003</b>	<b>59</b>	<b>58</b>	<b>2,219</b>	<b>16.3</b>	<b>1.04</b>	<b>0.96</b>	<b>803</b>	<b>709</b>	<b>1,512</b>	<b>11.1</b>	<b>0.95</b>	<b>0.90</b>	<b>41</b>	<b>18</b>	<b>34</b>	<b>30</b>	<b>40</b>	<b>31</b>
<b>*Bromsgrove</b>	<b>37,400</b>	<b>382</b>	<b>320</b>	<b>14</b>	<b>16</b>	<b>732</b>	<b>19.6</b>	<b>0.93</b>	<b>1.03</b>	<b>176</b>	<b>168</b>	<b>334</b>	<b>8.9</b>	<b>1.11</b>	<b>0.84</b>	<b>19</b>	<b>26</b>	<b>15</b>	<b>15</b>	<b>10</b>	<b>34</b>
<b>Droitwich</b>	<b>14,830</b>	<b>124</b>	<b>121</b>	<b>4</b>	<b>4</b>	<b>263</b>	<b>17.1</b>	<b>1.05</b>	<b>1.01</b>	<b>91</b>	<b>61</b>	<b>152</b>	<b>10.2</b>	<b>1.05</b>	<b>0.92</b>	<b>15</b>	<b>20</b>	<b>4</b>	<b>5</b>	<b>35</b>	<b>25</b>
<b>Evesham</b>	<b>18,460</b>	<b>142</b>	<b>141</b>	<b>5</b>	<b>3</b>	<b>291</b>	<b>15.8</b>	<b>1.13</b>	<b>1.01</b>	<b>112</b>	<b>100</b>	<b>212</b>	<b>11.5</b>	<b>0.96</b>	<b>0.94</b>	<b>6</b>	<b>21</b>	<b>6</b>	<b>4</b>	<b>5</b>	<b>34</b>
<b>Kidderminster</b>	<b>12,400</b>	<b>76</b>	<b>70</b>	<b>7</b>	<b>5</b>	<b>158</b>	<b>12.7</b>	<b>0.92</b>	<b>0.68</b>	<b>92</b>	<b>54</b>	<b>146</b>	<b>11.8</b>	<b>1.07</b>	<b>1.08</b>	<b>1</b>	<b>6</b>	<b>-</b>	<b>-</b>	<b>5</b>	<b>31</b>
<b>Marley</b>	<b>12,970</b>	<b>90</b>	<b>100</b>	<b>8</b>	<b>8</b>	<b>206</b>	<b>15.9</b>	<b>1.05</b>	<b>0.94</b>	<b>64</b>	<b>68</b>	<b>132</b>	<b>10.2</b>	<b>1.01</b>	<b>0.88</b>	<b>3</b>	<b>15</b>	<b>3</b>	<b>3</b>	<b>4</b>	<b>33</b>
<b>Pershore</b>	<b>19,550</b>	<b>145</b>	<																		

TABLE 13 - continued

Area	Estimated home population at 30th June 1968	Live births					Deaths							Deaths under 1 year		Deaths under 1 week	Stillbirths	Perinatal mortality rate			
		Legitimate		Illegitimate		Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local to national rate				Number	Rates per 1,000 live births	
		M	F	M	F																
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
YORKSHIRE, EAST RIDING - continued																					
Municipal boroughs and urban districts																					
Beverley M.B.	123,810	949	822	46	64	1,941	15.7	1.09	0.97	908	942	1,850	14.9	0.78	0.99	35	18	26	23	22	23
Bridlington M.B.	41,531	448	414	18	17	837	13.8	1.24	0.97	243	262	151	13.0	1.63	0.96	12	21	6	6	2	24
Driffield	26,370	167	152	8	5	304	11.8	1.04	0.98	68	90	456	22.5	0.84	1.00	6	76	5	4	3	19
Filey	5,060	45	32	2	5	84	16.8	1.35	1.28	48	32	78	15.4	0.71	0.93	-	-	-	-	-	-
Haltemprice	49,750	353	325	9	16	703	14.1	0.99	0.79	302	323	625	12.6	0.91	0.98	13	18	9	8	12	28
Hedon M.B.	2,530	16	13	1	1	31	12.3	1.14	0.79	22	26	48	19.0	0.91	1.48	-	-	-	-	-	-
Hornsea	6,420	46	43	3	2	94	15.4	1.22	1.06	42	49	91	14.9	0.72	0.92	2	21	2	2	1	32
Norton	5,060	47	43	2	4	96	19.0	1.12	1.20	43	45	88	17.4	0.89	1.32	1	21	1	1	1	1
Withernsea	4,970	59	51	4	3	117	23.5	1.20	1.59	49	37	86	17.3	0.76	1.12	5	43	3	2	3	42
Rural districts																					
Beverley	121,500	973	874	35	52	1,934	15.9	1.04	0.93	740	613	1,353	11.1	0.96	0.91	41	21	31	28	36	32
Bridlington	28,330	234	206	7	11	458	16.2	0.97	0.89	149	144	293	10.3	0.96	0.85	5	11	2	2	7	19
Derwent	8,810	50	47	1	6	104	11.8	1.17	0.78	59	56	115	13.1	0.85	0.95	4	38	3	2	5	64
Driffield	16,040	138	130	6	7	281	17.5	1.01	1.00	118	108	226	14.1	0.78	0.94	11	39	10	9	6	52
Holderness	10,420	93	75	2	7	177	17.0	1.06	1.02	78	40	118	11.3	1.02	0.99	3	17	1	1	1	11
Howden	23,710	225	178	3	5	411	17.3	1.01	0.99	129	86	215	9.1	1.04	0.81	12	29	10	10	7	41
Norton	12,450	82	100	7	4	193	15.5	1.06	0.93	76	69	145	11.6	1.04	1.03	3	16	2	2	1	15
Pocklington	6,860	51	43	2	3	99	14.2	1.09	0.87	28	34	62	8.9	1.04	0.79	1	10	1	1	2	30
Yorkshire, NORTH RIDING	428,480	3,890	3,602	256	238	7,986	18.6	1.02	1.07	2,580	2,513	5,093	11.9	1.00	1.02	137	17	93	79	109	23
Administrative county																					
Municipal boroughs and urban districts																					
Easton	233,020	1,982	1,892	189	168	4,519	19.4	1.03	1.13	1,516	1,457	2,973	12.8	0.99	1.08	84	19	56	48	55	23
Grimsby	39,540	461	431	47	32	971	24.6	0.97	1.35	253	171	424	10.7	1.82	1.39	24	25	18	17	13	30
Leeds	15,240	119	128	7	6	260	19.6	0.89	0.97	76	79	155	11.7	0.93	0.93	1	4	1	1	1	23
Leeds	8,160	82	82	3	2	149	18.3	1.07	1.11	46	45	91	11.2	1.19	1.14	2	13	1	1	2	20
Malton	4,230	31	20	1	1	53	12.5	1.09	0.77	32	32	64	15.1	0.90	1.16	1	19	1	1	1	19
Northallerton	7,130	52	55	6	3	116	16.3	0.96	0.88	34	35	69	9.4	1.10	0.88	2	17	1	1	1	17
Pickering	4,340	21	28	3	1	53	12.2	1.13	0.78	29	34	63	14.5	0.93	1.15	-	-	-	-	-	-
Redcar M.B.	35,820	372	327	26	24	749	21.0	1.03	1.22	207	177	384	10.8	1.17	1.08	13	17	10	7	7	19
Richmond M.B.	7,180	60	60	7	4	131	18.2	0.88	0.90	44	39	83	11.6	1.18	1.17	-	-	-	-	1	8
Saltburn and Marske-by-the-Sea	14,720	185	146	9	8	348	23.6	0.91	1.21	69	64	133	9.0	1.21	0.93	4	11	2	2	2	11
Scalby	7,830	50	66	5	1	122	15.6	1.16	1.02	56	52	108	13.8	0.76	0.90	3	25	2	2	1	24
Scarborough M.B.	42,040	283	223	37	44	587	14.0	1.17	0.93	367	436	803	19.1	0.66	1.08	12	20	9	8	9	29
Skelton and Brotton	13,550	134	123	19	14	230	21.4	1.08	1.31	70	55	125	9.2	1.13	0.89	7	24	4	2	5	24
Thornaby-on-Tees M.B.	23,270	233	227	16	21	497	21.4	0.96	1.16	130	109	239	10.3	1.31	1.15	14	28	6	6	6	24
Whitby	12,210	97	86	3	7	193	15.8	1.10	0.98	103	131	234	19.2	0.62	1.02	1	5	1	1	2	15
Rural districts																					
Aysgarth	195,460	1,710	1,620	67	70	3,467	17.7	1.01	1.01	1,064	1,056	2,120	10.8	1.03	0.95	53	15	37	31	54	24
Bedale	3,210	21	23	-	1	45	14.0	1.21	0.96	31	33	64	19.9	0.68	1.16	1	22	1	1	1	43
Yorkshire, EAST RIDING	8,660	73	69	7	4	153	17.7	1.01	1.01	39	50	89	10.3	1.01	0.89	4	26	4	3	1	26

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Graft	2,030	20	17	-	-	37	18.2	1.01	1.04	12	14	26	12.8	1.07	1.17	1	27	1	1	-	27
Easingwold	11,430	86	75	4	5	170	14.9	1.08	0.91	69	63	132	11.5	1.02	1.00	2	12	1	1	2	17
Flaxton	35,050	345	277	12	16	650	18.5	0.83	0.87	180	192	372	10.6	0.97	0.88	9	14	5	4	11	23
Helmsley	5,240	23	24	-	-	47	9.0	1.36	0.69	29	32	61	11.6	1.16	1.15	1	21	1	1	-	21
Kirkbymoorside	4,590	21	23	1	1	46	10.5	1.14	0.68	42	25	67	15.3	0.82	1.07	-	-	-	-	1	21
Leyburn	6,210	52	39	4	3	78	15.8	1.17	1.04	36	33	55	11.4	0.80	0.78	1	10	-	-	1	10
Malton	5,480	43	33	2	2	98	14.2	1.17	0.94	32	33	55	10.0	1.01	0.86	-	-	-	-	2	25
Masham	1,600	13	12	-	-	26	16.3	1.37	1.26	8	12	20	12.5	0.91	0.97	-	-	-	-	1	37
Northallerton	9,180	89	73	-	-	163	17.8	1.09	1.09	50	62	112	12.2	0.90	0.94	1	18	2	1	2	18
Pickering	4,710	20	30	1	1	52	11.0	1.21	0.75	35	37	72	15.3	0.82	1.07	-	-	-	-	2	37
Reeth	1,740	18	9	1	1	28	16.1	1.38	1.26	11	18	29	16.7	0.74	1.06	-	-	-	-	-	-
Richmond	23,000	267	284	8	9	568	24.7	1.00	1.40	79	62	141	6.1	1.80	0.94	15	26	9	8	6	24
Scarborough	9,220	75	92	3	3	173	18.8	1.19	1.26	60	61	121	13.1	0.73	0.82	2	12	2	2	2	23
Startforth	4,010	29	23	-	-	52	13.0	1.08	0.79	28	20	48	12.0	1.02	1.05	1	38	1	1	1	19
Stokesley	32,290	320	308	16	15	659	20.4	0.89	1.03	129	146	275	8.5	1.28	0.93	6	9	6	4	12	24
Thirsk	14,150	115	121	5	5	246	17.4	1.03	1.01	90	83	173	12.2	1.05	1.09	4	16	2	2	4	24
Wath	2,440	17	15	1	1	34	13.9	0.96	0.75	12	8	20	8.2	1.41	0.99	1	29	1	1	1	432
Whitby	11,420	63	73	2	4	142	12.4	1.27	0.89	92	80	172	15.1	0.84	1.08	1	7	1	1	2	21
<b>YORKSHIRE, WEST RIDING</b>	<b>3,735,950</b>	<b>31,116</b>	<b>29,835</b>	<b>2,823</b>	<b>2,608</b>	<b>66,382</b>	<b>17.8</b>	<b>1.01</b>	<b>1.02</b>	<b>24,051</b>	<b>22,763</b>	<b>46,814</b>	<b>12.5</b>	<b>1.05</b>	<b>1.12</b>	<b>1,483</b>	<b>25</b>	<b>950</b>	<b>821</b>	<b>1,071</b>	<b>28</b>
<b>County boroughs</b>	<b>1,986,980</b>	<b>16,101</b>	<b>15,268</b>	<b>1,875</b>	<b>1,693</b>	<b>34,937</b>	<b>17.6</b>	<b>1.02</b>	<b>1.01</b>	<b>13,102</b>	<b>12,575</b>	<b>25,677</b>	<b>12.9</b>	<b>1.04</b>	<b>1.15</b>	<b>860</b>	<b>25</b>	<b>553</b>	<b>478</b>	<b>610</b>	<b>31</b>
Barnsley	75,780	714	673	58	40	1,485	19.6	0.98	1.09	485	380	865	11.4	1.20	1.17	27	18	19	16	21	25
Bradford	297,100	2,452	2,363	352	320	5,487	18.5	1.04	1.09	1,968	2,210	4,178	14.1	0.97	1.17	166	30	104	99	98	35
Dewsbury	53,020	425	372	34	39	870	16.4	1.06	0.98	382	385	777	14.7	0.95	1.19	20	23	13	11	20	35
Doncaster	86,580	645	607	67	74	1,393	16.1	0.99	0.90	580	457	1,017	11.8	1.07	1.08	41	29	28	26	21	33
Halifax	94,950	781	701	109	95	1,686	17.8	1.08	1.09	723	752	1,475	15.5	0.90	1.19	41	24	25	17	28	26
Huddersfield	132,260	1,086	1,013	160	152	2,411	18.2	1.05	1.08	843	900	1,743	13.2	0.99	1.19	61	25	40	33	41	30
Leeds	508,000	4,078	3,978	573	473	9,102	17.9	1.01	1.01	3,247	3,072	6,319	12.4	1.11	1.18	247	27	154	132	152	31
Rotherham	86,970	792	701	49	66	1,608	18.5	0.99	1.03	584	400	964	11.1	1.19	1.13	38	24	25	22	39	37
Sheffield	486,490	3,906	3,750	336	319	8,311	17.1	1.01	0.98	3,231	2,939	6,170	12.7	1.02	1.11	174	21	117	97	148	29
Wakefield	80,040	443	400	55	40	938	15.6	1.02	0.90	446	432	848	14.1	0.97	1.17	15	16	12	11	13	25
York	106,040	779	710	82	75	1,646	15.5	1.02	0.89	673	648	1,321	12.5	0.96	1.03	30	18	16	14	31	27
<b>Administrative county</b>	<b>1,748,970</b>	<b>15,015</b>	<b>14,567</b>	<b>948</b>	<b>915</b>	<b>31,445</b>	<b>18.0</b>	<b>1.01</b>	<b>1.03</b>	<b>10,949</b>	<b>10,188</b>	<b>21,137</b>	<b>12.1</b>	<b>1.07</b>	<b>1.11</b>	<b>623</b>	<b>20</b>	<b>397</b>	<b>343</b>	<b>461</b>	<b>25</b>
<b>Municipal boroughs and urban districts</b>	<b>1,238,310</b>	<b>10,526</b>	<b>10,133</b>	<b>681</b>	<b>657</b>	<b>21,997</b>	<b>17.8</b>	<b>1.02</b>	<b>1.03</b>	<b>8,150</b>	<b>7,838</b>	<b>15,988</b>	<b>12.9</b>	<b>1.03</b>	<b>1.14</b>	<b>444</b>	<b>20</b>	<b>290</b>	<b>246</b>	<b>334</b>	<b>26</b>
Adwick le Street	28,640	352	340	10	14	316	17.0	1.04	1.00	113	118	191	10.3	0.90	1.14	11	17	4	4	6	29
Alreborough	43,040	267	239	14	11	282	16.6	1.02	1.05	246	274	450	16.3	1.04	1.00	8	17	6	6	8	23
Baildon	10,000	87	53	9	9	128	13.3	1.02	0.90	74	74	132	13.3	1.04	1.01	1	5	3	3	14	1
Barnoldswick		68	57	5	4	134	13.4	1.13	0.86	73	65	138	13.8	1.08	1.25	4	30	3	3	3	44
Batley M.B.	40,780	404	349	30	33	816	20.0	1.05	1.19	284	234	498	12.2	1.11	1.16	23	28	14	13	12	30
Bentley with Arksey	23,510	206	208	21	25	453	19.5	0.94	1.12	130	98	228	19.7	1.39	1.15	11	24	4	4	4	17
Bingley	24,350	201	248	16	16	473	19.3	1.03	1.12	191	163	354	14.5	1.01	1.25	17	15	3	3	4	15
Brighouse M.B.	32,340	274	279	17	21	591	18.3	1.09	1.13	221	195	406	12.6	0.98	1.06	14	24	11	9	8	28
Castleford M.B.	39,750	315	294	19	18	645	16.2	1.04	0.95	292	193	485	12.2	1.22	1.27	17	26	12	11	14	38
Colne Valley	20,870	171	155	7	9	342	16.4	1.12	1.04	160	139	298	14.3	1.02	1.25	5	15	3	3	6	26
Conisbrough	17,780	172	128	4	7	311	17.5	0.99	0.98	97	102	199	11.2	1.19	1.14	9	29	5	5	6	22
Cudworth	9,120	90	86	6	4	191	20.9	0.93	1.10	51	42	93	10.2	1.40	1.22	2	10	2	1	2	16
Darfield	6,930	61	62	4	3	130	18.8	0.92	0.98	31	42	73	10.5	1.25	1.12	1	8	3	3	3	34
Darton	15,060	113	135	3	7	258	17.1	0.99	0.96	103	74	177	11.8	1.26	1.27	6	23	5	3	6	34
Dearne	26,740	239	231	12	12	493	18.4	0.98	1.02	154	127	281	10.5	1.40	1.26	13	26	6	5	6	22
Denby Dale	9,850	86	82	6	4	180	18.3	1.11	1.15	81	96	167	17.0	0.96	1.39	4	22	3	3	1	22
Denholme	2,660	20	22	4	1	47	17.7	1.20	1.20	22	20	42	15.8	1.00	1.35	3	64	1	1	1	42
Dodworth	4,270	44	36	2	2	84	19.7	0.96	1.07	17	16	33	7.7	1.30	0.86	1	12	1	1	1	57
Earby	5,030	30	35	2	2	68	13.5	1.20	0.92	48	35	83	16.5	1.08	1.52	2	29	1	1	3	56
Elland	18,520	140	128	11	20	299	16.1	1.10	1.00	160	124	284	15.3	0.98	1.28	8	27	6	6	4	33
Featherstone	15,100	149	164	6	9	327	21.7	0.95	1.16	76	65	141	9.3	1.40	1.11	4	12	2	2	8	30
Garforth	18,670	249	234	9	8	501	26.6	0.95	1.43	99	73	172	9.1	1.33	1.03	4	8	2	2	8	20
Goole M.B.	18,590	160	146	12	10	328	17.6	1.00	0.99	124	108	232	12.5	0.99	1.06	8	24	6	9	9	18
Harrrogate M.B.	60,090	406	434	45	33	918	15.3	1.06	0.92	351	453	804	13.4	0.82	0.94	12	13	9	8	9	18
Hebden Royd	8,990	61	48	3	6	118	13.1	1.22	0.90	84	73	157	17.5	0.86	1.29	3	25	3	2	2	33
Heckmondwike	8,950	83	81	3	3	172	19.2	1.04	1.13	69	61	130	14.5	1.14	1.41	5	29	3	4	3	29
Hemsworth	15,840	117	139	10	6	272	17.2	0.94	0.91	100	118	218	13.8	0.93	1.10	6	22	4	2	3	25
Holmfirth	18,840	146	141	12	12	287	15.2	1.11	0.95	149	142	291	15.4	0.81	1.07	6	21	7	2	14	1
Horbury	8,940	72	67	2	5	146	16.3	0.97	0.89	58	49	107	12.0	1.12	1.15	-	-	-	-	3	20

TABLE 13 - continued

Area	Estimated home population as at 30th June 1966	Live births					Deaths						Deaths under 1 year		Deaths under 1 week	Stillbirths	Perinatal mortality rate					
		Legitimate		Illegitimate		Total			Grade rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total				Grade rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Deaths under 1 year	
		M	F	M	F	P	Total	Number													Rates per 1,000 live births	
		3	4	5	6	7	8	9				10	11	12	13	14	15				16	17
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	
YORKSHIRE, WEST RIDING - continued																						
Municipal boroughs and urban districts - continued																						
Horsforth	16,610	150	146	7	8	311	18.7	0.97	1.02	98	96	194	11.7	1.09	1.09	5	16	194	4	5	38	
Hoyland Nether	15,330	132	136	5	7	282	17.6	1.01	1.02	101	83	184	10.4	1.47	1.04	8	28	184	4	4	38	
Ilkley	19,190	125	150	5	7	287	15.0	1.42	0.95	133	178	309	16.1	0.71	0.94	4	3	309	4	4	34	
Keighley M.B.	55,940	509	394	39	38	980	17.5	1.00	0.99	408	477	985	15.8	0.89	1.20	18	18	985	11	11	34	
Kirkburton	18,780	138	147	9	10	304	16.2	1.11	1.02	145	211	356	19.0	0.60	0.97	4	13	356	4	4	36	
Knarborough	10,250	92	82	2	8	184	18.0	1.08	1.10	88	109	197	19.2	0.52	0.85	5	27	197	4	4	32	
Knottingley	14,250	134	134	6	9	283	19.9	0.90	1.01	55	49	104	7.3	1.61	1.00	7	25	104	4	4	21	
Malby	14,750	142	136	10	8	296	20.1	0.91	1.03	66	48	114	7.7	1.50	0.99	7	24	114	4	3	23	
Meltham	5,800	42	39	3	1	85	14.7	1.15	0.96	32	38	70	12.1	1.08	1.12	1	12	70	-	-	30	
Mexborough	16,580	134	141	9	5	289	17.4	1.03	1.01	125	92	217	13.1	1.13	1.27	3	10	217	1	1	10	
Mirfield	14,510	141	134	2	3	280	19.3	1.04	1.13	96	97	193	13.3	1.11	1.26	5	18	193	4	3	21	
Morley M.B.	43,480	350	379	12	25	766	17.6	1.03	1.02	279	254	533	12.3	1.17	1.23	17	22	533	14	15	27	
Normanton	18,570	161	151	8	7	327	17.6	1.02	1.01	128	96	224	12.1	1.17	1.21	14	12	224	1	1	27	
Ossett M.B.	16,120	148	173	10	10	341	21.2	0.96	1.15	95	94	189	11.7	1.22	1.22	10	29	189	3	3	23	
Otley	11,960	105	81	10	4	200	16.7	1.09	1.03	87	99	186	15.6	0.96	1.28	1	5	186	-	-	7	
Penistone	7,440	54	71	5	3	133	17.9	1.04	1.05	69	33	102	13.7	1.01	1.18	1	8	102	1	1	15	
Pontefract M.B.	29,260	299	271	14	16	600	20.5	0.91	1.05	160	169	329	11.2	1.11	1.06	14	23	329	9	9	15	
Pudsey M.B.	37,470	327	305	18	18	666	17.8	0.95	0.96	195	245	410	10.9	1.14	1.06	14	21	410	11	11	24	
Queensbury and Shelf	9,660	73	76	7	9	165	17.1	0.96	0.93	65	56	121	12.5	1.10	1.18	5	30	121	9	9	22	
Rawmarsh	19,590	184	176	19	17	396	20.2	1.00	1.14	103	109	212	10.8	1.29	1.19	10	25	212	9	1	30	
Ripon M.B.	11,110	97	98	6	5	206	18.5	0.91	0.95	75	93	168	15.1	0.82	1.06	2	10	168	7	3	19	
Ripponden	4,940	32	28	3	6	69	14.0	1.20	0.85	33	31	64	13.0	1.03	1.14	1	14	64	1	1	14	
Rothwell	26,950	240	201	8	11	460	17.1	1.02	0.99	189	236	425	15.8	0.75	1.01	7	15	425	6	6	34	
Royston	8,560	80	66	4	2	152	17.8	0.91	0.92	60	48	108	12.6	1.20	1.29	4	26	108	-	-	26	
Sadlerworth	18,410	141	137	7	4	289	15.7	1.10	0.98	142	135	277	15.0	0.95	1.22	4	14	277	2	2	17	
Sealy	10,760	121	101	6	3	231	21.3	1.04	1.26	70	65	135	12.5	0.95	1.01	5	22	135	4	4	26	
Shipley	29,790	239	239	20	17	515	17.3	1.07	1.19	200	190	390	13.1	1.01	1.13	8	16	390	6	6	17	
Silsden	5,420	49	46	5	2	102	18.8	1.42	1.42	38	34	72	13.3	0.99	1.13	3	29	72	1	1	19	
Skipton	13,050	81	82	5	5	173	13.3	1.14	0.86	106	130	236	13.1	0.81	1.25	4	23	236	1	1	23	
Sowerby Bridge	16,690	129	131	11	21	292	17.5	1.07	1.06	126	118	244	14.6	1.00	1.25	5	17	244	3	3	17	
Spensborough M.B.	38,370	351	307	31	16	705	19.4	0.97	1.11	222	268	490	12.8	1.02	1.12	16	23	490	7	7	28	
Stanley	18,770	174	172	14	4	364	19.4	0.99	1.09	120	98	216	11.5	1.17	1.15	5	14	216	4	4	25	
Stocksbridge	12,180	94	103	6	5	208	17.1	1.02	0.99	66	60	126	10.3	1.26	1.11	4	19	126	2	2	33	
Swinton	14,270	155	112	9	8	284	19.9	0.92	1.03	101	77	178	12.5	1.30	1.39	6	21	178	5	5	38	
Tickhill	2,900	28	28	2	1	59	20.3	1.06	1.22	26	12	38	13.1	0.98	1.10	1	17	38	-	-	17	
Todmorden M.B.	16,340	120	107	17	4	248	15.2	1.20	1.03	139	112	251	15.4	0.90	1.19	4	16	251	3	3	20	
Wetherby	15,330	129	145	4	6	284	18.5	0.93	0.97	94	78	172	11.2	1.23	1.18	4	14	172	1	1	18	
Wombwell	19,200	144	139	11	11	300	15.6	1.02	0.90	108	89	197	10.3	1.26	1.11	13	43	197	6	6	36	
Worsbrough	16,390	130	141	7	11	289	17.6	0.93	0.92	95	73	168	10.3	1.21	1.07	10	35	168	5	5	34	
Rural districts	510,660	4,489	4,434	267	258	9,448	18.5	0.97	1.01	2,799	2,350	5,149	10.1	1.20	1.04	179	19	5,149	97	97	33	
Bowland	4,810	33	47	2	-	82	17.0	1.15	1.10	23	24	47	9.8	1.01	0.85	-	20	47	-	-	24	
Doncaster	77,200	804	736	48	49	1,637	21.2	0.88	1.05	356	271	627	8.1	1.43	0.99	32	20	627	16	16	21	
Goole	8,980	80	67	6	4	157	15.7	0.98	0.97	68	40	108	12.0	1.05	1.08	2	13	108	2	2	17	
Hemsworth	53,060	451	453	33	27	964	13.2	0.93	0.96	297	194	491	9.3	1.42	1.13	12	20	491	12	12	30	

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Hepton	3,600	21	25	3	1	50	13.9	1.10	0.86	27	17	44	12.2	0.94	0.98	11	21	-	-	-	-
Kiveton Park	23,580	246	252	15	15	528	22.4	0.98	1.24	124	109	233	9.9	1.20	1.02	11	21	-	7	9	30
Niddale	16,990	117	117	5	8	247	14.5	1.45	0.94	108	74	182	10.7	1.05	0.96	4	16	-	2	2	16
Osgodors	9,230	72	75	2	3	152	16.5	1.01	0.94	50	39	89	9.6	1.43	0.98	1	7	-	1	2	19
Penistone	7,360	51	54	4	6	115	15.6	0.96	0.85	39	39	78	10.6	1.16	1.05	3	26	-	2	2	26
Ripon and Pateley Bridge	13,670	110	107	3	4	224	16.4	1.11	1.03	96	77	173	12.7	0.99	1.07	6	27	-	6	4	44
Rotherham	64,200	643	648	33	32	1,356	21.1	0.96	1.03	280	254	534	8.3	1.48	1.06	30	22	-	18	23	28
Sedburgh	3,740	20	19	1	2	42	11.2	0.85	0.85	27	17	44	11.8	1.07	1.08	2	48	-	-	1	23
Selby	7,510	72	71	8	6	157	20.9	1.11	1.31	38	42	80	10.7	1.11	1.02	-	-	-	-	2	3
Settle	13,790	99	94	4	-	197	14.3	1.14	0.92	89	97	186	13.5	0.97	1.12	-	10	-	2	3	25
Skipton	24,230	186	174	11	11	382	15.8	1.11	0.99	158	174	332	13.7	0.94	1.10	5	13	-	3	2	13
Tadcaster	31,220	286	307	13	13	599	19.2	1.02	1.11	181	150	331	10.6	1.08	0.98	9	15	-	4	3	12
Thorne	38,510	334	365	28	26	814	21.2	0.94	1.13	191	151	342	8.9	1.47	1.12	22	27	-	9	8	21
Wakerfield	22,520	209	211	12	14	446	19.8	0.94	1.05	134	116	250	11.1	1.30	1.23	10	26	-	8	9	33
Wetherby	27,760	209	196	13	13	431	15.8	1.11	0.97	138	119	257	9.3	1.08	0.86	11	26	-	5	4	27
Wharfedale	7,240	50	45	4	6	105	14.5	1.02	0.84	42	42	84	11.8	0.76	0.75	2	19	-	2	-	19
Wortley	51,660	356	370	19	18	763	14.8	1.03	0.86	333	304	637	12.3	0.99	1.04	8	10	-	5	12	22
WALES																					
ANGLESEY	55,950	520	508	35	31	1,094	19.6	1.14	1.26	393	341	734	13.1	0.93	1.04	20	18	-	15	16	28
Municipal borough and urban districts	21,830	199	213	15	11	438	20.1	1.10	1.25	143	155	298	13.7	0.94	1.10	6	14	-	5	6	25
Amwlch	3,650	32	33	3	6	74	20.3	1.26	1.45	26	21	47	12.9	0.85	0.94	1	4	-	-	-	-
Beumaris M.B.	1,940	17	13	2	4	32	16.5	1.16	1.08	14	10	24	12.4	0.88	0.91	-	-	-	-	-	-
Holyhead	10,650	94	114	7	5	220	20.7	1.09	1.27	73	82	155	14.6	0.94	1.17	3	14	-	3	2	18
Llangefni	3,330	37	32	2	7	72	21.6	0.92	1.12	11	20	31	9.3	1.48	0.84	1	14	-	1	4	66
Menai Bridge	2,260	19	21	-	-	40	17.7	1.14	1.14	19	22	41	18.1	1.03	0.99	2	50	-	2	-	50
Rural districts	34,120	321	295	20	20	656	19.2	1.17	1.27	250	186	436	12.8	0.91	1.00	14	21	-	10	10	30
Aethy	10,790	108	79	9	6	201	18.6	1.16	1.22	103	65	169	15.6	0.86	1.15	5	25	-	4	2	30
Twrcelyn	9,430	82	73	8	6	170	18.0	1.25	1.27	74	53	127	13.5	0.89	1.03	4	24	-	2	3	29
Valley	13,900	131	143	3	8	285	20.5	1.12	1.30	73	69	141	10.1	0.98	0.85	5	18	-	4	5	31
BRECONSHIRE	54,470	388	370	23	16	797	14.6	1.12	0.92	408	355	763	14.0	0.93	1.11	13	16	-	11	19	37
Municipal borough and urban districts	15,730	130	99	11	6	246	15.6	1.12	0.99	119	119	238	15.1	0.89	1.15	3	12	-	2	5	28
Brecknock M.B.	5,980	52	34	5	3	94	15.7	1.16	1.03	42	42	84	14.0	0.98	1.17	2	21	-	2	1	32
Brynmawr	6,330	53	46	2	2	104	16.4	1.02	1.05	42	47	89	14.1	0.99	1.19	1	2	-	2	2	19
Builth Wells	1,600	13	7	3	-	23	14.4	1.26	1.03	20	17	37	23.1	0.77	1.52	1	43	-	-	1	42
Hay	1,310	11	10	1	-	22	16.8	1.22	1.16	10	9	19	14.5	0.57	0.71	-	-	-	-	1	43
Llanwrtyd Wells	1,510	1	2	-	-	3	5.9	1.48	0.49	5	4	9	17.6	0.66	0.99	-	-	-	-	-	-
Rural districts	38,740	258	271	12	10	551	14.2	1.11	0.89	289	236	525	13.6	0.94	1.09	10	18	-	9	14	41
Brecknock	6,980	44	63	1	1	109	15.6	1.25	1.10	43	36	79	11.3	0.89	0.86	1	9	-	1	3	36
Builth	3,100	15	20	2	1	38	12.3	1.17	0.81	16	23	39	12.6	1.03	1.11	2	53	-	2	1	53
Crickhowell	8,130	76	62	2	3	143	17.6	1.10	1.09	52	37	89	10.9	1.02	0.95	3	27	-	2	3	34
Hay	3,460	16	20	1	-	37	10.7	1.27	0.77	45	41	86	24.9	0.51	1.09	-	-	-	-	-	-
Vaynor and Penderyn	6,460	49	41	4	2	96	14.9	1.02	0.86	50	27	77	11.9	1.17	1.19	2	21	-	2	5	69
Ystradgynlais	10,610	58	65	2	3	128	12.1	1.05	0.72	83	72	155	14.6	1.07	1.34	2	16	-	2	3	38
CAERNARVONSHIRE	120,050	784	765	87	81	1,717	14.3	1.16	0.94	981	921	1,902	15.8	0.86	1.16	30	17	-	14	22	21
Municipal boroughs and urban districts	72,970	477	486	53	52	1,068	14.6	1.14	0.94	584	571	1,155	15.8	0.77	1.04	14	13	-	10	11	17
Bangor M.B.	14,360	69	96	10	13	188	13.1	0.95	0.70	77	85	162	11.3	1.20	1.16	1	5	-	7	1	17
Bethesda	4,160	43	26	5	-	74	17.8	1.45	1.16	30	21	51	12.3	0.97	1.02	3	41	-	-	1	13
Betsu-y-Coed	770	8	6	-	-	14	18.2	1.24	1.28	3	5	8	10.4	1.01	0.90	2	11	-	1	2	16
Caernarvon M.B.	9,200	87	80	10	7	184	20.0	1.14	1.29	76	54	130	14.1	0.96	1.16	2	11	-	1	1	2
Conway M.B.	11,790	85	90	10	7	192	16.3	1.21	1.41	125	111	236	20.0	0.63	1.08	4	21	-	4	3	26
Criccieth	1,590	9	6	-	1	18	10.7	1.24	0.71	8	13	21	13.2	0.72	0.81	1	5	-	2	1	15
Llandudno	16,500	87	90	11	14	202	12.2	1.26	0.87	136	156	292	17.7	0.82	0.94	3	15	-	3	-	-
Llanfairfechan	3,110	11	27	1	3	42	13.5	1.23	0.94	22	18	40	12.9	0.77	0.85	-	-	-	-	-	-
Permaernawr	3,810	21	21	1	1	44	11.5	1.33	0.86	43	31	74	19.4	0.68	1.13	1	22	-	1	1	22
Portmadoc	3,900	20	19	4	3	46	11.8	1.14	0.76	34	30	67	16.4	0.77	1.08	1	22	-	1	1	43
Pwllheli M.B.	3,780	37	25	1	3	68	17.5	1.13	1.12	30	47	77	20.4	0.62	1.08	2	2	-	1	1	15

TABLE 13 - continued

Area	Estimated household population at 30th June 1966	Live births					Deaths					Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate				
		Legitimate		Illegitimate		Total	Grude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Grude rate per 1,000 home population					Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rates per 1,000 live births
		M	F	M	F																
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
CAERNARVONSHIRE - continued																					
Rural districts																					
Gwynfael	307	279	136	14	29	649	13.8	1.19	0.93	397	350	747	15.9	0.84	1.14	18	25	9	7	11	27
Lleyn	154	136	14	14	14	338	15.1	1.16	0.99	174	143	317	15.1	0.91	1.17	13	41	8	6	6	37
Nant Conway	86	90	10	11	11	197	12.4	1.21	0.85	150	111	261	16.4	0.79	1.11	1	5	1	1	3	15
Ogwen	35	28	7	1	71	71	13.0	1.20	0.88	37	47	84	15.4	0.90	1.18	2	28	1	1	1	28
	32	25	3	3	63	63	13.5	1.26	0.96	36	49	85	18.2	0.65	1.01	-	-	-	-	1	76
	4,660																				
CARDIGANSHIRE																					
	53,410	377	334	25	22	758	14.2	1.17	0.94	386	414	800	15.0	0.84	1.08	12	16	8	8	22	38
Municipal boroughs and urban districts																					
Aberaeron	124	116	12	8	260	14.4	1.06	0.86	146	155	301	16.7	0.82	1.17	1	4	1	1	4	19	4
Aberystwyth M.B.	9	8	-	1	18	14.8	1.22	1.02	12	11	23	18.9	0.89	1.11	-	-	-	-	-	1	53
Cardigan M.B.	71	56	8	5	140	14.0	0.98	0.76	72	88	160	16.0	0.90	1.22	1	-	-	-	-	1	14
Lampeter M.B.	27	36	4	1	68	17.7	1.12	1.12	33	29	62	16.1	0.90	1.24	1	15	-	-	-	1	29
New Quay	10	12	-	-	22	10.8	1.28	0.77	15	16	31	14.9	0.87	0.85	-	-	-	-	-	-	-
	7	4	-	1	12	13.0	1.59	1.17	14	11	25	27.2	0.56	1.50	-	-	-	-	-	-	-
Rural districts																					
Aberaeron	253	218	13	14	498	14.1	1.24	0.99	240	259	499	14.1	0.84	1.01	11	22	7	7	18	48	4
Aberystwyth	67	41	5	6	119	13.5	1.24	0.95	49	59	108	12.3	0.89	0.94	1	6	4	4	2	17	17
Aberystwyth	88	83	3	4	178	15.3	1.22	1.05	74	81	155	15.3	0.84	0.95	1	34	4	4	4	24	24
Telfairde	77	68	3	3	151	14.8	1.21	1.01	90	69	149	14.8	0.84	1.14	1	26	4	4	4	8	8
Tregaron	21	26	2	1	50	10.6	1.56	0.81	57	50	87	18.5	0.88	1.08	-	1	20	2	2	58	58
CARMARTHENSHIRE																					
	165,650	1,127	1,037	51	55	2,270	13.7	1.09	0.84	1,318	1,062	2,380	14.4	0.99	1.22	36	16	27	22	42	28
Municipal boroughs and urban districts																					
Ammanford	365	388	22	17	782	12.1	1.11	0.76	559	504	1,063	16.3	0.86	1.20	10	13	7	7	14	26	26
Burry Port	37	42	3	2	69	13.7	1.21	0.92	52	40	92	15.0	0.86	1.23	1	12	1	1	1	35	35
Carmarthen M.B.	85	75	4	5	166	12.9	1.03	0.74	45	40	85	14.4	0.87	1.16	2	29	2	2	2	43	43
Owmanman	14	20	1	-	35	8.4	1.14	0.54	107	118	225	17.5	0.65	0.97	1	6	1	1	1	2	18
									36	29	65	15.6	1.01	1.35	1	29	1	1	1	1	56
Kidwelly M.B.	19	18	-	2	39	13.5	1.12	0.85	32	19	51	17.7	1.14	1.72	-	-	-	-	-	1	25
Llanelli M.B.	15	15	1	1	31	16.1	1.41	1.06	15	14	27	14.0	0.88	1.05	-	-	-	-	-	1	48
Llanelli M.B.	11	7	1	1	20	10.1	1.07	0.61	14	17	31	15.6	0.87	1.23	1	50	2	2	2	6	23
Llanelli M.B.	150	178	12	6	346	12.0	1.07	0.76	254	223	477	14.7	0.79	0.99	4	12	4	4	1	1	-
Newcastle Emlyn	680	2	1	-	3	4.4	1.17	0.29	6	4	10	14.7	0.79	0.99	-	-	-	-	-	-	-
Rural districts																					
Germarthen	762	649	29	38	1,478	14.7	1.08	0.89	759	558	1,317	13.1	1.09	1.22	26	18	20	15	28	29	29
Llanelli	204	180	8	9	401	14.5	1.10	0.90	183	130	313	11.2	1.02	1.07	6	15	4	3	7	25	25
Llanelli	23	153	7	7	340	14.5	1.13	0.91	197	136	333	14.0	1.02	1.22	5	18	5	4	4	23	23
Llanelli	40	266	11	16	642	15.2	1.03	0.88	306	237	543	13.4	1.18	1.35	13	21	10	7	13	32	32
Newcastle Emlyn	8,070	66	50	3	6	125	15.5	1.19	1.04	73	55	128	15.9	0.89	1.21	1	8	1	1	4	39
									1,306	1,306	2,542	14.2	0.88	1.07	46	16	29	22	59	28	28
DENBIGHSHIRE																					
	179,150	1,346	1,299	90	81	2,816	15.7	1.10	0.98	1,306	1,236	2,542	14.2	0.88	1.07	46	16	29	22	59	28
Municipal boroughs and urban districts																					
Abergele	638	658	53	35	1,384	15.6	1.12	0.99	671	701	1,372	15.4	0.76	1.00	25	18	17	12	28	28	28
Colwyn Bay M.B.	120	136	12	7	161	15.8	1.69	1.51	88	87	175	17.1	0.52	0.76	1	6	1	1	1	6	36
Denbigh M.B.	8,420	63	3	5	132	11.5	1.32	0.86	206	266	471	19.5	0.52	0.98	2	7	2	2	2	6	28
Llangollen	2,980	27	11	1	40	13.4	1.16	0.88	22	20	42	14.1	0.90	1.08	1	15	1	1	4	29	29

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Llanrwst	2,520	20	20	6	-	46	19.3	1.20	1.24	24	24	48	19.0	0.80	1.30	2	43	1	1	1	43
Ruthin M.B.	3,790	24	328	1	1	51	13.5	0.92	0.96	32	28	60	15.8	0.74	1.00	2	39	2	1	1	57
Wrexham M.B.	36,940	316	328	21	11	676	18.3	0.93	0.96	210	204	414	11.2	1.21	1.18	16	24	10	7	10	25
Rural districts	90,150	708	641	37	46	1,432	15.9	1.08	0.97	635	535	1,170	13.0	1.06	1.18	21	15	12	10	31	28
Aled	6,660	32	39	2	6	179	11.9	1.17	0.79	41	23	64	9.6	1.01	0.83	-	-	-	-	1	73
Geirgog	7,170	48	55	2	-	103	14.4	1.12	0.91	53	41	94	13.1	1.00	1.01	3	29	2	1	2	29
Hiraethog	4,540	53	54	2	4	173	16.2	1.18	1.08	28	22	48	10.6	1.01	0.92	1	14	1	1	1	20
Ruthin	9,540	59	59	4	-	137	14.7	1.15	0.96	53	49	102	11.0	1.02	0.96	1	17	1	1	-	7
Wrexham	62,500	523	454	27	36	1,040	16.6	1.05	0.98	462	400	862	13.8	1.09	1.29	16	15	8	7	26	31
FLINTSHIRE	160,560	1,343	1,273	77	94	2,787	17.4	1.07	1.05	1,120	995	2,115	13.2	0.93	1.05	48	17	34	30	59	31
Municipal borough and urban districts	83,170	657	657	41	45	1,400	16.8	1.08	1.02	631	570	1,201	14.4	0.85	1.05	24	17	16	13	30	30
Buckley	8,530	79	87	5	7	178	20.9	1.06	1.25	44	44	108	12.7	1.13	1.23	6	34	5	5	3	34
Romania, Quey	9,940	97	143	1	5	243	21.8	0.92	1.13	44	44	108	12.7	1.13	1.23	6	34	5	5	3	34
Flint M.B.	14,150	120	147	1	1	243	17.0	1.02	0.93	93	72	163	11.5	1.27	1.25	4	19	2	2	9	40
Holywell	8,640	67	56	3	5	131	15.2	0.97	0.83	69	64	133	15.4	0.69	0.90	1	8	1	1	1	15
Mold	7,590	87	83	6	3	179	23.6	1.00	1.33	36	49	84	11.1	1.21	1.45	1	6	-	-	3	16
Prestatyn	12,850	82	80	9	5	176	13.7	1.45	1.42	125	107	232	18.1	0.56	0.87	1	1	1	1	6	38
Rhyl	21,500	125	121	14	19	279	13.0	1.11	0.82	202	201	403	18.7	0.73	1.17	7	25	3	3	7	35
Rural districts	77,390	686	616	36	49	1,387	17.9	1.07	1.08	489	425	914	11.8	1.02	1.03	24	17	18	17	29	32
Hawarden	39,440	350	344	16	26	736	19.7	1.02	1.08	247	204	451	11.4	1.12	1.09	10	14	8	8	17	33
Holywell	22,580	209	158	15	17	399	17.8	1.10	1.11	144	130	274	12.2	0.94	0.98	5	13	5	4	6	25
(a) Maenor	4,860	39	31	2	-	72	14.8	1.11	0.93	32	24	56	11.5	1.09	1.07	3	42	1	1	1	27
St. Asaph	10,740	88	83	3	6	180	16.8	1.15	1.09	66	67	133	12.4	0.88	0.93	6	33	4	4	5	49
GLAMORGAN	1,252,010	10,239	9,531	712	696	21,178	16.9	1.01	0.96	8,348	7,043	15,391	12.3	1.12	1.18	461	22	318	266	406	31
County boroughs	488,010	3,886	3,758	390	353	8,387	17.2	1.00	0.97	3,185	2,805	5,990	12.3	1.10	1.16	191	23	128	102	171	32
Cardiff	259,700	2,067	2,069	262	239	4,637	17.9	0.99	1.00	1,605	1,411	3,016	11.6	1.12	1.11	102	22	71	57	87	30
Merthyr Tydfil	57,740	482	478	32	24	1,016	17.6	1.05	1.04	446	363	809	14.0	1.08	1.29	32	31	21	17	29	44
Swansea	170,600	1,337	1,211	96	90	2,734	16.0	1.01	0.91	1,134	1,031	2,165	12.7	1.08	1.17	57	21	36	28	55	30
Administrative county	764,000	6,353	5,773	322	343	12,791	16.7	1.02	0.96	5,163	4,238	9,401	12.3	1.13	1.19	270	21	190	164	235	31
Municipal boroughs and urban districts	526,040	4,319	3,867	242	246	8,674	16.5	1.03	0.96	3,692	2,939	6,631	12.6	1.14	1.23	191	22	138	117	165	32
Aberdare	38,700	301	281	15	15	612	15.8	1.09	0.97	327	255	582	15.0	1.02	1.31	15	25	11	11	15	41
Barry M.B.	42,430	361	274	29	34	698	16.5	1.03	0.96	277	212	489	11.5	1.10	1.08	12	17	9	8	10	25
Bridgeford	15,100	121	99	3	11	234	15.5	1.03	0.90	104	77	181	12.0	1.10	1.13	3	13	3	3	4	29
Caerphilly	38,040	387	363	26	15	791	20.8	0.98	1.15	218	212	430	11.3	1.25	1.21	24	30	21	19	14	41
Cowbridge M.B.	1,140	13	7	1	-	21	18.4	1.01	1.05	8	5	13	17.4	1.07	1.04	-	-	-	-	-	-
Galligarr	35,000	324	292	22	16	654	18.7	1.00	1.06	249	164	413	11.8	1.30	1.31	13	20	11	10	13	34
Glyncoffwrwg	9,480	96	94	4	5	199	21.0	0.97	1.15	60	45	105	11.1	1.50	1.42	8	40	6	5	6	44
Lilwchr	25,470	201	182	4	8	395	15.5	1.07	0.94	190	142	322	12.6	1.09	1.17	8	20	6	5	3	20
Maesteg	21,430	472	158	7	10	347	16.2	1.04	0.95	188	103	261	12.2	1.22	1.27	5	24	2	2	8	28
Mountain Ash	29,300	255	225	13	13	506	17.3	1.00	0.98	226	146	372	12.7	1.20	1.30	15	30	8	7	11	35
Neath M.B.	30,200	219	217	9	11	456	15.1	1.04	0.89	216	188	404	13.4	1.08	1.24	6	13	4	4	8	26
Ogmore and Garw	20,670	163	136	10	9	318	15.4	1.03	0.90	147	114	261	12.6	0.82	1.01	9	28	7	7	6	40
Penarth	21,950	188	182	12	11	393	17.9	1.08	1.09	155	142	297	13.5	0.83	1.03	11	18	6	5	7	20
Pontypridd	35,090	288	246	13	13	560	16.0	1.02	0.92	246	167	433	13.3	1.04	1.09	11	20	9	6	10	28
Portcawl	12,540	115	104	9	19	247	19.7	1.12	1.25	90	78	169	13.4	0.86	0.98	5	20	2	1	1	8
Port Talbot M.B.	51,800	390	367	28	30	805	15.5	0.99	0.87	314	272	596	11.3	1.36	1.31	14	17	8	8	16	29
Rhondda M.B.	97,720	735	640	37	26	1,435	14.7	1.03	0.86	717	597	1,314	13.4	1.14	1.31	36	25	26	18	33	35
Rural districts	237,960	2,034	1,906	80	97	4,117	17.3	1.01	0.99	1,471	1,299	2,770	11.6	1.08	1.07	79	19	52	47	70	28
Cardiff	51,410	413	413	46	23	873	16.0	0.97	1.03	349	331	690	12.5	0.96	1.10	3	9	5	4	14	20
Cowbridge	21,260	433	181	12	12	368	17.3	1.07	1.05	32	73	165	7.8	1.65	1.03	8	22	2	1	8	24
Gower	15,100	145	104	5	3	257	17.0	1.08	1.04	85	80	165	10.9	1.00	0.93	4	16	3	2	4	23
Llantrisant and Llantwit	29,500	295	272	14	10	591	20.0	0.95	1.07	155	133	288	9.8	1.28	1.07	15	25	8	8	13	35
Pardre	40,910	323	280	12	18	633	15.5	1.04	0.91	264	192	456	11.1	1.21	1.15	15	24	13	13	15	43
Neath	46,650	470	480	14	22	986	21.1	0.96	1.14	304	295	599	12.8	0.96	1.05	23	23	17	15	11	26
Portardawe	30,130	197	196	7	9	409	13.6	1.13	0.87	222	195	417	13.8	1.03	1.21	6	15	4	4	5	22

(a) The figures for this area include 3 deaths (all males) in a Polish General Hospital, which could not be transferred to the area of residence.

TABLE 13 - continued

Area	Estimated home population at 30th June 1966	Live births										Deaths							Deaths under 1 year	Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate				
		Legitimate			Illegitimate			Total				Crude rate per 1,000 home population	Comparability factor	Ratio of local to national rate	M	P	Total	Crude rate per 1,000 home population						Comparability factor	Ratio of local to national rate	Number	Rates per 1,000 live births
		M	F	P	M	F	P	Total																			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22						
MERIONETHSHIRE																											
Urban districts																											
Bala	37,750	276	227	19	18	540	14.3	1.18	0.95	282	282	564	14.9	0.85	1.08	8	15	5	5	3	15						
Bala	17,040	121	105	9	10	245	14.4	1.09	0.89	116	140	256	15.0	0.88	1.13	3	12	2	2	2	16						
Barmouth	1,520	8	13	-	-	21	13.8	1.23	0.96	7	15	22	14.5	0.86	1.07	-	-	-	-	-	-						
Dolgellau	2,270	15	10	1	1	27	11.9	1.13	0.76	11	23	34	15.0	0.87	0.86	-	-	-	-	-	-						
Frestinog	2,620	21	12	1	3	37	14.1	0.73	0.58	11	15	26	9.9	0.73	0.62	-	-	-	-	-	-						
Town	6,450	52	49	6	2	109	16.9	1.09	1.04	53	52	105	16.3	1.06	1.48	1	9	1	1	2	27						
Town	4,180	25	21	1	4	51	12.2	1.28	0.88	34	35	69	16.5	0.81	1.14	2	39	1	1	20	20						
Rural districts																											
Deudraeth	20,710	155	122	10	8	295	14.2	1.25	1.00	166	142	308	14.9	0.82	1.04	5	17	3	3	1	14						
Dolgellau	7,090	58	46	2	3	109	15.4	1.15	1.04	62	58	120	16.9	0.85	0.94	2	18	1	1	1	18						
Edeyrnion	6,990	49	39	1	3	92	13.2	1.35	1.01	57	52	109	16.0	0.88	1.17	1	11	1	1	1	11						
Penllyn	3,910	26	24	4	2	56	14.3	1.22	0.99	31	20	51	13.0	0.95	1.06	2	36	1	1	1	1						
Penllyn	2,720	22	13	3	-	38	14.0	1.21	0.96	16	12	28	10.3	0.99	0.87	-	-	-	-	-	-						
MONMOUTHSHIRE																											
*Newport C.B.																											
Administrative county*																											
Municipal boroughs and urban districts																											
Abercarn	284,970	2,417	2,355	129	130	5,031	17.7	1.02	1.02	1,910	1,574	3,484	12.2	1.15	1.20	120	24	75	66	108	34						
Abercarn	19,200	149	140	5	5	299	15.6	0.98	0.86	122	97	219	11.4	1.23	1.20	4	13	3	3	7	33						
Abercarn	9,760	86	66	2	10	164	16.8	1.10	1.04	65	67	132	13.5	0.99	1.14	2	12	1	1	1	12						
Abercarn	24,210	175	180	9	8	372	15.4	1.07	0.93	143	133	276	11.4	1.16	1.13	8	22	5	4	10	37						
Bedwas and Machen	11,370	105	109	8	4	226	19.9	0.97	1.09	67	36	103	9.1	1.30	1.01	2	9	-	-	7	30						
Bedwellty	27,130	216	207	12	7	442	16.3	0.99	0.91	191	135	326	12.0	1.30	1.33	7	16	2	2	10	27						
Blaenavon	8,070	56	52	3	2	113	14.0	1.15	0.92	54	54	108	14.0	1.05	1.26	7	62	5	4	4	68						
*Caerleon	5,590	57	72	4	4	137	24.5	1.02	1.41	49	51	100	17.9	0.70	1.07	5	36	3	3	2	22						
Chepstow	7,560	68	74	6	5	153	20.2	0.98	1.12	64	57	121	16.0	0.67	0.92	5	33	2	2	2	26						
Cwmbran																											
Ebbw Vale	27,560	290	287	11	15	613	22.2	0.86	1.08	125	109	234	8.5	1.62	1.18	17	28	10	9	7	26						
Monmouth M.B.	27,790	234	236	10	7	487	17.5	1.05	1.04	192	155	347	12.5	1.22	1.30	12	25	6	6	8	28						
Monmouth M.B.	5,840	41	38	3	2	84	14.4	1.09	0.89	32	45	77	13.2	0.79	0.89	3	36	3	2	2	47						
Myrddiswryn	45,520	120	96	5	7	228	14.7	1.01	0.84	103	68	171	11.0	1.31	1.23	4	18	3	3	8	42						
Nantyglo and Blaiddia	11,050	113	113	5	6	237	21.4	1.05	1.27	80	78	158	14.3	1.06	1.30	6	25	4	3	5	57						
Pontypool																											
Pontypool	38,330	316	289	20	16	611	15.9	1.11	1.00	300	208	508	13.3	1.06	1.20	11	18	9	7	14	29						
Rhymney	8,760	73	72	4	3	152	17.4	1.00	0.98	62	45	107	12.2	1.18	1.23	8	53	4	4	3	39						
Risca	15,830	150	163	10	11	334	21.1	1.12	1.34	96	89	185	11.7	0.97	0.97	10	30	8	8	10	52						
Tredegar	19,300	147	155	11	18	331	17.2	1.00	0.97	159	141	290	15.0	0.71	1.45	9	27	7	6	11	50						
Usk	2,100	21	26	1	-	48	22.9	1.07	1.38	6	11	17	8.7	1.20	0.83	-	-	-	-	2	40						
Rural districts*																											
Abercarn	66,530	575	554	28	24	1,181	17.8	1.02	1.03	399	309	708	10.6	1.09	0.99	34	29	24	21	20	34						
Abercarn	9,410	73	62	4	3	142	15.1	1.20	1.02	93	76	169	18.0	0.52	0.80	5	35	4	3	4	48						
Chepstow	15,120	151	134	7	6	288	19.7	1.02	1.14	81	69	141	9.3	1.19	0.95	11	37	8	8	8	52						
*Magor and St. Mellons	19,260	173	186	11	10	330	19.7	1.14	1.27	119	89	208	10.8	1.19	0.95	11	37	8	8	8	52						
Monmouth	6,120	40	38	2	1	81	13.2	1.29	0.96	36	32	68	11.1	1.03	0.88	11	11	1	1	24	21						
Pontypool	16,620	138	134	4	4	280	16.8	0.78	0.74	70	52	122	7.3	1.59	0.99	13	11	1	1	5	28						

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
MONTGOMERYSHIRE	43,700	304	269	21	21	615	14.1	1.13	0.90	292	277	569	13.0	0.89	0.99	10	16	4	4	11	24
	Municipal boroughs and urban districts																				
	18,440	137	126	7	10	280	15.2	1.08	0.93	129	129	258	14.0	0.86	1.03	4	14	1	1	7	28
	1,230	4	6	-	1	10	8.1	1.13	0.52	12	11	23	18.7	0.80	1.28	1	100	-	-	1	34
	2,360	13	13	1	1	28	11.9	1.18	0.79	18	26	44	18.6	0.54	0.86	1	36	-	-	1	43
	1,810	11	10	1	-	22	12.2	1.09	0.68	7	9	16	8.8	0.81	0.61	-	-	-	-	1	43
	1,000	7	8	-	1	16	16.0	1.05	0.95	10	9	19	19.0	1.16	1.88	-	-	-	-	1	43
	5,500	45	39	1	2	87	15.8	1.15	1.03	30	39	69	12.5	0.92	0.98	1	11	1	1	2	34
	6,540	57	50	4	6	117	17.9	1.02	1.03	52	35	87	13.3	1.03	1.17	1	9	-	-	3	25
	Welshpool M.B.																				
	25,260	167	143	14	11	335	13.3	1.17	0.88	163	148	311	12.3	0.92	0.97	8	18	3	3	4	21
	Rural districts																				
	5,160	49	29	4	3	85	16.5	1.13	1.05	39	31	70	13.6	0.81	0.94	-	-	-	-	1	12
	Llanfyllin																				
	8,950	56	51	4	1	112	12.5	1.19	0.84	54	53	107	12.0	0.84	0.96	3	27	-	-	2	18
	2,670	17	8	2	3	30	11.2	1.34	0.85	17	26	43	16.1	0.84	1.16	1	33	1	1	1	65
	8,480	45	55	4	4	108	12.7	1.11	0.80	53	38	91	10.7	0.97	0.89	2	19	2	2	-	19
	Newtown and Llanidloes																				
	97,060	813	820	46	49	1,728	17.8	1.07	1.08	612	526	1,138	11.7	1.07	1.07	31	18	20	17	33	28
	Pembrokeshire																				
Municipal boroughs and urban districts	48,520	425	437	27	31	920	19.0	1.01	1.08	305	281	586	12.1	1.09	1.13	18	20	10	10	18	30
	Fishguard and Goodwick																				
	4,970	29	37	3	-	69	13.9	1.19	0.93	45	32	77	15.5	0.94	1.25	1	14	1	1	-	14
	Haverfordwest M.B.																				
	9,300	96	100	4	8	208	22.4	0.88	1.09	48	53	101	10.9	1.06	0.99	-	-	-	-	1	5
	13,000	114	115	5	8	242	18.6	0.96	1.01	69	55	124	9.5	1.45	1.18	7	29	3	3	8	44
	1,040	7	7	-	-	14	13.5	1.17	0.89	14	13	27	26.0	0.55	1.22	-	-	-	-	-	-
	Narberth																				
	2,200	28	24	2	2	56	25.5	1.05	1.51	24	16	40	18.2	1.09	1.70	-	-	-	-	2	34
	Pembroke M.B.																				
	13,480	110	131	11	12	264	19.6	1.06	1.17	80	85	165	12.2	1.07	1.12	8	30	4	4	7	41
	Tenby M.B.																				
	4,530	41	23	2	1	67	14.8	1.12	0.94	25	27	52	11.5	0.82	0.81	2	30	2	2	-	30
	Rural districts																				
	48,540	388	383	19	18	808	16.6	1.15	1.08	307	245	552	11.4	1.05	1.02	13	16	10	7	15	27
	Cemaes																				
	8,370	66	51	5	3	125	14.9	1.21	1.02	65	54	120	14.5	0.88	1.08	3	24	2	-	1	8
	Haverfordwest																				
	23,370	219	200	8	12	439	18.8	1.14	1.21	131	113	244	10.4	1.18	1.05	6	14	4	4	10	31
	Narberth																				
	9,800	49	79	2	2	132	13.5	1.15	0.88	74	55	129	13.2	0.92	1.04	3	23	3	2	2	30
	Pembroke																				
	7,000	54	53	4	1	112	16.0	1.10	0.99	56	25	59	8.4	1.15	0.83	1	9	1	1	2	26
	RADNORSHIRE																				
	18,300	113	98	7	10	228	12.5	1.18	0.83	128	114	242	13.2	0.85	0.96	3	13	1	1	1	9
Urban districts	6,250	37	36	4	6	83	13.3	1.12	0.84	48	47	95	15.2	0.74	0.96	-	-	-	-	-	-
	Knignton																				
	3,470	12	15	4	3	31	16.8	1.11	1.04	43	9	24	12.8	0.83	0.89	-	-	-	-	-	-
	2,430	14	14	3	3	34	10.8	1.11	0.83	26	32	58	18.4	0.74	1.13	-	-	-	-	-	-
	1,230	11	7	-	-	18	14.6	1.17	0.97	7	6	13	10.6	0.89	0.81	-	-	-	-	-	-
	Rural districts																				
	12,050	76	62	3	4	145	12.0	1.21	0.82	80	67	147	12.2	0.82	0.96	3	21	1	1	1	14
	Colwyn																				
	1,610	6	8	-	1	14	8.7	1.14	0.56	41	7	19	11.2	0.81	0.87	1	71	-	-	-	-
	Knignton																				
	2,680	22	8	-	1	31	11.6	1.27	0.83	45	14	30	11.2	0.86	0.82	-	-	-	-	1	31
	New Radnor																				
	2,040	11	10	2	2	25	12.3	1.21	0.84	42	7	19	9.3	0.97	0.77	1	40	-	-	-	-
	Paincastle																				
	1,630	12	10	1	1	23	14.1	1.29	1.03	40	11	21	12.9	0.92	1.01	-	-	-	-	-	-
	Rhayader																				
	4,090	25	26	-	1	52	12.7	1.16	0.83	31	28	59	14.4	0.84	1.16	1	19	1	1	-	19

SUPPLEMENT TO TABLE 13 - WEST MIDLANDS CONURBATION

Areas within the West Midlands Conurbation were considerably altered by the West Midlands Order 1965, which took effect on 1st April 1966. Statistics covering the whole calendar year for these areas as constituted on that date are given below. Birth and death figures are mostly approximate, being aggregates of figures for entire old areas up to 31st March together with the corresponding new areas thereafter.

Area	Estimated home population as at 30th June 1966	Live births						Deaths				Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate		Total	Crude rate per 1,000 home population	M	F	Total	Crude rate per 1,000 home population	Number	Rate per 1,000 live births				
		M	F	M	F												
Dudley C.B.	176,690	1,740	1,587	69	72	3,468	19.6	1,016	862	1,878	10.6	73	21	55	40	52	26
Walsall C.B.	182,720	1,656	1,590	110	88	3,444	18.8	1,097	895	1,992	10.9	89	26	67	57	72	37
West Bromwich C.B.	171,760	1,513	1,442	96	107	3,158	18.4	935	851	1,786	10.4	57	18	35	31	60	28
Wolverhampton C.B.	266,210	2,468	2,261	210	211	5,150	19.3	1,477	1,348	2,825	10.6	115	22	83	63	100	31
Aldridge-Brownhills U.D.	83,300	956	934	30	34	1,954	23.5	315	259	574	6.9	34	17	23	18	30	24
Birmingham C.B.	1,102,570	9,539	9,265	1,179	1,208	21,191	19.2	6,295	5,975	12,270	11.1	443	21	295	252	367	29
Solihull C.B.	103,600	796	727	32	32	1,587	15.3	394	362	756	7.3	15	9	9	8	14	14
Sutton Coldfield M.B.	80,510	671	655	35	29	1,390	17.3	346	308	654	8.1	27	19	19	17	20	26
Warley C.B.	169,770	1,508	1,326	91	95	3,020	17.8	1,071	848	1,919	11.3	63	21	45	36	45	26
Halesowen M.B.	49,390	382	347	20	11	760	15.4	279	220	499	10.1	15	20	8	6	9	20
Stourbridge M.B.	50,540	392	445	18	19	874	17.3	266	285	531	10.5	16	18	13	9	17	30
West Midlands Conurbation	2,437,060	21,621	20,579	1,690	1,906	45,996	18.9	13,491	12,133	25,624	10.5	947	21	652	537	786	28

**TABLE 14. Deaths by sex at each year of age (with marital condition), 1966**

**England and Wales**

Included in this Table are 1,213 cases (508 males and 705 females) in which the age of the deceased was not definitely stated; these have been allocated to particular ages in accordance with the best available information and with due regard to the circumstances and cause of death in each case.

Age last birthday	Persons	MALES						FEMALES					
		Total	Single	Married	Widowed	Divorced	Not stated	Total	Single	Married	Widowed	Divorced	Not stated
All ages	563,624	288,622	39,931	179,033	64,483	2,083	3,092	275,002	49,750	81,160	142,036	1,687	369
0-4	18,930	10,920	10,920	-	-	-	-	8,010	8,010	-	-	-	-
0	16,147	9,357	9,357	-	-	-	-	6,790	6,790	-	-	-	-
1	1,124	616	616	-	-	-	-	508	508	-	-	-	-
2	682	389	389	-	-	-	-	293	293	-	-	-	-
3	515	301	301	-	-	-	-	214	214	-	-	-	-
4	462	257	257	-	-	-	-	205	205	-	-	-	-
5-9	1,341	823	823	-	-	-	-	518	518	-	-	-	-
5	343	208	208	-	-	-	-	135	135	-	-	-	-
6	281	166	166	-	-	-	-	115	115	-	-	-	-
7	245	144	144	-	-	-	-	101	101	-	-	-	-
8	250	162	162	-	-	-	-	88	88	-	-	-	-
9	222	143	143	-	-	-	-	79	79	-	-	-	-
10-14	1,104	706	706	-	-	-	-	398	398	-	-	-	-
10	192	117	117	-	-	-	-	75	75	-	-	-	-
11	221	131	131	-	-	-	-	90	90	-	-	-	-
12	217	138	138	-	-	-	-	79	79	-	-	-	-
13	224	153	153	-	-	-	-	71	71	-	-	-	-
14	250	167	167	-	-	-	-	83	83	-	-	-	-
15-19	2,738	2,001	1,886	26	-	-	89	737	679	53	-	-	5
15	313	186	186	-	-	-	-	127	127	-	-	-	-
16	492	381	361	-	-	-	20	111	109	1	-	-	1
17	577	428	402	-	-	-	26	149	144	5	-	-	-
18	623	480	454	7	-	-	19	143	123	16	-	-	4
19	733	526	483	19	-	-	24	207	176	31	-	-	-
20-24	2,467	1,725	1,276	376	5	2	66	742	393	340	5	-	4
20	542	383	331	33	2	-	17	159	110	45	2	-	2
21	470	345	278	53	-	-	14	125	74	50	1	-	-
22	526	374	282	81	1	1	9	152	73	79	-	-	-
23	482	329	234	83	-	-	12	153	73	79	2	-	2
24	447	294	151	126	2	1	14	153	63	90	-	-	-
25-29	2,298	1,445	596	784	7	11	47	853	224	603	6	18	2
25	599	252	156	106	-	1	9	147	51	93	2	-	1
26	455	288	125	145	4	3	11	167	48	117	-	2	-
27	454	287	116	160	1	1	9	167	48	114	1	4	-
28	484	284	105	169	-	1	9	200	37	151	2	9	1
29	506	334	114	204	2	5	9	172	40	128	1	3	-
30-34	2,876	1,748	489	1,169	10	32	48	1,128	196	888	14	27	3
30	498	316	81	212	3	6	14	182	32	146	-	2	2
31	538	336	92	227	-	5	12	202	43	152	4	3	-
32	524	322	99	208	4	8	3	202	28	166	4	4	-
33	605	363	100	243	-	9	11	242	48	186	2	6	-
34	711	411	117	279	3	4	8	300	45	238	4	12	1
35-39	4,579	2,723	629	1,966	21	47	60	1,856	259	1,531	34	30	2
35	783	471	121	329	1	4	16	312	55	250	1	6	-
36	809	495	114	357	6	8	10	314	44	260	4	6	-
37	864	490	107	366	4	8	5	374	52	310	6	5	1
38	997	592	145	408	6	13	20	405	49	344	9	3	-
39	1,126	675	142	506	4	14	9	451	59	367	14	10	1
40-44	8,276	4,897	917	3,724	59	103	94	3,379	450	2,724	123	78	4
40	1,502	762	155	565	5	18	19	540	68	445	15	10	2
41	1,365	823	165	622	4	18	14	542	84	429	19	10	-
42	1,688	1,002	191	760	9	21	21	686	107	543	22	13	1
43	1,874	1,082	197	832	12	27	14	792	84	658	28	22	-
44	2,047	1,228	209	945	29	19	26	819	107	649	39	23	1
45-49	13,046	7,800	1,174	6,204	169	169	84	5,246	637	4,181	288	130	10
45	2,544	1,507	247	1,185	22	31	22	1,037	129	837	46	24	1
46	2,812	1,679	262	1,324	42	37	14	1,133	131	906	58	33	5
47	2,544	1,422	214	1,128	21	35	24	922	106	735	56	24	1
48	2,407	1,432	201	1,143	37	41	10	975	120	778	56	20	1
49	2,939	1,760	250	1,424	47	25	14	1,179	151	925	72	29	2
50-54	22,880	14,237	1,753	11,612	457	257	158	8,643	1,062	6,492	898	179	12
50	3,581	2,150	290	1,735	54	41	30	1,431	172	1,115	118	22	4
51	4,009	2,444	323	1,982	67	50	22	1,565	180	1,204	141	38	2
52	4,650	2,929	361	2,394	80	61	33	1,721	213	1,299	174	34	1
53	5,121	3,264	388	2,674	115	52	35	1,857	229	1,350	229	45	4
54	5,519	3,450	391	2,827	141	53	38	2,069	268	1,524	236	40	1

TABLE 14 - continued

Age last birthday	Persons	MALES						FEMALES					
		Total	Single	Married	Widowed	Divorced	Not stated	Total	Single	Married	Widowed	Divorced	Not stated
55-59	36,467	23,762	2,563	19,397	1,214	361	227	12,705	1,755	8,610	2,094	229	17
55	5,854	3,737	395	3,091	156	50	45	2,117	297	1,490	281	40	9
56	6,546	4,220	489	3,422	205	57	47	2,326	322	1,633	330	39	2
57	7,269	4,743	540	3,870	215	77	41	2,526	323	1,744	413	44	2
58	8,222	5,450	581	4,443	294	92	40	2,772	386	1,843	491	52	-
59	8,576	5,612	558	4,571	344	85	54	2,964	427	1,900	579	54	4
60-64	53,556	34,911	3,349	27,916	2,972	387	287	18,645	2,729	10,803	4,861	224	28
60	9,094	5,994	637	4,826	394	91	46	3,100	471	1,955	630	38	6
61	9,790	6,418	616	5,202	481	69	50	3,372	506	2,004	813	43	6
62	10,841	7,043	645	5,654	602	76	66	3,798	582	2,235	943	34	4
63	11,533	7,469	733	5,931	672	71	62	4,064	572	2,319	1,115	52	6
64	12,298	7,987	718	6,303	823	80	63	4,311	598	2,290	1,360	57	6
65-69	67,702	40,730	3,254	31,206	5,604	297	369	26,972	3,835	12,688	10,171	232	46
65	13,062	8,193	760	6,344	934	79	76	4,869	672	2,534	1,609	46	8
66	13,587	8,563	640	6,494	1,082	69	78	5,024	702	2,469	1,800	45	8
67	13,181	8,022	635	6,193	1,061	56	77	5,159	757	2,417	1,927	50	8
68	13,700	8,013	628	6,084	1,192	47	62	5,687	769	2,656	2,212	39	11
69	14,372	8,139	591	6,091	1,335	46	76	6,233	935	2,612	2,623	52	11
70-74	79,202	42,052	3,028	29,208	9,182	200	434	37,150	5,561	12,673	18,637	213	66
70	14,652	8,073	615	5,863	1,435	56	104	6,579	1,013	2,571	2,942	43	10
71	14,918	8,155	624	5,833	1,597	36	65	6,763	985	2,511	3,215	40	12
72	16,007	8,547	575	6,038	1,815	35	84	7,460	1,135	2,532	3,736	43	14
73	16,633	8,677	615	5,845	2,090	46	81	7,956	1,186	2,576	4,135	45	14
74	16,992	8,600	599	5,629	2,245	27	100	8,392	1,242	2,483	4,609	42	16
75-79	87,198	40,410	2,764	23,764	13,298	129	455	46,788	7,077	10,630	28,857	148	76
75	17,110	8,491	598	5,381	2,376	37	99	8,619	1,312	2,359	4,900	32	16
76	17,643	8,528	587	5,083	2,543	29	86	9,315	1,381	2,301	5,584	28	21
77	17,342	8,114	511	4,835	2,655	21	92	9,228	1,419	2,116	5,643	37	13
78	17,706	7,818	539	4,404	2,758	20	97	9,888	1,539	2,057	6,260	21	11
79	17,397	7,659	529	4,061	2,966	22	81	9,738	1,426	1,797	6,470	30	15
80-84	80,193	31,968	2,209	14,405	14,917	58	379	48,225	7,315	6,265	34,477	112	56
80	17,112	7,113	481	3,554	2,966	18	94	9,999	1,545	1,572	6,842	27	13
81	16,658	6,840	479	3,305	2,965	14	77	9,818	1,432	1,423	6,931	19	13
82	16,204	6,573	461	2,922	3,099	14	77	9,631	1,473	1,298	6,828	24	8
83	15,574	5,937	422	2,460	2,992	3	60	9,637	1,429	1,080	7,099	22	7
84	14,645	5,505	366	2,164	2,895	9	71	9,140	1,436	892	6,777	20	15
85-89	53,331	18,521	1,183	5,823	11,283	27	205	34,810	5,490	2,247	26,996	48	29
85	13,424	4,798	307	1,721	2,703	10	57	8,626	1,311	720	6,570	15	10
86	12,218	4,357	291	1,431	2,583	10	42	7,861	1,284	584	5,972	16	5
87	10,691	3,775	217	1,187	2,322	2	47	6,916	1,052	404	5,445	12	3
88	9,021	2,961	201	840	1,889	3	28	6,060	971	293	4,787	5	4
89	7,977	2,630	167	644	1,786	2	31	5,347	872	246	4,222	-	7
90-94	20,839	6,228	355	1,308	4,486	2	77	14,611	2,467	390	11,729	16	9
90	6,510	2,042	111	484	1,418	-	29	4,468	756	168	3,537	1	6
91	5,044	1,564	101	323	1,119	-	21	3,480	578	86	2,811	5	-
92	4,056	1,195	66	246	867	1	15	2,861	492	64	2,300	5	-
93	3,086	885	46	162	669	1	7	2,201	350	48	1,798	4	1
94	2,143	542	31	93	413	-	5	1,601	291	24	1,283	1	2
95-99	4,149	955	55	140	747	1	12	3,194	602	41	2,548	3	-
95	1,583	390	26	67	295	-	2	1,193	230	18	943	2	-
96	1,114	259	10	45	201	1	2	855	157	14	684	-	-
97	671	143	10	13	115	-	5	528	89	7	432	-	-
98	508	113	5	12	94	-	2	395	78	2	314	1	-
99	273	50	4	3	42	-	1	223	48	-	175	-	-
100 and over	452	60	2	5	52	-	1	392	93	1	298	-	-

**TABLE 15. Constructed analysis of 1966  
deaths by age and marital condition**

**England and Wales**

Note. In this table the deaths of unstated marital condition in each age group (which are shown separately in Table 14) have been distributed proportionately among those of stated condition in the age group.

Age-groups	Persons	Males					Females				
		Total	Single	Married	Widowed	Divorced	Total	Single	Married	Widowed	Divorced
All ages	563,624	288,622	40,359	180,959	65,197	2,107	275,002	49,814	81,286	142,214	1,688
0-4	18,930	10,920	10,920	-	-	-	8,010	8,010	-	-	-
5-9	1,341	823	823	-	-	-	518	518	-	-	-
10-14	1,104	706	706	-	-	-	398	398	-	-	-
15-19	2,738	2,001	1,974	27	-	-	737	684	53	-	-
20-24	2,467	1,725	1,327	391	5	2	742	395	342	5	-
25-29	2,298	1,445	616	810	7	12	853	225	604	6	18
30-34	2,876	1,748	503	1,202	10	33	1,128	197	890	14	27
35-39	4,579	2,723	643	2,011	21	48	1,856	259	1,533	34	30
40-44	8,276	4,897	935	3,797	60	105	3,379	451	2,727	123	78
45-49	13,046	7,800	1,186	6,272	171	171	5,246	638	4,189	289	130
50-54	22,880	14,237	1,773	11,742	462	260	8,643	1,064	6,501	899	179
55-59	36,467	23,762	2,588	19,584	1,226	364	12,705	1,757	8,622	2,097	229
60-64	53,556	34,911	3,377	28,147	2,997	390	18,645	2,733	10,819	4,868	225
65-69	67,702	40,730	3,284	31,491	5,855	300	26,972	3,842	12,710	10,188	232
70-74	79,202	42,052	3,059	29,513	9,278	202	37,150	5,571	12,696	18,670	213
75-79	87,198	40,410	2,796	24,035	13,449	130	46,788	7,089	10,647	28,904	148
80-84	80,193	31,968	2,235	14,578	15,096	59	48,225	7,324	6,272	34,517	112
85-89	53,331	18,521	1,196	5,888	11,409	28	34,810	5,495	2,249	27,018	48
90-94	20,839	6,228	360	1,324	4,542	2	14,611	2,469	390	11,736	16
95-99	4,149	955	56	142	756	1	3,194	602	41	2,548	3
100 and over	452	60	2	5	53	-	392	93	1	298	-

**TABLE 16. Deaths at different ages by month  
of occurrence, January to December, 1966**

**England and Wales**

See notes at head of Table 22

Age		Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All ages	M	31,505	28,538	27,975	24,581	22,236	20,429	20,530	20,653	19,549	22,534	23,996	26,267
	F	29,952	27,863	27,213	23,731	20,771	19,304	19,309	19,396	18,557	21,163	22,770	25,241
Under 4 weeks	M	583	467	537	526	519	495	562	515	522	542	502	586
	F	405	338	406	423	385	414	423	364	355	327	378	383
4 weeks and under 1 year	M	384	317	253	221	220	187	170	204	181	227	254	379
	F	252	237	175	169	128	137	136	162	146	186	202	263
1-	M	72	45	50	48	42	49	49	45	45	41	62	66
	F	56	48	47	44	28	38	38	34	36	33	43	58
2-	M	96	80	93	85	84	59	64	72	68	93	72	71
	F	76	69	66	57	58	56	39	45	47	71	65	62
5-	M	57	60	94	80	65	61	64	74	69	64	60	64
	F	57	47	39	43	49	31	41	48	35	44	39	48
10-	M	51	67	62	39	66	61	64	74	58	52	56	48
	F	32	28	38	35	39	43	33	36	27	31	33	25
15-	M	139	169	164	156	214	200	184	173	145	159	147	167
	F	67	52	72	56	64	70	66	74	52	69	50	60
20-	M	146	126	148	155	150	148	133	154	149	145	140	153
	F	47	54	73	55	54	70	59	67	56	72	62	68
25-	M	113	117	108	120	107	131	148	127	120	127	101	120
	F	82	86	72	65	63	48	74	75	68	76	71	71
30-	M	161	141	145	162	155	140	164	123	119	152	148	136
	F	94	96	108	90	78	83	107	94	88	92	98	88
35-	M	268	224	234	230	230	214	224	208	203	234	226	230
	F	185	159	158	149	166	140	141	155	134	157	156	149
40-	M	472	403	442	457	421	406	377	364	356	400	401	385
	F	313	290	321	286	265	288	287	258	241	267	275	288
45-	M	747	654	667	646	647	613	609	628	606	644	624	731
	F	477	468	438	409	418	431	402	431	399	476	439	459
50-	M	1,419	1,297	1,300	1,242	1,138	1,050	1,107	1,082	1,079	1,134	1,151	1,253
	F	872	737	797	720	692	690	706	623	684	705	668	769
55-	M	2,574	2,214	2,170	1,952	1,907	1,751	1,767	1,754	1,665	1,893	1,967	2,170
	F	1,260	1,140	1,187	1,065	1,014	904	960	974	952	1,017	1,122	1,125
60-	M	3,701	3,275	3,257	2,981	2,755	2,529	2,563	2,632	2,408	2,728	2,954	3,131
	F	1,867	1,684	1,728	1,577	1,442	1,416	1,397	1,363	1,350	1,560	1,605	1,668
65-	M	4,348	3,977	3,809	3,417	3,267	2,892	2,894	2,950	2,755	3,264	3,467	3,669
	F	2,764	2,686	2,605	2,302	2,069	1,949	1,962	1,992	1,873	2,118	2,184	2,509
70-	M	4,637	4,312	4,162	3,548	3,224	2,864	2,933	2,956	2,812	3,311	3,540	3,801
	F	3,996	3,788	3,610	3,175	2,841	2,649	2,574	2,602	2,562	2,902	3,099	3,364
75-	M	4,592	4,316	4,082	3,433	2,951	2,861	2,771	2,730	2,606	3,057	3,365	3,697
	F	5,210	4,898	4,717	4,129	3,464	3,222	3,150	3,344	3,077	3,493	3,843	4,242
80-	M	3,800	3,513	3,361	2,802	2,305	2,071	2,068	2,158	1,951	2,345	2,637	2,983
	F	5,658	5,111	4,911	4,174	3,571	3,181	3,229	3,256	3,097	3,616	3,942	4,557
85 and over	M	3,145	2,764	2,837	2,281	1,769	1,647	1,615	1,630	1,632	1,922	2,122	2,427
	F	6,182	5,847	5,645	4,708	3,883	3,444	3,485	3,399	3,278	3,851	4,396	4,985

TABLE 17. Causes of death at different age periods, 1966

England and Wales

Note 1 The sequence of causes of death followed in this table is that of the detailed International Statistical Classification of diseases, Injuries and Causes of Death (Seventh Revision, 1955), including the alternative classifications by External Cause and Nature of Injury (E and N codes) for violent deaths. Each three digit code is separately specified, except a few which are not applicable to primary death classification and some of the N codes to which few deaths are generally assigned. Certain 4th digit splits of general interest are also shown. Tables 18A, 18C and 18D should be consulted for further details of violent deaths. Since Table 17 now includes N codes, Table 18B has been discontinued.

2 Separate columns are not shown for those causes to which, as a rule, few deaths are assigned. To make the record complete, the classification numbers of such causes (except N codes) are printed as close as possible to the place where they would occur. Any deaths from such causes are shown in footnotes in which heavy-faced figures preceding the cause show the International Classification number, and the figures following each sex indicate the age-group of the decedent. Thus 008 Tuberculosis, unspecified site: Males 0,35,45,55,60,65,70,70; Females 60,60,65,85; denotes that nine male deaths (one in age-group 0-, one in age-group 35-, two in age-group 45-, one in age-group 55-, one in age-group 60-, one in age-group 65- and two in age-group 70-) and four female deaths (two in age-group 60-, one in age-group 65- and one in age-group 85-) are assigned to this cause. A dash ( - ) indicates that no deaths are assigned.

3 Deaths are not assigned to any of the following categories as the underlying cause, where the interval between onset of the disease and death was stated to exceed one year:- 040-043, 050-052, 055, 056, 057-0, 057-1, 057-3, 058, 059, 061, 064-067, 069, 091, 094, 100-108, 480-483, 490-493, 640-689. For details of these categories see Table 7.

Causes of death	All Causes		I 001-138 Infective and parasitic diseases		TUBERCULOSIS											
					001-019		001-008		001		002		003		003-0	
					All forms		Respiratory system		Respiratory tuberculosis with mention of occupational disease of lung		Pulmonary tuberculosis		Pleural tuberculosis		Pleurisy specified as tuberculous	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	288,622	275,002	2,741	1,635	1,678	676	1,559	531	132	4	1,406	515	11	7	5	2
0-	9,357	6,790	98	75	3	2	2	1	-	-	1	1	-	-	-	-
1-	1,563	1,220	82	65	6	9	3	1	-	-	2	1	-	-	-	-
5-	823	518	29	25	1	1	-	-	-	-	-	-	-	-	-	-
10-	706	398	20	14	2	3	-	-	-	-	-	-	-	-	-	-
15-	2,001	737	22	17	8	2	2	1	-	-	1	1	1	-	1	-
20-	1,725	742	15	16	5	5	2	2	-	-	2	2	-	-	-	-
25-	1,445	853	25	23	12	11	5	5	-	-	5	5	-	-	-	-
30-	1,748	1,128	34	23	20	13	13	11	-	-	13	11	-	-	-	-
35-	2,723	1,856	50	44	31	29	27	22	-	-	26	22	-	-	-	-
40-	4,897	3,379	77	66	54	51	50	45	2	-	48	45	-	-	-	-
45-	7,800	5,246	120	99	88	66	74	56	1	-	71	55	-	-	-	-
50-	14,237	8,643	211	107	144	46	134	38	10	-	122	38	2	-	1	-
55-	23,762	12,705	313	151	230	74	215	60	17	-	196	60	1	-	1	-
60-	34,911	18,645	397	151	287	76	270	65	36	-	229	60	4	3	-	2
65-	40,730	26,972	430	181	295	90	265	76	21	2	262	69	1	4	1	-
70-	42,052	37,150	338	163	206	61	200	46	21	1	176	45	1	-	1	-
75-	40,410	46,788	294	164	184	65	178	50	18	-	159	50	1	-	-	-
80-	31,968	48,225	132	148	76	46	75	38	5	1	70	37	-	-	-	-
85 and over	25,764	53,007	54	103	26	26	24	14	1	-	23	13	-	-	-	-

TABLE 17 - continued

Causes of death	TUBERCULOSIS															
	003-1		004-008*		010		011		012		012-0		012-1;2;3		013, 014*	
	Pleurisy with effusion without mention of cause		010-019 Other forms		Meninges and central nervous system		Intestines, peritoneum, and mesenteric glands		Bones and joints, active or unspecified		Active or unspecified tuberculosis of vertebral column		Others included under 012		015 Lymphatic system	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	6	5	119	145	29	27	7	13	21	21	14	17	7	4	2	7
0-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	3	8	3	7	-	-	-	-	-	-	-	-	-	-
5-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
10-	-	-	2	3	2	3	-	-	-	-	-	-	-	-	-	-
15-	-	-	6	1	4	1	-	-	-	-	-	-	-	-	-	-
20-	-	-	3	3	1	2	-	-	-	1	-	1	-	-	-	-
25-	-	-	7	6	5	-	-	1	-	1	-	1	-	-	-	-
30-	-	-	7	2	1	1	2	-	1	-	1	-	-	-	-	-
35-	-	-	4	7	-	2	-	-	1	1	1	1	-	-	-	1
40-	-	-	4	6	-	1	-	1	2	-	1	-	1	-	-	-
45-	-	-	14	10	3	2	1	2	5	-	4	-	1	-	-	-
50-	1	-	10	8	1	1	1	2	1	-	-	-	1	-	-	-
55-	-	-	15	14	5	2	-	1	-	2	-	1	-	1	2	-
60-	4	1	17	11	2	1	2	-	4	3	2	3	2	-	-	-
65-	-	4	10	14	2	2	-	1	2	2	2	2	-	-	-	-
70-	-	-	6	15	-	1	-	1	2	5	2	4	-	1	-	2
75-	1	-	6	15	-	-	-	1	1	1	-	1	1	-	-	1
80-	-	-	1	8	-	-	-	1	1	3	1	1	-	2	-	1
85 and over	-	-	2	12	-	-	1	2	1	2	-	2	1	-	-	2

Causes of death	TUBERCULOSIS										020-029		020		021*	
	016		017		018		019		019-0;1*						022	
	Genito-urinary system		Adrenal glands		Other organs		Disseminated tuberculosis		019-2 Other forms of disseminated tuberculosis		Syphilis and its sequelae		Congenital syphilis		Aneurysm of aorta	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	26	35	7	4	4	4	21	31	18	29	498	340	5	2	343	246
0-	-	-	-	-	-	-	1	1	-	1	2	1	2	1	-	-
1-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
5-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
20-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
25-	-	1	-	1	-	-	2	2	2	2	1	-	-	-	1	-
30-	1	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-
35-	1	2	-	-	1	-	1	1	-	1	2	-	-	-	1	-
40-	1	2	-	-	-	-	-	1	-	1	9	3	-	1	2	-
45-	3	6	1	-	-	-	1	-	1	-	13	5	1	-	4	3
50-	5	5	-	-	-	-	2	-	2	-	21	18	2	-	7	9
55-	4	3	-	2	1	2	2	2	2	2	45	23	-	-	31	13
60-	3	3	3	-	-	-	3	4	2	4	65	27	-	-	44	17
65-	2	4	1	-	1	1	2	3	2	3	89	46	-	-	62	24
70-	2	2	1	-	-	-	1	4	1	3	101	62	-	-	74	43
75-	2	3	-	1	-	1	3	6	3	6	95	60	-	-	74	50
80-	-	1	-	-	-	-	-	2	-	1	45	63	-	-	35	56
85 and over	-	2	-	-	-	-	-	4	-	4	10	32	-	-	8	31

\* 004 Primary tuberculosis complex with symptoms - : 005 Tracheobronchial glandular tuberculosis with symptoms: Male 1; 006 Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere - : 007 Other respiratory tuberculosis: Female 45; 008 Tuberculosis, unspecified site: Males 0,35,45,45,55,60,65,70,70; Females 60,60,65,85; 013 Late effects of tuberculosis of bones and joints: Male 40; Females 40,65,75; 014 Tuberculosis of skin and subcutaneous cellular tissue: Male 55; 019-0; 1 Acute miliary tuberculosis: Males 0,35,60; Females 70,80; 021 Early syphilis -

TABLE 17 - continued

Causes of death	023		024		025		026		027		028, 029, 030-039*		040-049		040, 041*	
	Other cardio-vascular syphilis		Tabes dorsalis		General paralysis of insane		Other syphilis of central nervous system		Other forms of late syphilis		030-039 Gonococcal infection and other venereal diseases		infectious diseases commonly arising in intestinal tract		042 Other Salmonella infections	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	92	50	18	7	25	21	12	9	2	3	8	1	19	18	8	7
0-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	2
1-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	1
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
20-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
35-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
40-	5	1	1	-	1	-	1	-	1	-	-	-	1	1	-	-
45-	4	1	-	-	3	-	1	1	-	-	-	-	-	-	-	-
50-	8	4	-	-	5	-	3	3	1	2	-	-	-	1	-	-
55-	8	5	1	1	5	4	-	-	-	-	2	1	3	1	2	1
60-	19	9	1	-	1	1	-	-	-	-	2	-	1	1	-	-
65-	15	11	6	1	5	8	1	1	-	1	-	-	1	-	1	-
70-	13	11	4	4	6	2	3	2	-	-	2	-	1	-	-	-
75-	13	4	3	-	2	4	2	-	1	-	1	-	-	-	-	-
80-	6	4	1	1	2	1	1	1	-	-	-	-	-	7	-	3
85 and over	1	-	1	-	-	1	-	-	-	-	1	-	1	1	1	-

Causes of death	043, 044*		046-049*		050		051		052		053		053.0		053.1	
	045		050-064													
	Bacillary dysentery	Other bacterial diseases	Scarlet fever	Streptococcal sore throat												
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	7	5	166	146	-	-	2	2	3	4	72	65	9	7	20	20
0-	-	-	55	36	-	-	-	-	-	-	15	10	2	-	3	5
1-	2	1	17	20	-	-	1	-	-	-	1	4	-	-	-	3
5-	-	-	6	7	-	-	-	-	-	-	1	1	1	-	-	1
10-	2	-	4	4	-	-	-	-	-	-	-	2	-	-	-	-
15-	1	-	5	3	-	-	-	-	-	-	-	3	-	1	-	-
20-	-	-	3	4	-	-	-	-	-	-	2	2	-	-	2	-
25-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	2	-
30-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-
35-	-	-	1	4	-	-	-	-	-	-	1	3	-	-	1	1
40-	-	-	2	2	-	-	-	-	-	-	1	1	-	-	-	1
45-	-	-	4	4	-	-	-	-	-	-	3	3	-	-	-	1
50-	-	-	10	5	-	-	1	-	-	-	7	3	1	1	2	1
55-	-	-	9	5	-	-	-	-	-	-	9	2	2	1	2	-
60-	1	-	15	6	-	-	-	1	-	-	12	4	-	-	2	-
65-	-	-	12	12	-	-	-	-	1	-	8	8	1	2	4	1
70-	1	-	11	12	-	-	-	-	1	1	5	9	1	2	1	2
75-	-	-	6	10	-	-	-	1	1	-	3	5	1	-	-	2
80-	-	3	1	5	-	-	-	-	-	-	1	4	-	-	-	2
85 and over	-	1	1	6	-	-	-	-	-	2	-	1	-	-	-	-

\* 028 Latent syphilis - : 029 Syphilis, unqualified; Male 70; Females 75,75; 030 Acute or unspecified gonorrhoea; Males 55, 60,70; 031 Chronic gonococcal infection of genito-urinary system - : 032 Gonococcal infection of joint - : 033 Gonococcal infection of eye - : 034 Gonococcal infection of other sites - : 035 Late effects of gonococcal infection; Males 55,60,75,85; 036 Chancroid - : 037 Lymphogranuloma venereum; Female 55; 038 Granuloma inguinale, venereal - : 039 Other and unspecified venereal diseases; Male 70; 040 Typhoid fever - : 041 Paratyphoid fever; Male 40; 043 Cholera - : 044 Brucellosis (undulant fever) - : 046 Amoebiasis; Males 35,55; Females 30,40,80; 047 Other protozoal dysentery - : 048 Unspecified forms of dysentery; Male 0; Females 0,50; 049 Food poisoning (infection and intoxication); Female 60.

TABLE 17 - continued

Causes of death	053.2		053.3		053.4		054, 055*		057		058, 059, 060*		062, 063, 064*		070, 071*	
	Pneumococcus		Other specified organism		Organism unspecified		056 Whooping cough		Meningococcal infections		061 Tetanus		070-074 Spirochaetal diseases except syphilis		072 Leptospirosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	6	2	6	5	31	31	9	14	60	45	10	8	14	1	13	1
0-	3	1	2	1	5	3	9	13	30	13	-	-	-	-	-	-
1-	-	-	-	1	1	-	-	1	15	14	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	2	5	-	1	-	-	-	-
10-	-	-	-	-	-	2	-	-	2	1	2	-	-	-	-	-
15-	-	-	-	1	-	1	-	-	2	-	3	-	-	-	-	-
20-	-	-	-	1	-	1	-	-	1	2	-	-	-	-	-	-
25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
35-	-	-	-	-	-	2	-	-	-	1	-	-	1	-	1	-
40-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-
45-	-	-	-	-	3	2	-	-	1	1	-	-	3	-	3	-
50-	-	-	-	-	4	1	-	-	2	2	-	-	2	-	2	-
55-	2	-	-	-	3	1	-	-	-	2	-	1	1	-	1	-
60-	1	-	2	1	7	3	-	-	2	-	-	-	1	-	1	-
65-	-	-	-	-	3	5	-	-	1	1	2	1	4	1	3	1
70-	-	1	1	-	2	4	-	-	1	1	2	1	-	-	-	-
75-	-	-	-	-	2	3	-	-	1	1	1	3	-	-	-	-
80-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	-	-
85 and over	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

Causes of death	073, 074*		080		080.0		080.1		080.2*		081		082		083	
	080-096 Diseases attributable to viruses		Acute poliomyelitis		Specified as bulbar or polio-encephalitis		With other paralysis		080.3 Unspecified		Late effects of acute poliomyelitis		Acute infectious encephalitis		Late effects of acute infectious encephalitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	302	378	-	1	-	-	-	-	-	1	15	6	57	45	31	45
0-	36	31	-	-	-	-	-	-	-	-	-	-	12	10	-	-
1-	55	34	-	-	-	-	-	-	-	-	-	-	14	8	-	-
5-	22	17	-	-	-	-	-	-	-	-	-	-	5	2	-	-
10-	12	6	-	-	-	-	-	-	-	-	3	1	4	2	-	-
15-	8	12	-	-	-	-	-	-	-	-	1	-	5	3	-	1
20-	6	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-
25-	5	11	-	-	-	-	-	-	-	-	1	2	1	3	-	-
30-	9	7	-	-	-	-	-	-	-	-	1	-	2	-	1	-
35-	12	7	-	-	-	-	-	-	-	-	3	-	2	1	-	-
40-	9	6	-	1	-	-	-	-	1	2	-	-	-	2	3	-
45-	11	14	-	-	-	-	-	-	-	-	2	-	1	3	5	4
50-	24	29	-	-	-	-	-	-	-	-	1	1	5	1	7	7
55-	17	34	-	-	-	-	-	-	-	-	1	1	2	2	5	12
60-	16	35	-	-	-	-	-	-	-	-	-	1	1	6	5	8
65-	18	24	-	-	-	-	-	-	-	-	-	-	3	1	1	5
70-	14	19	-	-	-	-	-	-	-	-	-	-	-	1	1	5
75-	5	25	-	-	-	-	-	-	-	-	-	1	-	-	1	1
80-	9	25	-	-	-	-	-	-	-	-	-	-	-	-	-	2
85 and over	14	36	-	-	-	-	-	-	-	-	-	-	-	-	1	-

\* 054 Bacterial toxæmia - : 055 Diphtheria; Males 5,5,5,40; Female 10: 058 Plague - : 059 Tularaemia - : 060 Leprosy; Male 70: 062 Anthrax - : 063 Gas gangrene; Males 60,60,70,85; Female 65: 064 Other bacterial diseases: Male 0; Females 1,60,65, 85,85,85: 070 Vincent's infection - : 071 Relapsing fever - : 073 Yaws - : 074 Other spirochaetal infections: Male 65: 080.2 Acute poliomyelitis specified as non-paralytic - .

TABLE 17 - continued

Causes of death	084*		086*		088		089, 090, 091*		093, 094, 095*		100-108*		110-117		110-117*	
	085		087				092		096		100-108				120-138	
	Measles		Chickenpox		Herpes zoster		Infectious hepatitis		Other diseases attributable to viruses		Typhus and other rickettsial diseases		Malaria		Other infective and parasitic diseases	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	43	37	11	6	13	45	84	144	42	37	2	-	1	-	53	75
0-	8	10	5	-	-	-	3	-	8	11	-	-	-	-	-	2
1-	26	15	2	2	-	-	3	4	7	4	-	-	-	-	-	-
5-	4	5	1	1	-	-	9	4	2	1	-	-	-	-	-	-
10-	2	1	1	-	-	-	2	1	-	1	-	-	-	-	-	1
15-	1	2	-	-	-	-	1	5	-	-	-	-	-	-	-	-
20-	2	1	-	-	-	-	-	4	2	1	-	-	-	-	-	1
25-	-	1	1	-	-	-	1	4	-	1	-	-	1	-	4	1
30-	-	-	-	1	-	-	4	6	1	-	-	-	-	-	3	2
35-	-	-	-	-	-	-	7	5	-	-	-	-	-	-	2	4
40-	-	-	-	-	-	-	3	3	1	-	-	-	-	-	1	3
45-	-	-	-	-	-	-	2	7	1	-	-	-	-	-	1	10
50-	-	-	-	1	-	1	9	15	2	2	1	-	-	-	9	8
55-	-	1	-	1	-	-	5	16	4	-	1	-	-	-	5	13
60-	-	-	1	-	-	4	7	16	2	1	-	-	-	-	9	6
65-	-	1	-	-	2	3	11	13	1	1	-	-	-	-	11	8
70-	-	-	-	-	1	2	8	9	4	2	-	-	-	-	3	9
75-	-	-	-	-	-	6	4	16	-	1	-	-	-	-	3	4
80-	-	-	-	-	2	12	5	5	2	5	-	-	-	-	1	1
85 and over	-	-	-	-	8	17	-	11	5	6	-	-	-	-	1	2

Causes of death	120-124*		126-133*		135, 136, 137*		NEOPLASMS									
	125		134		138		II		140-205		140-148		140		140-0	
	Hydatid disease		Other fungus infections		Other infective and parasitic diseases		140-239 Neoplasms		Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues		Malignant neoplasm of buccal cavity and pharynx		Lip		Upper lip	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	5	1	11	8	30	61	59,242	50,315	58,571	49,587	945	655	47	12	6	2
0-	-	-	-	-	-	-	38	34	22	25	1	-	-	-	-	-
1-	-	-	-	-	-	-	192	150	184	140	-	-	-	-	-	-
5-	-	-	-	-	-	-	153	102	137	96	-	2	-	-	-	-
10-	-	-	-	-	-	-	111	81	109	74	-	2	-	-	-	-
15-	-	-	-	-	-	-	196	132	183	122	2	-	-	-	-	-
20-	-	-	-	1	-	-	181	107	170	101	3	-	-	-	-	-
25-	-	-	-	-	3	-	210	193	204	182	2	-	-	-	-	-
30-	-	-	-	-	2	2	305	320	292	307	4	5	-	-	-	-
35-	-	-	-	2	1	2	567	652	549	632	5	12	-	-	-	-
40-	-	-	-	-	1	3	1,152	1,502	1,418	1,476	22	12	-	-	-	-
45-	-	-	-	1	1	9	1,952	2,342	1,925	2,300	22	25	-	-	-	-
50-	1	-	2	1	6	7	4,038	3,870	3,968	3,788	41	57	1	-	-	-
55-	-	-	2	-	2	12	6,913	5,135	6,831	5,068	75	60	1	1	1	-
60-	1	-	1	-	5	6	9,850	6,104	9,726	6,015	110	75	3	1	-	-
65-	-	-	4	1	6	7	10,467	7,050	10,374	6,947	150	80	3	3	1	-
70-	1	-	1	1	1	8	9,110	7,066	9,054	6,993	161	90	4	-	-	-
75-	1	1	1	-	1	3	7,138	6,793	7,097	6,736	149	99	13	3	1	1
80-	-	-	-	-	1	1	4,416	5,123	4,401	5,076	118	74	11	2	1	-
85 and over	1	-	-	1	-	1	2,253	3,559	2,227	3,511	80	62	11	2	2	1

\* 084 Smallpox - ; 086 Rubella (German measles) - ; 089 Mumps: Males 1,1,25; Females 5,5,5,50,80,85,85; 090 Dengue - ; 091 Yellow fever - ; 093 Glandular fever (infectious mononucleosis): Males 1,5,20; Females 1,5,15,35,55; 094 Rabies - ; 095 Trachoma - ; 100 Louse-borne epidemic typhus - ; 101 Flea-borne endemic typhus (murine) - ; 102 Brill's disease, not specified as louse- or flea-borne - ; 103 Tarbaidillo (Mexican typhus), not specified as louse- or flea-borne - ; 104 Tick-borne typhus - ; 105 Mite-borne typhus - ; 106 Volhynian fever (trench fever) - ; 107 Typhus, unspecified: Male 55; 108 Other Rickettsial Diseases M50: 110 Vivax malaria (benign tertian) - ; 111 Malariae Malaria (quartan) - ; 112 Falciparum malaria (malignant tertian) - ; 113 Ovale malaria - ; 114 Mixed malarial infections - ; 115 Blackwater fever - ; 116 Other and unspecified forms of malaria: Male 25; 117 Recurrent induced malaria - ; 120 Leishmaniasis - ; 121 Trypanosomiasis - ; 122 Other protozoal diseases: Males 30,60,65; Females 0,0,10; 123 Schistosomiasis: Male 35; Female 55; 124 Other trematode infestation - ; 126 Other cestode infestation: Male 60; Female 25; 127 Filariasis - ; 128 Trichiniasis - ; 129 Ankylostomiasis - ; 130 Infestation with worms of other, mixed and unspecified type - ; 131 Dermatophytosis - ; 132 Actinomycosis: Males 25,55; 133 Coccidioidomycosis - ; 135 Scabies - ; 136 Pediculosis - ; 137 Other arthropod infestation - .

TABLE 17 - continued

Causes of death	NEOPLASMS															
	140.1		140.8;9		141		141.0		141.7		141.8;9		142		142.0	
	Lower lip		Others included under 140		Tongue		Base of tongue		Other specified parts of tongue		Others included under 141		Salivary gland		Parotid gland	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	36	9	5	1	233	139	79	34	104	78	50	27	84	69	64	57
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
25-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	-
30-	-	-	-	-	2	2	-	2	1	-	1	-	-	-	-	-
35-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
40-	-	-	-	-	5	2	2	-	2	2	1	-	4	1	2	1
45-	-	-	-	-	2	4	-	2	1	-	1	2	3	3	2	2
50-	-	-	1	-	10	10	2	4	5	5	3	1	3	3	2	2
55-	-	1	-	-	13	11	3	3	7	4	3	4	11	8	7	6
60-	2	1	1	-	20	13	7	4	6	8	7	1	12	8	10	6
65-	2	3	-	-	45	15	12	4	22	7	11	4	19	6	15	4
70-	4	-	-	-	39	16	15	2	17	13	7	1	10	8	7	8
75-	11	2	1	-	37	23	11	5	17	10	9	8	8	6	6	5
80-	8	1	2	1	33	22	14	4	13	15	6	3	8	13	7	11
85 and over	9	1	-	-	26	21	13	4	12	14	1	3	4	10	4	9

Causes of death	NEOPLASMS															
	142.7		142;8;9		143		144		145		145.0		145.7-9		146	
	Other salivary gland		Others included under 142		Floor of mouth		Other parts of mouth and mouth unspecified		Oral mesopharynx		Tonsil (excluding pillars)		Others included under 145		Nasopharynx	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	16	8	4	4	73	23	111	71	140	62	101	48	39	14	86	45
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
10-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
20-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-
35-	-	-	-	-	-	-	1	1	1	2	1	2	-	-	2	1
40-	2	-	-	-	5	1	1	-	1	1	1	1	-	-	5	-
45-	1	1	-	-	1	1	2	3	3	2	3	1	-	1	4	1
50-	1	1	-	-	1	3	1	5	8	4	7	3	1	1	6	10
55-	2	1	2	1	2	1	4	1	12	6	12	5	-	1	15	5
60-	1	1	1	1	9	4	9	5	17	7	11	5	6	2	16	6
65-	4	2	-	-	8	3	16	7	23	6	19	3	4	3	14	2
70-	2	-	1	-	12	4	25	13	29	7	15	6	14	1	11	11
75-	2	-	-	1	15	4	22	11	20	13	17	10	3	3	4	5
80-	1	2	-	-	10	1	19	11	17	11	7	10	10	1	-	2
85 and over	-	-	-	1	10	1	11	13	9	2	8	1	1	1	2	1

TABLE 17 - continued

Causes of death	NEOPLASMS															
	147		148		150-159		150		151		152		152.0		152.7-9	
	Hypopharynx		Pharynx, unspecified		Malignant neoplasm of digestive organs and peritoneum		Oesophagus		Stomach		Small intestine, including duodenum		Duodenum		Others included under 152	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	133	194	38	40	19,586	18,609	1,485	1,197	7,520	5,653	113	121	32	19	81	102
0-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	7	1	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	1
15-	-	-	-	-	3	7	-	-	-	2	-	-	-	-	-	-
20-	-	-	-	-	11	9	-	1	1	2	-	-	-	-	-	-
25-	-	-	-	-	31	20	1	3	7	3	1	1	-	-	1	1
30-	-	2	-	-	52	40	1	1	15	7	-	-	-	-	-	-
35-	1	6	-	1	130	104	7	3	42	27	2	2	2	2	-	2
40-	1	7	-	-	325	242	24	19	123	58	2	9	-	3	2	6
45-	6	8	1	3	576	394	24	33	221	105	5	4	2	-	3	4
50-	9	17	2	5	1,205	817	94	57	491	224	10	6	2	1	8	5
55-	12	23	5	4	2,079	1,395	144	77	859	364	16	14	4	3	12	11
60-	18	26	6	5	2,986	2,028	241	121	1,184	568	21	14	4	2	17	12
65-	21	30	1	8	3,327	2,558	248	169	1,353	769	20	15	7	3	13	12
70-	22	25	9	6	3,268	3,096	238	172	1,297	980	18	22	8	2	10	20
75-	25	29	5	5	2,843	3,291	221	220	1,055	1,097	12	14	1	2	11	12
80-	12	10	8	2	1,781	2,691	152	196	599	856	4	10	2	-	2	10
85 and over	6	11	1	1	956	1,813	90	125	273	591	2	9	-	3	2	6

Causes of death	NEOPLASMS															
	153		153.3		153.8		153.0-2;7;9		154		155		155.0		155.1;8	
	Large intestine, except rectum		Sigmoid colon		Large intestine (including colon), part unspecified		Others included under 153		Rectum		Biliary passages and of liver (stated to be primary site)		Liver		Others included under 155	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	3,826	5,387	1,329	1,679	557	746	1,940	2,962	2,947	2,592	677	902	283	173	394	729
0-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	-
1-	-	-	-	-	-	-	-	-	-	-	4	1	4	1	-	-
5-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
15-	1	1	1	-	-	-	-	1	-	-	1	2	1	2	-	-
20-	4	2	-	-	2	-	2	2	5	1	-	1	-	-	-	1
25-	8	5	5	1	-	-	3	4	6	3	3	-	3	-	-	-
30-	16	18	4	8	2	2	10	8	7	4	4	2	1	2	3	-
35-	35	30	6	7	7	7	22	16	19	25	5	4	1	2	4	2
40-	71	62	22	15	10	11	39	36	40	44	17	9	8	5	9	4
45-	118	124	37	49	17	23	64	52	73	39	34	26	22	15	12	11
50-	200	249	76	93	33	41	91	115	145	122	51	31	27	11	24	20
55-	340	425	129	152	36	59	175	214	285	236	75	65	41	16	34	49
60-	534	599	181	207	74	85	279	307	406	268	107	118	43	18	64	100
65-	596	695	213	224	83	93	300	378	469	359	121	140	46	31	75	109
70-	667	869	226	266	100	124	341	479	507	399	97	178	36	23	61	155
75-	593	908	215	262	80	118	298	528	463	446	85	141	25	22	60	119
80-	399	780	134	238	65	100	200	442	325	373	43	127	17	17	26	110
85 and over	244	620	80	157	48	83	116	380	197	273	25	55	3	6	22	49

TABLE 17 - continued

Causes of death	NEOPLASMS															
	156 Liver (secondary and unspecified)		157 Pancreas		158 Peritoneum		159 Unspecified digestive organs		160-165 Malignant neoplasm of respiratory system		160 Nose, nasal cavities, middle ear and accessory sinuses		160.0 Nose (internal) and nasal cavities		160.1 Eustachian tube and middle ear	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	400	312	2,469	2,216	115	187	34	42	23,396	4,753	124	126	26	15	15	11
0-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1-	-	-	-	-	3	-	-	-	1	2	-	2	-	-	-	-
5-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
15-	-	2	1	-	-	-	-	-	9	3	-	-	-	-	-	-
20-	1	2	-	-	-	-	-	-	7	3	1	-	-	-	-	-
25-	1	-	3	3	1	2	-	-	18	7	-	-	-	-	-	-
30-	1	2	4	4	4	2	-	-	41	20	1	2	-	1	-	-
35-	2	-	11	11	7	2	-	-	140	51	1	1	-	-	-	-
40-	6	1	36	33	5	6	1	1	382	150	7	6	2	1	-	-
45-	19	9	77	47	5	7	-	-	808	236	6	5	1	-	-	2
50-	19	14	190	99	4	13	1	2	1,860	419	9	5	4	1	1	-
55-	37	26	301	161	16	24	6	3	3,406	632	20	12	4	2	3	1
60-	71	32	399	271	15	31	8	6	4,862	695	20	15	6	1	1	2
65-	82	42	406	337	23	25	9	7	4,836	824	13	15	4	5	2	-
70-	56	57	368	385	15	27	5	7	3,541	704	23	15	3	2	4	2
75-	50	49	354	385	8	26	2	5	2,147	537	15	24	-	2	4	1
80-	34	44	217	281	6	18	2	6	994	311	4	16	1	-	-	3
85 and over	21	32	102	199	2	4	-	5	342	156	4	8	1	-	-	-

Causes of death	NEOPLASMS															
	160.2 Maxillary sinus		160.7 Other specified sinus (accessory)		160.8;9 Others included under 160		161 Larynx		162 Bronchus and trachea, and of lung specified as primary		162.0 Trachea		162.1 Bronchus and lung		162.2 Pleura	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	67	95	11	1	5	4	605	158	15,608	2,980	18	10	15,585	2,969	1	1
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-
20-	1	-	-	-	-	-	1	-	2	2	-	-	2	2	-	-
25-	-	-	-	-	-	-	-	1	11	1	-	-	10	1	1	-
30-	1	1	-	-	-	-	1	1	28	14	-	-	28	14	-	-
35-	1	1	-	-	-	-	1	2	97	33	-	-	97	33	-	-
40-	3	5	2	-	-	-	4	4	265	83	-	-	265	83	-	-
45-	4	3	-	-	-	-	19	2	564	156	2	-	562	156	-	-
50-	4	4	-	-	-	-	36	9	1,277	279	1	-	1,275	279	-	-
55-	11	8	2	-	-	1	60	26	2,312	421	4	1	2,308	420	-	-
60-	8	11	4	-	1	1	92	21	3,271	425	1	2	3,270	423	-	-
65-	6	10	1	-	-	-	134	20	3,223	516	1	5	3,220	511	-	-
70-	12	10	2	-	2	1	106	23	2,340	463	4	1	2,336	461	-	1
75-	11	20	-	1	-	-	78	17	1,405	329	3	1	1,401	328	-	-
80-	3	12	-	-	-	1	50	20	603	174	2	-	601	174	-	-
85 and over	2	8	-	-	1	-	23	10	207	84	-	-	207	84	-	-

TABLE 17 - continued

Causes of death	NEOPLASMS															
	162.8		163		164		165		170-181		170		171		172	
	Multiple sites		Lung, unspecified as to whether primary or secondary		Mediastinum		Thoracic organs (secondary)		Malignant neoplasm of breast and genito-urinary organs		Breast		Cervix uteri		Corpus uteri	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	4	-	7,002	1,435	25	31	32	23	7,739	19,246	100	9,822		2,483		1,181
0-	-	-	-	-	-	1	-	-	6	5	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	21	26	-	-	-	-	-	-
5-	-	-	1	-	-	1	-	-	5	11	-	-	-	-	-	1
10-	-	-	-	1	1	-	-	-	2	4	-	-	-	-	-	-
15-	-	-	6	3	1	-	-	-	13	13	-	-	-	1	-	1
20-	-	-	2	-	1	1	-	-	27	9	-	1	-	-	-	-
25-	-	-	6	5	1	-	-	-	33	48	-	25	-	8	-	1
30-	-	-	10	2	1	1	-	-	42	141	-	88	-	19	-	1
35-	-	-	40	14	-	1	1	-	56	328	4	190	-	74	-	2
40-	-	-	103	54	3	2	-	1	83	867	4	467	-	206	-	15
45-	-	-	219	72	-	1	-	-	127	1,341	5	753	-	257	-	28
50-	1	-	534	124	3	1	1	1	278	2,058	13	1,122	-	298	-	88
55-	-	-	1,006	163	2	4	6	4	500	2,357	15	1,284	-	319	-	132
60-	-	-	1,468	229	3	3	8	2	832	2,480	15	1,246	-	280	-	181
65-	2	-	1,459	262	3	6	4	5	1,138	2,649	14	1,248	-	307	-	222
70-	-	-	1,066	195	3	3	3	5	1,340	2,326	13	1,062	-	273	-	194
75-	1	-	643	162	-	3	6	2	1,424	2,069	8	1,031	-	215	-	155
80-	-	-	333	100	2	1	2	-	1,161	1,463	6	715	-	136	-	109
85 and over	-	-	106	49	1	2	1	3	651	1,051	3	590	-	90	-	51

Causes of death	NEOPLASMS															
	173		174		175		175.0		175.1		175.8;9		176		176.0	
	Other parts of uterus, including chorion-epithelioma		Uterus unspecified		Ovary, Fallopian tube and broad ligament		Ovary		Fallopian tube and broad ligament		Others included under 175		Other and unspecified female genital organs		Vulva	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages		22		264		3,316		3,297		19		-		557		423
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	1
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	4	-	4	-	-	-	-	-	-	-	-
15-	1	-	-	-	-	9	-	9	-	-	-	-	-	-	-	-
20-	1	-	1	-	-	5	-	5	-	-	-	-	-	-	-	-
25-	1	-	-	-	-	11	-	11	-	-	-	-	-	-	-	-
30-	1	-	-	-	-	26	-	26	-	-	-	-	-	3	-	1
35-	1	-	1	-	-	46	-	46	-	-	-	-	-	3	-	2
40-	2	-	6	-	-	145	-	143	-	2	-	-	-	9	-	7
45-	2	-	18	-	-	234	-	234	-	-	-	-	-	7	-	4
50-	2	-	23	-	-	434	-	429	-	5	-	-	-	28	-	19
55-	1	-	25	-	-	448	-	443	-	5	-	-	-	19	-	13
60-	1	-	47	-	-	494	-	493	-	1	-	-	-	62	-	47
65-	3	-	39	-	-	517	-	513	-	4	-	-	-	76	-	66
70-	2	-	36	-	-	401	-	400	-	1	-	-	-	85	-	67
75-	3	-	37	-	-	278	-	277	-	1	-	-	-	101	-	76
80-	1	-	20	-	-	167	-	167	-	-	-	-	-	90	-	62
85 and over	-	-	11	-	-	96	-	96	-	-	-	-	-	73	-	58

TABLE 17 - continued

Causes of death	NEOPLASMS															
	176.1		176.7-9		177		178		179		179.0		179.1		179.7-9	
	Vagina		Others included under 176		Prostate		Testis		Other and unspecified male genital organs		Penis		Scrotum		Others included under 179	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages		126		8	3,914		229		113		86		23		4	
0-		-		-	-		1		-		-		-		-	
1-		-		-	-		2		-		-		-		-	
5-		-		-	-		-		-		-		-		-	
10-		-		-	-		1		-		-		-		-	
15-		-		-	-		9		-		-		-		-	
20-		-		-	-		26		-		-		-		-	
25-		-		-	1		30		-		-		-		-	
30-		2		-	-		27		1		1		-		-	
35-		1		-	-		32		4		2		-		2	
40-		2		-	6		24		4		3		1		-	
45-		3		-	10		16		4		3		-		1	
50-		9		-	44		20		8		5		3		-	
55-		6		-	119		9		10		7		2		1	
60-		13		2	287		9		8		5		3		-	
65-		10		-	501		6		20		12		8		-	
70-		15		3	713		10		17		15		2		-	
75-		23		2	951		2		17		16		1		-	
80-		27		1	808		4		9		9		-		-	
85 and over		15		-	474		1		11		8		3		-	

Causes of death	NEOPLASMS															
	180		181		181.0;8		181.7		190-199		190		191		192	
	Kidney		Bladder and other urinary organs		Bladder		Others included under 181		Malignant neoplasm of other and unspecified sites		Malignant melanoma of skin		Other malignant neoplasm of skin		Eye	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	891	573	2,492	1,028	2,476	1,004	16	24	3,504	3,466	221	271	253	197	68	69
0-	5	4	-	1	-	1	-	-	7	8	-	-	-	-	-	-
1-	19	23	-	1	-	1	-	-	71	37	-	-	-	1	4	2
5-	5	10	-	-	-	-	-	-	35	33	-	-	-	-	-	-
10-	1	-	-	-	-	-	-	-	48	28	-	1	1	-	1	-
15-	3	1	1	-	1	-	-	-	59	46	-	3	-	-	-	-
20-	1	1	-	-	-	-	-	-	40	38	5	5	1	-	-	1
25-	1	2	1	-	1	-	-	-	46	38	8	9	-	1	1	-
30-	10	3	4	-	4	-	-	-	57	55	11	7	1	-	1	-
35-	8	8	8	3	8	3	-	-	102	74	19	23	2	-	1	1
40-	28	11	17	6	17	6	-	-	152	107	24	20	3	3	3	2
45-	45	26	47	16	45	16	2	-	225	180	24	23	5	3	1	3
50-	76	29	117	34	114	33	3	1	329	267	23	31	17	6	4	1
55-	133	64	214	65	213	61	1	4	438	387	27	31	19	14	9	9
60-	159	65	354	104	352	101	2	3	518	424	21	22	22	19	8	9
65-	143	89	454	148	453	143	1	5	475	444	24	29	28	19	13	18
70-	111	79	476	194	473	192	3	2	364	429	9	26	41	33	12	10
75-	74	73	372	176	370	173	2	3	248	395	13	25	41	29	5	10
80-	46	55	288	170	287	165	1	5	169	260	9	12	36	24	3	2
85 and over	23	30	139	110	138	109	1	1	121	216	4	4	36	45	2	1

TABLE 17 - continued

Causes of death	NEOPLASMS															
	193		193.0		193.1		193.2		193.3		193.4		193.8;9		194	
	Brain and other parts of nervous system		Brain		Spinal cord		Meninges		Peripheral nerves		Sympathetic nervous system		Others included under 193		Thyroid gland	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	1,130	826	997	731	13	16	13	6	10	8	38	26	59	39	122	287
0-	6	8	5	2	-	-	-	-	-	-	1	6	-	-	-	-
1-	49	27	27	9	-	2	-	-	-	-	18	11	4	5	-	-
5-	26	24	18	19	1	-	1	-	-	1	6	2	-	2	-	-
10-	31	18	20	13	1	1	-	-	1	-	6	2	3	2	-	-
15-	19	17	12	11	1	1	-	-	-	2	5	2	1	1	-	-
20-	11	15	8	13	1	-	-	-	-	-	1	-	1	2	-	-
25-	20	19	16	14	-	2	1	-	-	-	1	1	2	2	-	-
30-	31	32	27	30	3	1	-	-	-	-	-	1	1	-	1	2
35-	57	28	50	27	-	-	-	-	1	-	-	1	6	-	1	1
40-	81	40	74	38	-	-	-	-	2	-	-	-	5	2	9	4
45-	117	66	110	60	-	3	1	1	-	-	-	-	6	2	4	4
50-	146	123	140	113	3	2	-	1	-	1	-	-	3	6	15	14
55-	167	148	154	142	1	2	2	-	1	1	-	-	9	3	14	27
60-	182	118	169	107	-	1	4	2	1	1	-	-	8	7	15	30
65-	122	87	110	84	2	-	3	1	3	-	-	-	4	2	17	44
70-	46	36	41	32	-	-	1	-	-	1	-	-	4	3	24	47
75-	9	12	7	9	-	1	-	1	1	1	-	-	1	-	15	55
80-	9	6	8	6	-	-	-	-	-	-	-	-	1	-	4	37
85 and over	1	2	1	2	-	-	-	-	-	-	-	-	-	-	3	22

Causes of death	NEOPLASMS															
	195		195.0		195.3		195.1;2;4-8		196		197		198		199	
	Other endocrine glands		Suprarenal gland		Pituitary gland and cranio-pharyngeal duct		Others included under 195		Bone		Connective tissue		Secondary and unspecified malignant neoplasm of lymph nodes		Other and unspecified sites	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	61	40	35	18	7	5	19	17	298	208	117	132	38	31	1,196	1,405
0-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	6	3	4	2	-	-	2	1	2	2	5	-	-	-	5	2
5-	3	2	2	2	-	-	1	-	4	5	2	2	-	-	-	-
10-	1	-	-	-	1	-	-	-	12	7	1	2	-	-	1	-
15-	3	3	-	1	-	1	3	1	28	18	6	4	1	-	2	1
20-	2	-	-	-	-	-	2	-	15	6	3	6	-	1	3	4
25-	4	3	2	1	1	-	1	2	3	1	6	3	1	-	3	2
30-	1	2	1	-	-	-	-	2	6	5	2	2	-	-	3	5
35-	3	3	2	3	-	-	1	-	2	4	6	4	2	-	9	10
40-	1	1	1	1	-	-	-	-	12	4	4	6	-	-	15	27
45-	4	3	2	-	-	1	2	2	14	13	8	9	-	1	48	55
50-	6	3	5	1	1	2	-	-	17	7	6	7	1	1	94	74
55-	7	4	4	1	1	-	2	3	27	17	16	12	2	4	150	121
60-	8	4	3	2	3	-	2	2	30	21	14	9	11	4	207	188
65-	2	4	-	2	-	-	2	2	32	16	15	17	5	3	217	207
70-	4	1	4	1	-	-	-	-	39	27	9	21	5	4	175	224
75-	5	2	4	-	-	1	1	1	27	26	9	11	3	6	121	219
80-	-	2	-	1	-	-	-	1	19	17	3	11	2	3	84	146
85 and over	-	-	-	-	-	-	-	-	9	12	2	6	5	4	59	120

TABLE 17 - continued

Causes of death	NEOPLASMS															
	200-205		200		200.0		200.1		200.2		201		202		202.0	
	Neoplasms of lymphatic and haemato-poietic tissues		Lympho-sarcoma and reticulo-sarcoma		Reticulum cell sarcoma		Lympho-sarcoma		Other primary malignant neoplasms of lymphoid tissue		Hodgkin's disease		Other forms of lymphoma (reticulosis)		Giant follicular lymphoma (Brill-Symer's disease)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	3,401	2,858	688	596	238	236	402	319	48	41	573	311	141	116	21	18
0-	6	9	-	-	-	-	-	-	-	-	-	-	3	-	-	-
1-	84	74	8	4	3	-	5	4	-	-	2	-	6	1	-	-
5-	94	49	16	7	-	2	16	5	-	-	3	1	2	-	-	-
10-	56	38	17	4	5	2	12	2	-	-	6	1	1	-	-	-
15-	97	53	19	10	7	5	12	5	-	-	21	12	2	4	-	-
20-	82	42	13	6	7	3	6	3	-	-	34	16	2	1	-	1
25-	74	69	13	13	6	8	6	5	1	-	39	18	1	4	-	2
30-	96	46	14	4	5	1	7	1	2	2	43	11	1	2	-	-
35-	116	63	23	7	9	4	12	3	2	-	37	18	5	2	1	-
40-	154	98	32	19	15	6	17	12	-	1	55	18	7	4	1	-
45-	167	124	39	28	13	9	22	18	4	1	42	19	8	5	5	1
50-	255	168	62	38	24	12	30	23	8	3	47	23	17	9	4	2
55-	333	237	77	62	32	25	40	36	5	1	60	19	9	12	1	5
60-	418	313	93	69	24	31	58	37	11	1	66	35	17	15	2	3
65-	448	392	94	92	32	41	57	42	5	9	35	33	29	14	5	-
70-	380	348	71	78	22	33	45	39	4	6	42	33	15	12	-	1
75-	286	345	54	71	18	28	32	36	4	7	25	29	9	13	2	2
80-	178	277	31	55	14	19	16	29	1	7	12	20	4	10	-	1
85 and over	77	113	12	29	2	7	9	19	1	3	4	5	3	8	-	-

Causes of death	NEOPLASMS															
	202.1		203		204		204.0		204.1		204.2		204.3		204.4	
	Other		Multiple myeloma (plasmacytoma)		Leukaemia and aleukaemia		Lymphatic leukaemia		Myeloid leukaemia		Monocytic leukaemia		Acute leukaemia		Other and unspecified leukaemia	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	120	98	416	500	1,567	1,329	370	245	249	279	104	66	779	702	65	37
0-	3	-	-	-	3	9	-	-	-	-	-	2	3	7	-	-
1-	6	1	-	-	68	69	1	3	3	1	1	2	60	62	3	1
5-	2	-	-	-	73	41	3	-	1	2	1	-	63	39	5	-
10-	1	-	-	-	32	33	3	-	1	4	2	1	23	28	3	-
15-	2	4	-	-	55	27	3	-	2	-	1	2	49	24	-	1
20-	2	-	-	-	33	19	-	-	6	1	4	1	23	17	-	-
25-	1	2	1	-	20	33	1	2	5	6	1	3	12	22	1	-
30-	1	2	1	1	37	28	-	1	10	8	5	1	21	18	1	-
35-	4	2	3	-	48	36	2	-	4	9	7	2	34	24	1	1
40-	6	4	11	7	49	50	4	4	10	9	6	1	28	31	1	5
45-	3	4	11	17	66	55	5	4	8	15	12	4	39	31	2	1
50-	13	7	37	29	91	69	19	10	17	18	13	3	39	37	3	1
55-	8	7	62	50	122	94	29	12	15	29	9	5	66	46	3	2
60-	15	12	68	70	172	123	58	18	26	39	5	5	80	57	3	4
65-	24	14	95	107	190	144	61	35	38	33	12	7	67	63	12	6
70-	15	11	54	86	196	139	71	45	33	23	12	5	68	61	12	5
75-	7	11	45	62	152	168	48	47	34	36	5	8	56	73	9	4
80-	4	9	23	55	107	137	40	42	23	36	5	13	34	41	5	5
85 and over	3	8	5	16	53	55	22	22	13	10	3	1	14	21	1	1

TABLE 17 - continued

Causes of death	NEOPLASMS															
	205  Mycosis fungoides		210-229  Benign neoplasm		210*		212  Respiratory system		213*		215  Uterus		216  Ovary		217, 218*	
					211  Other parts of digestive system				214  Uterine fibromyoma						219  Kidney and other urinary organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	16	6	307	433	24	18	28	18		42		8		76	40	30
0-	-	-	14	6	-	1	1	-		-		-		-	-	-
1-	-	-	3	3	-	-	-	-		-		-		-	-	-
5-	-	-	5	2	-	-	-	1		-		-		-	-	-
10-	-	-	1	4	-	-	-	-		-		-		-	-	-
15-	-	-	8	5	-	-	-	-		-		-		1	-	-
20-	-	-	5	6	-	-	-	1		-		-		-	-	-
25-	-	1	5	9	-	-	-	-		1		-		1	-	-
30-	-	-	8	9	-	-	-	1		1		-		1	-	-
35-	-	-	10	9	-	-	-	-		-		2		-	-	-
40-	-	-	14	20	-	-	-	-		3		-		2	1	-
45-	1	-	11	31	2	1	1	1		12		1		1	-	-
50-	1	-	26	48	2	1	2	2		8		2		4	1	-
55-	3	-	35	31	-	1	2	3		2		-		1	4	-
60-	2	1	50	46	6	1	10	3		3		-		9	5	2
65-	5	2	35	59	4	4	6	2		3		1		10	3	5
70-	2	-	28	48	1	3	3	2		3		1		13	9	-
75-	1	2	23	33	3	1	2	1		3		-		14	6	4
80-	1	-	8	33	2	2	-	-		1		-		12	4	9
85 and over	-	-	18	31	4	3	1	1		2		1		7	7	10

Causes of death	NEOPLASMS															
	220, 221, 222*		224 Endocrine glands		225 Bone and cartilage		226*		228 Haem- angioma and lymph- angioma		229*		230 Unspecified nature of digestive organs		231 Unspecified nature of respiratory organs	
	223 Brain and other parts of nervous system						227 Muscular and connective tissue				230-239 Neoplasm of unspecified nature					
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	127	152	36	48	4	3	16	12	18	13	364	295	19	44	35	17
0-	5	-	-	1	-	-	2	-	5	1	2	3	-	1	-	1
1-	1	1	-	-	-	-	-	-	1	1	5	7	-	-	-	-
5-	3	-	1	1	-	-	-	-	1	-	11	4	-	-	-	-
10-	-	1	1	3	-	-	-	-	-	-	1	3	-	-	-	-
15-	3	3	3	1	-	-	-	-	2	-	5	5	-	-	-	-
20-	4	2	1	3	-	-	-	-	-	-	6	-	-	-	-	-
25-	4	3	-	3	-	-	-	-	-	1	1	2	-	-	-	-
30-	7	5	1	-	-	-	-	1	-	-	5	4	-	-	-	1
35-	8	6	1	-	-	-	1	-	-	1	8	11	-	-	-	-
40-	8	8	3	6	-	-	2	1	-	-	20	6	-	-	1	-
45-	6	8	1	5	-	-	-	-	-	1	16	11	1	-	-	-
50-	11	20	7	4	-	-	1	5	1	1	44	36	2	-	2	1
55-	22	21	4	2	-	-	1	-	1	-	47	36	2	2	5	1
60-	15	21	5	4	3	1	5	-	1	-	74	43	2	3	8	-
65-	10	22	5	5	-	1	1	2	4	2	58	44	1	3	10	3
70-	9	15	1	7	-	-	2	1	1	2	28	25	3	6	6	2
75-	8	5	1	2	-	1	1	1	1	1	18	24	1	11	1	5
80-	2	7	-	1	-	-	-	-	-	1	7	14	5	6	1	2
85 and over	1	4	1	-	1	-	-	1	-	1	8	17	2	12	1	1

\* 210 Benign neoplasm of buccal cavity and pharynx: Males 45,70,85; Females 0,0; 213 Benign neoplasm of breast - ; 217 Benign neoplasm of other female genital organs - ; 218 Benign neoplasm of male genital organs - ; 220 Benign melanoma of skin - ; 221 Pilonidal cyst - ; 222 Other benign neoplasm of skin: Female 1; 226 Lipoma: Males 25,55,65,65,70,75,85,85; Female 60; 229 Benign neoplasm of other and unspecified organs and tissues: Males 0,1,50; Females 0,45,50,55,60,65,65,70,85.

TABLE 17 - continued

Causes of death	NEOPLASMS				III		240-245		240*		242-245*		250		251	
	232-236*		238*		241				250-254							
	237 Unspecified nature of brain and other parts of nervous system	239 Unspecified nature of other and unspecified organs	240-289 Allergic, endocrine system, metabolic, and nutritional diseases		Asthma				Diseases of thyroid gland		Simple goitre					
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	282	194	17	23	2,873	5,003	941	1,153	907	1,133	79	565	3	12	3	16
0-	1	-	1	1	52	30	18	11	3	1	4	2	-	-	-	-
1-	4	7	1	-	25	23	12	6	10	6	-	1	-	-	-	-
5-	11	4	-	-	22	16	12	5	12	5	-	-	-	-	-	-
10-	1	3	-	-	47	43	42	38	42	38	-	-	-	-	-	-
15-	4	4	1	1	52	50	46	46	45	46	1	-	-	-	1	-
20-	6	-	-	-	47	55	35	48	35	48	-	1	-	-	-	-
25-	1	2	-	-	56	64	40	39	40	39	-	-	-	-	-	-
30-	3	3	2	-	60	65	36	46	35	46	1	4	-	-	-	-
35-	7	8	1	3	84	73	48	48	48	48	-	5	-	-	-	-
40-	17	6	1	-	105	113	62	65	59	62	1	9	-	1	-	-
45-	15	10	-	1	119	145	54	81	53	80	1	12	-	-	-	1
50-	38	30	1	3	176	227	62	109	59	107	3	16	-	1	-	-
55-	40	31	-	-	254	342	111	115	107	115	9	30	-	-	-	-
60-	62	36	-	2	328	476	105	128	105	127	11	60	1	1	-	3
65-	44	30	1	4	357	665	99	132	98	130	10	73	-	1	-	2
70-	18	11	-	3	400	844	86	81	85	79	9	131	1	3	-	4
75-	8	5	4	2	325	845	45	83	43	82	19	99	-	2	1	3
80-	1	3	-	2	232	609	20	53	20	53	7	86	1	2	1	3
85 and over	1	1	4	1	132	318	8	21	8	21	3	36	-	1	-	-

Causes of death	252		252.0		252.1		253		254		260		270-277		270*	
	Thyro- toxicosis with or without goitre		Toxic diffuse goitre		Toxic nodular goitre		Myxoedema and cretinism		Other diseases of thyroid gland		Diabetes mellitus		Diseases of other endocrine glands		Diseases of parathyroid gland	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	27	217	26	205	1	12	44	296	2	24	1,512	2,789	93	132	2	7
0-	1	-	1	-	-	-	2	1	1	1	1	1	18	7	-	-
1-	-	-	-	-	-	-	-	1	-	-	2	4	6	5	-	-
5-	-	-	-	-	-	-	-	-	-	-	2	4	2	2	-	-
10-	-	-	-	-	-	-	-	-	-	-	4	3	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-
20-	-	1	-	1	-	-	-	-	-	-	8	1	-	1	-	-
25-	-	-	-	-	-	-	-	-	-	-	9	15	2	3	1	1
30-	1	3	1	3	-	-	-	1	-	-	18	11	-	2	-	1
35-	-	3	-	3	-	-	-	2	-	-	29	11	1	4	-	1
40-	1	6	1	5	-	1	-	-	-	2	36	28	5	6	-	1
45-	-	7	-	7	-	-	1	3	-	1	47	24	4	11	-	-
50-	3	11	3	11	-	-	-	3	-	1	79	64	7	10	-	-
55-	6	15	5	15	1	-	2	14	1	1	102	138	6	20	1	2
60-	4	28	4	28	-	-	6	26	-	2	174	233	8	15	-	-
65-	5	40	5	40	-	-	5	28	-	2	215	399	11	13	-	1
70-	3	43	3	37	-	6	5	74	-	7	267	569	10	15	-	-
75-	3	35	3	34	-	1	15	55	-	4	234	619	7	4	-	-
80-	-	20	-	17	-	3	5	58	-	3	178	431	1	10	-	-
85 and over	-	5	-	4	-	1	3	30	-	-	105	232	3	4	-	-

[illegible]

TABLE 17 - continued

Causes of death	272		273		274		275, 276*		280-289		280-285*		286-0		286-5	
	Diseases of pituitary gland		Diseases of thymus gland		Diseases of adrenal glands		277 Polyglandular dysfunction and other diseases of endocrine glands		Avitaminoses, and other metabolic diseases		286 Other avitaminoses and nutritional deficiency states		Steatorrhoea and sprue		Malnutrition, unqualified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	27	52	4	4	46	45	7	16	248	364	69	87	38	33	24	36
0-	-	1	3	3	10	-	2	1	11	9	6	2	5	2	-	-
1-	1	-	1	-	3	2	1	2	5	7	1	1	1	-	-	1
5-	-	-	-	-	2	-	-	2	6	5	-	1	-	-	-	-
10-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
15-	2	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
20-	-	1	-	-	-	-	-	-	4	4	-	-	-	-	-	-
25-	-	2	-	-	-	-	1	-	5	7	1	1	1	-	-	-
30-	-	1	-	-	-	1	-	-	5	2	1	-	1	-	-	-
35-	-	2	-	-	1	1	-	-	6	5	-	1	-	-	-	1
40-	2	-	-	1	2	1	-	3	1	7	-	1	-	1	-	-
45-	2	4	-	-	2	6	-	1	13	17	4	1	3	1	1	-
50-	1	5	-	-	4	4	1	-	25	28	2	6	1	4	1	2
55-	2	9	-	-	3	8	-	1	26	39	4	7	1	3	1	3
60-	5	6	-	-	2	6	1	1	30	40	6	10	3	4	1	3
65-	4	4	-	-	5	3	1	3	22	48	9	16	6	9	3	4
70-	5	9	-	-	5	5	-	1	28	48	12	12	5	4	5	5
75-	3	2	-	-	3	1	-	1	20	40	8	5	4	1	4	4
80-	-	5	-	-	1	5	-	-	26	29	12	12	6	2	6	7
85 and over	-	1	-	-	3	2	-	-	13	25	3	11	1	2	2	6

Causes of death	286-1-4;6;7		287		288		289		289-0		289-1		289-2		IV	
	Others included under 286		Obesity not specified as of endocrine origin		Gout		Other metabolic diseases		Lipidoses (disturbance of lipid metabolism)		Amyloidosis		Other		290-299 Diseases of the blood and blood-forming organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	7	18	46	151	29	8	102	109	9	10	34	42	59	57	777	1,333
0-	1	-	-	-	-	-	5	6	2	3	-	-	3	3	17	14
1-	-	-	-	-	-	-	4	6	2	2	-	-	2	4	16	11
5-	-	1	-	-	-	-	6	4	1	1	-	-	5	3	6	6
10-	-	-	1	-	-	-	-	2	-	1	-	-	-	1	5	6
15-	-	-	-	-	-	-	1	2	-	-	-	-	1	2	12	5
20-	-	-	-	-	-	-	4	4	-	-	2	1	2	3	11	13
25-	-	1	1	2	-	-	3	4	1	-	1	1	1	3	6	9
30-	-	-	1	2	-	-	3	4	-	-	1	-	2	-	5	9
35-	-	-	-	1	-	-	6	3	-	-	4	1	2	2	6	10
40-	-	-	-	2	-	-	1	4	-	-	1	-	-	4	17	19
45-	-	-	2	13	-	-	7	3	-	-	3	2	4	1	16	18
50-	-	-	4	13	3	-	16	9	2	1	6	4	8	4	23	32
55-	2	1	5	18	3	-	14	14	-	-	5	10	9	4	60	46
60-	2	3	8	14	4	1	12	14	1	1	5	7	6	6	68	75
65-	-	3	8	23	2	-	3	9	-	-	1	5	2	4	79	146
70-	2	3	6	25	2	1	7	9	-	1	2	5	5	3	109	174
75-	-	-	2	21	7	3	2	10	-	-	1	4	1	6	120	241
80-	-	3	6	10	3	1	5	2	-	-	2	-	3	2	122	245
85 and over	-	3	2	7	5	2	3	4	-	-	-	2	3	2	79	254

\* 275 Ovarian dysfunction - ; 276 Testicular dysfunction - ; 280 Beriberi: Male 70; 281 Pellagra - ; 282 Scurvy: Female 75; 283 Active rickets: Female 0; 284 Late effects of rickets - ; 285 Osteomalacia: Male 75; Females 60,70,80,80,80,85.

TABLE 17 - continued

Causes of death	290		290.0		290.1		290.2		291		292		292.4		292.0-3;5-7	
	Pernicious and other hyperchromic anaemias		Pernicious anaemia		Subacute combined degeneration of spinal cord		Other hyperchromic anaemias		Iron deficiency anaemias (hypochromic anaemias)		Other anaemias of specified type		Aplastic anaemia		Others included under 292	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	183	460	136	383	7	6	40	71	83	262	211	250	104	126	107	124
0-	-	1	-	-	-	-	-	1	-	2	4	1	2	1	2	-
1-	-	-	-	-	-	-	-	-	-	-	9	8	3	-	6	8
5-	-	-	-	-	-	-	-	-	-	-	4	4	2	1	2	3
10-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	-	1
15-	-	-	-	-	-	-	-	-	-	-	4	4	2	3	2	1
20-	-	-	-	-	-	-	-	-	-	-	5	6	2	4	3	2
25-	-	1	-	-	-	-	-	1	-	-	2	5	-	1	2	4
30-	-	-	-	-	-	-	-	-	1	-	2	3	-	2	2	1
35-	-	1	-	-	-	-	-	1	-	2	2	2	1	-	1	2
40-	-	-	-	-	-	-	-	-	-	1	5	7	3	5	2	2
45-	1	1	1	1	-	-	-	-	1	3	7	5	3	3	4	2
50-	1	7	1	5	-	-	-	2	-	1	8	8	4	6	4	2
55-	7	10	4	8	1	-	2	2	-	5	23	15	11	8	12	7
60-	13	24	6	19	1	1	6	4	3	6	26	15	13	10	13	5
65-	13	36	12	28	-	1	1	7	12	17	19	37	13	17	6	20
70-	30	72	21	62	4	1	5	9	11	34	24	29	11	13	13	16
75-	30	96	23	80	-	1	7	15	22	49	32	41	14	18	18	23
80-	51	97	42	81	1	1	8	15	22	65	23	34	10	18	13	16
85 and over	37	114	26	99	-	1	11	14	11	76	10	24	8	15	2	9

Causes of death	293		294		295		296		297		298		299		V	
	Anaemia of unspecified type		Polycythaemia		Haemophilia		Purpura and other haemorrhagic conditions		Agranulocytosis		Diseases of spleen		Other diseases of blood and blood-forming organs		300-326 Mental, psychoneurotic and personality disorders	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	81	152	57	52	13	1	70	70	14	8	25	32	40	46	489	823
0-	1	3	-	-	1	-	6	1	-	2	-	-	5	4	19	21
1-	3	-	-	1	2	-	2	-	-	-	-	1	-	1	14	12
5-	1	-	-	-	-	-	-	1	-	-	-	-	1	1	6	4
10-	-	-	-	-	2	-	1	2	-	-	-	1	-	-	3	-
15-	-	-	-	-	2	-	5	1	-	-	-	-	1	-	8	4
20-	-	-	-	1	-	-	4	4	1	-	-	1	1	1	7	3
25-	-	-	-	-	-	-	3	2	-	-	-	-	1	1	4	8
30-	-	2	1	-	-	-	-	2	1	-	-	-	-	2	10	4
35-	-	1	-	-	1	-	1	1	-	1	2	-	-	2	5	6
40-	-	2	2	1	1	1	2	1	-	1	5	1	2	4	7	12
45-	2	2	1	2	-	-	2	3	-	-	-	1	2	1	19	12
50-	2	2	9	6	2	-	1	3	1	-	1	3	-	2	9	15
55-	5	3	13	1	-	-	6	6	1	-	4	4	1	2	30	25
60-	3	9	10	6	1	-	5	7	1	-	2	5	4	3	41	36
65-	11	24	4	11	-	-	6	8	3	2	4	4	7	7	41	57
70-	11	19	9	5	-	-	7	7	5	-	3	5	9	3	57	83
75-	15	25	5	7	-	-	7	11	-	2	4	3	5	7	76	123
80-	16	35	1	4	1	-	7	6	1	-	-	1	-	3	62	171
85 and over	13	25	2	7	-	-	5	4	-	-	-	2	1	2	71	227

TABLE 17 - continued

Causes of death	300-309		300		301		302, 303*		305		307*		310-318		310*	
	Psychoses		Schizo- phrenic disorders (dementia praecox)		Manic- depressive reaction		Senile psychosis		Presenile psychosis		Other and unspecified psychoses		Psycho- neurotic disorders		Hysterical reaction without mention of anxiety reaction	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	365	702	14	18	4	13	260	578	58	62	23	27	12	31	4	16
0-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
20-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
25-	2	2	2	-	-	-	-	-	-	-	-	2	-	4	-	2
30-	3	-	2	-	-	-	-	-	1	-	-	-	-	1	-	1
35-	-	4	-	2	-	-	-	-	-	-	-	2	-	-	-	-
40-	1	3	-	1	1	1	-	-	-	1	-	-	-	2	-	1
45-	6	4	3	-	-	-	-	-	1	3	2	1	1	5	-	2
50-	5	4	1	1	-	-	-	-	4	3	-	-	1	2	1	2
55-	18	19	1	3	2	1	-	2	11	11	3	2	-	3	-	2
60-	31	26	3	1	-	2	3	5	19	15	5	3	2	4	-	2
65-	39	49	-	4	-	2	14	17	19	20	5	5	-	3	-	-
70-	54	81	-	3	1	2	47	66	1	6	3	4	2	1	-	-
75-	73	117	-	-	-	2	68	112	1	-	3	3	3	3	2	1
80-	61	166	1	2	-	1	60	155	-	2	-	4	-	3	-	3
85 and over	71	227	-	1	-	2	68	221	1	1	2	1	-	-	-	-

Causes of death	312-318*		320, 321*		322.0*		322.2, 323, 324*		326*		330-334		330		331	
	320-326		322		322.1		325		VI 330-398							
	Disorders of character, behaviour and intelligence		Alcoholism		Chronic		Mental deficiency		Diseases of the nervous system and sense organs		Vascular lesions affecting central nervous system		Subarachnoid haemorrhage		Cerebral haemorrhage	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	112	90	43	20	31	17	58	64	34,535	50,250	31,743	47,081	1,469	2,357	11,755	17,376
0-	18	21	-	-	-	-	18	21	181	156	20	17	5	5	9	6
1-	13	12	-	-	-	-	13	12	115	76	3	4	-	1	-	-
5-	6	4	-	-	-	-	6	4	51	33	11	3	6	1	3	2
10-	3	-	-	-	-	-	3	-	43	30	14	8	10	5	1	2
15-	7	4	1	-	-	-	4	4	81	53	17	16	12	11	2	3
20-	6	3	1	-	1	-	3	3	91	63	34	28	28	19	2	7
25-	2	2	1	-	-	-	-	2	88	74	42	38	30	26	10	9
30-	7	3	2	-	2	-	2	1	112	103	66	60	34	43	26	9
35-	5	2	2	-	2	-	3	2	190	173	131	110	69	66	43	30
40-	6	7	5	2	4	1	-	4	360	340	254	231	106	132	115	69
45-	12	3	10	1	8	1	1	2	570	581	446	447	146	192	218	180
50-	3	9	2	6	1	6	1	2	1,036	998	869	831	152	262	519	452
55-	12	3	11	1	9	1	1	1	1,867	1,573	1,657	1,363	219	277	888	753
60-	8	6	5	4	2	3	3	2	3,216	2,744	2,926	2,479	234	335	1,396	1,309
65-	2	5	1	3	1	2	-	1	4,574	4,483	4,244	4,151	167	343	1,836	1,989
70-	1	1	1	-	1	-	-	1	5,769	7,334	5,406	6,910	130	264	2,123	2,921
75-	-	3	-	3	-	3	-	-	6,311	9,951	5,999	9,492	69	201	1,989	3,609
80-	1	2	1	-	-	-	-	2	5,400	10,529	5,220	10,194	36	121	1,503	3,323
85 and over	-	-	-	-	-	-	-	-	4,480	10,956	4,384	10,699	16	53	1,072	2,703

\* 302 Involuntional melancholia: Female 80; 303 Paranoia and paranoid states: Males 70,70; Females 80,85; 307 Alcoholic psychosis: Males 55,60,65,75; Female 65; 310 Anxiety reaction without mention of somatic symptoms: Male 70; Females 45,65,65,75; 312 Phobic reaction - ; 313 Obsessive-compulsive reaction: Female 25; 314 Neurotic-depressive reaction: Males 45,60,75; Females 25,55,60,65,70,75; 315 Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system - ; 316 Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system: Males 0,1; 317 Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems - ; 318 Psychoneurotic disorders, other, mixed and unspecified types: Males 60,70; Females 40,45,60; 320 Pathological personality - ; 321 Immature personality - ; 322.0 Alcoholism, acute: Males 15,25,40,45,50,60,80; 322.2 Alcoholism, unspecified: Males 45,55,55,60,60; Females 40,60,65; 323 Other drug addiction: Males 15,15,20,20,25,30,30,30,40,45,65; Females 30,30,40,50,55,65; 324 Primary childhood behaviour disorders - ; 326 Other and unspecified character, behaviour and intelligence disorders - .

TABLE 17 - continued

Causes of death	332  Cerebral embolism and thrombosis		333*		340-345  Inflammatory diseases of central nervous system		340  Meningitis except meningo- coccal and tuberculous		340.0  H. influenzae		340.1  Pneumococcus		340.2  Due to other specified organism		340.3  With no organism specified as cause	
			334  Other and ill-defined vascular lesions affecting central nervous system													
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	14,569	21,514	3,950	5,834	677	829	199	186	21	14	63	60	26	31	89	81
0-	6	5	-	1	93	88	70	72	9	6	12	18	20	18	29	30
1-	-	1	3	2	52	37	25	16	8	5	7	3	1	-	9	8
5-	-	-	2	-	12	11	5	4	1	-	2	2	-	-	2	2
10-	1	-	2	1	2	8	-	5	-	-	-	2	-	1	-	2
15-	3	-	-	2	12	10	5	3	-	-	1	1	-	-	4	2
20-	1	1	3	1	10	9	2	1	-	-	-	1	-	-	2	-
25-	1	2	1	1	8	11	2	1	1	-	-	-	-	1	1	-
30-	6	6	-	2	17	21	3	-	-	-	-	-	1	-	2	-
35-	15	12	4	2	18	31	4	1	-	-	2	-	-	-	2	1
40-	30	26	3	4	49	62	3	3	1	-	-	2	-	-	2	1
45-	75	68	7	7	41	86	6	8	-	1	3	3	-	1	3	3
50-	177	109	21	8	75	102	10	8	-	-	2	3	-	-	8	5
55-	480	306	70	27	83	106	13	10	-	1	10	5	-	1	3	3
60-	1,132	734	164	101	79	91	11	9	1	-	4	3	-	2	6	4
65-	1,903	1,573	338	246	60	64	17	10	-	-	5	4	2	2	10	4
70-	2,606	3,111	547	614	34	37	7	8	-	-	4	2	1	2	2	4
75-	3,109	4,667	832	1,015	19	29	9	17	-	1	6	9	-	2	3	5
80-	2,744	5,211	937	1,539	11	16	5	7	-	-	3	2	1	-	1	5
85 and over	2,280	5,682	1,016	2,261	2	10	2	3	-	-	2	-	-	1	-	2

Causes of death	341  Phlebitis and thrombo- phlebitis of intra- cranial venous sinuses		342  Intra- cranial and intra- spinal abscess		343  Encephal- itis, myelitis and encephalo- myelitis (except acute infectious)		344  Late effects of intra- cranial abscess or pyogenic infection		345  Multiple sclerosis		350-357  Other diseases of central nervous system		350  Paralysis agitans		351  Cerebral spastic infantile paralysis	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	8	14	50	24	62	56	39	32	319	517	1,975	2,222	670	948	68	57
0-	5	3	2	1	5	6	10	6	1	-	37	31	-	-	14	9
1-	-	-	2	-	15	12	9	9	1	-	54	31	-	-	19	11
5-	-	1	2	-	3	4	2	2	-	-	25	16	-	-	5	4
10-	-	-	-	-	2	1	-	2	-	-	27	13	-	-	6	4
15-	-	-	1	2	6	1	-	3	-	1	49	25	-	-	3	5
20-	-	-	3	1	3	2	1	-	1	5	44	25	-	-	1	-
25-	-	-	2	-	-	1	1	-	3	9	32	24	-	-	-	2
30-	-	1	2	2	1	2	1	-	10	16	26	20	1	-	1	1
35-	-	1	3	-	2	2	-	-	9	27	33	28	-	-	3	3
40-	-	1	5	1	5	2	2	-	34	55	54	45	-	1	1	1
45-	-	1	3	1	3	3	1	1	28	72	77	44	5	3	4	3
50-	-	1	4	2	4	4	2	1	55	86	89	58	10	10	3	4
55-	1	1	6	3	5	6	4	1	54	85	118	96	19	23	1	2
60-	1	1	6	2	4	3	3	3	54	73	200	167	55	55	1	-
65-	1	-	4	7	2	3	1	-	35	44	251	256	110	127	2	3
70-	-	-	3	1	-	3	2	-	22	25	317	373	164	200	3	1
75-	-	1	2	1	1	-	-	1	7	9	284	414	167	245	1	2
80-	-	1	-	-	1	1	-	-	5	7	167	314	98	183	-	2
85 and over	-	1	-	-	-	-	-	3	-	3	91	242	41	101	-	-

\* 333 Spasm of cerebral arteries - .

TABLE 17 - continued

Causes of death	352		353		353.2		353.0;1;3		354*		356	356.0	356.1			
	Other cerebral paralysis	Epilepsy	Status epilepticus	Others included under 353	Other diseases of brain	Motor neurone disease and muscular atrophy	Progressive muscular atrophy	Amyotrophic lateral sclerosis								
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
All ages	335	454	372	275	136	111	236	164	164	187	341	271	117	103	22	11
0-	-	1	4	4	1	-	3	4	8	6	11	11	-	1	-	-
1-	-	1	26	11	13	9	13	2	7	6	-	2	-	-	-	-
5-	-	1	14	5	6	3	8	2	4	5	1	1	-	1	-	-
10-	1	-	17	8	7	3	10	5	3	1	-	-	-	-	-	-
15-	2	-	39	17	15	7	24	10	2	2	3	1	2	-	-	-
20-	-	-	40	24	21	11	19	13	1	1	2	-	1	-	-	-
25-	-	-	29	21	11	10	18	11	3	-	-	-	-	-	-	-
30-	1	-	22	14	7	9	15	5	1	2	-	2	-	1	-	-
35-	-	1	22	20	9	9	13	11	4	2	4	1	1	1	-	-
40-	3	2	31	29	10	14	21	15	9	7	9	5	3	3	-	-
45-	5	2	28	18	9	5	19	13	9	6	22	11	6	3	-	1
50-	6	5	18	13	6	7	12	6	9	7	40	17	15	5	3	-
55-	11	10	25	15	8	5	17	10	14	6	46	37	21	9	1	3
60-	38	22	23	23	6	6	17	17	20	12	61	47	18	17	8	3
65-	51	50	18	14	4	2	14	12	10	18	59	40	21	14	4	-
70-	71	80	11	14	2	5	9	9	14	25	48	49	13	22	3	3
75-	69	98	4	12	1	2	3	10	17	21	23	32	13	16	2	1
80-	49	90	1	8	-	3	1	5	8	22	11	9	3	6	1	-
85 and over	28	91	-	5	-	1	-	4	21	38	1	6	-	5	-	-

Causes of death	356.2;3		357		360-369		360-363*		365*		367-369*		370-379*		380-384*	
	Others included under 356		Other diseases of spinal cord		Diseases of nerves and peripheral ganglia		Polyneuritis and polyradiculitis		Other and unspecified forms of neuralgia and neuritis		Inflammatory diseases of eye		Other diseases and conditions of eye		Cataract	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	202	157	25	29	42	33	26	15	6	2	3	2	12	28	5	20
0-	11	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-
5-	1	-	1	-	1	-	1	-	-	-	-	-	1	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	1	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-
20-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
25-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-
30-	-	1	-	1	2	2	2	1	-	-	-	-	-	-	-	-
35-	3	1	-	1	3	2	3	2	-	-	-	-	-	-	-	-
40-	6	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-
45-	16	7	4	1	3	3	3	2	-	-	-	-	1	-	-	-
50-	22	12	3	1	1	1	1	-	-	-	1	-	-	1	-	1
55-	24	25	2	3	4	4	2	1	-	-	-	-	-	1	-	1
60-	35	27	2	8	6	3	4	1	1	1	-	-	1	3	1	1
65-	34	26	1	4	7	3	4	1	1	1	-	-	2	4	1	3
70-	32	24	6	4	7	4	4	1	3	-	-	1	3	5	2	5
75-	8	15	3	4	4	6	1	3	1	-	1	1	2	7	-	3
80-	7	3	-	-	-	-	-	-	-	-	-	-	1	3	1	3
85 and over	1	1	-	1	1	1	-	-	-	-	1	-	1	4	-	-

\* 354 Migraine; Female 50; 360 Facial paralysis; Males 60,85; Female 1; 361 Trigeminal neuralgia; Male 55; 362 Brachial neuritis - : 363 Sciatica; Male 65; Female 55; 365 Erythroedema polyneuritica; Male 25; Female 45; 367 Other diseases of cranial nerves; Female 75; 368 Other diseases of peripheral nerves except autonomic; Males 15,55,75,75; Females 30,50,55,55, 60,65,70,70,70,75,75,85; 369 Diseases of peripheral autonomic nervous system; Male 65; 370 Conjunctivitis and ophthalmia - : 371 Blepharitis - : 372 Hordeolum (stye) - : 373 Iritis - : 374 Keratitis - : 375 Choroiditis - : 376 Other inflammation of uveal tract; Female 75; 377 Inflammation of optic nerve and retina; Males 50,75,85; 378 Inflammation of lachrymal glands and ducts - : 379 Other inflammatory diseases of eye; Female 70; 380 Refractive errors - : 381 Corneal ulcers; Female 85; 382 Corneal opacity - : 383 Pterygium - : 384 Strabismus; Male 5.

TABLE 17 - continued

Causes of death	386-389*		390*		392		393		394-398*		400-402		400*		401.0	
	390-398		391						VII				401			
	Diseases of ear and mastoid process	Otitis media without mention of mastoiditis	Otitis media with mastoiditis	Mastoiditis without mention of otitis media	400-468 Diseases of the circulatory system	Rheumatic fever	Rheumatic fever with heart involvement	Active rheumatic pericarditis								
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	83	55	68	44	4	4	10	4	106,989	101,011	41	35	37	30	28	22
0-	31	20	30	19	-	-	1	1	33	19	2	1	2	1	1	1
1-	6	3	6	3	-	-	-	-	19	14	1	2	1	2	-	-
5-	1	3	1	2	-	1	-	-	10	9	1	2	1	2	-	1
10-	-	1	-	1	-	-	-	-	14	18	2	1	2	1	-	-
15-	2	1	1	1	1	-	-	-	55	42	3	-	3	-	-	-
20-	2	1	1	1	-	-	1	-	74	57	1	-	1	-	-	-
25-	5	-	4	-	-	-	1	-	121	89	-	-	-	-	-	-
30-	1	-	1	-	-	-	-	-	326	164	-	-	-	-	-	-
35-	5	2	4	-	-	-	1	1	765	305	-	-	-	-	-	-
40-	3	1	3	-	-	1	-	-	1,794	540	1	2	1	-	1	-
45-	2	1	1	-	-	1	1	-	3,179	939	2	1	2	1	2	-
50-	1	5	-	4	-	1	1	-	5,756	1,752	2	1	2	1	2	-
55-	5	3	3	3	1	-	1	-	9,493	3,254	4	7	4	6	4	6
60-	4	1	3	-	1	-	-	-	13,719	5,794	10	1	7	-	7	-
65-	10	5	7	4	1	-	1	-	15,683	9,672	3	2	3	2	3	1
70-	2	4	-	4	-	-	2	-	16,376	14,632	2	8	2	8	2	7
75-	2	2	2	1	-	-	-	1	15,895	19,362	4	3	3	2	3	2
80-	1	2	1	1	-	-	-	1	12,889	20,709	2	3	2	3	2	3
85 and over	-	-	-	-	-	-	-	-	10,788	23,640	1	1	1	1	1	1

Causes of death	401.1  Active rheumatic endocarditis		401.2  Active rheumatic myocarditis		401.3  Active rheumatic fever with other and multiple types of heart involvement		402  Chorea		402.0  Without mention of heart involvement		402.1*		410  Diseases of mitral valve		411  Diseases of aortic valve specified as rheumatic	
											410-416  Chronic rheumatic heart disease					
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	3	1	-	1	6	6	4	5	1	1	2,033	3,967	1,230	2,800	283	194
0-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-
1-	-	-	-	-	1	2	-	-	-	-	1	-	1	-	-	-
5-	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-
10-	1	1	-	-	1	-	-	-	-	-	2	2	2	1	-	-
15-	-	-	-	-	3	-	-	-	-	-	9	11	3	8	1	-
20-	-	-	-	-	1	-	-	-	-	-	15	18	9	17	4	-
25-	-	-	-	-	-	-	-	-	-	-	27	32	15	20	2	1
30-	-	-	-	-	-	-	-	-	-	-	73	48	40	37	13	4
35-	-	-	-	-	-	-	-	-	-	-	81	113	44	87	14	4
40-	-	-	-	-	-	-	-	2	-	1	118	180	83	128	12	6
45-	-	-	-	-	-	1	-	-	-	-	175	249	104	184	23	7
50-	-	-	-	-	-	1	-	-	-	-	208	400	119	294	32	14
55-	-	-	-	-	-	-	-	1	-	-	310	521	188	368	35	23
60-	-	-	-	-	-	-	3	1	1	-	269	490	164	335	37	26
65-	-	-	-	-	-	1	-	-	-	-	250	540	150	384	41	23
70-	-	-	-	-	-	1	-	-	-	-	207	470	130	310	29	22
75-	-	-	-	-	-	-	1	1	-	-	164	413	87	284	29	33
80-	-	-	-	-	-	-	-	-	-	-	74	290	54	208	9	17
85 and over	-	-	-	-	-	-	-	-	-	-	48	189	36	134	2	14

\* 386 Detachment of retina: Female 60,65: 387 Glaucoma: Males 70,75,75; Females 60,75,75,75: 388 Other diseases of eye: Males 45, 65,85; Female 75: 389 Blindness - : 390 Otitis externa - : 394 Other inflammatory diseases of ear - : 395 Meniere's disease: Female 60: 396 Other diseases of ear and mastoid process: Male 65; Females 35,65: 397 Deaf mutism - : 398 Other deafness - : 400 Rheumatic fever without mention of heart involvement - : 402.1 With heart involvement: Males 60,60,75; Females 40,55,60,75.

TABLE 17 - continued

Causes of death	412  Diseases of tricuspid valve		413*		415  Other myocarditis specified as rheumatic		416  Other heart disease specified as rheumatic		420-422  Arterio- sclerotic and degenerative heart disease		420  Arterio- sclerotic heart disease, including coronary disease		420.0  Arterio- sclerotic heart disease so described		420.1  Heart disease specified as involving coronary arteries	
			414  Other endocarditis specified as rheumatic													
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	20	14	94	170	23	28	383	761	83,494	68,889	69,547	45,219	670	862	68,796	44,271
0-	-	-	1	-	-	-	-	-	6	3	-	1	-	-	-	1
1-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	1
5-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	1	-
10-	-	-	-	1	-	-	-	-	4	4	-	1	-	-	-	1
15-	-	-	1	-	-	1	4	2	21	5	-	-	-	-	-	-
20-	1	-	-	-	-	-	1	1	20	10	11	6	-	-	11	6
25-	-	-	3	4	-	-	7	7	60	16	44	8	-	-	44	8
30-	-	-	4	1	-	-	16	6	171	37	151	28	-	-	151	28
35-	1	-	3	5	2	-	17	17	577	92	540	77	1	-	538	77
40-	-	2	10	13	-	-	13	31	1,473	204	1,409	184	2	1	1,407	183
45-	2	2	6	10	1	2	39	44	2,641	451	2,555	401	3	-	2,552	400
50-	3	1	8	15	1	2	45	74	4,883	853	4,707	870	4	1	4,702	868
55-	2	1	13	28	5	2	67	99	7,993	2,034	7,689	1,884	22	6	7,662	1,877
60-	3	1	14	18	2	2	49	108	11,345	3,974	10,737	3,599	38	18	10,692	3,575
65-	2	2	8	23	3	5	46	103	12,661	6,845	11,695	5,986	57	49	11,620	5,930
70-	1	2	7	24	3	3	37	109	12,769	10,303	10,981	8,312	96	121	10,874	8,175
75-	2	2	8	13	4	3	34	78	11,858	13,397	9,182	9,389	125	173	9,041	9,193
80-	1	-	5	6	-	6	5	53	9,311	14,145	6,122	7,980	160	221	5,946	7,747
85 and over	2	1	3	9	2	2	3	29	7,697	16,412	3,723	6,492	162	272	3,555	6,201

Causes of death	420.2  Angina pectoris without mention of coronary disease		421  Chronic endocarditis not specified as rheumatic		421.0  of mitral valve, specified as non- rheumatic		421.1  of aortic valve, not specified as rheumatic		421.2;3*		422  Other myocardial degeneration		422.0  Fatty degeneration		422.1  with arterio- sclerosis	
									421.4  Other and ill-defined, not specified as rheumatic							
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	81	86	1,424	1,444	72	191	1,217	1,054	130	198	12,523	22,226	28	58	11,056	10,266
0-	-	-	4	2	-	-	3	1	1	1	2	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
5-	-	-	-	1	-	-	-	-	-	1	2	1	-	-	-	-
10-	-	-	1	1	-	-	1	1	-	-	3	2	-	-	-	-
15-	-	-	3	1	-	-	3	1	-	-	18	4	-	-	-	-
20-	-	-	1	1	-	-	1	-	-	1	8	3	-	-	-	-
25-	-	-	7	1	-	-	7	1	-	-	9	7	-	-	-	-
30-	-	-	7	2	-	-	7	2	-	-	13	7	1	1	1	-
35-	1	-	17	7	-	-	17	7	-	-	20	8	-	1	-	-
40-	-	-	27	6	-	-	23	4	3	2	37	14	-	-	8	3
45-	-	1	41	17	1	-	35	11	5	6	45	33	1	2	14	4
50-	1	1	90	33	-	-	81	25	8	8	86	50	1	3	26	9
55-	5	1	153	41	1	-	136	27	15	14	151	109	3	6	56	31
60-	7	6	229	78	4	2	204	61	21	14	379	297	4	5	172	139
65-	18	7	224	182	13	25	196	129	13	28	742	677	5	7	369	307
70-	11	16	231	238	15	37	189	170	27	31	1,557	1,753	4	12	838	874
75-	16	23	188	291	14	54	154	204	20	33	2,488	3,717	6	15	1,292	1,816
80-	16	12	134	281	15	35	107	213	12	33	3,055	5,884	1	4	1,497	2,797
85 and over	6	19	67	261	9	38	53	197	5	26	3,907	9,659	2	2	1,783	4,286

\* 413 Diseases of pulmonary valve specified as rheumatic - : 421.2 Of tricuspid valve, specified as non-rheumatic: Males 50, 65: 421.3 Of pulmonary valve, not specified as rheumatic: Males 40,55,65; Female 60.

TABLE 17 - continued

Causes of death	422.2		430-434		430		430.0		430.1		431		432		433	
	Other diseases included under 422		Other diseases of heart		Acute and subacute endocarditis		Acute and subacute bacterial endocarditis		Other acute endocarditis		Acute myocarditis not specified as rheumatic		Acute pericarditis specified as non-rheumatic		Functional disease of heart	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	5,439	11,902	6,786	8,496	163	106	162	103	1	3	72	58	12	12	1,549	2,592
0-	2	-	11	9	1	1	1	1	-	-	4	3	-	-	1	-
1-	1	1	11	6	-	1	-	-	-	1	2	-	1	1	2	-
5-	2	1	5	2	2	-	2	-	-	-	1	-	-	-	1	1
10-	3	2	3	11	-	2	-	2	-	-	-	2	-	-	1	2
15-	18	4	11	8	2	1	2	1	-	-	3	3	-	-	4	-
20-	8	3	15	7	2	-	2	-	-	-	5	-	-	1	1	-
25-	9	7	12	11	5	2	5	2	-	-	1	1	-	-	1	1
30-	11	6	24	24	10	6	10	6	-	-	4	3	-	-	2	4
35-	20	7	28	33	9	5	9	5	-	-	3	6	-	-	4	6
40-	29	11	58	43	11	9	10	9	1	-	6	5	-	-	8	8
45-	30	27	92	66	9	10	9	10	-	-	6	4	1	-	9	7
50-	59	38	172	101	18	8	18	8	-	-	5	4	1	1	18	17
55-	92	72	313	193	20	5	20	5	-	-	11	3	2	1	49	56
60-	203	153	609	372	26	17	26	16	-	1	4	3	2	1	111	92
65-	368	363	871	661	16	11	16	11	-	-	5	5	1	2	163	199
70-	715	867	1,090	1,172	18	10	18	10	-	-	3	2	1	-	268	374
75-	1,190	1,886	1,265	1,732	10	11	10	10	-	1	5	2	2	2	318	547
80-	1,557	3,093	1,192	1,970	4	3	4	3	-	-	3	5	-	2	326	619
85 and over	2,122	5,371	1,004	2,085	-	4	-	4	-	-	1	7	1	1	262	669

Causes of death	434		434.0		434.1		434.2		434.3;4		440-443		440		441	
	Other and unspecified diseases of heart		Kypho-scoliotic heart disease		Congestive heart failure		Left ventricular failure		Others included under 434		Hypertensive heart disease		Essential benign hypertensive heart disease		Essential malignant hypertensive heart disease	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	4,990	5,728	34	39	3,242	4,524	600	653	1,114	512	3,280	4,935	42	78	80	25
0-	5	5	-	-	4	3	-	-	1	2	-	1	-	-	-	-
1-	6	4	1	-	1	2	-	-	4	2	-	-	-	-	-	-
5-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
10-	2	5	-	-	-	1	-	2	2	2	-	-	-	-	-	-
15-	2	4	-	-	-	1	-	1	2	2	-	1	-	-	-	1
20-	7	6	-	-	2	2	1	-	4	4	-	-	-	-	-	-
25-	5	7	1	-	-	1	1	2	3	4	-	-	-	-	-	-
30-	8	11	-	1	3	2	-	1	5	7	9	5	-	-	3	-
35-	12	16	1	2	-	4	4	-	7	10	8	7	-	-	2	-
40-	33	21	-	-	9	11	5	-	19	10	21	13	1	-	1	1
45-	67	45	2	4	23	24	9	5	33	12	58	26	-	-	14	3
50-	130	71	6	3	58	40	10	5	56	23	117	70	4	-	16	2
55-	231	118	3	9	94	57	31	17	103	35	229	118	5	4	14	2
60-	466	259	9	2	214	161	60	37	183	59	391	309	2	5	20	8
65-	686	454	6	5	375	323	83	52	222	74	562	541	6	7	5	2
70-	800	786	1	6	512	620	94	96	193	64	617	878	9	16	2	2
75-	930	1,170	3	2	667	951	117	139	143	78	578	1,135	7	16	2	1
80-	859	1,341	1	3	668	1,107	95	152	95	79	452	1,027	4	19	1	1
85 and over	740	1,404	-	2	612	1,213	90	144	38	45	238	804	4	12	-	2

TABLE 17 - continued

Causes of death	442		443		444-447		444		445		446		447		450-456	
	Hypertensive heart disease with arteriolar nephrosclerosis		Other and unspecified hypertensive heart disease		Other hypertensive disease		Essential benign hypertension		Essential malignant hypertension		Hypertension with arteriolar nephrosclerosis		Other hypertensive disease without mention of heart		Diseases of arteries	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	28	45	3,130	4,787	1,892	2,154	1,238	1,698	430	216	222	237	2	3	7,385	9,294
0-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
5-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
10-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-
15-	-	-	-	-	3	3	-	1	3	2	-	-	-	-	5	11
20-	-	-	-	-	10	3	1	-	9	3	-	-	-	-	7	8
25-	-	-	-	-	10	3	-	-	9	3	1	-	-	-	8	10
30-	-	1	6	4	23	12	5	2	18	10	-	-	-	-	14	21
35-	-	-	6	7	32	15	5	1	23	14	3	-	1	-	21	8
40-	-	-	19	12	45	24	16	6	27	18	2	-	-	-	46	24
45-	-	-	44	23	91	31	29	7	61	24	1	-	-	-	66	37
50-	1	-	96	68	136	60	58	32	73	25	5	3	-	-	144	72
55-	3	-	207	112	195	107	106	62	78	43	11	2	-	-	259	136
60-	3	4	366	292	255	121	174	91	62	23	19	7	-	-	540	254
65-	4	2	547	530	221	205	162	169	42	16	17	20	-	-	802	464
70-	3	3	603	857	252	309	216	270	15	14	22	25	1	-	1,098	920
75-	6	6	563	1,112	247	443	202	382	6	14	39	46	-	1	1,445	1,617
80-	8	9	439	999	211	448	155	375	3	5	53	67	-	1	1,425	2,325
85 and over	-	20	234	770	159	370	109	300	1	2	49	67	-	1	1,502	3,365

Causes of death	450		450.0		450.1		451		452		453		453.0		453.1	
	General arterio-sclerosis		Without mention of gangrene		With mention of gangrene as a consequence		Aortic aneurysm, non-syphilitic and dissecting aneurysm		Other aneurysm, except of heart and aorta		Peripheral vascular disease		Raynaud's disease		Thrombo-angitis obliterans	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	4,821	7,338	4,330	6,772	491	566	2,097	1,430	58	53	85	58	1	3	19	5
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-
20-	1	-	1	-	-	-	2	3	-	-	-	-	-	-	-	-
25-	-	-	-	-	-	-	5	2	1	1	-	-	-	-	-	-
30-	-	-	-	-	-	-	8	4	1	-	-	-	-	-	-	-
35-	-	-	-	-	-	-	11	2	1	1	1	-	-	-	1	-
40-	6	-	6	-	-	-	25	4	2	2	3	-	-	-	2	-
45-	10	4	8	4	2	-	35	11	2	5	1	-	-	-	1	-
50-	19	14	17	12	2	2	83	34	-	2	5	-	-	-	2	-
55-	66	36	58	32	8	4	155	66	3	6	6	2	-	1	4	-
60-	174	90	152	80	22	10	285	129	10	4	12	2	-	-	2	-
65-	345	215	289	191	56	24	396	183	14	10	11	5	-	-	4	1
70-	639	622	571	585	68	37	401	229	8	6	11	6	1	-	1	1
75-	1,013	1,244	913	1,145	100	99	373	311	7	6	11	15	-	2	2	2
80-	1,177	1,979	1,065	1,831	112	148	213	272	5	7	9	13	-	-	-	1
85 and over	1,370	3,134	1,249	2,892	121	242	94	178	3	3	14	15	-	-	-	-

TABLE 17 - continued

Causes of death	453-2;3		454		455		456		460-468		460		461		462	
	Others included under 453		Arterial embolism and thrombosis		Gangrene of unspecified cause		Other diseases of arteries		Diseases of veins and other diseases of circulatory system		Varicose veins of lower extremities		Haemorrhoids		Varicose veins of other specified sites	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	65	50	84	110	41	43	199	262	2,078	3,241	45	184	13	8	28	24
0-	-	-	-	-	-	-	1	1	11	4	-	-	-	-	-	-
1-	-	-	1	-	-	-	-	1	4	3	-	-	-	-	-	1
5-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
15-	1	-	-	-	-	-	2	9	3	3	-	-	-	-	-	-
20-	-	-	-	-	-	-	4	5	6	11	-	-	-	-	-	-
25-	-	-	-	-	-	-	2	7	4	17	-	1	-	-	-	-
30-	-	-	-	-	-	-	5	17	12	17	1	-	-	-	-	-
35-	-	-	-	-	-	-	8	5	18	37	2	2	-	-	1	-
40-	1	-	3	1	-	1	7	16	32	50	-	5	-	-	1	-
45-	-	-	3	2	-	1	15	14	54	78	1	5	2	-	-	1
50-	3	-	3	3	4	-	30	19	94	95	5	9	-	1	4	1
55-	2	1	10	4	1	2	18	20	190	148	9	14	-	-	4	1
60-	10	2	13	4	3	2	33	23	300	273	8	14	1	1	5	2
65-	7	4	11	14	4	5	21	32	313	414	3	20	1	-	3	5
70-	9	5	15	16	6	6	18	35	341	572	3	44	2	2	-	2
75-	9	11	9	18	12	8	20	15	334	622	6	34	1	1	4	3
80-	9	12	5	23	7	14	9	17	222	501	6	24	2	1	4	4
85 and over	14	15	11	25	4	4	6	26	139	394	1	12	4	2	2	4

Causes of death	463		464		465		466		467		468		VIII		470-475	
	Phlebitis and thrombo-phlebitis of lower extremities		Phlebitis and thrombo-phlebitis of other sites		Pulmonary embolism and infarction		Other venous embolism and thrombosis		Other diseases of circulatory system		Certain diseases of lymph nodes and lymph channels		470-527 Diseases of the respiratory system		Acute upper respiratory infections	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	110	183	9	33	980	1,249	821	1,478	66	73	6	9	44,396	32,030	61	68
0-	-	-	-	-	1	-	6	1	1	-	3	3	1,416	956	27	14
1-	-	-	-	-	-	-	3	-	-	-	1	2	289	276	17	10
5-	-	-	-	-	-	1	-	1	-	-	-	-	62	67	1	4
10-	-	-	-	-	-	-	-	-	1	-	-	-	59	33	1	1
15-	-	-	-	-	2	2	-	-	1	1	-	-	91	58	-	3
20-	-	-	1	1	2	7	3	3	-	-	-	-	71	51	-	-
25-	2	-	-	-	-	7	2	6	-	3	-	-	69	48	-	-
30-	1	-	-	-	3	9	6	7	1	1	-	-	84	69	-	1
35-	-	4	-	2	5	9	9	19	1	1	-	-	150	128	1	3
40-	3	4	-	-	17	15	10	23	1	3	-	-	281	203	1	-
45-	2	8	1	2	23	26	24	33	1	3	-	-	626	329	-	1
50-	6	5	-	-	47	35	29	43	3	1	-	-	1,373	578	3	-
55-	11	6	1	3	80	64	78	60	7	-	-	-	2,753	918	-	-
60-	21	20	1	7	144	117	111	106	9	4	-	2	4,923	1,530	4	1
65-	16	24	2	7	151	170	130	182	7	6	-	-	6,573	2,513	-	1
70-	20	27	-	2	173	213	137	272	6	9	-	1	7,246	3,904	-	7
75-	11	32	2	3	170	238	125	295	13	16	2	-	7,316	5,589	1	6
80-	8	28	1	1	97	187	97	243	7	13	-	-	5,940	6,479	3	7
85 and over	9	25	-	5	65	149	51	184	7	12	-	1	5,074	8,301	2	9

TABLE 17 - continued

Causes of death	470		471*		473		474		475		480-483		480		481	
	Acute nasopharyngitis (common cold)		Acute pharyngitis		Acute tonsillitis		Acute laryngitis and tracheitis		Acute upper respiratory infection of multiple or unspecified sites		Influenza		Influenza with pneumonia		Influenza with other respiratory manifest'ns and influenza unqualified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	-	4	4	6	13	13	28	28	16	16	1,639	2,033	1,053	1,302	572	711
0-	-	-	-	1	4	2	11	4	12	7	11	20	10	17	-	3
1-	-	-	1	1	5	-	10	6	1	3	10	11	7	7	1	4
5-	-	-	-	-	-	1	1	2	-	-	6	6	3	3	3	2
10-	-	-	-	-	1	1	-	-	-	-	7	3	5	1	1	1
15-	-	-	-	-	-	3	-	-	-	-	8	8	7	6	-	2
20-	-	-	-	-	-	-	-	-	-	-	8	7	7	7	1	-
25-	-	-	-	-	-	-	-	-	-	-	5	5	3	4	2	1
30-	-	-	-	-	-	-	-	1	-	-	12	11	11	8	1	3
35-	-	-	-	1	-	-	1	1	-	1	14	15	10	11	4	4
40-	-	-	-	-	1	-	-	-	-	-	17	19	9	11	8	8
45-	-	-	-	-	-	1	-	-	-	-	40	18	35	14	5	4
50-	-	-	-	-	-	-	3	-	-	-	45	41	36	27	9	14
55-	-	-	-	-	-	-	-	-	-	-	93	55	59	37	33	17
60-	-	-	1	-	1	-	2	1	-	-	153	103	105	61	46	42
65-	-	-	-	-	-	1	-	-	-	-	196	165	118	109	76	56
70-	-	-	-	1	-	1	-	5	-	-	228	221	150	136	76	81
75-	-	-	-	1	1	-	-	4	-	1	270	368	161	236	109	128
80-	-	-	1	1	-	2	-	4	2	-	250	414	162	257	87	152
85 and over	-	4	1	-	-	1	-	-	1	4	266	543	155	350	110	189

Causes of death	482		483		490-493		490		491		492		493		500-502	
	Influenza with digestive manifest'ns, but without respiratory symptoms		Influenza with nervous manifest'ns, but without digestive or respiratory symptoms		Pneumonia		Lobar pneumonia		Broncho-pneumonia		Primary atypical pneumonia		Pneumonia, other and unspecified		Bronchitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	10	18	4	2	16,137	19,374	1,703	1,428	13,531	17,078	251	213	652	655	23,121	8,741
0-	1	-	-	-	1,066	705	28	22	885	575	110	71	43	37	226	146
1-	1	-	1	-	190	192	12	10	147	150	15	18	16	14	56	45
5-	-	-	-	1	38	40	1	2	33	32	3	4	1	2	14	11
10-	-	-	1	1	38	21	7	-	22	19	4	1	5	1	9	6
15-	-	-	1	-	58	33	4	4	45	24	4	3	5	2	15	7
20-	-	-	-	-	46	24	6	5	32	16	6	2	2	1	8	10
25-	-	-	-	-	32	25	4	2	21	21	5	-	2	2	18	9
30-	-	-	-	-	38	33	7	10	23	19	5	3	3	1	16	15
35-	-	-	-	-	57	51	15	6	40	33	1	9	1	3	49	27
40-	-	-	-	-	94	78	30	12	52	57	5	5	7	4	123	63
45-	-	-	-	-	200	147	66	28	119	108	6	5	9	6	309	111
50-	-	-	-	-	347	211	94	30	218	165	9	5	26	11	801	246
55-	1	1	-	-	601	373	136	67	423	287	8	5	34	14	1,739	404
60-	2	-	-	-	1,046	682	202	85	778	553	15	11	51	33	3,252	613
65-	1	-	1	-	1,490	1,196	224	136	1,188	992	11	12	67	56	4,332	1,015
70-	2	4	-	-	2,132	2,119	221	201	1,805	1,839	17	13	89	66	4,327	1,335
75-	-	4	-	-	2,798	3,344	236	240	2,445	2,984	11	16	106	104	3,776	1,651
80-	1	5	-	-	2,861	4,275	214	277	2,548	3,856	10	20	89	122	2,499	1,519
85 and over	1	4	-	-	3,005	5,825	196	291	2,707	5,348	6	10	96	176	1,552	1,508

\* 471 Acute sinusitis; Female 5.

TABLE 17 - continued

Causes of death	500		501		502		502.0		502.1		510-527		510		511	
	Acute bronchitis		Bronchitis unqualified		Chronic bronchitis		Bronchitis with emphysema		Other		Other diseases of respiratory system		Hypertrophy of tonsils and adenoids		Peri-tonsillar abscess (quinsy)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	1,154	1,214	791	833	21,176	6,694	10,481	1,994	10,695	4,700	3,438	1,814	2	6	2	6
0-	181	114	39	27	6	5	-	-	6	5	86	71	-	-	-	-
1-	40	37	14	6	2	2	-	1	2	1	16	18	-	3	-	-
5-	9	9	3	2	2	-	2	-	-	-	3	6	1	1	-	-
10-	4	5	1	-	4	1	-	-	4	1	4	2	-	1	-	-
15-	6	2	4	2	5	3	2	-	3	3	10	7	-	-	-	1
20-	3	5	2	-	3	5	2	2	1	3	9	10	-	1	-	-
25-	4	4	4	-	10	5	7	2	3	3	14	9	-	-	-	-
30-	2	5	2	2	12	8	6	1	6	7	18	9	-	-	-	-
35-	9	7	7	3	33	22	12	7	21	15	29	32	1	-	-	-
40-	10	10	5	6	108	47	54	21	54	26	46	43	-	-	-	-
45-	17	9	10	7	282	95	172	36	110	59	77	52	-	-	1	-
50-	18	20	20	13	763	213	437	85	326	128	177	80	-	-	-	-
55-	48	25	35	34	1,656	345	979	143	677	202	320	86	-	-	1	1
60-	78	54	72	33	3,102	526	1,751	203	1,351	323	468	131	-	-	-	1
65-	112	84	75	64	4,145	867	2,260	318	1,885	549	555	136	-	-	-	-
70-	137	135	119	77	4,071	1,123	2,017	363	2,054	760	559	222	-	-	-	1
75-	160	191	135	132	3,481	1,338	1,555	367	1,926	971	471	220	-	-	-	-
80-	174	205	134	197	2,191	1,117	814	253	1,377	864	327	264	-	-	-	1
85 and over	142	308	110	228	1,300	972	411	192	889	780	249	416	-	-	-	1

Causes of death	512*		514, 515, 516*		518		519		520		521		522		523	
	513		517													
	Chronic sinusitis	Other diseases of upper respiratory tract		Empyema	Pleurisy	Spontaneous pneumothorax	Abscess of lung	Pulmonary congestion and hypostasis	Pneumoconiosis due to silica and silicates (occupational)							
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	16	6	37	33	54	37	35	30	17	1	54	27	301	555	609	5
0-	1	-	11	3	3	4	1	-	-	-	2	1	1	-	-	-
1-	-	-	8	6	-	-	-	-	-	-	-	1	1	-	-	-
5-	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
15-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
25-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
30-	1	-	2	1	1	-	-	-	1	-	1	1	-	-	-	-
35-	1	-	1	2	-	-	-	-	-	-	1	2	-	1	-	-
40-	1	-	1	2	2	1	-	-	-	-	1	1	2	1	2	-
45-	1	-	4	2	2	2	1	3	-	-	3	1	-	-	8	-
50-	-	-	1	1	7	1	1	1	-	-	2	3	1	1	32	-
55-	2	-	3	-	5	3	1	1	2	-	3	-	8	3	72	2
60-	1	-	2	3	8	8	2	-	2	-	8	4	6	7	104	2
65-	-	-	1	2	6	4	4	2	4	-	11	1	10	6	121	-
70-	1	2	1	1	11	5	10	6	3	1	8	3	28	40	114	1
75-	2	-	-	6	4	4	9	3	3	-	5	4	55	67	90	-
80-	-	-	-	3	3	5	4	6	-	-	4	1	70	127	49	-
85 and over	-	2	-	-	1	-	2	8	2	-	3	3	119	302	17	-

\* 512 Chronic pharyngitis and nasopharyngitis: Male 40; Females 0,1: 514 Deflected nasal septum - : 515 Nasal polyp: Male 85; Females 35,50: 516 Chronic laryngitis - .

TABLE 17 - continued

Causes of death	524 Other specified pneumoconiosis and pulmonary fibrosis of occupational origin		525 Other chronic interstitial pneumonia		526 Bronchiectasis		527 Other diseases of lung and pleural cavity		527.0 Pulmonary collapse (1 year and over)		527.1 Emphysema without mention of bronchitis		527.2 Other		IX 530-587 Diseases of the digestive system	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	16	2	277	187	842	495	1,174	420	16	8	962	257	196	155	7,428	7,692
0-	-	-	14	6	2	4	51	52	-	-	4	6	47	46	393	262
1-	-	-	1	2	-	-	6	5	-	-	-	1	6	4	125	104
5-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	34	36
10-	-	-	-	-	2	-	1	1	-	-	1	-	-	1	27	17
15-	-	-	-	-	2	4	6	1	-	-	4	-	2	1	32	24
20-	-	-	-	-	5	7	2	1	-	-	2	1	-	-	39	29
25-	-	-	-	-	7	6	4	3	-	-	2	1	2	2	42	40
30-	-	-	-	-	9	6	3	1	1	-	2	-	-	1	45	33
35-	-	-	4	6	18	15	3	5	-	-	2	3	1	2	80	60
40-	-	-	5	5	22	27	9	6	-	-	8	2	1	4	143	100
45-	-	-	8	6	26	34	23	4	1	-	18	2	4	2	218	160
50-	1	-	21	14	65	41	46	17	1	-	43	13	2	4	361	251
55-	4	-	32	16	96	31	91	29	1	-	78	21	12	8	624	340
60-	1	1	41	22	112	53	181	30	2	-	146	22	33	8	885	605
65-	1	-	47	28	128	54	222	39	4	1	191	28	27	10	1,013	834
70-	3	1	49	28	145	76	186	57	2	2	167	41	17	14	1,061	1,104
75-	3	-	29	30	95	48	176	58	2	3	151	40	23	15	978	1,316
80-	1	-	18	14	72	50	106	57	-	2	95	41	11	14	804	1,261
85 and over	2	-	8	9	36	37	58	54	2	-	48	35	8	19	524	1,116

Causes of death	530-539 Diseases of buccal cavity and oesophagus		530, 531* 532 Other inflammatory diseases of supporting structures of teeth		533 Disorders of occlusion, eruption and tooth development		534, 535, 536* 537 Diseases of salivary glands		538* 539 Diseases of oesophagus		540-545 Diseases of stomach and duodenum		540 Ulcer of stomach		540.0 Without mention of perforation	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	134	142	-	1	-	-	14	49	113	84	2,730	1,586	1,190	944	893	747
0-	2	2	-	-	-	-	-	-	2	1	4	-	1	-	-	-
1-	3	2	-	-	-	-	1	-	2	2	2	-	-	-	-	-
5-	1	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-
10-	1	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-
15-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
20-	-	-	-	-	-	-	-	-	-	-	6	-	2	-	2	-
25-	1	2	-	-	-	-	-	-	-	1	11	4	1	3	1	-
30-	1	2	-	-	-	-	-	-	-	1	14	2	4	2	3	-
35-	1	2	-	-	-	-	-	-	1	1	19	9	6	4	4	2
40-	6	1	-	-	-	-	-	1	6	-	43	15	15	5	10	4
45-	4	3	-	-	-	-	-	-	3	3	73	28	32	16	24	6
50-	9	5	-	-	-	-	-	1	8	4	108	35	43	18	36	13
55-	6	4	-	-	-	-	1	-	5	4	261	66	123	34	80	22
60-	13	4	-	-	-	-	1	2	12	2	360	107	152	62	119	45
65-	17	15	-	1	-	-	-	3	17	10	413	141	168	88	127	68
70-	18	18	-	-	-	-	2	5	16	13	458	241	208	149	148	122
75-	21	23	-	-	-	-	2	5	19	18	425	331	191	185	141	144
80-	17	22	-	-	-	-	3	11	13	9	326	321	144	202	113	169
85 and over	11	36	-	-	-	-	4	21	7	15	205	284	100	174	85	152

\* 530 Dental caries - : 531 Abscesses of supporting structures of teeth - : 534 Toothache from unspecified cause - : 535 Other diseases of teeth and supporting structures: Males 5,15,30; Females 5,25,30,35; 536 Stomatitis - : 538 Other diseases of buccal cavity: Males 25,45,50,80; Females 0,65,80,80.

TABLE 17 - continued

Causes of death	540.1		541		541.0		541.1		542		542.0		542.1		543	
	With perforation		Ulcer of duodenum		Without mention of perforation		With perforation		Gastro-jejunal ulcer		Without mention of perforation		With perforation		Gastritis and duodenitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	297	197	1,414	536	871	307	543	229	33	7	17	3	16	4	21	42
0-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
5-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
10-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
20-	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-
25-	-	3	10	-	8	-	2	-	-	-	-	-	-	-	-	-
30-	1	2	8	-	8	-	-	-	-	-	-	-	-	-	1	-
35-	2	2	10	5	7	2	3	3	1	-	1	-	-	-	-	-
40-	5	1	24	7	12	4	12	3	-	-	-	-	-	-	-	1
45-	8	10	39	9	25	4	14	5	-	-	-	-	-	-	1	1
50-	7	5	60	16	33	7	27	9	-	-	-	-	-	-	-	-
55-	43	12	123	29	64	16	59	13	4	-	1	-	3	-	1	1
60-	33	17	190	37	112	20	78	17	4	1	3	-	1	1	-	1
65-	41	20	217	41	130	23	87	18	11	2	6	1	5	1	2	2
70-	60	27	237	76	152	43	85	33	7	-	3	-	4	-	-	5
75-	50	41	222	127	134	74	88	53	2	2	-	1	2	1	1	7
80-	31	33	172	100	112	56	60	44	3	-	3	-	-	-	5	9
85 and over	15	22	98	89	70	58	28	31	1	2	-	1	1	1	5	15

Causes of death	544		545		550-553		550		550.0		550.1		551		552, 553*	
	Disorders of function of stomach		Other diseases of stomach and duodenum		Appendicitis		Acute appendicitis		Without mention of peritonitis		With peritonitis		Appendicitis unqualified		560, 561 Hernia of abdominal cavity	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	10	12	62	45	237	215	195	168	30	24	165	144	40	47	631	759
0-	-	-	1	-	2	1	2	1	-	-	2	1	-	-	97	63
1-	-	-	-	-	12	7	11	7	1	-	10	7	1	-	5	1
5-	-	-	-	-	6	7	5	5	-	1	5	4	1	2	1	-
10-	-	-	-	-	10	3	7	2	2	-	5	2	3	1	2	2
15-	-	-	-	-	8	3	6	3	-	1	6	2	2	-	-	2
20-	1	-	-	-	6	2	4	-	1	-	3	-	2	2	-	1
25-	-	1	-	-	4	5	4	4	-	-	4	4	-	1	-	-
30-	-	-	1	-	5	3	4	1	1	-	3	1	1	2	-	-
35-	1	-	1	-	4	5	3	3	-	-	3	3	1	2	2	3
40-	1	-	3	2	5	4	3	3	-	-	3	3	2	1	3	1
45-	-	1	1	1	15	10	12	8	3	1	9	7	3	2	6	9
50-	-	-	5	1	14	6	10	6	3	1	7	5	4	-	17	12
55-	2	1	8	1	15	15	13	13	-	1	13	12	2	2	34	15
60-	1	2	13	4	25	21	19	16	2	2	17	14	5	5	37	51
65-	-	1	15	7	31	24	29	15	5	2	24	13	2	9	61	83
70-	-	2	6	9	25	26	24	20	3	4	21	16	1	6	82	123
75-	2	2	7	8	25	30	19	27	3	5	16	22	6	3	101	138
80-	1	-	1	10	17	28	13	22	4	5	9	17	3	6	100	142
85 and over	1	2	-	2	8	15	7	12	2	1	5	11	1	3	83	113

\* 552 Other appendicitis; Male 80; 553 Other diseases of appendix; Male 60.

TABLE 17 - continued

Causes of death	560		560.0		560.1		560.2		560.3		560.4;5		561		561.0	
	Hernia of abdominal cavity without mention of obstruction		Inguinal		Femoral		Umbilical		Ventral (incisional)		Others included under 560		Hernia of abdominal cavity with obstruction		Inguinal	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	237	285	53	8	5	12	33	35	7	19	139	211	394	474	215	61
0-	75	61	-	-	-	-	26	27	-	-	49	34	22	2	14	-
1-	2	-	1	-	-	-	1	-	-	-	-	-	3	1	-	-
5-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
10-	1	1	-	-	-	-	-	-	-	-	1	1	1	1	-	-
15-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-
20-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-	-	1	-	1	-	-	-	-	-	-	-	-	2	2	-	1
40-	2	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-
45-	3	2	-	-	-	-	-	-	-	-	3	2	3	7	-	-
50-	13	7	4	1	2	-	-	1	-	1	7	4	4	5	-	-
55-	16	4	7	-	-	-	2	1	-	1	7	2	18	11	5	-
60-	15	20	5	-	1	1	1	-	1	5	7	14	22	31	11	2
65-	20	28	7	1	-	-	2	1	1	3	10	23	41	55	20	5
70-	19	36	8	-	-	3	-	3	2	3	9	27	63	87	32	14
75-	20	48	6	1	1	2	-	1	1	4	12	40	81	90	45	11
80-	25	42	4	3	-	1	-	1	1	2	20	35	75	100	43	16
85 and over	25	34	11	1	1	5	1	-	1	-	11	28	58	79	44	12

Causes of death	561.1		561.2		561.3		561.4;5		570-578		570		570.0		570.1	
	Femoral		Umbilical		Ventral (incisional)		Others included under 561		Other diseases of intestines and peritoneum		Intestinal obstruction without mention of hernia		Intus-susception		Paralytic ileus	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	43	225	47	52	25	68	64	68	2,027	2,873	738	904	28	12	17	18
0-	-	-	6	1	-	-	2	1	240	153	36	18	14	5	1	-
1-	-	-	-	-	-	-	3	1	82	68	13	7	7	4	1	-
5-	-	-	-	-	-	-	-	-	9	8	3	3	-	-	-	-
10-	1	-	-	1	-	-	-	-	3	6	2	1	1	-	-	-
15-	-	-	-	-	-	-	-	1	13	12	4	2	-	1	-	-
20-	-	-	-	-	-	-	-	1	22	15	3	2	-	-	-	-
25-	-	-	-	-	-	-	-	-	16	15	3	2	-	-	-	-
30-	-	-	-	-	-	-	-	-	16	18	3	4	-	-	-	-
35-	-	-	1	1	-	-	1	-	21	24	1	6	-	-	1	-
40-	-	1	-	-	-	-	-	-	32	44	14	11	-	1	1	2
45-	-	4	2	2	-	-	1	1	40	43	12	10	-	-	1	-
50-	-	1	2	3	1	-	1	1	93	80	36	27	-	-	4	-
55-	3	3	4	3	2	1	4	4	144	116	55	34	1	-	1	1
60-	3	11	4	7	1	5	3	6	221	197	85	65	-	-	-	-
65-	4	27	5	6	4	10	8	7	237	295	98	102	1	-	3	2
70-	8	40	6	4	6	15	11	14	269	386	111	151	3	-	2	6
75-	11	44	8	9	6	13	11	13	228	475	109	161	-	-	2	2
80-	7	50	8	11	3	13	14	10	211	473	97	146	-	-	-	4
85 and over	6	44	1	4	2	11	5	8	130	445	53	152	1	1	-	1

TABLE 17 - continued

Causes of death	570.2		570.3		570.4		570.5		571		572		572.0		572.1	
	Mesenteric infarction		Volvulus		Impaction of intestine		Others included under 570		Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over		Chronic enteritis and ulcerative colitis		Regional enteritis		Diverticulitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	263	366	204	170	21	57	205	281	425	470	566	1,156	41	76	387	817
0-	2	3	11	7	-	3	8	-	187	125	3	3	-	1	2	-
1-	-	-	4	2	-	-	1	1	65	59	-	1	-	-	-	-
5-	-	1	2	2	1	-	-	-	5	3	1	-	1	-	-	-
10-	-	-	-	1	-	-	1	-	1	4	-	1	-	-	-	-
15-	-	1	3	-	-	-	1	-	1	1	7	7	-	1	-	-
20-	1	1	1	1	-	-	1	-	3	1	13	8	2	3	2	-
25-	-	1	1	-	-	-	2	1	2	1	7	10	1	7	-	-
30-	1	1	1	2	-	-	1	1	4	1	6	10	2	4	-	1
35-	-	1	-	4	-	-	-	1	3	-	11	14	1	5	1	2
40-	4	4	6	4	-	-	3	-	1	3	11	20	3	4	4	1
45-	3	6	3	3	3	1	2	-	2	8	16	21	5	12	2	2
50-	12	12	7	7	3	1	10	7	5	4	33	43	2	3	22	16
55-	21	17	19	5	-	2	13	9	12	10	54	58	7	5	32	26
60-	41	29	23	13	1	3	20	20	18	13	79	88	6	8	53	54
65-	43	47	24	19	-	6	27	28	18	31	85	126	3	5	60	88
70-	36	68	29	25	3	7	38	45	28	28	82	160	3	6	66	129
75-	47	66	32	26	6	11	22	56	15	42	66	219	4	8	57	170
80-	36	59	21	20	3	10	37	53	34	62	54	201	-	1	51	175
85 and over	16	49	17	29	1	13	18	59	24	74	38	166	1	3	35	153

Causes of death	572.2		572.3		573		574*		576		577		578		580-587	
	Ulcerative colitis		Other		Functional disorders of intestines		Abscess of anal and rectal regions		Peritonitis		Peritoneal adhesion		Other diseases of intestines and peritoneum		Diseases of liver, gallbladder and pancreas	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	132	249	6	14	10	11	10	7	53	70	11	13	214	241	1,669	2,117
0-	1	1	-	1	-	-	-	-	4	1	-	-	10	6	48	43
1-	-	-	-	1	1	-	-	-	-	1	1	-	2	-	21	26
5-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	16	19
10-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	11	5
15-	7	6	-	-	-	-	-	-	-	-	-	-	1	2	8	7
20-	9	5	-	-	-	1	-	-	-	-	-	-	3	3	5	11
25-	6	3	-	-	-	-	1	1	1	-	-	1	2	-	10	14
30-	4	5	-	-	-	-	-	-	-	1	-	-	3	2	9	8
35-	9	7	-	-	-	-	-	-	-	3	-	-	6	1	33	17
40-	4	15	-	-	-	-	-	1	2	4	1	-	3	5	54	35
45-	9	7	-	-	-	1	-	-	1	1	1	-	8	2	80	67
50-	9	24	-	-	-	-	-	-	6	1	-	-	13	5	120	113
55-	15	26	-	1	-	-	1	-	6	5	2	1	14	8	164	124
60-	20	25	-	1	2	-	1	-	5	8	-	2	31	21	229	225
65-	22	31	-	2	3	-	-	1	5	7	1	3	27	25	254	276
70-	12	23	1	2	3	1	5	1	9	6	3	1	28	38	209	310
75-	3	40	2	1	-	1	1	2	7	12	-	-	30	38	178	319
80-	2	22	1	3	1	1	1	-	5	13	2	4	20	45	133	275
85 and over	-	8	2	2	-	6	-	1	2	6	-	1	13	39	87	223

\* 574 Anal fissure and fistula; Female 80.

TABLE 17 - continued

Causes of death	580		581		582		583		584		585		586		587	
	Acute and subacute yellow atrophy of liver		Cirrhosis of liver		Suppurative hepatitis and liver abscess		Other diseases of liver		Cholelithiasis		Cholecystitis and cholangitis, without mention of calculi		Other diseases of gallbladder and biliary ducts		Diseases of pancreas	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	26	68	731	635	15	20	79	81	227	434	133	297	70	136	388	446
0-	-	3	1	2	1	-	4	1	-	-	1	-	-	-	41	37
1-	-	3	4	2	-	-	1	1	-	-	-	-	-	2	16	18
5-	1	1	2	3	-	-	-	-	-	-	-	-	-	-	13	15
10-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	10	4
15-	-	1	3	2	-	-	1	-	-	-	1	-	-	-	3	4
20-	-	2	2	2	1	-	-	2	-	-	-	-	-	-	2	5
25-	1	2	6	3	-	-	2	1	-	3	-	1	-	-	1	4
30-	1	-	5	5	-	-	2	1	-	1	-	-	-	1	1	-
35-	2	2	13	5	-	2	5	2	3	3	-	1	1	1	9	2
40-	2	1	35	25	-	-	2	3	1	1	2	-	1	1	11	4
45-	3	4	51	35	-	-	5	3	1	5	3	3	1	4	16	13
50-	1	6	87	56	1	1	5	7	2	11	4	8	1	4	19	20
55-	4	8	94	55	2	2	5	7	12	12	9	9	4	8	34	23
60-	-	5	127	96	8	4	8	15	26	34	9	16	12	16	39	39
65-	6	5	120	106	-	4	7	12	34	58	11	19	15	19	61	54
70-	2	12	80	97	1	3	12	10	43	68	20	36	12	23	39	61
75-	1	6	45	79	1	2	11	6	38	76	34	64	10	28	38	58
80-	1	3	38	44	-	1	3	6	38	86	24	76	9	11	22	48
85 and over	-	4	20	17	-	1	6	4	29	76	15	65	4	19	13	37

Causes of death	587.0		587.1		587.2		X		590-594		590		591		592	
	Acute pancreatitis		Chronic pancreatitis		Other diseases of pancreas		590-637 Diseases of the genito-urinary system		Nephritis and nephrosis		Acute nephritis		Nephritis with oedema including nephrosis		Chronic nephritis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	259	317	31	38	98	91	5,259	3,896	1,493	1,247	52	37	116	80	911	763
0-	-	-	-	-	41	37	38	19	10	5	1	1	3	2	-	-
1-	-	-	-	-	16	18	17	10	6	3	2	-	4	2	-	-
5-	1	-	-	-	12	15	12	7	7	2	1	-	3	1	3	1
10-	-	-	-	-	10	4	10	11	8	8	2	3	1	1	3	2
15-	1	-	-	-	2	4	34	32	26	18	2	1	5	3	15	12
20-	1	3	-	-	1	2	38	32	32	21	3	2	5	2	22	15
25-	1	3	-	-	-	1	54	35	44	17	3	-	5	-	29	8
30-	1	-	-	-	-	-	60	46	43	17	4	1	3	2	29	10
35-	9	1	-	1	-	-	67	79	44	38	1	-	5	6	29	20
40-	9	2	2	1	-	1	119	95	80	37	5	4	7	4	46	23
45-	14	13	1	-	1	-	125	133	84	64	3	3	9	5	53	32
50-	13	17	3	3	3	2	211	175	122	68	4	2	7	5	79	44
55-	29	17	3	5	2	1	301	207	158	92	5	4	10	9	98	51
60-	32	33	6	6	1	-	365	311	147	129	5	3	13	8	78	79
65-	47	49	9	4	5	1	549	368	182	134	4	4	13	10	108	78
70-	35	54	4	7	-	-	686	542	160	153	4	4	11	8	99	86
75-	37	50	1	4	-	4	910	633	165	178	4	1	7	4	111	123
80-	18	45	1	1	3	2	810	583	94	137	1	3	5	5	58	95
85 and over	11	30	1	6	1	1	853	578	81	126	1	1	-	3	51	84

TABLE 17 - continued

Causes of death	593		594		600-609		600		600-0		600-1		600-2		601	
	Nephritis not specified as acute or chronic		Other renal sclerosis		other diseases of urinary system		Infections of kidney		Pyelitis, pyelocystitis and pyelo-nephritis		Abscess of kidney and perirenal tissue		Other		Hydronephrosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	406	360	8	7	1,703	2,467	1,253	2,019	1,229	1,985	14	18	10	16	63	53
0-	6	1	-	1	28	14	11	6	11	5	-	1	-	-	5	1
1-	-	1	-	-	11	7	3	5	3	5	-	-	-	-	5	2
5-	-	-	-	-	5	5	3	4	3	3	-	-	-	-	-	-
10-	2	2	-	-	2	3	1	2	1	1	-	1	-	-	-	-
15-	4	1	-	1	8	12	5	11	4	11	1	-	-	-	-	-
20-	2	2	-	-	6	9	4	7	4	7	-	-	-	-	-	-
25-	7	9	-	-	10	15	8	14	8	14	-	-	-	-	1	-
30-	7	4	-	-	17	22	12	20	12	19	-	1	-	-	2	-
35-	9	12	-	-	23	31	16	27	15	27	1	-	-	-	-	1
40-	21	6	1	-	37	44	26	40	26	40	-	-	-	-	3	1
45-	19	24	-	-	39	51	30	39	29	38	1	1	-	-	2	2
50-	35	17	-	-	75	93	58	72	58	68	-	1	-	-	-	2
55-	45	27	-	1	109	108	78	95	77	93	1	2	-	-	3	3
60-	50	38	1	1	130	169	97	140	95	138	1	-	1	2	4	4
65-	57	42	-	-	193	218	141	181	137	180	3	-	1	1	9	7
70-	45	55	1	-	235	369	167	302	164	300	2	-	1	2	11	11
75-	43	48	-	2	293	424	223	352	219	345	2	3	2	4	10	4
80-	26	34	4	-	243	431	181	352	178	347	1	4	2	1	7	11
85 and over	28	37	1	1	239	442	189	350	185	344	1	4	3	2	1	4

Causes of death	602		603		604		605		606		607*		609		610-617	
	Calculi of kidney and ureter		Other diseases of kidney and ureter		Calculi of other parts of urinary system		Cystitis		Other diseases of bladder		Stricture of urethra		Other diseases of urethra		Diseases of male genital organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	85	88	64	48	21	2	63	143	62	32	23	4	65	78	2,063	
0-	-	-	7	3	-	-	-	-	2	2	-	-	3	2	-	-
1-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-
5-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
10-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
15-	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-
20-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
25-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
30-	1	1	-	1	-	-	-	-	1	-	-	-	1	-	-	-
35-	3	-	2	2	1	-	-	1	-	-	1	-	-	-	-	-
40-	4	2	2	-	-	-	1	-	1	-	-	-	-	1	2	-
45-	3	3	1	1	-	-	-	2	-	-	1	-	1	4	2	-
50-	7	12	3	4	1	-	3	2	2	1	-	-	-	-	14	-
55-	9	5	6	1	2	-	1	1	3	1	3	-	4	2	34	-
60-	8	6	10	5	-	-	4	9	2	2	1	-	4	3	88	-
65-	12	9	11	8	1	-	5	5	7	4	3	-	4	4	174	-
70-	17	12	7	6	3	1	8	20	10	8	2	1	10	8	291	-
75-	9	16	4	6	6	-	13	30	17	5	3	2	7	9	452	-
80-	9	12	4	6	5	1	10	29	8	3	4	-	15	17	473	-
85 and over	2	9	3	2	1	-	18	44	6	4	4	1	14	28	533	-

\* 607 Urethritis (non-venereal): Males 45,50,75,85.

TABLE 17 - continued

Causes of death	610		611		612		613-616*		620-626		620-623*		625		630-637	
	Hyperplasia of prostate		Prostatitis		Other diseases of prostate		617 Other diseases of male genital organs		Diseases of breast, ovary, Fallopian tube and parametrium		624 Salpingitis and oophoritis, unqualified		626 Diseases of parametrium and pelvic peritoneum (female)		Diseases of uterus and other female genital organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	2,007		23		12		7		-	46		9		20		136
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
20-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1
25-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-
30-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	6
35-	-	-	-	-	-	-	-	-	-	3	2	-	-	1	-	7
40-	2	-	-	-	-	-	-	-	-	4	-	-	1	-	-	10
45-	2	-	-	-	-	-	-	-	-	6	2	-	1	-	-	12
50-	12	-	-	-	-	-	1	-	-	3	-	-	2	-	-	11
55-	30	-	3	-	-	-	-	-	-	-	-	-	-	-	-	7
60-	85	-	-	-	-	-	-	-	-	4	-	-	2	-	-	9
65-	168	-	2	-	2	-	1	-	-	2	-	-	1	-	-	14
70-	282	-	2	-	3	-	2	-	-	4	-	-	4	-	-	16
75-	444	-	7	-	-	-	-	-	-	7	2	-	4	-	-	24
80-	461	-	6	-	2	-	1	-	-	4	-	-	3	-	-	11
85 and over	521	-	3	-	5	-	2	-	-	5	1	-	1	-	-	7

Causes of death	630		631		632*		634		635, 636, 637*		640-649		640, 641*		643, 644*	
	Infective disease of uterus, vagina and vulva		Utero-vaginal prolapse		633 Other diseases of uterus		Disorders of menstruation		XI 640-689 Deliveries and complications of pregnancy, childbirth and the puerperium		Complications of pregnancy		642 Toxaemias of pregnancy		645 Ectopic pregnancy	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages		20		52		34		15		223		70		35		17
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	1	-	-	-	-	-	-	-	-	16	6	-	3	-	-	-
20-	-	-	-	-	1	-	-	-	-	49	10	6	6	-	-	2
25-	-	-	-	-	-	-	-	-	-	51	18	-	6	-	-	8
30-	1	1	1	3	3	1	1	1	1	55	23	-	12	-	-	6
35-	-	-	3	-	-	-	4	4	31	8	8	-	5	-	-	1
40-	-	-	2	4	4	3	3	3	19	4	4	-	2	-	-	-
45-	1	1	1	5	5	3	3	2	-	2	1	-	1	-	-	-
50-	3	2	2	4	4	2	1	-	-	-	-	-	-	-	-	-
55-	1	3	3	1	1	1	-	-	-	-	-	-	-	-	-	-
60-	1	5	5	1	1	-	-	-	-	-	-	-	-	-	-	-
65-	1	3	3	7	-	-	-	-	-	-	-	-	-	-	-	-
70-	2	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-
75-	3	13	4	1	1	-	-	-	-	-	-	-	-	-	-	-
80-	4	4	3	3	3	-	-	-	-	-	-	-	-	-	-	-
85 and over	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-

\* 613 Hydrocele: Males 55,60,65,70,70; 614 Orchitis and epididymitis: Males 50,60,60,80,85; 615 Redundant prepuce and phimosis: Males 75,80,80,85; 616 Sterility, male - : 620 Chronic cystic disease of breast - : 621 Other diseases of breast: Females 15,40,60,65,75; 622 Acute salpingitis and oophoritis: Females 25,25,30,40,40; 623 Chronic salpingitis and oophoritis: Female 45; 625 Other diseases of ovary and Fallopian tube: Females 45,45,50,60,80,85; 632 Malposition of uterus: Females 65,75; 635 Menopausal symptoms - : 636 Sterility, female - : 637 Other diseases of female genital organs: Female 40,45,45,55,60,60,65,65,70,70,75,75,85; 640 Pyelitis and pyelonephritis of pregnancy: Females 15,15; 641 Other infections of genito-urinary tract during pregnancy - : 643 Placenta praevia: Female 25; 644 Other haemorrhage of pregnancy - :

TABLE 17 - continued

Causes of death	646, 647*		650-652		650		651		652, 660*		670		671		672	
	648								670-678							
	Other complications arising from pregnancy		Abortion	Abortion without mention of sepsis or toxæmia	Abortion with sepsis	Delivery with specified complication	Delivery complicated by placenta prævia or antepartum hæmorrhage	Delivery complicated by retained placenta	Delivery complicated by other postpartum hæmorrhage							
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages		15		53		19		29		65		12		4		10
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-		1		5		4		1		3		1		-		-
20-		2		14		6		6		10		1		-		4
25-		3		10		3		6		18		3		1		3
30-		5		14		3		10		14		3		2		1
35-		2		6		3		3		12		3		-		1
40-		2		3		-		2		8		1		1		1
45-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
50-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes of death	673*		675		676*		678		680-689		680*		682		683*	
	674	Delivery complicated by disproportion or malposition of foetus			677	Delivery with other trauma					681	Sepsis of childbirth and the puerperium			684	Puerperal pulmonary embolism
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages		9		6		5		18		26		7		9		2
0-		-		-		-		-		-		-		-		-
1-		-		-		-		-		-		-		-		-
5-		-		-		-		-		-		-		-		-
10-		-		-		-		-		-		-		-		-
15-		-		1		-		1		2		1		-		-
20-		2		-		-		2		13		3		6		1
25-		2		1		1		7		3		1		1		-
30-		3		1		1		3		2		1		1		-
35-		2		-		2		4		3		-		-		1
40-		-		3		1		1		3		1		1		-
45-		-		-		-		-		-		-		-		-
50-		-		-		-		-		-		-		-		-
55-		-		-		-		-		-		-		-		-
60-		-		-		-		-		-		-		-		-
65-		-		-		-		-		-		-		-		-
70-		-		-		-		-		-		-		-		-
75-		-		-		-		-		-		-		-		-
80-		-		-		-		-		-		-		-		-
85 and over		-		-		-		-		-		-		-		-

\* 646 Anaemia of pregnancy - : 647 Pregnancy with malposition of foetus in uterus - : 652 Abortion with toxæmia, without mention of sepsis; Females 20,20,25,30,40: 660 Delivery without mention of complication; Females 20,20,25,25,30,30,35,35,40: 673 Delivery complicated by abnormality of bony pelvis; Female 20: 676 Delivery with laceration of perineum, without mention of other laceration - : 680 Puerperal urinary infection without other sepsis - : 683 Pyrexia of unknown origin during the puerperium - .

TABLE 17 - continued

Causes of death	685-689*		690-698		690		691*		693-697*		700-716		700*		702, 703	
	XII						692		698				701		704	
	690-716 diseases of the skin and cellular tissue	Infections of skin and subcutaneous tissue	Boil and carbuncle	Other cellulitis and abscess without mention of lymphangitis	Other local infections of skin and subcutaneous tissue	Other diseases of skin and subcutaneous tissue	Eczema	Pemphigus								
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	149	298	48	82	5	4	34	63	6	15	101	216	2	4	20	29
0-	5	4	3	3	-	-	1	2	1	1	2	1	-	1	-	-
1-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
5-	2	2	2	-	-	-	1	-	-	-	-	2	-	-	-	-
10-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
15-	3	3	1	-	1	-	-	-	-	-	2	3	-	-	-	-
20-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
25-	3	2	2	1	1	-	1	-	-	1	1	1	-	-	-	-
30-	3	2	2	-	-	-	2	-	-	1	1	2	-	-	-	1
35-	1	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-
40-	1	7	-	3	-	1	-	2	-	-	1	4	-	-	1	-
45-	6	12	-	-	-	-	-	-	-	-	6	12	-	-	-	1
50-	8	14	2	3	-	-	2	1	-	1	6	12	-	-	-	-
55-	12	12	2	3	-	1	2	2	-	-	10	9	-	1	4	-
60-	16	25	5	6	-	-	4	6	1	-	11	19	-	-	1	-
65-	15	26	6	11	-	-	6	9	-	2	9	15	-	-	1	3
70-	12	41	6	9	1	-	3	9	2	-	6	32	-	-	1	6
75-	18	43	5	16	-	1	4	11	1	4	13	27	-	1	3	5
80-	24	40	6	16	1	1	4	11	-	4	18	24	1	-	7	8
85 and over	17	64	5	12	1	-	3	10	1	2	12	52	1	1	2	5

Causes of death	705		706-709*		711-714*		716*		720-727		720		721*		722-0	
			710		715		XIII						722			
	Erythematous conditions	Other hypertrophic and atrophic conditions of skin	Chronic ulcer of skin	720-749 Diseases of the bones and organs of movement		Arthritis and rheumatism except rheumatic fever	Acute arthritis due to pyogenic organisms	Rheumatoid arthritis and allied conditions	Rheumatoid arthritis							
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	19	22	22	58	33	93	690	1,378	344	994	10	21	219	720	194	712
0-	1	-	-	-	-	-	8	7	-	-	-	-	-	-	-	-
1-	1	-	-	-	-	-	5	4	-	-	-	-	-	-	-	-
5-	-	1	-	1	-	-	2	3	-	-	-	-	-	-	-	-
10-	1	-	-	-	-	-	12	2	-	-	-	-	-	-	-	-
15-	2	1	-	2	-	-	40	3	-	-	-	-	-	-	-	-
20-	-	-	1	-	-	-	13	3	-	-	-	-	-	-	-	-
25-	-	1	1	-	-	-	8	3	-	1	-	-	-	1	-	1
30-	-	-	1	1	-	-	5	8	-	4	-	-	-	4	-	4
35-	-	-	-	1	-	-	6	8	1	4	-	-	1	4	-	4
40-	-	2	-	2	-	-	14	14	6	8	-	1	6	6	5	6
45-	-	1	4	8	1	2	18	20	8	13	-	-	7	9	5	9
50-	-	1	4	9	2	2	37	34	19	28	3	1	14	23	9	21
55-	1	1	5	6	-	1	50	60	29	45	2	1	18	39	16	39
60-	3	3	4	10	3	5	73	132	44	101	2	3	32	91	27	91
65-	4	1	1	4	1	5	99	133	65	110	1	-	52	95	50	91
70-	2	3	1	11	2	10	94	221	50	175	1	4	35	138	31	137
75-	2	4	-	3	8	12	94	237	58	175	1	3	28	125	26	125
80-	-	2	-	-	9	14	76	257	41	183	-	4	20	121	19	120
85 and over	2	1	-	-	7	42	36	229	23	147	-	4	6	64	6	64

\* 685 Puerperal eclampsia: Females 20,35; 686 Other forms of puerperal toxæmia: Female 20; 687 Cerebral hæmorrhage in the puerperium: Females 15,40; 688 Other and unspecified complications of the puerperium: Females 20,25,35; 689 Mastitis and other disorders of lactation - : 691 Cellulitis of finger and toe - : 693 Other cellulitis and abscess with lymphangitis - : 694 Acute lymphadenitis - : 695 Impetigo: Males 0,5; 696 Infectious warts: Male 80; 697 Molluscum contagiosum - : 700 Seborrhoeic dermatitis - : 702 Occupational dermatitis - : 703 Other dermatitis: Male 0; Females 70,75; 706 Psoriasis and similar disorders: Males 65,65,80; Females 60,65,75; 707 Lichen planus - : 708 Pruritus and related conditions: Female 85; 709 Corns and callosities - : 711 Other dermatoses: Female 70; 712 Diseases of nail - : 713 Diseases of hair and hair follicles - : 714 Diseases of sweat and sebaceous glands - : 716 Other diseases of skin: Male 45; Females 65,65,85; 721 Acute non-pyogenic arthritis - .

TABLE 17 - continued

Causes of death	722.1  Spondylitis ankylo- poietica		723  Osteo- arthritis (arthrosis) and allied conditions		724, 725*		727*		730  Osteo- myelitis and periostitis		731  Osteitis deformans		732*		734*	
					726  Muscular rheumatism		730-738  Osteo- myelitis and other diseases of bone and joint						733  Other diseases of bone		735  Displacement of intervertebral disc	
	Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
All ages	25	8	99	235	8	8	159	277	31	19	77	96	39	140	8	5
0-	-	-	-	-	-	-	1	3	1	3	-	-	-	-	-	-
1-	-	-	-	-	-	-	3	1	2	1	-	-	-	-	-	-
5-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-
20-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
25-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
30-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-
45-	2	-	-	3	1	1	1	2	-	-	-	-	-	1	-	-
50-	5	2	2	1	-	3	4	2	-	-	-	-	2	-	1	1
55-	2	-	7	4	1	-	5	7	3	1	1	2	1	1	-	3
60-	5	-	6	5	3	1	17	13	6	2	4	5	3	4	4	-
65-	2	4	11	12	-	-	20	15	6	1	7	6	5	8	1	-
70-	4	1	13	30	-	1	34	34	6	2	19	12	9	13	-	1
75-	2	-	26	44	1	2	28	52	2	1	20	28	5	20	1	-
80-	1	1	20	57	1	-	29	70	2	4	20	29	7	35	-	-
85 and over	-	-	14	78	1	-	13	74	-	3	6	13	7	57	-	-

Causes of death	736, 737, 738*		740-743*		745	746-749*		750	751	752	753					
	740-749		744			XIV										
	Other diseases of musculo-skeletal system		Other diseases of muscle, tendon and fascia			750-759 Congenital malformations										
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	187	107	149	50	30	42	2,511	2,215	75	94	245	393	85	92	76	62
0-	7	4	6	3	-	1	1,707	1,526	75	94	213	354	58	69	33	34
1-	2	3	2	1	-	1	202	170	-	-	23	30	10	10	16	15
5-	1	2	1	1	-	-	65	58	-	-	2	3	7	4	6	3
10-	12	2	10	1	2	1	39	34	-	-	3	-	5	3	3	3
15-	39	2	39	2	-	-	50	22	-	-	1	1	-	-	6	1
20-	13	2	12	2	1	-	33	22	-	-	1	1	-	1	-	1
25-	7	1	4	1	1	-	23	21	-	-	-	-	-	4	1	-
30-	5	4	4	2	1	2	28	19	-	-	-	1	-	-	2	-
35-	5	4	4	2	1	2	34	18	-	-	1	1	-	-	1	1
40-	7	6	5	3	2	1	29	32	-	-	-	-	-	-	1	1
45-	9	5	6	4	2	1	37	43	-	-	-	-	-	1	2	1
50-	14	4	11	1	3	3	60	52	-	-	-	1	1	-	2	1
55-	16	8	13	4	3	3	57	35	-	-	-	-	1	-	-	-
60-	12	18	9	9	2	7	55	37	-	-	-	-	3	-	2	1
65-	14	8	8	5	5	-	36	37	-	-	1	1	-	-	1	-
70-	10	12	6	4	3	5	24	34	-	-	-	-	-	-	-	-
75-	8	10	4	4	3	6	14	26	-	-	-	-	-	-	-	-
80-	6	4	5	1	1	2	12	19	-	-	-	-	-	-	-	-
85 and over	-	8	-	-	-	7	6	10	-	-	-	-	-	-	-	-

\* 724 Other specified forms of arthritis: Male 65; Females 60,65,80; 725 Arthritis, unspecified: Males 55,60,70,75,85,85; Females 55,65,65,70,70,75,85; 727 Rheumatism, unspecified: Male 75; 732 Osteochondrosis - : 734 Internal derangement of knee joint - : 736 Affection of sacro-iliac joint: Female 45; 737 Ankylosis of joint: Female 25; 738 Other diseases of joint: Males 1,45,50,65; Females 50,60,60,70,70,70,70,70,75,75,75,80,80,85; 740 Bunion: Females 60,65,70,85; 741 Synovitis, bursitis, and tenosynovitis without mention of occupational origin: Males 25,60,65,75; 743 Infective myositis and other inflammatory diseases of tendon and fascia: Females 5,65; 746 Flat foot - : 747 Hallux valgus and varus: Females 60,70; 748 Clubfoot: Males 0,25; 749 Other deformities: Males 45,70; Females 1,40,40,55,65,70,80.

TABLE 17 - continued

Causes of death	754		755		756		756.0		756.1		756.2		757		757.1	
	Congenital malformations of circulatory system		Cleft palate and harelip		Congenital malformations of digestive system		Congenital hypertrophic pyloric stenosis		Imperforate anus		Other		Congenital malformations of genito-urinary system		Polycystic disease of kidney	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	1,257	996	4	-	222	197	14	4	17	5	191	188	278	210	148	157
0-	830	641	3	-	182	145	14	4	16	5	152	136	114	52	21	21
1-	107	88	-	-	21	16	-	-	-	-	21	16	10	4	2	-
5-	43	39	-	-	1	1	-	-	1	-	-	1	3	5	1	3
10-	20	25	1	-	-	-	-	-	-	-	-	-	6	1	1	-
15-	36	17	-	-	-	1	-	-	-	-	-	1	2	1	-	1
20-	20	12	-	-	1	2	-	-	-	-	1	2	7	4	1	3
25-	18	16	-	-	1	-	-	-	-	-	1	-	1	-	1	-
30-	23	11	-	-	-	-	-	-	-	-	-	-	2	6	1	2
35-	20	8	-	-	-	1	-	-	-	-	-	1	9	4	9	3
40-	14	13	-	-	-	1	-	-	-	-	-	1	13	16	12	16
45-	22	13	-	-	-	-	-	-	-	-	-	-	12	27	12	26
50-	24	26	-	-	2	1	-	-	-	-	2	1	21	22	20	21
55-	25	21	-	-	1	-	-	-	-	-	1	-	25	12	21	12
60-	27	16	-	-	3	4	-	-	-	-	3	4	16	14	13	13
65-	14	18	-	-	3	4	-	-	-	-	3	4	10	13	10	11
70-	8	16	-	-	2	5	-	-	-	-	2	5	10	13	8	12
75-	4	10	-	-	3	6	-	-	-	-	3	6	5	6	5	4
80-	2	3	-	-	1	8	-	-	-	-	1	8	8	6	7	6
85 and over	-	3	-	-	1	2	-	-	-	-	1	2	4	4	3	3

Causes of death	757.0;2;3		758		759		XV		760.5-773.5		760-769		760		761	
	Others included under 757		Congenital malformations of bone and joint		Other and unspecified congenital malformations not elsewhere classified		760-776* Certain diseases of early infancy		With immaturity		Birth injuries, asphyxia and infections of newborn		Intra-cranial and spinal injury at birth		Other birth injury	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	130	53	47	42	222	129	4,959	3,384	1,923	1,333	2,924	1,943	723	432	295	173
0-	93	31	25	32	174	105	4,957	3,384	1,923	1,333	2,922	1,943	722	432	295	173
1-	8	4	4	1	11	6	-	-	-	-	-	-	1	-	-	-
5-	2	2	1	-	2	3	-	-	-	-	-	-	-	-	-	-
10-	5	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
15-	2	-	2	-	3	1	-	-	-	-	-	-	-	-	-	-
20-	6	1	2	-	2	1	-	-	-	-	-	-	-	-	-	-
25-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
30-	1	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-
35-	-	1	2	1	1	2	-	-	-	-	-	-	-	-	-	-
40-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
45-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
50-	1	1	2	-	8	1	-	-	-	-	-	-	-	-	-	-
55-	4	-	2	1	3	1	-	-	-	-	-	-	-	-	-	-
60-	3	1	1	-	3	2	-	-	-	-	-	-	-	-	-	-
65-	-	2	1	-	6	1	-	-	-	-	-	-	-	-	-	-
70-	2	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-
75-	-	2	-	1	2	3	-	-	-	-	-	-	-	-	-	-
80-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
85 and over	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-

\* Note: The group 760-776 relates particularly to the causes of death within the first 28 days of life, but it includes also some deaths from the causes specified at all ages

TABLE 17 - continued

Causes of death	762		763		764		765, 766*		768		769		770-776		770	
	Postnatal asphyxia and atelectasis		Pneumonia of newborn		Diarrhoea of newborn		Umbilical sepsis		Other sepsis of newborn		Neonatal disorders arising from maternal toxæmia		Other diseases peculiar to early infancy		Haemolytic disease of newborn (erythroblastosis)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	1,435	972	302	229	34	32	6	2	45	22	83	81	2,035	1,441	162	149
0-	1,435	972	302	229	34	32	6	2	45	22	82	81	2,035	1,441	162	149
1-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes of death	771		772		773		774		776		XVI		780-789		780	
	Haemorrhagic disease of newborn		Nutritional maladjustment		Ill-defined diseases peculiar to early infancy		Immaturity with mention of any other subsidiary condition		Immaturity unqualified		780-795 Symptoms, senility and ill-defined conditions		Symptoms referable to systems or organs		Certain symptoms referable to nervous system and special senses	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	118	76	3	3	308	194	34	17	1,410	1,002	1,535	3,153	95	114	8	5
0-	118	76	3	3	308	194	34	17	1,410	1,002	16	13	7	4	2	3
1-	-	-	-	-	-	-	-	-	-	-	4	3	3	3	1	1
5-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-
10-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-
15-	-	-	-	-	-	-	-	-	-	-	5	2	2	-	2	-
20-	-	-	-	-	-	-	-	-	-	-	8	2	1	-	-	-
25-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
30-	-	-	-	-	-	-	-	-	-	-	3	2	1	1	-	-
35-	-	-	-	-	-	-	-	-	-	-	2	4	-	1	-	1
40-	-	-	-	-	-	-	-	-	-	-	11	1	3	1	-	-
45-	-	-	-	-	-	-	-	-	-	-	10	5	4	3	-	-
50-	-	-	-	-	-	-	-	-	-	-	6	7	-	2	-	-
55-	-	-	-	-	-	-	-	-	-	-	12	4	6	2	1	-
60-	-	-	-	-	-	-	-	-	-	-	22	16	10	10	-	-
65-	-	-	-	-	-	-	-	-	-	-	23	22	9	11	1	-
70-	-	-	-	-	-	-	-	-	-	-	63	81	11	16	1	-
75-	-	-	-	-	-	-	-	-	-	-	167	256	13	16	-	-
80-	-	-	-	-	-	-	-	-	-	-	357	669	11	21	-	-
85 and over	-	-	-	-	-	-	-	-	-	-	822	2,063	11	21	-	-

\* 765 Ophthalmia neonatorum - : 766 Pemphigus neonatorum; Male 0.

TABLE 17 - continued

Causes of death	780-2  Convulsions		780-0;1;3;4;5; 6;7;8;9, 78d*		782-4  Acute heart failure, undefined		782-0;1;2;3;5; 6;7;8;9, 783*		785-789*		790, 791*		793*		795  Ill-defined and unknown causes of mortality	
			782  Symptoms referable to cardiovascular and lymphatic system				784  Symptoms referable to upper gastro-intestinal tract		790-795  Senility and ill-defined diseases		792  Uraemia		794  Senility without mention of psychosis			
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	6	4	48	61	40	58	15	22	1,440	3,039	39	27	1,337	2,969	63	42
0-	1	3	-	-	-	-	-	-	9	9	-	-	-	-	9	9
1-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
5-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
10-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
15-	2	-	-	-	-	-	-	-	3	2	-	-	-	-	3	2
20-	-	-	1	-	1	-	-	-	7	2	-	-	-	-	7	2
25-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
30-	-	-	1	1	1	-	-	-	2	1	-	-	-	-	2	1
35-	-	1	-	-	-	-	-	-	2	3	-	-	-	-	2	3
40-	-	-	2	1	2	1	1	-	8	-	1	-	-	-	7	-
45-	-	-	2	-	1	-	-	1	6	2	-	-	-	-	6	2
50-	-	-	-	1	-	1	-	1	6	5	4	1	-	-	2	4
55-	1	-	4	2	2	2	-	-	6	2	2	-	-	-	4	2
60-	-	-	8	8	8	7	2	2	12	6	2	3	-	-	9	3
65-	-	-	5	7	3	7	1	3	14	11	3	2	6	5	5	4
70-	1	-	5	11	5	11	5	1	52	65	3	5	47	59	2	1
75-	-	-	6	10	5	9	4	1	154	240	7	3	143	236	4	1
80-	-	-	6	9	6	9	1	8	346	648	9	4	337	640	-	4
85 and over	-	-	6	11	6	11	1	5	811	2,042	7	9	804	2,029	-	3

Causes of death	RAILWAY ACCIDENTS										M.V. TRAFFIC ACCIDENTS					
	XVII E800-E999 Accidents, poisonings and violence (external cause)		E800-E802 Railway accidents		E800 involving railroad employee		E801 involving passenger		E802 involving other and unspecified person		E810-E825 Motor vehicle traffic accidents		E810 involving collision with railway train		E811*	
															E812 to pedestrian	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	14,049	10,363	121	18	55	-	9	5	57	13	5,218	2,145	5	1	1,720	1,251
0-	379	270	-	-	-	-	-	-	-	-	11	9	-	-	1	3
1-	455	302	2	2	-	-	1	1	1	1	166	96	-	-	133	73
5-	368	148	6	1	-	-	2	-	4	1	187	86	-	-	160	71
10-	314	108	3	1	-	-	-	-	3	1	150	67	-	-	54	36
15-	1,320	274	5	5	-	-	2	2	3	3	947	179	-	1	96	38
20-	1,096	240	6	-	3	-	1	-	2	-	640	122	1	-	61	16
25-	734	193	5	3	3	-	-	1	2	2	330	51	-	-	30	4
30-	668	206	3	-	2	-	-	-	1	-	230	51	1	-	24	10
35-	716	264	4	-	3	-	-	-	1	-	257	61	-	-	45	16
40-	787	316	11	1	6	-	1	-	4	1	226	60	-	-	51	13
45-	785	406	11	2	6	-	-	-	5	2	247	81	-	-	53	25
50-	932	531	10	-	8	-	-	-	2	-	278	126	1	-	94	43
55-	1,023	603	18	1	11	-	-	-	7	1	312	141	1	-	109	72
60-	953	609	16	1	12	-	-	1	4	-	279	157	-	-	128	100
65-	791	785	8	1	1	-	-	-	7	1	245	195	1	-	114	154
70-	707	927	6	-	-	-	1	-	5	-	206	215	-	-	144	180
75-	754	1,209	5	-	-	-	1	-	4	-	242	252	-	-	189	224
80-	692	1,383	1	-	-	-	-	-	1	-	171	131	-	-	147	116
85 and over	575	1,589	1	-	-	-	-	-	1	-	94	65	-	-	87	57

\* 780-0; 1; 3; 4; 5; 6; 7; 8; 9 Others included under 780; Males 0,65; Female 1; 781 Other symptoms referable to nervous system and special senses: Males 0,1,45; Females 1,1,5; 782-0; 1; 2; 3; 5; 6; 7; 8; 9 Others included under 782; Males 25,25,45 55,55,65,65,75; Females 30,60,75; 783 Symptoms referable to respiratory system: Males 0,65; Females 10,85; 785 Symptoms referable to abdomen and lower gastro-intestinal tract: Males 80,80,85; Females 65,70,70,75,80,80,85,85; 786 Symptoms referable to genito-urinary system: Males 45,75,85; Female 80; 787 Symptoms referable to limbs and back: Female 45; 788 Other general symptoms: Males 0,0,0,1,5,55,65,75,80,80,85,85; Females 0,45,70,70,75,75,75,80,85,85; 789 Abnormal urinary constituents of unspecified cause - : 790 Nervousness and debility: Male 60; Female 85; 791 Headache - : 793 Observation, without need for further medical care - : E811 Motor vehicle traffic accident involving collision with street car - .

TABLE 17 - continued

Causes of death	MOTOR VEHICLE TRAFFIC ACCIDENTS															
	E813		E814		E815		E816		E817, E818, E819*, E820		E821		E822		E823	
	to pedal cyclist		to rider or passenger of motorcycle in collision with non-motor vehicle or object		to rider or passenger of motorcycle in collision with other motor vehicle		Other motor vehicle traffic accident involving two or more motor vehicles		while boarding and alighting		to rider of motorcycle not involving collision		involving overturning in roadway		involving running off roadway	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	394	60	25	1	749	53	1,301	530	9	18	258	27	69	17	560	139
0-	-	-	-	-	1	-	7	5	-	-	-	-	-	-	2	1
1-	7	-	-	-	2	-	16	17	-	-	-	1	2	-	4	2
5-	19	4	-	-	-	-	6	7	-	-	-	-	1	1	-	2
10-	70	11	-	-	7	2	13	10	-	1	-	2	1	1	2	1
15-	31	6	11	-	392	24	141	52	-	1	145	12	12	3	101	35
20-	6	2	4	1	122	7	225	69	-	-	41	3	16	2	142	16
25-	5	2	3	-	39	1	132	26	-	-	15	3	8	-	84	12
30-	6	1	-	-	19	1	112	26	1	-	7	-	5	3	44	9
35-	22	2	-	-	20	1	108	34	-	-	3	1	7	1	44	1
40-	17	1	2	-	23	3	84	34	-	-	11	-	3	-	30	9
45-	16	6	3	-	34	7	89	30	-	-	16	1	3	1	30	8
50-	29	9	-	-	19	2	87	54	4	1	8	3	3	1	25	10
55-	42	6	2	-	27	1	93	48	1	-	3	-	5	-	20	11
60-	41	3	-	-	26	3	63	35	-	4	5	-	1	-	11	10
65-	41	2	-	-	15	1	52	26	2	4	2	-	1	1	10	5
70-	18	4	-	-	2	-	29	22	-	3	2	1	-	1	7	3
75-	16	1	-	-	1	-	27	21	1	1	-	-	-	1	4	1
80-	7	-	-	-	-	-	13	10	-	2	-	-	-	-	-	2
85 and over	1	-	-	-	-	-	4	4	-	1	-	-	1	1	-	1

Causes of death	M.V. TRAFFIC ACCIDENTS								MOTOR VEHICLE NON-TRAFFIC ACCIDENTS							
	E824		E825		E830-E835		E830		E831*		E833, E834*		E840-E845		E840, E841*	
	Other non-collision motor vehicle traffic accident		of unspecified nature		Motor vehicle non-traffic accidents		to pedestrian		to rider or passenger of motorcycle		of other and unspecified nature		Other road vehicle accidents		Accident to pedestrian caused by pedal cycle	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	53	13	62	31	75	16	43	12	10	-	16	3	65	27	7	10
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	1	2	2	3	1	3	1	-	-	-	-	2	-	1	-
5-	1	-	-	-	2	1	-	1	-	-	2	-	5	3	-	-
10-	2	1	1	2	2	-	1	-	1	-	-	-	9	3	-	1
15-	8	2	9	5	1	-	-	-	1	-	-	-	6	1	-	-
20-	3	1	13	5	6	-	3	-	1	-	-	-	2	-	-	-
25-	5	1	8	2	10	1	4	-	3	-	2	1	3	-	-	-
30-	3	-	6	1	8	-	4	-	1	-	3	-	2	-	-	-
35-	5	1	3	3	5	1	2	1	1	-	3	-	2	1	-	-
40-	4	-	1	-	4	-	2	-	-	-	2	-	2	-	-	-
45-	1	-	2	3	7	1	6	1	-	-	1	-	5	2	-	-
50-	3	2	5	-	2	1	1	-	-	-	-	1	1	1	-	1
55-	2	1	7	2	8	2	6	2	2	-	-	-	6	5	2	-
60-	4	1	-	1	10	-	7	-	-	-	2	-	6	1	1	-
65-	4	1	3	-	2	-	-	-	1	-	-	-	4	4	1	3
70-	4	-	-	1	3	5	2	4	-	-	1	-	4	2	-	1
75-	3	-	1	3	-	1	-	-	-	-	-	1	5	3	2	3
80-	3	1	-	-	2	2	2	2	-	-	-	-	1	1	-	1
85 and over	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-

\* E817 Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle - : E818 Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle; Female 5; E819 Motor vehicle traffic accident involving collision with fixed or unspecified object; Males 15,15,15,20,20,20,20,20,25,30,30,80; Females 35,50,65; E831 Motor vehicle non-traffic accident to pedal cyclist - : E833 Other motor vehicle non-traffic accident involving two or more motor vehicles; Males 20,25; E834 Motor vehicle non-traffic accident while boarding and alighting; Males 20,50,60,65; Female 70; E840 Street car accident to pedestrian; Male 15; E841 Other street car accident, except collision with motor vehicles - .

TABLE 17 - continued

Causes of death	E843 Accident to rider of pedal cycle not involving collision with motor vehicle		E844*		E850-E858 Water transport accidents		E850 Submersion of occupant of small boat		E851 Other water transport injury by submersion		E852*		E854, E855, E856*		E858*	
			E845 Other non-motor road vehicle accidents								E853 Other falls from one level to another in water transport		E857 Other specified accidents in water transport		E860-E866 Aircraft accidents	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	50	10	7	7	171	18	82	6	47	11	13	-	19	1	61	1
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	4	1	1	2	6	4	3	1	3	3	-	-	-	-	1	-
10-	8	-	1	2	10	-	8	-	2	-	-	-	-	-	1	-
15-	3	-	2	1	24	-	19	-	1	-	2	-	2	-	5	-
20-	2	-	-	-	20	-	12	-	4	-	1	-	1	-	7	-
25-	3	-	-	-	14	-	4	-	4	-	4	-	2	-	13	1
30-	2	-	-	-	20	2	9	-	7	2	1	-	2	-	12	-
35-	2	-	-	1	14	2	7	2	4	-	-	-	3	-	8	-
40-	-	-	2	-	20	2	9	-	7	2	1	-	1	-	8	-
45-	4	1	1	1	11	1	5	-	4	1	2	-	-	-	1	-
50-	1	-	-	-	7	1	-	-	3	1	-	-	3	-	2	-
55-	4	5	-	-	14	3	4	1	3	1	2	-	3	1	-	-
60-	5	1	-	-	4	-	2	-	1	-	-	-	1	-	3	-
65-	3	1	-	-	7	2	-	1	4	1	-	-	1	-	-	-
70-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-	3	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
80-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes of death	E860 Accident to personnel in military aircraft		E862-E866* E861 Injury to occupant by accident to commercial 'transport' aircraft		ACCIDENTAL POISONING											
					E870-E888 Accidental poisoning by solid and liquid substances		E870*		E872 by aspirin and salicylates		E873*		E875, E876, E877* E878 by other and unspecified drugs		E879* E880 by alcohol	
							E871 by barbituric acid and derivatives				E874 by other analgesic and soporific drugs					
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	31	-	1	-	384	456	268	350	17	23	27	31	27	29	23	6
0-	-	-	-	-	2	1	1	-	-	-	-	1	1	-	-	-
1-	-	-	-	-	11	15	-	-	1	1	3	3	3	7	-	-
5-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-
10-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
15-	2	-	-	-	4	6	3	3	-	2	-	-	-	1	-	-
20-	6	-	-	-	14	11	8	7	-	-	-	2	3	2	2	-
25-	10	-	-	-	13	17	8	8	2	1	-	4	2	3	1	-
30-	7	-	1	-	27	13	16	9	1	1	3	-	5	2	-	-
35-	2	-	-	-	33	24	25	18	-	1	4	3	1	-	2	-
40-	3	-	-	-	39	46	26	36	-	3	3	4	2	3	6	-
45-	1	-	-	-	48	44	32	38	1	1	6	2	3	1	4	2
50-	-	-	-	-	41	56	31	46	1	1	3	5	2	3	3	-
55-	-	-	-	-	36	65	28	55	3	3	1	2	1	2	1	2
60-	-	-	-	-	45	44	31	36	4	2	2	2	2	1	3	1
65-	-	-	-	-	20	47	17	39	1	2	-	2	2	2	-	-
70-	-	-	-	-	21	30	18	26	1	3	2	-	-	-	-	-
75-	-	-	-	-	16	22	13	16	1	2	-	1	-	1	-	1
80-	-	-	-	-	7	10	7	8	-	-	-	-	-	1	-	-
85 and over	-	-	-	-	4	4	2	4	1	-	-	-	-	-	-	-

\* E844 Accident to pedestrian caused by other non-motor road vehicle - : E852 Fall on stairs and ladders in water transport; Males 20,40,50,55,55,65; E854 Falls on same level in water transport; Male 65; E855 Unspecified falls in water transport; Male 30; E856 Machinery accident in water transport; Males 20,40; E858 Water transport accident of unspecified cause - : E862 Other injury in commercial 'transport' aircraft - : E863 Injury to occupant by accident to other specified aircraft; Males 5,10,15,15,25,25,25,30,30,30,30,35,35,35,35,35,40,40,40,40,40,50,50,60,60,60; Female 25; E864 Aircraft accident at airfield to person not in aircraft; Male 15; E865 Aircraft accident elsewhere to person not in aircraft - : E866 Other and unspecified aircraft accidents; Male 20; E870 Accidental poisoning by morphine and other opium derivatives; Females 35,55; E873 Accidental poisoning by bromides; Male 45; E875 Accidental poisoning by sulfonamides - : E876 Accidental poisoning by strychnine; Male 1; E877 Accidental poisoning by belladonna, hyoscyne, and atropine; Male 1; E879 Accidental poisoning by noxious foodstuffs - .

TABLE 17 - continued

Causes of death	ACCIDENTAL POISONING												E900-E904		E900	
	E881-E887*		E890-E895		E890		E891		E892		E893, E895*					
	E888 by other and unspecified solid and liquid substances										E894 by other specified gases and vapours					
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	5	9	430	498	356	463	15	-	40	33	15	2	1,881	3,570	346	460
0-	-	-	1	-	1	-	-	-	-	-	-	-	18	17	-	1
1-	1	2	11	5	4	3	-	-	7	2	-	-	37	26	6	5
5-	-	-	3	2	1	-	-	-	2	2	-	-	15	5	1	-
10-	-	-	6	1	3	1	1	-	1	-	1	-	19	6	1	-
15-	1	-	19	3	15	2	-	-	2	1	2	-	37	4	1	1
20-	1	-	14	8	10	8	-	-	1	-	1	-	60	2	4	-
25-	-	1	16	4	13	2	1	-	1	1	1	1	50	3	6	-
30-	-	1	16	9	12	4	-	-	2	5	2	-	41	2	7	1
35-	-	-	14	7	10	6	-	-	4	1	-	-	37	6	7	1
40-	-	-	18	4	9	4	3	-	2	-	3	-	55	13	8	7
45-	-	-	24	4	15	4	3	-	4	-	2	-	53	14	17	5
50-	1	-	26	14	24	12	-	-	1	2	-	-	68	26	17	13
55-	-	-	23	14	18	11	1	-	2	2	2	1	103	45	35	15
60-	1	1	31	22	27	18	2	-	2	4	-	-	112	87	19	26
65-	-	2	36	46	34	42	1	-	1	4	-	-	121	155	36	35
70-	-	1	40	69	35	64	1	-	3	5	1	-	153	301	37	40
75-	-	1	44	81	41	81	-	-	3	-	-	-	243	606	64	90
80-	-	-	51	122	49	120	1	-	1	2	-	-	303	946	36	105
85 and over	-	-	37	83	35	81	1	-	1	2	-	-	356	1,306	44	115

Causes of death	E901		E902		E903		E904		E910-E936		E910		E911		E912	
	Fall from ladders		Other falls from one level to another		Fall on same level		Unspecified falls		Other accidents		Blow from falling or projected object or missile		Accident caused by vehicle		Accident caused by machinery	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	55	6	462	228	725	1,986	283	890	2,496	1,240	214	10	69	-	246	5
0-	-	-	14	9	-	4	4	3	320	226	-	2	-	-	-	-
1-	-	-	17	18	5	2	9	1	213	146	6	3	-	-	4	-
5-	-	-	12	3	1	2	1	-	131	38	7	-	-	-	4	1
10-	-	-	17	4	-	-	1	2	104	22	3	-	-	-	7	-
15-	-	-	32	1	2	1	2	1	182	22	15	-	-	-	24	1
20-	1	-	49	2	1	-	5	-	146	18	8	1	5	-	24	-
25-	2	-	39	1	2	1	1	1	121	15	13	-	5	-	22	-
30-	3	-	26	1	-	-	5	-	116	22	15	-	4	-	16	1
35-	3	-	22	2	3	2	2	1	108	19	23	1	3	-	18	-
40-	5	-	38	1	2	5	2	-	124	26	31	-	5	-	27	-
45-	4	-	19	4	8	4	5	1	124	32	33	-	8	-	20	-
50-	5	-	20	6	15	5	11	2	154	46	21	-	13	-	33	1
55-	9	-	27	6	23	15	9	9	152	51	21	-	12	-	25	-
60-	16	1	35	7	32	26	10	27	125	68	10	-	14	-	11	-
65-	6	1	16	10	51	77	12	32	107	93	1	1	-	-	7	-
70-	7	-	14	14	71	175	24	72	65	94	3	-	-	-	3	1
75-	4	3	15	32	119	339	41	142	75	107	1	2	-	-	1	-
80-	-	-	26	51	180	531	61	259	78	99	2	-	-	-	-	-
85 and over	-	1	24	56	210	797	78	337	51	96	1	-	-	-	-	-

\* E881 Accidental poisoning by petroleum products - : E882 Accidental poisoning by industrial solvents: Males 30,30,40,45,55, 60,60,85; E883 Accidental poisoning by corrosive aromatics, acids and caustic alkalis: Males 35,40,75,75; Females 1,50,60,80; E884 Accidental poisoning by mercury and its compounds - : E885 Accidental poisoning by lead and its compounds: Males 1,55; Female 1; E886 Accidental poisoning by arsenic and antimony, and their compounds - : E887 Accidental poisoning by fluorides: Female 35; E893 Accidental poisoning by cyanide gas: Male 50; E895 Accidental poisoning by unspecified gases and vapours: Males 20,20,40.

TABLE 17 - continued

Causes of death	E913		E914		E915		E916		E917		E918*		E920*		E922	
	Accident caused by cutting and piercing instruments		Accident caused by electric current		Accident caused by explosion of pressure vessel		Accident caused by fire and explosion of combustible material		Accident caused by hot substance, corrosive liquid, and steam		E919  Accident caused by firearm		E921  Inhalation and ingestion of food causing obstruction or suffocation			
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	13	4	103	25	2	-	343	462	39	50	49	4	318	234	16	7
0-	-	-	1	2	-	-	13	12	1	-	-	-	161	121	6	3
1-	-	1	5	-	-	-	50	59	10	12	-	-	32	17	3	2
5-	-	-	6	-	-	-	14	19	-	2	2	-	2	-	1	1
10-	2	-	7	3	-	-	10	6	1	-	3	2	3	-	-	-
15-	-	-	14	2	-	-	6	6	-	-	10	1	6	1	1	-
20-	1	-	17	2	-	-	15	2	-	1	9	-	5	3	-	-
25-	3	-	13	-	-	-	11	8	1	-	3	1	8	-	-	-
30-	1	-	11	1	-	-	12	9	-	-	4	-	10	4	-	-
35-	-	-	2	-	2	-	15	3	2	-	1	-	7	2	1	-
40-	-	-	5	1	-	-	13	11	3	1	1	-	10	4	-	-
45-	-	1	3	1	-	-	13	9	1	1	1	-	7	10	-	-
50-	1	-	7	-	-	-	13	16	3	2	4	-	9	8	1	-
55-	-	-	3	4	-	-	14	10	3	1	3	-	14	13	-	-
60-	-	-	4	4	-	-	17	32	-	1	1	-	13	9	-	-
65-	3	-	1	2	-	-	24	37	1	3	2	-	10	14	3	-
70-	-	2	1	2	-	-	18	43	3	3	4	-	6	9	-	-
75-	1	-	2	1	-	-	25	57	2	8	1	-	6	8	-	1
80-	1	-	1	-	-	-	34	58	4	8	-	-	5	5	-	-
85 and over	-	-	-	-	-	-	26	65	4	7	-	-	4	6	-	-

Causes of death	E923		E924		E925		E926		E927*		E929		E930, E931*		E933	
	Foreign body entering other orifice		Accidental mechanical suffocation in bed and cradle		Accidental mechanical suffocation in other and unspecified circumstances		Lack of care of infants under 1 year of age		E928				E932			
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	7	12	91	53	47	10	20	20	9	1	637	196	32	33	19	16
0-	-	2	85	47	9	5	20	20	1	1	2	2	-	-	-	-
1-	-	1	3	4	2	1	-	-	-	-	84	31	-	-	-	1
5-	-	-	-	-	-	1	-	-	-	-	86	10	-	-	-	-
10-	-	-	-	-	7	-	-	-	-	-	43	9	-	-	-	-
15-	-	-	-	1	4	-	-	-	-	-	69	5	2	-	-	-
20-	-	1	1	-	3	-	-	-	-	-	41	7	-	-	-	-
25-	-	-	-	-	5	-	-	-	-	-	26	4	-	1	-	1
30-	-	2	-	-	7	-	-	-	-	-	26	5	-	-	2	-
35-	-	-	-	-	5	-	-	-	1	-	18	9	1	-	-	1
40-	-	1	1	1	1	-	-	-	-	-	18	3	1	-	2	1
45-	1	1	-	-	-	-	-	-	-	-	22	8	2	-	2	-
50-	-	1	-	-	1	-	-	-	1	-	36	13	-	1	4	-
55-	-	-	-	-	1	1	-	-	-	-	33	17	2	2	2	-
60-	3	-	-	-	1	-	-	-	1	-	36	16	3	-	1	2
65-	1	-	-	-	-	1	-	-	3	-	39	22	2	5	2	-
70-	1	-	-	-	-	-	-	-	1	-	17	17	2	8	-	2
75-	-	1	-	-	-	1	-	-	-	-	17	9	7	9	1	2
80-	1	2	1	-	1	-	-	-	1	-	17	8	6	3	1	4
85 and over	-	-	-	-	-	-	-	-	-	-	7	1	4	4	2	2

\* E918 Accident caused by radiation - ; E920 Foreign body entering eye and adnexa - ; E927 Accidents caused by bites and stings of venomous animals and insects: Males 40,45; Females 65,75; E930 High and low air pressure: Males 15,55; E931 Excessive heat and insolation? Female 0.

TABLE 17 - continued

Causes of death	E934*		E936  Other and unspecified accidents		E940-E946*		E950-E959  Therapeutic misadventure and late complications of therapeutic procedures		E950  Therapeutic misadventure in surgical treatment		E951-E959*		E960  Late effect of motor vehicle accident		E961*	
	E935  Lightning				E940-E946  Complications due to non- therapeutic medical and surgical procedures						E960-E965  Late effects of injury and poisoning				E962  Late effect of other accidental injury	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	1	-	216	95	8	3	23	23	1	-	114	25	28	7	66	18
0-	-	-	21	8	2	-	1	2	-	-	-	-	-	-	-	-
1-	-	-	14	14	3	-	1	-	-	-	-	-	-	-	-	-
5-	1	-	8	4	1	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	18	2	1	-	-	-	-	-	1	1	1	1	-	-
15-	-	-	30	5	-	-	-	-	-	-	2	-	1	-	1	-
20-	-	-	17	1	-	-	-	1	-	-	2	1	2	1	-	-
25-	-	-	11	-	1	-	2	1	-	-	5	-	3	-	2	-
30-	-	-	8	-	-	1	-	1	-	-	1	-	1	-	-	-
35-	-	-	8	3	-	1	2	-	-	-	9	-	3	-	5	-
40-	-	-	5	3	-	-	1	2	-	-	9	1	2	-	6	1
45-	-	-	10	1	-	-	1	2	-	-	11	1	3	1	7	-
50-	-	-	7	4	-	1	1	3	-	-	15	-	3	-	11	-
55-	-	-	19	3	-	-	2	1	-	-	12	1	3	-	9	1
60-	-	-	10	4	-	-	2	1	1	-	12	2	2	1	10	1
65-	-	-	7	7	-	-	4	2	-	-	13	-	1	-	9	-
70-	-	-	6	7	-	-	-	-	-	-	13	-	3	-	3	-
75-	-	-	11	7	-	-	2	2	-	-	8	7	-	3	2	4
80-	-	-	3	11	-	-	3	4	-	-	-	5	-	-	-	5
85 and over	-	-	3	11	-	-	1	1	-	-	1	6	-	-	1	6

Causes of death	E963, E964*		E970-E979		E970		E971		E972		E973		E974		E975	
	E965															
	Late effects of injuries due to war operations		Suicide and self-inflicted injury		Suicide and self-inflicted poisoning by analgesic and soporific substances		Suicide and self-inflicted poisoning by other solid and liquid substances		Suicide and self-inflicted poisoning by gases in domestic use		Suicide and self-inflicted poisoning by other gases		Suicide and self-inflicted injury by hanging and strangulation		Suicide and self-inflicted injury by submersion (drowning)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	19	-	2,823	2,171	663	1,075	66	36	922	671	154	9	428	122	153	152
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	3	1	1	-	-	-	1	1	-	-	-	-	-	-
15-	-	-	81	40	11	11	1	-	33	24	1	1	16	2	1	-
20-	-	-	162	63	33	26	9	3	59	25	13	1	17	-	2	2
25-	-	-	139	82	29	37	3	1	59	32	9	-	12	3	5	-
30-	-	-	171	96	50	52	2	3	55	27	14	1	17	3	5	4
35-	-	-	207	131	48	75	7	4	74	35	17	1	28	4	2	7
40-	1	-	255	156	69	85	8	7	72	37	24	-	32	7	9	11
45-	1	-	235	214	68	107	6	4	62	68	16	2	40	14	7	11
50-	1	-	309	251	73	154	12	5	95	59	26	1	46	9	12	12
55-	-	-	331	272	87	136	6	2	102	80	16	-	48	18	28	18
60-	-	-	304	218	68	101	4	1	91	70	11	1	46	19	23	19
65-	3	-	218	233	50	105	2	3	72	73	-	-	44	20	18	20
70-	7	-	192	206	38	84	3	2	68	77	2	-	39	15	18	22
75-	6	-	114	119	20	60	1	1	37	31	3	1	23	5	18	18
80-	-	-	73	62	13	31	1	-	32	22	2	-	15	2	4	6
85 and over	-	-	29	27	5	11	1	-	10	10	-	-	5	1	1	2

\* E934 Cataclysm; Male 65; E940 Generalized vaccinia following vaccination - : E941 Postvaccinal encephalitis; Male 10; Female 50; E942 Other complications of smallpox vaccination; Male 1; E943 Post-immunization jaundice and hepatitis - : E944 Other complications of prophylactic inoculation; Males 0,1,1,5,25; E945 Complications of anaesthesia for non-therapeutic purpose; Male 0; E946 Other complications due to non-therapeutic medical and surgical procedures; Females 30,35; E951 Therapeutic misadventure in infusion or transfusion; Males 0,1,35,35,55; Females 0,0,25,40; E952 Therapeutic misadventure in local applications; Females 60,65; E953 Therapeutic misadventure in administration of drugs or biologicals; Males 25,25,40,45,55,65,65,65,75,80,80,80,85; Females 20,30,40,45,45,50,50,55,75,80,80,80,85; E954 Therapeutic misadventure in anaesthesia; Male 50; Female 65; E955 Other and unspecified therapeutic misadventure; Males 60,75; E956 Late complication of surgical operation; Female 80; E957 Late complication of amputation stump - : E958 Late complication of irradiation - : E959 Late complication of other forms of treatment - : E961 Late effect of accidental poisoning - : E963 Late effect of self-inflicted injury - : E964 Late effect of injury purposely inflicted by another person; Male 35.

TABLE 17 - continued

Causes of death	E976		E977		E978		E979		E980-E985		E980		E981		E982	
	Suicide and self-inflicted injury by firearms and explosives		Suicide and self-inflicted injury by cutting and piercing instruments		Suicide and self-inflicted injury by jumping from high place		Suicide and self-inflicted injury by other and unspecified means		Homicide and injury purposely inflicted by other persons (not in war)		Non-accidental poisoning by another person		Assault by firearm and explosive		Assault by cutting and piercing instruments	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	172	1	74	17	59	33	132	55	178	152	12	14	21	6	48	34
0-	-	-	-	-	-	-	-	-	24	15	3	4	-	-	1	-
1-	-	-	-	-	-	-	-	-	6	11	1	5	-	-	1	-
5-	-	-	-	-	-	-	-	-	9	8	5	1	1	-	-	-
10-	1	-	-	-	-	-	-	-	4	5	-	-	-	-	1	2
15-	6	-	1	-	3	1	8	1	7	14	-	1	-	1	2	5
20-	14	-	2	1	4	1	9	4	17	14	-	-	2	1	9	5
25-	7	-	2	-	8	4	5	5	12	15	-	-	2	1	4	5
30-	11	-	3	1	3	-	11	5	21	9	-	-	6	1	4	2
35-	15	-	1	1	2	-	13	4	16	11	-	-	4	-	8	2
40-	17	-	6	2	6	3	12	4	15	5	-	-	2	-	7	2
45-	16	1	4	-	2	4	14	3	7	8	-	-	-	1	1	4
50-	23	-	12	3	3	2	7	6	18	5	1	-	3	1	5	2
55-	14	-	8	2	1	5	21	11	6	2	2	-	-	-	1	-
60-	20	-	16	1	10	3	15	3	4	8	-	1	1	-	1	1
65-	11	-	7	4	2	3	12	5	6	7	-	1	-	-	1	2
70-	9	-	7	2	6	3	2	1	4	5	-	1	-	-	2	1
75-	4	-	2	-	3	1	3	2	-	8	-	-	-	-	-	1
80-	3	-	2	-	1	-	-	1	1	1	-	-	-	-	-	-
85 and over	1	-	1	-	5	3	-	-	1	1	-	-	-	-	-	-

Causes of death	E983		E984*		E990-E999*		XVII		FRACTURES							
			E985		E990-E999		N800-N999		N800-N809		N800		N801		N802	
			Execution		Injury resulting from operations of war		Alternative classification of accidents, poisonings and violence (nature of injury)		Fracture of skull, spine and trunk		of vault of skull		of base of skull		of face bones	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	97	98	-	-	1	-	14,049	10,363	4,229	1,757	42	16	437	159	32	22
0-	20	11	-	-	-	-	379	270	26	23	1	3	1	1	-	-
1-	4	6	-	-	-	-	455	302	137	74	4	5	19	10	-	-
5-	3	7	-	-	-	-	368	148	133	53	3	-	21	6	-	-
10-	3	3	-	-	-	-	314	108	124	50	1	-	15	6	-	-
15-	5	7	-	-	-	-	1,320	274	604	118	5	2	86	16	7	1
20-	6	8	-	-	-	-	1,096	240	424	77	4	-	60	9	4	2
25-	6	9	-	-	-	-	734	193	268	24	4	-	22	3	1	-
30-	11	6	-	-	-	-	668	206	182	31	-	-	20	4	1	-
35-	4	9	-	-	-	-	716	264	205	42	2	-	26	5	1	2
40-	6	3	-	-	-	-	787	316	227	36	1	-	23	5	2	-
45-	6	3	-	-	-	-	785	406	204	55	2	1	18	8	3	2
50-	9	2	-	-	-	-	932	531	252	82	1	-	31	15	1	-
55-	3	2	-	-	-	-	1,023	603	309	99	1	-	28	12	1	1
60-	2	6	-	-	-	-	953	609	245	104	1	1	22	12	2	2
65-	5	4	-	-	-	-	791	785	216	142	3	-	13	12	1	-
70-	2	3	-	-	-	-	707	927	198	182	2	1	8	9	1	2
75-	-	7	-	-	-	-	754	1,209	213	250	2	1	12	17	2	5
80-	1	1	-	-	1	-	692	1,383	158	155	3	-	5	3	4	2
85 and over	1	1	-	-	-	-	575	1,589	104	160	2	2	7	6	1	3

\* E984 Injury by intervention of police - ; E990 Injury due to war operations by gas and chemicals - ; E991 Injury due to war operations by gunshot; Male 80; E992 Injury due to war operations by grenade and land mine - ; E993 Injury due to war operations by bomb - ; E994 Injury due to war operations by marine mine, depth charge, and torpedo - ; E995 Injury due to war operations by explosion of artillery shell - ; E996 Injury due to war operations by explosion of undetermined origin - ; E997 Injury due to war operations by aircraft destruction - ; E998 Injury due to war operations by other and unspecified means - ; E999 Injury due to war operations but occurring after cessation of hostilities - .

TABLE 17 - continued

Causes of death	FRACTURES															
	N803		N804		N805		N806		N807		N808		N809		N810-N819	
	Other and unqualified skull fractures		Multiple fractures involving skull or face with other bones		Fracture and fracture dislocation of vertebral column, without mention of spinal cord lesion		Fracture and fracture dislocation of vertebral column with spinal cord lesion		of rib(s), sternum, and larynx		of pelvis		Multiple and ill-defined fractures of trunk		Fracture of upper limb	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	1,840	619	981	370	273	145	74	30	177	82	109	134	264	180	60	100
0-	20	17	3	2	-	-	-	-	1	-	-	-	-	-	-	-
1-	85	43	17	11	8	3	2	1	-	-	1	-	1	1	-	-
5-	71	27	25	12	6	4	3	2	-	-	1	-	3	2	-	-
10-	72	30	24	10	3	2	3	-	2	-	1	1	3	1	1	-
15-	292	58	155	18	26	8	5	3	4	1	9	6	15	5	1	-
20-	191	33	110	15	20	7	9	4	4	-	9	4	13	3	-	-
25-	122	10	77	6	11	3	1	-	9	1	5	-	16	1	2	1
30-	90	12	45	9	8	4	4	-	5	-	2	1	7	1	1	-
35-	96	16	49	13	12	3	4	1	5	-	1	2	9	-	-	1
40-	94	15	64	7	16	4	8	2	3	1	4	-	12	2	-	-
45-	85	26	53	7	17	4	7	1	3	2	4	-	12	4	3	-
50-	103	36	45	16	20	6	6	-	16	3	6	2	23	4	-	-
55-	135	35	67	29	27	6	3	4	14	3	5	3	28	6	5	1
60-	98	38	49	23	24	9	6	1	11	3	7	3	25	12	5	2
65-	87	48	51	39	18	13	3	3	16	7	3	9	21	11	1	4
70-	76	53	42	52	19	10	2	3	15	11	12	13	21	28	2	13
75-	65	62	50	54	14	24	4	1	28	13	13	24	23	49	16	18
80-	40	31	33	29	12	18	2	2	25	17	15	30	19	23	8	24
85 and over	18	29	22	18	12	17	2	2	16	20	11	36	13	27	15	36

Causes of death	FRACTURES															
	N810		N812		N813		N814		N818		N819		N820-N829		N820	
	of clavicle		of humerus		of radius and ulna		of carpal bone(s)		Other, multiple, and ill-defined fractures of upper limb		Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum		Fracture of lower limb		of neck of femur	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	4	3	30	58	-	12	3	8	3	3	19	15	973	2,839	415	1,473
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
10-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	-
15-	1	-	-	-	-	-	-	-	-	-	-	-	20	1	-	-
20-	-	-	-	-	-	-	-	-	-	-	-	-	12	1	1	-
25-	-	-	-	-	-	-	-	-	-	-	2	1	5	3	-	-
30-	-	-	-	-	-	-	1	-	-	-	-	-	5	-	-	-
35-	-	-	-	-	-	-	-	-	-	-	-	1	15	1	-	-
40-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-
45-	1	-	-	-	-	-	-	-	-	-	2	-	17	9	2	-
50-	-	-	-	-	-	-	-	-	-	-	-	-	19	9	4	3
55-	-	-	-	-	-	-	-	-	2	-	3	1	29	27	10	6
60-	-	-	1	1	-	1	-	-	-	-	4	-	41	54	14	21
65-	-	-	-	1	-	2	-	1	-	-	1	-	61	123	23	47
70-	-	-	2	8	-	1	-	-	1	-	3	-	86	234	39	113
75-	-	1	11	9	-	4	1	1	-	1	3	2	157	472	73	257
80-	1	1	5	13	-	2	1	4	-	-	1	3	223	789	99	410
85 and over	1	1	11	26	-	2	-	2	-	1	3	4	278	1,106	150	616

TABLE 17 - continued

Causes of death	FRACTURES															
	N821 of other and unspecified parts of femur		N822 of patella		N823 of tibia and fibula		N824 of ankle		N825 of one or more tarsal and metatarsal bones		N826 of one or more phalanges of foot		N827 Other, multiple, and ill-defined fractures of lower limb		N828 Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	339	1,103	11	12	53	92	11	22	-	1	-	-	34	26	83	103
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
5-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1
10-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1
15-	6	-	-	-	4	-	-	-	-	-	-	-	2	-	4	1
20-	1	-	-	-	-	-	-	-	-	-	-	-	4	-	2	1
25-	2	1	-	-	-	-	-	1	-	-	-	-	2	-	-	1
30-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
35-	5	1	-	-	-	-	-	-	-	-	-	-	2	-	5	-
40-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	2	1
45-	1	2	1	-	3	4	-	1	-	-	-	-	3	-	5	1
50-	1	3	1	-	5	3	1	-	-	-	-	-	3	-	3	-
55-	5	6	-	-	4	7	2	3	-	-	-	-	2	1	1	4
60-	10	14	2	-	8	8	1	2	-	-	-	-	2	2	4	6
65-	17	42	3	4	2	11	2	3	-	-	-	-	3	1	9	14
70-	26	93	-	2	7	9	1	2	-	-	-	-	2	6	10	7
75-	58	168	-	2	6	17	1	1	-	1	-	-	4	5	12	19
80-	100	330	-	3	7	19	-	7	-	-	-	-	5	6	11	14
85 and over	104	441	3	1	7	11	2	2	-	-	-	-	-	4	12	31

Causes of death	FRACTURES		N830-N839		N840-N849		N850-N856		N850, N851		N852		N853		N854 Subarachnoid, subdural, and extradural haemorrhage following injury (without mention of cerebral laceration or contusion)	
	N829 of unspecified bones		Dislocation without fracture		Sprains and strains of joints and adjacent muscles		Head injury (excluding skull fracture)		Open wound, contusion and haematoma of scalp		Concussion		Cerebral laceration and contusion			
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	27	7	29	20	2	2	1,026	453	38	25	40	18	362	135	137	110
0-	-	-	-	-	-	-	21	12	-	1	-	-	2	3	14	3
1-	-	-	3	-	-	-	44	20	2	1	3	-	14	6	8	4
5-	-	-	3	2	-	-	40	13	1	-	1	3	20	4	2	3
10-	-	-	-	-	-	-	34	15	1	1	-	-	10	3	4	-
15-	4	-	2	1	-	-	131	29	2	1	5	2	58	17	10	1
20-	4	-	1	-	-	-	102	12	1	-	3	1	42	6	7	2
25-	1	-	2	-	-	-	58	4	1	-	1	-	24	2	4	-
30-	-	-	2	-	-	-	36	7	-	-	2	-	11	3	4	-
35-	3	-	1	-	-	-	45	7	2	-	1	-	19	2	-	1
40-	-	-	-	-	-	-	45	11	1	-	2	-	19	6	3	-
45-	2	1	-	-	-	-	45	11	1	-	2	1	13	5	5	2
50-	1	-	2	3	-	-	58	15	-	1	4	-	16	3	6	6
55-	5	-	2	2	-	-	64	23	3	-	3	1	18	7	9	6
60-	-	1	3	1	1	-	70	35	6	2	2	1	19	9	8	7
65-	2	1	1	-	-	-	58	45	5	1	-	1	15	10	13	13
70-	1	2	-	4	-	-	60	28	4	-	3	2	20	8	14	13
75-	3	2	4	1	-	1	53	54	4	3	5	2	17	13	12	19
80-	1	-	2	3	-	-	35	65	2	8	2	3	15	15	7	20
85 and over	-	-	1	3	1	1	27	47	2	6	1	1	10	13	7	10

TABLE 17 - continued

Causes of death	N855 Other and unspecified intracranial haemorrhage following injury (without mention of cerebral laceration or contusion)		N856 Head injury of other and unspecified nature		N860-N869		N860 Traumatic pneumothorax and haemothorax		N861 Injury to heart and lung		N862 Injury to other and unspecified intrathoracic organs		N863 Injury to gastro-intestinal tract		N864 Injury to liver	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	103	53	346	112	1,808	535	91	36	294	72	556	135	39	4	113	41
0-	5	3	-	2	5	3	-	-	1	-	-	1	1	-	2	1
1-	8	1	9	8	37	30	-	1	3	4	6	2	1	-	6	9
5-	3	2	13	1	45	27	-	1	7	2	7	1	-	-	9	5
10-	3	4	16	7	34	9	2	-	5	-	9	1	-	-	3	1
15-	13	4	43	4	258	37	14	-	43	2	75	8	2	-	18	6
20-	11	-	38	3	227	33	9	2	41	7	60	9	-	-	22	1
25-	6	-	22	2	128	28	6	-	25	2	39	8	2	-	6	4
30-	1	-	18	4	120	17	4	2	23	2	40	5	2	-	8	2
35-	6	1	17	3	111	20	5	1	16	6	44	4	1	-	8	1
40-	4	1	16	4	115	24	6	1	19	2	41	13	1	-	2	-
45-	5	-	19	3	137	27	-	3	27	4	43	7	4	1	7	1
50-	7	3	25	2	125	45	6	4	20	6	47	10	3	-	2	2
55-	7	2	24	7	123	37	7	5	8	3	44	14	5	-	7	3
60-	4	5	31	11	125	43	5	6	17	3	44	11	6	-	6	-
65-	4	6	21	14	64	34	6	1	10	10	13	6	3	-	2	1
70-	3	2	16	3	53	45	3	3	6	9	19	12	3	1	2	3
75-	5	7	10	10	56	44	9	2	13	4	12	15	4	2	1	1
80-	6	6	3	13	29	28	4	4	8	6	8	6	1	-	1	-
85 and over	2	6	5	11	16	4	5	-	2	-	5	2	-	-	1	-

Causes of death	N865 Injury to spleen		N866 Injury to kidney		N867 Injury to pelvic organs		N868 Injury to other and unspecified intra-abdominal organs		N869 Internal injury, unspecified or involving intrathoracic with intra-abdominal organs		N870-N879 Laceration and open wound of face, neck, and trunk		N874 Open wound of neck		N875 Open wound of chest	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	49	24	12	2	13	5	118	53	523	163	131	49	85	30	19	9
0-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
1-	4	1	-	-	-	-	5	8	12	5	1	-	1	-	-	-
5-	2	4	-	1	-	-	10	5	10	8	1	-	1	-	-	-
10-	1	-	1	-	1	1	3	-	9	6	3	1	1	-	-	-
15-	7	-	2	-	-	-	22	4	75	17	12	6	7	3	2	2
20-	10	2	-	-	-	-	18	-	67	12	14	3	8	2	2	-
25-	2	1	-	-	1	-	6	4	41	9	6	6	4	5	2	-
30-	1	-	-	-	1	-	6	-	35	6	10	2	3	1	3	1
35-	3	2	-	-	1	-	7	3	26	3	8	3	3	2	1	-
40-	1	-	1	-	-	-	8	2	36	6	8	5	4	4	2	1
45-	4	-	1	-	1	2	4	3	46	6	4	3	3	3	-	-
50-	3	5	1	-	1	1	7	6	35	11	13	4	8	4	3	-
55-	4	-	2	-	2	-	4	4	40	8	8	3	8	2	-	-
60-	5	1	1	1	1	-	7	6	33	15	15	1	11	-	1	1
65-	1	2	-	-	1	1	8	3	20	10	9	4	8	3	1	1
70-	-	2	1	-	2	-	2	1	15	14	9	3	7	1	2	1
75-	-	1	2	-	1	-	-	3	14	16	4	1	3	-	-	1
80-	-	2	-	-	-	-	1	1	6	9	5	1	4	-	-	-
85 and over	1	1	-	-	-	-	-	-	2	1	1	3	1	-	-	1

TABLE 17 - continued

Causes of death	Rem. of N870-N879		N880-N888		N890-N898		N900-N908		N910-N918		N920-N929		N930-N936		N933	
	Open wound of other sites of face, neck and trunk		Laceration and open wound of upper limb		Laceration and open wound of lower limb		Laceration and open wounds of multiple location		Superficial injury		Contusion and crushing with intact skin surface		Effects of foreign body entering through orifice		Foreign body in pharynx and larynx	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	27	10	21	6	18	16	147	57	6	5	23	32	353	254	346	243
0-	-	-	-	-	-	-	-	-	-	-	-	-	167	127	167	127
1-	-	-	-	-	-	-	1	-	-	-	1	-	36	20	35	19
5-	-	-	-	-	-	-	2	1	-	-	-	-	3	1	3	1
10-	2	1	-	-	-	-	2	4	-	-	1	-	4	-	4	-
15-	3	1	-	-	3	-	17	2	1	-	-	-	9	1	9	1
20-	4	1	1	-	-	-	13	7	-	-	-	-	8	4	7	3
25-	-	1	1	-	1	-	16	-	-	-	-	-	8	-	8	-
30-	4	-	-	-	1	2	11	4	-	-	-	-	10	6	10	4
35-	4	1	1	-	-	-	8	1	-	-	1	-	8	2	8	2
40-	2	-	1	-	-	1	14	2	-	-	-	-	11	5	11	4
45-	1	-	1	1	1	-	3	6	1	-	3	-	9	11	9	10
50-	2	-	7	-	1	2	11	1	1	-	-	-	12	9	11	8
55-	-	1	2	-	2	2	5	3	-	-	-	-	15	13	15	12
60-	3	-	1	1	2	2	14	6	-	1	1	2	16	9	14	9
65-	-	-	2	1	3	2	12	5	-	1	2	2	14	14	13	13
70-	-	1	4	2	1	2	7	3	-	1	-	3	6	9	6	9
75-	1	-	-	-	1	1	2	7	1	2	6	5	6	10	6	9
80-	1	1	-	1	2	1	4	3	2	-	3	10	6	7	5	6
85 and over	-	2	-	-	-	-	5	2	-	-	5	10	5	6	5	6

Causes of death	N934		N935		N936		BURNS									
	Foreign body in bronchus and lung		Foreign body in digestive tract		Foreign body in genito-urinary tract		N940-N949		N941		N942		N943		N945	
							Burns		confined to face, head, and neck		confined to trunk		confined to upper limb(s), except wrist and hand		confined to lower limb(s)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	2	2	4	5	-	4	247	404	6	12	14	16	5	6	17	13
0-	-	-	-	-	-	-	6	3	-	-	-	-	-	-	-	-
1-	1	-	-	1	-	-	29	46	-	-	-	2	-	-	2	-
5-	-	-	-	-	-	-	4	14	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	6	3	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	10	5	-	-	-	-	-	-	-	-
20-	1	-	-	-	-	1	10	4	-	-	-	-	-	-	-	-
25-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-
30-	-	-	-	-	-	2	11	6	-	-	-	-	-	-	1	-
35-	-	-	-	-	-	-	11	2	-	-	-	-	-	-	-	-
40-	-	-	-	1	-	-	15	10	-	1	-	-	-	-	1	-
45-	-	-	-	-	-	-	8	5	-	1	-	1	-	-	-	-
50-	-	-	1	1	-	1	9	15	-	-	1	-	-	1	1	2
55-	-	-	-	1	-	-	14	11	-	-	-	-	-	-	2	-
60-	-	-	2	-	-	-	7	29	-	2	-	-	-	1	-	1
65-	-	1	-	-	-	-	16	33	1	-	2	4	1	-	2	-
70-	-	-	-	-	-	-	15	40	-	1	2	2	2	1	4	1
75-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-	-	-	-	1	-	-	20	55	1	2	2	5	-	-	4	2
85 and over	-	1	1	-	-	-	28	57	2	1	4	5	1	1	-	5
	-	-	-	-	-	-	21	59	2	4	5	2	1	2	-	2

TABLE 17 - continued

Causes of death	BURNS								EFFECTS OF POISONING							
	N946		N947		N948		N949		N950-N959		N960-N979		N960		N961	
	involving face, head, and neck, with limb(s)		involving trunk with limb(s)		involving face, head, and neck, with trunk and limb(s)		involving other and unspecified parts		Injury to nerves and spinal cord, without bone injury		Effects of poisons		by noxious foodstuffs		by alcohol	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	7	14	45	92	74	116	78	135	46	11	2,803	2,892	-	-	26	7
0-	-	-	1	-	2	3	3	-	-	-	14	13	-	-	-	-
1-	-	-	4	6	14	17	9	21	-	-	54	52	-	-	-	-
5-	-	-	1	3	1	3	2	8	-	-	20	9	-	-	1	-
10-	-	-	2	1	1	-	3	2	-	-	15	6	-	-	-	-
15-	-	-	-	1	3	2	7	2	-	1	71	49	-	-	-	-
20-	-	-	2	1	3	-	5	3	-	-	155	76	-	-	2	-
25-	-	-	-	-	3	4	4	3	3	-	135	95	-	-	1	-
30-	-	-	2	1	3	1	4	4	-	-	169	108	-	-	-	-
35-	1	-	1	-	7	-	3	2	3	-	202	148	-	-	2	-
40-	2	-	2	2	3	2	6	5	4	-	235	183	-	-	6	-
45-	-	-	1	2	4	-	3	1	3	-	232	234	-	-	5	2
50-	-	2	1	3	2	4	4	3	4	-	284	295	-	-	5	-
55-	-	-	3	1	5	8	4	2	11	-	275	303	-	-	1	2
60-	1	2	-	9	4	7	2	7	5	1	261	244	-	-	3	2
65-	-	-	2	7	4	10	4	12	8	2	190	284	-	-	-	-
70-	-	1	2	12	3	11	2	11	3	3	179	268	-	-	-	-
75-	-	2	5	13	4	14	4	19	2	2	131	209	-	-	-	1
80-	2	3	8	13	5	14	6	18	-	2	116	195	-	-	-	-
85 and over	1	4	8	17	3	16	3	12	-	-	65	121	-	-	-	-

Causes of death	EFFECTS OF POISONING															
	N962		N963		N964		N965		N911		N987		N968		N969	
	by petroleum products		by industrial solvents		by corrosive aromatics, acids, and caustic alkalis		by mercury and its compounds		by lead and its compounds		by arsenic and antimony and their compounds		by carbon monoxide		by other gases and vapours	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	2	2	8	-	21	15	1	-	2	1	2	-	1,606	1,276	78	44
0-	-	1	-	-	-	-	-	-	-	-	-	-	8	7	3	4
1-	-	1	-	-	-	1	-	-	1	1	-	-	27	30	16	7
5-	-	-	-	-	-	-	-	-	-	-	-	-	16	6	2	3
10-	-	-	-	-	-	-	-	-	-	-	-	-	10	4	3	1
15-	-	-	-	-	-	1	-	-	-	-	-	-	53	31	2	-
20-	-	-	-	-	2	1	-	-	-	-	-	-	96	35	3	1
25-	-	-	-	-	1	-	-	-	-	-	-	-	88	39	2	1
30-	-	-	2	-	-	-	-	-	-	-	-	-	85	37	5	3
35-	1	-	-	-	2	1	-	-	-	-	-	-	111	44	3	1
40-	-	-	1	-	4	2	-	-	-	-	-	-	113	43	5	2
45-	-	-	1	-	3	1	-	-	-	-	-	-	108	75	3	4
50-	-	-	-	-	3	2	-	-	-	-	-	-	153	77	4	2
55-	-	-	1	-	1	1	-	-	1	-	2	-	141	96	3	4
60-	1	-	2	-	1	1	-	-	-	-	-	-	137	97	7	1
65-	-	-	-	-	-	1	-	-	-	-	-	-	117	128	1	-
70-	-	-	-	-	2	1	-	-	-	-	-	-	112	151	5	1
75-	-	-	-	-	-	1	-	-	-	-	-	-	88	122	6	3
80-	-	-	-	-	-	1	-	-	-	-	-	-	93	153	2	1
85 and over	-	-	1	-	1	-	-	-	-	-	-	-	52	101	3	5

TABLE 17 - continued

Causes of death	EFFECTS OF POISONING															
	N970		N971		N972		N973		N974		N976		N977		N979	
	by morphine and other opium derivatives		by barbituric acid and derivatives		by aspirin and salicylates		by bromides		by other analgesic and soporific drugs		by strychnine		by belladonna, hyoscine, and atropine		by venom	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	9	8	824	1,231	93	162	1	1	67	97	7	3	2	-	2	2
0-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-
1-	-	-	-	1	1	1	-	-	3	3	1	-	1	-	-	-
5-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	11	8	1	5	-	-	2	2	-	-	-	-	-	-
20-	1	-	32	24	5	5	-	-	5	7	-	-	-	-	-	-
25-	-	1	37	33	3	6	-	-	1	13	-	-	-	-	-	-
30-	-	-	59	57	4	6	-	-	9	6	1	-	-	-	-	-
35-	-	1	61	76	9	10	-	-	7	11	1	-	1	-	-	-
40-	2	-	85	101	5	18	-	-	10	12	1	2	-	-	1	-
45-	-	2	84	127	11	11	1	-	12	9	1	-	-	-	1	-
50-	1	1	91	184	11	14	-	-	6	10	-	1	-	-	-	-
55-	-	1	104	163	12	24	-	1	4	10	1	-	-	-	-	-
60-	1	-	91	121	12	15	-	-	4	6	-	-	-	-	-	-
65-	1	1	62	127	5	13	-	-	1	8	-	-	-	-	-	1
70-	1	1	50	99	5	14	-	-	3	-	1	-	-	-	-	-
75-	2	-	29	63	4	12	-	-	-	4	-	-	-	-	-	1
80-	-	-	20	32	-	7	-	-	-	-	-	-	-	-	-	-
85 and over	-	-	4	14	4	1	-	-	-	-	-	-	-	-	-	-

Causes of death	POISONING															
	N979		N980-N989		N980		N981		N983		N984		N985		N987	
	by other and unspecified substances		Effects of weather, exposure, and related conditions		Effects of reduced temperature		Effects of heat and insolation		Caisson disease		Effects of lightning		Effects of hunger		Effects of exposure, not elsewhere classified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	51	43	52	50	33	33	-	1	-	-	1	-	-	1	18	15
0-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
1-	4	7	-	1	-	-	-	-	-	-	-	-	-	1	-	-
5-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	2	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-
20-	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-	2	2	-	2	-	1	-	-	-	-	-	-	-	-	-	1
30-	4	4	2	-	-	-	-	-	-	-	-	-	-	-	2	-
35-	4	4	1	1	1	-	-	-	-	-	-	-	-	-	-	1
40-	2	3	3	1	1	-	-	-	-	-	-	-	-	-	2	1
45-	4	3	4	-	2	-	-	-	-	-	-	-	-	-	2	-
50-	10	4	4	1	2	1	-	-	-	-	-	-	-	-	4	-
55-	4	1	4	2	2	2	-	-	-	-	-	-	-	-	2	-
60-	2	1	4	2	3	-	-	-	-	-	-	-	-	-	1	2
65-	2	5	4	5	2	5	-	-	-	-	-	-	-	-	2	-
70-	-	1	2	10	2	8	-	-	-	-	-	-	-	-	-	2
75-	-	2	8	11	7	9	-	-	-	-	-	-	-	-	1	2
80-	1	1	7	7	6	3	-	-	-	-	-	-	-	-	1	4
85 and over	-	-	6	6	5	4	-	-	-	-	-	-	-	-	1	2

TABLE 17 - continued

Causes of death	N988		N990-N999		N990		N991		N992		N993		N994		N995	
	Effects of excessive exertion		Other and unspecified injuries and reactions		Drowning		Asphyxia and strangulation		Electrocution		Injury due to radiation, except sunburn		Other general effects of external causes		Certain early complications of trauma	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	-	-	2,075	881	943	374	660	261	113	28	-	-	21	24	5	3
0-	-	-	140	88	2	2	111	59	1	2	-	-	21	21	-	-
1-	-	-	112	56	84	33	13	17	5	-	-	-	-	2	-	-
5-	-	-	115	26	92	14	5	8	6	-	-	-	-	-	-	-
10-	-	-	89	17	54	9	22	1	7	3	-	-	-	-	-	-
15-	-	-	179	24	92	5	41	7	15	2	-	-	-	-	2	1
20-	-	-	129	23	61	11	28	5	17	3	-	-	-	-	1	-
25-	-	-	94	23	42	5	22	10	14	-	-	-	-	-	-	-
30-	-	-	108	23	54	12	24	6	11	1	-	-	-	-	-	-
35-	-	-	96	36	31	18	37	12	4	-	-	-	-	-	1	-
40-	-	-	106	35	45	16	36	12	7	1	-	-	-	-	-	-
45-	-	-	110	44	41	20	43	15	5	2	-	-	-	-	-	-
50-	-	-	130	50	52	27	50	11	7	-	-	-	-	-	-	-
55-	-	-	155	77	69	37	51	19	3	4	-	-	-	1	-	1
60-	-	-	137	72	62	35	48	21	5	4	-	-	-	-	1	-
65-	-	-	130	84	63	45	44	24	2	3	-	-	-	-	-	-
70-	-	-	82	77	35	39	38	18	1	2	-	-	-	-	-	1
75-	-	-	74	66	35	29	25	10	2	1	-	-	-	-	-	-
80-	-	-	64	35	21	14	17	4	1	-	-	-	-	-	-	-
85 and over	-	-	25	25	8	3	5	2	-	-	-	-	-	-	-	-

Causes of death	N996		N997		N998		N999	
	Injury of other and unspecified nature		Reactions and complications due to non-therapeutic medical and surgical procedures		Adverse reaction to injections, infusions, and transfusions for therapeutic purposes		Adverse reaction to other therapeutic procedures	
Ages at death	M	F	M	F	M	F	M	F
All ages	303	165	8	3	4	3	18	20
0-	2	2	2	-	-	2	1	-
1-	6	4	3	-	1	-	-	-
5-	11	4	1	-	-	-	-	-
10-	5	4	1	-	-	-	-	-
15-	29	9	-	-	-	-	-	-
20-	22	3	-	-	-	-	-	1
25-	13	7	1	-	-	-	2	1
30-	19	2	-	1	-	-	-	1
35-	21	5	-	1	2	-	-	-
40-	17	4	-	-	-	-	1	2
45-	20	5	-	-	-	-	1	2
50-	20	9	-	1	-	-	1	2
55-	30	14	-	-	1	-	1	1
60-	20	11	-	-	-	-	1	1
65-	17	9	-	-	-	1	4	2
70-	8	17	-	-	-	-	-	-
75-	10	24	-	-	-	-	2	2
80-	22	13	-	-	-	-	3	4
85 and over	11	19	-	-	-	-	1	1

TABLE 17A. Death rates per million living, by sex and age, from principal causes, 1966

England and Wales

Causes of death	All causes		I 001-138  Infective and parasitic diseases		TUBERCULOSIS						020-029  Syphilis and its sequelae		022  Aneurysm of aorta		080-096  Diseases attributable to viruses	
					001-019		001-008		002							
					All forms		Respiratory system		Pulmonary tuberculosis							
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	12,338	11,141	117	66	72	27	67	22	60	21	21	14	15	10	13	15
0-	21,735	16,601	228	183	7	5	5	2	2	2	5	2	-	-	84	76
1-	916	753	48	40	4	6	2	1	1	1	-	-	-	-	32	21
5-	433	273	14	12	1	1	-	-	-	-	-	-	-	-	10	7
15-	1,049	427	10	10	4	2	1	1	1	1	-	-	-	-	4	5
25-	1,058	686	20	16	11	8	6	6	6	6	0	-	0	-	5	6
35-	2,429	1,705	40	36	27	26	25	22	24	22	4	1	1	-	7	4
45-	7,263	4,416	109	65	76	36	69	30	64	30	11	7	4	4	12	14
55-	21,439	10,284	259	99	189	49	177	41	155	39	40	16	27	10	12	23
65-	53,563	28,562	497	153	324	67	314	54	283	51	123	48	88	30	21	19
75-	120,771	81,062	711	266	434	95	422	75	382	74	234	105	182	90	23	43
85 and over	258,156	204,030	541	396	261	100	240	54	230	50	100	123	80	119	140	139

Causes of death	NEOPLASMS															
	II 140-239  Neoplasms		140-205  Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues		140-148  Malignant neoplasm of buccal cavity and pharynx		150-159  Malignant neoplasm of digestive organs and peritoneum		150  Oesophagus		151  Stomach		153  Large intestine, except rectum		153.3  Sigmoid colon	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	2,533	2,038	2,504	2,009	40	27	837	754	63	48	321	229	164	218	57	68
0-	88	83	51	61	2	-	5	5	-	-	-	-	-	-	-	-
1-	112	93	108	86	-	-	4	1	-	-	-	-	-	-	-	-
5-	75	54	70	51	-	1	1	0	-	-	-	-	-	-	-	-
15-	106	69	99	64	1	-	4	5	-	0	0	1	1	1	0	-
25-	171	178	164	169	2	2	27	21	1	1	7	3	8	8	3	3
35-	548	701	531	686	9	8	145	113	10	7	53	28	34	30	9	7
45-	1,974	1,975	1,942	1,935	21	26	587	385	39	29	235	105	105	119	37	45
55-	6,125	3,687	6,050	3,636	68	44	1,851	1,123	141	65	746	306	319	336	113	118
65-	12,667	6,288	12,571	6,209	201	76	4,267	2,518	314	152	1,715	779	817	697	284	218
75-	19,279	10,166	19,186	10,078	446	148	7,716	5,104	622	355	2,760	1,666	1,655	1,440	582	427
85 and over	22,575	13,699	22,315	13,514	802	239	9,579	7,363	902	481	2,735	2,275	2,445	2,386	802	604

Causes of death	NEOPLASMS															
	153.8		153.0-2;7;9		154		155		155.0		155.1;8		156		157	
	Large intestine (including colon), part unspecified		Others included under 153		Rectum		Biliary passages and of liver (stated to be primary site)		Liver		Others included under 155		Liver (secondary and unspecified)		Pancreas	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	24	30	83	120	126	105	29	37	12	7	17	30	17	13	106	90
0-	-	-	-	-	-	-	5	5	5	5	-	-	-	-	-	-
1-	-	-	-	-	-	-	2	1	2	1	-	-	-	-	-	-
5-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
15-	1	-	1	1	1	0	0	1	0	1	-	0	0	1	0	-
25-	1	1	4	4	4	2	2	1	1	1	1	-	1	1	2	2
35-	5	6	19	17	19	22	7	4	3	2	4	2	3	0	15	14
45-	16	20	51	53	72	51	28	18	16	8	12	10	13	7	88	46
55-	40	47	166	171	252	165	67	60	31	11	36	49	39	19	256	142
65-	118	97	415	382	632	338	141	142	53	24	88	118	89	44	501	322
75-	242	186	831	828	1,315	699	214	229	70	33	144	195	140	79	953	568
85 and over	481	319	1,162	1,463	1,974	1,051	251	212	30	23	220	189	210	123	1,022	766

TABLE 17A - continued

Causes of death	NEOPLASMS															
	160-165		161		162		162.1		163		170-181		170		171	
	Malignant neoplasm of respiratory system		Larynx		Bronchus and trachea, and of lung specified as primary		Bronchus and lung		Lung unspecified as to whether primary or secondary		Malignant neoplasm of breast and genito-urinary organs		Breast		Cervix uteri	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	1,000	193	26	6	667	121	666	120	299	58	331	780	4	398	-	101
0-	-	2	-	-	-	-	-	-	-	-	14	12	-	-	-	-
1-	1	1	-	-	1	-	1	-	-	-	12	16	-	-	-	-
5-	1	1	-	-	-	-	-	-	0	0	2	4	-	-	-	-
15-	5	2	0	-	1	1	1	1	2	1	11	6	-	0	-	0
25-	20	9	0	1	13	5	13	5	5	2	25	65	-	39	-	9
35-	166	65	2	2	115	38	115	38	46	22	44	389	3	214	-	91
45-	879	208	18	3	607	138	605	138	248	62	133	1,081	6	596	-	176
55-	3,021	435	56	16	2,040	278	2,038	277	904	129	487	1,587	11	830	-	196
65-	5,420	681	155	19	3,599	436	3,595	433	1,634	204	1,603	2,216	17	1,029	-	258
75-	5,241	723	214	32	3,351	429	3,341	428	1,629	224	4,313	3,013	23	1,490	-	299
85 and over	3,427	600	230	38	2,074	323	2,074	323	1,062	189	6,523	4,045	30	2,271	-	346

Causes of death	NEOPLASMS															
	172		174		175		175.0		176		176.0		177		178	
	Corpus uteri		Uterus unspecified		Ovary, Fallopian tube and broad ligament		Ovary		Other and unspecified female genital organs		Vulva		Prostate		Testis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	-	48	-	11	-	134	-	134	-	23	-	17	167	-	10	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
1-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	1	-
5-	-	0	-	-	-	1	-	1	-	-	-	-	-	-	0	-
15-	-	0	-	0	-	4	-	4	-	-	-	-	-	-	10	-
25-	-	1	-	-	-	13	-	13	-	1	-	0	0	-	19	-
35-	-	6	-	2	-	62	-	62	-	4	-	3	2	-	18	-
45-	-	37	-	13	-	212	-	211	-	11	-	7	18	-	12	-
55-	-	103	-	24	-	309	-	307	-	27	-	20	148	-	7	-
65-	-	185	-	33	-	409	-	407	-	72	-	59	786	-	10	-
75-	-	225	-	49	-	380	-	379	-	163	-	118	2,935	-	10	-
85 and over	-	196	-	42	-	370	-	370	-	281	-	223	4,749	-	10	-

Causes of death	NEOPLASMS															
	179		180		181		181.0;8		190-199		190, 191		190		191	
	Other and unspecified * male genital organs		Kidney		Bladder and other urinary organs		Bladder		Malignant neoplasm of other and unspecified sites		Skin		Malignant melanoma of skin		Other malignant neoplasm of skin	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	5	-	38	23	107	42	106	41	150	140	20	19	9	11	11	8
0-	-	-	12	10	-	2	-	2	16	20	-	-	-	-	-	-
1-	-	-	11	14	-	1	-	1	42	23	-	1	-	-	-	1
5-	-	-	2	3	-	-	-	-	24	18	0	0	-	0	0	-
15-	-	-	1	1	0	-	0	-	28	24	2	2	1	2	0	-
25-	0	-	4	2	2	-	2	-	34	32	7	6	6	6	0	0
35-	3	-	11	6	8	3	8	3	81	59	15	15	14	14	2	1
45-	4	-	40	17	54	16	52	16	183	142	23	20	15	17	7	3
55-	7	-	107	42	208	55	206	53	349	266	33	28	18	17	15	11
65-	24	-	164	75	602	152	599	149	543	389	66	48	21	24	45	23
75-	43	-	200	109	1,101	295	1,096	288	696	559	165	77	37	32	128	45
85 and over	110	-	230	115	1,393	423	1,383	420	1,212	831	401	189	40	15	361	173

TABLE 17A - continued

Causes of death	NEOPLASMS															
	193		193.0		194		196		199		200-205		200		200.1	
	Brain and other parts of nervous system		Brain		Thyroid gland		Bone		Other and unspecified sites		Neoplasms of lymphatic and haemato-poietic tissues		Lympho-sarcoma and reticulo-sarcoma		Lympho-sarcoma	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	48	33	43	30	5	12	13	8	51	57	145	116	29	24	17	13
0-	14	20	12	5	-	-	-	-	-	-	14	22	-	-	-	-
1-	29	17	16	6	-	-	1	1	3	1	49	46	5	2	3	2
5-	16	13	11	10	-	-	5	4	0	-	42	26	9	3	8	2
15-	8	9	6	7	-	-	12	7	1	1	50	27	9	5	5	2
25-	17	18	14	15	0	1	3	2	2	2	56	40	9	6	4	2
35-	44	22	40	21	3	2	4	3	8	12	86	52	18	8	9	5
45-	87	60	82	55	6	6	10	6	47	41	139	93	33	21	17	13
55-	128	87	118	82	11	19	21	12	130	101	274	180	62	43	36	24
65-	109	55	98	52	27	41	46	19	254	192	536	330	107	76	66	36
75-	30	15	25	13	32	78	77	37	342	311	774	531	142	107	80	55
85 and over	10	8	10	8	30	85	90	46	591	462	772	435	120	112	90	73

Causes of death	NEOPLASMS															
	201		203		204		204.0		204.1		204.3		210-229		230-239	
	Hodgkin's disease		Multiple myeloma (plasmocytoma)		Leukaemia and aleukaemia		Lymphatic leukaemia		Myeloid leukaemia		Acute leukaemia		Benign neoplasm		Neoplasm of unspecified nature	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	24	13	18	20	67	54	16	10	11	11	33	28	13	18	16	12
0-	-	-	-	-	7	22	-	-	-	-	7	17	33	15	5	7
1-	1	-	-	-	40	43	1	2	2	1	35	38	2	2	3	4
5-	3	1	-	-	30	22	2	-	1	2	24	20	2	2	3	2
15-	15	8	-	-	25	13	1	-	2	0	20	12	4	3	3	1
25-	27	10	1	0	19	21	0	1	5	5	11	14	4	6	2	2
35-	29	12	4	2	31	28	2	1	4	6	20	16	8	9	9	6
45-	29	13	16	15	52	39	8	4	8	10	26	22	12	25	20	15
55-	46	18	48	39	107	71	32	10	15	22	53	34	31	25	44	26
65-	50	29	96	86	250	126	85	36	46	25	87	55	41	48	56	31
75-	62	42	113	100	432	260	147	76	95	61	150	97	52	56	42	32
85 and over	40	19	50	62	531	212	220	85	130	38	140	81	180	119	80	65

Causes of death	NEOPLASMS		III		240-245		241		250-254		253		260		280-289	
	237		240-289		Allergic disorders		Asthma		Diseases of thyroid gland		Myxoedema and cretinism		Diabetes mellitus		Avitaminoses, and other metabolic diseases	
	Unspecified nature of brain and other parts of nervous system		Allergic, endocrine system, metabolic, and nutritional diseases													
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	12	8	123	203	40	47	39	46	3	23	2	12	65	113	11	15
0-	2	-	121	73	42	27	7	2	9	5	5	2	2	2	26	22
1-	2	4	15	14	7	4	6	4	-	1	-	1	1	2	3	4
5-	3	2	20	18	15	13	15	13	-	-	-	-	2	2	2	2
15-	3	1	28	30	23	27	23	27	0	0	-	-	3	1	1	2
25-	1	2	38	45	25	29	25	29	0	1	-	0	9	9	3	3
35-	8	5	60	61	35	36	34	36	0	5	-	1	21	13	2	4
45-	17	13	97	118	38	60	37	59	1	9	0	2	42	28	13	14
55-	37	22	213	268	79	80	77	79	7	30	3	13	101	122	20	26
65-	40	18	490	672	120	95	118	93	12	91	6	45	312	431	32	43
75-	15	7	929	1,241	108	116	105	115	43	158	33	96	687	896	77	59
85 and over	10	4	1,323	1,224	80	81	80	81	30	139	30	115	1,052	893	130	96

TABLE 17A - continued

Causes of death	IV 290-299		290		290.0		291		292		V 300-326		300-309		304	
	Diseases of the blood and blood-forming organs		Pernicious and other hyperchromic anaemias		Pernicious anaemia		Iron deficiency anaemias (hypo-chromic anaemias)		Other anaemias of specified type		Mental, psycho-neurotic and personality disorders		Psychoses		Senile psychosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	33	54	8	19	6	16	4	11	9	10	21	33	16	28	11	23
0-	39	34	-	2	-	-	-	5	9	2	44	51	-	-	-	-
1-	8	7	-	-	-	-	-	-	5	5	8	7	-	-	-	-
5-	3	4	-	-	-	-	-	0	2	2	3	1	-	-	-	-
15-	6	5	-	-	-	-	-	-	3	3	4	2	0	-	-	-
25-	4	6	-	0	-	-	0	-	1	3	5	4	2	1	-	-
35-	7	9	-	0	-	-	-	1	2	3	4	6	0	2	-	-
45-	13	16	1	3	1	2	0	1	5	4	9	9	4	3	-	-
55-	47	40	7	11	4	9	1	4	18	10	26	20	18	15	1	2
65-	122	143	28	48	21	40	15	23	28	29	63	62	60	58	39	37
75-	404	415	135	165	108	137	73	97	92	64	230	251	224	241	214	228
85 and over	792	978	371	439	261	361	110	293	100	92	711	874	711	874	681	851

Causes of death	VI 330-398		330-334		330		331		332		334		340-345		345	
	Diseases of the nervous system and sense organs		Vascular lesions affecting central nervous system		Subarachnoid haemorrhage		Cerebral haemorrhage		Cerebral embolism and thrombosis		Other and ill-defined vascular lesions affecting central nervous system		Inflammatory diseases of central nervous system		Multiple sclerosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	1,476	2,036	1,357	1,907	63	95	503	704	623	872	169	236	29	34	14	21
0-	420	381	46	42	12	12	21	15	14	12	-	2	216	215	2	-
1-	67	47	2	2	-	1	-	-	-	1	2	1	30	23	1	-
5-	27	19	7	3	5	2	1	1	0	-	1	0	4	6	-	-
15-	48	33	14	13	11	9	1	3	1	0	1	1	6	5	0	2
25-	66	61	36	34	21	24	12	6	2	3	0	1	8	11	4	9
35-	175	167	123	111	56	64	50	32	14	12	2	2	21	30	14	27
45-	529	502	433	406	98	144	243	201	83	56	9	5	38	60	27	50
55-	1,857	1,416	1,675	1,260	166	201	835	676	589	341	86	42	59	65	39	52
65-	6,692	5,264	6,244	4,927	192	270	2,562	2,187	2,918	2,086	573	383	61	45	37	31
75-	19,541	17,473	18,720	16,795	175	275	5,827	5,914	9,766	8,428	2,952	2,179	50	38	20	14
85 and over	44,890	42,171	43,928	41,182	160	204	10,741	10,404	22,846	21,871	10,180	8,703	20	38	-	12

Causes of death	350-357		350		352		353		356		VII 400-468		400-402		410-416	
	Other diseases of central nervous system		Paralysis agitans		Other cerebral paralysis		Epilepsy		Motor neurone disease and muscular atrophy		Diseases of the circulatory system		Rheumatic fever		Chronic rheumatic heart disease	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	84	90	29	38	14	18	16	11	15	11	4,574	4,092	2	1	87	161
0-	86	76	-	-	-	2	9	10	26	27	77	46	5	2	5	-
1-	32	19	-	-	-	1	15	7	-	1	11	9	1	1	1	-
5-	15	9	-	-	0	0	9	4	0	0	7	8	1	1	1	1
15-	26	14	-	-	1	-	22	12	1	0	36	29	1	-	7	8
25-	19	15	0	-	0	-	17	12	-	1	148	88	-	-	33	28
35-	28	24	-	0	1	1	17	16	4	2	616	275	0	1	63	95
45-	55	32	5	4	4	2	15	10	20	9	2,945	856	1	1	126	206
55-	116	86	27	26	18	10	18	12	39	28	8,481	2,968	5	3	212	332
65-	368	280	177	146	79	58	19	12	69	40	20,743	10,826	3	4	296	450
75-	753	621	442	365	197	160	8	17	57	35	48,029	34,187	10	5	397	600
85 and over	912	931	411	389	281	350	-	19	10	23	108,096	90,993	10	4	481	727

TABLE 17A - continued

Causes of death	410		411		416		420-422		420		420-0		420-1		421	
	Diseases of mitral valve		Diseases of aortic valve specified as rheumatic		Other heart disease specified as rheumatic		Arterio-sclerotic and degenerative heart disease		Arterio-sclerotic heart disease, including coronary disease		Arterio-sclerotic heart disease so described		Heart disease specified as involving coronary arteries		Chronic endocarditis not specified as rheumatic	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	53	113	12	8	16	31	3,569	2,791	2,973	1,832	29	35	2,941	1,794	61	59
0-	2	-	-	-	-	-	14	7	-	2	-	-	-	2	9	5
1-	1	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-
5-	1	1	-	-	-	-	2	2	0	0	-	-	0	0	0	1
15-	3	7	1	-	1	1	12	4	3	2	-	-	3	2	1	1
25-	18	20	5	2	8	5	77	18	65	12	-	-	65	12	5	1
35-	40	70	8	3	10	16	654	96	621	85	1	0	620	85	14	4
45-	74	152	18	7	28	38	2,480	446	2,394	404	2	0	2,391	403	43	16
55-	129	231	26	16	42	68	7,066	1,971	6,733	1,799	22	8	6,706	1,788	140	39
65-	181	309	45	20	54	94	16,454	7,638	14,672	6,369	99	78	14,555	6,263	294	187
75-	235	420	63	43	65	112	35,323	23,498	25,536	14,819	476	336	25,008	14,453	537	488
85 and over	361	516	20	54	30	112	77,124	63,172	37,305	24,988	1,623	1,047	35,621	23,868	671	1,005

Causes of death	421-1		422		422-1		422-2		430-434		433		434		434-1	
	of aortic valve, not specified as rheumatic		Other myocardial degeneration		With arterio-sclerosis		Other diseases included under 422		Other diseases of heart		Functional disease of heart		Other and unspecified diseases of heart		Congestive heart failure	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	52	43	535	900	259	416	275	482	290	344	66	105	213	232	139	183
0-	7	2	5	-	-	-	5	-	26	22	2	-	12	12	9	7
1-	-	-	1	1	-	-	1	1	6	4	1	-	4	2	1	1
5-	0	0	1	1	-	-	1	1	2	4	1	1	1	2	-	1
15-	1	0	7	2	-	-	7	2	7	4	1	-	3	3	1	1
25-	5	1	7	5	0	-	7	5	12	12	1	2	4	6	1	1
35-	13	4	18	7	3	1	16	6	27	25	4	5	14	12	3	5
45-	38	11	43	26	13	4	29	21	87	53	9	8	65	37	27	20
55-	124	29	194	133	83	56	108	74	337	182	58	49	255	124	113	72
65-	249	133	1,488	1,082	781	526	701	548	1,269	816	279	251	962	552	574	420
75-	436	356	9,249	8,191	4,654	3,936	4,584	4,239	4,100	3,158	1,075	995	2,985	2,142	2,228	1,756
85 and over	531	758	39,148	37,179	17,866	16,497	21,263	20,674	10,060	8,025	2,625	2,575	7,415	5,404	6,132	4,669

Causes of death	434-2		434-3;4		440-443		443		444-447		444		445		450-456	
	Left ventricular failure		Others included under 434		Hypertensive heart disease		Other and unspecified hypertensive heart disease		Other hypertensive disease		Essential benign hypertension		Essential malignant hypertension		Diseases of arteries	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	26	26	48	21	140	200	134	194	81	87	53	69	18	9	316	377
0-	-	-	2	5	-	2	-	2	-	-	-	-	-	-	2	2
1-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	1	1
5-	-	1	1	1	-	-	-	-	1	-	-	-	1	-	0	-
15-	0	0	2	2	-	0	-	-	4	2	0	0	3	1	3	5
25-	0	1	3	4	3	2	2	1	11	5	2	1	9	5	7	11
35-	3	-	8	7	9	7	8	6	25	13	7	2	16	10	21	10
45-	6	3	29	11	58	31	46	29	75	29	29	12	44	16	69	35
55-	33	18	105	31	227	140	209	133	164	75	102	50	51	22	292	128
65-	115	66	269	61	763	632	744	618	306	229	245	196	36	13	1,229	616
75-	354	248	397	134	1,719	1,845	1,672	1,801	764	760	596	646	15	16	4,789	3,363
85 and over	902	554	381	173	2,385	3,095	2,345	2,964	1,593	1,424	1,092	1,155	10	8	15,050	13,029

TABLE 17A - continued

Causes of death	450		450.0		450.1		451		456		460-468		465		466	
	General arterio-sclerosis		Without mention of gangrene		With mention of gangrene as a consequence		Aortic aneurysm, non-syphilitic and dissecting aneurysm		Other diseases of arteries		Diseases of veins and other diseases of circulatory system		Pulmonary embolism and infarction		Other venous embolism and thrombosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	206	297	185	274	21	23	90	58	9	11	89	131	42	51	35	60
0-	-	-	-	-	-	-	-	-	2	2	26	10	2	-	14	2
1-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	2	-
5-	0	-	0	-	-	-	-	-	-	-	0	1	-	0	-	0
15-	0	-	0	-	-	-	1	1	2	4	3	4	1	3	1	1
25-	-	-	-	-	-	-	4	2	2	8	5	12	1	6	3	5
35-	2	-	2	-	-	-	11	2	5	7	16	28	7	8	6	14
45-	10	6	8	5	1	1	39	14	15	10	49	55	23	19	17	24
55-	88	41	77	37	11	5	164	64	19	14	179	138	82	59	69	54
65-	637	373	556	346	80	27	516	184	25	30	423	439	210	171	173	202
75-	3,654	2,750	3,301	2,539	354	211	978	497	48	27	928	958	446	363	370	459
85 and over	13,727	12,063	12,515	11,132	1,212	931	942	685	60	100	1,393	1,517	651	574	511	708

Causes of death	VIII 470-527 Diseases of the respiratory system		480-483 Influenza		480 Influenza with pneumonia		481 Influenza with other respiratory manifestations and Influenza unqualified		490-493 Pneumonia		490 Lobar pneumonia		491 Broncho-pneumonia		492 Primary atypical pneumonia	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	1,898	1,298	70	82	45	53	24	29	690	785	73	58	578	692	11	9
0-	3,289	2,337	26	49	23	42	-	7	2,476	1,724	65	54	2,056	1,406	256	174
1-	169	170	6	7	4	4	1	2	111	118	7	6	86	93	9	11
5-	34	30	4	3	2	1	1	1	22	18	2	1	16	15	2	1
15-	46	31	5	4	4	4	0	1	29	16	3	3	22	12	3	1
25-	51	41	6	6	5	4	1	1	23	20	4	4	15	14	3	1
35-	137	108	10	11	6	7	4	4	48	42	14	6	29	29	2	5
45-	659	288	28	19	25	13	5	6	180	114	53	18	111	87	5	3
55-	2,805	803	90	52	60	32	29	19	602	346	124	50	439	276	8	5
65-	8,941	2,858	274	172	173	109	98	61	2,344	1,477	288	150	1,937	1,261	18	11
75-	22,119	10,296	868	667	539	421	327	239	9,443	6,500	751	441	8,331	5,836	35	31
85 and over	50,842	31,952	2,665	2,090	1,553	1,347	1,102	727	30,110	22,421	1,964	1,120	27,124	20,585	60	38

Causes of death	493 Pneumonia, other and unspecified		500-502 Bronchitis		500 Acute bronchitis		501 Bronchitis, unqualified		502 Chronic bronchitis		502.0 Bronchitis with emphysema		502.1 Other		510-527 Other diseases of respiratory system	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	28	27	988	354	49	49	34	34	905	271	448	81	457	190	147	73
0-	100	90	525	357	420	279	91	66	14	12	-	-	14	12	200	174
1-	9	9	33	28	23	23	8	4	1	1	-	1	1	1	9	11
5-	2	1	7	5	4	4	1	1	2	0	1	-	1	0	2	2
15-	2	1	6	5	3	2	2	1	2	2	1	1	1	2	5	5
25-	2	1	11	8	2	3	2	1	7	5	4	1	3	3	11	6
35-	3	2	55	29	6	4	4	3	45	22	21	9	24	13	24	24
45-	12	5	366	114	12	9	10	6	344	98	201	38	144	59	84	42
55-	31	15	1,824	334	46	26	39	22	1,739	286	998	113	741	172	288	71
65-	101	54	5,603	1,047	161	98	126	63	5,316	886	2,767	303	2,549	583	721	159
75-	325	193	10,471	2,705	557	329	449	281	9,464	2,095	3,953	529	5,511	1,566	1,332	413
85 and over	962	677	15,551	5,804	1,423	1,186	1,102	878	13,026	3,741	4,118	739	8,908	3,002	2,495	1,601

TABLE 17A - continued

Causes of death	522		523		525		526		527		527.1		IX 530-587 Diseases of the digestive system		540-545	
	Pulmonary congestion and hypostasis		Pneumo- coniosis due to silica and silicates (occupational)		Other chronic interstitial pneumonia		Bronchiectasis		Other diseases of lung and pleural cavity		Emphysema without mention of bronchitis				Diseases of stomach and duodenum	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	13	22	26	0	12	8	36	20	50	17	41	10	318	312	117	64
0-	2	-	-	-	33	15	5	10	118	127	9	15	913	641	9	-
1-	1	-	-	-	1	1	-	-	4	3	-	1	73	64	1	-
5-	-	-	-	-	-	0	1	1	0	0	0	-	17	16	0	1
15-	-	-	-	-	-	-	2	3	2	1	2	0	20	15	2	-
25-	-	-	-	-	-	-	5	4	2	1	1	0	29	25	8	2
35-	1	1	1	-	3	4	13	14	4	4	3	2	71	52	20	6
45-	0	0	13	-	10	6	30	24	23	7	20	5	191	131	60	20
55-	5	3	64	1	27	12	76	28	99	19	82	14	551	310	227	57
65-	25	20	152	0	62	25	177	58	264	43	232	31	1,342	863	564	170
75-	209	166	232	-	78	38	279	84	471	98	410	69	2,973	2,199	1,253	556
85 and over	1,192	1,162	170	-	80	35	361	142	581	208	481	135	5,251	4,296	2,054	1,093

Causes of death	540		540.0		540.1		541		541.0		541.1		560, 561		560	
	Ulcer of stomach		Without mention of perforation		With perforation		Ulcer of duodenum		Without mention of perforation		With perforation		Hernia of abdominal cavity		Hernia of abdominal cavity without mention of obstruction	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	51	38	38	30	13	8	60	22	37	12	23	9	27	31	10	12
0-	2	-	-	-	2	-	-	-	-	-	-	-	225	154	174	149
1-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-
5-	-	1	-	-	-	1	-	-	-	-	-	-	1	1	0	-
15-	1	-	1	-	-	-	1	-	1	-	-	-	-	1	-	0
25-	2	2	1	-	0	2	6	-	5	-	1	-	-	-	-	-
35-	7	3	4	2	2	1	11	4	6	2	5	2	2	1	1	0
45-	25	11	20	6	5	5	33	8	19	3	14	4	8	7	5	3
55-	100	31	73	22	28	10	114	22	64	12	50	10	26	22	11	8
65-	243	106	178	85	65	21	294	52	182	29	111	23	93	92	25	29
75-	559	330	424	267	135	63	657	194	410	111	247	83	335	239	75	77
85 and over	1,002	670	852	585	150	85	982	343	701	223	281	119	832	435	251	131

Causes of death	561		570-578		570		570.2		570.5		571		572		572.1	
	Hernia of abdominal cavity with obstruction		Other diseases of intestines and peritoneum		Intestinal obstruction without mention of hernia		Mesenteric infarction		Others included under 570		Gastro- enteritis and colitis, except ulcerative, age 4 weeks and over		Chronic enteritis and ulcerative colitis		Diverticulitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	17	19	87	116	32	37	11	15	9	11	18	19	24	47	17	33
0-	51	5	557	374	84	44	5	7	19	-	434	306	7	7	5	-
1-	2	1	48	42	8	4	-	-	1	1	38	36	-	1	-	-
5-	0	0	3	4	1	1	-	0	0	-	2	2	0	0	-	-
15-	-	1	10	8	2	1	0	1	1	-	1	1	6	4	1	-
25-	-	-	11	11	2	2	0	1	1	1	2	1	4	7	-	0
35-	1	1	17	22	5	6	1	2	1	0	1	1	7	11	2	1
45-	2	4	44	39	16	12	5	6	4	2	2	4	16	20	8	6
55-	15	14	133	103	51	32	23	15	12	10	11	8	49	48	31	26
65-	67	63	327	303	135	113	51	51	42	33	30	26	108	127	82	97
75-	260	162	733	809	344	262	138	107	98	93	77	89	200	358	180	294
85 and over	581	304	1,303	1,713	531	585	160	189	180	227	240	285	381	639	351	589

TABLE 17A - continued

Causes of death	580-587		581		584		585		587		587.0		X 590-637		590-594	
	Diseases of liver, gall bladder and pancreas		Cirrhosis of liver		Cholelithiasis		Cholecystitis and cholangitis, without mention of calculi		Diseases of pancreas		Acute pancreatitis		Diseases of the genito-urinary system		Nephritis and nephrosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	71	86	31	26	10	18	6	12	17	18	11	13	225	158	64	51
0-	111	105	2	5	-	-	2	-	95	90	-	-	88	46	23	12
1-	12	16	2	1	-	-	-	-	9	11	-	-	10	6	4	2
5-	8	7	1	1	-	-	-	-	7	6	0	-	6	5	4	3
15-	4	5	1	1	-	-	0	-	1	3	1	1	20	18	16	11
25-	6	8	4	3	-	1	-	0	1	1	1	1	38	28	29	12
35-	28	17	15	10	1	1	1	0	6	2	6	1	59	57	40	24
45-	66	57	45	29	1	5	2	3	12	10	9	10	111	98	68	42
55-	144	114	81	50	14	15	7	8	27	20	22	16	243	170	111	72
65-	300	261	129	90	50	56	20	24	65	51	53	46	799	405	221	128
75-	519	507	135	105	127	138	97	119	100	90	92	81	2,870	1,037	432	269
85 and over	872	858	200	65	291	293	150	250	130	142	110	115	8,547	2,225	812	485

Causes of death	592		593		600-609		600		600.0		610-617		610		XII 690-716	
	Chronic nephritis		Nephritis not specified as acute or chronic		Other diseases of urinary system		Infections of kidney		Pyelitis, pyelocystitis and pyelonephritis		Diseases of male genital organs		Hyperplasia of prostate		Diseases of the skin and cellular tissue	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	39	31	17	15	73	100	54	82	53	80	88	-	86	-	6	12
0-	-	-	14	2	65	34	26	15	26	12	-	-	-	-	12	10
1-	-	-	-	1	6	4	2	3	2	3	-	-	-	-	1	-
5-	2	1	1	1	2	2	1	2	1	1	-	-	-	-	1	1
15-	10	8	2	1	4	6	3	5	2	5	-	-	-	-	1	1
25-	19	6	5	5	9	13	7	12	7	11	-	-	-	-	2	1
35-	24	14	10	6	19	24	13	22	13	22	1	1	-	-	1	3
45-	44	24	18	13	38	46	29	35	29	34	5	5	5	5	5	8
55-	64	43	35	21	87	91	64	77	63	76	45	45	42	10	10	12
65-	134	73	66	43	277	261	199	215	195	214	301	301	291	17	30	71
75-	282	186	115	70	894	729	674	601	662	590	1,543	1,543	1,510	70	70	71
85 and over	511	323	281	142	2,395	1,701	1,894	1,347	1,854	1,324	5,341	5,341	5,220	170	170	246

Causes of death	XIII 720-749		720-727		722		722.0		730-738		XIV 750-759		751		754	
	Diseases of the bones and organs of movement		Arthritis and rheumatism except rheumatic fever		Rheumatoid arthritis and allied conditions		Rheumatoid arthritis		Osteomyelitis and other diseases of bone and joint		Congenital malformations		Spina bifida and meningocele		Congenital malformations of circulatory system	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	29	56	15	40	9	29	8	29	7	11	107	90	10	16	54	40
0-	19	17	-	-	-	-	-	-	2	7	3,965	3,731	495	866	1,928	1,567
1-	3	2	-	-	-	-	-	-	2	1	118	105	13	19	63	54
5-	4	1	-	-	-	-	-	-	0	0	29	27	1	1	18	19
15-	15	2	-	-	-	-	-	-	0	1	23	13	1	1	16	8
25-	4	4	-	2	-	2	-	2	0	0	17	14	-	0	14	9
35-	6	7	2	4	2	3	2	3	0	-	20	16	0	0	11	7
45-	18	17	9	13	7	10	5	10	2	1	32	30	-	0	15	12
55-	45	63	27	48	18	43	16	43	8	7	41	24	-	-	19	12
65-	125	158	74	127	56	104	52	102	35	22	39	32	1	0	14	15
75-	284	421	165	305	80	210	75	209	95	104	43	38	-	-	10	11
85 and over	361	881	230	566	60	246	60	246	130	285	60	38	-	-	-	12

TABLE 17A - continued

Causes of death	757		XV 760-776†		760.5-773.5		760-769		760		761		762		763	
	Congenital malformations of genito-urinary system		Certain diseases of early infancy		With immaturity		Birth injuries, asphyxia and infections of newborn		Intra-cranial and spinal injury at birth		Other birth injury		Postnatal asphyxia and atelectasis		Pneumonia of newborn	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	12	9	212	137	82	54	125	79	31	18	13	7	61	39	13	9
0-	265	127	11,515	8,274	4,467	3,259	6,787	4,751	1,677	1,056	685	423	3,333	2,377	702	560
1-	6	2	1	-	-	-	1	-	1	-	-	-	-	-	-	-
5-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	11	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-	15	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-	13	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-	22	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85 and over	40	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes of death	770-776		773		776		XVI 780-795		790-795		794		XVII E800-E999		M.V.T. ACCIDENTS	
	Other diseases peculiar to early infancy		Ill-defined diseases peculiar to early infancy		Immaturity, unqualified		Symptoms, senility and ill-defined conditions		Senility and ill-defined diseases		Senility without mention of psychosis		Accidents, poisonings and violence (external cause)		E810-E825 Motor vehicle traffic accidents	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	87	58	13	8	60	41	66	128	62	123	57	120	601	420	223	87
0-	4,727	3,523	715	474	3,275	2,450	37	32	21	22	-	-	880	660	26	22
1-	-	-	-	-	-	-	2	2	1	-	-	-	267	186	97	59
5-	-	-	-	-	-	-	1	1	0	0	-	-	193	76	95	46
15-	-	-	-	-	-	-	4	1	3	1	-	-	680	148	447	87
25-	-	-	-	-	-	-	2	1	1	0	-	-	464	138	186	35
35-	-	-	-	-	-	-	4	2	3	1	-	-	479	189	154	39
45-	-	-	-	-	-	-	5	4	4	2	-	-	566	298	173	66
55-	-	-	-	-	-	-	12	7	7	3	-	-	722	398	216	98
65-	-	-	-	-	-	-	56	46	43	34	34	29	969	763	292	183
75-	-	-	-	-	-	-	874	789	834	758	801	747	2,413	2,211	689	327
85 and over	-	-	-	-	-	-	8,236	7,941	8,126	7,860	8,056	7,810	5,762	6,116	942	250

Causes of death	MOTOR VEHICLE TRAFFIC ACCIDENTS												ACCIDENTAL POISONING			
	E812 to pedestrian		E813 to pedal cyclist		E815 to rider or passenger of motorcycle in collision with other motor vehicle		E816 Other motor vehicle traffic accident involving two or more motor vehicles		E821 to rider of motorcycle not involving collision		E823 involving running off roadway		E870-E888 Accidental poisoning by solid and liquid substances		E871 by barbituric acid and derivatives	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	74	51	17	2	32	2	56	21	11	1	24	6	16	18	11	14
0-	2	7	-	-	2	-	16	12	-	-	5	2	5	2	2	-
1-	78	45	4	-	1	-	9	10	-	1	2	1	6	9	-	-
5-	61	32	25	4	2	1	5	5	-	1	1	1	1	0	1	0
15-	44	16	10	2	145	9	103	35	52	4	68	15	5	5	3	3
25-	18	5	4	1	19	1	81	18	7	1	42	7	13	10	8	6
35-	31	9	12	1	14	1	61	22	4	0	24	3	23	23	16	18
45-	48	22	15	5	17	3	58	27	8	1	18	6	29	32	21	27
55-	87	56	30	3	19	1	57	27	3	-	11	7	30	36	22	30
65-	167	149	38	3	11	0	52	21	3	0	11	4	27	34	23	29
75-	561	290	38	1	2	-	67	26	-	-	7	3	38	27	33	20
85 and over	872	219	10	-	-	-	40	15	-	-	-	4	40	15	20	15

\* Note: The group 760-776 relates particularly to the cause of death within the first 28 days of life, but it includes also some deaths from the causes specified at all ages.

TABLE 17A - continued

Causes of death	ACCIDENTAL POISONING				E900-E904		E900		E902		E903		E904		E910-E936	
	E890-E895		E890		Accidental falls		Fall on stairs		Other falls from one level to another		Fall on same level		Unspecified falls		Other accidents	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	18	20	15	19	80	145	15	19	20	9	31	80	12	36	107	50
0-	2	-	2	-	42	42	-	2	33	22	-	10	9	7	743	553
1-	6	3	2	2	22	16	4	3	10	11	3	1	5	1	125	90
5-	3	1	1	0	10	3	1	-	8	2	0	1	1	1	67	18
15-	9	3	7	3	27	2	1	0	23	1	1	0	2	0	92	12
25-	11	5	8	2	30	2	4	0	22	1	1	0	2	0	79	13
35-	10	4	6	3	29	6	5	3	19	1	2	2	1	0	74	15
45-	16	6	13	5	40	13	11	6	13	3	8	3	5	1	92	25
55-	20	12	16	10	79	43	20	13	23	4	20	13	7	12	101	39
65-	49	51	45	47	177	203	47	33	19	11	79	112	23	46	111	83
75-	159	173	150	171	911	1,324	167	166	68	71	499	742	170	342	255	176
85 and over	371	319	351	312	3,567	5,027	441	443	240	216	2,104	3,068	782	1,297	511	370

Causes of death	E916		E921		E929		E970-E979		E970		E972		E974		XVII N800-N999 Alternative classification of accidents, poisonings and violence (nature of injury)	
	Accident caused by fire and explosion of combustible material		Inhalation and ingestion of food causing obstruction or suffocation		Accidental drowning and submersion		Suicide and self-inflicted injury		Suicide and self-inflicted poisoning by analgesic and soporific substance		Suicide and self-inflicted poisoning by gases in domestic use		Suicide and self-inflicted injury by hanging and strangulation			
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	15	19	14	9	27	8	121	88	28	44	39	27	18	5	601	420
0-	30	29	374	296	5	5	-	-	-	-	-	-	-	-	880	660
1-	29	36	19	10	49	19	-	-	-	-	-	-	-	-	267	186
5-	7	7	1	-	37	6	1	0	0	-	0	0	-	-	193	76
15-	6	2	3	1	31	3	68	30	12	11	26	14	9	1	680	148
25-	8	6	6	1	17	3	103	62	26	31	38	20	10	2	464	138
35-	9	5	5	2	11	4	147	93	37	52	47	23	19	4	479	189
45-	9	8	5	6	19	7	179	148	46	83	52	40	28	7	566	298
55-	11	14	10	7	25	11	232	161	57	78	71	49	34	12	722	398
65-	27	36	10	10	36	17	265	196	57	84	91	67	54	16	969	763
75-	98	98	18	11	57	15	312	154	55	78	115	45	63	6	2,413	2,211
85 and over	261	250	40	23	70	4	291	104	50	42	100	38	50	4	5,762	6,116

Causes of death	FRACTURES															
	N800-N809		N801		N803		N804		N805 Fracture and fracture dislocation of vertebral column, without mention of spinal cord lesion		N809		N820-N829		N820	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	181	71	19	6	79	25	42	15	12	6	11	7	42	115	18	60
0-	60	56	2	2	46	42	7	5	-	-	-	-	-	-	-	-
1-	80	46	11	6	50	27	10	7	5	2	1	1	-	1	-	-
5-	73	31	10	4	41	17	14	7	3	2	2	1	1	1	-	-
15-	289	56	41	7	136	26	75	10	13	4	8	2	9	1	0	-
25-	149	19	14	2	70	8	40	5	6	2	8	1	3	1	-	-
35-	138	25	16	3	61	10	36	7	9	2	7	1	6	1	-	-
45-	150	44	16	7	62	20	32	7	12	3	12	3	12	6	2	1
55-	202	67	18	8	85	24	42	17	19	5	19	6	26	27	9	9
65-	268	144	14	9	105	45	60	41	24	10	27	17	95	159	40	71
75-	619	346	28	17	175	79	138	71	43	36	70	61	634	1,076	287	569
85 and over	1,042	616	70	23	180	112	220	69	120	65	130	104	2,786	4,257	1,503	2,371

TABLE 17A - continued

Causes of death	FRACTURES		N850-N856		N853		N856		N860-N869		N861		N862		N869	
	N821 of other and unspecified parts of femur		Head injury (excluding skull fracture)		Cerebral laceration and contusion		Head injury of other and unspecified nature		Internal injury of chest, abdomen, and pelvis		Injury to heart and lung		Injury to other and unspecified intrathoracic organs		Internal injury, unspecified or involving intrathoracic with intra- abdominal organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	14	45	44	18	15	5	15	5	77	22	13	3	24	5	22	7
0-	-	-	49	29	5	7	-	5	12	7	2	-	-	2	2	2
1-	-	1	26	12	8	4	5	5	22	19	2	2	4	1	7	3
5-	0	0	21	8	8	2	8	2	22	11	3	1	5	1	5	4
15-	2	-	66	12	28	7	23	2	136	20	24	3	38	5	40	8
25-	1	0	31	4	12	2	13	2	82	16	16	1	26	5	25	5
35-	2	0	29	6	12	3	11	2	72	14	11	3	27	6	20	3
45-	1	2	34	8	10	3	15	2	86	23	15	3	30	5	27	5
55-	5	7	49	19	14	5	20	6	91	26	9	2	32	8	27	8
65-	28	60	76	33	23	8	24	8	76	35	10	8	21	8	23	11
75-	264	425	147	102	53	24	22	20	142	61	35	9	33	18	33	21
85 and over	1,042	1,697	271	181	100	50	50	42	160	15	20	-	50	8	20	4

Causes of death	N930-N936		N933		N940-N949		POISONING						N990-N999		N990	
	Effects of foreign body entering through orifice		Foreign body in pharynx and larynx		Burns		N960-N979 Effects of poisons		N968 by carbon monoxide		N971 by barbituric acid and derivatives		Other and unspecified injuries and reactions		Drowning	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	15	10	15	10	11	16	120	117	69	52	35	50	89	36	40	15
0-	388	311	388	311	14	7	33	32	19	17	5	-	325	215	5	5
1-	21	12	21	12	17	28	32	32	16	19	-	1	66	35	49	20
5-	2	0	2	0	3	5	10	4	7	3	1	0	58	13	41	7
15-	5	1	5	1	6	3	64	36	42	19	12	9	87	14	43	5
25-	6	2	6	1	6	5	101	70	57	26	32	31	67	16	32	6
35-	6	2	6	2	8	4	139	108	71	28	47	58	64	23	24	11
45-	7	6	7	6	6	6	170	168	85	48	58	99	79	30	31	15
55-	11	7	11	7	8	13	196	179	102	63	71	93	107	49	48	24
65-	13	10	12	10	20	33	239	246	148	124	72	101	137	72	63	37
75-	20	15	18	13	80	96	412	345	302	235	82	81	230	86	93	37
85 and over	50	23	50	23	210	227	651	466	521	389	40	54	251	96	80	12

Causes of death	N991		N996	
	Asphyxia and strangulation		Injury of other and unspecified nature	
Ages at death	M	F	M	F
All ages	28	11	13	7
0-	258	144	5	5
1-	8	10	4	2
5-	8	3	5	2
15-	19	3	14	3
25-	15	6	11	3
35-	23	8	12	3
45-	31	8	13	4
55-	36	13	18	8
65-	53	19	16	12
75-	70	12	53	32
85 and over	50	8	110	73

**TABLE 18A. Accidental poisoning and other non-transport accidents by place of occurrence, by sex and age, 1966**

**England and Wales**

Note. The deaths in this table have been classified to the several forms of violence in accordance with the information furnished by H.M. Coroners. 'Open verdicts' are normally included with accidental deaths.

Deaths from poisoning will be analysed periodically in the *Statistical Review, Part III, Commentary*, to distinguish individual poisons stated to be responsible. These details can be obtained on request from the General Register Office.

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>E870-E936. Non-transport accidents</b>																								
All ages	5,191	5,764	978	28	2,431	3,939	130	11	201	4	557	12	61	12	193	142	137	73	358	742	765	203	358	626
0-	613	436	-	-	475	366	5	5	1	-	4	-	6	3	10	-	2	6	16	7	65	24	29	25
5-	281	75	-	-	64	35	12	3	14	2	14	1	16	2	3	3	11	2	1	-	137	22	9	5
15-	1,304	304	527	6	344	180	63	1	70	1	305	3	31	1	41	2	50	11	20	13	306	37	74	55
45-	1,165	632	397	9	422	434	30	-	113	1	207	6	5	-	43	16	46	13	59	40	160	53	80	69
65 and over	1,828	4,317	54	13	1,126	2,924	20	2	3	-	27	2	3	6	96	121	28	41	262	682	97	67	166	472
<b>E870. Accidental poisoning by morphine and other opium derivatives</b>																								
All ages	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
45-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E871. Accidental poisoning by barbituric acid and derivatives</b>																								
All ages	268	350	1	-	194	277	-	-	-	-	1	-	1	-	1	-	3	3	5	4	6	4	57	62
0-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
15-	86	81	1	-	55	61	-	-	-	-	1	-	1	-	1	-	2	1	2	3	5	3	19	13
45-	122	175	-	-	93	142	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	1	25	30
65 and over	57	93	-	-	43	74	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	13	18
<b>E872. Accidental poisoning by aspirin and salicylates</b>																								
All ages	17	23	-	-	9	8	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	7	14
0-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	3	8	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	6
45-	9	7	-	-	4	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	4	5
65 and over	4	7	-	-	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3
<b>E873. Accidental poisoning by bromides</b>																								
All ages	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E874. Accidental poisoning by other analgesic and soporific drugs</b>																								
All ages	27	31	-	1	25	19	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	10
0-	3	4	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	10	13	-	1	10	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	6	-
45-	12	11	-	-	10	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-
65 and over	2	3	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E875. Accidental poisoning by sulphonamides</b>																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 18A - continued

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>E876. Accidental poisoning by strychnine</b>																								
All ages	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E877. Accidental poisoning by belladonna, hyoscine and atrophine</b>																								
All ages	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E878. Accidental poisoning by other and unspecified drugs</b>																								
All ages	27	29	-	-	21	25	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	3	4	-
0-	4	7	-	-	2	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	13	11	-	-	11	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-
45-	8	7	-	-	7	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
65 and over	2	4	-	-	1	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E879. Accidental poisoning by noxious foodstuffs</b>																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E880. Accidental poisoning by alcohol</b>																								
All ages	23	6	1	-	8	3	-	-	-	-	1	-	-	-	1	-	5	1	-	-	7	-	-	2
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	11	-	1	-	3	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	5	-	-	-
45-	11	5	-	-	5	3	-	-	-	-	-	-	-	-	1	-	3	1	-	-	2	-	-	1
65 and over	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E881. Accidental poisoning by petroleum products</b>																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E882. Accidental poisoning by industrial solvents</b>																								
All ages	8	-	2	-	5	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	3	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	4	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E883. Accidental poisoning by corrosive aromatics, acids and caustic alkalis</b>																								
All ages	4	4	1	-	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-
0-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
45-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
65 and over	2	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E884. Accidental poisoning by mercury and its compounds</b>																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 18A - continued

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>E885. Accidental poisoning by lead and its compounds</b>																								
All ages	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
0-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E886. Accidental poisoning by arsenic and antimony and their compounds</b>																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E887. Accidental poisoning by fluorides</b>																								
All ages	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E888. Accidental poisoning by other and unspecified solid and liquid substances</b>																								
All ages	5	9	-	-	3	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1
0-	1	2	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
45-	2	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	4	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
<b>E890. Accidental poisoning by utility (illuminating) gas</b>																								
All ages	356	463	3	1	339	447	-	-	-	-	2	-	-	-	-	-	4	1	1	3	2	-	8	12
0-	5	3	-	-	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	4	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
15-	69	26	2	-	61	23	-	-	-	-	2	-	-	-	-	-	2	-	-	-	1	-	3	3
45-	84	45	-	-	80	41	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	4	-
65 and over	194	388	1	1	191	379	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	2	5	-
<b>E891. Accidental poisoning by motor vehicle exhaust gas</b>																								
All ages	15	-	1	-	11	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	6	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-
65 and over	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E892. Accidental poisoning by other carbon monoxide gas</b>																								
All ages	40	33	5	1	32	28	-	-	-	-	2	-	-	-	-	-	3	1	-	-	3	3	-	1
0-	7	2	-	-	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
5-	3	2	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
15-	12	8	3	-	7	7	-	-	-	-	-	-	-	-	-	-	3	-	-	-	2	1	-	-
45-	9	8	1	1	8	5	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	1
65 and over	9	13	1	-	8	13	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E893. Accidental poisoning by cyanide gas</b>																								
All ages	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E894. Accidental poisoning by other specified gases and vapours</b>																								
All ages	15	2	9	1	4	1	2	-	-	-	4	1	-	-	-	-	1	-	-	-	4	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	9	1	6	-	2	1	2	-	-	-	2	-	-	-	-	-	-	-	-	3	-	-	-	-
45-	4	1	3	1	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	1	-	-	-
65 and over	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 18A - continued

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E895. Accidental poisoning by unspecified gases and vapours																								
All ages	3	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	3	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E870-E895. Accidental poisoning																								
All ages	814	954	27	4	657	820	2	-	1	-	17	1	1	-	3	-	19	7	10	8	24	9	80	109
0-	25	21	-	-	22	19	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-
5-	12	4	-	-	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1
15-	227	152	17	1	156	109	2	-	-	-	10	-	1	-	1	-	10	2	2	4	16	4	29	33
45-	274	263	8	2	214	209	-	-	-	-	5	1	-	-	2	-	9	4	6	-	6	2	32	47
65 and over	276	514	2	1	255	481	-	-	1	-	2	-	-	-	-	-	1	1	4	-	1	-	16	28
E900. Fall on stairs																								
All ages	346	460	14	6	287	405	1	1	-	-	8	3	1	2	4	5	23	20	11	18	9	5	2	3
0-	6	6	-	-	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	33	10	3	1	24	7	-	-	-	-	2	1	-	-	2	-	3	1	-	-	2	1	-	-
45-	88	59	5	3	65	51	1	-	-	-	4	1	-	-	1	-	10	4	1	1	4	2	2	-
65 and over	217	385	6	2	190	341	-	1	-	-	2	1	1	2	1	5	10	15	10	15	3	2	-	3
E901. Fall from ladders																								
All ages	65	6	42	-	28	6	3	-	1	-	21	-	1	-	1	-	4	-	-	-	5	-	1	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	14	-	11	-	3	-	-	-	-	-	6	-	1	-	-	-	2	-	-	-	2	-	-	-
45-	34	1	29	-	12	1	2	-	1	-	13	-	-	-	1	-	2	-	-	2	-	1	-	-
65 and over	17	5	2	-	13	5	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-
E902. Other falls from one level to another																								
All ages	462	228	213	1	113	130	10	3	13	2	151	1	6	2	14	1	23	4	43	69	84	10	5	6
0-	31	27	-	-	26	22	-	2	-	-	-	-	2	1	-	-	1	1	-	1	2	-	-	-
5-	29	7	-	-	3	2	-	1	2	2	5	1	2	-	-	-	3	-	-	-	13	1	1	-
15-	206	8	125	-	28	4	6	-	5	-	86	-	2	-	10	-	13	-	4	1	50	2	2	1
45-	101	23	77	1	10	12	3	-	4	-	51	-	-	-	3	-	4	1	10	4	15	3	1	3
65 and over	95	163	11	-	46	90	1	-	2	-	9	-	-	1	1	1	2	2	29	63	4	4	1	2
E903. Fall on same level																								
All ages	725	1,986	17	8	372	1,270	2	-	2	-	5	-	3	3	111	122	19	18	202	554	9	12	1	7
0-	5	6	-	-	4	6	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
5-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
15-	10	3	3	-	2	5	-	-	-	-	1	-	1	-	2	-	-	-	1	1	2	-	1	-
45-	78	59	7	-	26	23	-	-	2	-	3	-	-	-	20	12	7	1	17	13	3	1	-	-
65 and over	631	1,919	7	8	340	1,236	2	-	-	-	1	-	1	3	87	106	12	16	184	540	4	11	-	7
E904. Unspecified falls																								
All ages	283	890	5	1	126	430	-	-	3	-	2	1	1	-	2	7	4	4	12	36	6	3	127	409
0-	13	4	-	-	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2
5-	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
15-	17	3	3	-	4	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	3	-	8	2
45-	35	39	2	-	15	23	-	-	3	-	-	1	1	-	1	1	1	-	3	4	2	1	9	9
65 and over	216	842	-	1	97	403	-	-	-	-	-	-	-	-	1	5	1	4	9	32	-	2	108	396
E900-E904. Accidental falls																								
All ages	1,881	3,570	291	16	926	2,241	16	4	19	2	187	5	11	7	132	135	73	46	268	675	113	30	136	425
0-	55	43	-	-	46	36	-	2	-	-	-	-	2	1	-	1	1	-	1	-	3	-	2	2
5-	34	11	-	-	5	3	-	1	2	2	5	1	2	-	1	3	5	-	-	-	13	1	1	-
15-	280	30	145	1	61	17	6	-	5	-	97	1	4	-	14	2	18	2	5	2	59	3	11	3
45-	338	172	120	4	128	110	8	-	10	-	71	2	1	-	28	13	24	6	31	22	26	7	13	12
65 and over	1,176	3,314	26	11	686	2,075	4	1	2	-	14	1	2	6	90	117	25	37	232	650	12	19	109	408
E910. Blow from falling object																								
All ages	214	10	182	-	11	5	8	-	71	-	79	-	2	-	22	2	1	-	2	-	18	3	-	-
0-	6	5	-	-	4	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-
5-	10	-	-	-	3	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	3	-	-	-
15-	105	2	99	-	-	-	3	-	31	-	48	-	1	-	10	-	-	-	1	-	13	2	-	-
45-	85	-	79	-	3	-	4	-	40	-	29	-	1	-	6	-	-	-	-	-	2	-	-	-
65 and over	8	3	4	-	1	1	1	-	-	-	2	-	-	-	3	2	-	-	1	-	-	-	-	-

TABLE 18A - continued

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>E911. Accident caused by vehicle</b>																								
All ages	69	-	62	-	5	-	-	-	42	-	21	-	-	-	-	-	-	-	-	-	-	-	1	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	22	-	17	-	4	-	-	-	5	-	13	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	47	-	45	-	1	-	-	-	37	-	8	-	-	-	-	-	-	-	-	-	-	1	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E912. Accident caused by machinery</b>																								
All ages	246	5	215	3	3	-	61	2	36	-	116	1	5	-	6	-	3	1	-	1	15	-	1	-
0-	4	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
5-	11	1	-	-	-	-	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	131	2	121	2	-	-	31	1	17	-	64	-	3	-	6	-	2	1	-	-	7	-	1	-
45-	89	1	84	1	1	-	12	-	19	-	51	1	-	-	-	-	1	-	-	-	5	-	-	-
65 and over	11	1	10	-	-	-	9	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-
<b>E913. Accident caused by cutting and piercing instruments</b>																								
All ages	13	4	2	-	8	4	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	-
0-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
15-	5	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
45-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
65 and over	5	2	2	-	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E914. Accident caused by electric current</b>																								
All ages	103	25	56	-	26	24	13	-	-	-	26	-	3	-	4	-	5	1	-	-	24	-	2	-
0-	6	2	-	-	5	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
5-	13	3	-	-	2	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	9	-	-	-
15-	62	6	44	-	10	5	12	-	-	-	20	-	1	-	2	-	3	1	-	-	13	-	1	-
45-	17	9	10	-	5	9	1	-	-	-	6	-	1	-	1	-	1	-	-	-	2	-	-	-
65 and over	5	5	2	-	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
<b>E915. Accident caused by explosion of pressure vessel</b>																								
All ages	2	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>*E916. Accident caused by fire and explosion of combustible material</b>																								
All ages	343	462	47	3	266	446	2	1	4	-	36	-	-	1	1	-	10	3	13	8	7	1	4	2
0-	63	71	-	-	62	70	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
5-	24	25	-	-	22	24	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
15-	72	39	30	1	35	32	-	-	2	-	22	-	-	-	-	-	7	3	1	2	3	-	2	2
45-	57	67	16	1	34	64	-	-	2	-	15	-	-	-	-	-	2	-	1	3	4	-	1	-
65 and over	127	260	1	1	113	256	-	1	-	-	1	-	-	-	-	-	1	-	11	3	-	-	1	-
<b>†E917. Accident caused by hot substance, corrosive liquid, and steam</b>																								
All ages	39	50	7	-	23	40	-	-	-	-	6	-	-	-	-	-	1	-	7	4	-	-	2	6
0-	11	12	-	-	10	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
5-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	6	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
45-	7	5	3	-	2	3	-	-	-	-	4	-	-	-	-	-	-	-	2	-	-	-	-	2
65 and over	14	29	-	-	11	24	-	-	-	-	2	-	-	-	-	-	1	-	2	2	-	-	1	3
<b>E918. Accident caused by radiation</b>																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E919. Accident caused by firearm</b>																								
All ages	49	4	6	-	23	2	5	-	3	-	-	-	-	-	-	-	1	-	14	2	3	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	5	2	-	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
15-	28	2	3	-	10	1	3	-	1	-	-	-	-	-	-	-	-	-	1	-	10	1	3	-
45-	9	-	3	-	3	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
65 and over	7	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

\*E916 Including burns by clothing: domestic fire M8, F63; gas fire M4, F24; electric fire M7, F37; other M35, F79. Burns by falling onto fire: open fire M20, F33; gas fire F4; electric fire M2, F9; other M3, F1. Conflagration M93, F76. Other and unspecified means M171, F136.

†E917 Including scalds M24, F30.

TABLE 18A - continued

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E920. Foreign body entering eye and adnexa																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E921. Inhalation and ingestion of food causing obstruction or suffocation																								
All ages	318	234	4	-	214	167	1	-	1	-	1	-	2	-	3	1	11	4	42	35	13	3	30	24
0-	193	138	-	-	164	122	-	-	-	-	-	-	-	-	1	-	-	-	11	4	1	1	16	11
5-	5	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-
15-	46	14	3	-	25	7	1	-	1	-	-	-	1	-	1	-	5	1	6	3	6	-	-	3
45-	43	40	-	-	11	19	-	-	-	-	-	-	1	-	-	1	5	2	17	12	3	2	6	4
65 and over	31	42	1	-	12	19	-	-	-	-	1	-	-	-	-	-	1	1	8	16	1	-	8	6
E922. Inhalation and ingestion of other object causing obstruction or suffocation																								
All ages	16	7	2	-	12	4	-	-	1	-	1	-	-	-	1	-	-	2	-	-	-	-	1	1
0-	9	5	-	-	8	4	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
5-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	2	-	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
45-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	3	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
E923. Foreign body entering other orifice																								
All ages	7	12	1	-	3	3	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	2	5	
0-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	1
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	4	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2
65 and over	3	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2
*E924. Accidental mechanical suffocation in bed and cradle																								
All ages	91	53	-	-	90	52	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
0-	88	51	-	-	87	50	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	2	2	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E925. Accidental mechanical suffocation in other and unspecified circumstances																								
All ages	47	10	15	-	19	8	2	-	5	-	6	-	-	-	-	-	1	1	1	-	9	1	4	-
0-	11	6	-	-	8	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	
5-	7	1	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15-	25	-	12	-	9	-	2	-	2	-	5	-	-	-	-	-	-	-	-	-	3	1	-	
45-	3	1	3	-	-	1	-	-	1	-	1	-	-	-	-	-	1	-	1	-	6	-	-	
65 and over	1	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
E926. Lack of care of infants under 1 year of age																								
Under 1 year	20	20	-	-	11	10	-	1	-	-	1	-	-	-	-	-	1	3	1	-	5	3	1	3
E927. Accidents caused by bites and stings of venomous animals and insects																								
All ages	2	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E928. Other accidents caused by animals																								
All ages	9	1	6	-	1	1	5	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-
0-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	2	-	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
65 and over	5	-	4	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

\*E924 Including accidental mechanical suffocation in bed M23,F8; in cot, cradle etc. M68, F45.

TABLE 18A - continued

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E929. Accidental drowning and submersion																								
All ages	637	196	27	1	36	42	7	3	16	1	47	4	29	2	4	-	2	1	3	1	482	139	11	3
0-	86	33	-	-	18	13	4	2	1	-	3	-	3	1	1	-	-	-	1	-	53	17	2	-
5-	129	19	-	-	1	-	2	1	10	-	7	-	8	1	-	-	1	-	-	-	100	17	-	-
15-	198	33	15	-	2	6	-	-	5	1	16	1	16	-	-	-	-	-	-	-	158	25	1	-
45-	127	54	11	1	7	10	1	-	-	-	16	2	1	-	2	-	-	-	1	-	95	40	4	2
65 and over	97	57	1	-	8	13	-	-	-	-	5	1	1	-	1	-	1	1	1	1	76	40	4	2
E930. High and low air pressure																								
All ages	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E931. Excessive heat and insolation																								
All ages	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E932. Excessive cold																								
All ages	32	33	1	-	15	24	1	-	-	-	-	-	-	-	1	-	-	-	-	1	7	4	8	4
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-
45-	7	3	1	-	1	2	1	-	-	-	-	-	-	-	1	-	-	-	-	3	1	1	-	-
65 and over	21	29	-	-	13	22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	7	4	-
E933. Hunger, thirst and exposure																								
All ages	19	16	-	-	1	2	1	-	-	1	-	-	-	-	2	-	-	-	1	-	11	8	3	5
0-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	4	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	2	-	-	1
45-	9	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	7	1	1	-	-
65 and over	6	10	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	2	3
E934. Cataclysm																								
All ages	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
E935. Lightning																								
All ages	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E936. Other and unspecified accidents																								
All ages	216	95	21	1	79	41	5	-	2	-	11	1	7	2	12	4	10	4	5	5	18	-	67	38
0-	35	22	-	-	27	16	-	-	-	-	-	-	-	-	2	-	-	-	1	-	2	-	3	6
5-	26	6	-	-	12	1	-	-	-	-	-	-	3	1	-	-	3	1	-	-	2	-	6	3
15-	79	12	10	1	25	-	3	-	-	-	5	1	4	1	5	-	5	1	1	-	7	-	24	9
45-	46	12	10	-	7	5	2	-	2	-	5	-	-	-	3	2	2	1	-	5	-	20	4	
65 and over	30	43	1	-	8	19	-	-	-	-	1	-	-	-	2	2	-	1	3	5	2	-	14	16
E910-E936. Other accidents																								
All ages	2,496	1,240	660	8	848	878	112	7	181	2	353	6	49	5	58	7	45	20	80	59	628	164	142	92
0-	533	372	-	-	407	311	5	3	1	-	4	-	4	2	9	-	1	5	15	6	61	22	26	23
5-	235	60	-	-	49	30	12	2	12	-	9	-	14	2	2	-	6	2	4	-	124	20	6	4
15-	797	122	365	4	127	54	55	1	65	1	198	2	26	1	26	-	22	7	13	7	231	30	34	19
45-	555	197	269	3	80	115	24	-	103	1	131	3	4	-	15	3	13	3	22	18	128	44	35	10
65 and over	376	489	26	1	185	368	16	1	-	-	11	1	1	-	6	4	3	3	29	28	84	48	41	36

TABLE 18C. Deaths from violent causes - External cause according to nature of injury, 1966 England and Wales

Inter-mediate List No.	External cause of injury	Nature of injury (Intermediate List)												
		AN 138	AN 139	AN 140	AN 141	AN 142	AN 143	AN 144	AN 145	AN 146	AN 147	AN 148	AN 149	AN 150
	Total	Fracture of skull	Fracture of spine and trunk	Fracture of limbs	Dislocation without fracture	Sprains and strains of joints and adjacent muscle	Head injury (excluding fracture)	Internal injury of chest, abdomen and pelvis	Laceration and open wounds	Superficial injury, contusion and crushing with intact skin surface	Effects of foreign body entering through orifice	Burns	Effects of poisons	All other unspecified effects of external causes
		3,332	897	1,033	29	2	1,026	1,808	317	29	353	247	2,803	2,173
		1,186	571	2,939	20	2	453	535	128	37	254	404	2,892	942
AE 138	Motor vehicle accidents (E810-E835)	5,293	545	213	21	-	571	1,248	106	4	3	15	2	191
	to pedestrian (E812)	2,161	331	137	8	1	199	446	56	3	-	6	4	101
	to cyclist (E813)	1,720	236	119	10	-	210	278	24	2	1	-	-	65
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	1,251	229	107	4	-	113	188	27	3	-	-	-	55
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	60	37	17	-	-	42	50	7	-	-	-	-	6
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	25	3	1	-	-	6	11	-	-	-	-	-	2
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	1	-	-	-	-	-	3	-	-	-	-	-	-
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	749	45	28	2	-	84	163	16	-	-	2	-	20
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	53	9	4	-	-	7	13	2	-	-	-	-	2
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	1,301	132	26	5	-	130	470	32	1	-	7	1	58
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	530	57	15	2	-	50	179	21	-	-	3	4	19
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	258	13	3	-	-	31	42	8	1	-	1	-	5
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	27	3	-	-	-	4	4	-	-	-	1	-	1
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	69	8	-	-	-	5	18	-	-	-	2	-	-
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	17	9	-	-	-	2	3	-	-	-	-	-	-
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	560	51	9	1	-	51	174	15	-	-	-	-	25
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	139	21	2	2	-	13	31	2	-	-	1	-	15
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	53	6	4	-	-	3	4	1	-	-	2	1	-
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	13	1	-	-	-	1	-	-	-	-	1	-	-
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	164	15	7	3	-	15	46	3	-	-	1	-	12
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	70	6	7	-	1	3	17	4	-	-	-	-	7
AE 139	Other transport accidents	418	20	9	-	-	24	76	12	-	-	5	7	157
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	108	2	6	-	-	7	7	3	-	-	-	1	19
AE 140	Accidental poisoning	814	-	-	-	-	-	-	-	-	-	-	814	-
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	954	-	-	-	-	-	-	-	-	-	-	954	-
AE 141	Accidental falls	1,881	214	777	6	-	178	86	6	19	7	-	-	47
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	3,570	230	2,764	11	1	197	341	41	27	2	1	-	48
AE 142	Accident caused by machinery	246	30	3	-	-	6	104	13	1	1	2	-	20
AE 143	Accident caused by fire and explosion of combustible material	343	2	-	-	-	1	2	-	-	-	-	-	2
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	462	-	-	-	-	-	6	-	-	-	476	457	2
AE 144	Accident caused by hot substance, corrosive liquid, steam and radiation	39	-	-	-	-	-	-	-	-	-	39	-	-
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	50	-	-	-	-	-	-	-	-	-	50	-	-
AE 145	Accident caused by firearm	49	3	-	-	-	26	10	7	-	-	-	-	3
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	4	-	-	-	-	1	-	3	-	-	-	-	-
AE 146	Accidental drowning and submersion	637	-	-	-	-	-	-	-	-	-	-	-	637
AE 147	All other accidental causes	1,307	70	30	2	1	87	160	20	5	342	3	2	455
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	574	17	30	1	-	31	12	9	7	252	-	-	210
AE 148	Suicide and self-inflicted injury	2,823	72	1	-	-	105	74	118	-	-	5	1,805	628
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	2,171	12	2	-	-	27	18	22	-	-	12	1,793	301
AE 149	Homicide and injury purposely inflicted by other persons (not in war)	179	37	1	-	-	41	41	29	-	-	2	13	29
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	152	1	-	-	-	11	19	24	-	-	2	10	65
AE 150	Injury resulting from operations of war	20	2	-	-	-	2	3	6	-	-	-	3	4
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	-	-	-	-	-	-	-	-	-	-	-	-	-
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	-	-	-	-	-	-	-	-	-	-	-	-	-

**TABLE 18D. Deaths from road traffic accidents and from accidental falls - Nature of injury according to external cause, sex and age, 1966**

**England and Wales**

Nature of injury (Intermediate List)	External cause of injury by age							
	All ages	0-	5-	15-	25-	45-	65-	75 and over
Road vehicle accidents to pedestrians (ICD Nos. E812,E840,E842,E844)								
Total	M 1,728 F 1,261	135 76	214 108	158 54	150 43	387 241	259 338	425 401
AN138 Fracture of skull	M 779 F 531	78 43	100 50	89 28	64 21	173 114	118 142	157 133
AN139 Fracture of spine and trunk	M 237 F 229	8 4	16 10	14 7	16 5	58 36	50 65	75 102
AN140 Fracture of limbs	M 120 F 110	- 2	2 3	6 2	7 2	21 12	25 36	59 53
AN141 Dislocation without fracture	M 10 F 4	2 -	1 2	- -	1 -	3 1	- 1	3 -
AN142 Sprains and strains of joints and adjacent muscle	M - F -	- -	- -	- -	- -	- -	- -	- -
AN143 Head injury (excluding fracture)	M 211 F 113	15 6	35 10	21 6	25 3	42 21	19 29	54 38
AN144 Internal injury of chest, abdomen, and pelvis	M 279 F 188	29 20	46 28	22 9	25 8	72 38	36 44	49 41
AN145 Laceration and open wounds	M 24 F 27	1 -	4 2	4 1	5 3	- 6	4 6	6 9
AN146 Superficial injury, contusion and crushing with intact skin surface	M 2 F 3	- -	- -	- -	- -	1 1	- 1	2 1
AN147 Effects of foreign body entering through orifice	M 1 F -	- -	1 -	- -	- -	- -	- -	- -
AN148 Burns	M - F -	- -	- -	- -	- -	- -	- -	- -
AN149 Effects of poisons	M - F -	- -	- -	- -	- -	- -	- -	- -
AN150 All other and unspecified effects of external causes	M 65 F 56	2 1	9 3	2 1	7 1	18 12	7 14	20 24
Road accidents to pedal cyclists (ICD Nos. E813,E843)								
Total	M 444 F 70	8 -	101 16	42 8	57 6	142 31	66 8	28 1
AN138 Fracture of skull	M 267 F 41	5 -	74 6	30 6	32 4	80 20	34 5	12 -
AN139 Fracture of spine and trunk	M 39 F 3	1 -	5 -	2 1	4 1	18 1	7 -	2 -
AN140 Fracture of limbs	M 21 F 4	- -	- -	1 -	2 -	10 2	4 2	4 -
AN141 Dislocation without fracture	M - F -	- -	- -	- -	- -	- -	- -	- -
AN142 Sprains and strains of joints and adjacent muscle	M - F -	- -	- -	- -	- -	- -	- -	- -
AN143 Head injury (excluding fracture)	M 49 F 8	1 -	10 6	4 -	6 -	17 2	9 -	2 -
AN144 Internal injury of chest, abdomen, and pelvis	M 51 F 11	1 -	11 3	3 -	10 1	12 5	7 1	7 1
AN145 Laceration and open wounds	M 8 F 1	- -	1 -	- -	3 -	2 1	1 -	1 -
AN146 Superficial injury, contusion and crushing with intact skin surface	M - F -	- -	- -	- -	- -	- -	- -	- -
AN147 Effects of foreign body entering through orifice	M - F -	- -	- -	- -	- -	- -	- -	- -
AN148 Burns	M - F -	- -	- -	- -	- -	- -	- -	- -
AN149 Effects of poisons	M - F -	- -	- -	- -	- -	- -	- -	- -
AN150 All other and unspecified effects of external causes	M 9 F 2	- -	- 1	2 1	- -	3 -	4 -	- -

TABLE 18D - continued

Nature of injury (Intermediate List)		External cause of injury by age							
		All ages	0-	5-	15-	25-	45-	65-	75 and over
Accident to rider or passenger of motorcycle (ICD Nos. E814,E815,E821)									
Total	M	1,032	3	7	715	142	143	21	1
	F	81	1	4	47	10	17	2	-
AN138 Fracture of skull	M	563	2	4	402	73	73	9	-
	F	31	-	1	18	6	6	-	-
AN139 Fracture of spine and trunk	M	60	1	-	32	15	11	1	-
	F	12	-	-	6	3	3	-	-
AN140 Fracture of limbs	M	31	-	-	16	5	8	1	1
	F	4	-	-	-	-	3	1	-
AN141 Dislocation without fracture	M	2	-	-	1	1	-	-	-
	F	-	-	-	-	-	-	-	-
AN142 Sprains and strains of joints and adjacent muscle	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN143 Head injury (excluding fracture)	M	115	-	1	84	13	13	4	-
	F	11	-	-	10	-	1	-	-
AN144 Internal injury of chest, abdomen, and pelvis	M	208	-	1	144	28	32	3	-
	F	17	-	2	12	-	3	-	-
AN145 Laceration and open wounds	M	24	-	1	17	3	2	1	-
	F	2	-	-	-	1	1	-	-
AN146 Superficial injury, contusion and crushing with intact skin surface	M	1	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-
AN147 Effects of foreign body entering through orifice	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN148 Burns	M	3	-	-	3	-	-	-	-
	F	1	1	-	-	-	-	-	-
AN149 Effects of poisons	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN150 All other and unspecified effects of external causes	M	25	-	-	16	4	3	2	-
	F	3	-	1	1	-	-	1	-
Motor vehicle traffic accidents (ICD Nos. E810,E811,E816-E819, E822, E823)									
Total	M	1,948	31	23	647	665	432	100	50
	F	691	25	23	178	156	209	59	41
AN138 Fracture of skull	M	716	19	9	272	280	105	18	13
	F	243	11	18	84	55	59	9	7
AN139 Fracture of spine and trunk	M	192	2	2	41	52	66	18	11
	F	80	1	2	23	11	23	13	7
AN140 Fracture of limbs	M	35	-	-	4	11	13	5	2
	F	19	-	-	-	2	5	5	7
AN141 Dislocation without fracture	M	6	-	1	1	1	3	-	-
	F	4	-	-	1	-	3	-	-
AN142 Sprains and strains of joints and adjacent muscle	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN143 Head injury (excluding fracture)	M	187	6	4	78	51	29	14	5
	F	65	6	1	18	16	17	6	1
AN144 Internal injury of chest, abdomen, and pelvis	M	668	2	4	218	207	184	37	16
	F	215	2	-	32	60	83	24	14
AN145 Laceration and open wounds	M	48	-	-	14	21	8	4	1
	F	23	-	1	6	4	9	-	3
AN146 Superficial injury, contusion and crushing with intact skin surface	M	1	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-
AN147 Effects of foreign body entering through orifice	M	2	-	-	1	-	1	-	-
	F	-	-	-	-	-	-	-	-
AN148 Burns	M	9	-	-	4	5	-	-	-
	F	4	-	-	1	1	2	-	-
AN149 Effects of poisons	M	1	-	-	1	-	-	-	-
	F	4	2	-	2	-	-	-	-
AN150 All other and unspecified effects of external causes	M	83	2	3	13	37	23	3	2
	F	34	3	1	11	7	8	2	2

TABLE 18D - continued

Nature of injury (Intermediate List)		External cause of injury by age							
		All ages	0-	5-	15-	25-	45-	65-	75 and over
Accidental falls (ICD Nos. E900-E904)									
Total	M	1,881	55	34	97	183	336	274	902
	F	3,570	43	11	6	24	172	456	2,858
AN138 Fracture of skull	M	540	27	23	56	128	163	71	72
	F	247	23	6	4	8	44	47	115
AN139 Fracture of spine and trunk	M	214	1	1	8	11	37	44	112
	F	230	-	-	1	4	11	24	190
AN140 Fracture of limbs	M	777	-	-	4	3	47	105	618
	F	2,764	-	2	-	4	77	326	2,355
AN141 Dislocation without fracture	M	6	-	-	1	1	-	1	3
	F	11	-	-	-	-	1	3	7
AN142 Sprains and strains of joints and adjacent muscle	M	1	-	-	-	-	1	-	-
	F	1	-	-	-	-	-	-	1
AN143 Head injury (excluding fracture)	M	178	23	8	6	20	43	35	43
	F	197	13	3	-	4	25	32	120
AN144 Internal injury of chest, abdomen, and pelvis	M	86	4	2	11	12	28	9	20
	F	31	5	-	1	2	5	5	13
AN145 Laceration and open wounds	M	6	-	-	-	2	1	1	2
	F	11	-	-	-	1	2	3	5
AN146 Superficial injury, contusion and crushing with intact skin surface	M	19	-	-	-	1	2	1	15
	F	27	-	-	-	-	1	4	22
AN147 Effects of foreign body entering through orifice	M	7	-	-	4	-	1	1	1
	F	2	1	-	-	-	-	-	1
AN148 Burns	M	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1
AN149 Effects of poisons	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN150 All other and unspecified effects of external causes	M	47	-	-	7	5	13	6	16
	F	48	1	-	-	1	6	12	28

TABLE 18E. Deaths from accidents in the home and residential institutions  
by cause, sex and age, and death rates per million living, 1966

England and Wales

ICD No.	Cause of death		Deaths							Rates						
			All ages	0-	5-	15-	45-	65-	75 and over	All ages	0-	5-	15-	45-	65-	75 and over
E870-E936	All accidents in the home and residential institutions	M F	2,789 4,681	491 373	65 35	364 193	481 474	375 676	1,013 2,930	119 190	230 184	18 10	37 20	83 77	243 301	1,449 2,046
E870-E888	Accidental poisoning by solid and liquid substances	M F	280 349	12 14	3 -	84 82	129 163	32 65	20 25	12 14	6 7	1 -	9 9	22 26	21 29	29 17
E871	Accidental poisoning by barbituric acid and derivatives	M F	199 281	1 -	2 -	57 64	95 142	28 55	16 20	9 11	0 -	1 -	6 7	16 23	18 24	23 14
E872	Accidental poisoning by aspirin and salicylates	M F	9 8	1 1	- -	1 1	4 2	1 3	2 1	0 0	0 0	- -	0 0	1 0	1 1	3 1
E890-E895	Accidental poisoning by gases and vapours	M F	387 479	11 5	7 2	74 31	91 46	74 112	130 283	17 19	5 2	2 1	8 3	16 7	48 50	186 198
E900	Fall on stairs	M F	298 421	6 6	2 -	24 7	66 52	63 71	137 285	13 17	3 3	1 -	2 1	11 8	41 32	196 199
E901	Fall from ladders	M F	28 6	- -	- -	3 -	12 1	9 1	4 4	1 0	- -	- -	0 -	2 0	6 0	6 3
E902	Other falls from one level to another	M F	156 199	26 23	3 2	32 5	20 16	17 18	58 135	7 8	12 11	1 1	3 1	3 3	11 8	83 94
E903	Fall on same level	M F	574 1,824	4 6	- -	3 6	43 36	82 214	442 1,562	25 74	2 3	- -	0 1	7 6	53 95	632 1,091
E904	Unspecified falls	M F	138 466	10 2	- 1	4 1	18 27	17 57	89 378	6 19	5 1	- 0	0 0	3 4	11 25	127 264
E914	Accident caused by electric current	M F	26 24	5 2	2 3	10 5	5 9	1 4	3 1	1 1	2 1	1 1	1 1	1 1	1 2	4 1
E916	Accident caused by fire and explosion of combustible material	M F	279 454	62 70	22 24	36 34	35 67	42 80	82 179	12 18	29 34	6 7	4 4	6 11	27 36	117 125
	Burns by clothing	M F	49 201	5 17	3 12	4 12	7 22	9 42	21 96	2 8	2 8	1 4	0 1	1 4	6 19	30 67
	from domestic fire (open)	M F	8 63	- 4	1 3	- 4	1 6	2 10	4 36	0 3	- 2	0 1	- 0	0 1	1 4	6 25
	gas fire, stove, etc.	M F	4 24	- -	- -	1 1	- 3	1 5	2 15	0 1	- -	- -	0 0	- -	1 2	3 10
	electric fire	M F	7 37	1 -	- 3	- -	1 2	4 12	1 20	0 1	0 -	- 1	- -	0 0	3 5	1 14
	other specified	M F	20 35	1 5	1 1	3 3	3 6	1 5	11 15	1 1	0 2	0 0	0 0	1 1	1 2	16 10
	not specified	M F	10 42	3 8	1 5	- 4	2 5	1 10	3 10	0 2	1 4	0 1	- 0	0 1	1 4	4 7
	Burns by falling into fire	M F	24 46	- -	- -	2 2	2 14	5 6	15 24	1 2	- -	- -	0 0	0 2	3 3	21 17
	Burns by conflagration	M F	75 76	27 33	8 4	12 10	10 4	7 6	11 19	3 3	13 16	2 1	1 1	2 1	5 3	16 13
	Burns by other specified means	M F	82 83	15 11	4 2	13 5	8 20	16 19	26 26	4 3	7 5	1 1	1 1	1 3	10 8	37 18
	Burns by means not specified	M F	49 48	15 9	7 6	5 5	8 7	5 7	9 14	2 2	7 4	2 2	1 1	1 1	3 3	13 10
E917	Accident caused by hot substance, corrosive liquid, and steam	M F	30 44	10 12	1 1	2 -	4 5	3 5	10 21	1 2	5 6	0 0	0 -	1 1	2 2	14 15
E921	Inhalation and ingestion of food causing obstruction or suffocation	M F	256 202	175 126	2 -	31 10	28 31	11 19	9 16	11 8	82 82	1 -	3 1	5 5	7 8	13 11
E924	Accidental mechanical suffocation in bed and cradle	M F	91 52	88 50	- -	2 2	- -	- -	1 -	4 2	41 25	- -	0 0	- -	- -	1 -
E929	Accidental drowning and submersion	M F	39 43	19 13	1 -	2 6	8 10	4 10	5 4	2 2	9 6	0 -	0 1	1 2	3 4	7 3
Rem. E870-E936	Other accidents	M F	207 118	63 44	22 2	57 4	22 11	20 20	23 37	9 5	29 22	6 1	6 0	4 2	13 9	33 26

TABLE 19. Causes of death at different periods of life and Standardised Mortality Ratios, by sex, 1966

Abbrevi- ated List No.	Causes of death	England and Wales											
		Age											
		All ages	Under 1 year	Years									
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	Numbers	M	F	M	F	M	F	M	F	M	F	M	F
	Rates	M	F	M	F	M	F	M	F	M	F	M	F
	ALL CAUSES												
		M	F	M	F	M	F	M	F	M	F	M	F
		M	F	M	F	M	F	M	F	M	F	M	F
B1	Tuberculosis of respiratory system	M	F	M	F	M	F	M	F	M	F	M	F
B2	Tuberculosis, other forms	M	F	M	F	M	F	M	F	M	F	M	F
B3	Syphilis and its sequelae	M	F	M	F	M	F	M	F	M	F	M	F
B4	Typhoid fever	M	F	M	F	M	F	M	F	M	F	M	F
B5	Cholera	M	F	M	F	M	F	M	F	M	F	M	F
B6	Dysentery, all forms	M	F	M	F	M	F	M	F	M	F	M	F
B7	Scarlet fever and streptococcal sore throat	M	F	M	F	M	F	M	F	M	F	M	F
B8	Diphtheria	M	F	M	F	M	F	M	F	M	F	M	F
B9	Whooping cough	M	F	M	F	M	F	M	F	M	F	M	F
B10	Meningococcal infections	M	F	M	F	M	F	M	F	M	F	M	F
B11	Plague	M	F	M	F	M	F	M	F	M	F	M	F
B12	Acute poliomyelitis	M	F	M	F	M	F	M	F	M	F	M	F
B13	Smallpox	M	F	M	F	M	F	M	F	M	F	M	F
B14	Measles	M	F	M	F	M	F	M	F	M	F	M	F
B15	Typhus and other rickettsial diseases	M	F	M	F	M	F	M	F	M	F	M	F
B16	Malaria	M	F	M	F	M	F	M	F	M	F	M	F
B17	All other diseases classified as infective and parasitic	M	F	M	F	M	F	M	F	M	F	M	F
B18	Malignant neoplasm: (140-205)	M	F	M	F	M	F	M	F	M	F	M	F
	stomach (151)	M	F	M	F	M	F	M	F	M	F	M	F
	trachea, bronchus and lung (162, 163)	M	F	M	F	M	F	M	F	M	F	M	F
	breast (170)	M	F	M	F	M	F	M	F	M	F	M	F
	uterus (171-174)	M	F	M	F	M	F	M	F	M	F	M	F
	Leukaemia and aleukaemia (204)	M	F	M	F	M	F	M	F	M	F	M	F
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	F	M	F	M	F	M	F	M	F	M	F
	Benign and unspecified neoplasms	M	F	M	F	M	F	M	F	M	F	M	F
	Diabetes mellitus	M	F	M	F	M	F	M	F	M	F	M	F
	Anaemias	M	F	M	F	M	F	M	F	M	F	M	F
B22	Vascular lesions affecting central nervous system	M	F	M	F	M	F	M	F	M	F	M	F
B23	Non-meningococcal meningitis	M	F	M	F	M	F	M	F	M	F	M	F
B24	Rheumatic fever	M	F	M	F	M	F	M	F	M	F	M	F
B25	Chronic rheumatic heart disease	M	F	M	F	M	F	M	F	M	F	M	F

**England and Wales, regions, Wales, conurbations, urban and rural aggregates outside conurbations, and hospital regions**

Abbreviated List No.	Causes of death	England and Wales											
		Age											
		All ages	Under 1 year	Years									
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	69,547	-	-	1	11	195	1,949	7,262	18,426	22,676	19,027
		F	45,219	1	1	1	6	36	261	1,271	5,463	14,298	23,861
		M	13,947	6	1	6	30	36	101	262	912	2,754	9,839
		F	23,670	2	1	5	9	17	35	133	525	2,850	20,093
B27	Other diseases of heart	M	6,786	11	11	8	26	36	86	264	922	1,961	3,461
B28	Hypertension with heart disease	F	8,496	9	6	13	15	35	76	167	555	1,833	5,787
		M	3,280	-	-	-	-	9	29	175	620	1,179	1,268
		F	4,935	1	-	-	1	5	20	96	427	1,419	2,966
B29	Hypertension without mention of heart	M	1,892	-	-	2	13	33	77	227	450	473	617
B46 (pt.)	Other circulatory diseases (450-468)	F	2,154	-	-	-	6	15	39	91	228	514	1,261
		M	9,463	12	5	2	21	38	117	358	1,289	2,554	5,067
		F	12,535	5	4	2	33	65	119	282	811	2,370	8,844
B30	Influenza	M	1,639	11	10	13	16	17	31	85	246	424	786
B31	Pneumonia	F	2,033	20	11	9	15	16	34	59	158	386	1,325
		M	16,137	1,066	190	76	104	70	151	547	1,647	3,622	8,664
		F	19,374	705	192	61	57	58	129	358	1,055	3,315	13,444
B32	Bronchitis	M	23,121	226	56	23	23	34	172	1,110	4,991	8,659	7,827
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	8,741	146	45	17	17	24	90	357	1,017	2,350	4,678
		M	3,499	113	33	9	19	32	77	257	792	1,114	1,053
		F	1,882	85	28	13	20	19	78	133	218	866	922
B33	Ulcer of stomach and duodenum	M	2,604	1	-	-	6	23	55	174	588	830	927
B34	Appendicitis	F	1,480	-	-	2	-	5	21	59	162	354	877
		M	237	2	12	16	14	9	9	29	40	56	50
		F	215	1	7	10	5	8	9	16	36	50	73
B35	Intestinal obstruction and hernia	M	1,369	133	18	8	7	6	20	71	211	352	543
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	1,663	81	8	6	7	6	21	58	165	459	852
		M	1,012	192	67	8	24	20	26	57	164	215	239
		F	1,668	128	60	8	17	22	38	77	171	352	795
B37	Cirrhosis of liver	M	731	1	4	2	5	11	48	138	221	200	101
		F	635	2	2	4	4	8	30	91	151	203	140
B38	Nephritis and nephrosis	M	1,493	10	6	15	58	87	124	206	305	342	340
		F	1,247	5	3	10	39	34	75	132	221	287	441
B39	Hyperplasia of prostate	M	2,007	-	-	-	-	-	2	14	115	450	1,426
B40	Complications of pregnancy, childbirth and puerperium	F	223	-	-	-	65	106	50	2	-	-	-
B41	Congenital malformations	M	2,511	1,707	202	104	83	51	63	97	112	60	32
		F	2,215	1,526	170	92	44	40	50	95	72	71	55
B42	Birth injuries, postnatal asphyxia and atelectasis	M	2,453	2,452	1	-	-	-	-	-	-	-	-
		F	1,577	1,577	-	-	-	-	-	-	-	-	-
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	34	34	-	-	-	-	-	-	-	-	-
		F	32	32	-	-	-	-	-	-	-	-	-
		M	354	354	-	-	-	-	-	-	-	-	-
		F	253	253	-	-	-	-	-	-	-	-	-
B44	Other diseases of early infancy and immaturity unqualified	M	2,118	2,117	1	-	-	-	-	-	-	-	-
		F	1,522	1,522	-	-	-	-	-	-	-	-	-
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	1,535	16	4	2	13	5	13	16	34	86	1,346
		F	3,153	13	3	3	4	2	5	12	20	103	2,988
B46 (Rem.)	All other diseases (Remainder 001-795)	M	8,735	278	169	191	318	260	457	786	1,583	2,183	2,510
		F	12,585	199	128	142	239	286	516	983	1,784	3,035	5,273
BE47	Motor vehicle accidents	M	5,293	11	169	341	1,594	578	492	534	609	456	509
BE48	All other accidents	F	2,161	9	97	154	301	103	122	209	300	415	451
		M	5,734	344	280	325	555	481	516	612	722	612	1,287
		F	5,879	246	194	88	82	94	155	250	412	846	3,512
BE49	Suicide and self-inflicted injury	M	2,823	-	-	3	243	310	462	544	635	410	216
BE50	Homicide and operations of war	F	2,171	-	-	1	103	178	287	465	490	439	208
		M	199	24	6	13	24	33	33	27	10	20	9
		F	152	15	11	13	28	24	16	13	10	12	10
BN47	Fractures, head injuries and internal injuries	M	8,096	52	218	413	1,779	805	766	860	1,016	799	1,388
BN48	Burns	F	5,684	38	126	172	308	115	145	253	425	850	3,252
		M	247	6	29	10	20	18	26	17	21	31	69
		F	404	3	46	17	9	13	12	20	40	73	171
BN49	Effects of poisons	M	2,803	14	54	35	226	304	437	516	536	369	312
BN50	All other injuries	F	2,892	13	52	15	125	203	331	529	547	552	525
		M	2,903	307	154	224	391	275	274	324	403	299	252
		F	1,383	216	78	52	72	68	92	135	200	237	233

TABLE 19 - continued

Abbreviated List No.	Causes of death	Northern												S.M.R. (England and Wales = 100)
		Age												
		All ages	Under 1 year	Years										
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
	Numbers	M	20,982	695	108	107	230	260	635	1,721	4,420	6,091	6,715	107
		F	18,719	503	83	56	93	136	393	1,049	2,270	4,721	9,415	111
	ALL CAUSES	Rates	M	12,865	23,801	903	402	950	1,229	2,836	8,562	23,905	57,517	144,099
		F	11,103	18,159	730	220	390	662	1,844	5,142	11,271	32,536	113,845	
B1	Tuberculosis of respiratory system	M	152	-	-	-	-	1	8	16	51	50	26	144
		F	48	-	-	-	-	2	6	18	14	2	140	
B2	Tuberculosis, other forms	M	8	-	2	1	1	-	1	2	1	-	99	
		F	9	-	1	-	1	-	2	-	1	1	3	96
B3	Syphilis and its sequelae	M	35	1	-	-	-	-	-	3	13	9	9	104
		F	23	-	-	-	-	-	-	-	4	8	11	109
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	-	-	-	-	-	1	-	-	142
		F	1	-	1	-	-	-	-	-	-	-	-	157
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	102
B10	Meningococcal infections	M	7	5	-	-	-	-	-	1	-	1	-	168
		F	5	1	3	1	-	-	-	-	-	-	-	160
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	6	-	5	-	1	-	-	-	-	-	-	198
		F	2	1	1	-	-	-	-	-	-	-	-	77
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	27	4	-	2	1	2	-	6	3	4	5	90
		F	28	5	1	1	-	3	1	3	4	5	5	85
	Malignant neoplasm: (140-205)	M	4,153	1	9	13	26	45	138	446	1,219	1,371	885	105
	stomach (151)	F	3,198	-	11	9	13	32	154	439	708	923	909	102
		M	581	-	-	-	-	6	13	55	171	201	135	114
		F	406	-	-	-	1	1	12	27	61	136	168	116
	trachea, bronchus and lung (162, 163)	M	1,557	-	-	-	-	8	48	218	581	522	180	102
	breast (170)	F	265	-	-	-	-	2	14	55	69	82	43	94
		M	9	-	-	-	-	-	2	1	2	3	1	133
		F	603	-	-	-	-	7	54	121	149	160	112	96
	uterus (171-174)	F	289	-	-	-	-	1	25	71	79	59	54	114
	Leukaemia and aleukaemia (204)	M	94	-	2	5	4	4	5	7	19	31	17	88
		F	79	-	6	5	3	4	3	4	18	14	22	92
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,912	1	7	8	22	27	70	165	446	614	552	106
		F	1,556	-	5	4	9	17	46	161	332	472	510	101
B19	Benign and unspecified neoplasms	M	42	1	-	-	1	3	2	4	14	13	4	92
		F	40	-	1	-	2	2	4	4	8	12	7	85
B20	Diabetes mellitus	M	115	-	1	-	-	2	4	4	20	43	41	112
		F	219	-	1	-	-	2	1	7	39	85	84	127
B21	Anaemias	M	43	-	-	1	-	-	-	2	4	7	29	114
		F	83	-	-	1	2	1	-	1	8	20	50	121
B22	Vascular lesions affecting central nervous system	M	2,538	1	-	1	5	14	25	113	363	805	1,211	119
		F	3,346	-	-	2	6	6	32	103	296	853	2,048	118
B23	Non-meningococcal meningitis	M	12	4	2	-	2	-	-	2	1	1	-	88
		F	16	7	2	-	-	-	1	-	-	-	6	129
B24	Rheumatic fever	M	2	-	-	-	-	-	-	1	1	-	-	71
		F	3	-	-	2	-	-	1	-	-	-	-	131
B25	Chronic rheumatic heart disease	M	127	-	-	-	-	7	16	29	33	29	13	92
		F	277	-	-	-	2	5	18	57	77	59	59	109

TABLE 19 - continued

Abbreviated List No.	Causes of death		Northern											S.M.R. (England and Wales = 100)	
			Age												
			All ages	Under 1 year	Years								75 and over		
					1-	5-	15-	25-	35-	45-	55-	65-			
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M F M F	5,201 3,604 898 1,361	- 1 1 -	- - - -	- - 1 -	- - 1 -	19 4 1 3	180 31 5 -	576 122 12 10	1,426 489 56 35	1,710 1,214 172 186	1,290 1,743 649 1,127	111 130 96 98	
B27	Other diseases of heart	M F	515 535	2 -	1 -	1 1	1 -	2 1	12 8	23 10	82 40	162 143	229 332	113 105	
B28	Hypertension with heart disease	M F	217 321	- -	- -	- -	- -	- 1	- -	3 -	12 9	37 30	83 106	82 175	98 107
B29	Hypertension without mention of heart	M F	115 116	- -	- -	- -	2 -	1 -	7 2	15 8	31 14	27 35	32 57	90 88	
B46 (pt.)	Other circulatory diseases (450-468)	M F	643 876	2 -	1 1	- -	2 -	1 8	10 5	16 24	65 55	156 134	390 651	101 117	
B30	Influenza	M F	107 113	- 3	- -	- -	2 1	- 1	- 3	6 6	21 15	34 16	43 69	97 92	
B31	Pneumonia	M F	1,090 1,147	100 51	18 16	5 5	11 5	3 8	13 11	48 20	140 56	239 231	513 744	100 98	
B32	Bronchitis	M F	1,696 595	15 4	- 1	- 1	- 1	6 5	13 8	90 35	395 94	652 164	525 282	108 111	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M F	228 122	4 2	2 -	- -	3 -	7 1	4 5	15 8	57 16	79 21	57 69	96 104	
B33	Ulcer of stomach and duodenum	M F	189 104	- -	- -	- -	2 -	- -	4 2	17 5	48 22	60 24	58 51	107 116	
B34	Appendicitis	M F	18 12	- -	1 1	- -	1 -	- 1	- 2	3 -	3 -	5 5	3 5	111 87	
B35	Intestinal obstruction and hernia	M F	88 111	6 7	1 -	- -	- 1	- -	4 -	6 4	15 9	30 42	26 48	95 108	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M F	75 104	20 11	3 2	1 -	1 3	- -	1 4	2 9	14 7	10 24	23 44	109 100	
B37	Cirrhosis of liver	M F	57 38	1 -	- -	1 -	- -	1 -	1 1	11 1	16 13	18 15	8 8	115 94	
B38	Nephritis and nephrosis	M F	107 91	- 2	1 -	2 1	1 -	4 1	10 3	17 15	20 17	30 21	22 31	105 115	
B39	Hyperplasia of prostate	M	135	-	-	-	-	-	-	-	6	35	94	100	
B40	Complications of pregnancy, childbirth and puerperium	F	13	-	-	-	4	6	3	-	-	-	-	83	
B41	Congenital malformations	M F	181 158	129 117	12 8	6 4	3 3	4 2	2 2	7 8	10 3	6 10	2 1	104 103	
B42	Birth injuries, postnatal asphyxia and atelectasis	M F	174 112	173 112	1 -	- -	- -	- -	- -	- -	- -	- -	- -	102 102	
B43	Diarrhoea of newborn (764)	M F	3 4	3 4	- -	- -	- -	- -	- -	- -	- -	- -	- -	127 179	
	Other infections of newborn (763, 765-768)	M F	24 16	24 16	- -	- -	- -	- -	- -	- -	- -	- -	- -	97 91	
B44	Other diseases of early infancy and immaturity unqualified	M F	146 110	146 110	- -	- -	- -	- -	- -	- -	- -	- -	- -	99 104	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M F	126 219	1 -	- -	- 1	1 -	- -	3 -	1 1	2 2	9 13	109 201	123 119	
B46 (Rem.)	All other diseases (Remainder 001-795)	M F	590 820	18 17	10 13	16 7	13 19	13 22	32 47	52 73	114 117	151 223	171 282	99 104	
BE47	Motor vehicle accidents	M F	396 118	- -	18 6	26 8	95 17	56 9	36 9	54 15	37 14	31 21	43 19	109 83	
BE48	All other accidents	M F	516 475	33 29	20 13	29 10	41 2	45 7	67 12	66 19	58 31	45 68	112 284	131 131	
BE49	Suicide and self-inflicted injury	M F	170 116	- -	- -	- -	11 9	21 5	30 15	42 27	43 27	12 25	11 8	88 81	
BE50	Homicide and operations of war	M F	9 9	- 1	- -	1 2	2 2	1 1	2 2	1 -	- 1	2 -	- -	65 87	
BN47	Fractures, head injuries and internal injuries	M F	636 424	1 -	23 7	29 11	111 16	80 10	68 10	83 20	63 25	58 65	120 260	115 121	
BN48	Burns	M F	25 36	1 -	3 4	- 1	1 -	2 1	4 2	2 2	2 6	3 5	7 15	148 141	
BN49	Effects of poisons	M F	185 155	- -	1 2	2 2	9 10	18 8	44 21	48 33	31 30	15 14	17 22	96 82	
BN50	All other injuries	M F	245 103	31 30	11 6	25 6	28 4	23 5	19 5	30 6	42 12	14 15	22 14	122 113	

TABLE 19 - continued

Abbrevi- ated List No.	Causes of death	Tyneside Conurbation													S.M.R. (England and Wales = 100)
		Age													
		All ages	Under 1 year	Years											
1-	5-			15-	25-	35-	45-	55-	65-	75 and over					
	ALL CAUSES	Numbers	M	5,300	177	23	20	54	65	162	473	1,161	1,605	1,560	109
		F	4,718	132	24	11	24	32	109	270	577	1,250	2,289	107	
		Rates	M	12,889	23,919	769	299	903	1,226	2,808	9,238	24,650	59,225	140,541	
		F	10,799	18,857	842	172	386	612	1,940	5,075	10,826	32,300	106,465		
B1	Tuberculosis of respiratory system	M	38	-	-	-	-	-	-	3	4	11	18	2	143
		F	17	-	-	-	-	-	-	2	1	7	6	1	189
B2	Tuberculosis, other forms	M	3	-	1	1	-	-	-	-	1	-	-	-	146
		F	4	-	1	-	-	-	-	-	-	1	1	1	163
B3	Syphilis and its sequelae	M	12	-	-	-	-	-	-	-	1	5	2	4	142
		F	9	-	-	-	-	-	-	-	-	2	4	3	163
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	408
B10	Meningococcal infections	M	1	1	-	-	-	-	-	-	-	-	-	-	96
		F	2	1	1	-	-	-	-	-	-	-	-	-	252
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	2	-	2	-	-	-	-	-	-	-	-	-	264
		F	1	-	1	-	-	-	-	-	-	-	-	-	152
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	8	1	-	1	-	1	-	3	1	1	-	-	100
		F	11	1	-	-	-	-	-	2	3	4	1	-	122
	Malignant neoplasm:	M	1,176	-	3	3	8	8	32	125	359	400	238	118	
	(140-205)	F	826	-	5	3	3	8	44	105	190	265	203	100	
	stomach (151)	M	150	-	-	-	-	-	2	15	48	48	37	117	
		F	114	-	-	-	-	-	5	9	14	35	51	124	
	trachea, bronchus and lung	M	477	-	-	-	-	1	12	66	190	149	59	123	
	(162, 163)	F	81	-	-	-	-	1	6	16	21	24	13	109	
	breast (170)	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	141	-	-	-	-	2	15	23	38	40	23	85	
	uterus (171-174)	F	71	-	-	-	-	1	5	12	24	18	11	107	
	Leukaemia and aleukaemia (204)	M	17	-	1	1	1	1	1	1	5	3	3	63	
		F	17	-	3	1	-	1	-	1	5	3	3	76	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	532	-	2	2	7	6	17	43	116	200	139	117	
		F	402	-	2	2	3	3	13	44	88	145	102	99	
B19	Benign and unspecified neoplasms	M	16	1	-	-	1	-	1	1	4	8	-	139	
		F	12	-	-	-	1	1	2	-	2	3	3	97	
B20	Diabetes mellitus	M	23	-	-	-	-	-	-	1	4	12	6	90	
		F	61	-	1	-	-	1	1	4	12	18	24	134	
B21	Anaemias	M	16	-	-	-	-	-	-	-	1	3	12	172	
		F	17	-	-	-	-	-	-	-	2	4	11	95	
B22	Vascular lesions affecting central nervous system	M	575	-	-	-	2	3	3	28	87	202	250	109	
		F	795	-	-	-	-	3	9	27	65	223	468	107	
B23	Non-meningococcal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	3	2	-	-	-	-	-	-	-	-	1	94	
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	1	-	-	-	-	-	167
B25	Chronic rheumatic heart disease	M	37	-	-	-	-	2	5	4	12	9	5	106	
		F	87	-	-	-	-	-	6	14	24	21	22	130	

TABLE 19 - continued

Abbreviated List No.	Causes of death		Tyneside Conurbation												S.M.R. (England and Wales = 100)
			Age												
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease including coronary disease (420)	M	1,250	-	-	-	-	5	44	160	338	430	273	106	
	Degenerative heart disease (421, 422)	F	902	-	-	-	-	2	10	42	109	305	434	124	
		M	191	-	-	-	-	-	2	3	18	44	124	84	
		F	284	-	-	-	-	-	-	2	5	42	235	78	
B27	Other diseases of heart	M	111	1	-	-	1	-	2	5	13	40	49	98	
		F	126	-	-	-	-	1	1	-	12	30	82	94	
B28	Hypertension with heart disease	M	81	-	-	-	-	-	1	2	17	30	31	147	
		F	123	-	-	-	-	1	-	5	10	37	70	157	
B29	Hypertension without mention of heart	M	29	-	-	-	-	1	3	5	11	5	4	91	
		F	39	-	-	-	-	-	1	2	4	11	21	113	
B46 (pt.)	Other circulatory diseases (450-468)	M	154	-	-	-	1	-	2	3	18	31	99	98	
		F	241	-	-	-	-	3	1	5	9	40	183	122	
B30	Influenza	M	20	-	-	-	-	-	-	2	4	6	8	73	
		F	20	1	-	-	-	-	1	-	5	5	8	62	
B31	Pneumonia	M	277	27	1	-	3	1	3	13	44	51	134	103	
		F	276	12	4	1	-	1	1	4	15	51	187	91	
B32	Bronchitis	M	453	4	-	-	-	2	7	27	101	173	139	116	
		F	150	-	-	-	1	1	2	11	24	42	69	107	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	43	1	1	-	-	1	1	1	14	14	10	73	
		F	40	-	-	-	-	-	1	5	5	9	20	131	
B33	Ulcer of stomach and duodenum	M	55	-	-	-	-	-	1	6	18	17	13	125	
		F	27	-	-	-	-	-	-	2	7	4	14	114	
B34	Appendicitis	M	3	-	-	-	-	-	-	1	1	1	-	74	
		F	2	-	-	-	-	-	-	-	-	-	2	56	
B35	Intestinal obstruction and hernia	M	20	1	1	-	-	-	-	2	6	4	6	87	
		F	36	5	-	-	1	-	-	-	3	15	12	134	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	20	7	1	-	-	-	-	-	3	1	8	116	
		F	29	2	-	-	1	-	2	2	2	6	14	107	
B37	Cirrhosis of liver	M	20	-	-	1	-	1	1	5	6	5	1	160	
		F	8	-	-	-	-	-	-	-	2	4	2	75	
B38	Nephritis and nephrosis	M	16	-	-	-	1	1	2	4	4	1	3	63	
		F	19	-	-	-	-	-	-	2	5	4	8	92	
B39	Hyperplasia of prostate	M	41	-	-	-	-	-	-	-	2	12	27	125	
B40	Complications of pregnancy, childbirth and puerperium	F	3	-	-	-	1	1	1	-	-	-	-	74	
B41	Congenital malformations	M	47	31	1	2	1	2	2	1	2	5	-	107	
		F	37	31	1	1	-	1	2	1	-	-	-	95	
B42	Birth injuries, postnatal asphyxia and atelectasis	M	38	37	1	-	-	-	-	-	-	-	-	89	
		F	18	18	-	-	-	-	-	-	-	-	-	65	
B43	Diarrhoea of newborn (764)	M	1	1	-	-	-	-	-	-	-	-	-	169	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
	Other infections of newborn (763, 765-768)	M	6	6	-	-	-	-	-	-	-	-	-	97	
		F	5	5	-	-	-	-	-	-	-	-	-	113	
B44	Other diseases of early infancy and immaturity unqualified	M	42	42	-	-	-	-	-	-	-	-	-	114	
		F	32	32	-	-	-	-	-	-	-	-	-	120	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	32	1	-	-	-	-	3	1	1	4	22	130	
		F	48	1	-	1	-	-	-	1	1	3	41	101	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	157	10	2	1	1	3	7	18	26	44	45	106	
		F	213	7	4	2	7	4	12	18	31	52	78	103	
BE47	Motor vehicle accidents	M	95	-	4	8	26	11	6	11	8	10	11	104	
		F	40	-	3	1	2	2	4	5	4	10	9	108	
BE48	All other accidents	M	132	5	5	3	7	13	19	18	16	14	32	134	
		F	114	13	3	1	-	-	-	2	10	24	61	121	
BE49	Suicide and self-inflicted injury	M	57	-	-	-	1	10	12	18	6	8	4	117	
		F	35	-	-	-	6	2	3	8	6	7	3	93	
BE50	Homicide and operations of war	M	2	-	-	-	1	-	-	1	-	-	-	57	
		F	4	-	-	1	1	-	2	-	-	-	-	149	
BN47	Fractures, head injuries and internal injuries	M	153	-	4	7	29	19	15	16	14	16	33	110	
		F	108	-	3	3	2	2	5	4	8	26	55	118	
BN48	Burns	M	4	-	1	-	-	-	1	-	-	2	-	95	
		F	7	-	-	-	-	-	-	-	1	2	4	105	
BN49	Effects of poisons	M	55	-	-	-	1	4	11	19	6	8	6	114	
		F	44	-	-	-	6	2	2	9	7	9	8	89	
BN50	All other injuries	M	74	5	4	4	5	11	10	11	10	6	8	147	
		F	34	13	3	-	1	-	2	2	4	4	5	143	

TABLE 19 - continued

Abbreviated List No.	Causes of death	Yorkshire and Humberside													S.M.R. (England and Wales = 100)
		Age													
		All ages	Under 1 year	Years									75 and over		
				1-	5-	15-	25-	35-	45-	55-	65-				
	Numbers	M	30,219	1,086	186	157	364	363	824	2,299	6,157	8,881	9,902	107	
		F	28,309	795	132	107	138	208	551	1,504	3,289	6,976	14,609	108	
	Rates	M	13,137	25,433	1,097	441	1,087	1,261	2,657	7,648	22,504	58,160	150,258		
		F	11,641	19,581	821	316	405	740	1,843	4,839	10,720	31,680	109,595		
	ALL CAUSES														
B1	Tuberculosis of respiratory system	M	168	-	-	-	1	4	11	19	57	46	30	110	
		F	57	-	-	-	-	3	10	12	12	14	6	110	
B2	Tuberculosis, other forms	M	15	1	-	1	1	2	2	5	-	3	-	128	
		F	9	-	-	1	-	1	1	-	1	2	3	64	
B3	Syphilis and its sequelae	M	39	-	-	-	-	-	2	2	10	11	14	80	
		F	36	-	-	-	-	-	-	1	4	14	17	110	
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B6	Dysentery, all forms	M	1	-	-	1	-	-	-	-	-	-	-	101	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B9	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	112	
		F	1	1	-	-	-	-	-	-	-	-	-	72	
B10	Meningococcal infections	M	3	1	1	-	-	-	-	1	-	-	-	50	
		F	5	-	1	2	-	-	-	1	1	-	-	112	
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B14	Measles	M	6	2	4	-	-	-	-	-	-	-	-	141	
		F	6	1	4	1	-	-	-	-	-	-	-	163	
B15	Typhus and other rickettsial diseases	M	2	-	-	-	-	-	-	1	1	-	-	998	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B17	All other diseases classified as infective and parasitic	M	41	4	4	2	1	2	5	6	6	7	4	95	
		F	45	5	-	3	3	3	1	4	11	7	8	90	
	Malignant neoplasm:	M	5,550	2	18	26	36	45	162	567	1,592	1,889	1,213	97	
	(140-205)	F	4,800	3	18	25	19	42	218	600	1,054	1,375	1,446	100	
	stomach (151)	M	722	-	-	-	-	2	21	59	226	241	173	98	
		F	612	-	-	-	2	2	9	42	105	184	268	112	
	trachea, bronchus and lung	M	2,117	-	-	2	5	53	261	745	768	283	95		
	(162, 163)	F	366	-	-	-	1	4	26	63	90	113	69	85	
	breast (170)	M	7	-	-	-	-	2	-	1	3	1	71		
		F	907	-	-	-	-	8	67	162	244	218	208	95	
	uterus (171-174)	F	445	-	-	1	1	3	33	78	90	139	100	115	
	Leukaemia and aleukaemia (204)	M	148	-	9	7	6	8	9	13	39	30	27	96	
		F	134	-	6	10	2	5	9	18	18	30	36	104	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,556	2	9	19	28	30	77	234	581	847	729	98	
		F	2,336	3	12	14	13	20	74	237	507	691	765	99	
B19	Benign and unspecified neoplasms	M	76	-	1	3	5	2	6	10	26	16	7	115	
		F	88	3	1	-	1	2	6	23	18	16	18	124	
B20	Diabetes mellitus	M	139	-	-	2	2	-	9	14	25	39	48	94	
		F	269	-	2	2	-	6	2	12	35	104	106	100	
B21	Anaemias	M	62	-	2	-	2	1	2	2	9	13	32	115	
		F	120	2	-	-	1	2	-	6	8	28	73	112	
B22	Vascular lesions affecting central nervous system	M	3,563	3	-	2	7	10	40	139	505	1,113	1,744	116	
		F	4,948	2	-	-	6	13	30	138	380	1,249	3,130	111	
B23	Non-meningococcal meningitis	M	19	6	3	-	1	1	-	2	4	1	1	97	
		F	15	10	-	-	-	-	-	-	1	1	3	82	
B24	Rheumatic fever	M	3	-	-	1	-	-	-	-	-	-	2	74	
		F	2	-	-	-	-	-	1	-	-	-	1	58	
B25	Chronic rheumatic heart disease	M	219	-	-	1	2	15	23	40	65	45	28	110	
		F	434	-	-	2	3	10	40	69	122	105	83	112	

TABLE 19 - continued

Abbreviated List No.	Causes of death		Yorkshire and Humberside											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
1-	5-	15-			25-	35-	45-	55-	65-	75 and over				
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	7,499	-	-	-	2	22	224	784	1,999	2,506	1,962	110
		F	4,926	-	-	-	1	1	35	165	662	1,677	2,385	114
		M	1,370	-	-	1	2	6	6	27	93	321	914	103
		F	2,106	-	-	-	-	-	2	5	59	277	1,763	95
B27	Other diseases of heart	M	734	-	1	-	1	3	8	33	120	213	355	112
B28	Hypertension with heart disease	F	857	-	1	2	1	2	9	21	63	207	551	106
		M	339	-	-	-	-	1	1	19	68	131	119	106
		F	498	1	-	-	-	-	2	13	48	147	287	106
B29	Hypertension without mention of heart	M	155	-	-	-	-	3	12	17	29	42	52	84
B46 (pt.)	Other circulatory diseases (450-468)	F	181	-	-	-	-	2	3	6	23	47	100	88
		M	917	-	-	-	1	5	13	18	96	255	529	100
		F	1,361	-	-	-	5	6	7	31	87	262	963	115
B30	Influenza	M	181	1	1	1	3	2	-	7	24	50	92	114
B31	Pneumonia	F	281	5	1	3	2	4	3	9	19	43	192	145
		M	1,568	146	28	7	8	11	19	60	175	357	757	101
		F	1,862	98	21	3	9	11	20	33	111	329	1,227	101
B32	Bronchitis	M	2,858	28	8	1	2	4	28	150	637	1,083	917	127
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	1,182	16	1	3	4	3	14	55	146	325	615	141
		M	343	39	6	2	3	5	6	29	78	90	85	100
		F	202	25	2	3	2	2	10	20	21	26	91	112
B33	Ulcer of stomach and duodenum	M	269	-	-	-	-	3	8	22	64	82	90	106
B34	Appendicitis	F	137	-	-	-	-	-	4	6	19	27	81	97
		M	21	-	1	6	1	-	-	3	2	4	4	90
		F	18	-	-	1	-	-	2	4	4	2	5	86
B35	Intestinal obstruction and hernia	M	142	19	4	1	-	1	4	4	15	37	57	107
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	155	7	1	-	-	1	3	10	12	49	72	97
		M	119	35	13	3	3	2	3	3	18	21	18	120
		F	173	23	6	1	2	2	3	9	18	38	71	108
B37	Cirrhosis of liver	M	56	-	1	-	1	1	3	8	18	18	6	78
B38	Nephritis and nephrosis	F	75	1	-	-	1	1	5	12	15	24	16	121
		M	165	-	-	1	7	14	14	19	34	40	36	113
		F	150	1	-	1	3	7	6	19	18	32	63	124
B39	Hyperplasia of prostate	M	202	-	-	-	-	-	-	2	10	51	139	105
B40	Complications of pregnancy, childbirth and puerperium	F	31	-	-	-	8	18	5	-	-	-	-	142
B41	Congenital malformations	M	258	175	23	12	13	5	4	7	11	7	1	104
B42	Birth injuries, postnatal asphyxia and atelectasis	F	230	168	17	14	5	5	5	5	5	3	3	105
		M	277	277	-	-	-	-	-	-	-	-	-	114
		F	170	170	-	-	-	-	-	-	-	-	-	109
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	6	6	-	-	-	-	-	-	-	-	-	178
		F	6	6	-	-	-	-	-	-	-	-	-	189
		M	43	43	-	-	-	-	-	-	-	-	-	122
		F	25	25	-	-	-	-	-	-	-	-	-	100
B44	Other diseases of early infancy and immaturity unqualified	M	236	236	-	-	-	-	-	-	-	-	-	112
		F	172	172	-	-	-	-	-	-	-	-	-	114
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	168	2	-	-	4	-	1	1	5	6	149	115
B46 (Rem.)	All other diseases (Remainder 001-795)	F	244	1	-	-	-	-	-	1	2	14	226	83
		M	879	25	17	18	21	26	47	81	147	223	274	103
		F	1,337	25	17	13	20	23	53	118	182	323	563	110
BE47	Motor vehicle accidents	M	542	2	22	36	145	73	62	54	59	52	37	105
BE48	All other accidents	F	222	-	17	16	28	11	10	22	23	49	46	105
		M	666	32	28	29	60	62	53	80	86	68	168	119
		F	630	23	22	10	4	8	13	24	45	107	374	112
BE49	Suicide and self-inflicted injury	M	279	-	-	-	26	29	43	59	68	37	17	101
BE50	Homicide and operations of war	F	223	-	-	-	7	14	26	47	57	51	21	105
		M	20	-	-	-	3	3	4	4	1	4	1	103
		F	20	1	-	1	3	5	2	3	3	2	-	134
EN47	Fractures, head injuries and internal injuries	M	890	5	24	43	164	99	97	101	106	93	158	113
EN48	Burns	F	616	4	23	19	26	14	10	28	31	113	348	113
		M	25	-	3	-	1	3	5	1	1	2	9	104
		F	37	-	6	3	1	1	1	2	5	3	15	95
EN49	Effects of poisons	M	285	2	4	3	20	31	35	56	62	40	32	104
EN50	All other injuries	F	302	1	3	1	8	14	30	51	64	71	59	107
		M	307	27	19	19	49	34	25	39	45	26	24	108
		F	140	19	7	4	7	9	10	15	28	22	19	103

TABLE 19 - continued

Abbreviated List No.	Causes of death	West Yorkshire Conurbation													S.M.R. (England and Wales = 100)
		Age													
		All ages	Under 1 year	Years											
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over			
	Numbers	M	11,561	451	75	52	130	127	334	912	2,475	3,439	3,566	114	
	F	11,778	304	69	46	43	84	201	628	1,428	2,971	6,006	115		
	Rates	M	13,983	28,910	1,206	408	1,134	1,237	2,977	8,306	23,890	61,083	159,910		
	F	13,072	20,403	1,171	378	365	833	1,861	5,381	11,756	33,420	115,946			
B1	Tuberculosis of respiratory system	M	66	-	-	-	1	3	6	6	22	16	12	118	
	F	20	-	-	-	-	-	3	5	4	-	6	2	100	
B2	Tuberculosis, other forms	M	8	1	-	1	1	1	2	2	-	-	-	188	
	F	6	-	-	1	-	1	-	-	-	-	2	2	111	
B3	Syphilis and its sequelae	M	21	-	-	-	-	-	1	1	4	8	7	119	
	F	16	-	-	-	-	-	-	-	-	-	-	-	124	
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	2	6	8	124	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	1	-	-	-	-	-	-	-	-	-	-	196	
B10	Meningococcal infections	M	1	-	-	-	-	-	-	1	-	-	-	46	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B14	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	4	1	3	-	-	-	-	-	-	-	-	-	297	
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B17	All other diseases classified as infective and parasitic	M	11	-	3	1	1	-	-	1	1	2	2	69	
	F	18	3	-	2	1	2	1	-	4	4	3	2	95	
	Malignant neoplasm: (140-205)	M	2,060	-	5	6	9	11	67	217	609	705	431	99	
	stomach (151)	M	1,903	1	10	9	3	18	73	228	446	550	565	101	
	F	258	-	-	-	-	-	1	8	27	86	82	54	96	
	F	262	-	-	-	-	-	-	3	16	54	79	110	122	
	trachea, bronchus and lung (162, 163)	M	823	-	-	-	1	27	90	285	306	114	100		
	F	140	-	-	-	-	1	6	25	31	50	27	83		
	breast (170)	M	2	-	-	-	-	1	-	-	1	-	56		
	F	358	-	-	-	4	25	65	96	76	92	96			
	uterus (171-174)	M	171	-	1	1	2	11	28	39	45	44	114		
	Leukaemia and aleukaemia (204)	M	53	-	3	1	4	1	5	20	9	9	96		
	F	46	-	2	2	-	2	3	10	10	15	93			
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	924	-	2	5	8	30	95	218	307	254	98		
	F	926	1	8	6	2	9	26	91	216	290	277	100		
B19	Benign and unspecified neoplasms	M	40	-	-	2	1	4	6	17	6	4	166		
	F	37	1	1	-	2	3	7	8	8	8	7	134		
B20	Diabetes mellitus	M	48	-	-	-	-	4	1	10	13	20	91		
	F	112	-	1	1	-	2	1	4	15	45	43	106		
B21	Anaemias	M	24	-	-	-	-	-	-	3	4	16	126		
	F	64	1	-	-	1	1	-	2	5	14	40	153		
B22	Vascular lesions affecting central nervous system	M	1,318	-	-	-	4	1	16	61	193	422	621	121	
	F	2,057	-	-	-	1	4	11	55	164	501	1,321	117		
B23	Non-meningococcal meningitis	M	10	3	2	-	-	-	1	2	1	1	140		
	F	10	5	-	-	-	-	-	-	1	1	3	145		
B24	Rheumatic fever	M	1	-	-	-	-	-	-	-	-	-	1	68	
	F	1	-	-	-	-	-	-	-	-	-	-	1	75	
B25	Chronic rheumatic heart disease	M	95	-	-	1	1	4	10	22	27	13	17	130	
	F	180	-	-	2	1	4	15	31	48	44	35	119		

TABLE 19 - continued

Abbreviated List No.	Causes of death		West Yorkshire Conurbation												S.M.R. (England and Wales = 100)
			Age												
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease including coronary disease (420)	M	3,060	-	-	-	2	12	104	308	856	1,015	763	124	
	Degenerative heart disease (421, 422)	F	2,218	-	-	-	-	-	18	80	312	765	1,043	130	
		M	468	-	-	-	1	3	3	10	34	112	305	101	
		F	759	-	-	-	-	-	1	2	25	111	620	87	
B27	Other diseases of heart	M	310	-	-	-	2	3	15	50	102	138	133		
		F	362	-	-	1	1	2	12	21	86	237	115		
B28	Hypertension with heart disease	M	142	-	-	-	1	1	11	26	59	44	124		
		F	212	1	-	-	-	1	7	17	69	117	115		
B29	Hypertension without mention of heart	M	54	-	-	-	1	7	8	13	12	13	81		
		F	74	-	-	-	1	2	4	9	18	40	92		
B46 (pt.)	Other circulatory diseases (450-468)	M	272	-	-	-	3	5	9	38	79	138	84		
		F	513	-	-	-	2	4	5	17	39	100	346	110	
B30	Influenza	M	53	-	-	1	2	1	-	3	11	13	22	94	
		F	87	1	1	-	1	-	-	3	5	18	58	115	
B31	Pneumonia	M	614	74	12	3	5	3	8	32	65	143	271	112	
		F	815	57	9	1	2	6	6	17	53	145	519	114	
B32	Bronchitis	M	1,078	6	2	1	-	-	10	53	241	417	348	133	
		F	529	3	-	1	-	2	7	24	56	143	293	161	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	149	12	1	1	2	2	2	14	38	42	35	121	
		F	83	5	-	1	-	-	7	9	7	20	34	118	
B33	Ulcer of stomach and duodenum	M	111	-	-	-	-	1	4	7	22	37	40	122	
		F	63	-	-	-	-	-	1	3	13	14	32	114	
B34	Appendicitis	M	9	-	-	3	-	-	-	1	-	3	2	108	
		F	4	-	-	-	-	-	-	1	1	1	1	50	
B35	Intestinal obstruction and hernia	M	68	11	2	1	-	1	-	-	6	16	31	143	
		F	74	3	1	-	-	-	1	5	7	20	37	119	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	40	9	7	2	2	-	1	2	7	7	3	112	
		F	73	8	3	-	-	1	1	3	7	18	32	117	
B37	Cirrhosis of liver	M	26	-	-	-	-	1	2	3	9	9	2	99	
		F	28	1	-	-	-	-	-	7	6	8	6	115	
B38	Nephritis and nephrosis	M	60	-	-	-	1	5	3	7	17	15	12	114	
		F	71	-	-	-	2	4	2	6	15	20	22	152	
B39	Hyperplasia of prostate	M	59	-	-	-	-	-	-	1	3	14	41	88	
B40	Complications of pregnancy, childbirth and puerperium	F	13	-	-	-	3	9	1	-	-	-	-	168	
B41	Congenital malformations	M	86	60	11	4	3	1	-	2	-	5	-	95	
		F	72	50	9	5	1	1	-	2	2	1	1	89	
B42	Birth injuries, postnatal asphyxia and atelectasis	M	116	116	-	-	-	-	-	-	-	-	-	130	
		F	67	67	-	-	-	-	-	-	-	-	-	117	
B43	Diarrhoea of newborn (764)	M	2	2	-	-	-	-	-	-	-	-	-	162	
		F	4	4	-	-	-	-	-	-	-	-	-	344	
	Other infections of newborn (765, 765-768)	M	21	21	-	-	-	-	-	-	-	-	-	163	
		F	6	6	-	-	-	-	-	-	-	-	-	65	
B44	Other diseases of early infancy and immaturity unqualified	M	104	104	-	-	-	-	-	-	-	-	-	135	
		F	69	69	-	-	-	-	-	-	-	-	-	125	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	47	2	-	-	4	-	-	1	3	2	35	94	
		F	76	1	-	-	-	-	-	1	-	8	66	66	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	364	10	9	4	11	12	17	31	67	86	117	119	
		F	622	9	8	7	8	4	20	47	78	142	299	132	
BE47	Motor vehicle accidents	M	201	1	8	13	47	28	21	19	23	23	18	110	
		F	96	-	9	11	10	3	3	9	10	19	22	120	
BE48	All other accidents	M	237	19	13	10	20	20	19	33	29	24	50	119	
		F	250	5	14	3	2	5	4	13	18	46	140	115	
BE49	Suicide and self-inflicted injury	M	103	-	-	-	8	9	15	23	28	14	6	102	
		F	96	-	-	-	3	5	11	22	25	18	12	118	
BE50	Homicide and operations of war	M	4	-	-	-	2	-	1	-	1	-	-	57	
		F	13	1	-	1	1	3	1	2	3	1	-	237	
BN47	Fractures, head injuries and internal injuries	M	306	3	10	18	53	34	31	34	34	36	53	109	
		F	247	2	14	10	9	3	4	14	14	43	134	118	
BN48	Burns	M	11	-	2	-	1	1	3	-	1	1	2	128	
		F	16	-	2	1	1	1	-	2	2	5	107		
BN49	Effects of poisons	M	118	2	4	2	7	12	15	26	25	15	10	119	
		F	134	-	3	1	3	7	11	27	27	26	29	124	
BN50	All other injuries	M	110	15	5	3	16	10	7	15	21	9	9	107	
		F	58	4	4	3	3	5	4	3	13	13	6	113	

TABLE 19 - continued

Abbrevi- ated List No.	Causes of death	North Western													S.M.R. (England and Wales = 100)
		Age													
		All ages	Under 1 year	Years											
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over			
	Numbers	M	F												
	ALL CAUSES	M	F												
	Rates	M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F												
		M	F											</	

TABLE 19 - continued

Abbrevi- ated List No.	Causes of death		North Western											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years								75 and over	
1-	5-	15-			25-	35-	45-	55-	65-					
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	10,491	-	-	-	2	27	347	1,161	2,990	3,419	2,545	111
		F	6,865	-	-	-	1	7	59	240	1,034	2,361	3,163	108
		M	1,973	2	-	-	5	8	13	41	151	427	1,326	109
		F	3,693	-	-	-	2	3	4	21	87	552	3,024	115
B27	Other diseases of heart	M	1,045	1	1	2	4	4	15	35	153	315	515	116
B28	Hypertension with heart disease	F	1,516	1	1	2	2	5	13	44	121	350	977	129
		M	423	-	-	-	-	-	4	29	91	147	152	96
		F	741	-	-	-	-	2	5	12	75	233	414	108
B29	Hypertension without mention of heart	M	205	-	-	-	1	8	7	31	50	48	60	80
B46 (pt.)	Other circulatory diseases (450-468)	F	257	-	-	-	1	3	7	8	35	63	140	86
		M	1,397	3	-	1	3	7	15	64	190	375	739	112
		F	1,794	-	-	-	5	6	18	27	124	340	1,274	104
B30	Influenza	M	281	5	1	3	2	2	9	14	51	82	112	129
B31	Pneumonia	F	361	4	2	2	1	3	5	7	37	86	214	129
		M	2,273	204	31	12	12	31	99	271	533	1,068	106	
		F	2,788	152	38	11	7	5	20	58	204	558	1,735	104
B32	Bronchitis	M	4,004	29	6	2	4	8	42	227	969	1,518	1,199	128
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	1,695	27	4	-	4	3	19	76	215	489	858	139
		M	516	16	4	1	3	5	21	49	134	158	125	109
		F	264	9	3	-	4	3	18	26	36	55	110	100
B33	Ulcer of stomach and duodenum	M	391	-	-	-	1	3	13	29	88	133	124	111
B34	Appendicitis	F	205	-	-	1	-	-	4	14	24	62	100	100
		M	40	1	2	-	-	3	1	4	8	9	12	123
		F	33	-	-	3	-	2	2	2	7	5	12	109
B35	Intestinal obstruction and hernia	M	185	19	4	3	1	1	2	16	31	49	59	100
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	294	12	2	-	1	1	1	10	45	71	151	126
		M	133	26	11	2	8	2	4	10	19	20	31	96
		F	237	29	9	-	5	2	9	11	30	47	95	101
B37	Cirrhosis of liver	M	113	-	1	-	2	3	10	25	31	28	13	112
B38	Nephritis and nephrosis	F	110	-	-	1	-	-	2	21	30	31	25	121
		M	231	3	1	1	10	18	21	32	37	60	48	114
		F	184	-	1	1	9	5	12	11	49	46	50	105
B39	Hyperplasia of prostate	M	244	-	-	-	-	-	1	16	55	172	94	
B40	Complications of pregnancy, childbirth and puerperium	F	28	-	-	-	10	10	8	-	-	-	-	92
B41	Congenital malformations	M	365	249	34	17	10	4	11	15	8	10	7	101
B42	Birth injuries, postnatal asphyxia and atelectasis	F	319	235	19	10	7	4	5	16	10	6	7	100
		M	376	376	-	-	-	-	-	-	-	-	-	106
		F	233	233	-	-	-	-	-	-	-	-	-	102
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	6	6	-	-	-	-	-	-	-	-	-	121
		F	8	8	-	-	-	-	-	-	-	-	-	172
		M	54	54	-	-	-	-	-	-	-	-	-	105
		F	30	30	-	-	-	-	-	-	-	-	-	82
B44	Other diseases of early infancy and immaturity unqualified	M	378	378	-	-	-	-	-	-	-	-	-	123
		F	261	261	-	-	-	-	-	-	-	-	-	118
		M	393	3	1	-	2	-	2	3	7	28	347	201
B45	Senility without mention of psychosis, ill-defined and unknown causes	F	822	1	-	1	2	1	1	4	4	29	779	194
		M	1,237	28	15	28	44	49	75	113	246	322	317	104
		F	1,836	20	22	21	41	38	81	151	265	493	704	104
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,237	28	15	28	44	49	75	113	246	322	317	104
		F	1,836	20	22	21	41	38	81	151	265	493	704	104
		M	780	3	27	52	204	86	70	71	102	78	87	109
BE47	Motor vehicle accidents	F	366	-	27	24	32	15	19	24	61	79	85	120
		M	841	59	47	56	74	47	65	73	121	85	214	108
		F	1,012	48	32	20	13	21	27	44	59	162	586	124
BE49	Suicide and self-inflicted injury	M	418	-	-	-	23	42	70	84	97	66	36	108
BE50	Homicide and operations of war	F	322	-	-	-	14	22	37	67	74	74	34	104
		M	36	4	1	3	2	5	6	2	2	6	5	132
		F	27	3	1	4	4	3	2	3	2	2	3	126
BN47	Fractures, head injuries and internal injuries	M	1,177	10	34	62	215	91	104	115	174	127	245	108
BN48	Burns	F	931	5	29	26	34	15	25	34	69	148	546	118
		M	33	-	6	6	-	5	1	2	2	5	6	99
		F	90	-	9	3	2	5	2	6	8	22	33	159
BN49	Effects of poisons	M	423	3	13	5	31	44	72	74	82	57	42	110
BN50	All other injuries	F	469	3	10	5	19	31	45	82	89	100	85	114
		M	442	53	22	38	57	40	34	39	64	46	49	110
		F	237	43	12	14	8	10	13	16	30	47	44	120

TABLE 19 - continued

Abbreviated List No.	Causes of death	South East Lancashire Conurbation													S.M.R. (England and Wales = 100)
		Age													
		All ages	Under 1 year	Years											
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over			
	ALL CAUSES	Numbers M F	15,763 15,576	600 419	74 77	75 44	181 81	164 95	500 317	1,361 786	3,583 2,037	4,529 3,911	4,696 7,809	113 112	
		Rates M F	13,383 12,211	26,432 19,488	807 884	408 252	1,080 469	1,123 667	3,137 2,020	8,587 4,679	25,304 12,474	59,671 32,646	154,474 113,174		
B1	Tuberculosis of respiratory system	M F	103 26	1 -	- -	- -	- 1	2 -	3 6	16 7	42 5	26 6	13 1	134 94	
B2	Tuberculosis, other forms	M F	5 8	- -	- -	- -	- -	- -	1 2	1 2	- 2	2 2	1 2	84 107	
B3	Syphilis and its sequelae	M F	20 17	- -	- -	- -	- -	- -	- -	2 -	5 6	7 5	6 6	83 98	
B4	Typhoid fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B5	Cholera	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B6	Dysentery, all forms	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B7	Scarlet fever and streptococcal sore throat	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B9	Whooping cough	M F	- 1	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B10	Meningococcal infections	M F	5 1	4 -	1 1	- -	- -	- -	- -	- -	- -	- -	- -	133 158 42	
B11	Plague	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B13	Smallpox	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B14	Measles	M F	3 3	- 1	1 2	2 -	- -	- -	- -	- -	- -	- -	- -	132 153	
B15	Typhus and other rickettsial diseases	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B16	Malaria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B17	All other diseases classified as infective and parasitic	M F	21 26	2 1	2 2	1 1	2 2	1 -	2 4	5 4	4 3	1 4	1 5	95 100	
B18	Malignant neoplasm: (140-205)	M F	3,168 2,688	2 1	7 6	4 9	25 13	27 25	105 125	391 314	997 641	1,016 773	594 781	111 105	
	stomach (151)	M F	456 350	- -	- -	- -	- -	3 -	7 17	58 17	139 57	148 100	101 169	124 121	
	trachea, bronchus and lung (162, 163)	M F	1,254 232	- -	- -	- 1	- 1	2 2	43 13	161 35	477 66	433 76	138 38	112 101	
	breast (170)	M F	4 507	- -	- -	- 1	- 5	- 31	- 95	- 139	- 119	- 117	- 117	- 99	
	uterus (171-174)	M F	219 -	- -	- -	- -	4 -	21 37	37 47	47 76	76 34	34 106	106		
	Leukaemia and aleukaemia (204)	M F	69 63	1 1	2 4	3 2	9 2	- 6	5 4	6 6	12 8	22 12	9 18	90 92	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M F	1,385 1,317	1 -	5 2	1 6	16 9	22 8	50 49	166 124	367 324	412 390	345 405	107 105	
	Benign and unspecified neoplasms	M F	40 40	1 -	- -	2 -	- 3	2 1	2 -	7 3	12 10	12 14	5 6	119 106	
	Diabetes mellitus	M F	79 139	- -	- -	1 -	1 -	5 -	3 4	6 7	14 28	27 47	22 53	109 98	
	Anaemias	M F	38 83	- -	- -	- -	- -	1 -	3 1	2 2	5 5	9 21	18 54	145 147	
	Vaseular lesions affecting central nervous system	M F	1,751 2,733	- -	- -	3 1	1 2	3 9	26 25	92 67	294 254	554 704	778 1,671	118 116	
	Non-meningococcal meningitis	M F	12 11	4 3	1 2	- -	1 -	- -	2 1	6 2	20 1	41 -	25 1	16 1	118 113
Rheumatic fever	M F	3 1	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	2 1	147 55	
Chronic rheumatic heart disease	M F	119 243	- -	- -	- -	- 1	- 4	6 17	11 47	20 47	41 75	25 60	16 39	118 118	

TABLE 19 - continued

Abbreviated List No.	Causes of death		South East Lancashire Conurbation												S.M.R. (England and Wales = 100)
			Age												
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	3,544	-	-	-	2	7	127	425	1,042	1,137	804	105	
		F	2,306	-	-	-	-	3	19	78	382	814	1,010	101	
		M	724	-	-	-	-	2	6	15	64	159	478	114	
		F	1,287	-	-	-	-	-	2	9	28	208	1,040	111	
B27	Other diseases of heart	M	361	-	-	2	-	7	13	63	110	165	114		
		F	539	1	-	-	-	2	2	21	43	127	343	127	
B28	Hypertension with heart disease	M	133	-	-	-	-	-	1	6	31	45	50	85	
		F	261	-	-	-	-	1	1	4	28	78	149	105	
B29	Hypertension without mention of heart	M	71	-	-	-	-	5	1	13	15	16	21	78	
		F	95	-	-	-	1	-	4	1	12	23	54	88	
B46 (pt.)	Other circulatory diseases (450-468)	M	502	-	-	-	2	2	8	26	76	143	245	114	
		F	736	-	-	-	3	4	8	10	48	147	516	118	
B30	Influenza	M	122	1	-	-	-	1	3	5	17	37	58	158	
		F	144	-	1	2	-	-	-	1	16	31	93	142	
B31	Pneumonia	M	848	100	12	4	6	7	11	34	90	203	381	112	
		F	1,000	72	14	5	1	-	8	21	80	210	589	104	
B32	Bronchitis	M	1,686	8	2	-	2	3	17	101	411	614	528	152	
		F	799	9	1	-	1	-	11	40	110	219	408	181	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	178	6	1	1	1	1	6	12	49	60	41	105	
		F	109	4	1	-	2	1	7	8	13	23	50	114	
B33	Ulcer of stomach and duodenum	M	134	-	-	-	-	-	7	9	31	46	41	107	
		F	75	-	-	-	-	-	2	5	10	22	36	101	
B34	Appendicitis	M	16	1	1	-	-	2	1	-	2	4	5	137	
		F	14	-	-	2	-	-	-	1	4	2	5	127	
B35	Intestinal obstruction and hernia	M	67	7	-	1	-	-	1	3	13	21	21	102	
		F	118	4	-	-	1	-	-	-	25	25	61	140	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	56	14	2	-	3	2	3	2	12	6	12	112	
		F	92	8	5	-	3	-	-	3	15	21	37	109	
B37	Cirrhosis of liver	M	40	-	-	-	-	2	5	11	11	8	3	110	
		F	37	-	-	1	-	-	1	7	8	9	11	112	
B38	Nephritis and nephrosis	M	75	1	1	1	5	4	11	6	18	16	12	103	
		F	59	-	1	-	2	1	3	5	17	15	15	92	
B39	Hyperplasia of prostate	M	77	-	-	-	-	-	-	-	4	21	52	85	
B40	Complications of pregnancy, childbirth and puerperium	F	7	-	-	-	2	3	2	-	-	-	-	63	
B41	Congenital malformations	M	140	104	8	7	1	2	5	3	3	4	3	106	
		F	106	74	10	5	5	1	1	3	3	1	3	90	
B42	Birth injuries, postnatal asphyxia and atelectasis	M	164	164	-	-	-	-	-	-	-	-	-	125	
		F	108	108	-	-	-	-	-	-	-	-	-	128	
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	4	4	-	-	-	-	-	-	-	-	-	220	
		F	4	4	-	-	-	-	-	-	-	-	-	234	
		M	22	22	-	-	-	-	-	-	-	-	-	116	
		F	10	10	-	-	-	-	-	-	-	-	-	74	
B44	Other diseases of early infancy and immaturity unqualified	M	127	127	-	-	-	-	-	-	-	-	-	112	
		F	87	87	-	-	-	-	-	-	-	-	-	107	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	103	1	-	-	1	-	1	2	2	6	90	151	
		F	283	1	-	-	-	-	-	-	1	2	7	272	185
B46 (Rem.)	All other diseases (Remainder 001-795)	M	434	11	7	9	16	16	36	44	96	101	98	102	
		F	677	8	9	6	18	13	32	57	87	176	271	106	
BE47	Motor vehicle accidents	M	296	-	7	18	73	25	28	33	36	40	36	114	
BE48	All other accidents	F	130	-	8	4	7	5	6	6	24	31	39	117	
		M	290	15	20	18	28	22	22	22	41	26	76	103	
F	329	19	14	6	5	11	8	18	24	49	175	112			
BE49	Suicide and self-inflicted injury	M	168	-	-	-	10	10	33	33	41	23	18	119	
BE50	Homicide and operations of war	F	132	-	-	-	6	10	14	29	28	34	11	117	
		M	14	1	1	1	1	3	4	1	-	1	1	140	
		F	12	2	-	2	1	1	1	1	1	2	1	154	
BN47	Fractures, head injuries and internal injuries	M	430	2	10	22	78	25	34	46	61	57	95	109	
BN48	Burns	F	295	2	7	5	9	5	9	14	31	48	165	104	
		M	13	-	4	2	-	2	1	1	-	2	1	108	
F	33	-	5	2	1	2	-	-	2	2	8	11	161		
BN49	Effects of poisons	M	168	2	5	1	16	17	32	27	33	17	18	120	
BN50	All other injuries	F	189	3	5	-	8	16	15	32	36	44	30	126	
		M	157	12	9	12	18	16	20	15	24	14	17	108	
		F	86	16	5	5	1	4	5	6	8	16	20	120	

TABLE 19 - continued

Abbreviated List No.	Causes of death	Merseyside Conurbation												S.M.R. (England and Wales = 100)
		Age												
		All ages	Under 1 year	Years										
1-	5-			15-	25-	35-	45-	55-	65-	75 and over				
	Numbers	M	7,911	327	51	47	94	100	237	678	1,767	2,237	2,373	110
	F	7,660	227	36	29	42	48	174	426	981	1,829	3,868	103	
	Rates	M	12,059	24,773	927	414	912	1,170	2,919	8,518	25,171	57,212	151,146	
	F	10,680	18,016	690	266	390	578	2,067	4,913	11,963	29,643	102,058		
B1	Tuberculosis of respiratory system	M	65	-	-	-	-	3	5	20	27	10	166	
		F	20	-	-	-	-	3	3	4	5	5	138	
B2	Tuberculosis, other forms	M	5	-	-	-	1	1	1	-	1	1	159	
		F	5	-	-	-	-	-	1	2	-	2	124	
B3	Syphilis and its sequelae	M	14	-	-	-	-	-	1	3	6	4	114	
		F	13	-	-	-	-	-	2	1	2	8	142	
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	1	356	
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	
		F	1	1	-	-	-	-	-	-	-	-	-	224
B10	Meningococcal infections	M	5	2	3	-	-	-	-	-	-	-	-	270
		F	1	1	-	-	-	-	-	-	-	-	-	72
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B14	Measles	M	2	-	1	-	1	-	-	-	-	-	-	147
		F	-	-	-	-	-	-	-	-	-	-	-	
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B17	All other diseases classified as infective and parasitic	M	7	2	-	1	-	-	1	-	2	1	-	58
		F	12	-	-	-	1	1	1	2	5	2	1	86
	Malignant neoplasm:	M	1,700	1	9	7	15	17	62	190	491	554	354	116
	(140-205)	F	1,375	-	2	5	7	13	62	174	318	408	386	102
	stomach (151)	M	208	-	-	-	-	1	-	26	44	86	51	112
		F	176	-	-	-	-	1	1	8	29	55	82	116
	trachea, bronchus and lung	M	763	-	-	1	3	25	94	275	271	94	134	
	(162, 163)	F	170	-	-	-	-	9	25	48	57	31	142	
	breast (170)	M	4	-	-	-	-	-	-	3	-	1	159	
		F	218	-	-	-	3	16	47	58	54	40	82	
	uterus (171-174)	F	104	-	-	1	-	7	19	33	27	17	97	
	Leukaemia and aleukaemia (204)	M	37	-	2	4	6	2	3	1	3	7	9	91
		F	31	-	1	2	2	1	1	2	8	10	4	84
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	688	1	7	3	8	11	34	69	166	190	199	104
		F	676	-	1	3	4	8	28	73	142	205	212	102
B19	Benign and unspecified neoplasms	M	30	1	-	1	-	-	1	3	11	6	7	173
		F	36	1	-	1	-	1	3	6	12	8	4	180
B20	Diabetes mellitus	M	33	-	-	-	1	-	1	4	9	11	7	89
		F	66	-	-	-	-	-	2	2	5	28	29	88
B21	Anaemias	M	14	-	-	-	-	-	-	3	-	3	8	103
		F	29	-	-	-	-	1	3	-	7	18	96	
B22	Vascular lesions affecting central nervous system	M	723	-	-	1	1	3	11	28	125	240	314	95
		F	1,127	-	1	-	2	3	14	33	122	264	688	89
B23	Non-meningococcal meningitis	M	6	2	-	-	-	1	-	-	1	-	2	105
		F	7	3	-	-	-	-	-	2	-	-	2	127
B24	Rheumatic fever	M	2	-	-	-	-	-	-	-	2	-	-	185
		F	-	-	-	-	-	-	-	-	-	-	-	
B25	Chronic rheumatic heart disease	M	52	-	-	-	2	4	6	11	15	9	5	101
		F	143	-	-	-	-	6	12	27	39	40	19	133

TABLE 19 - continued

Abbreviated List No.	Causes of death		Merseyside Conurbation												S.M.R. (England and Wales = 100)
			Age												
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease including coronary disease (420)	M	2,055	-	-	-	-	7	67	232	601	618	530	119	
	Degenerative heart disease (421, 422)	F	1,424	-	-	-	-	1	14	58	207	470	673	117	
		M	214	-	-	-	-	2	3	10	18	48	131	66	
		F	468	-	-	-	-	1	1	5	9	65	385	74	
B27	Other diseases of heart	M	172	-	-	-	1	2	2	6	25	45	91	106	
		F	285	-	-	1	-	-	5	6	23	57	193	125	
B28	Hypertension with heart disease	M	75	-	-	-	-	-	2	6	18	22	27	94	
		F	152	-	-	-	-	-	2	7	9	46	88	115	
B29	Hypertension without mention of heart	M	30	-	-	-	1	2	3	7	9	6	2	64	
		F	43	-	-	-	-	-	1	3	6	5	28	74	
B46 (pt.)	Other circulatory diseases (450-468)	M	210	-	-	-	-	1	1	12	34	59	103	93	
		F	238	-	-	-	1	-	2	7	19	42	167	71	
B30	Influenza	M	17	-	1	3	-	-	-	3	3	4	2	43	
		F	28	1	-	-	1	-	-	1	-	8	16	51	
B31	Pneumonia	M	523	41	9	2	-	2	1	19	58	121	270	133	
		F	733	27	10	1	-	2	5	11	39	122	516	140	
B32	Bronchitis	M	682	11	-	-	-	2	6	42	150	265	206	120	
		F	277	6	1	-	2	1	6	8	41	68	144	117	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	89	5	-	-	-	1	3	15	22	24	19	102	
		F	43	3	-	-	-	-	2	6	8	5	19	84	
B33	Ulcer of stomach and duodenum	M	70	-	-	-	-	-	1	4	19	26	20	110	
		F	38	-	-	-	-	-	1	1	5	6	25	96	
B34	Appendicitis	M	4	-	1	-	-	-	-	-	1	1	1	65	
		F	5	-	-	-	-	1	-	-	2	-	2	84	
B35	Intestinal obstruction and hernia	M	24	3	-	1	1	-	1	4	2	4	8	70	
		F	50	5	-	-	-	-	1	3	8	10	23	111	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	16	2	-	-	3	-	-	2	3	4	2	59	
		F	49	8	1	-	-	1	2	1	3	11	22	107	
B37	Cirrhosis of liver	M	19	-	1	-	-	-	-	4	8	4	2	102	
		F	23	-	-	-	-	-	-	7	8	4	4	133	
B38	Nephritis and nephrosis	M	45	1	-	-	2	5	4	8	5	9	11	119	
		F	36	-	-	1	4	3	3	-	5	12	8	106	
B39	Hyperplasia of prostate	M	45	-	-	-	-	-	-	-	2	7	36	96	
B40	Complications of pregnancy, childbirth and puerperium	F	3	-	-	-	2	-	1	-	-	-	-	46	
B41	Congenital malformations	M	74	51	11	2	1	1	3	3	-	-	2	96	
		F	72	59	2	2	-	-	5	5	3	1	-	104	
B42	Birth injuries, postnatal asphyxia and atelectasis	M	71	71	-	-	-	-	-	-	-	-	-	91	
		F	28	28	-	-	-	-	-	-	-	-	-	56	
B43	Diarrhoea of newborn (764)	M	2	2	-	-	-	-	-	-	-	-	-	184	
	Other infections of newborn (763, 765-768)	F	-	-	-	-	-	-	-	-	-	-	-	-	
		M	10	10	-	-	-	-	-	-	-	-	-	89	
		F	3	3	-	-	-	-	-	-	-	-	-	37	
B44	Other diseases of early infancy and immaturity unqualified	M	97	97	-	-	-	-	-	-	-	-	-	144	
		F	66	66	-	-	-	-	-	-	-	-	-	136	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	47	-	-	-	1	-	1	-	3	5	37	133	
		F	102	-	-	-	1	-	1	1	1	6	92	122	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	269	7	4	6	7	8	12	18	40	76	91	121	
		F	345	4	5	5	5	2	16	24	49	73	162	101	
BE47	Motor vehicle accidents	M	131	1	7	13	33	19	9	10	16	7	16	91	
		F	66	-	7	10	9	5	1	2	10	14	8	108	
BE48	All other accidents	M	185	17	4	8	16	9	18	19	30	15	49	121	
		F	209	11	7	3	1	1	4	11	10	33	128	130	
BE49	Suicide and self-inflicted injury	M	68	-	-	-	3	12	13	11	18	7	4	92	
		F	34	-	-	-	4	3	6	5	7	7	2	57	
BE50	Homicide and operations of war	M	9	-	-	2	1	1	1	1	-	2	1	163	
		F	6	-	-	-	2	1	-	2	1	-	-	134	
EN47	Fractures, head injuries and internal injuries	M	224	1	8	17	37	25	20	20	31	14	51	104	
		F	201	2	8	10	10	4	1	5	11	37	113	129	
EN48	Burns	M	6	-	-	1	-	-	-	1	1	2	1	92	
		F	19	-	3	-	-	-	-	2	3	4	7	169	
EN49	Effects of poisons	M	78	1	1	2	7	10	15	14	15	7	6	106	
		F	65	-	2	3	5	4	7	10	11	10	13	82	
EN50	All other injuries	M	85	16	2	3	9	6	6	6	17	8	12	106	
		F	30	9	1	-	1	2	3	3	3	3	5	76	

TABLE 19 - continued

Abbrevi- ated List No.	Causes of death	East Midland												S.M.R. (England and Wales = 100)
		Age												
		All ages	Under 1 year	Years								75 and over		
1-	5-			15-	25-	35-	45-	55-	65-					
	Numbers	M	19,323	686	103	128	280	213	523	1,459	3,837	5,502	6,592	98
	F		17,764	458	94	66	109	109	349	931	2,065	4,307	9,276	102
	Rates	M	11,833	22,791	860	511	1,139	1,003	2,321	6,944	20,323	53,211	139,958	
	F		10,666	16,070	827	279	460	546	1,655	4,467	10,341	30,267	105,170	
B1	Tuberculosis of respiratory system	M	79	-	1	-	1	1	1	15	22	25	13	74
		F	26	1	-	-	-	-	3	4	4	7	7	75
B2	Tuberculosis, other forms	M	10	-	-	-	-	-	3	5	2	-	-	122
		F	16	1	2	1	-	-	3	1	2	3	3	169
B3	Syphilis and its sequelae	M	32	-	-	-	-	-	2	2	4	13	11	95
		F	12	-	-	-	-	-	-	-	1	3	8	56
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	2	-	-	1	-	-	-	-	-	1	-	286
		F	1	-	-	-	-	-	-	-	-	-	1	153
B7	Scarlet fever and streptococcal sore throat	M	1	-	-	-	-	-	-	1	-	-	-	716
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	2	-	-	2	-	-	-	-	-	-	-	702
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	2	2	-	-	-	-	-	-	-	-	-	317
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	2	1	1	-	-	-	-	-	-	-	-	48
		F	3	3	-	-	-	-	-	-	-	-	-	97
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	5	1	1	2	1	-	-	-	-	-	-	166
		F	1	-	-	-	-	-	-	-	-	1	-	39
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	23	1	2	2	2	1	1	3	5	3	3	77
		F	46	2	2	1	3	-	1	8	12	8	9	139
	Malignant neoplasm:	M	3,683	1	15	23	33	31	112	351	1,003	1,256	858	92
	(140-205)	F	3,125	1	12	10	17	23	149	365	729	909	910	98
	stomach (151)	M	511	-	-	-	-	2	13	49	135	178	134	100
		F	354	-	-	-	-	1	4	15	58	125	151	99
	trachea, bronchus and lung	M	1,337	-	-	-	-	-	38	136	469	509	185	87
	(162, 163)	F	243	-	-	-	-	2	11	40	57	81	52	86
B18	breast (170)	M	5	-	-	-	-	-	-	1	1	2	1	73
		F	610	-	-	-	-	3	50	105	179	132	141	96
	uterus (171-174)	F	278	-	-	-	-	1	24	50	81	73	49	109
	Leukaemia and aleukaemia (204)	M	101	-	7	12	11	3	6	10	15	26	11	94
		F	83	-	6	4	2	7	4	18	18	22	22	96
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,729	1	8	11	22	26	55	155	383	541	527	95
		F	1,557	1	6	6	15	14	53	151	336	480	495	100
B19	Benign and unspecified neoplasms	M	51	2	-	1	2	2	5	5	15	13	6	111
		F	54	-	4	2	1	4	4	13	11	7	8	114
B20	Diabetes mellitus	M	108	-	-	-	1	-	2	12	22	34	37	105
		F	230	-	-	-	-	-	5	15	27	76	107	131
B21	Anaemias	M	28	-	-	-	-	-	1	1	5	9	12	74
		F	61	2	-	-	3	1	-	-	2	16	37	86
B22	Vascular lesions affecting central nervous system	M	2,217	-	1	1	5	9	20	90	326	677	1,088	103
		F	3,027	1	1	1	3	6	17	89	265	748	1,896	103
B23	Non-meningococcal meningitis	M	14	7	1	1	1	-	-	1	2	-	1	101
		F	13	8	2	-	-	-	-	-	2	-	1	104
B24	Rheumatic fever	M	6	-	-	-	-	-	-	2	2	1	1	213
		F	3	-	1	-	-	-	-	-	1	-	-	132
B25	Chronic rheumatic heart disease	M	146	-	1	-	1	3	16	26	46	26	27	105
		F	258	-	-	-	2	2	16	49	73	57	59	101

TABLE 19 - continued

Abbreviated List No.	Causes of death	East Midland												S.M.R. (England and Wales = 100)
		Age												
		All ages	Under 1 year	Years										
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease	M	4,395	-	-	-	2	19	138	460	1,158	1,415	1,203	93
	including coronary disease (420)	F	2,699	-	-	-	-	2	9	89	346	911	1,342	95
	Degenerative heart disease	M	1,070	-	-	1	2	2	8	16	65	234	742	114
	(421, 422)	F	1,651	-	-	-	1	-	1	12	29	222	1,386	113
B27	Other diseases of heart	M	521	-	-	-	1	-	7	22	75	147	269	114
B28	Hypertension with heart disease	F	613	1	3	-	-	2	6	21	24	128	428	116
		M	252	-	-	-	-	-	1	9	50	98	94	114
		F	371	-	-	-	-	-	1	14	31	111	214	120
B29	Hypertension without mention of heart	M	159	-	-	-	-	3	4	17	36	47	52	123
B46 (pt.)	Other circulatory diseases (450-468)	F	159	-	-	-	-	2	1	5	11	44	96	117
		M	669	2	1	-	2	3	8	25	87	172	369	105
B30	Influenza	F	784	1	1	1	5	4	9	27	48	166	522	100
		M	140	2	1	-	2	1	6	7	20	32	89	126
		F	198	-	1	-	-	-	4	6	11	38	138	155
B31	Pneumonia	M	988	74	13	9	8	4	7	37	99	232	505	90
		F	1,113	42	10	6	2	1	8	25	80	205	734	92
		M	1,604	30	7	6	4	1	16	71	367	595	507	102
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	583	25	6	2	1	2	8	24	75	162	278	106
		M	238	9	1	-	1	1	6	19	58	66	77	100
		F	162	7	5	1	3	1	8	7	13	30	87	135
B33	Ulcer of stomach and duodenum	M	168	-	-	-	-	2	4	13	42	46	61	95
B34	Appendicitis	F	91	-	-	-	-	-	-	4	11	26	50	98
		M	22	-	2	2	1	1	2	2	4	4	4	135
		F	14	-	-	-	-	-	2	2	1	4	5	101
B35	Intestinal obstruction and hernia	M	98	16	1	-	1	-	2	5	11	27	35	105
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	110	8	-	-	-	1	3	1	6	35	56	105
		M	79	16	4	-	-	2	1	5	14	14	23	114
		F	101	6	7	-	1	2	2	5	9	24	45	95
B37	Cirrhosis of liver	M	39	-	-	-	1	-	4	11	7	10	6	78
		F	45	-	-	-	-	-	5	6	16	13	5	110
B38	Nephritis and nephrosis	M	99	-	1	3	4	6	7	14	15	26	23	97
		F	82	1	-	3	2	3	5	9	17	17	25	102
B39	Hyperplasia of prostate	M	146	-	-	-	-	-	1	1	11	36	97	108
B40	Complications of pregnancy, childbirth and puerperium	F	17	-	-	-	3	7	7	-	-	-	-	111
B41	Congenital malformations	M	158	117	6	4	3	2	3	7	10	5	1	90
		F	158	107	16	4	2	3	5	7	7	5	2	103
B42	Birth injuries, postnatal asphyxia and atelectasis	M	176	176	-	-	-	-	-	-	-	-	-	102
		F	98	98	-	-	-	-	-	-	-	-	-	89
B43	Diarrhoea of newborn (764)	M	2	2	-	-	-	-	-	-	-	-	-	84
		F	4	4	-	-	-	-	-	-	-	-	-	178
		M	26	26	-	-	-	-	-	-	-	-	-	105
		F	25	25	-	-	-	-	-	-	-	-	-	141
B44	Other diseases of early infancy and immaturity unqualified	M	155	155	-	-	-	-	-	-	-	-	-	104
		F	82	82	-	-	-	-	-	-	-	-	-	77
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	118	-	-	-	2	-	2	3	3	3	105	114
		F	217	-	1	-	1	-	-	-	2	5	208	111
B46 (Rem.)	All other diseases (Remainder 001-795)	M	587	25	15	13	21	14	30	68	112	132	157	98
		F	826	16	5	10	17	19	32	74	136	200	317	103
BE47	Motor vehicle accidents	M	421	-	10	30	136	49	39	45	51	28	33	115
BE48	All other accidents	F	168	-	6	17	32	10	11	14	17	31	30	118
		M	396	19	18	26	31	29	33	54	50	46	90	100
		F	402	16	9	5	5	4	5	10	24	66	258	108
BE49	Suicide and self-inflicted injury	M	173	-	-	-	10	24	31	31	37	27	13	89
BE50	Homicide and operations of war	F	107	-	-	1	4	10	15	23	21	27	6	75
		M	13	2	-	1	1	-	3	3	1	2	-	94
		F	8	-	-	1	1	-	2	2	1	1	-	78
EN47	Fractures, head injuries and internal injuries	M	596	3	12	35	142	59	56	76	78	48	87	107
EN48	Burns	F	420	1	7	17	29	10	12	16	26	62	240	116
		M	21	-	5	-	5	1	-	3	3	1	3	123
		F	24	-	4	1	1	1	-	2	2	8	5	92
EN49	Effects of poisons	M	177	-	2	2	12	21	29	34	24	25	28	91
EN50	All other injuries	F	139	-	1	1	7	11	14	22	21	36	28	73
		M	209	18	9	20	19	21	21	20	34	29	18	104
		F	102	15	3	5	5	2	7	9	14	19	23	111

TABLE 19 - continued

Abbreviated List No.	Causes of death	West Midland												S.M.R. (England and Wales = 100)
		Age												
		All ages	Under 1 year	Years										
1-	5-			15-	25-	35-	45-	55-	65-	75 and over				
	ALL CAUSES	Numbers M 27,968 F 25,285	1,027 809	196 148	163 98	434 170	316 216	835 545	2,496 1,444	5,966 3,018	7,862 5,962	8,673 12,875	103 104	
		Rates M 11,220 F 10,000	21,530 17,898	1,049 834	429 273	1,095 447	941 695	2,378 1,646	7,728 4,575	21,853 10,375	56,643 30,279	144,791 107,292		
B1	Tuberculosis of respiratory system	M 188 F 59	- -	1 -	- -	1 2	1 4	9 10	29 7	51 15	65 11	31 10	126 118	
B2	Tuberculosis, other forms	M 12 F 15	- -	- 1	1 -	2 -	4 2	10 1	7 1	15 5	11 2	10 -	99 109	
B3	Syphilis and its sequelae	M 32 F 25	- 1	- -	- -	- -	1 1	1 3	1 3	3 3	13 9	13 8	69 83	
B4	Typhoid fever	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B5	Cholera	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B6	Dysentery, all forms	M 1 F .1	- -	1 -	- -	- -	- -	- -	- -	- -	- -	1 -	95 104	
B7	Scarlet fever and streptococcal sore throat	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B8	Diphtheria	M 1 F -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	230 -	
B9	Whooping cough	M 2 F 6	2 6	- -	- -	- -	- -	- -	- -	- -	- -	- -	203 390	
B10	Meningococcal infections	M 6 F 7	4 4	1 2	- -	- -	- -	- -	1 -	- -	- 1	- -	93 146	
B11	Plague	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B12	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B13	Smallpox	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B14	Measles	M 9 F 4	2 1	6 1	1 1	- 1	- -	- -	- -	- -	- -	- -	191 100	
B15	Typhus and other rickettsial diseases	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B16	Malaria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B17	All other diseases classified as infective and parasitic	M 51 F 48	10 5	6 5	3 4	3 1	1 5	4 1	12 3	5 3	5 6	2 15	116 98	
	Malignant neoplasm: (140-205)	M 5,508 F 4,560	5 5	20 10	28 16	35 29	48 50	182 207	692 645	1,618 1,064	1,717 1,216	1,173 1,318	100 101	
	stomach (151)	M 711 F 572	- -	- -	- -	- 1	- -	3 10	26 38	67 106	212 164	155 253	101 115	
	trachea, bronchus and lung (162, 163)	M 2,123 F 332	- -	1 -	1 -	1 1	4 1	52 12	336 57	778 88	690 103	260 70	99 82	
B18	breast (170)	M 10 F 962	- -	- -	- -	- -	- 16	- 69	- 211	4 239	1 210	4 217	103 106	
	uterus (171-174)	M 372 F -	- -	- -	- -	- -	4 -	29 -	81 -	94 -	88 -	76 -	101 -	
	Leukaemia and aleukaemia (204)	M 144 F 123	1 3	8 4	11 11	11 8	6 6	10 12	16 12	22 19	29 23	30 25	94 98	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M 2,520 F 2,199	4 2	11 6	16 5	23 19	36 23	94 75	259 246	605 518	746 628	727 677	100 100	
B19	Benign and unspecified neoplasms	M 63 F 67	2 1	1 -	3 2	2 1	2 2	5 6	9 14	20 15	12 17	7 9	95 98	
B20	Diabetes mellitus	M 162 F 287	- -	- -	- 1	1 2	2 2	9 7	19 11	32 33	51 103	48 130	115 117	
B21	Anaemias	M 56 F 110	- 1	4 1	- 1	4 -	- 1	- 2	2 3	6 16	14 29	26 56	110 112	
B22	Vascular lesions affecting central nervous system	M 3,081 F 4,240	3 -	1 -	3 6	5 13	14 32	52 143	161 377	495 377	962 1,048	1,385 2,621	107 104	
B23	Non-meningococcal meningitis	M 19 F 18	10 7	- 3	1 -	- -	- -	- -	3 3	3 3	- 2	1 -	92 95	
B24	Rheumatic fever	M 3 F 1	- -	1 -	- -	1 -	- -	- -	- 1	1 -	- -	- -	73 30	
B25	Chronic rheumatic heart disease	M 218 F 382	1 -	- -	- -	1 3	13 9	26 40	48 73	58 85	49 107	22 65	109 104	

TABLE 19 - continued

Abbrevi- ated List No.	Causes of death		West Midland											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M F M F	6,195 3,836 1,334 2,170	- - 1 1	- - - 1	- - 1 1	2 - 3 1	16 6 2 6	206 19 20 8	742 121 36 17	1,719 487 96 53	1,973 1,218 265 281	1,537 1,985 910 1,802	95 97 109 108
B27	Other diseases of heart	M F	635 791	2 1	1 1	1 1	4 2	4 3	9 5	35 12	93 65	179 196	307 506	104 108
B28	Hypertension with heart disease	M F	355 527	- -	- -	- -	- 1	- -	5 2	19 12	64 48	127 157	140 307	119 124
B29	Hypertension without mention of heart	M F	201 204	- -	- -	- -	3 1	3 2	14 5	32 9	43 22	51 44	55 121	113 108
B46 (pt.)	Other circulatory diseases (450-468)	M F	799 950	2 -	1 1	- -	3 2	5 6	11 13	44 29	150 67	220 203	383 629	94 88
B30	Influenza	M F	228 237	2 2	1 2	- 1	1 2	5 -	6 7	18 10	44 20	65 54	86 139	152 134
B31	Pneumonia	M F	1,707 1,918	93 71	18 30	6 3	20 8	7 7	17 15	73 52	216 119	422 339	835 1,274	116 114
B32	Bronchitis	M F	2,529 939	17 12	8 7	1 3	4 2	5 3	16 12	160 36	618 113	953 262	747 489	119 122
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M F	350 183	8 7	2 1	1 2	2 -	5 1	29 12	88 17	116 21	97 39	107 83	107 108
B33	Ulcer of stomach and duodenum	M F	287 139	- -	- -	- 1	1 -	5 -	9 2	18 7	70 11	89 43	95 75	119 108
B34	Appendicitis	M F	30 19	- -	2 2	1 -	3 1	2 -	- -	8 2	3 2	7 7	4 5	129 96
B35	Intestinal obstruction and hernia	M F	121 153	15 9	1 1	- 1	2 1	- 1	2 1	5 10	19 16	30 39	47 74	95 104
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M F	103 153	29 16	8 6	- 1	2 1	3 2	6 3	12 9	24 16	17 24	104 75	104 101
B37	Cirrhosis of liver	M F	84 53	- -	1 1	- -	1 -	3 3	9 2	15 10	28 8	19 17	8 12	118 91
B38	Nephritis and nephrosis	M F	147 110	1 -	- -	1 1	5 5	8 5	14 7	26 12	32 17	29 30	31 33	101 96
B39	Hyperplasia of prostate	M	202	-	-	-	-	-	-	1	11	41	149	115
B40	Complications of pregnancy, childbirth and puerperium	F	27	-	-	-	7	14	6	-	-	-	-	112
B41	Congenital malformations	M F	257 257	182 173	18 21	10 17	8 5	3 5	9 10	10 10	14 6	3 8	- 2	94 108
B42	Birth injuries, postnatal asphyxia and atelectasis	M F	293 215	293 215	- -	- -	- -	- -	- -	- -	- -	- -	- -	109 124
B43	Diarrhoea of newborn (764)	M F	6 4	6 4	- -	- -	- -	- -	- -	- -	- -	- -	- -	161 114
	Other infections of newborn (763, 765-768)	M F	46 41	46 41	- -	- -	- -	- -	- -	- -	- -	- -	- -	118 148
B44	Other diseases of early infancy and immaturity unqualified	M F	197 163	197 163	- -	- -	- -	- -	- -	- -	- -	- -	- -	85 98
B45	Senility without mention of psychosis, ill-defined and unknown causes	M F	122 219	3 -	1 -	- -	1 -	1 -	- 2	3 1	5 1	3 6	105 209	91 82
B46 (Rem.)	All other diseases (Remainder 001-795)	M F	835 1,124	44 25	29 12	18 13	28 24	30 35	43 56	79 85	160 189	215 271	189 414	100 99
BE47	Motor vehicle accidents	M F	619 249	2 2	23 14	46 21	212 39	66 11	53 18	71 23	55 39	33 46	58 36	111 119
BE48	All other accidents	M F	593 587	43 36	39 24	32 6	47 9	40 5	49 11	48 20	87 38	65 82	143 356	102 111
BE49	Suicide and self-inflicted injury	M F	256 170	- -	- -	1 -	26 11	19 8	43 23	44 29	62 42	39 41	22 16	88 81
BE50	Homicide and operations of war	M F	25 17	2 -	1 3	3 2	2 4	4 5	3 -	6 2	- -	4 1	- -	118 108
EN47	Fractures, head injuries and internal injuries	M F	946 626	8 6	29 18	58 24	228 43	89 11	82 20	94 25	119 57	76 92	165 330	114 122
EN48	Burns	M F	20 32	- -	1 3	- 1	2 1	1 2	1 1	3 3	2 3	3 5	7 13	81 85
EN49	Effects of poisons	M F	254 228	4 3	10 8	4 -	21 12	19 8	40 25	43 36	51 40	35 47	27 49	88 82
EN50	All other injuries	M F	273 137	35 29	23 12	22 4	36 7	20 8	25 6	29 10	32 19	27 26	24 16	90 101

TABLE 19 - continued

Abbreviated List No.	Causes of death	West Midland Conurbation												S.M.R. (England and Wales = 100)	
		Age													
		All ages	Under 1 year	Years											
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over			
	Numbers	M	F	13,437	513	99	78	188	151	411	1,290	3,084	3,823	3,800	106
	ALL CAUSES	F	F	12,154	428	64	45	76	100	284	704	1,477	2,897	6,079	103
	Rates	M	F	11,197	22,017	1,100	437	980	922	2,399	8,139	23,560	58,635	142,322	
		F	F	9,903	19,367	749	266	404	670	1,756	4,548	10,365	29,959	105,538	
B1	Tuberculosis of respiratory system	M	F	102	-	1	-	1	1	5	16	27	39	13	144
B2	Tuberculosis, other forms	M	F	33	-	-	-	2	3	8	3	6	5	6	135
		M	F	7	-	-	-	-	2	1	1	2	1	-	120
		F	F	6	-	1	-	-	-	-	-	3	2	-	90
B3	Syphilis and its sequelae	M	F	12	-	-	-	-	1	-	-	2	4	5	56
B4	Typhoid fever	M	F	13	1	-	-	-	-	-	2	1	5	4	89
		M	F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	F	-	-	-	-	-	-	-	-	-	-	-	-
		M	F	1	-	-	-	-	-	-	-	-	-	1	216
B7	Scarlet fever and streptococcal sore throat	M	F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	F	-	-	-	-	-	-	-	-	-	-	-	-
		M	F	1	-	-	1	-	-	-	-	-	-	-	484
		F	F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	F	2	2	-	-	-	-	-	-	-	-	-	419
B10	Meningococcal infections	M	F	6	6	-	-	-	-	-	-	-	-	-	808
		M	F	3	2	1	-	-	-	-	-	-	-	-	96
		F	F	5	3	2	-	-	-	-	-	-	-	-	216
B11	Plague	M	F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	F	-	-	-	-	-	-	-	-	-	-	-	-
		M	F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	F	-	-	-	-	-	-	-	-	-	-	-	-
		M	F	2	-	2	-	-	-	-	-	-	-	-	88
		F	F	1	-	-	1	-	-	-	-	-	-	-	52
B15	Typhus and other rickettsial diseases	M	F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	F	-	-	-	-	-	-	-	-	-	-	-	-
		M	F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	F	30	6	4	1	-	1	1	9	3	4	1	143
		F	F	23	2	3	1	1	4	1	1	2	4	4	96
	Malignant neoplasm: (140-205)	M	F	2,751	4	9	13	16	19	104	374	855	824	533	106
	stomach (151)	M	F	2,252	3	2	8	12	21	109	327	533	600	102	102
		M	F	339	-	-	-	-	-	12	31	114	111	71	103
		F	F	286	-	-	-	-	-	6	20	57	89	114	118
	trachea, bronchus and lung (162, 163)	M	F	1,119	-	1	-	-	1	32	195	407	344	139	110
	breast (170)	M	F	178	-	-	-	1	-	9	29	50	49	40	90
		M	F	5	-	-	-	-	-	-	1	-	3	1	109
		M	F	482	-	-	-	-	8	34	106	121	110	103	108
	uterus (171-174)	M	F	174	-	-	-	-	1	14	41	42	40	36	97
	Leukaemia and aleukaemia (204)	M	F	72	-	2	6	6	2	8	8	10	16	14	99
		M	F	63	2	1	7	4	4	5	8	10	10	12	103
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	F	1,216	4	6	7	10	16	52	139	324	350	308	103
		F	F	1,069	1	1	1	7	8	41	123	253	302	332	99
B19	Benign and unspecified neoplasms	M	F	32	1	1	1	1	2	2	6	8	6	4	101
		M	F	38	-	-	-	-	2	1	7	9	12	7	114
B20	Diabetes mellitus	M	F	75	-	-	-	-	-	5	11	18	25	16	114
		M	F	136	-	-	-	1	2	2	6	22	51	52	114
B21	Anaemias	M	F	33	-	3	-	4	-	-	2	5	7	12	140
		M	F	53	-	1	-	-	-	1	1	6	13	31	111
B22	Vascular lesions affecting central nervous system	M	F	1,446	3	-	2	1	7	25	84	251	441	632	109
B23	Non-meningococcal meningitis	M	F	1,974	-	-	-	3	7	13	58	171	493	1,229	100
		M	F	15	10	-	1	1	-	-	2	1	-	-	151
		F	F	10	3	3	-	-	-	-	2	1	1	-	109
B24	Rheumatic fever	M	F	-	-	-	-	-	-	-	-	-	-	-	-
B25	Chronic rheumatic heart disease	M	F	-	-	-	-	-	6	15	22	38	17	9	112
		M	F	107	-	-	-	-	1	25	30	42	60	32	107

TABLE 19 - continued

Abbreviated List No.	Causes of death		West Midland Conurbation											S.M.R. (England and Wales = 100)	
			Age												
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M F M F	2,875 1,764 543 959	- - - -	- - - 1	- - - 1	- - 2 1	5 1 2 1	94 9 10 2	355 70 17 5	842 230 46 24	942 564 121 124	637 890 345 801	94 92 97 99	
B27	Other diseases of heart	M F	296 365	1 1	- -	- 1	1 1	2 2	2 2	18 5	46 34	81 95	145 226	105 103	
B28	Hypertension with heart disease	M F	211 281	- -	- -	- -	- -	- 1	4 6	13 30	39 85	78 159	77 136	152 136	
B29	Hypertension without mention of heart	M F	105 121	- -	- -	- -	1 2	2 3	7 5	16 11	23 29	29 70	27 133	125 133	
B46 (pt.)	Other circulatory diseases (450-468)	M F	315 390	- -	- -	- 2	1 2	4 4	3 16	60 29	92 85	139 252	80 75	80 75	
B30	Influenza	M F	104 103	2 1	- 1	- 1	1 2	3 -	3 5	14 8	27 9	28 26	26 50	150 120	
B31	Pneumonia	M F	879 1,010	45 35	8 12	3 1	10 6	4 2	11 9	38 27	121 60	213 177	426 681	129 124	
B32	Bronchitis	M F	1,393 525	13 8	5 4	- 1	- 1	3 3	10 5	91 23	357 50	548 149	366 281	141 141	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M F	123 89	4 2	4 1	- 1	- -	1 5	- 12	13 13	36 17	37 37	80 108	80 108	
B33	Ulcer of stomach and duodenum	M F	152 66	- -	- -	- -	1 -	2 1	4 4	7 4	42 4	44 22	52 35	135 106	
B34	Appendicitis	M F	12 10	- -	2 -	1 -	1 1	2 -	4 -	4 -	1 3	1 4	- 104	109 104	
B35	Intestinal obstruction and hernia	M F	50 65	7 4	- -	- -	2 -	- 1	- 2	3 9	8 21	15 28	15 28	84 91	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M F	52 86	17 9	5 3	- -	1 -	2 2	3 3	5 8	11 13	8 46	111 117	111 117	
B37	Cirrhosis of liver	M F	42 31	- -	1 1	- -	1 -	2 1	7 2	6 8	12 4	11 10	2 5	124 109	
B38	Nephritis and nephrosis	M F	64 58	1 -	- -	1 1	3 3	4 4	8 6	11 6	13 9	11 14	12 15	93 104	
B39	Hyperplasia of prostate	M	90	-	-	-	-	-	-	7	19	64	113	113	
B40	Complications of pregnancy, childbirth and puerperium	F	15	-	-	-	4	6	5	-	-	-	-	128	
B41	Congenital malformations	M F	117 128	78 89	13 10	4 10	3 -	1 3	1 5	8 4	7 2	2 3	- 2	89 111	
B42	Birth injuries, postnatal asphyxia and stelectasis	M F	141 122	141 122	- -	- -	- -	- -	- -	- -	- -	- -	- -	108 146	
B43	Diarrhoea of newborn (764)	M F	4 3	4 3	- -	- -	- -	- -	- -	- -	- -	- -	- -	222 177	
	Other infections of newborn (763, 765-768)	M F	24 24	24 24	- -	- -	- -	- -	- -	- -	- -	- -	- -	128 179	
B44	Other diseases of early infancy and immaturity unqualified	M F	98 78	98 78	- -	- -	- -	- -	- -	- -	- -	- -	- -	87 97	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M F	30 62	3 -	- -	- -	- -	1 -	- 1	4 1	2 4	19 56	50 49	50 49	
B46 (Rem.)	All other diseases (Remainder 001-795)	M F	395 520	22 16	15 4	8 4	9 8	17 16	15 33	46 30	76 92	110 122	77 195	100 94	
BE47	Motor vehicle accidents	M F	270 113	- 2	13 5	21 7	92 14	30 4	22 9	30 9	27 18	8 25	27 20	101 111	
BE48	All other accidents	M F	287 323	24 16	16 10	19 5	22 2	17 3	25 6	23 10	39 18	36 39	66 214	104 127	
BE49	Suicide and self-inflicted injury	M F	132 90	- -	- -	- -	11 7	7 6	23 9	26 12	36 24	16 23	13 9	95 87	
BE50	Homicide and operations of war	M F	15 10	1 -	- 1	2 2	2 3	3 2	4 -	- 1	- -	1 -	- -	147 131	
EN47	Fractures, head injuries and internal injuries	M F	423 342	2 5	15 6	25 10	100 17	38 6	33 10	43 11	54 26	32 52	81 199	107 138	
EN48	Burns	M F	6 18	- 3	- 1	- 1	1 1	1 1	- -	2 2	1 2	1 3	- 5	51 99	
EN49	Effects of poisons	M F	146 120	3 2	7 4	3 -	10 5	9 6	25 12	25 13	32 22	18 25	14 31	106 89	
EN50	All other injuries	M F	129 56	20 11	7 3	14 3	16 3	9 2	14 2	13 6	15 10	10 8	11 8	89 85	

TABLE 19 - continued

Abbreviated List No.	Causes of death	East Anglia												S.M.R. (England and Wales = 100)	
		Age													
		All ages	Under 1 year	Years											
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over			
	Numbers	M	F	9,161	262	38	40	131	104	174	571	1,526	2,495	3,820	87
		F		8,551	198	36	34	55	59	144	362	888	1,832	4,943	90
	Rates	M	F	11,599	19,699	722	354	970	992	1,706	6,068	16,956	44,713	130,822	
		F		10,787	15,591	723	313	485	630	1,521	3,724	9,298	24,329	95,425	
	ALL CAUSES														
B1	Tuberculosis of respiratory system	M	F	33	-	-	-	-	-	3	2	8	9	11	60
B2	Tuberculosis, other forms	M	F	14	-	-	-	-	-	1	3	1	4	5	81
		M	F	3	-	-	-	-	-	-	1	-	-	2	74
		F		4	-	-	-	-	-	1	-	1	1	1	84
B3	Syphilis and its sequelae	M	F	13	-	-	-	-	-	-	-	2	4	7	71
B4	Typhoid fever	M	F	17	-	-	-	-	-	-	-	5	4	8	146
		M	F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	F	-	-	-	-	-	-	-	-	-	-	-	-
		M	F	1	-	1	-	-	-	-	-	-	-	-	304
		F		-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	F	-	-	-	-	-	-	-	-	-	-	-	-
		M	F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	F	4	1	1	1	1	-	-	-	-	-	-	210
		M	F	1	1	-	-	-	-	-	-	-	-	-	71
B11	Plague	M	F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	F	-	-	-	-	-	-	-	-	-	-	-	-
		M	F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	F	-	-	-	-	-	-	-	-	-	-	-	-
		M	F	-	-	-	-	-	-	-	-	-	-	-	-
B15	Typhus and other rickettsial diseases	M	F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	F	-	-	-	-	-	-	-	-	-	-	-	-
		M	F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	F	18	2	-	2	-	2	1	3	3	4	1	120
		M	F	17	-	1	2	-	-	-	3	3	1	7	102
	Malignant neoplasm:	M	F	1,849	1	4	3	14	13	39	170	454	611	540	88
	(140-205)	M	F	1,576	2	5	7	10	15	61	162	363	449	502	95
	stomach (151)	M	F	260	-	-	-	-	-	3	20	57	96	84	96
		M	F	164	-	-	-	-	-	3	7	24	48	82	85
	trachea, bronchus and lung	M	F	623	-	-	-	-	1	9	69	217	229	98	78
	(162, 163)	M	F	117	-	-	-	-	1	4	9	39	42	22	80
	breast (170)	M	F	5	-	-	-	-	-	-	2	1	1	1	143
		M	F	316	-	-	-	-	5	22	53	73	83	80	98
	uterus (171-174)	M	F	143	-	-	-	-	1	7	23	35	34	43	110
	Leukaemia and aleukaemia (204)	M	F	39	-	2	3	-	-	1	5	9	8	11	70
		M	F	46	-	2	4	3	2	-	3	8	11	13	104
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	F	922	1	2	-	14	12	26	74	170	277	346	94
		M	F	790	2	3	3	7	6	25	67	184	231	262	96
B19	Benign and unspecified neoplasms	M	F	25	-	1	1	-	1	2	4	7	5	4	108
		M	F	18	-	1	-	-	-	1	7	3	1	5	75
B20	Diabetes mellitus	M	F	55	-	-	-	-	3	-	3	8	16	25	99
		M	F	98	-	-	1	-	2	-	-	13	29	53	102
B21	Anaemias	M	F	16	-	-	-	-	-	-	-	3	3	10	75
		M	F	29	-	-	1	-	-	1	1	1	7	18	74
B22	Vascular lesions affecting central nervous system	M	F	1,078	-	-	-	1	4	13	30	123	317	590	89
B23	Non-meningococcal meningitis	M	F	1,511	1	-	1	1	2	11	42	113	294	1,046	92
		M	F	6	-	1	-	-	-	-	-	1	3	1	91
		M	F	8	3	-	1	-	-	-	2	1	-	1	134
B24	Rheumatic fever	M	F	2	-	-	-	-	-	-	-	1	-	1	140
B25	Chronic rheumatic heart disease	M	F	2	1	-	-	-	-	-	-	-	-	1	174
		M	F	39	-	-	-	-	1	3	6	10	12	7	55
		M	F	97	-	-	-	-	-	7	8	22	30	30	74

TABLE 19 - continued

Abbreviated List No.	Causes of death		East Anglia												S.M.R. (England and Wales = 100)
			Age												
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M F M F	2,149 1,382 617 762	- - - -	- - - -	- - - 1	- 2 1 -	5 9 8 -	39 27 9 7	176 124 31 23	470 390 110 75	704 830 459 656	755 88 111 90		
B27	Other diseases of heart	M F	225 216	- 1	1 -	- -	1 1	- 1	- -	6 3	21 7	59 46	137 157	87 72	
B28	Hypertension with heart disease	M F	83 113	- -	- -	- -	- -	- 1	- 2	3 9	14 29	23 72	42 66	68 86	
B29	Hypertension without mention of heart	M F	51 38	- -	- -	- -	- -	1 -	1 -	7 3	14 6	13 11	15 18	74 51	
B46 (pt.)	Other circulatory diseases (450-468)	M F	308 412	- -	- -	- 2	- 3	1 10	2 9	5 27	36 81	80 280	184 93	85 93	
B30	Influenza	M F	31 41	- 1	- -	- -	- 2	1 -	1 1	1 2	3 6	6 28	19 50	50 58	
B31	Pneumonia	M F	637 689	36 18	4 8	5 5	3 1	5 4	12 9	56 28	105 125	408 488	103 101	103 101	
B32	Bronchitis	M F	475 179	3 -	2 1	- 1	- -	1 -	2 4	18 6	80 9	165 33	204 125	56 59	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M F	95 57	2 3	1 1	- -	2 2	- -	6 4	17 3	31 12	56 32	75 89	75 89	
B33	Ulcer of stomach and duodenum	M F	83 53	1 -	- -	- -	- -	- -	1 1	4 -	16 2	27 8	34 42	86 103	
B34	Appendicitis	M F	7 10	1 -	- -	- 1	- -	- 1	- 2	- 3	2 2	- 1	83 139	83 139	
B35	Intestinal obstruction and hernia	M F	56 53	2 3	1 2	1 -	- -	1 -	- 1	2 -	8 1	14 21	27 25	111 93	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M F	34 54	3 2	1 2	1 1	- -	- -	2 1	7 11	9 16	11 21	96 95	96 95	
B37	Cirrhosis of liver	M F	11 15	- 1	- -	- -	- 1	- 1	1 2	2 1	5 3	3 6	43 71	43 71	
B38	Nephritis and nephrosis	M F	44 42	- -	- -	3 -	1 2	- -	2 2	10 5	7 6	9 6	12 21	83 100	
B39	Hyperplasia of prostate	M	106	-	-	-	-	-	-	-	5	26	75	132	
B40	Complications of pregnancy, childbirth and puerperium	F	4	-	-	-	3	-	1	-	-	-	-	56	
B41	Congenital malformations	M F	79 80	54 55	5 10	4 2	3 2	1 1	2 2	3 1	4 2	2 2	1 3	100 116	
B42	Birth injuries, postnatal asphyxia and atelectasis	M F	57 48	57 48	- -	- -	- -	- -	- -	- -	- -	- -	- -	75 99	
B43	Diarrhoea of newborn (764)	M F	- 1	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 101	
	Other infections of newborn (763, 765-768)	M F	11 7	11 7	- -	- -	- -	- -	- -	- -	- -	- -	- -	101 90	
B44	Other diseases of early infancy and immaturity unqualified	M F	67 35	67 35	- -	- -	- -	- -	- -	- -	- -	- -	- -	103 75	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M F	41 87	1 1	- -	1 -	- -	- -	- -	- 1	- 1	38 83	65 77	65 77	
B46 (Rem.)	All other diseases (Remainder 001-795)	M F	262 494	11 8	5 3	3 6	9 7	8 12	12 12	20 28	46 59	67 81	81 188	83 95	
BE47	Motor vehicle accidents	M F	203 72	- -	3 1	7 2	62 16	22 2	15 5	25 8	29 7	21 17	19 14	108 101	
BE48	All other accidents	M F	190 233	9 6	7 3	10 1	20 2	22 5	15 2	19 6	16 17	17 28	55 163	94 115	
BE49	Suicide and self-inflicted injury	M F	94 71	- -	- -	- -	10 2	12 9	9 5	23 9	20 14	14 19	8 13	97 101	
BE50	Homicide and operations of war	M F	3 1	- -	- -	- -	1 -	1 -	- -	- 1	- -	- -	- -	45 20	
EN47	Fractures, head injuries and internal injuries	M F	307 231	1 1	4 1	9 2	69 15	38 2	24 6	42 10	34 12	29 34	57 148	106 118	
EN48	Burns	M F	6 12	- -	- 1	- -	- -	- -	1 -	- -	- 1	1 3	4 7	68 88	
EN49	Effects of poisons	M F	67 89	- 1	- 1	- -	8 2	11 9	5 5	16 11	14 17	5 21	8 22	69 94	
EN50	All other injuries	M F	110 45	8 4	6 1	8 1	16 3	8 5	9 1	9 3	18 8	17 6	11 13	111 100	

TABLE 19 - continued

Abbrevi- ated List No.	Causes of death	South Eastern													S.M.R. (England and Wales = 100)
		Age													
		All ages	Under 1 year	Years											
1-	5-			15-	25-	35-	45-	55-	65-	75 and over					
	Numbers	M	96,202	2,991	515	518	1,273	1,062	2,402	7,089	19,314	26,916	34,122	93	
	F	95,278	2,096	387	308	522	720	1,715	4,705	10,190	20,545	54,090	92		
	Rates	M	11,695	19,587	870	439	1,018	980	2,187	6,470	19,928	49,387	132,461		
	F	10,771	14,445	689	274	421	688	1,557	4,077	9,312	25,135	96,211			
	ALL CAUSES														
B1	Tuberculosis of respiratory system	M	450	1	1	-	1	5	27	53	133	139	90	81	
		F	178	-	1	-	-	3	15	31	42	39	47	91	
B2	Tuberculosis, other forms	M	40	-	1	-	4	3	2	7	14	4	5	94	
		F	48	-	1	-	2	-	4	7	9	9	16	90	
B3	Syphilis and its sequelae	M	203	-	-	-	-	-	3	15	44	83	58	114	
		F	145	-	-	-	-	-	2	11	18	48	66	113	
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B6	Dysentery, all forms	M	4	1	-	-	1	-	1	-	1	-	-	115	
		F	1	-	-	-	-	-	1	-	-	-	-	27	
B7	Scarlet fever and streptococcal sore throat	M	1	-	1	-	-	-	-	-	-	-	-	141	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B8	Diphtheria	M	1	-	-	-	-	-	1	-	-	-	-	74	
		F	1	-	-	1	-	-	-	-	-	-	-	294	
B9	Whooping cough	M	3	3	-	-	-	-	-	-	-	-	-	96	
		F	2	1	1	-	-	-	-	-	-	-	-	41	
B10	Meningococcal infections	M	17	8	4	1	1	-	-	-	1	1	1	81	
		F	14	1	5	1	1	-	1	2	1	1	1	89	
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	1	-	-	-	-	278	
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B14	Measles	M	6	-	6	-	-	-	-	-	-	-	-	40	
		F	8	1	4	2	1	-	-	-	-	-	-	62	
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B16	Malaria	M	1	-	-	-	-	1	-	-	-	-	-	278	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B17	All other diseases classified as infective and parasitic	M	164	12	11	10	5	10	13	16	38	36	13	106	
		F	177	11	7	5	10	7	10	19	32	31	45	96	
	Malignant neoplasm:	M	21,618	5	60	96	104	187	569	2,046	6,090	7,048	5,413	103	
	(140-205)	F	18,548	9	54	57	86	178	737	2,229	4,019	5,079	6,100	101	
	stomach (151)	M	2,360	-	-	-	-	2	42	242	638	789	647	88	
		F	1,823	-	-	-	-	4	23	110	291	528	867	86	
	trachea, bronchus and lung	M	8,862	-	-	-	4	18	160	890	3,104	3,188	1,498	110	
	(162, 163)	F	1,974	-	-	-	2	8	63	246	563	649	443	121	
	breast (170)	M	37	-	-	-	-	-	2	15	9	9	9	104	
		F	3,864	-	-	-	-	37	235	735	984	889	984	106	
	uterus (171-174)	F	1,234	-	-	-	2	9	95	214	312	334	268	85	
	Leukaemia and aleukaemia (204)	M	624	-	18	38	28	26	37	73	108	149	147	112	
		F	500	3	26	23	17	21	31	55	73	111	140	102	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	9,735	5	42	58	72	141	328	839	2,225	2,913	3,112	101	
		F	9,153	6	28	34	65	99	290	869	1,796	2,568	3,398	101	
B19	Benign and unspecified neoplasms	M	231	9	3	4	6	5	21	32	70	51	30	97	
		F	261	-	3	5	6	10	10	37	56	64	70	97	
B20	Diabetes mellitus	M	478	1	1	2	1	6	23	38	92	148	166	88	
		F	905	1	1	3	1	10	15	20	105	289	460	86	
B21	Anaemias	M	175	4	3	5	3	2	1	5	28	42	82	87	
		F	350	2	4	3	2	3	5	7	29	66	229	82	
B22	Vascular lesions affecting central nervous system	M	9,451	9	1	9	21	32	106	369	1,300	2,642	4,962	82	
		F	15,633	8	1	5	11	33	96	422	1,152	3,300	10,605	87	
B23	Non-meningococcal meningitis	M	75	23	13	3	2	1	3	4	8	12	6	107	
		F	73	22	6	4	1	1	2	5	9	13	10	109	
B24	Rheumatic fever	M	9	2	-	1	1	-	1	-	2	1	1	62	
		F	14	-	1	1	-	-	-	1	2	5	4	110	
B25	Chronic rheumatic heart disease	M	669	1	-	1	12	21	57	120	187	160	110	92	
		F	1,318	-	-	-	8	23	79	189	312	342	365	90	

TABLE 19 - continued

Abbreviated List No.	Causes of death		South Eastern											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	23,356	-	-	1	3	62	553	2,409	6,073	7,462	6,793	94
		F	15,566	-	-	1	3	7	75	358	1,568	4,482	9,071	91
		M	4,119	1	1	2	11	13	32	75	266	720	2,998	81
		F	7,868	1	1	3	4	4	11	47	150	770	6,877	86
B27	Other diseases of heart	M	2,163	5	4	4	11	16	18	78	252	590	1,185	88
B28	Hypertension with heart disease	F	2,827	2	-	5	6	16	25	39	151	508	2,075	87
		M	1,004	-	-	-	-	5	9	50	174	343	423	85
		F	1,533	-	-	-	-	1	5	21	113	369	1,024	82
B29	Hypertension without mention of heart	M	706	-	-	1	5	10	23	77	181	163	246	104
B46 (pt.)	Other circulatory diseases (450-468)	F	850	-	-	-	3	5	15	36	84	180	527	104
		M	3,287	2	1	-	5	12	39	134	499	899	1,696	96
		F	4,535	4	1	1	8	25	45	105	294	839	3,213	94
B30	Influenza	M	348	-	4	4	4	2	7	21	37	82	187	59
B31	Pneumonia	F	451	3	4	1	3	4	3	9	29	65	330	58
		M	5,975	294	56	24	31	23	47	161	509	1,329	3,501	103
		F	7,553	187	43	23	20	15	42	126	328	1,144	5,625	102
B32	Bronchitis	M	7,028	86	18	10	7	7	37	276	1,329	2,540	2,718	85
B46 (pt.)	Other diseases of respiratory system (470-475, 510-527)	F	2,674	51	21	4	3	7	20	87	270	668	1,543	81
		M	999	30	15	5	3	6	22	57	200	321	340	80
		F	611	18	13	6	5	7	10	38	68	119	327	86
B33	Ulcer of stomach and duodenum	M	896	-	-	-	1	8	11	55	193	283	345	96
B34	Appendicitis	F	583	-	-	-	-	4	5	16	54	123	381	104
		M	72	-	4	6	4	2	3	8	12	18	15	85
		F	79	1	4	5	2	4	2	3	11	19	28	99
B35	Intestinal obstruction and hernia	M	479	46	4	2	3	3	2	25	77	115	202	97
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	576	23	1	3	3	2	8	18	56	143	319	92
		M	317	39	20	1	6	10	10	24	53	73	81	88
		F	631	25	21	5	5	9	11	28	65	128	334	101
B37	Cirrhosis of liver	M	253	-	-	1	-	1	15	42	85	69	40	97
		F	204	-	1	3	2	3	8	26	46	71	44	87
B38	Nephritis and nephrosis	M	465	6	2	3	12	22	36	55	107	110	112	87
		F	384	-	1	3	10	7	25	35	59	90	154	83
B39	Hyperplasia of prostate	M	630	-	-	-	-	-	1	7	43	120	459	86
B40	Complications of pregnancy, childbirth and puerperium	F	82	-	-	-	23	40	17	2	-	-	-	102
B41	Congenital malformations	M	892	580	85	40	31	26	25	34	37	18	16	102
		F	738	482	58	30	12	16	16	34	31	31	28	95
B42	Birth injuries, postnatal asphyxia and atelectasis	M	779	779	-	-	-	-	-	-	-	-	-	91
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	F	500	500	-	-	-	-	-	-	-	-	-	91
		M	7	7	-	-	-	-	-	-	-	-	-	59
		F	5	5	-	-	-	-	-	-	-	-	-	45
		M	99	99	-	-	-	-	-	-	-	-	-	80
		F	69	69	-	-	-	-	-	-	-	-	-	78
B44	Other diseases of early infancy and immaturity unqualified	M	720	719	1	-	-	-	-	-	-	-	-	98
		F	539	539	-	-	-	-	-	-	-	-	-	102
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	325	5	2	2	3	2	3	3	9	23	273	58
		F	809	6	2	-	1	1	1	5	7	24	762	66
B46 (Rem.)	All other diseases (Remainder 001-795)	M	3,137	99	55	71	132	87	166	259	538	760	970	100
		F	4,526	59	35	55	90	102	160	318	600	1,000	2,107	96
BE47	Motor vehicle accidents	M	1,708	3	51	106	525	165	161	158	196	169	174	91
BE48	All other accidents	F	716	4	18	47	97	34	34	76	103	125	178	91
		M	1,703	99	85	96	199	158	161	182	201	192	330	83
		F	1,745	54	67	25	35	38	61	90	127	215	1,033	78
BE49	Suicide and self-inflicted injury	M	1,061	-	-	2	105	131	180	186	230	148	79	106
BE50	Homicide and operations of war	F	891	-	-	-	46	92	131	206	187	142	87	112
		M	78	13	2	5	10	18	13	8	5	2	2	111
		F	55	7	6	1	12	8	7	2	3	4	5	101
BN47	Fractures, head injuries and internal injuries	M	2,470	16	68	129	598	247	231	239	304	265	373	86
BN48	Burns	F	1,686	14	28	51	106	42	44	90	142	224	945	78
		M	83	4	8	3	9	3	12	4	5	10	25	94
		F	128	3	17	7	4	2	3	4	9	14	65	85
BN49	Effects of poisons	M	1,123	5	22	16	101	128	172	194	214	151	120	112
BN50	All other injuries	F	1,167	3	21	5	54	104	152	225	213	170	220	110
		M	874	90	40	61	131	94	100	97	109	85	67	85
		F	426	45	25	10	26	24	34	55	56	78	73	85

TABLE 19 - continued

Abbreviated List No.	Causes of death	Greater London												S.M.R. (England and Wales = 100)
		Age												
		All ages	Under 1 year	Years										
1-	5-			15-	25-	35-	45-	55-	65-	75 and over				
	Numbers	M	44,491	1,474	233	225	553	519	1,200	3,593	9,892	12,369	14,433	94
	F		43,501	1,025	173	136	252	371	836	2,354	5,034	9,540	23,780	90
	Rates	M	11,774	20,615	910	461	964	1,024	2,339	6,667	20,922	50,118	130,144	
	F		10,521	15,074	711	294	411	760	1,606	4,116	9,603	24,889	91,673	
B1	Tuberculosis of respiratory system	M	265	1	1	-	1	3	17	28	79	78	57	102
		F	93	-	-	-	-	2	8	16	26	20	21	100
B2	Tuberculosis, other forms	M	18	-	1	-	-	2	1	4	4	2	4	90
		F	27	-	1	-	1	-	2	4	7	4	8	108
B3	Syphilis and its sequelae	M	94	-	-	-	-	-	1	6	21	42	24	115
		F	85	-	-	-	-	-	2	5	11	25	42	142
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	2	-	-	-	-	-	1	-	1	-	-	128
		F	1	-	-	-	-	-	1	-	-	-	-	58
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	720
B9	Whooping cough	M	2	2	-	-	-	-	-	-	-	-	-	145
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	11	6	3	1	-	-	-	-	1	-	-	118
		F	7	1	3	-	-	-	1	-	1	1	-	99
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	588
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	1	-	-	-	-	-	-	-	-	35
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	1	-	-	-	-	1	-	-	-	-	-	598
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	76	7	3	6	-	5	5	7	20	18	5	107
		F	87	7	4	2	6	5	3	10	13	15	22	100
	Malignant neoplasm; (140-205)	M	10,549	5	23	41	53	87	284	1,023	3,204	3,374	2,455	109
	stomach (151)	M	8,883	5	28	25	48	77	356	1,088	1,980	2,444	2,832	102
		F	1,153	-	-	-	-	1	14	121	353	372	292	93
		F	898	-	-	-	-	2	14	62	146	277	397	90
	trachea, bronchus and lung (162, 163)	M	4,619	-	-	-	3	11	88	473	1,671	1,587	786	123
		F	1,059	-	-	-	-	1	34	123	295	348	258	137
	breast (170)	M	22	-	-	-	-	-	1	2	7	7	5	132
		F	1,772	-	-	-	-	14	108	350	476	391	433	103
	uterus (171-174)	M	579	-	-	-	2	5	48	111	136	160	117	84
	Leukaemia and aleukaemia (204)	M	285	-	5	17	14	14	22	29	54	67	63	112
		F	248	1	18	8	8	11	16	28	43	51	64	108
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	4,470	5	18	24	36	61	159	398	1,119	1,341	1,309	102
		F	4,327	4	10	17	38	44	136	414	884	1,217	1,563	101
B19	Benign and unspecified neoplasms	M	133	5	2	3	5	2	9	20	43	28	16	119
		F	146	-	1	2	3	5	6	23	33	33	40	115
B20	Diabetes mellitus	M	208	1	-	1	-	1	8	23	48	66	60	84
		F	411	1	-	2	-	2	9	7	52	137	201	84
B21	Anaemias	M	82	1	2	2	3	2	1	13	27	30	91	
		F	157	2	4	3	1	1	-	3	19	26	98	79
B22	Vascular lesions affecting central nervous system	M	3,718	5	1	5	12	18	52	173	599	1,072	1,781	72
		F	6,430	4	1	-	7	17	49	203	548	1,442	4,159	77
B23	Non-meningococcal meningitis	M	30	8	4	2	1	-	1	1	4	6	3	95
		F	44	15	2	2	1	-	1	3	4	8	8	145
B24	Rheumatic fever	M	7	2	-	-	1	-	1	-	2	-	1	104
		F	6	-	1	1	-	-	-	-	1	2	1	101
B25	Chronic rheumatic heart disease	M	374	1	-	1	7	13	34	73	111	77	57	110
		F	768	-	-	-	6	13	52	103	194	177	223	111

TABLE 19 - continued

Abbreviated List No.	Causes of death		Greater London												S.M.R. (England and Wales = 100)
			Age												
			All ages	Under 1 year	Years									75 and over	
					1-	5-	15-	25-	35-	45-	55-	65-			
B26	Arteriosclerotic heart disease including coronary disease (420)	M	10,839	-	-	1	1	27	281	1,252	3,058	3,382	2,837	95	
	Degenerative heart disease (421, 422)	F	7,207	-	1	-	2	5	36	188	800	2,080	4,095	90	
		M	1,504	-	-	-	6	6	13	37	116	274	1,052	67	
		F	2,992	-	1	2	1	2	8	17	60	295	2,606	70	
B27	Other diseases of heart	M	959	2	4	1	6	9	12	30	128	271	496	87	
		F	1,302	1	-	2	3	12	16	22	71	215	960	86	
B28	Hypertension with heart disease	M	407	-	-	-	-	1	7	24	83	144	148	76	
		F	655	-	-	-	-	-	4	13	37	154	447	75	
B29	Hypertension without mention of heart	M	381	-	-	-	4	7	15	39	106	84	126	122	
		F	457	-	-	-	1	2	9	22	43	97	233	120	
B46 (pt.)	Other circulatory diseases (450-468)	M	1,536	2	1	-	1	5	20	71	251	412	773	100	
		F	2,226	2	-	-	4	14	23	55	148	418	1,562	100	
B30	Influenza	M	108	-	1	2	4	-	3	11	16	23	48	41	
		F	137	2	2	1	1	3	-	4	9	23	92	38	
B31	Pneumonia	M	2,945	161	29	5	13	6	22	78	263	679	1,689	114	
		F	3,716	106	13	9	7	6	17	63	165	559	2,771	108	
B32	Bronchitis	M	3,540	50	7	4	1	3	16	138	728	1,247	1,346	94	
		F	1,448	32	14	1	2	4	10	47	140	340	858	94	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	431	11	8	3	1	3	10	32	87	134	142	75	
		F	278	5	6	-	1	3	6	18	36	57	146	84	
B33	Ulcer of stomach and duodenum	M	450	-	-	-	-	2	4	31	108	136	169	106	
		F	287	-	-	-	-	2	2	7	26	64	186	109	
B34	Appendicitis	M	31	-	3	1	4	-	2	2	5	7	7	80	
		F	31	-	2	1	-	4	2	3	6	4	9	83	
B35	Intestinal obstruction and hernia	M	229	23	3	-	2	1	1	9	42	62	86	104	
		F	271	15	1	-	1	1	2	10	35	56	150	93	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	171	21	12	1	4	6	7	15	34	44	27	105	
		F	306	12	6	2	1	2	7	12	30	66	168	105	
B37	Cirrhosis of liver	M	109	-	-	1	-	-	8	26	33	27	14	89	
		F	106	-	1	3	1	1	3	16	24	39	18	96	
B38	Nephritis and nephrosis	M	232	3	1	2	10	10	20	29	55	56	46	94	
		F	178	-	1	1	4	6	13	20	21	46	66	81	
B39	Hyperplasia of prostate	M	271	-	-	-	-	-	1	5	22	50	193	84	
B40	Complications of pregnancy, childbirth and puerperium	F	47	-	-	-	13	25	8	1	-	-	-	123	
B41	Congenital malformations	M	410	267	34	19	14	12	11	12	25	9	7	105	
		F	340	211	21	18	4	11	6	21	18	15	15	98	
B42	Birth injuries, postnatal asphyxia and atelectasis	M	411	411	-	-	-	-	-	-	-	-	-	109	
		F	266	266	-	-	-	-	-	-	-	-	-	110	
B43	Diarrhoea of newborn (764)	M	3	3	-	-	-	-	-	-	-	-	-	58	
		F	3	3	-	-	-	-	-	-	-	-	-	61	
	Other infections of newborn (763, 765-768)	M	47	47	-	-	-	-	-	-	-	-	-	87	
		F	36	36	-	-	-	-	-	-	-	-	-	93	
B44	Other diseases of early infancy and immaturity unqualified	M	339	338	1	-	-	-	-	-	-	-	-	104	
		F	255	255	-	-	-	-	-	-	-	-	-	109	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	96	3	1	1	1	1	2	1	6	9	71	39	
		F	265	2	1	-	-	1	1	1	3	10	246	47	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,366	41	22	28	52	46	75	127	251	315	409	96	
		F	2,111	21	14	30	41	46	68	157	289	456	989	96	
EE47	Motor vehicle accidents	M	676	2	19	46	173	62	65	66	85	70	88	78	
		F	310	1	8	13	35	16	15	32	35	61	94	84	
EE48	All other accidents	M	811	37	45	43	99	88	87	97	106	82	127	87	
		F	658	16	33	14	25	23	28	48	57	90	324	64	
EE49	Suicide and self-inflicted injury	M	559	-	-	2	65	77	91	94	130	62	38	118	
		F	433	-	-	-	26	54	55	111	90	59	38	114	
EE50	Homicide and operations of war	M	60	8	2	3	9	13	12	8	4	-	1	185	
		F	31	3	2	1	6	6	6	1	2	2	2	122	
EN47	Fractures, head injuries and internal injuries	M	1,041	11	31	54	211	115	106	109	141	114	149	79	
		F	598	4	15	17	42	22	21	37	57	97	286	60	
EN48	Burns	M	45	3	8	2	2	1	11	3	3	3	9	113	
		F	55	1	8	6	2	2	2	2	5	7	20	79	
EN49	Effects of poisons	M	632	4	16	9	66	76	95	107	122	67	70	135	
		F	596	2	12	2	31	56	64	131	103	76	119	118	
EN50	All other injuries	M	388	29	11	29	67	48	43	46	59	30	26	82	
		F	183	13	8	3	17	19	17	22	19	32	33	78	

TABLE 19 - continued

Abbreviated List No.	Causes of death	South Western												S.M.R. (England and Wales = 100)
		Age												
		All ages	Under 1 year	Years										
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
	Numbers	M	22,849	597	100	114	291	215	477	1,426	4,124	6,754	8,751	95
	F		22,494	430	90	59	108	138	369	927	2,256	5,093	13,024	97
	ALL CAUSES	Rates	M	12,954	19,320	801	428	1,049	987	2,154	6,532	19,657	50,782	136,948
	F		12,125	14,626	759	232	435	683	1,877	4,008	9,503	27,148	102,957	
B1	Tuberculosis of respiratory system	M	89	-	-	-	-	-	3	14	24	30	18	70
	F		34	-	-	-	-	1	5	5	5	6	12	81
B2	Tuberculosis, other forms	M	5	-	-	-	-	-	-	-	4	1	-	55
	F		15	-	-	-	-	3	-	1	2	6	3	130
B3	Syphilis and its sequelae	M	31	1	-	-	-	-	-	1	8	13	8	74
	F		20	-	-	-	-	-	-	4	1	5	10	70
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
	F		-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
	F		-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
	F		4	-	-	-	-	1	-	1	-	-	2	497
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
	F		1	-	-	-	-	-	-	-	1	-	-	599
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F		-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	152
	F		-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	4	-	1	1	1	-	-	-	1	-	-	90
	F		2	-	-	1	1	-	-	-	-	-	-	60
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
	F		-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F		-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
	F		-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	1	-	1	-	-	-	-	-	-	-	-	32
	F		3	2	-	-	-	-	-	-	1	-	-	110
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
	F		-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F		-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	40	3	3	5	2	2	2	4	3	7	9	118
	F		48	1	3	2	-	1	1	10	10	10	10	120
	Malignant neoplasm: (140-205)	M	4,421	1	13	19	30	37	97	375	1,163	1,544	1,142	91
	stomach (151)	F	3,888	3	11	12	11	44	160	445	827	1,094	1,281	96
		M	596	-	-	-	1	1	12	52	130	226	174	95
		F	366	-	-	-	-	-	3	23	57	104	179	77
	trachea, bronchus and lung (162, 163)	M	1,537	-	-	-	1	5	24	154	543	588	222	83
		F	308	-	-	-	-	1	10	35	98	110	54	86
	breast (170)	M	8	-	-	-	-	-	-	3	1	4	-	100
		F	750	-	-	-	-	10	48	136	165	186	205	95
	uterus (171-174)	F	331	-	-	-	-	3	30	49	84	88	77	104
	Leukaemia and aleukaemia (204)	M	121	1	4	10	2	4	7	10	24	33	26	96
		F	122	1	7	7	5	3	8	12	20	22	37	115
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,159	-	9	9	26	27	54	156	465	693	720	97
		F	2,011	2	4	5	6	27	61	190	403	584	729	100
B19	Benign and unspecified neoplasms	M	52	-	-	1	4	-	5	10	13	10	9	98
		F	51	1	-	1	-	1	6	4	4	24	10	88
B20	Diabetes mellitus	M	146	-	-	-	1	3	7	8	16	50	61	115
		F	202	-	-	-	1	3	1	5	29	62	101	86
B21	Anaemias	M	44	-	-	1	-	-	1	1	4	12	25	92
		F	86	-	2	-	1	1	1	3	3	22	53	90
B22	Vascular lesions affecting central nervous system	M	2,814	2	-	2	1	4	36	98	398	874	1,399	103
		F	4,028	1	1	1	1	4	21	86	283	316	2,714	100
B23	Non-meningococcal meningitis	M	14	8	1	-	-	1	-	1	1	1	1	92
		F	15	7	1	2	1	-	-	1	-	1	2	105
B24	Rheumatic fever	M	3	-	-	1	1	-	-	-	1	-	-	92
		F	2	-	-	-	-	-	-	-	2	-	-	71
B25	Chronic rheumatic heart disease	M	143	-	-	-	2	6	11	29	34	36	25	89
		F	245	-	-	1	3	6	22	31	52	62	68	77

TABLE 19 - continued

Abbreviated List No.	Causes of death		South Western											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years								75 and over	
1-	5-	15-			25-	35-	45-	55-	65-					
B26	Arteriosclerotic heart disease	M	5,524	-	-	-	-	19	117	475	1,298	1,896	1,719	96
	including coronary disease (420)	F	3,579	-	-	-	1	2	10	77	378	1,117	1,994	93
	Degenerative heart disease	M	1,611	1	-	-	4	2	7	32	83	308	1,174	130
	(421, 422)	F	2,585	-	-	-	-	1	3	5	53	270	2,253	125
B27	Other diseases of heart	M	543	-	1	-	3	4	9	13	66	159	288	92
B28	Hypertension with heart disease	F	673	3	-	1	1	2	4	8	43	148	463	92
		M	327	-	-	-	-	1	2	15	64	122	123	117
		F	440	-	-	-	-	-	1	5	38	134	262	104
B29	Hypertension without mention of heart	M	160	-	-	1	1	3	4	15	31	50	55	102
B46 (pt.)	Other circulatory diseases (450-468)	F	183	-	-	-	1	-	4	7	20	51	100	100
		M	884	-	1	-	3	3	11	24	103	236	503	108
		F	1,130	-	-	-	5	4	5	19	70	208	819	105
B30	Influenza	M	187	-	2	4	1	2	1	5	25	37	110	133
B31	Pneumonia	F	218	1	1	2	4	3	6	6	20	46	129	126
		M	1,148	60	13	5	5	4	8	27	101	248	677	83
		F	1,510	44	16	2	3	5	4	23	73	245	1,095	91
B32	Bronchitis	M	1,300	8	4	3	1	2	9	41	260	505	467	66
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	422	4	3	2	1	-	1	15	36	112	248	57
		M	276	1	2	-	1	2	8	10	41	101	110	95
		F	167	10	1	1	-	3	8	8	16	38	82	107
B33	Ulcer of stomach and duodenum	M	188	-	-	-	1	-	3	8	33	69	74	86
B34	Appendicitis	F	104	-	-	-	-	1	2	1	10	24	66	83
		M	12	-	-	1	2	-	-	-	2	4	3	63
		F	18	-	-	-	1	-	-	-	5	5	7	103
B35	Intestinal obstruction and hernia	M	126	7	2	1	-	-	3	4	21	30	58	109
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	126	6	2	-	1	-	3	1	11	35	67	90
		M	85	8	3	-	1	1	1	5	14	28	24	104
		F	124	7	4	-	-	3	1	3	5	26	75	90
B37	Cirrhosis of liver	M	56	-	1	-	-	1	3	10	15	16	10	96
		F	50	-	-	-	-	-	3	4	13	16	14	97
B38	Nephritis and nephrosis	M	122	-	-	1	7	9	11	21	27	21	25	101
		F	102	-	-	-	4	3	7	11	18	24	35	100
B39	Hyperplasia of prostate	M	189	-	-	-	-	-	-	1	5	46	137	106
B40	Complications of pregnancy, childbirth and puerperium	F	14	-	-	-	6	7	1	-	-	-	-	89
B41	Congenital malformations	M	176	124	7	8	5	2	7	5	10	5	3	95
		F	150	107	11	4	5	2	3	6	5	2	5	92
B42	Birth injuries, postnatal asphyxia and atelectasis	M	194	194	-	-	-	-	-	-	-	-	-	108
		F	99	99	-	-	-	-	-	-	-	-	-	86
B43	Diarrhoea of newborn (764)	M	3	3	-	-	-	-	-	-	-	-	-	121
	Other infections of newborn (763, 765-768)	F	-	-	-	-	-	-	-	-	-	-	-	-
		M	31	31	-	-	-	-	-	-	-	-	-	120
		F	18	18	-	-	-	-	-	-	-	-	-	98
B44	Other diseases of early infancy and immaturity unqualified	M	96	96	-	-	-	-	-	-	-	-	-	62
		F	73	73	-	-	-	-	-	-	-	-	-	66
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	136	1	-	-	-	1	1	2	2	7	122	98
		F	350	1	-	-	-	-	-	-	-	9	340	126
B46 (Rem.)	All other diseases (Remainder 001-795)	M	681	11	11	14	29	15	24	64	116	175	222	95
		F	965	17	14	12	13	17	40	70	116	243	423	93
BE47	Motor vehicle accidents	M	382	-	9	24	128	41	26	35	48	25	46	93
BE48	All other accidents	F	152	2	4	10	27	7	8	16	23	26	29	89
		M	396	34	23	22	42	38	32	36	43	41	85	87
		F	418	20	15	4	7	4	14	17	38	62	237	85
BE49	Suicide and self-inflicted injury	M	200	-	-	-	14	11	27	36	46	47	19	92
BE50	Homicide and operations of war	F	171	-	-	-	9	8	24	29	45	42	14	102
		M	8	2	2	-	1	1	1	1	-	-	-	53
		F	9	3	1	1	-	1	-	-	-	2	1	79
EN47	Fractures, head injuries and internal injuries	M	574	4	12	29	142	56	43	52	72	54	110	90
EN48	Burns	F	397	6	5	11	25	7	9	16	39	58	221	83
		M	14	-	3	-	-	1	2	1	2	2	3	71
		F	23	-	1	-	-	1	2	1	2	7	9	70
EN49	Effects of poisons	M	163	-	2	2	13	13	20	28	34	27	24	75
EN50	All other injuries	F	214	2	5	-	9	8	29	36	39	51	35	94
		M	235	32	17	15	30	21	21	27	29	30	13	105
		F	116	17	9	4	9	4	6	9	26	16	16	108

TABLE 19 - continued

Abbreviated List No.	Causes of death	Wales I (South East)													S.M.R. (England and Wales = 100)
		Age													
		All ages	Under 1 year	Years											
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over			
	Numbers	M	13,099	393	51	62	170	146	361	1,103	2,750	4,008	4,055	112	
		F	10,938	310	47	34	53	93	246	586	1,450	2,766	5,353	110	
	ALL CAUSES	Rates	M	13,748	23,818	752	421	1,198	1,234	2,733	9,048	24,081	60,912	150,743	
		F	11,133	19,745	730	240	386	817	1,911	4,753	11,885	31,648	111,521		
B1	Tuberculosis of respiratory system	M	91	-	-	-	-	3	7	12	28	27	14	142	
		F	25	-	-	-	-	2	1	8	7	4	3	122	
B2	Tuberculosis, other forms	M	6	-	-	-	-	-	-	1	1	2	-	124	
		F	8	-	2	-	-	2	-	2	-	-	2	144	
B3	Syphilis and its sequelae	M	24	-	-	-	-	-	1	4	4	9	6	118	
		F	6	-	-	-	-	-	-	-	1	3	2	48	
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	-	1	354	
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	1	-	-	-	-	-	-	-	-	-	181	
B10	Meningococcal infections	M	2	1	-	1	-	-	-	-	-	-	-	84	
		F	2	-	-	1	-	-	1	-	-	-	-	112	
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B14	Measles	M	1	1	-	-	-	-	-	-	-	-	-	58	
		F	3	2	1	-	-	-	-	-	-	-	-	203	
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B17	All other diseases classified as infective and parasitic	M	15	1	1	2	-	1	-	-	6	2	2	83	
		F	22	1	1	1	-	2	4	5	5	3	3	110	
	Malignant neoplasm: (140-205)	M	2,363	-	6	12	16	15	64	244	644	834	528	98	
	stomach (151)	F	1,823	-	2	5	9	28	81	231	450	509	508	98	
		M	404	-	-	-	-	1	10	31	104	151	107	131	
		F	247	-	-	-	-	-	5	15	50	91	86	119	
	trachea, bronchus and lung (162, 163)	M	833	-	-	-	1	2	12	97	308	311	102	89	
	breast (170)	F	113	-	-	-	-	-	8	15	41	31	18	67	
		M	5	-	-	-	-	-	-	3	2	-	-	122	
		F	356	-	-	-	-	10	24	75	95	74	78	95	
	uterus (171-174)	F	167	-	-	-	1	1	13	30	44	45	33	110	
	Leukaemia and aleukaemia (204)	M	69	-	5	5	9	1	7	6	14	16	6	108	
		F	52	-	2	3	1	6	2	-	10	11	17	103	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,052	-	1	7	6	11	35	107	216	356	313	96	
		F	888	-	-	2	7	11	29	96	210	257	276	97	
B19	Benign and unspecified neoplasms	M	19	-	1	1	1	1	3	5	2	3	2	69	
		F	26	2	-	-	-	-	2	6	5	7	4	93	
B20	Diabetes mellitus	M	66	-	-	1	-	5	2	6	11	18	23	107	
		F	128	-	-	-	-	1	1	2	17	55	52	125	
B21	Anaemias	M	28	-	-	-	-	1	-	-	8	8	11	125	
		F	55	-	-	1	1	1	3	2	2	13	32	137	
B22	Vascular lesions affecting central nervous system	M	1,378	-	-	3	2	2	19	73	193	454	632	108	
		F	1,867	2	-	-	2	3	23	40	194	507	1,096	112	
B23	Non-meningococcal meningitis	M	9	2	1	-	-	-	1	1	1	1	2	112	
		F	4	1	-	1	-	-	-	1	-	-	1	55	
B24	Rheumatic fever	M	5	-	-	-	-	-	-	-	2	3	-	299	
		F	2	-	-	-	-	-	-	-	1	1	-	148	
B25	Chronic rheumatic heart disease	M	112	-	-	-	4	11	10	25	27	24	11	134	
		F	215	-	-	-	5	6	18	39	61	49	37	142	

TABLE 19 - continued

Abbreviated List No.	Causes of death		Wales I (South East)												S.M.R. (England and Wales = 100)
			Age												
			All ages	Under 1 year	Years									75 and over	
					1-	5-	15-	25-	35-	45-	55-	65-			
B26	Arteriosclerotic heart disease including coronary disease (420)	M	3,414	-	-	-	-	3	115	368	956	1,150	822	120	
	Degenerative heart disease (421, 422)	M	2,019	-	-	-	-	4	13	61	315	673	953	123	
		F	651	-	-	-	1	1	4	10	42	142	451	118	
		F	978	-	-	1	-	-	5	7	25	149	791	120	
B27	Other diseases of heart	M	260	1	1	-	-	2	5	17	41	94	99	95	
		F	261	-	-	1	1	2	4	8	27	65	155	87	
B28	Hypertension with heart disease	M	195	-	-	-	-	2	1	15	36	78	63	146	
		F	259	-	-	-	-	1	3	7	24	94	130	147	
B29	Hypertension without mention of heart	M	100	-	-	-	1	1	4	13	27	25	29	130	
		F	116	-	-	-	-	1	2	7	11	30	65	150	
B46 (pt.)	Other circulatory diseases (450-468)	M	373	1	-	1	1	1	6	23	61	115	164	98	
		F	475	-	-	-	-	5	5	7	31	98	329	108	
B30	Influenza	M	83	1	-	-	1	1	1	4	12	22	41	126	
		F	64	-	-	-	-	1	-	2	2	19	40	88	
B31	Pneumonia	M	540	48	8	3	5	3	4	25	57	105	282	84	
		F	572	27	9	1	1	2	6	9	41	98	378	84	
B32	Bronchitis	M	1,233	7	3	-	-	-	7	62	266	496	392	131	
		F	359	6	1	1	1	-	4	18	48	103	177	113	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	377	3	-	-	-	4	4	39	95	123	109	264	
		F	85	4	2	-	3	1	7	5	17	16	30	123	
B33	Ulcer of stomach and duodenum	M	97	-	-	-	-	1	1	8	24	29	34	91	
		F	44	-	-	-	-	-	1	6	6	11	20	83	
B34	Appendicitis	M	14	-	-	-	1	1	1	1	3	3	4	145	
		F	7	-	-	1	-	1	-	1	1	-	3	87	
B35	Intestinal obstruction and hernia	M	50	2	-	-	-	-	1	2	11	15	19	91	
		F	57	4	-	-	-	-	-	3	4	17	29	94	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	45	11	3	-	1	1	2	-	8	11	8	110	
		F	58	6	2	-	-	1	4	2	5	18	20	95	
B37	Cirrhosis of liver	M	39	-	-	-	-	-	-	9	11	14	5	130	
		F	26	-	-	-	-	-	3	8	3	6	6	107	
B38	Nephritis and nephrosis	M	70	-	1	-	10	6	8	6	12	12	15	115	
		F	69	1	1	-	3	3	5	12	12	14	18	148	
B39	Hyperplasia of prostate	M	100	-	-	-	-	-	-	1	4	27	68	126	
B40	Complications of pregnancy, childbirth and puerperium	F	5	-	-	-	1	3	1	-	-	-	-	56	
B41	Congenital malformations	M	109	75	5	3	7	3	-	8	5	2	1	109	
		F	95	63	8	6	2	-	2	6	2	4	2	109	
B42	Birth injuries, postnatal asphyxia and atelectasis	M	106	106	-	-	-	-	-	-	-	-	-	110	
		F	84	84	-	-	-	-	-	-	-	-	-	135	
B43	Diarrhoea of newborn (764)	M	1	1	-	-	-	-	-	-	-	-	-	75	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
	Other infections of newborn (763, 765-768)	M	15	15	-	-	-	-	-	-	-	-	-	107	
		F	18	18	-	-	-	-	-	-	-	-	-	180	
B44	Other diseases of early infancy and immaturity unqualified	M	89	89	-	-	-	-	-	-	-	-	-	107	
		F	64	64	-	-	-	-	-	-	-	-	-	107	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	69	-	-	-	-	1	1	-	1	3	63	116	
		F	124	2	-	-	-	-	1	-	1	1	119	116	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	362	15	8	10	19	12	23	36	67	95	77	102	
		F	519	9	6	2	6	11	26	45	87	139	188	111	
BE47	Motor vehicle accidents	M	161	-	4	11	58	15	18	14	21	12	8	75	
		F	67	-	3	7	13	3	4	7	6	14	10	80	
BE48	All other accidents	M	296	12	9	14	29	30	25	40	42	36	59	128	
		F	251	13	9	4	3	2	8	16	22	34	140	119	
BE49	Suicide and self-inflicted injury	M	126	-	-	-	12	17	22	30	21	14	10	109	
		F	70	-	-	-	1	9	9	16	17	10	8	82	
BE50	Homicide and operations of war	M	5	1	-	-	1	-	1	1	-	-	1	62	
		F	4	-	-	1	1	-	1	-	-	-	1	67	
EN47	Fractures, head injuries and internal injuries	M	336	3	10	15	75	33	34	42	44	32	48	103	
		F	230	-	7	9	14	3	5	8	12	35	137	112	
EN48	Burns	M	15	-	-	1	2	2	-	1	2	2	5	151	
		F	16	-	1	1	-	-	1	-	2	4	7	107	
EN49	Effects of poisons	M	98	-	-	-	8	18	18	20	17	8	9	86	
		F	89	-	1	-	2	11	8	23	24	14	6	80	
EN50	All other injuries	M	139	10	3	9	15	9	14	22	21	20	16	118	
		F	57	13	3	2	2	-	8	8	7	5	9	106	

TABLE 19 - continued

Abbreviated List No.	Causes of death	Wales II (remainder)													S.M.R. (England and Wales = 100)
		Age													
		All ages	Under 1 year	Years											
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over			
	Numbers	M	5,500	115	28	22	63	49	124	323	1,091	1,632	2,053	103	
	F		5,106	93	11	18	17	30	69	221	561	1,248	2,838	101	
	Rates	M	14,857	18,548	1,116	392	1,119	1,119	2,661	6,991	23,821	54,582	144,577		
	F		12,904	15,500	462	334	328	719	1,500	4,447	10,545	29,504	104,338		
	ALL CAUSES														
B1	Tuberculosis of respiratory system	M	35	-	-	-	-	1	-	4	12	12	6	126	
		F	9	-	-	-	-	-	1	-	3	5	-	98	
B2	Tuberculosis, other forms	M	3	-	-	-	-	1	-	-	2	-	-	153	
		F	5	-	1	1	-	-	1	1	1	-	-	200	
B3	Syphilis and its sequelae	M	13	-	-	-	-	-	-	1	3	4	5	140	
		F	7	-	-	-	-	-	-	1	2	1	3	112	
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B10	Meningococcal infections	M	1	-	1	-	-	-	-	-	-	-	-	110	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B14	Measles	M	1	-	1	-	-	-	-	-	-	-	-	156	
		F	1	-	1	-	-	-	-	-	-	-	-	179	
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B17	All other diseases classified as infective and parasitic	M	7	-	-	1	-	-	-	2	-	2	2	100	
		F	11	1	-	1	-	-	-	2	4	-	3	138	
	Malignant neoplasm:	M	1,019	1	4	5	4	7	25	74	252	375	272	96	
	(140-205)	F	899	1	1	4	1	10	29	94	206	256	297	101	
	stomach (151)	M	185	-	-	-	-	1	6	9	40	78	51	134	
		F	129	-	-	-	-	-	2	4	20	38	65	124	
	trachea, bronchus and lung	M	323	-	-	-	1	1	5	29	108	123	56	79	
	(162, 163)	F	58	-	-	-	-	-	3	5	20	17	13	74	
	breast (170)	M	1	-	-	-	-	-	-	1	-	-	-	57	
		F	155	-	-	-	-	4	5	24	43	50	29	90	
	uterus (171-174)	F	83	-	-	-	-	2	7	22	20	19	14	119	
	Leukaemia and aleukaemia (204)	M	22	-	2	3	-	-	-	1	3	8	5	80	
		F	23	1	-	2	1	2	4	2	4	5	2	100	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	488	1	2	3	5	14	34	101	166	160	99		
		F	451	-	1	2	-	2	8	37	99	128	174	102	
B19	Benign and unspecified neoplasms	M	9	1	-	-	1	-	-	-	5	2	-	78	
		F	9	-	-	-	1	-	-	3	1	2	2	71	
B20	Diabetes mellitus	M	33	-	-	-	1	-	1	2	8	9	12	118	
		F	60	-	-	-	-	-	-	-	6	23	31	116	
B21	Anaemias	M	14	1	2	-	-	-	-	-	1	2	8	132	
		F	23	-	-	-	-	-	-	-	3	5	15	110	
B22	Vascular lesions affecting central nervous system	M	739	1	-	-	1	3	8	20	109	230	367	121	
		F	1,044	-	-	-	2	1	8	25	75	248	685	119	
B23	Non-meningococcal meningitis	M	3	1	1	-	-	-	-	-	-	1	-	94	
		F	2	-	-	1	1	-	-	-	-	-	-	67	
B24	Rheumatic fever	M	1	-	-	-	-	-	-	1	-	-	-	142	
		F	1	-	-	-	-	-	-	-	-	1	-	163	
B25	Chronic rheumatic heart disease	M	38	-	-	-	-	5	3	4	12	9	5	108	
		F	62	-	-	-	-	1	1	13	11	24	12	89	

TABLE 19 - continued

Abbreviated List No.	Causes of death		Wales II (remainder)												S.M.R. (England and Wales = 100)
			Age												
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M F M F	1,323 743 304 496	- - - -	- - - -	- - - -	- - - -	3 1 - -	30 1 - 1	111 11 4 2	337 80 29 11	441 255 55 68	401 395 216 414	104 88 111 111	
B27	Other diseases of heart	M F	145 207	- -	- 1	- -	- 1	1 1	3 -	2 3	19 14	43 42	77 145	111 130	
B28	Hypertension with heart disease	M F	85 132	- -	- -	- -	- -	- -	- 2	- 4	- 22	- 27	- 30	- 137	
B29	Hypertension without mention of heart	M F	40 50	- -	- -	- -	- -	- -	1 -	3 2	8 2	7 9	21 37	116 125	
B46 (pt.)	Other circulatory diseases (450-468)	M F	186 218	- -	- -	- -	1 1	- -	2 2	5 4	22 8	46 39	110 164	102 93	
B30	Influenza	M F	53 69	- 1	- -	1 -	- -	- -	- 1	- 2	2 3	9 3	14 13	27 46	
B31	Pneumonia	M F	211 222	11 15	1 1	- 2	1 1	- -	- -	5 3	23 15	52 41	118 144	69 62	
B32	Bronchitis	M F	394 113	3 1	- -	- -	1 -	- 1	2 -	15 5	70 11	152 32	151 83	91 70	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M F	77 29	1 -	- -	- -	1 1	- -	1 -	4 -	24 7	29 10	17 11	120 85	
B33	Ulcer of stomach and duodenum	M F	36 20	- -	- -	- -	- -	1 -	1 -	- -	10 3	12 6	12 11	74 73	
B34	Appendicitis	M F	1 5	- -	- -	- -	- -	- -	- -	- -	- 2	- 1	1 2	24 131	
B35	Intestinal obstruction and hernia	M F	24 28	1 2	- 1	- -	- -	- -	- 1	2 1	3 5	5 7	13 11	95 92	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M F	22 33	5 3	1 1	1 -	1 -	1 1	1 -	- -	5 5	5 7	3 15	125 110	
B37	Cirrhosis of liver	M F	23 19	- -	- -	- -	1 1	- -	3 -	6 1	8 6	3 7	2 4	180 168	
B38	Nephritis and nephrosis	M F	43 33	- -	- -	- -	1 1	- -	1 3	6 3	14 8	5 7	16 11	164 149	
B39	Hyperplasia of prostate	M	53	-	-	-	-	-	-	-	4	13	36	133	
B40	Complications of pregnancy, childbirth and puerperium	F	2	-	-	-	-	1	1	-	-	-	-	61	
B41	Congenital malformations	M F	36 30	22 19	7 2	- 1	- 1	1 2	- -	- 2	3 1	2 -	- 2	95 90	
B42	Birth injuries, postnatal asphyxia and atelectasis	M F	21 18	21 18	- -	- -	- -	- -	- -	- -	- -	- -	- -	58 78	
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M F M F	- - 5 4	- - 5 4	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - 96 108	
B44	Other diseases of early infancy and immaturity unqualified	M F	34 23	34 23	- -	- -	- -	- -	- -	- -	- -	- -	- -	110 103	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M F	37 62	- -	- -	- -	- -	- -	- -	- -	- -	2 1	35 61	121 104	
B46 (Rem.)	All other diseases (Remainder 001-795)	M F	165 228	2 3	4 1	- 3	2 2	6 7	5 9	14 21	37 33	43 62	52 87	105 101	
BE47	Motor vehicle accidents	M F	81 31	1 1	2 1	3 2	29 -	5 1	12 4	7 4	11 7	7 7	4 4	94 84	
BE48	All other accidents	M F	137 126	4 1	4 -	11 3	12 2	10 -	16 2	14 4	18 11	17 22	31 81	141 118	
BE49	Suicide and self-inflicted injury	M F	46 30	- -	- -	- -	6 -	4 1	7 2	9 12	11 6	6 8	3 1	99 82	
BE50	Homicide and operations of war	M F	2 2	- -	- -	- -	1 1	- 1	- -	1 -	- -	- -	- -	64 84	
EN47	Fractures, head injuries and internal injuries	M F	164 123	1 1	2 1	6 2	35 -	13 1	27 4	16 6	22 12	17 19	25 77	121 120	
EN48	Burns	M F	5 6	1 -	- -	- -	- -	- -	- -	- -	2 2	2 2	- 2	118 84	
EN49	Effects of poisons	M F	28 40	- -	- -	1 1	3 2	1 1	2 2	3 10	7 10	6 13	5 1	60 81	
EN50	All other injuries	M F	69 20	3 1	4 -	7 2	10 1	5 1	6 2	12 4	9 -	5 3	8 6	146 87	

TABLE 19 - continued

Abbreviated List No.	Causes of death	Conurbations												S.M.R. (England and Wales = 100)	
		Age													
		All ages	Under 1 year	Years											
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over			
		Numbers	M	98,463	3,542	555	497	1,200	1,126	2,844	8,307	21,962	28,002	30,428	103
		F	95,387	2,535	443	311	518	730	1,921	5,168	11,532	22,398	49,831	99	
		Rates	M	12,230	23,045	949	429	991	1,064	2,598	7,576	22,730	54,863	140,157	
		F	10,973	17,351	798	282	411	719	1,767	4,489	10,613	28,384	100,223		
B1	Tuberculosis of respiratory system	M	639	2	2	-	3	9	37	75	201	203	107	121	
		F	209	-	-	-	3	5	30	35	52	48	36	111	
B2	Tuberculosis, other forms	M	46	1	2	2	2	6	6	9	6	6	6	112	
		F	56	-	3	1	1	1	2	7	15	11	15	110	
B3	Syphilis and its sequelae	M	173	-	-	-	-	1	2	11	40	69	50	105	
		F	153	1	-	-	-	-	2	9	23	47	71	128	
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B6	Dysentery, all forms	M	2	-	-	-	-	-	1	-	1	-	-	58	
		F	3	-	-	-	-	-	1	-	-	-	2	85	
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B8	Diphtheria	M	1	-	-	1	-	-	-	-	-	-	-	75	
		F	1	-	-	1	-	-	-	-	-	-	-	302	
B9	Whooping cough	M	4	4	-	-	-	-	-	-	-	-	-	129	
		F	10	10	-	-	-	-	-	-	-	-	-	207	
B10	Meningococcal infections	M	26	15	8	1	-	-	-	1	1	-	-	126	
		F	16	6	7	-	-	-	1	-	1	1	-	103	
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	1	-	-	-	-	278	
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B14	Measles	M	9	-	6	2	1	-	-	-	-	-	-	61	
		F	11	3	7	1	-	-	-	-	-	-	-	86	
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B16	Malaria	M	1	-	-	-	-	1	-	-	-	-	-	286	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B17	All other diseases classified as infective and parasitic	M	153	19	12	11	3	8	9	25	31	27	9	103	
		F	177	14	9	6	11	11	10	19	30	32	35	99	
	Malignant neoplasm: (140-205)	M	21,404	12	56	74	126	169	654	2,320	6,515	6,873	4,605	109	
	stomach (151)	F	17,927	10	53	59	86	162	769	2,236	4,108	5,040	5,404	102	
		M	2,564	-	-	-	-	6	43	278	784	847	606	102	
		F	2,086	-	-	-	-	3	36	132	357	635	923	105	
	trachea, bronchus and lung (162, 163)	M	9,055	-	1	-	4	19	227	1,079	3,305	3,090	1,330	118	
	breast (170)	F	1,860	-	-	1	2	5	77	253	511	604	407	119	
		M	37	-	-	-	-	-	2	3	12	12	8	109	
		F	3,478	-	-	-	1	36	229	686	928	790	808	100	
	uterus (171-174)	F	1,318	-	-	1	4	13	106	244	321	366	259	94	
	Leukaemia and aleukaemia (204)	M	533	1	15	32	40	20	40	50	104	124	107	101	
		F	468	4	29	22	16	25	28	48	84	96	116	100	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	9,215	11	40	42	82	124	342	910	2,310	2,800	2,554	103	
		F	8,717	6	24	35	63	80	293	869	1,907	2,549	2,891	101	
B19	Benign and unspecified neoplasms	M	291	8	3	7	9	7	17	43	95	66	36	127	
		F	309	3	2	3	7	12	17	46	74	78	67	120	
B20	Diabetes mellitus	M	466	1	-	2	2	6	21	46	103	154	131	93	
		F	925	1	2	3	1	7	19	30	134	326	402	95	
B21	Anaemias	M	207	1	5	2	8	3	4	5	30	53	96	114	
		F	403	3	5	3	2	3	5	8	37	85	252	103	
B22	Vascular lesions affecting central nervous system	M	9,531	8	1	11	21	35	133	466	1,549	2,931	4,376	92	
		F	15,116	4	2	1	15	43	121	443	1,324	3,627	9,536	92	
B23	Non-meningococcal meningitis	M	73	27	7	3	2	1	3	4	9	10	7	107	
		F	85	31	7	2	2	-	2	9	6	11	15	131	
B24	Rheumatic fever	M	13	2	-	-	2	-	1	-	4	-	4	93	
		F	9	-	1	1	-	-	1	-	1	2	3	73	
B25	Chronic rheumatic heart disease	M	784	1	-	2	10	35	81	152	244	150	109	112	
		F	1,613	-	-	2	10	28	127	252	422	402	370	115	

TABLE 19 - continued

Abbreviated List No.	Causes of death		Conurbations											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
1-	5-	15-			25-	35-	45-	55-	65-	75 and over				
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	23,623	-	-	1	5	63	717	2,732	6,737	7,524	5,844	101
		F	15,821	-	1	-	3	12	106	516	2,040	4,998	8,145	100
		M	3,644	-	-	-	11	15	37	92	296	758	2,435	82
B27	Other diseases of heart	F	6,747	-	1	3	2	4	14	40	151	845	5,687	82
		M	2,209	4	4	3	9	16	28	87	325	649	1,084	100
		F	2,979	3	-	5	4	18	28	66	204	610	2,041	100
B28	Hypertension with heart disease	M	1,049	-	-	-	-	2	16	62	214	378	377	97
		F	1,684	1	-	-	-	2	9	42	131	469	1,030	98
		M	670	-	-	-	6	18	36	88	177	152	193	106
B29	Hypertension without mention of heart	F	829	-	-	-	3	5	20	37	85	183	496	110
		M	2,989	2	1	-	5	15	39	137	477	816	1,497	97
		F	4,344	2	-	-	12	27	43	110	292	832	3,026	99
B46 (pt.)	Other circulatory diseases (450-468)	M	424	3	2	6	8	5	9	38	78	111	164	79
		F	519	6	5	4	4	5	6	17	44	111	317	73
		M	6,086	448	71	17	37	23	54	214	641	1,410	3,171	116
B30	Influenza	F	7,550	309	62	18	16	17	46	143	412	1,264	5,263	112
		M	8,832	92	16	5	3	13	66	452	1,988	3,264	2,933	116
		F	3,728	58	20	3	7	11	41	153	421	961	2,053	122
B31	Pneumonia	M	1,013	39	11	5	4	9	22	87	246	311	279	87
		F	642	19	8	2	3	5	28	58	82	131	306	97
		M	972	-	-	-	1	5	21	64	240	306	335	113
B32	Bronchitis	F	556	-	-	-	-	2	7	22	65	132	328	107
		M	75	1	7	5	5	4	3	8	10	17	15	94
		F	66	-	2	3	1	5	2	5	15	10	23	87
B33	Ulcer of stomach and duodenum	M	458	52	6	3	5	2	3	21	77	122	167	101
		F	614	36	2	-	3	1	5	22	87	147	311	105
		M	355	70	27	3	13	8	13	24	64	73	60	104
B34	Appendicitis	F	635	47	18	2	5	6	14	24	65	135	319	109
		M	256	-	2	2	1	6	23	55	79	64	24	102
		F	233	1	2	4	1	2	6	45	52	74	46	104
B35	Intestinal obstruction and hernia	M	492	6	2	4	22	29	48	65	112	108	96	97
		F	421	-	2	3	15	18	27	39	72	111	134	96
		M	583	-	-	-	-	-	1	6	40	123	413	91
B36	Gastritis, enteritis and diarrhoea, except diarrhoea of newborn	F	88	-	-	-	25	44	18	1	-	-	-	111
		M	874	591	78	38	23	19	22	29	37	25	12	101
		F	755	514	53	41	10	17	14	36	28	21	21	98
B37	Birth injuries, postnatal asphyxia and atelectasis	M	941	940	1	-	-	-	-	-	-	-	-	111
		F	609	609	-	-	-	-	-	-	-	-	-	112
		M	16	16	-	-	-	-	-	-	-	-	-	-
B38	Diarrhoea of newborn (764) Other infections of newborn (765, 765-768)	F	14	14	-	-	-	-	-	-	-	-	-	127
		M	130	130	-	-	-	-	-	-	-	-	-	106
		F	84	84	-	-	-	-	-	-	-	-	-	-
B39	Other diseases of early infancy and immaturity unqualified	M	807	806	1	-	-	-	-	-	-	-	-	110
		F	587	587	-	-	-	-	-	-	-	-	-	112
		M	355	10	1	1	7	2	7	6	19	28	274	74
B40	Senility without mention of psychosis, ill-defined and unknown causes	F	836	5	1	1	1	1	2	6	8	33	773	76
		M	2,985	101	59	56	96	102	162	284	556	732	837	102
		F	4,488	65	44	54	87	85	181	333	626	1,021	1,992	101
B41	Congenital malformations	M	1,669	4	58	119	444	175	151	169	195	158	196	92
		F	755	3	40	46	77	35	38	63	101	160	192	99
		M	1,942	117	103	101	192	169	190	212	261	197	400	100
B42	All other accidents	F	1,883	80	81	32	35	43	50	102	137	281	1,042	92
		M	1,087	-	-	2	98	125	187	203	259	130	83	111
		F	820	-	-	-	52	80	98	187	180	148	75	106
B43	Suicide and self-inflicted injury	M	104	10	3	8	16	20	20	15	4	3	152	
		F	76	6	3	7	14	13	10	7	7	6	3	142
		M	2,577	19	78	143	508	256	239	268	335	269	462	94
B44	Fractures, head injuries and internal injuries	F	1,791	15	53	55	89	42	50	85	147	303	952	90
		M	85	3	15	5	4	5	16	7	6	11	13	103
		F	148	1	21	10	5	6	2	10	15	26	52	105
B45	Effects of poisons	M	1,197	12	33	17	107	128	193	218	233	132	124	124
		F	1,148	7	26	6	58	91	111	222	206	190	231	112
		M	943	97	38	65	131	100	100	106	146	77	83	95
B46	All other injuries	F	447	66	24	14	26	32	33	42	57	76	77	92

TABLE 19 - continued

Abbreviated List No.	Causes of death	Urban areas outside conurbations with populations of 100,000 and over												S.M.R. (England and Wales = 100)
		Age												
		All ages	Under 1 year	Years										
1-	5-			15-	25-	35-	45-	55-	65-	75 and over				
		Numbers	M 38,327 F 36,127	1,306 950	178 154	196 111	459 178	408 263	998 700	3,023 1,833	8,059 4,137	11,307 8,641	12,393 19,160	109 105
	ALL CAUSES	Rates	M 12,959 F 11,562	24,096 18,447	849 771	434 255	979 394	1,087 748	2,519 1,811	7,914 4,615	23,205 10,564	59,075 30,437	152,435 109,050	
B1	Tuberculosis of respiratory system	M 243 F 83	- -	- -	1 1	- -	- -	- 3	8 5	41 21	83 20	62 16	48 17	126 124
B2	Tuberculosis, other forms	M 18 F 12	- 1	- -	- -	- -	1 -	2 3	- -	4 2	8 3	2 3	1 3	121 66
B3	Syphilis and its sequelae	M 67 F 32	- -	2 -	- -	- -	- -	- -	2 3	5 4	18 12	26 13	14 75	110 75
B4	Typhoid fever	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B5	Cholera	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B6	Dysentery, all forms	M 2 F -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	1 -	- -	158 -
B7	Scarlet fever and streptococcal sore throat	M - F 1	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- 396
B8	Diphtheria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B9	Whooping cough	M 3 F 1	3 1	3 5	- 2	- 1	- -	- -	- -	- -	- -	- -	- -	270 58
B10	Meningococcal infections	M 10 F 6	5 2	2 2	1 1	1 -	- -	- -	- 1	- -	- -	- -	1 -	134 106
B11	Plague	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B12	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B13	Smallpox	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B14	Measles	M 5 F 3	1 1	4 -	- 2	- -	- -	- -	- -	- -	- -	- -	- -	93 65
B15	Typhus and other rickettsial diseases	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B16	Malaria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B17	All other diseases classified as infective and parasitic	M 47 F 58	6 2	3 4	6 4	2 -	1 1	4 4	6 6	9 16	7 9	3 12	87 91	
	Malignant neoplasm: (140-205)	M 7,777 F 6,565	2 2	16 15	28 21	42 23	63 65	204 278	803 800	2,257 1,489	2,616 1,850	1,746 2,022	108 105	
	stomach (151)	M 1,080 F 801	- -	- -	- -	2 -	1 -	12 -	59 -	142 -	258 -	327 -	117 113	
	trachea, bronchus and lung (162, 163)	M 3,062 F 559	- -	- -	- -	2 1	11 3	72 25	352 89	1,088 154	1,124 178	413 109	109 100	
B18	breast (170)	M 7 F 1,331	- -	- -	- -	- -	- -	- -	2 -	3 -	- -	2 -	56 108	
	uterus (171-174)	M 571 F -	- -	- -	- -	- -	15 3	103 43	237 105	339 160	308 158	329 102	108 115	
	Leukaemia and aleukaemia (204)	M 200 F 148	1 -	4 9	7 8	12 1	10 8	9 10	26 11	43 22	54 29	34 50	103 89	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M 3,428 F 3,155	1 2	12 6	21 13	28 19	35 35	98 85	318 299	808 672	1,088 919	1,019 1,105	104 103	
B19	Benign and unspecified neoplasms	M 77 F 82	1 1	- 3	2 1	4 3	2 2	10 4	3 17	27 23	18 18	10 10	92 89	
B20	Diabetes mellitus	M 212 F 390	- -	1 1	1 2	2 -	6 5	9 5	20 16	36 52	56 123	81 186	115 112	
B21	Anaemias	M 73 F 135	- 1	2 -	- 2	- 4	1 4	- 1	4 3	11 6	16 35	39 79	108 97	
B22	Vascular lesions affecting central nervous system	M 4,080 F 6,247	1 2	1 -	2 1	5 3	18 8	49 47	162 158	626 497	1,288 1,494	1,928 4,037	106 107	
B23	Non-meningococcal meningitis	M 29 F 26	12 13	3 1	- 3	2 -	1 -	2 -	3 1	3 3	2 1	1 4	117 112	
B24	Rheumatic fever	M 6 F 8	- -	- -	- -	- -	- -	- 1	1 2	2 3	1 2	2 -	117 161	
B25	Chronic rheumatic heart disease	M 276 F 553	- -	- -	- -	3 3	15 12	31 40	54 107	78 150	56 144	39 97	109 111	

TABLE 19 - continued

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations of 100,000 and over											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
1-	5-	15-			25-	35-	45-	55-	65-	75 and over				
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	9,421	-	-	-	-	17	264	989	2,525	3,112	2,514	110
		F	6,162	-	-	-	-	4	36	155	737	1,974	3,256	109
		M	1,678	1	-	1	3	4	19	30	95	359	1,166	101
		F	2,871	-	-	-	1	1	4	18	78	350	2,419	98
B27	Other diseases of heart	M	811	1	-	-	2	1	7	41	128	256	375	99
B28	Hypertension with heart disease	F	1,026	2	2	1	2	3	10	21	69	243	673	97
		M	459	-	-	-	-	3	3	32	86	173	162	115
		F	656	-	-	-	-	1	3	13	61	203	375	107
B29	Hypertension without mention of heart	M	227	-	-	-	2	3	14	28	61	57	62	98
B46 (pt.)	Other circulatory diseases (450-468)	F	241	-	-	-	1	2	4	11	28	62	133	90
		M	1,282	3	-	1	4	5	7	52	182	363	665	113
		F	1,687	-	1	1	3	12	14	37	102	320	1,197	109
B30	Influenza	M	177	1	1	-	1	4	4	6	30	45	85	89
B31	Pneumonia	F	271	2	1	1	-	-	-	-	-	-	-	-
		M	2,213	180	28	14	12	12	28	79	252	536	1,072	114
		F	2,590	107	41	6	12	7	28	45	131	433	1,780	108
B32	Bronchitis	M	3,367	42	9	-	6	3	27	175	761	1,290	1,054	119
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	1,240	25	5	1	4	5	18	53	134	352	643	114
		M	438	18	5	-	2	3	9	46	100	136	119	102
		F	229	13	4	2	1	2	12	8	22	45	120	98
B33	Ulcer of stomach and duodenum	M	349	-	-	-	-	5	5	28	83	117	111	110
B34	Appendicitis	F	207	-	-	-	-	-	5	9	21	50	122	112
		M	41	-	1	3	3	2	2	8	8	9	5	140
		F	26	-	1	1	-	1	-	4	1	5	13	96
B35	Intestinal obstruction and hernia	M	177	16	4	1	1	2	6	12	28	41	66	106
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	214	15	-	2	-	1	-	8	20	64	104	103
		M	125	33	8	-	2	2	4	4	15	27	30	101
		F	218	20	9	-	1	5	6	12	26	52	87	105
B37	Cirrhosis of liver	M	102	-	-	-	2	1	4	23	26	32	14	112
B38	Nephritis and nephrosis	F	83	-	-	-	1	1	8	10	24	26	13	104
		M	199	1	-	3	8	12	17	29	35	46	48	108
		F	143	-	-	1	6	4	8	20	24	32	48	91
B39	Hyperplasia of prostate	M	275	-	-	-	-	-	3	16	58	198	115	
B40	Complications of pregnancy, childbirth and puerperium	F	26	-	-	-	5	15	6	-	-	-	-	93
B41	Congenital malformations	M	328	230	20	11	12	8	10	9	18	6	4	105
B42	Birth injuries, postnatal asphyxia and atelectasis	F	300	210	17	11	8	2	7	17	9	14	5	109
		M	325	325	-	-	-	-	-	-	-	-	-	107
		F	198	198	-	-	-	-	-	-	-	-	-	101
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	5	5	-	-	-	-	-	-	-	-	-	119
		F	6	6	-	-	-	-	-	-	-	-	-	151
		M	53	53	-	-	-	-	-	-	-	-	-	121
B44	Other diseases of early infancy and immaturity unqualified	F	47	47	-	-	-	-	-	-	-	-	-	150
		M	266	266	-	-	-	-	-	-	-	-	-	102
		F	206	206	-	-	-	-	-	-	-	-	-	109
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	138	1	1	-	-	1	2	1	1	9	122	77
B46 (Rem.)	All other diseases (Remainder 001-795)	F	306	-	1	-	2	-	1	3	3	15	281	79
		M	1,120	46	18	28	43	29	58	104	209	254	331	104
		F	1,551	31	10	17	42	42	63	115	207	385	639	99
BE47	Motor vehicle accidents	M	636	-	18	49	178	71	56	63	65	67	69	95
BE48	All other accidents	F	289	3	13	21	31	10	15	27	50	57	62	106
		M	766	49	31	41	72	63	63	83	91	98	175	108
		F	818	37	22	7	9	12	24	27	40	129	511	112
BE49	Suicide and self-inflicted injury	M	398	-	-	-	42	45	66	67	85	61	32	112
BE50	Homicide and operations of war	F	296	-	-	-	12	21	40	69	59	66	29	108
		M	26	2	1	3	2	3	4	5	1	4	1	104
		F	18	2	-	2	1	5	1	3	-	3	1	94
BN47	Fractures, head injuries and internal injuries	M	961	6	23	55	194	99	83	102	106	107	186	95
BN48	Burns	F	795	11	17	20	30	14	16	34	57	125	471	112
		M	38	-	1	1	4	5	2	3	6	6	10	125
		F	58	-	8	2	1	1	2	1	8	8	27	115
BN49	Effects of poisons	M	469	-	7	10	42	48	69	74	92	74	53	134
BN50	All other injuries	F	419	1	4	3	16	25	53	73	73	92	79	115
		M	358	45	19	27	54	30	35	39	38	43	28	98
		F	149	30	6	5	6	8	9	18	11	30	26	86

TABLE 19 - continued

Abbreviated List No.	Causes of death	Urban areas outside conurbations with populations of 50,000 and under 100,000													S.M.R. (England and Wales = 100)
		Age													
		All ages	Under 1 year	Years											
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over			
	Numbers	M	27,720	911	172	129	356	300	733	2,037	5,396	8,125	9,561	101	
	F	27,140	672	135	99	147	186	494	1,341	2,936	6,171	14,959	98		
	Rates	M	12,230	21,537	998	363	1,026	1,008	2,395	21,447	55,347	141,018			
	F	11,186	16,675	814	289	443	646	1,646	7,275	4,544	10,041	27,623	102,179		
B1	Tuberculosis of respiratory system	M	146	-	-	-	-	3	9	22	46	41	25	99	
	F	50	-	-	-	-	-	9	11	11	11	12	7	96	
B2	Tuberculosis, other forms	M	13	-	-	-	1	3	3	4	4	2	-	115	
	F	8	-	-	-	-	1	2	1	1	1	1	2	56	
B3	Syphilis and its sequelae	M	66	-	-	-	-	-	3	2	17	28	16	140	
	F	31	-	-	-	-	-	-	3	3	6	11	11	91	
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B6	Dysentery, all forms	M	1	1	-	-	-	-	-	-	-	-	-	102	
	F	2	-	1	-	-	-	-	-	-	-	-	1	198	
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	-	-	-	1	503	
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B10	Meningococcal infections	M	6	1	1	1	-	-	-	-	1	2	-	101	
	F	5	-	2	1	1	-	-	-	-	-	-	1	111	
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B14	Measles	M	6	3	3	-	-	-	-	-	-	-	-	139	
	F	7	2	2	1	1	-	-	-	1	-	-	-	187	
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B17	All other diseases classified as infective and parasitic	M	42	8	4	4	1	2	3	3	5	8	4	100	
	F	49	3	4	2	3	2	-	7	7	8	8	13	98	
	Malignant neoplasm: (140-205)	M	5,650	-	18	20	33	53	154	527	1,496	1,971	1,378	102	
	stomach (151)	M	4,836	4	19	16	23	55	188	571	1,022	1,351	1,587	99	
		M	713	-	-	-	-	3	21	66	171	281	171	100	
		F	548	-	-	-	-	1	5	33	88	168	253	97	
	trachea, bronchus and lung (162, 163)	M	2,165	-	-	-	1	1	40	246	728	854	315	102	
	breast (170)	M	419	-	-	-	2	2	16	65	120	135	79	97	
		M	8	-	-	-	-	-	1	3	3	1	-	85	
		F	921	-	-	-	-	9	64	187	209	238	234	96	
	uterus (171-174)	F	369	-	-	-	-	6	24	61	82	96	100	95	
	Leukaemia and aleukaemia (204)	M	165	-	8	13	7	3	6	13	30	43	42	110	
		F	151	1	14	7	6	8	8	16	20	32	39	115	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,599	-	10	7	25	46	86	199	564	812	850	102	
		F	2,428	3	5	9	15	29	71	229	503	682	882	100	
B19	Benign and unspecified neoplasms	M	51	-	1	3	3	-	7	5	11	16	5	80	
		F	61	-	1	3	1	3	2	8	11	12	20	85	
B20	Diabetes mellitus	M	137	-	-	1	2	2	6	4	25	48	49	95	
		F	248	-	-	1	-	2	2	7	29	96	111	89	
B21	Anaemias	M	56	1	1	1	-	-	1	3	10	12	27	105	
		F	119	-	2	-	1	-	1	4	7	27	77	105	
B22	Vascular lesions affecting central nervous system	M	3,124	3	-	4	6	11	42	139	448	947	1,524	103	
		F	4,707	1	-	4	2	8	37	121	384	1,007	3,143	99	
B23	Non-meningococcal meningitis	M	20	5	5	-	-	1	-	2	4	2	1	103	
		F	20	8	2	3	1	1	-	1	1	2	1	108	
B24	Rheumatic fever	M	3	-	-	-	-	-	-	2	-	-	1	77	
		F	4	-	-	2	-	-	-	-	1	-	1	115	
B25	Chronic rheumatic heart disease	M	169	-	-	-	3	8	14	35	46	37	26	88	
		F	349	-	-	-	4	7	28	80	77	74	79	90	

TABLE 19 - continued

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations of 50,000 and under 100,000											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years								75 and over	
1-	5-	15-			25-	35-	45-	55-	65-					
B26	Arteriosclerotic heart disease including coronary disease (420)	M	6,727	-	-	-	22	187	684	1,706	2,257	1,869	102	
	Degenerative heart disease (421, 422)	F	4,543	-	-	-	2	26	109	496	1,418	2,492	100	
		M	1,381	-	1	-	2	8	26	92	248	1,003	103	
		F	2,461	-	-	1	-	2	12	55	277	2,113	102	
B27	Other diseases of heart	M	647	-	2	-	4	3	9	24	87	199	319	100
B28	Hypertension with heart disease	F	862	1	-	-	2	5	4	13	66	189	582	100
		M	305	-	-	-	-	1	23	46	114	121	98	
		F	437	-	-	-	1	1	5	35	114	280	88	
B29	Hypertension without mention of heart	M	171	-	-	-	-	9	15	37	48	61	95	
B46 (pt.)	Other circulatory diseases (450-468)	F	188	-	-	-	1	4	12	20	44	107	87	
		M	942	-	2	-	3	3	18	38	120	259	499	104
		F	1,180	1	1	1	2	5	17	26	83	226	818	93
B30	Influenza	M	138	-	2	-	1	2	2	7	28	43	53	88
B31	Pneumonia	F	179	2	1	-	-	1	6	5	15	38	111	87
		M	1,520	111	17	5	7	9	16	54	142	327	832	98
		F	1,850	71	14	7	5	8	9	34	99	316	1,287	94
B32	Bronchitis	M	2,195	25	9	3	2	5	16	101	475	820	739	100
		F	834	14	3	4	2	1	4	38	104	235	429	95
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	322	15	3	1	3	3	8	17	69	96	107	97
		F	178	12	3	1	3	2	6	7	25	28	91	95
B33	Ulcer of stomach and duodenum	M	242	-	-	-	1	2	8	17	51	84	79	98
		F	156	-	-	1	-	-	2	4	10	36	103	105
B34	Appendicitis	M	24	-	3	1	1	2	-	2	1	7	7	106
		F	21	-	-	-	-	-	2	2	4	8	5	98
B35	Intestinal obstruction and hernia	M	144	13	2	1	-	-	8	24	49	45	110	
		F	164	3	2	-	1	1	2	12	41	100	98	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	85	21	8	-	1	1	4	11	16	22	87	
		F	160	11	8	-	2	4	3	9	10	34	79	96
B37	Cirrhosis of liver	M	67	-	1	-	1	-	5	14	22	17	7	97
		F	63	-	-	-	-	2	9	12	24	14	101	
B38	Nephritis and nephrosis	M	148	-	1	1	3	10	14	19	34	36	30	104
		F	134	2	-	2	2	2	9	10	24	36	47	108
B39	Hyperplasia of prostate	M	183	-	-	-	-	-	-	1	10	39	133	95
B40	Complications of pregnancy, childbirth and puerperium	F	22	-	-	-	9	8	4	1	-	-	-	101
B41	Congenital malformations	M	230	159	25	8	10	4	6	7	5	3	3	92
		F	238	177	17	5	4	2	7	7	5	7	7	107
B42	Birth injuries, postnatal asphyxia and atelectasis	M	224	224	-	-	-	-	-	-	-	-	-	91
		F	138	138	-	-	-	-	-	-	-	-	-	86
B43	Diarrhoea of newborn (764)	M	3	3	-	-	-	-	-	-	-	-	-	88
		F	1	1	-	-	-	-	-	-	-	-	-	31
	Other infections of newborn (765, 765-768)	M	29	29	-	-	-	-	-	-	-	-	-	82
		F	22	22	-	-	-	-	-	-	-	-	-	86
B44	Other diseases of early infancy and immaturity unqualified	M	217	217	-	-	-	-	-	-	-	-	-	102
		F	150	150	-	-	-	-	-	-	-	-	-	97
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	147	2	1	-	-	-	1	-	3	10	130	99
		F	277	2	-	2	-	-	1	2	3	12	255	86
B46 (Rem.)	All other diseases (Remainder 001-795)	M	794	22	16	14	37	17	46	76	143	184	239	95
		F	1,210	21	11	17	22	30	43	109	181	285	491	96
BE47	Motor vehicle accidents	M	521	-	23	26	160	50	53	55	60	49	45	102
		F	244	2	15	15	35	14	19	21	29	38	56	114
BE48	All other accidents	M	542	44	23	34	45	42	43	50	58	60	143	98
		F	661	22	21	8	7	5	20	32	36	99	411	112
BE49	Suicide and self-inflicted injury	M	268	-	-	-	24	39	40	47	58	42	18	100
		F	251	-	-	1	11	12	31	57	53	65	21	119
BE50	Homicide and operations of war	M	14	4	-	1	-	1	1	1	1	4	1	72
		F	19	2	6	1	1	1	1	1	1	-	5	127
BN47	Fractures, head injuries and internal injuries	M	766	6	29	34	164	69	67	82	83	86	146	98
		F	647	4	16	20	34	13	20	26	38	82	394	113
BN48	Burns	M	19	-	3	-	2	-	4	-	3	3	4	79
		F	43	-	4	-	-	1	2	3	1	11	21	106
BN49	Effects of poisons	M	296	1	7	4	22	41	45	44	56	43	33	111
		F	329	1	9	2	11	14	39	66	54	76	57	116
BN50	All other injuries	M	264	41	7	23	41	22	21	27	35	23	24	94
		F	156	21	13	3	9	4	10	16	26	33	21	114

TABLE 19 - continued

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations under 50,000												S.M.R. (England and Wales = 100)
			Age												
			All ages	Under 1 year	Years								75 and over		
1-	5-	15-			25-	35-	45-	55-	65-						
	ALL CAUSES	Numbers M F	65,572 63,214	1,906 1,379	345 224	340 178	802 297	655 449	1,600 1,117	4,575 2,950	12,671 6,845	19,042 14,693	23,636 35,082	100 101	
		Rates M F	13,050 11,741	20,899 15,887	954 649	436 238	1,088 408	1,036 726	2,385 1,679	7,135 4,379	21,382 10,127	54,005 28,669	142,386 105,892		
B1	Tuberculosis of respiratory system	M F	321 97	- 1	- -	- -	1 -	5 6	14 10	40 13	105 25	106 23	50 19	92 82	
B2	Tuberculosis, other forms	M F	16 37	- -	- 3	- 1	3 2	1 1	- 5	3 9	6 4	3 6	- 6	62 115	
B3	Syphilis and its sequelae	M F	93 67	- -	- -	- -	- -	- -	3 -	9 4	19 7	30 22	32 34	82 87	
B4	Typhoid fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B5	Cholera	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B6	Dysentery, all forms	M F	4 3	- 1	2 -	- -	1 -	- 1	- -	- 1	- -	- -	- -	- 185 134	
B7	Scarlet fever and streptococcal sore throat	M F	1 -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	236 -	
B8	Diphtheria	M F	2 -	- -	- -	2 -	- -	- -	- -	- -	- -	- -	- -	228 -	
B9	Whooping cough	M F	1 3	1 2	- 1	- -	- -	- -	- -	- -	- -	- -	- -	52 101	
B10	Meningococcal infections	M F	10 11	4 3	2 1	- 2	2 1	- -	- 1	2 1	- 1	- 1	- -	78 113	
B11	Plague	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B13	Smallpox	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B14	Measles	M F	10 9	2 1	7 5	1 1	- 1	- -	- -	- -	- -	- 1	- -	109 113	
B15	Typhus and other rickettsial diseases	M F	1 -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	232 -	
B16	Malaria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B17	All other diseases classified as infective and parasitic	M F	89 130	4 11	6 4	6 5	5 4	9 5	7 3	11 18	17 28	14 18	10 34	94 115	
	Malignant neoplasm: (140-205)	M F	12,771 11,029	3 4	53 23	64 32	80 51	102 111	353 481	1,195 1,338	3,441 2,402	4,368 3,134	3,112 3,453	97 99	
	stomach (151)	M F	1,692 1,231	- -	- -	- -	- 2	3 4	40 17	138 57	443 192	633 395	435 564	100 96	
	trachea, bronchus and lung (162, 163)	M F	4,573 823	- -	- -	1 -	2 -	12 5	90 31	503 115	1,608 240	1,661 273	696 159	91 83	
B18	breast (170)	M F	29 2,235	- -	- -	- -	- -	- 24	3 148	8 425	6 570	8 513	4 555	131 102	
	uterus (171-174)	M F	968 -	- -	- -	- 1	6 -	84 -	172 -	239 -	260 -	206 -	110 -		
	Leukaemia and aleukaemia (204)	M F	345 298	1 2	26 9	31 16	17 14	12 9	19 24	37 21	49 51	87 76	66 76	99 100	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M F	6,132 5,474	2 2	27 14	32 16	61 34	75 63	201 177	509 548	1,335 1,110	1,979 1,617	1,911 1,893	101 99	
B19	Benign and unspecified neoplasms	M F	126 139	2 2	3 1	4 4	1 2	6 4	7 6	24 31	39 16	23 38	17 35	85 86	
B20	Diabetes mellitus	M F	362 667	- -	1 -	1 -	3 -	9 6	16 7	35 23	59 85	112 227	126 319	106 105	
B21	Anaemias	M F	104 263	1 1	3 -	1 -	1 2	- 4	1 3	2 7	15 20	26 73	54 153	81 102	
B22	Vascular lesions affecting central nervous system	M F	7,876 11,544	3 5	- -	3 2	14 15	20 19	83 70	272 286	1,038 879	2,428 2,685	4,015 7,583	108 107	
B23	Non-meningococcal meningitis	M F	41 28	15 10	7 1	1 1	- -	1 -	1 1	7 2	2 5	3 4	4 4	95 69	
B24	Rheumatic fever	M F	12 9	- 1	1 1	1 -	2 -	- -	- -	1 -	5 2	2 5	- 1	133 115	
B25	Chronic rheumatic heart disease	M F	419 819	1 -	- -	- 1	3 5	24 17	38 61	74 124	117 196	104 219	58 196	94 92	

TABLE 19 - continued

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations under 50,000											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	15,970	-	-	-	2	47	447	1,543	4,147	5,221	4,563	102
		F	10,335	1	-	-	-	14	51	279	1,216	3,257	5,517	100
		M	3,836	1	-	2	8	9	25	55	240	736	2,760	118
		F	6,378	2	-	-	2	9	6	29	126	744	5,460	117
B27	Other diseases of heart	M	1,621	4	2	2	6	7	20	55	212	463	850	104
B28	Hypertension with heart disease	F	1,919	2	1	3	3	5	18	37	111	431	1,308	98
		M	770	-	-	-	-	-	6	34	150	271	309	103
		F	1,123	-	-	-	-	-	1	17	105	314	686	99
B29	Hypertension without mention of heart	M	447	-	-	1	1	6	7	53	94	125	160	105
B46 (pt.)	Other circulatory diseases (450-468)	F	512	-	-	-	5	4	18	53	132	299	104	
		M	2,206	5	2	1	2	7	26	71	259	608	1,225	101
		F	2,835	1	1	-	5	15	21	57	173	544	2,018	99
B30	Influenza	M	442	3	2	2	3	4	6	19	55	102	246	118
B31	Pneumonia	F	557	5	2	1	5	-	10	11	39	94	390	120
		M	3,122	183	40	11	26	11	23	95	315	680	1,738	84
		F	3,747	122	37	14	3	9	26	72	211	611	2,642	84
B32	Bronchitis	M	4,918	32	9	9	5	8	34	204	1,041	1,855	1,721	93
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	1,652	30	8	4	1	5	12	56	198	471	867	83
		M	957	23	6	2	3	10	22	60	220	323	288	121
		F	435	17	6	4	8	8	21	28	42	81	220	102
B33	Ulcer of stomach and duodenum	M	564	-	-	-	2	6	13	36	120	176	211	95
B34	Appendicitis	F	302	-	-	1	-	1	4	13	32	86	165	89
		M	54	1	1	2	1	1	2	7	8	16	15	103
		F	56	-	1	3	-	2	1	3	9	17	20	116
B35	Intestinal obstruction and hernia	M	306	28	4	2	1	1	3	21	37	76	133	98
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	375	15	2	1	2	3	8	17	25	129	173	99
		M	252	44	15	1	2	6	6	15	41	44	78	112
		F	373	30	9	1	2	4	7	20	35	75	190	99
B37	Cirrhosis of liver	M	167	1	1	-	-	2	5	26	49	46	37	103
B38	Nephritis and nephrosis	F	141	1	-	-	1	1	9	13	42	34	40	99
		M	331	1	2	4	11	15	22	47	60	85	84	100
B39	Hyperplasia of prostate	F	295	2	1	2	9	6	15	32	49	59	120	105
		M	467	-	-	-	-	-	-	2	23	120	322	99
B40	Complications of pregnancy, childbirth and puerperium	F	49	-	-	-	12	26	11	-	-	-	-	103
B41	Congenital malformations	M	552	372	41	23	19	10	9	25	31	13	9	103
		F	457	317	41	16	6	10	9	17	19	12	10	96
B42	Birth injuries, postnatal asphyxia and atelectasis	M	497	497	-	-	-	-	-	-	-	-	-	96
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	F	315	315	-	-	-	-	-	-	-	-	-	94
		M	3	3	-	-	-	-	-	-	-	-	-	42
		F	5	5	-	-	-	-	-	-	-	-	-	73
		M	74	74	-	-	-	-	-	-	-	-	-	99
B44	Other diseases of early infancy and immaturity unqualified	F	57	57	-	-	-	-	-	-	-	-	-	106
		M	450	450	-	-	-	-	-	-	-	-	-	100
B45	Senility without mention of psychosis, ill-defined and unknown causes	F	305	305	-	-	-	-	-	-	-	-	-	94
		M	456	2	1	-	4	1	-	4	6	20	418	126
B46 (Rem.)	All other diseases (Remainder 001-795)	F	973	5	1	-	1	1	1	1	4	23	936	134
		M	1,895	64	35	45	73	43	105	160	310	510	550	97
BE47	Motor vehicle accidents	F	2,873	39	24	27	44	71	127	195	404	743	1,199	101
		M	1,116	2	41	69	362	134	98	116	106	88	100	98
BE48	All other accidents	F	425	-	16	27	69	18	20	46	53	91	85	89
		M	1,238	75	56	78	110	90	103	135	158	141	292	98
BE49	Suicide and self-inflicted injury	F	1,396	66	33	23	20	20	26	50	120	193	845	105
		M	571	-	-	1	43	56	90	113	122	100	46	93
BE50	Homicide and operations of war	F	447	-	-	-	14	37	58	82	108	93	55	93
		M	31	5	1	1	2	4	5	4	2	4	3	73
		F	22	1	1	2	6	5	3	-	1	3	-	67
EN47	Fractures, head injuries and internal injuries	M	1,754	9	48	83	409	176	170	187	203	166	303	99
EN48	Burns	F	1,272	4	20	31	69	20	24	52	92	187	773	99
		M	59	3	6	2	4	5	1	3	5	6	24	108
		F	89	2	8	3	3	2	3	2	9	18	39	98
EN49	Effects of poisons	M	514	1	3	3	34	50	79	111	95	81	57	84
EN50	All other injuries	F	599	2	5	3	21	43	60	98	131	125	111	94
		M	629	69	41	61	70	53	46	67	85	80	57	100
		F	330	59	17	15	16	15	20	26	50	50	62	108

TABLE 19 - continued

Abbreviated List No.	Causes of death	Rural districts												S.M.R. (England and Wales = 100)
		Age												
		All ages	Under 1 year	Years										
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
	Numbers	M	58,540	1,692	313	367	909	704	1,445	4,095	10,585	16,306	22,124	90
		F	53,134	1,254	264	217	339	353	1,003	2,597	5,900	12,219	28,988	98
	ALL CAUSES	Rates	M	11,495	18,990	828	467	1,151	1,073	2,161	6,456	18,278	47,360	132,558
		F	10,510	14,875	744	297	491	574	1,588	4,136	9,801	28,019	103,050	
B1	Tuberculosis of respiratory system	M	210	-	-	-	-	1	9	30	50	73	47	61
		F	92	-	-	-	-	2	13	14	17	23	23	87
B2	Tuberculosis, other forms	M	26	-	1	1	2	2	2	5	6	3	2	101
		F	32	-	2	2	1	2	4	1	3	8	9	110
B3	Syphilis and its sequelae	M	99	-	-	-	-	-	1	7	16	37	38	89
		F	57	-	-	-	-	-	1	4	10	16	26	85
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	1	-	-	-	-	-	-	-	46
		F	2	-	-	-	-	-	-	-	-	-	2	98
B7	Scarlet fever and streptococcal sore throat	M	1	-	-	-	-	-	-	1	-	-	-	233
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	1	-	-	-	-	-	1	-	-	-	-	113
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	51
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	8	5	2	1	-	-	-	-	-	-	-	61
		F	7	2	2	2	-	-	-	1	-	-	-	73
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	13	2	6	3	2	-	-	-	-	-	-	138
		F	7	3	1	1	1	1	-	-	-	-	-	88
B15	Typhus and other rickettsial diseases	M	1	-	-	-	-	-	-	1	-	-	-	236
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	103	9	7	4	6	5	6	15	16	18	17	108
		F	95	5	4	5	3	1	6	17	17	15	22	93
	Malignant neoplasm:	M	10,969	5	41	60	72	109	302	1,049	2,848	3,600	2,884	84
	(140-205)	F	9,230	5	30	42	40	96	392	1,141	2,062	2,565	2,857	94
	stomach (151)	M	1,471	-	-	-	1	3	36	125	330	539	437	88
		F	987	-	-	-	-	1	15	48	153	293	477	89
	trachea, bronchus and lung	M	3,755	-	-	-	3	12	76	414	1,328	1,379	543	76
	(162, 163)	F	754	-	-	-	-	7	35	109	213	246	144	87
	breast (170)	M	19	-	-	-	-	-	2	2	6	6	3	87
		F	1,857	-	-	-	-	29	113	360	484	461	410	96
	uterus (171-174)	F	724	-	-	-	-	3	50	130	184	196	161	93
	Leukaemia and aleukaemia (204)	M	324	-	15	22	12	12	23	31	68	78	63	93
		F	264	2	8	21	9	11	16	28	40	50	79	99
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	5,400	5	26	38	56	82	165	476	1,116	1,598	1,838	90
		F	4,644	3	22	21	31	45	163	466	988	1,319	1,586	97
B19	Benign and unspecified neoplasms	M	126	5	1	2	7	4	11	22	34	26	14	86
		F	137	3	3	2	3	3	17	24	32	30	20	95
B20	Diabetes mellitus	M	335	-	-	1	1	4	13	21	53	112	130	99
		F	559	-	1	1	2	6	6	12	71	196	264	102
B21	Anaemias	M	118	2	1	3	-	1	1	6	14	24	66	93
		F	204	2	1	2	1	-	6	7	17	48	120	92
B22	Vascular lesions affecting central nervous system	M	7,132	5	1	5	5	24	78	276	922	2,056	3,760	98
		F	9,467	5	2	3	9	20	66	270	758	2,248	6,086	102
B23	Non-meningococcal meningitis	M	36	11	3	1	3	1	1	-	6	7	3	83
		F	27	10	5	-	1	-	1	3	4	-	3	70
B24	Rheumatic fever	M	7	-	-	2	-	-	-	-	3	2	-	78
		F	5	1	-	-	-	-	-	-	1	1	2	71
B25	Chronic rheumatic heart disease	M	385	-	1	-	5	18	35	68	94	110	54	87
		F	633	-	-	-	7	16	37	86	166	171	150	81

TABLE 19 - continued

Abbrevi- ated List No.	Causes of death		Rural districts												S.M.R. (England and Wales = 100)
			Age												
			All ages	Under 1 year	Years									75 and over	
					1-	5-	15-	25-	35-	45-	55-	65-			
B26	Arteriosclerotic heart disease including coronary disease (420)	M	13,806	-	-	-	2	46	334	1,314	3,311	4,562	4,237	89	
	Degenerative heart disease (421, 422)	F	8,358	-	-	1	3	4	42	212	994	2,651	4,451	94	
		M	3,408	4	-	3	7	6	12	59	189	653	2,475	105	
		F	5,213	-	-	1	3	3	9	34	115	634	4,414	112	
B27	Other diseases of heart	M	1,498	2	3	3	5	9	22	57	170	394	833	97	
B28	Hypertension with heart disease	F	1,710	1	3	4	4	4	16	30	105	360	1,183	103	
		M	697	-	-	-	-	4	3	24	124	243	299	94	
		F	1,035	-	-	-	-	1	6	19	95	319	595	107	
B29	Hypertension without mention of heart	M	377	-	-	1	3	6	11	43	81	91	141	89	
B46 (pt.)	Other circulatory diseases (450-468)	F	384	-	-	-	1	2	7	13	42	93	226	91	
		M	2,044	2	-	-	7	8	27	60	251	508	1,181	94	
		F	2,489	1	1	-	11	6	24	52	161	448	1,785	101	
B30	Influenza	M	458	4	3	5	3	2	10	15	55	123	238	123	
B31	Pneumonia	F	507	5	2	3	6	6	10	13	35	89	338	127	
		M	3,196	144	34	29	22	15	30	105	297	669	1,851	86	
		F	3,637	96	38	16	21	17	20	64	202	691	2,472	95	
B32	Bronchitis	M	3,809	35	13	6	7	5	29	178	728	1,430	1,380	73	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	1,287	19	9	5	3	2	15	57	160	331	686	75	
		M	769	18	8	1	7	7	16	47	157	248	260	98	
		F	398	24	7	4	5	2	11	32	47	81	185	107	
B33	Ulcer of stomach and duodenum	M	477	1	-	-	2	5	8	29	94	147	191	81	
B34	Appendicitis	F	259	-	-	-	-	2	3	11	34	50	159	89	
		M	43	-	-	5	4	-	2	4	13	7	8	82	
		F	46	1	3	3	4	-	4	2	7	10	12	107	
B35	Intestinal obstruction and hernia	M	284	24	2	1	-	1	6	9	45	64	132	92	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	296	12	2	3	1	-	6	9	21	78	164	90	
		M	195	24	9	4	6	3	2	10	33	55	49	87	
		F	282	20	16	5	7	3	8	12	35	56	120	85	
B37	Cirrhosis of liver	M	139	-	-	-	1	2	11	20	45	41	19	87	
		F	115	-	-	-	1	2	5	14	21	45	27	92	
B38	Nephritis and nephrosis	M	323	2	1	3	14	21	23	46	64	67	82	98	
		F	254	1	-	2	7	4	16	31	52	49	92	103	
B39	Hyperplasia of prostate	M	499	-	-	-	-	-	1	2	26	110	360	107	
B40	Complications of pregnancy, childbirth and puerperium	F	38	-	-	-	14	13	11	-	-	-	-	82	
B41	Congenital malformations	M	527	355	38	24	19	10	16	27	21	13	4	96	
		F	465	308	42	19	16	9	13	18	11	17	12	98	
B42	Birth injuries, postnatal asphyxia and atelectasis	M	466	466	-	-	-	-	-	-	-	-	-	87	
		F	317	317	-	-	-	-	-	-	-	-	-	93	
B43	Diarrhoea of newborn (764)	M	7	7	-	-	-	-	-	-	-	-	-	94	
	Other infections of newborn (763, 765-768)	F	6	6	-	-	-	-	-	-	-	-	-	87	
		M	68	68	-	-	-	-	-	-	-	-	-	88	
		F	43	43	-	-	-	-	-	-	-	-	-	79	
B44	Other diseases of early infancy and immaturity unqualified	M	378	378	-	-	-	-	-	-	-	-	-	82	
		F	274	274	-	-	-	-	-	-	-	-	-	83	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	439	1	-	1	2	1	3	5	5	19	402	121	
		F	761	1	-	-	-	-	-	-	2	15	743	123	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,941	45	41	48	69	69	86	162	365	503	553	100	
		F	2,463	43	39	27	44	58	102	231	366	601	952	99	
BE47	Motor vehicle accidents	M	1,351	5	29	78	450	148	134	131	183	94	99	116	
BE48	All other accidents	F	448	1	13	45	89	26	30	52	87	69	56	103	
		M	1,246	59	67	71	136	117	117	132	154	116	277	98	
		F	1,121	41	37	18	11	14	35	39	79	144	703	96	
BE49	Suicide and self-inflicted injury	M	499	-	-	-	36	45	79	114	111	77	37	82	
		F	357	-	-	-	14	28	60	70	90	67	28	82	
BE50	Homicide and operations of war	M	24	3	1	-	4	5	3	2	1	4	1	55	
		F	17	4	1	1	6	-	1	2	1	-	1	54	
EN47	Fractures, head injuries and internal injuries	M	2,038	12	40	98	504	205	207	221	289	171	291	114	
EN48	Burns	F	1,179	4	20	46	86	26	35	56	91	153	662	105	
		M	46	-	4	2	6	3	3	4	1	5	18	83	
		F	66	-	5	2	-	3	3	4	7	10	32	81	
EN49	Effects of poisons	M	327	-	4	1	21	37	51	69	60	39	45	54	
		F	397	2	8	1	19	30	68	70	83	69	47	69	
EN50	All other injuries	M	709	55	49	48	95	70	72	85	99	76	60	112	
		F	301	40	18	15	15	9	20	33	56	48	47	107	

TABLE 19 - continued

Abbreviated List No.	Causes of death	Newcastle Hospital Region												S.M.R. (England and Wales = 100)	
		Age													
		All ages	Under 1 year	Years											
1-	5-			15-	25-	35-	45-	55-	65-	75 and over					
		Numbers	M	19,313	658	102	96	214	245	597	1,634	4,144	5,612	6,011	106
			F	16,923	481	81	56	88	124	372	972	2,086	4,315	8,348	108
		Rates	M	12,787	24,461	923	389	957	1,255	2,877	8,766	24,107	56,917	138,822	
			F	10,835	18,789	771	238	400	654	1,885	5,135	11,119	31,939	108,840	
B1	Tuberculosis of respiratory system	M		146	-	-	-	-	1	8	15	50	47	25	149
		F		45	-	-	-	-	2	6	6	17	13	1	141
B2	Tuberculosis, other forms	M		8	-	2	1	1	-	1	2	1	-	-	106
		F		7	-	1	-	-	-	2	-	1	1	2	80
B3	Syphilis and its sequelae	M		35	1	-	-	-	-	-	3	13	9	9	112
		F		21	-	-	-	-	-	-	-	3	7	11	108
B4	Typhoid fever	M		-	-	-	-	-	-	-	-	-	-	-	-
		F		-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M		-	-	-	-	-	-	-	-	-	-	-	-
		F		-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M		1	-	-	-	-	-	-	-	1	-	-	154
		F		1	-	1	-	-	-	-	-	-	-	-	170
B7	Scarlet fever and streptococcal sore throat	M		-	-	-	-	-	-	-	-	-	-	-	-
		F		-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M		-	-	-	-	-	-	-	-	-	-	-	-
		F		-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M		-	-	-	-	-	-	-	-	-	-	-	-
		F		1	1	-	-	-	-	-	-	-	-	-	111
B10	Meningococcal infections	M		7	5	-	-	-	-	-	1	-	1	-	181
		F		5	1	3	1	-	-	-	-	-	-	-	173
B11	Plague	M		-	-	-	-	-	-	-	-	-	-	-	-
		F		-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M		-	-	-	-	-	-	-	-	-	-	-	-
		F		-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M		-	-	-	-	-	-	-	-	-	-	-	-
		F		-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M		6	-	5	-	1	-	-	-	-	-	-	215
		F		2	1	1	-	-	-	-	-	-	-	-	83
B15	Typhus and other rickettsial diseases	M		-	-	-	-	-	-	-	-	-	-	-	-
		F		-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M		-	-	-	-	-	-	-	-	-	-	-	-
		F		-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M		25	4	-	1	1	2	-	6	3	3	5	89
		F		26	5	1	1	-	2	-	3	4	5	5	84
	Malignant neoplasm: (140-205)	M		3,854	1	7	13	26	42	131	419	1,137	1,274	804	105
	stomach (151)	F		2,900	-	11	9	13	30	149	403	642	827	816	100
		M		546	-	-	-	-	6	12	53	163	189	123	115
		F		372	-	-	-	1	1	12	26	56	123	153	114
	trachea, bronchus and lung (162, 163)	M		1,455	-	-	-	-	8	44	209	550	479	165	102
	breast (170)	F		240	-	-	-	-	2	13	51	62	76	36	91
		M		9	-	-	-	-	-	2	1	2	3	1	143
		F		548	-	-	-	-	7	53	116	134	144	94	94
	uterus (171-174)	F		257	-	-	-	-	1	24	63	75	52	42	109
	Leukaemia and aleukaemia (204)	M		86	-	1	5	4	4	5	7	19	25	16	86
		F		68	-	6	5	3	3	3	4	13	10	21	85
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M		1,758	1	6	8	22	24	68	149	403	578	499	104
		F		1,415	-	5	4	9	16	44	143	302	422	470	99
B19	Benign and unspecified neoplasms	M		41	1	-	-	1	3	2	4	13	13	4	97
		F		38	-	1	-	2	2	4	4	6	12	7	87
B20	Diabetes mellitus	M		98	-	1	-	-	2	3	3	20	38	31	103
		F		200	-	1	-	-	2	1	7	36	75	78	125
B21	Anaemias	M		41	-	-	1	-	-	-	2	4	6	28	117
		F		76	-	-	1	2	1	-	1	7	18	46	120
B22	Vascular lesions affecting central nervous system	M		2,321	1	-	1	5	13	24	110	339	739	1,089	117
		F		3,016	-	-	2	6	6	28	94	261	784	1,835	114
B23	Non-meningococcal meningitis	M		11	4	1	-	2	-	-	2	1	1	-	87
		F		15	7	2	-	-	-	1	-	-	-	5	130
B24	Rheumatic fever	M		2	-	-	-	-	-	-	1	1	-	-	77
		F		3	-	-	2	-	-	1	-	-	-	-	142
B25	Chronic rheumatic heart disease	M		118	-	-	-	-	6	14	27	32	29	10	92
		F		268	-	-	-	2	4	17	56	75	58	56	114

TABLE 19 - continued

Abbreviated List No.	Causes of death		Newcastle Hospital Region												S.M.R. (England and Wales = 100)
			Age												
			All ages	Under 1 year	Years									75 and over	
					1-	5-	15-	25-	35-	45-	55-	65-			
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M F M F	4,798 3,271 741 1,082	- 1 1 -	- - - -	- - 1 -	- - 1 -	19 4 1 2	173 28 5 -	549 116 11 9	1,322 459 50 31	1,571 1,115 150 164	1,164 1,548 521 876	110 127 85 84	
B27	Other diseases of heart	M F	462 484	2 -	1 -	1 1	1 -	2 1	11 7	22 10	77 36	145 132	200 297	109 102	
B28	Hypertension with heart disease	M F	205 301	- -	- -	- -	- -	- 1	- 2	12 9	36 28	78 101	77 162	100 108	
B29	Hypertension without mention of heart	M F	107 109	- -	- -	- -	2 -	1 -	7 2	14 8	28 13	26 34	29 52	90 89	
B46 (pt.)	Other circulatory diseases (450-468)	M F	597 811	2 -	1 1	- -	1 -	1 6	9 5	13 21	61 51	148 125	361 602	101 116	
B30	Influenza	M F	85 97	- 3	- -	- -	1 1	1 -	- 2	6 4	17 13	27 13	33 61	83 85	
B31	Pneumonia	M F	1,012 1,062	94 47	18 16	4 5	9 5	3 7	13 11	48 20	136 52	222 213	465 686	100 98	
B32	Bronchitis	M F	1,592 548	15 4	1 1	- 1	- 1	6 5	13 8	84 34	382 90	610 150	482 254	110 110	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M F	214 114	4 2	2 -	- -	3 -	7 1	3 5	15 8	55 15	75 19	50 64	97 105	
B33	Ulcer of stomach and duodenum	M F	175 100	- -	- -	- -	2 -	- -	4 1	17 5	44 19	56 24	52 51	107 120	
B34	Appendicitis	M F	16 9	- -	1 1	- -	1 -	- 1	2 -	3 -	2 -	4 3	3 4	106 71	
B35	Intestinal obstruction and hernia	M F	77 101	5 7	1 -	- -	- 1	- -	4 -	5 3	15 9	26 40	21 41	89 106	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M F	69 99	20 11	3 2	- -	1 3	- -	1 3	2 8	13 7	7 22	22 43	108 103	
B37	Cirrhosis of liver	M F	51 37	1 -	- -	1 -	- -	1 -	1 1	10 1	16 13	15 15	6 7	111 98	
B38	Nephritis and nephrosis	M F	100 85	- 2	1 -	2 1	1 -	4 1	10 3	16 14	20 16	25 19	21 29	106 116	
B39	Hyperplasia of prostate	M	116	-	-	-	-	-	-	-	6	29	81	93	
B40	Complications of pregnancy, childbirth and puerperium	F	9	-	-	-	2	4	3	-	-	-	-	62	
B41	Congenital malformations	M F	170 155	120 114	12 8	5 4	2 3	4 2	2 2	7 8	10 3	6 10	2 1	105 109	
B42	Birth injuries, postnatal asphyxia and atelectasis	M F	164 107	163 107	1 -	- -	- -	- -	- -	- -	- -	- -	- -	104 105	
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M F M F	3 4 22 16	3 4 22 16	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	137 194 97 98	
B44	Other diseases of early infancy and immaturity unqualified	M F	137 101	137 101	- -	- -	- -	- -	- -	- -	- -	- -	- -	101 103	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M F	122 197	1 1	- 1	- 1	1 -	- -	3 -	1 1	2 2	9 13	105 179	128 116	
B46 (Rem.)	All other diseases (Remainder 001-795)	M F	545 749	18 17	8 13	13 7	12 18	12 20	27 45	49 64	106 113	141 200	159 252	99 102	
BE47	Motor vehicle accidents	M F	372 110	- -	18 6	26 8	88 16	50 8	31 9	53 14	37 12	28 19	41 18	110 84	
BE48	All other accidents	M F	483 429	33 29	19 11	25 10	38 2	43 7	65 12	63 17	56 29	41 61	100 251	132 128	
BE49	Suicide and self-inflicted injury	M F	156 104	- -	- -	- -	11 9	20 4	26 14	38 24	38 22	12 23	11 8	87 79	
BE50	Homicide and operations of war	M F	8 8	- -	- -	1 2	2 2	1 1	2 2	1 -	- 1	1 -	- -	63 83	
BN47	Fractures, head injuries and internal injuries	M F	597 385	1 -	22 7	29 11	104 16	74 9	61 10	81 18	62 23	52 59	111 232	116 118	
BN48	Burns	M F	23 32	1 -	3 3	- 1	1 -	2 1	4 2	2 2	2 6	3 4	5 13	146 135	
BN49	Effects of poisons	M F	171 138	- -	1 1	2 2	9 10	17 5	40 20	44 29	28 26	15 26	15 19	96 79	
BN50	All other injuries	M F	228 96	31 29	11 6	21 6	25 3	21 5	19 5	28 6	39 9	12 14	21 13	123 113	

TABLE 19 - continued

Abbreviated List No.	Causes of death	Leeds Hospital Region												S.M.R. (England and Wales = 100)
		Age												
		All ages	Under 1 year	Years										
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
	Numbers	M	20,919	728	130	107	243	239	557	1,580	4,250	6,165	6,920	110
	F	20,714	503	90	68	90	148	370	1,077	2,368	5,098	10,902	116	
	Rates	M	13,491	25,366	1,140	446	1,059	1,236	2,663	7,787	22,948	59,508	155,506	
	F	12,634	18,425	833	298	393	783	1,837	5,133	11,390	34,169	121,133		
B1	Tuberculosis of respiratory system	M	107	-	-	-	1	4	9	11	35	27	20	103
		F	34	-	-	-	3	3	7	6	8	7	97	
B2	Tuberculosis, other forms	M	10	1	-	1	1	2	2	-	2	-	127	
		F	9	-	-	1	1	-	1	1	2	3	94	
B3	Syphilis and its sequelae	M	29	-	-	-	-	1	2	5	9	12	88	
		F	29	-	-	-	-	-	1	3	10	15	131	
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	
		F	1	1	-	-	-	-	-	-	-	-	107	
B10	Meningococcal infections	M	1	-	-	-	-	-	1	-	-	-	25	
		F	2	-	-	1	-	-	-	1	-	-	67	
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B14	Measles	M	2	-	2	-	-	-	-	-	-	-	70	
		F	4	1	3	-	-	-	-	-	-	-	161	
B15	Typhus and other rickettsial diseases	M	2	-	-	-	-	-	1	1	-	-	476	
		F	-	-	-	-	-	-	-	-	-	-	-	
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B17	All other diseases classified as infective and parasitic	M	27	-	4	3	1	2	2	4	5	4	93	
		F	28	3	-	2	1	4	1	2	7	5	82	
	Malignant neoplasm:	M	3,808	2	14	17	24	27	113	375	1,064	1,296	876	98
	(140-205)	F	3,467	2	12	15	11	30	146	424	761	1,002	1,064	106
	stomach (151)	M	479	-	-	-	-	2	13	40	146	159	119	96
		F	426	-	-	-	1	-	7	26	74	133	185	116
	trachea, bronchus and lung	M	1,452	-	-	-	1	4	42	154	495	540	216	96
	(162, 163)	F	269	-	-	-	-	4	17	47	64	85	52	92
	breast (170)	M	5	-	-	-	-	-	2	-	-	2	1	75
		F	659	-	-	-	-	6	44	118	172	151	168	102
	uterus (171-174)	F	336	-	-	1	1	2	23	60	70	96	83	129
	Leukaemia and aleukaemia (204)	M	97	-	8	3	4	2	4	10	27	19	20	93
		F	92	-	2	5	1	3	3	10	17	24	27	105
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,775	2	6	14	19	19	52	171	396	576	520	100
		F	1,685	2	10	9	8	15	52	163	364	513	549	105
B19	Benign and unspecified neoplasms	M	56	-	-	1	4	1	6	8	22	9	5	125
		F	65	1	1	-	1	2	3	16	14	11	16	135
B20	Diabetes mellitus	M	101	-	-	-	-	-	8	10	13	32	38	101
		F	206	-	2	1	-	3	1	8	25	85	81	114
B21	Anaemias	M	45	-	-	-	2	1	-	-	7	11	24	123
		F	91	1	-	-	1	1	-	3	5	22	58	126
B22	Vascular lesions affecting central nervous system	M	2,485	-	-	-	6	4	25	91	350	783	1,226	120
		F	3,700	2	-	-	4	8	23	95	275	899	2,394	122
B23	Non-meningococcal meningitis	M	14	4	3	-	-	1	-	1	3	1	1	106
		F	11	5	-	-	-	-	-	-	1	1	4	89
B24	Rheumatic fever	M	2	-	-	-	-	-	-	-	-	-	2	73
		F	2	-	-	-	-	-	1	-	-	-	1	86
B25	Chronic rheumatic heart disease	M	159	-	-	1	1	14	16	31	46	26	24	118
		F	269	-	-	2	2	6	24	39	75	62	59	103

TABLE 19 - continued

Abbreviated List No.	Causes of death		Leeds Hospital Region												S.M.R. (England and Wales = 100)
			Age												
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M F M F	5,366 3,770 953 1,545	- - - -	- - 1 -	- - 1 -	2 - 1 -	15 - 4 -	157 28 5 2	543 124 17 3	1,462 496 61 44	1,788 1,274 215 188	1,399 1,848 649 1,308	116 129 106 103	
B27	Other diseases of heart	M F	524 614	- -	1 -	- 1	1 1	3 2	5 5	25 16	75 42	170 144	244 403	118 113	
B28	Hypertension with heart disease	M F	208 340	- 1	- -	- -	- -	1 -	1 1	14 10	42 29	82 105	68 194	96 107	
B29	Hypertension without mention of heart	M F	104 112	- -	- -	- -	- -	3 2	10 3	12 4	26 11	27 27	26 65	83 81	
B46 (pt.)	Other circulatory diseases (450-468)	M F	564 925	- -	- -	- -	1 3	4 6	8 5	14 27	65 63	154 178	318 643	91 115	
B30	Influenza	M F	127 179	- 2	1 1	1 2	4 1	2 2	- 5	7 12	20 32	32 32	60 121	118 137	
B31	Pneumonia	M F	1,140 1,463	126 83	23 15	5 2	9 4	9 10	13 14	48 24	112 88	263 273	532 950	108 118	
B32	Bronchitis	M F	1,905 835	14 6	3 1	1 1	- 1	1 2	19 12	98 35	401 93	725 225	643 460	125 148	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M F	228 126	15 7	1 1	2 2	3 -	3 -	5 9	17 15	58 11	64 24	60 57	99 103	
B33	Ulcer of stomach and duodenum	M F	205 103	- -	- -	- -	- -	2 4	- 4	18 3	47 20	63 21	71 55	119 108	
B34	Appendicitis	M F	14 12	- -	- 1	4 -	- -	- -	- 1	2 2	2 1	4 3	2 4	89 85	
B35	Intestinal obstruction and hernia	M F	105 116	13 5	4 1	1 -	- -	1 -	3 1	3 8	9 9	23 33	48 59	117 108	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M F	79 118	16 12	9 3	4 -	3 -	1 1	3 3	3 9	13 14	19 29	8 47	118 109	
B37	Cirrhosis of liver	M F	40 49	- 1	- -	- 1	- 1	1 2	2 9	7 9	12 10	13 14	5 11	82 117	
B38	Nephritis and nephrosis	M F	107 110	- -	- -	1 3	3 5	8 2	7 13	14 13	24 17	28 28	22 42	108 135	
B39	Hyperplasia of prostate	M	129	-	-	-	-	-	-	1	7	31	90	99	
B40	Complications of pregnancy, childbirth and puerperium	F	22	-	-	-	7	13	2	-	-	-	-	150	
B41	Congenital malformations	M F	160 132	111 95	15 11	7 6	6 2	3 3	1 1	4 5	5 3	7 3	1 3	96 89	
B42	Birth injuries, postnatal asphyxia and atelectasis	M F	187 113	187 113	- -	- -	- -	- -	- -	- -	- -	- -	- -	114 107	
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M F M F	5 5 31 12	5 5 31 12	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	220 234 131 71	
B44	Other diseases of early infancy and immaturity unqualified	M F	159 115	159 115	- -	- -	- -	- -	- -	- -	- -	- -	- -	112 113	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M F	99 155	2 1	- -	- -	4 -	- -	- -	1 1	3 10	3 142	86 101	78	
B46 (Rem.)	All other diseases (Remainder 001-795)	M F	628 1,021	15 16	15 10	14 10	14 15	18 14	28 38	55 96	111 128	150 230	208 464	109 124	
BE47	Motor vehicle accidents	M F	362 156	2 -	15 13	21 14	92 20	50 7	42 7	35 16	37 18	38 33	30 28	104 109	
BE48	All other accidents	M F	436 465	25 12	20 17	22 6	40 2	35 5	31 9	54 20	57 37	44 78	108 279	115 123	
BE49	Suicide and self-inflicted injury	M F	198 165	- -	- -	- 6	18 12	19 17	30 35	50 44	49 37	20 14	12 115	106 115	
BE50	Homicide and operations of war	M F	8 18	- 1	- 1	- 3	2 5	1 1	1 1	1 2	1 3	2 2	- -	61 179	
BN47	Fractures, head injuries and internal injuries	M F	577 452	4 3	17 18	28 14	103 18	62 8	57 8	66 23	66 26	67 81	107 253	109 123	
BN48	Burns	M F	16 29	- -	2 3	1 3	1 1	2 1	4 1	- 2	1 4	1 2	5 12	99 110	
BN49	Effects of poisons	M F	201 226	2 1	4 4	2 1	14 6	20 13	27 18	48 40	43 49	20 49	21 45	108 118	
BN50	All other injuries	M F	210 97	21 9	12 5	13 3	34 6	21 7	16 7	26 8	34 23	16 18	17 11	109 106	

TABLE 19 - continued

Abbreviated List No.	Causes of death	Sheffield Hospital Region												S.M.R. (England and Wales = 100)
		Age												
		All ages	Under 1 year	Years										
1-	5-			15-	25-	35-	45-	55-	65-	75 and over				
	Numbers	M 27,155 F 24,250	991 715	150 124	171 102	367 147	322 168	737 505	2,050 1,299	5,429 2,874	7,844 5,860	9,094 12,456	100 101	
	Rates	M 12,009 F 10,512	23,822 18,147	907 789	493 311	1,081 449	1,099 609	2,362 1,730	7,040 4,493	20,698 10,342	54,434 29,581	139,052 101,931		
B1	Tuberculosis of respiratory system	M 137 F 50	- 1	1 -	- -	1 -	1 -	3 10	22 9	43 11	44 13	22 6	93 104	
B2	Tuberculosis, other forms	M 15 F 11	- 1	- 1	- 1	- -	4 -	- 3	8 -	2 1	1 1	- 3	132 84	
B3	Syphilis and its sequelae	M 40 F 18	- -	- -	- -	- -	- -	3 -	2 -	9 2	15 6	11 10	85 60	
B4	Typhoid fever	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B5	Cholera	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B6	Dysentery, all forms	M 3 F 1	- -	- -	2 -	- -	- -	- -	- -	- -	1 -	- 1	310 110	
B7	Scarlet fever and streptococcal sore throat	M 1 F -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	517 -	
B8	Diphtheria	M 2 F -	- -	- -	2 -	- -	- -	- -	- -	- -	- -	- -	507 -	
B9	Whooping cough	M 3 F -	3 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	344 -	
B10	Meningococcal infections	M 3 F 6	1 3	2 1	- 1	- -	- -	- -	- 1	- -	- -	- -	52 140	
B11	Plague	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B12	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B13	Smallpox	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B14	Measles	M 8 F 2	2 -	3 1	2 1	1 -	- -	- -	- -	- -	- -	- -	192 56	
B15	Typhus and other rickettsial diseases	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B16	Malaria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B17	All other diseases classified as infective and parasitic	M 34 F 57	5 3	2 1	2 2	2 5	1 -	4 1	4 9	4 14	5 9	5 13	81 124	
	Malignant neoplasm: (140-205)	M 5,079 F 4,206	- 2	19 16	30 19	41 22	45 34	144 202	515 517	1,445 970	1,733 1,207	1,107 1,217	92 95	
	stomach (151)	M 701 F 505	- -	- -	- -	- 1	- 3	17 3	67 30	202 84	240 165	174 219	99 102	
B18	trachea, bronchus and lung (162, 163)	M 1,871 F 318	- -	- -	- -	1 1	1 2	47 18	227 53	672 80	689 101	234 63	87 81	
	breast (170)	M 7 F 804	- -	- -	- -	- -	2 4	- 65	1 139	2 235	3 186	1 175	74 91	
	uterus (171-174)	M 367 F -	- -	- -	- -	- -	2 33	33 65	65 98	98 109	109 109	60 104	104 104	
	Leukaemia and aleukaemia (204)	M 131 F 121	- -	8 9	14 8	12 3	8 4	7 13	9 11	23 20	35 25	15 28	88 101	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M 2,369 F 2,091	- 2	11 7	16 11	28 17	35 19	73 70	211 219	546 453	766 621	683 672	94 97	
B19	Benign and unspecified neoplasms	M 64 F 75	2 2	1 4	3 2	3 1	3 4	3 7	6 19	18 15	20 11	5 10	100 114	
B20	Diabetes mellitus	M 141 F 279	- -	- -	2 1	3 -	- 3	4 5	17 15	31 36	43 89	41 130	99 114	
B21	Anaemias	M 41 F 86	- 3	2 -	- -	- 3	- 2	2 -	3 3	7 5	10 21	17 49	78 88	
B22	Vascular lesions affecting central nervous system	M 3,176 F 4,119	3 1	1 1	3 1	5 5	15 10	32 25	130 131	450 359	989 1,073	1,548 2,513	106 101	
B23	Non-meningococcal meningitis	M 16 F 16	8 11	2 2	- -	2 -	- -	- -	1 -	2 2	- -	1 1	84 92	
B24	Rheumatic fever	M 7 F 3	- -	- 1	1 -	- -	- -	- -	2 -	2 1	1 1	1 -	179 95	
B25	Chronic rheumatic heart disease	M 194 F 403	- -	1 -	- -	2 3	4 6	22 33	36 75	59 118	40 89	30 79	100 113	

TABLE 19 - continued

Abbreviated List No.	Causes of death		Sheffield Hospital Region											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
1-	5-	15-			25-	35-	45-	55-	65-	75 and over				
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	6,190	-	-	-	2	24	190	662	1,625	2,044	1,643	94
		F	3,653	-	-	-	1	3	16	126	495	1,238	1,774	93
		M	1,464	-	-	1	3	4	8	23	94	325	1,008	112
		F	2,202	-	-	-	-	-	1	13	47	304	1,837	108
B27	Other diseases of heart	M	691	-	-	-	1	-	9	27	112	183	359	108
B28	Hypertension with heart disease	F	812	1	4	1	-	2	13	22	45	180	544	110
		M	351	-	-	-	-	-	-	14	67	136	134	114
		F	484	-	-	-	-	-	2	13	46	133	290	113
B29	Hypertension without mention of heart	M	195	-	-	-	-	3	4	22	39	56	71	109
B46 (pt.)	Other circulatory diseases (450-468)	F	211	-	-	-	-	1	1	7	24	58	120	112
		M	958	2	-	-	3	3	13	29	110	246	552	108
		F	1,167	1	1	1	6	4	10	32	68	229	815	108
B30	Influenza	M	180	2	1	-	2	1	6	5	22	48	93	117
B31	Pneumonia	F	286	3	1	1	1	2	7	10	19	45	197	162
		M	1,365	92	13	9	6	6	12	48	158	317	704	90
		F	1,476	57	15	7	6	3	14	32	99	255	988	88
B32	Bronchitis	M	2,432	42	11	6	5	4	23	118	560	910	753	112
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	903	33	5	4	4	3	9	40	123	255	427	118
		M	332	32	6	-	1	3	8	28	74	85	95	100
		F	222	24	4	2	5	3	9	12	23	33	107	133
B33	Ulcer of stomach and duodenum	M	214	-	-	-	-	2	7	15	57	60	73	87
B34	Appendicitis	F	116	-	-	-	-	-	1	6	12	30	67	90
		M	28	-	3	4	2	1	2	2	5	3	6	124
		F	19	-	-	-	-	-	3	4	4	4	4	99
B35	Intestinal obstruction and hernia	M	126	22	1	-	1	-	3	6	14	37	42	97
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	141	10	-	-	-	2	5	4	8	46	66	97
		M	117	35	8	-	-	3	1	4	19	18	29	122
		F	143	17	9	1	3	3	3	4	11	31	61	97
B37	Cirrhosis of liver	M	53	-	1	-	2	-	4	12	11	18	5	76
B38	Nephritis and nephrosis	F	64	-	-	-	-	-	6	8	20	22	8	113
		M	150	-	1	3	7	12	13	18	22	39	35	106
B39	Hyperplasia of prostate	F	116	2	-	4	1	4	9	15	19	18	44	104
B39	Hyperplasia of prostate	M	213	-	-	-	-	-	1	2	13	58	139	113
B40	Complications of pregnancy, childbirth and puerperium	F	28	-	-	-	6	13	9	-	-	-	-	132
B41	Congenital malformations	M	244	172	13	10	11	4	6	9	14	4	1	100
		F	241	172	21	11	5	5	8	6	7	4	2	114
B42	Birth injuries, postnatal asphyxia and atelectasis	M	248	248	-	-	-	-	-	-	-	-	-	104
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	F	141	141	-	-	-	-	-	-	-	-	-	92
		M	3	3	-	-	-	-	-	-	-	-	-	91
		F	3	3	-	-	-	-	-	-	-	-	-	97
		M	36	36	-	-	-	-	-	-	-	-	-	105
B44	Other diseases of early infancy and immaturity unqualified	F	36	36	-	-	-	-	-	-	-	-	-	147
		M	226	226	-	-	-	-	-	-	-	-	-	110
		F	139	139	-	-	-	-	-	-	-	-	-	94
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	182	-	-	-	1	-	3	5	5	165	126	
B46 (Rem.)	All other diseases (Remainder 001-795)	F	302	-	1	-	1	-	-	3	2	8	290	112
		M	791	28	18	20	25	21	50	85	141	196	207	95
		F	1,069	23	10	12	21	27	45	95	176	274	386	96
BE47	Motor vehicle accidents	M	549	-	16	39	166	71	56	56	70	42	33	108
BE48	All other accidents	F	224	-	10	19	38	15	13	18	23	44	44	114
		M	592	25	24	31	49	54	54	71	72	68	144	108
		F	554	26	15	9	5	7	8	16	33	93	342	107
BE49	Suicide and self-inflicted injury	M	236	-	-	-	18	31	42	38	52	39	16	87
BE50	Homicide and operations of war	F	157	-	-	1	4	12	24	34	36	35	11	79
		M	25	2	-	1	2	2	5	6	1	5	1	130
		F	9	-	-	1	1	-	3	3	-	1	-	63
BN47	Fractures, head injuries and internal injuries	M	845	4	19	43	180	94	94	99	110	75	127	109
BN48	Burns	F	569	2	12	22	35	17	13	20	32	94	322	114
		M	27	-	6	-	5	2	1	2	3	2	6	114
		F	32	-	8	1	-	1	-	2	2	8	10	88
BN49	Effects of poisons	M	244	-	1	2	17	29	36	40	42	41	36	91
BN50	All other injuries	F	211	-	1	1	7	12	26	35	38	51	40	80
		M	286	23	14	26	33	33	26	30	40	36	25	102
		F	132	24	4	6	6	4	9	14	20	20	25	104

TABLE 19 - continued

Abbreviated List No.	Causes of death	East Anglia Hospital Region												S.M.R. (England and Wales = 100)
		Age												
		All ages	Under 1 year	Years										
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
	Numbers	M	9,611	273	38	44	138	107	191	585	1,599	2,613	4,013	86
	F		8,986	208	38	35	56	63	151	375	928	1,906	5,226	91
	Rates	M	11,633	19,640	692	372	980	980	1,790	6,041	16,903	44,514	130,717	
	F		10,833	15,639	731	308	473	645	1,524	3,684	8,243	24,066	96,421	
B1	Tuberculosis of respiratory system	M	33	-	-	-	-	-	3	2	8	9	11	57
		F	14	-	-	-	-	-	1	3	1	4	5	77
B2	Tuberculosis, other forms	M	3	-	-	-	-	-	-	1	-	-	2	71
		F	4	-	-	-	-	-	1	-	1	1	1	80
B3	Syphilis and its sequelae	M	14	-	-	-	-	-	-	-	2	4	8	73
		F	17	-	-	-	-	-	-	-	5	4	8	139
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	1	-	-	-	-	-	-	-	-	290
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	4	1	1	1	1	-	-	-	-	-	-	201
		F	1	1	-	-	-	-	-	-	-	-	-	68
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	82
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	19	2	-	2	-	2	1	3	4	4	1	127
		F	17	-	1	2	-	-	-	3	3	1	7	94
	Malignant neoplasm:	M	1,942	1	4	3	15	13	43	179	475	637	572	88
	(140-205)	F	1,666	2	6	7	10	15	66	166	382	471	541	96
	stomach (151)	M	278	-	-	-	-	-	4	21	61	100	92	97
		F	173	-	-	-	-	-	3	7	27	50	86	85
	trachea, bronchus and lung	M	648	-	-	-	-	1	9	70	224	241	103	78
	(162, 163)	F	122	-	-	-	-	1	5	9	40	44	23	80
	breast (170)	M	6	-	-	-	-	-	1	2	1	1	1	164
		F	333	-	-	-	-	5	25	53	75	89	86	98
	uterus (171-174)	F	151	-	-	-	-	1	7	23	36	35	49	111
	Leukaemia and aleukaemia (204)	M	43	-	2	3	1	-	1	6	9	8	13	74
		F	46	-	2	4	3	2	-	3	8	11	13	100
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	967	1	2	-	14	12	28	80	180	287	363	94
		F	841	2	4	3	7	6	26	71	196	242	284	98
B19	Benign and unspecified neoplasms	M	25	-	1	1	-	1	2	4	7	5	4	103
		F	18	-	1	-	-	-	1	7	3	1	5	72
B20	Diabetes mellitus	M	61	-	-	-	-	3	1	4	9	17	27	104
		F	100	-	-	1	-	2	-	1	13	29	54	100
B21	Anaemias	M	16	-	-	-	-	-	-	-	3	3	10	72
		F	30	-	-	1	-	-	1	1	1	7	19	73
B22	Vascular lesions affecting central nervous system	M	1,120	-	-	-	1	4	13	30	130	334	608	88
		F	1,571	1	-	1	1	2	11	42	120	299	1,094	91
B23	Non-meningococcal meningitis	M	7	-	1	-	-	-	-	1	1	3	1	102
		F	8	3	-	1	-	-	-	2	1	-	1	128
B24	Rheumatic fever	M	2	-	-	-	-	-	-	-	1	-	1	133
		F	2	1	-	-	-	-	-	-	-	-	1	166
B25	Chronic rheumatic heart disease	M	40	-	-	-	-	1	3	6	11	12	7	54
		F	100	-	-	-	-	1	7	8	22	31	31	73

TABLE 19 - continued

Abbreviated List No.	Causes of death		East Anglia Hospital Region												S.M.R. (England and Wales = 100)
			Age												
			All ages	Under 1 year	Years								75 and over		
1-	5-	15-			25-	35-	45-	55-	65-						
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M F M F	2,253 1,450 644 809	- - - -	- - - -	- - - -	- 2 1 1	5 9 7 -	44 - - -	180 29 11 7	492 131 31 23	740 408 114 79	792 871 479 699	85 88 110 91	
B27	Other diseases of heart	M F	245 233	- 1	1 -	- -	1 1	- 1	- -	6 4	24 7	62 50	151 169	90 75	
B28	Hypertension with heart disease	M F	85 120	- -	- -	- -	- 1	- 1	- 1	3 2	15 9	24 30	42 77	66 67	
B29	Hypertension without mention of heart	M F	52 41	- -	- -	- -	- 1	- 1	- 1	7 3	14 6	13 12	16 20	72 52	
B46 (pt.)	Other circulatory diseases (450-468)	M F	327 426	- -	- -	- 2	- 3	1 10	2 3	6 9	37 28	87 82	194 292	85 92	
B30	Influenza	M F	31 49	- 1	- -	- -	- 2	1 1	1 1	1 1	3 2	6 7	19 35	47 66	
B31	Pneumonia	M F	665 718	38 18	4 8	7 5	3 1	3 4	5 3	12 9	57 29	107 127	429 514	103 101	
B32	Bronchitis	M F	495 188	3 -	2 1	1 1	- -	1 -	2 4	18 7	85 9	173 36	210 130	55 59	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M F	104 60	2 3	1 1	- 2	2 -	- -	- -	7 4	20 3	33 13	39 34	78 89	
B33	Ulcer of stomach and duodenum	M F	85 55	1 -	- -	- -	- -	- -	1 1	4 -	16 3	28 8	35 43	84 102	
B34	Appendicitis	M F	8 11	1 -	- -	- -	1 1	- -	- 1	- 2	3 3	3 2	- 2	91 146	
B35	Intestinal obstruction and hernia	M F	62 55	2 3	1 -	1 2	- -	2 -	- 1	3 -	8 1	16 22	29 26	117 92	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M F	39 55	3 2	1 2	- 1	1 -	- -	- -	2 1	8 11	10 16	14 22	104 92	
B37	Cirrhosis of liver	M F	11 18	- 1	- -	- -	- -	- 1	- 2	1 3	2 1	5 3	3 7	41 82	
B38	Nephritis and nephrosis	M F	48 44	- -	- -	3 2	1 1	- 1	2 2	10 5	8 6	10 6	14 22	86 100	
B39	Hyperplasia of prostate	M	109	-	-	-	-	-	-	-	5	27	77	129	
B40	Complications of pregnancy, childbirth and puerperium	F	5	-	-	-	3	-	2	-	-	-	-	67	
B41	Congenital malformations	M F	83 83	58 58	5 10	4 2	3 2	1 1	2 2	3 1	4 2	2 2	1 3	100 115	
B42	Birth injuries, postnatal asphyxia and atelectasis	M F	59 50	59 50	- -	- -	- -	- -	- -	- -	- -	- -	- -	75 99	
B43	Diarrhoea of newborn (764)	M F	- 1	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 97	
	Other infections of newborn (763, 765-768)	M F	11 8	11 8	- -	- -	- -	- -	- -	- -	- -	- -	- -	97 98	
B44	Other diseases of early infancy and immaturity unqualified	M F	69 38	69 38	- -	- -	- -	- -	- -	- -	- -	- -	- -	101 78	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M F	44 91	1 1	- -	- 1	- -	- -	- -	- -	- 1	2 1	41 87	67 77	
B46 (Rem.)	All other diseases (Remainder 001-795)	M F	283 429	12 8	5 4	3 7	10 7	8 12	12 12	21 29	48 62	71 85	93 203	85 96	
BE47	Motor vehicle accidents	M F	212 75	- -	3 1	8 2	66 17	23 3	16 5	26 8	29 7	21 18	20 14	108 100	
BE48	All other accidents	M F	195 250	9 7	7 3	10 1	21 2	23 5	15 2	21 6	16 18	17 30	56 176	92 118	
BE49	Suicide and self-inflicted injury	M F	101 74	- -	- -	- -	10 2	12 9	13 5	23 11	22 14	14 20	7 13	100 101	
BE50	Homicide and operations of war	M F	4 1	- -	- -	- -	1 -	1 -	1 -	- 1	1 -	- -	- -	57 20	
BN47	Fractures, head injuries and internal injuries	M F	321 246	1 1	4 1	10 2	74 16	39 3	27 6	44 10	34 12	29 36	59 159	106 120	
BN48	Burns	M F	6 13	- -	- 1	- -	- -	- -	1 -	- -	- 1	1 3	4 8	65 91	
BN49	Effects of poisons	M F	72 92	- 1	- 1	- -	8 2	12 9	7 5	16 13	15 17	5 22	9 22	71 93	
BN50	All other injuries	M F	113 49	8 5	6 1	8 1	16 3	8 5	10 1	10 3	19 9	17 7	11 14	109 104	

TABLE 19 - continued

Abbrevi- ated List No.	Causes of death	North West Metropolitan Hospital Region													S.M.R. (England and Wales = 100)
		Age													
		All ages	Under 1 year	Years											
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over			
	Numbers	M	22,483	791	141	132	303	303	649	1,856	4,982	6,121	7,205	85	
	F	21,528	559	105	93	131	202	437	1,185	2,515	4,622	11,679	81		
	Rates	M	10,790	20,492	942	441	959	1,108	2,332	6,683	20,219	44,068	110,168		
	F	9,605	15,232	739	327	419	764	1,566	4,047	9,027	22,210	81,900			
B1	Tuberculosis of respiratory system	M	110	-	1	-	-	1	6	16	39	27	20	78	
	F	49	-	-	-	-	-	1	4	8	16	9	11	99	
B2	Tuberculosis, other forms	M	8	-	-	-	-	1	1	1	3	2	-	74	
	F	14	-	-	-	1	-	1	2	5	1	4	-	103	
B3	Syphilis and its sequelae	M	43	-	-	-	-	2	5	7	17	12	95		
	F	41	-	-	-	-	-	2	4	4	13	18	126		
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B8	Diphtheria	M	1	-	-	-	-	1	-	-	-	-	-	291	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B9	Whooping cough	M	2	2	-	-	-	-	-	-	-	-	-	252	
	F	1	-	1	-	-	-	-	-	-	-	-	-	81	
B10	Meningococcal infections	M	6	2	1	1	-	-	-	-	1	1	-	113	
	F	3	-	1	-	-	-	1	-	-	1	-	-	75	
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B14	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	2	-	1	1	-	-	-	-	-	-	-	-	61	
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
B17	All other diseases classified as infective and parasitic	M	43	5	2	2	1	2	5	6	8	10	2	110	
	F	52	4	4	-	5	3	4	5	6	6	15	102		
	Malignant neoplasm: (140-205)	M	5,228	1	11	26	26	53	141	538	1,602	1,618	1,212	98	
	F	4,333	2	15	19	23	46	204	560	985	1,140	1,541	93		
	stomach (151)	M	541	-	-	-	-	-	12	60	184	154	131	79	
	F	421	-	-	-	-	-	2	3	24	79	120	193	78	
	trachea, bronchus and lung (162, 163)	M	2,222	-	-	-	1	8	41	229	819	759	365	108	
	F	521	-	-	-	-	2	22	61	152	165	119	126		
B18	breast (170)	M	10	-	-	-	-	-	1	-	5	2	2	110	
	F	891	-	-	-	-	8	66	177	248	186	206	97		
	uterus (171-174)	M	287	-	-	-	1	4	28	48	56	81	69	78	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Leukaemia and aleukaemia (204)	M	146	-	3	9	7	10	3	18	26	38	32	103	
	F	133	1	5	8	6	6	5	13	19	30	40	107		
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,309	1	8	17	18	35	84	231	568	665	682	95	
	F	2,080	1	10	11	16	24	80	237	429	558	714	90		
B19	Benign and unspecified neoplasms	M	69	3	1	-	1	3	6	9	26	15	5	114	
	F	54	-	2	2	-	4	2	7	11	13	13	79		
B20	Diabetes mellitus	M	128	1	1	-	-	3	5	10	25	33	50	93	
	F	199	1	-	1	-	-	5	4	25	57	106	75		
B21	Anaemias	M	44	2	-	2	1	2	-	7	8	22	86		
	F	86	-	1	1	-	-	2	1	9	18	54	79		
B22	Vascular lesions affecting central nervous system	M	1,998	4	-	2	7	11	31	88	311	548	996	69	
	F	3,468	4	1	1	2	11	26	105	280	717	2,321	76		
B23	Non-meningococcal meningitis	M	12	2	7	1	-	-	-	-	1	1	-	68	
	F	19	5	3	-	-	1	-	1	2	4	3	112		
B24	Rheumatic fever	M	4	1	-	1	1	-	-	-	1	-	-	108	
	F	6	-	1	-	-	-	-	-	1	1	3	185		
B25	Chronic rheumatic heart disease	M	170	1	-	1	1	5	14	27	63	30	28	92	
	F	327	-	-	-	1	2	13	51	92	66	102	88		

TABLE 19 - continued

Abbrevi- ated List No.	Causes of death		North West Metropolitan Hospital Region											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	5,608	-	-	1	1	17	153	641	1,615	1,772	1,408	89
		F	3,535	-	-	-	1	2	22	90	398	1,045	1,977	81
		M	791	-	-	1	4	4	9	22	66	129	556	61
		F	1,491	1	1	-	2	-	3	11	31	145	1,297	64
B27	Other diseases of heart	M	502	-	1	2	2	4	6	15	69	121	282	81
B28	Hypertension with heart disease	F	605	2	-	2	3	6	5	11	34	103	439	73
		M	205	-	-	-	-	2	1	14	33	69	86	68
		F	338	-	-	-	-	-	-	6	21	85	226	71
B29	Hypertension without mention of heart	M	200	-	-	1	2	4	5	23	49	44	72	116
B46 (pt.)	Other circulatory diseases (450-468)	F	233	-	-	-	-	-	5	14	24	57	133	112
		M	744	-	-	-	-	3	10	36	118	210	367	86
		F	1,075	2	-	-	4	8	8	38	85	213	717	88
B30	Influenza	M	55	-	-	1	-	1	2	4	8	17	22	37
B31	Pneumonia	F	79	1	1	-	-	1	-	2	6	13	55	40
		M	1,330	70	16	8	7	7	10	46	127	290	749	90
		F	1,655	56	11	6	4	2	10	26	78	242	1,220	88
B32	Bronchitis	M	1,628	23	8	2	2	3	9	66	333	596	586	77
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	649	18	6	2	1	2	3	24	63	168	362	77
		M	214	9	4	-	1	-	7	12	42	63	76	67
		F	154	5	5	-	1	2	4	8	17	30	82	86
B33	Ulcer of stomach and duodenum	M	207	-	-	-	1	2	-	16	54	63	71	87
B34	Appendicitis	F	133	-	-	-	-	1	-	2	11	28	91	93
		M	16	-	1	1	1	-	1	2	4	5	1	75
		F	11	-	1	2	-	1	-	-	2	2	3	54
B35	Intestinal obstruction and hernia	M	110	15	1	-	1	-	-	7	18	33	35	88
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	133	8	-	1	-	-	4	2	11	29	78	83
		M	84	9	9	1	2	3	6	8	9	19	18	92
		F	147	5	2	-	-	-	5	9	12	33	81	93
B37	Cirrhosis of liver	M	67	-	-	1	-	-	5	11	25	19	6	101
B38	Nephritis and nephrosis	F	60	-	1	1	1	-	2	7	19	17	12	101
		M	126	1	-	2	2	7	13	19	28	29	25	93
		F	80	-	-	1	3	1	5	5	15	14	36	68
B39	Hyperplasia of prostate	M	140	-	-	-	-	-	2	12	29	97	75	
B40	Complications of pregnancy, childbirth and puerperium	F	26	-	-	-	7	12	6	1	-	-	-	128
B41	Congenital malformations	M	216	142	18	6	8	5	6	10	14	6	1	97
B42	Birth injuries, postnatal asphyxia and atelectasis	F	171	110	11	6	4	7	2	8	9	9	5	87
		M	223	223	-	-	-	-	-	-	-	-	-	103
		F	135	135	-	-	-	-	-	-	-	-	-	97
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	1	1	-	-	-	-	-	-	-	-	-	33
		F	1	1	-	-	-	-	-	-	-	-	-	35
		M	28	28	-	-	-	-	-	-	-	-	-	90
B44	Other diseases of early infancy and immaturity unqualified	F	24	24	-	-	-	-	-	-	-	-	-	108
		M	189	189	-	-	-	-	-	-	-	-	-	101
		F	137	137	-	-	-	-	-	-	-	-	-	102
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	73	4	1	2	1	-	1	-	-	6	58	51
B46 (Rem.)	All other diseases (Remainder 001-795)	F	154	2	-	-	-	-	-	-	2	4	146	49
		M	759	26	17	17	33	27	49	70	122	185	213	96
		F	1,010	17	10	20	22	29	24	73	133	225	457	84
BE47	Motor vehicle accidents	M	374	1	16	25	104	41	39	36	44	28	40	79
BE48	All other accidents	F	184	1	5	16	22	10	11	20	28	30	41	92
		M	421	22	25	22	58	44	41	49	41	44	75	81
		F	427	17	21	10	11	14	19	26	37	60	212	76
BE49	Suicide and self-inflicted injury	M	274	-	-	1	29	41	57	43	56	33	14	107
BE50	Homicide and operations of war	F	217	-	-	-	11	34	33	54	44	24	17	108
		M	32	4	-	2	6	7	7	4	1	1	-	180
		F	10	1	-	1	2	2	2	-	1	-	1	72
BN47	Fractures, head injuries and internal injuries	M	541	6	23	22	123	63	53	56	68	48	79	74
BN48	Burns	F	365	2	9	16	23	12	13	22	36	48	184	67
		M	21	-	4	3	-	-	5	2	2	1	4	94
		F	30	1	6	2	-	1	3	1	2	2	12	79
BN49	Effects of poisons	M	310	2	4	6	35	43	57	51	53	34	25	122
BN50	All other injuries	F	335	2	5	3	17	35	43	64	62	50	54	124
		M	229	19	10	19	39	27	29	23	19	23	21	88
		F	108	14	6	6	6	12	6	13	10	14	21	85

TABLE 19 - continued

Abbreviated List No.	Causes of death	North East Metropolitan Hospital Region												S.M.R. (England and Wales = 100)
		Age												
		All ages	Under 1 year	Years										
1-	5-			15-	25-	35-	45-	55-	65-	75 and over				
	Numbers	M	18,119	557	87	91	236	187	479	1,366	3,780	5,160	6,176	91
	F		16,800	404	68	58	86	128	324	912	1,852	3,775	9,193	84
	Rates	M	11,529	19,207	771	403	990	906	2,282	6,520	20,334	49,237	125,020	
	F		9,939	14,638	635	271	364	642	1,540	4,129	8,811	24,060	85,516	
B1	Tuberculosis of respiratory system	M	90	-	-	-	-	1	8	6	28	29	18	84
		F	26	-	-	-	-	-	3	5	8	5	5	69
B2	Tuberculosis, other forms	M	9	-	1	-	-	-	-	-	5	1	2	111
		F	13	-	1	-	1	-	-	2	2	2	5	127
B3	Syphilis and its sequelae	M	39	-	-	-	-	-	-	2	11	15	11	114
		F	20	-	-	-	-	-	-	-	3	9	8	82
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	2	-	-	-	-	-	1	-	1	-	-	301
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	168
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	4	3	1	-	-	-	-	-	-	-	-	100
		F	4	1	3	-	-	-	-	-	-	-	-	133
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	35	3	2	2	-	4	2	2	12	6	2	121
		F	35	4	-	4	1	1	2	2	7	5	9	97
	Malignant neoplasm: (140-205)	M	4,223	2	16	20	20	30	126	420	1,193	1,431	965	105
	stomach (151)	F	3,318	1	9	11	13	31	128	431	705	945	1,044	94
		M	526	-	-	-	-	-	10	61	123	200	132	102
		F	380	-	-	-	-	1	7	32	70	106	164	93
	trachea, bronchus and lung (162, 163)	M	1,733	-	-	-	1	1	34	182	630	605	280	112
		F	333	-	-	-	-	3	7	38	91	117	77	107
	breast (170)	M	14	-	-	-	-	-	-	1	4	5	4	204
		F	722	-	-	-	-	6	49	154	175	163	175	104
	uterus (171-174)	F	240	-	-	-	1	3	18	59	45	67	47	86
	Leukaemia and aleukaemia (204)	M	119	-	3	9	5	5	10	14	17	34	22	111
		F	78	-	5	2	2	3	5	7	12	22	20	83
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,831	2	13	11	14	24	72	162	419	587	527	99
		F	1,565	1	4	9	10	15	42	141	312	470	561	90
B19	Benign and unspecified neoplasms	M	52	2	-	1	1	1	8	9	10	14	6	114
		F	64	-	-	1	2	3	2	13	13	17	13	125
B20	Diabetes mellitus	M	92	-	-	-	-	-	3	4	19	41	25	88
		F	196	-	-	-	1	2	2	3	18	80	90	97
B21	Anaemias	M	48	-	1	1	1	-	-	2	10	17	16	124
		F	62	-	2	-	-	-	-	12	7	10	41	76
B22	Vascular lesions affecting central nervous system	M	1,748	-	1	3	4	4	18	72	248	484	914	80
		F	2,781	-	-	2	6	7	25	69	215	606	1,851	81
B23	Non-meningococcal meningitis	M	19	7	1	1	1	1	1	1	1	3	2	142
		F	13	5	1	1	-	-	-	2	1	2	1	102
B24	Rheumatic fever	M	2	-	-	-	-	-	-	-	1	-	1	72
		F	2	-	-	-	-	-	-	-	-	2	-	82
B25	Chronic rheumatic heart disease	M	135	-	-	-	1	8	16	26	33	32	19	97
		F	275	-	-	-	-	5	20	49	61	75	65	98

TABLE 19 - continued

Abbreviated List No.	Causes of death		North East Metropolitan Hospital Region											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
1-	5-	15-			25-	35-	45-	55-	65-					
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	4,376	-	-	-	1	13	95	466	1,190	1,383	1,228	92
		F	2,771	-	-	1	1	16	84	290	790	1,588	85	
		M	600	1	-	-	3	7	15	53	118	400	62	
		F	1,019	-	-	-	-	1	2	9	26	112	869	58
B27	Other diseases of heart	M	422	3	1	-	2	3	3	13	48	127	222	90
B28	Hypertension with heart disease	F	518	-	-	-	-	3	3	7	24	106	375	83
		M	177	-	-	-	-	1	3	6	41	56	70	78
		F	235	-	-	-	-	-	2	4	15	65	149	65
B29	Hypertension without mention of heart	M	112	-	-	-	3	-	6	13	31	22	37	86
B46 (pt.)	Other circulatory diseases (450-468)	F	146	-	-	-	-	1	2	6	20	27	90	93
		M	601	1	-	-	1	3	10	17	81	154	334	92
		F	793	1	-	-	1	7	5	13	51	119	596	86
B30	Influenza	M	51	-	2	-	-	-	1	3	9	11	25	45
B31	Pneumonia	F	52	1	-	1	-	3	1	3	3	9	31	35
		M	1,029	58	10	2	8	3	9	20	91	229	599	92
		F	1,386	30	6	6	1	6	8	23	64	224	1,018	98
B32	Bronchitis	M	1,544	17	2	-	1	1	6	59	299	538	621	97
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	577	9	5	-	1	2	5	18	54	146	337	91
		M	189	3	4	1	1	2	3	16	35	66	58	79
		F	113	2	2	3	1	2	2	9	12	24	56	83
B33	Ulcer of stomach and duodenum	M	182	-	-	-	-	2	4	9	31	56	80	101
B34	Appendicitis	F	99	-	-	-	-	-	1	2	15	16	65	92
		M	11	-	1	-	1	-	1	-	2	3	3	68
		F	16	-	1	1	-	-	1	1	3	5	4	105
B35	Intestinal obstruction and hernia	M	87	9	1	-	1	-	-	3	15	18	40	92
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	104	3	1	-	1	-	-	8	10	25	56	87
		M	60	9	2	-	2	1	-	7	15	14	10	87
		F	123	3	8	-	1	1	4	6	17	23	60	103
B37	Cirrhosis of liver	M	47	-	-	-	-	-	3	7	19	13	5	94
B38	Nephritis and nephrosis	F	27	-	-	1	-	-	2	5	2	10	7	60
		M	97	-	2	-	2	4	7	9	21	25	27	95
B39	Hyperplasia of prostate	F	60	-	1	1	1	3	4	5	10	17	18	67
		M	133	-	-	-	-	-	-	2	10	34	87	95
B40	Complications of pregnancy, childbirth and puerperium	F	16	-	-	-	5	8	2	1	-	-	-	105
B41	Congenital malformations	M	171	115	10	9	6	7	9	8	3	3	1	102
		F	150	109	11	1	-	1	7	7	6	3	5	101
B42	Birth injuries, postnatal asphyxia and atelectasis	M	135	135	-	-	-	-	-	-	-	-	-	83
		F	94	94	-	-	-	-	-	-	-	-	-	90
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
		M	21	21	-	-	-	-	-	-	-	-	-	89
B44	Other diseases of early infancy and immaturity unqualified	F	11	11	-	-	-	-	-	-	-	-	-	66
		M	134	133	1	-	-	-	-	-	-	-	-	95
		F	111	111	-	-	-	-	-	-	-	-	-	110
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	52	1	-	-	-	-	2	-	2	5	42	48
		F	128	1	1	-	1	1	-	-	1	4	119	54
B46 (Rem.)	All other diseases (Remainder 001-795)	M	566	20	9	6	32	17	33	40	90	126	193	95
		F	897	9	4	10	21	18	31	69	128	202	405	99
BE47	Motor vehicle accidents	M	321	-	7	24	86	27	30	30	43	38	36	90
BE48	All other accidents	F	116	1	3	8	16	3	6	12	14	25	28	77
		M	309	11	10	18	38	28	34	43	38	26	63	79
		F	279	7	8	6	3	8	14	10	14	39	170	65
BE49	Suicide and self-inflicted injury	M	177	-	-	1	20	21	27	33	40	22	13	92
BE50	Homicide and operations of war	F	139	-	-	-	6	10	20	30	33	25	15	92
		M	16	2	2	2	-	2	3	3	1	-	1	119
		F	10	1	1	-	2	-	3	2	-	1	-	96
EN47	Fractures, head injuries and internal injuries	M	465	-	10	29	100	46	46	48	61	53	72	84
EN48	Burns	F	274	2	4	10	16	5	9	15	20	40	153	67
		M	20	2	1	-	4	1	2	2	1	1	6	119
		F	21	-	3	2	1	-	-	-	1	3	11	73
EN49	Effects of poisons	M	190	-	3	3	16	20	31	34	36	22	25	99
EN50	All other injuries	F	179	-	3	1	6	15	22	30	34	31	37	88
		M	148	11	5	13	24	11	15	25	24	10	10	75
		F	70	7	2	1	4	1	12	9	6	16	12	73

TABLE 19 - continued

Abbrevi- ated List No.	Causes of death	South East Metropolitan Hospital Region													S.M.R. (England and Wales = 100)
		Age													
		All ages	Under 1 year	Years											
1-	5-			15-	25-	35-	45-	55-	65-	75 and over					
	Numbers	M	21,013	570	98	112	239	196	441	1,439	3,826	6,059	8,033	102	
	F		21,590	371	62	59	86	132	334	964	2,142	4,729	12,711	105	
	Rates	M	12,918	18,937	839	480	969	918	2,030	6,634	19,886	55,895	157,202		
	F		12,339	12,972	559	266	352	640	1,534	4,217	9,844	29,119	114,205		
B1	Tuberculosis of respiratory system	M	95	1	-	-	-	-	3	15	23	31	22	86	
		F	42	-	-	-	-	-	5	4	8	12	13	108	
B2	Tuberculosis, other forms	M	7	-	-	-	1	1	-	3	1	-	1	83	
		F	6	-	-	-	-	-	1	-	1	2	2	57	
B3	Syphilis and its sequelae	M	47	-	-	-	-	-	-	4	11	19	13	133	
		F	23	-	-	-	-	-	-	1	6	5	11	91	
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B6	Dysentery, all forms	M	1	1	-	-	-	-	-	-	-	-	-	145	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	1	-	-	-	-	-	-	-	502	
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B10	Meningococcal infections	M	2	1	-	-	1	-	-	-	-	-	-	48	
		F	2	-	1	1	-	-	-	-	-	-	-	64	
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B14	Measles	M	2	-	2	-	-	-	-	-	-	-	-	68	
		F	4	1	1	1	1	-	-	-	-	-	-	157	
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B17	All other diseases classified as infective and parasitic	M	29	1	1	4	1	2	2	3	5	6	4	94	
		F	28	2	-	-	-	1	-	4	7	7	7	76	
	Malignant neoplasm:	M	4,530	-	9	14	23	33	113	384	1,189	1,537	1,228	109	
	(140-205)	F	4,094	1	7	11	11	30	142	453	834	1,185	1,420	112	
	stomach (151)	M	515	-	-	-	-	1	5	51	117	183	158	96	
		F	400	-	-	-	-	1	3	21	59	127	189	95	
	trachea, bronchus and lung	M	1,854	-	-	-	-	3	29	182	600	722	318	116	
	(162, 163)	F	411	-	-	-	-	1	13	65	105	152	95	127	
B18	breast (170)	M	7	-	-	-	-	-	-	-	2	2	3	99	
		F	818	-	-	-	-	7	35	152	197	211	216	114	
	uterus (171-174)	M	263	-	-	-	-	1	22	31	74	73	62	91	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
	Leukaemia and aleukaemia (204)	M	124	-	3	6	7	5	11	14	19	28	31	112	
		F	99	-	4	4	2	4	9	10	20	17	29	102	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,030	-	6	8	16	24	68	137	451	602	718	107	
		F	2,103	1	3	7	9	16	60	174	379	625	829	117	
B19	Benign and unspecified neoplasms	M	37	3	-	1	1	-	1	6	10	10	5	78	
		F	57	-	1	1	1	1	3	10	11	11	18	107	
B20	Diabetes mellitus	M	107	-	-	1	1	3	4	10	20	30	38	99	
		F	202	-	1	-	-	1	4	3	17	68	108	97	
B21	Anaemias	M	23	1	-	-	1	-	-	1	1	6	13	58	
		F	70	2	1	-	-	-	1	2	4	14	46	83	
B22	Vascular lesions affecting central nervous system	M	2,249	2	-	2	4	4	30	75	251	661	1,220	99	
		F	3,709	-	-	-	-	6	12	82	234	762	2,613	104	
B23	Non-meningococcal meningitis	M	12	5	1	-	-	-	-	1	2	2	1	87	
		F	19	5	1	-	-	-	2	1	4	1	5	144	
B24	Rheumatic fever	M	3	1	-	-	-	-	1	-	-	1	-	104	
		F	2	-	-	-	-	-	-	-	-	2	-	79	
B25	Chronic rheumatic heart disease	M	123	-	-	-	-	2	9	25	30	36	21	85	
		F	282	-	-	-	1	6	14	40	65	78	78	97	

TABLE 19 - continued

Abbreviated List No.	Causes of death		South East Metropolitan Hospital Region												S.M.R. (England and Wales = 100)
			Age												
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease including coronary disease (420)	M	5,079	-	-	-	8	99	505	1,204	1,646	1,617	103		
	Degenerative heart disease (421, 422)	F	3,629	-	1	-	3	13	69	352	1,019	2,171	107		
		M	966	-	1	1	1	7	14	46	175	720	96		
		F	1,937	-	-	2	1	3	5	9	31	195	1,691	106	
B27	Other diseases of heart	M	524	-	2	-	2	5	6	16	54	128	311	108	
		F	703	-	-	2	3	5	6	9	43	111	524	109	
B28	Hypertension with heart disease	M	253	-	-	-	-	1	2	13	30	92	115	108	
		F	409	-	-	-	-	1	1	8	25	98	277	110	
B29	Hypertension without mention of heart	M	136	-	-	-	-	4	7	12	34	34	45	101	
		F	177	-	-	-	-	2	2	9	14	31	119	109	
B46 (pt.)	Other circulatory diseases (450-468)	M	752	1	1	-	2	1	7	31	107	217	385	111	
		F	932	-	-	-	1	5	10	20	57	198	641	98	
B30	Influenza	M	102	-	1	1	2	-	1	4	6	23	64	87	
		F	103	-	-	-	1	-	-	3	6	14	79	87	
B31	Pneumonia	M	1,363	54	14	4	4	4	13	35	101	305	829	118	
		F	1,665	29	7	2	3	1	10	30	75	265	1,243	113	
B32	Bronchitis	M	1,520	20	4	2	1	-	5	56	285	551	596	92	
		F	559	10	2	1	-	1	6	18	53	138	330	85	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	242	9	5	-	-	1	4	16	45	85	77	97	
		F	130	4	1	1	1	-	1	9	14	24	75	93	
B33	Ulcer of stomach and duodenum	M	209	-	-	-	-	2	3	18	46	56	84	113	
		F	135	-	-	-	-	1	2	5	8	33	86	121	
B34	Appendicitis	M	13	-	-	2	1	-	-	1	2	3	4	78	
		F	21	1	1	-	1	1	-	-	3	5	9	133	
B35	Intestinal obstruction and hernia	M	106	8	1	-	-	1	1	4	21	25	45	109	
		F	144	-	-	1	-	2	4	1	14	43	79	116	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	65	7	2	-	1	2	-	4	17	12	20	91	
		F	136	8	3	3	1	2	-	4	15	25	75	110	
B37	Cirrhosis of liver	M	51	-	-	-	-	1	-	11	12	14	13	99	
		F	46	-	-	-	1	-	1	5	12	14	13	99	
B38	Nephritis and nephrosis	M	97	3	-	1	2	4	3	9	23	20	32	92	
		F	110	-	-	1	2	-	6	12	13	28	48	119	
B39	Hyperplasia of prostate	M	109	-	-	-	-	-	-	1	4	19	85	75	
B40	Complications of pregnancy, childbirth and puerperium	F	16	-	-	-	3	11	2	-	-	-	-	101	
B41	Congenital malformations	M	178	114	17	10	3	5	2	7	8	6	6	103	
		F	139	89	8	11	4	3	3	6	4	7	4	90	
B42	Birth injuries, postnatal asphyxia and atelectasis	M	145	145	-	-	-	-	-	-	-	-	-	86	
		F	96	96	-	-	-	-	-	-	-	-	-	89	
B43	Diarrhoea of newborn (764)	M	1	1	-	-	-	-	-	-	-	-	-	43	
		F	2	2	-	-	-	-	-	-	-	-	-	91	
	Other infections of newborn (763, 765-768)	M	16	16	-	-	-	-	-	-	-	-	-	66	
		F	13	13	-	-	-	-	-	-	-	-	-	75	
B44	Other diseases of early infancy and immaturity unqualified	M	136	136	-	-	-	-	-	-	-	-	-	93	
		F	85	85	-	-	-	-	-	-	-	-	-	81	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	72	-	1	-	1	2	-	-	-	3	65	65	
		F	187	1	1	-	-	-	-	1	1	6	177	77	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	675	13	8	21	22	12	25	52	108	190	224	109	
		F	984	12	10	11	14	20	35	66	123	229	464	105	
BE47	Motor vehicle accidents	M	347	2	8	24	113	32	29	36	36	31	36	94	
		F	137	-	3	6	19	4	5	17	16	26	41	88	
BE48	All other accidents	M	375	22	20	23	36	37	35	31	49	44	78	93	
		F	342	9	11	3	7	2	7	14	26	39	224	77	
BE49	Suicide and self-inflicted injury	M	204	-	-	-	13	27	27	35	45	41	16	102	
		F	202	-	-	-	8	19	29	49	46	33	18	129	
BE50	Homicide and operations of war	M	10	3	-	1	2	1	2	1	-	-	-	72	
		F	10	1	1	-	1	2	2	-	-	1	2	93	
BN47	Fractures, head injuries and internal injuries	M	522	4	10	31	126	45	54	50	60	55	87	92	
		F	364	1	5	7	22	7	7	19	24	54	218	85	
BN48	Burns	M	14	2	2	-	1	1	2	-	-	1	5	80	
		F	26	2	2	2	2	-	-	1	1	3	13	87	
BN49	Effects of poisons	M	208	1	6	1	14	24	19	33	42	44	24	105	
		F	220	-	3	-	6	19	27	49	47	29	40	105	
BN50	All other injuries	M	192	20	10	16	23	27	18	20	28	16	14	95	
		F	81	7	5	-	5	1	9	11	16	13	14	81	

TABLE 19 - continued

Abbreviated List No.	Causes of death	South West Metropolitan Hospital Region													S.M.R. (England and Wales = 100)
		Age													
		All ages	Under 1 year	Years											
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over			
	ALL CAUSES	Numbers M 19,075 F 20,362	568 409	102 77	93 56	253 124	198 147	481 346	1,361 968	3,897 2,161	5,242 4,236	6,880 11,838	93 100		
		Rates M 11,810 F 11,723	18,997 14,401	881 701	401 254	1,032 511	935 717	2,230 1,601	6,318 4,268	20,392 10,009	48,717 26,262	135,187 107,228			
B1	Tuberculosis of respiratory system	M 96 F 37	- -	- -	- -	1 -	2 2	8 2	7 10	29 6	32 9	17 8	87 96		
B2	Tuberculosis, other forms	M 6 F 13	- -	- -	- -	2 -	1 -	- -	- 3	2 1	- 4	1 5	72 124		
B3	Syphilis and its sequelae	M 39 F 45	- -	- -	- -	- -	- -	1 -	2 3	8 4	15 16	13 22	111 179		
B4	Typhoid fever	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B5	Cholera	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B6	Dysentery, all forms	M 1 F 1	- -	- -	- -	1 -	- -	- 1	- -	- -	- -	- -	146 136		
B7	Scarlet fever and streptococcal sore throat	M 1 F -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	717 -		
B8	Diphtheria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B9	Whooping cough	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B10	Meningococcal infections	M 2 F 4	1 -	1 -	- -	- 1	- -	- -	- 1	- 1	- -	1 -	49 129		
B11	Plague	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B12	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B13	Smallpox	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B14	Measles	M 1 F -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	54 -		
B15	Typhus and other rickettsial diseases	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B16	Malaria	M 1 F -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	431 -		
B17	All other diseases classified as infective and parasitic	M 27 F 37	- 1	1 2	- 1	1 2	1 1	3 1	4 5	6 9	9 6	2 9	90 100		
	Malignant neoplasm: (140-205)	M 4,387 F 3,971	2 3	14 13	18 8	17 25	33 38	104 148	410 467	1,231 879	1,418 1,062	1,140 1,328	106 109		
	stomach (151)	M 438 F 342	- -	- -	- -	- -	- -	- 8	4 17	43 44	127 104	146 169	82 82		
	trachea, bronchus and lung (162, 163)	M 1,846 F 472	- -	- -	- -	2 -	3 1	32 9	181 59	630 140	666 163	332 100	116 147		
B18	breast (170)	M 3 F 831	- -	- -	- -	- -	- 9	- 44	- 149	- 221	- 187	- 221	- 116		
	uterus (171-174)	M 240 F -	- -	- -	- -	- -	- -	18 45	45 68	221 57	187 52	221 52	116 84		
	Leukaemia and aleukaemia (204)	M 126 F 116	- 1	6 10	9 6	5 4	2 3	11 8	9 17	22 15	25 23	37 29	115 121		
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M 1,974 F 1,970	2 2	8 3	9 2	10 21	28 25	57 61	176 180	450 391	561 528	653 757	104 110		
B19	Benign and unspecified neoplasms	M 41 F 52	1 -	2 -	1 -	2 1	- 1	1 2	6 3	15 13	4 10	9 22	87 99		
B20	Diabetes mellitus	M 91 F 145	- -	- -	1 2	- -	- 1	8 2	12 5	19 20	24 40	27 75	85 70		
B21	Anaemias	M 32 F 72	- -	2 -	- 2	- 1	- 1	1 -	1 -	5 6	6 10	17 52	81 86		
B22	Vascular lesions affecting central nervous system	M 1,829 F 3,188	2 2	- 1	2 1	4 2	7 7	22 22	75 100	282 253	500 679	935 2,122	81 90		
B23	Non-meningococcal meningitis	M 16 F 15	2 3	3 -	- 2	1 1	- -	1 -	1 1	2 2	4 5	2 1	116 115		
B24	Rheumatic fever	M - F 2	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- 1	- 80		
B25	Chronic rheumatic heart disease	M 145 F 275	- -	- -	- -	7 6	2 7	11 19	28 33	39 65	33 73	25 72	101 95		

TABLE 19 - continued

Abbreviated List No.	Causes of death		South West Metropolitan Hospital Region												S.M.R. (England and Wales = 100)
			Age												
			All ages	Under 1 year	Years								75 and over		
					1-	5-	15-	25-	35-	45-	55-	65-			
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M F M F	4,510 3,183 982 2,038	- - - -	- - - 1	- - - 1	- - - 1	15 1 3 -	122 9 4 1	434 64 16 8	1,181 303 51 36	1,406 919 193 183	1,352 1,887 715 1,808	92 94 98 113	
B27	Other diseases of heart	M F	362 568	1 -	- -	1 -	2 -	3 2	2 7	16 6	42 29	97 100	198 424	75 89	
B28	Hypertension with heart disease	M F	171 285	- -	- -	- -	- -	- 1	2 5	7 2	29 21	100 55	424 206	89 77	
B29	Hypertension without mention of heart	M F	165 200	- -	- -	- -	1 1	3 -	13 4	43 13	48 44	57 135	123 124	123 124	
B46 (pt.)	Other circulatory diseases (450-468)	M F	684 1,042	- 1	- 1	- -	- -	1 4	5 12	34 18	109 54	183 188	352 764	101 110	
B30	Influenza	M F	63 85	- -	1 2	1 -	2 2	1 -	2 1	8 -	8 9	13 12	27 59	54 56	
B31	Pneumonia	M F	1,256 1,668	52 49	9 8	3 6	10 6	3 4	9 7	31 28	126 71	280 233	733 1,256	109 114	
B32	Bronchitis	M F	1,316 565	14 11	2 4	4 1	2 1	2 1	10 4	53 19	246 58	468 133	515 333	80 87	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M F	195 116	4 4	- 3	4 -	1 1	3 3	5 -	42 5	54 18	77 23	79 59	79 83	
B33	Ulcer of stomach and duodenum	M F	167 143	- -	- -	- -	- -	2 2	7 4	37 11	53 32	68 92	90 129	90 129	
B34	Appendicitis	M F	14 21	- -	2 1	- 1	1 -	2 2	1 1	3 2	2 3	3 9	84 134	84 134	
B35	Intestinal obstruction and hernia	M F	100 108	5 7	1 -	- -	1 1	- -	1 -	6 3	13 13	25 26	48 58	103 88	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M F	76 127	9 4	6 3	- 2	1 1	4 3	2 2	11 4	19 11	20 27	107 70	107 103	
B37	Cirrhosis of liver	M F	46 42	- -	- -	1 1	- -	- 3	4 1	8 5	13 8	12 20	9 4	90 91	
B38	Nephritis and nephrosis	M F	84 82	1 -	- -	- -	5 -	3 3	8 5	10 9	19 11	22 20	16 34	80 90	
B39	Hyperplasia of prostate	M	141	-	-	-	-	1	2	10	20	108	98	98	
B40	Complications of pregnancy, childbirth and puerperium	F	15	-	-	-	6	5	4	-	-	-	-	95	
B41	Congenital malformations	M F	186 145	112 78	24 18	10 7	9 2	6 3	5 3	4 9	6 7	3 7	7 11	108 95	
B42	Birth injuries, postnatal asphyxia and atelectasis	M F	154 94	154 94	- -	- -	- -	- -	- -	- -	- -	- -	- -	92 87	
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M F M F	2 2 16 11	2 2 16 11	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	86 92 66 64	
B44	Other diseases of early infancy and immaturity unqualified	M F	147 120	147 120	- -	- -	- -	- -	- -	- -	- -	- -	- -	102 116	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M F	63 206	- -	- -	- -	1 -	- -	1 1	5 2	2 6	54 196	57 85	57 85	
B46 (Rem.)	All other diseases (Remainder 001-795)	M F	575 947	18 7	6 3	11 9	20 13	18 15	30 39	54 66	119 141	141 208	158 446	93 102	
BE47	Motor vehicle accidents	M F	317 150	- 1	10 6	18 9	99 21	22 8	36 7	22 14	40 24	37 21	33 39	86 97	
BE48	All other accidents	M F	312 339	22 9	16 13	19 2	29 11	31 8	26 9	36 24	42 24	40 36	51 203	78 77	
BE49	Suicide and self-inflicted injury	M	243	-	-	-	32	30	39	45	56	20	21	123	
BE50	Homicide and operations of war	F M F	191 13 12	- 3 2	- - -	- - -	14 2 4	19 5 3	30 - -	42 - -	35 3 1	25 - 1	26 - 1	122 94 112	
BN47	Fractures, head injuries and internal injuries	M F	465 332	6 4	14 6	24 9	117 26	40 9	40 9	41 17	64 56	56 37	63 179	82 79	
BN48	Burns	M F	8 28	- -	1 2	- -	- -	- 1	3 -	- 1	- 3	1 5	3 16	46 95	
BN49	Effects of poisons	M F	257 244	1 1	7 6	4 1	23 15	29 21	40 35	45 50	54 36	24 23	30 58	131 117	
BN50	All other injuries	M F	155 88	18 7	4 5	9 1	22 9	19 7	18 4	17 12	23 9	16 18	9 16	77 89	

TABLE 19 - continued

Abbreviated List No.	Causes of death	Wessex Hospital Region													S.M.R. (England and Wales = 100)
		Age													
		All ages	Under 1 year	Years											
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over			
	Numbers	M	11,808	355	60	53	167	118	238	737	2,123	3,434	4,523	101	
		F	11,397	242	45	30	68	76	182	469	1,103	2,470	6,712	97	
	Rates	M	12,794	20,760	906	400	1,193	974	1,932	5,987	19,441	55,837	155,966		
		F	11,478	14,847	715	238	491	648	1,471	3,619	8,931	26,790	106,203		
B1	Tuberculosis of respiratory system	M	47	-	-	-	-	1	1	9	13	16	7	75	
		F	19	-	-	-	-	-	3	4	3	2	7	86	
B2	Tuberculosis, other forms	M	10	-	-	-	1	-	1	3	2	2	1	210	
		F	3	-	-	-	-	-	1	-	-	2	-	50	
B3	Syphilis and its sequelae	M	25	-	-	-	-	-	-	1	3	15	6	124	
		F	14	-	-	-	-	-	-	2	-	5	7	97	
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	1	-	-	-	-	-	-	-	-	-	183	
B10	Meningococcal infections	M	1	-	1	-	-	-	-	-	-	-	-	43	
		F	2	-	-	1	-	-	-	1	-	-	-	113	
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B14	Measles	M	2	-	2	-	-	-	-	-	-	-	-	120	
		F	1	-	1	-	-	-	-	-	-	-	-	69	
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B17	All other diseases classified as infective and parasitic	M	20	2	4	-	-	-	-	2	3	4	5	118	
		F	17	-	1	-	1	1	1	3	2	6	2	81	
	Malignant neoplasm: (140-205)	M	2,450	-	7	13	13	27	62	205	645	834	644	104	
		F	2,065	2	3	7	9	23	87	226	425	561	722	100	
	stomach (151)	M	260	-	-	-	-	1	11	20	59	88	81	86	
		F	203	-	-	-	-	-	1	16	28	51	107	85	
	trachea, bronchus and lung (162, 163)	M	912	-	-	-	-	2	15	89	318	338	150	100	
		F	163	-	-	-	1	2	6	14	54	50	36	89	
	breast (170)	M	2	-	-	-	-	-	-	1	1	-	-	50	
		F	461	-	-	-	-	3	34	77	99	110	138	113	
	uterus (171-174)	F	153	-	-	-	-	1	7	18	47	46	34	93	
	Leukaemia and aleukaemia (204)	M	75	-	3	5	3	2	1	15	15	20	11	120	
		F	56	-	1	4	2	4	3	6	7	10	19	102	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,201	-	4	8	10	22	35	80	252	388	402	111	
		F	1,029	2	2	3	6	13	36	95	190	294	388	100	
B19	Benign and unspecified neoplasms	M	24	-	-	1	1	1	-	5	6	8	2	89	
		F	23	-	-	1	2	2	1	4	6	4	3	76	
B20	Diabetes mellitus	M	57	-	-	-	-	-	-	1	10	19	27	93	
		F	115	-	-	-	1	4	-	5	16	33	56	97	
B21	Anaemias	M	23	-	-	1	-	-	-	-	4	5	13	101	
		F	38	-	-	-	1	-	1	2	1	11	22	79	
B22	Vascular lesions affecting central nervous system	M	1,349	1	-	-	2	4	9	48	167	365	753	105	
		F	1,980	-	-	1	-	2	5	43	127	424	1,378	98	
B23	Non-meningococcal meningitis	M	10	3	1	-	-	-	1	1	2	2	-	127	
		F	5	2	1	1	-	-	-	-	-	1	-	67	
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	1	-	-	-	70	
B25	Chronic rheumatic heart disease	M	65	-	-	-	2	1	5	7	15	20	15	80	
		F	106	-	-	-	-	2	7	12	18	31	36	64	

TABLE 19 - continued

Abbrevi- ated List No.	Causes of death		Wessex Hospital Region												S.M.R. (England and Wales = 100)
			Age												
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease including coronary disease (420)	M	2,899	-	-	-	1	5	58	255	666	996	918	103	
	Degenerative heart disease (421, 422)	F	1,834	-	-	-	-	-	8	31	182	560	1,053	95	
		M	678	-	-	-	3	-	3	4	37	103	528	119	
		F	1,148	-	-	-	-	1	-	7	23	94	1,023	111	
B27	Other diseases of heart	M	247	1	-	-	-	1	1	16	28	85	115	89	
		F	346	-	-	1	-	-	5	3	19	73	245	94	
B28	Hypertension with heart disease	M	176	-	-	-	-	1	1	9	29	58	78	132	
		F	226	-	-	-	-	-	1	1	26	50	148	107	
B29	Hypertension without mention of heart	M	81	-	-	-	-	1	2	9	22	16	31	106	
		F	78	-	-	-	1	-	2	4	7	22	42	85	
B46 (pt.)	Other circulatory diseases (450-468)	M	387	-	-	-	1	2	4	15	54	110	201	100	
		F	570	-	-	1	2	1	6	14	39	96	411	105	
B30	Influenza	M	53	-	-	1	-	-	-	2	3	9	38	80	
		F	107	1	1	-	-	-	-	1	3	14	87	123	
B31	Pneumonia	M	719	36	4	5	3	6	6	14	59	171	415	110	
		F	881	18	6	1	5	3	5	10	34	151	648	106	
B32	Bronchitis	M	732	10	2	2	-	1	4	21	129	281	282	78	
		F	231	4	3	-	-	-	2	8	30	60	124	62	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	125	2	2	-	-	-	3	7	25	42	44	89	
		F	71	1	1	-	-	-	2	3	6	10	48	89	
B33	Ulcer of stomach and duodenum	M	98	-	-	-	-	2	-	4	16	42	34	93	
		F	62	-	-	-	-	-	-	2	5	11	44	98	
B34	Appendicitis	M	10	-	-	1	-	1	-	1	1	3	3	105	
		F	6	-	-	-	1	-	-	-	-	5	-	67	
B35	Intestinal obstruction and hernia	M	54	3	-	-	-	-	-	7	7	12	25	98	
		F	62	2	-	-	-	-	1	2	6	16	35	88	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	26	4	1	-	-	-	-	1	3	6	11	64	
		F	73	7	3	-	1	1	-	2	8	19	32	104	
B37	Cirrhosis of liver	M	32	-	1	-	-	-	1	5	11	9	5	109	
		F	24	-	-	-	-	-	1	2	4	12	5	91	
B38	Nephritis and nephrosis	M	52	-	-	-	2	4	6	6	12	11	11	87	
		F	39	-	-	-	2	1	2	5	4	9	16	75	
B39	Hyperplasia of prostate	M	85	-	-	-	-	-	-	-	6	16	63	103	
B40	Complications of pregnancy, childbirth and puerperium	F	2	-	-	-	-	1	1	-	-	-	-	22	
B41	Congenital malformations	M	110	78	13	5	3	4	2	3	2	-	-	112	
		F	80	61	5	2	3	-	1	2	3	2	1	92	
B42	Birth injuries, postnatal asphyxia and atelectasis	M	79	79	-	-	-	-	-	-	-	-	-	83	
		F	47	47	-	-	-	-	-	-	-	-	-	76	
B43	Diarrhoea of newborn (764)	M	3	3	-	-	-	-	-	-	-	-	-	226	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
	Other infections of newborn (763, 765-768)	M	11	11	-	-	-	-	-	-	-	-	-	80	
		F	10	10	-	-	-	-	-	-	-	-	-	101	
B44	Other diseases of early infancy and immaturity unqualified	M	83	83	-	-	-	-	-	-	-	-	-	101	
		F	60	60	-	-	-	-	-	-	-	-	-	101	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	45	-	-	-	-	1	-	-	2	3	39	71	
		F	112	2	-	-	-	-	-	3	1	3	103	81	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	404	17	5	10	14	7	23	31	74	94	129	115	
		F	474	12	5	3	15	11	15	29	53	108	223	89	
BE47	Motor vehicle accidents	M	225	-	7	9	93	23	11	10	26	23	23	107	
		F	91	1	1	6	16	7	2	8	11	19	20	103	
BE48	All other accidents	M	194	21	10	5	21	12	16	15	20	27	47	85	
		F	253	9	11	4	3	3	6	9	17	28	163	101	
BE49	Suicide and self-inflicted injury	M	114	-	-	-	7	12	18	20	21	26	10	101	
		F	110	-	-	-	4	12	16	20	24	28	6	123	
BE50	Homicide and operations of war	M	3	1	-	-	-	1	-	-	-	1	-	38	
		F	10	2	3	1	1	1	-	-	-	-	2	164	
EN47	Fractures, head injuries and internal injuries	M	300	-	8	12	97	27	18	15	35	35	53	93	
		F	249	4	2	8	15	7	3	11	15	32	152	103	
EN48	Burns	M	15	-	-	-	4	1	-	-	2	4	4	152	
		F	12	-	2	-	1	-	-	-	3	-	6	71	
EN49	Effects of poisons	M	114	1	1	-	8	13	18	22	19	23	11	102	
		F	141	-	3	-	6	13	19	21	23	32	24	118	
EN50	All other injuries	M	107	21	8	2	14	7	9	8	11	15	12	93	
		F	62	8	8	3	2	3	2	5	11	11	9	110	

TABLE 19 - continued

Abbreviated List No.	Causes of death	Oxford Hospital Region													S.M.R. (England and Wales = 100)
		Age													
		All ages	Under 1 year	Years											
1-	5-			15-	25-	35-	45-	55-	65-	75 and over					
	ALL CAUSES	Numbers M F	9,550 8,863	322 229	62 58	72 27	163 61	124 65	249 179	741 439	1,760 974	2,539 1,983	3,518 4,848	86 80	
		Rates M F	10,892 9,395	19,755 14,774	986 970	571 226	1,226 463	1,078 584	2,126 1,525	6,339 3,563	16,972 8,303	43,476 22,611	127,464 80,935		
B1	Tuberculosis of respiratory system	M F	34 17	- -	- 1	- -	- -	- -	2 1	5 1	4 2	13 4	10 8	57 81	
B2	Tuberculosis, other forms	M F	1 9	- -	1 -	- -	- -	1 -	2 -	1 -	1 -	2 -	1 -	22 158	
B3	Syphilis and its sequelae	M F	15 7	- -	- -	- -	- -	- -	- -	1 1	4 1	5 4	5 1	79 51	
B4	Typhoid fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B5	Cholera	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B6	Dysentery, all forms	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B7	Scarlet fever and streptococcal sore throat	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B10	Meningococcal infections	M F	3 -	2 -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	135 -	
B11	Plague	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B13	Smallpox	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B14	Measles	M F	3 1	1 -	2 1	- -	- -	- -	- -	- -	- -	- -	- -	189 73	
B15	Typhus and other rickettsial diseases	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B16	Malaria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B17	All other diseases classified as infective and parasitic	M F	21 25	3 1	1 1	2 -	2 1	1 2	2 2	1 3	5 6	3 3	1 6	131 125	
	Malignant neoplasm: (140-205)	M F	1,968 1,687	1 1	6 8	10 6	12 9	26 16	58 74	203 198	537 389	618 465	497 521	88 86	
	stomach (151)	M F	229 178	- -	- -	- -	- -	1 -	5 4	20 8	64 28	77 52	62 86	79 78	
	trachea, bronchus and lung (162, 163)	M F	730 157	- -	- -	- -	3 1	16 11	83 19	257 46	261 47	110 33	85 90		
B18	breast (170)	M F	3 323	- -	- -	- -	- 6	- 17	- 56	1 94	2 77	- 73	- 83	79 83	
	uterus (171-174)	M F	132 -	- -	- -	- -	- -	11 -	26 -	39 -	32 -	24 -	85 -		
	Leukaemia and aleukaemia (204)	M F	79 53	- 1	1 2	5 3	1 2	3 2	8 5	8 6	18 17	17 13	18 101	133 101	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M F	927 844	1 -	5 6	5 3	11 6	19 8	29 29	92 84	197 176	261 240	307 292	90 87	
B19	Benign and unspecified neoplasms	M F	27 21	- -	- -	- -	1 -	- -	9 -	2 1	8 4	1 13	6 3	106 73	
B20	Diabetes mellitus	M F	44 117	- -	- -	- -	- -	1 3	3 3	2 5	4 21	10 32	24 53	76 104	
B21	Anaemias	M F	18 41	1 -	- -	1 -	- -	- 2	- 1	1 1	1 3	5 8	9 26	84 90	
B22	Vascular lesions affecting central nervous system	M F	960 1,395	- 2	- 1	- 1	1 2	3 10	5 46	43 119	138 309	265 906	505 906	78 73	
B23	Non-meningococcal meningitis	M F	11 4	6 4	1 -	2 -	- -	- -	- -	- -	1 -	- -	1 -	147 56	
B24	Rheumatic fever	M F	- 1	- -	- -	- -	- -	- 5	- 5	- 10	1 17	- 23	- 9	- 73	
B25	Chronic rheumatic heart disease	M F	70 108	- -	- -	- -	1 -	5 1	5 10	10 13	17 24	23 34	9 26	90 69	

TABLE 19 - continued

Abbreviated List No.	Causes of death		Oxford Hospital Region												S.M.R. (England and Wales = 100)
			Age												
			All ages	Under 1 year	Years								75 and over		
					1-	5-	15-	25-	35-	45-	55-	65-			
B26	Arteriosclerotic heart disease including coronary disease (420)	M	2,227	-	-	-	-	7	62	232	540	676	710	84	
	Degenerative heart disease (421, 422)	F	1,483	-	-	-	-	-	8	35	132	440	868	81	
		M	468	-	-	-	-	2	2	8	31	84	341	86	
		F	761	-	-	-	1	-	-	6	11	87	656	78	
B27	Other diseases of heart	M	249	-	-	1	3	-	1	7	34	80	123	95	
		F	263	-	-	-	-	-	3	8	17	48	187	76	
B28	Hypertension with heart disease	M	107	-	-	-	-	-	1	4	21	40	41	85	
		F	166	-	-	-	-	-	-	4	20	55	87	83	
B29	Hypertension without mention of heart	M	68	-	-	-	-	1	3	9	10	18	27	94	
		F	53	-	-	-	1	3	1	-	8	14	26	61	
B46 (pt.)	Other circulatory diseases (450-468)	M	327	-	1	-	1	3	5	10	48	81	178	89	
		F	374	-	-	-	2	1	6	6	27	81	251	73	
B30	Influenza	M	79	1	-	1	-	-	1	2	13	16	45	125	
		F	70	-	-	1	-	-	1	1	4	13	50	84	
B31	Pneumonia	M	582	41	13	4	4	1	2	19	27	119	352	93	
		F	649	16	9	2	2	-	2	16	26	97	479	82	
B32	Bronchitis	M	674	6	1	1	2	-	6	39	116	249	254	76	
		F	220	3	4	-	-	1	1	8	28	58	117	62	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	97	5	1	-	-	1	1	5	18	28	38	72	
		F	67	3	3	2	1	1	1	5	1	11	39	89	
B33	Ulcer of stomach and duodenum	M	88	-	-	-	1	1	3	6	18	31	28	88	
		F	40	-	-	-	-	-	-	2	6	9	23	67	
B34	Appendicitis	M	13	-	-	3	-	1	-	2	1	4	2	144	
		F	9	-	-	1	-	-	-	-	1	1	6	106	
B35	Intestinal obstruction and hernia	M	53	9	-	2	-	1	-	-	11	12	18	101	
		F	51	4	-	1	1	-	-	2	4	11	28	76	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	23	3	-	-	-	-	-	4	1	7	8	60	
		F	58	-	3	-	1	2	-	5	6	8	33	87	
B37	Cirrhosis of liver	M	25	-	-	-	-	-	3	3	7	6	6	90	
		F	21	-	-	-	-	-	2	2	4	6	7	84	
B38	Nephritis and nephrosis	M	40	1	-	-	1	3	1	6	9	8	11	70	
		F	35	-	-	-	4	-	3	2	6	9	11	70	
B39	Hyperplasia of prostate	M	65	-	-	-	-	-	-	-	3	11	51	83	
B40	Complications of pregnancy, childbirth and puerperium	F	8	-	-	-	2	4	2	-	-	-	-	94	
B41	Congenital malformations	M	74	50	5	3	3	-	2	3	6	1	1	79	
		F	92	60	11	4	1	2	1	3	4	4	2	111	
B42	Birth injuries, postnatal asphyxia and atelectasis	M	98	98	-	-	-	-	-	-	-	-	-	108	
		F	73	73	-	-	-	-	-	-	-	-	-	125	
B43	Diarrhoea of newborn (764)	M	1	1	-	-	-	-	-	-	-	-	-	79	
		F	2	2	-	-	-	-	-	-	-	-	-	168	
	Other infections of newborn (763, 765-768)	M	15	15	-	-	-	-	-	-	-	-	-	114	
		F	5	5	-	-	-	-	-	-	-	-	-	53	
B44	Other diseases of early infancy and immaturity unqualified	M	57	57	-	-	-	-	-	-	-	-	-	73	
		F	42	42	-	-	-	-	-	-	-	-	-	74	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	48	-	-	-	1	-	-	2	-	5	40	80	
		F	81	-	-	-	-	-	-	-	1	3	77	62	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	334	12	14	9	16	13	12	35	60	66	97	100	
		F	445	7	6	4	11	15	23	31	48	97	203	88	
BE47	Motor vehicle accidents	M	256	-	7	15	81	31	24	34	20	18	26	128	
		F	83	-	1	4	12	2	5	11	16	12	20	98	
BE48	All other accidents	M	202	8	10	18	26	13	17	21	23	22	44	95	
		F	198	6	8	2	3	4	9	7	17	24	118	83	
BE49	Suicide and self-inflicted injury	M	98	-	-	-	7	7	17	22	23	14	8	91	
		F	75	-	-	-	6	3	8	15	14	20	9	89	
BE50	Homicide and operations of war	M	7	1	-	-	-	3	2	-	-	-	1	93	
		F	6	-	1	-	2	-	-	-	2	1	-	103	
BN47	Fractures, head injuries and internal injuries	M	356	-	7	21	87	38	31	46	36	29	61	116	
		F	201	2	3	3	12	2	6	12	21	22	118	88	
BN48	Burns	M	10	-	-	-	-	-	1	2	1	2	4	106	
		F	15	-	2	1	1	-	1	1	1	2	6	93	
BN49	Effects of poisons	M	83	-	2	3	9	6	11	17	14	9	12	78	
		F	89	-	1	-	7	6	12	13	18	20	12	78	
BN50	All other injuries	M	114	9	8	9	18	10	17	12	15	14	2	104	
		F	57	4	4	2	3	1	3	7	9	13	11	106	

TABLE 19 - continued

Abbreviated List No.	Causes of death	South Western Hospital Region													S.M.R. (England and Wales = 100)
		Age													
		All ages	Under 1 year	Years											
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over			
		Numbers	M	F											
	ALL CAUSES														
		Rates	M	F											
B1	Tuberculosis of respiratory system	M	74	-	-	-	-	-	2	10	23	23	16	70	
B2	Tuberculosis, other forms	M	24	-	-	-	-	1	2	4	4	5	8	68	
		M	4	-	-	-	-	-	-	-	-	-	-	52	
		F	12	-	-	-	2	-	1	2	4	3	124		
B3	Syphilis and its sequelae	M	27	1	-	-	-	-	-	1	8	10	7	77	
		F	17	-	-	-	-	-	-	4	1	3	9	71	
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	4	-	-	-	1	-	1	-	-	2	593		
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-	
B9	Diphtheria	M	1	-	-	-	-	-	-	-	1	-	-	713	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B9	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	182	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B10	Meningococcal infections	M	4	-	1	1	1	-	-	-	1	-	-	108	
		F	1	-	-	1	-	-	-	-	-	-	-	36	
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B14	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	3	2	-	-	-	-	-	-	1	-	-	132	
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B17	All other diseases classified as infective and parasitic	M	33	1	3	5	2	2	1	3	3	7	6	117	
		F	39	1	3	2	-	-	1	8	7	9	8	115	
	Malignant neoplasm:	M	3,750	1	12	16	26	28	82	303	987	1,308	987	92	
	(140-205)	F	3,371	2	11	8	10	41	131	387	718	944	1,119	99	
	stomach (151)	M	512	-	-	-	-	1	11	41	109	195	154	97	
		F	317	-	-	-	-	-	3	17	46	90	161	79	
	trachea, bronchus and lung (162, 163)	M	1,294	-	-	-	1	3	23	121	460	496	190	83	
		F	264	-	-	-	-	7	30	81	97	49	88		
B18	breast (170)	M	5	-	-	-	-	-	2	1	2	-	74		
		F	648	-	-	-	9	43	120	142	161	173	98		
	uterus (171-174)	M	286	-	-	-	3	23	45	73	77	65	107		
	Leukaemia and aleukaemia (204)	M	96	1	4	7	2	4	4	8	19	24	23	90	
		F	100	1	7	4	4	3	7	10	16	17	31	112	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,843	-	8	9	22	20	44	131	398	591	620	98	
		F	1,756	1	4	4	6	26	48	165	360	502	640	104	
B19	Benign and unspecified neoplasms	M	41	-	-	1	3	-	3	6	10	9	9	92	
		F	44	1	-	1	-	-	6	4	3	21	8	90	
B20	Diabetes mellitus	M	119	-	-	-	1	2	6	6	13	43	48	111	
		F	161	-	-	-	-	2	1	3	21	54	80	81	
B21	Anaemias	M	37	-	-	1	-	-	1	1	4	9	21	92	
		F	75	-	2	-	1	1	1	2	2	20	46	93	
B22	Vascular lesions affecting central nervous system	M	2,379	2	-	2	1	4	30	76	344	748	1,172	103	
B23	Non-meningococcal meningitis	M	3,498	1	1	1	1	3	20	72	240	790	2,369	103	
		F	12	7	-	-	-	1	-	1	1	1	1	94	
		F	15	7	1	2	1	-	-	1	-	1	2	125	
B24	Rheumatic fever	M	3	-	-	1	1	-	-	-	1	-	-	110	
		F	2	-	-	-	-	-	-	-	2	-	-	85	
B25	Chronic rheumatic heart disease	M	123	-	-	-	2	5	10	27	30	27	22	91	
		F	216	-	-	1	3	6	18	27	43	58	60	81	

TABLE 19 - continued

Abbrevi- ated List No.	Causes of death		South Western Hospital Region											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M F M F	4,739 3,095 1,379 2,254	- - 1 -	- - - -	- - - -	18 2 4 -	97 10 2 3	407 69 30 4	1,110 325 74 45	1,642 959 256 246	1,465 1,729 1,005 1,956	98 96 132 130	
B27	Other diseases of heart	M F	458 566	- 3	1 -	- 1	3 1	4 2	9 -	11 6	52 31	129 130	249 392	93 92
B28	Hypertension with heart disease	M F	279 371	- -	- -	- -	- -	1 1	2 5	14 5	57 29	104 119	101 217	118 104
B29	Hypertension without mention of heart	M F	125 164	- -	- -	1 -	1 1	2 -	3 4	14 6	26 18	38 42	40 93	95 107
B46 (pt.)	Other circulatory diseases (450-468)	M F	759 968	- -	1 -	- -	3 4	3 3	10 4	17 16	96 57	205 180	424 704	110 107
B30	Influenza	M F	158 188	- 1	2 1	3 1	1 4	2 3	1 6	5 5	20 19	34 41	90 107	134 129
B31	Pneumonia	M F	931 1,234	49 37	8 13	4 2	3 3	3 4	7 4	24 18	83 59	203 197	547 897	80 89
B32	Bronchitis	M F	1,107 356	6 2	4 2	1 2	1 1	2 -	8 1	34 10	226 29	431 93	394 216	67 57
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M F	234 144	- 10	1 1	- 1	1 -	1 2	7 8	8 7	36 16	90 35	90 64	95 110
B33	Ulcer of stomach and duodenum	M F	161 86	- -	- -	- -	- -	3 1	5 2	29 8	59 20	65 54	87 81	
B34	Appendicitis	M F	9 16	- -	- -	- -	2 1	- -	- -	2 5	3 4	2 6	56 109	
B35	Intestinal obstruction and hernia	M F	106 115	5 5	2 2	1 -	- 1	3 -	2 1	16 10	24 34	53 60	109 98	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M F	71 107	6 5	3 4	- -	1 -	1 3	4 1	11 3	24 22	20 66	104 92	
B37	Cirrhosis of liver	M F	47 38	- -	- -	- -	- -	1 3	3 4	7 11	15 9	12 11	9 11	96 88
B38	Nephritis and nephrosis	M F	101 89	- -	- -	1 -	6 3	6 2	10 7	19 9	24 18	19 21	16 29	100 104
B39	Hyperplasia of prostate	M	162	-	-	-	-	-	-	1	4	39	118	108
B40	Complications of pregnancy, childbirth and puerperium	F	13	-	-	-	6	6	1	-	-	-	-	98
B41	Congenital malformations	M F	148 124	103 88	6 6	5 4	4 3	1 2	6 3	5 6	10 5	5 2	3 5	96 91
B42	Birth injuries, postnatal asphyxia and atelectasis	M F	160 76	160 76	- -	- -	- -	- -	- -	- -	- -	- -	- -	107 79
B43	Diarrhoea of newborn (764)	M F	2 -	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	97 -
	Other infections of newborn (763, 765-768)	M F	27 14	27 14	- -	- -	- -	- -	- -	- -	- -	- -	- -	125 91
B44	Other diseases of early infancy and immaturity unqualified	M F	81 62	81 62	- -	- -	- -	- -	- -	- -	- -	- -	- -	63 67
B45	Senility without mention of psychosis, ill-defined and unknown causes	M F	113 300	1 1	- -	- -	- -	- -	1 -	2 -	2 -	7 8	100 291	97 129
B46 (Rem.)	All other diseases (Remainder 001-795)	M F	573 834	10 14	8 12	11 10	26 9	10 13	21 36	52 63	94 105	147 202	194 370	95 96
BE47	Motor vehicle accidents	M F	307 122	- 2	6 3	20 8	100 20	34 6	23 7	32 13	38 18	21 22	33 23	89 85
BE48	All other accidents	M F	341 359	28 17	20 11	19 2	37 6	34 3	26 12	32 17	40 30	36 56	69 205	90 87
BE49	Suicide and self-inflicted injury	M F	173 140	- -	- -	- -	11 7	8 4	24 19	29 27	40 36	44 35	17 12	95 99
BE50	Homicide and operations of war	M F	5 7	1 3	2 1	- -	1 -	- 1	- -	1 -	- -	- 2	- -	40 74
BN47	Fractures, head injuries and internal injuries	M F	471 331	4 5	9 4	25 9	112 18	49 6	35 7	46 13	61 30	47 53	83 186	88 83
BN48	Burns	M F	12 21	- -	3 1	- -	- -	1 1	1 1	1 1	1 1	2 7	3 9	72 76
BN49	Effects of poisons	M F	147 186	- 2	2 5	2 -	12 8	9 4	19 25	25 34	32 32	26 43	20 33	81 98
BN50	All other injuries	M F	196 90	25 15	14 5	12 1	25 7	17 3	18 5	22 9	24 21	26 12	13 12	105 100

TABLE 19 - continued

Abbreviated List No.	Causes of death	Welsh Hospital Region												S.M.R. (England and Wales = 100)
		Age												
		All ages	Under 1 year	Years									75 and over	
				1-	5-	15-	25-	35-	45-	55-	65-			
	Numbers	M	18,599	508	79	84	233	195	485	1,426	3,841	5,640	6,108	109
	F	16,044	403	58	52	70	123	123	315	807	2,011	4,014	8,191	107
	Rates	M	14,058	22,379	850	413	1,176	1,203	2,714	8,483	24,006	58,934	148,613	
	F	11,641	18,571	658	266	370	790	1,803	4,665	11,478	30,948	108,923		
B1	Tuberculosis of respiratory system	M	126	-	-	-	-	4	7	16	40	39	20	137
		F	34	-	-	-	-	2	2	8	10	9	3	114
B2	Tuberculosis, other forms	M	9	-	-	-	-	3	-	1	3	2	-	132
		F	13	-	3	1	-	2	1	3	1	-	2	162
B3	Syphilis and its sequelae	M	37	-	-	-	-	-	1	5	7	13	11	125
		F	13	-	-	-	-	-	-	1	3	4	5	69
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	905
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	132
B10	Meningococcal infections	M	3	1	1	1	-	-	-	-	-	-	-	91
		F	2	-	-	1	-	-	1	-	-	-	-	81
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	2	1	1	-	-	-	-	-	-	-	-	85
		F	4	2	2	-	-	-	-	-	-	-	-	196
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	22	1	1	3	-	1	-	2	6	4	4	88
		F	33	2	1	2	-	-	2	6	9	5	6	118
	Malignant neoplasm: (140-205)	M	3,382	1	10	17	20	22	89	318	896	1,209	800	97
	stomach (151)	F	2,722	1	3	9	10	38	110	325	656	765	805	99
		M	589	-	-	-	-	2	16	40	144	229	158	132
		F	376	-	-	-	-	-	7	19	70	129	151	121
	trachea, bronchus and lung (162, 163)	M	1,156	-	-	-	2	3	17	126	416	434	158	86
		F	171	-	-	-	-	-	11	20	61	48	31	69
	breast (170)	M	6	-	-	-	-	-	-	4	2	-	-	102
		F	511	-	-	-	-	14	29	99	138	124	107	93
	uterus (171-174)	F	250	-	-	-	1	3	20	52	64	63	47	113
	Leukaemia and aleukaemia (204)	M	91	-	7	8	9	1	7	7	17	24	11	99
		F	75	1	2	5	2	8	6	2	14	16	19	102
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,540	1	3	9	9	16	49	141	317	522	473	97
		F	1,339	-	1	4	7	13	37	133	309	385	450	99
B19	Benign and unspecified neoplasms	M	28	1	1	1	2	1	3	5	7	5	2	72
		F	35	2	-	-	1	-	2	9	6	9	6	86
B20	Diabetes mellitus	M	99	-	-	1	1	5	3	8	19	27	35	111
		F	188	-	-	-	-	1	1	2	23	78	83	122
B21	Anaemias	M	42	1	2	-	-	1	-	-	9	10	19	127
		F	78	-	-	1	1	1	3	2	5	18	47	128
B22	Vascular lesions affecting central nervous system	M	2,117	1	-	3	3	5	27	93	302	684	999	112
		F	2,911	2	-	-	4	4	31	65	269	755	1,781	114
B23	Non-meningococcal meningitis	M	12	3	2	-	-	-	1	1	1	2	2	107
		F	6	1	-	2	1	-	-	1	-	-	1	59
B24	Rheumatic fever	M	6	-	-	-	-	-	-	1	2	3	-	252
		F	3	-	-	-	-	-	-	-	1	2	-	153
B25	Chronic rheumatic heart disease	M	150	-	-	-	4	16	13	29	39	33	16	127
		F	277	-	-	-	5	7	19	52	72	73	49	125

TABLE 19 - continued

Abbreviated List No.	Causes of death	Welsh Hospital Region												S.M.R. (England and Wales = 100)
		Age												
		All ages	Under 1 year	Years										
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	4,737	-	-	-	-	6	145	479	1,293	1,591	1,223	115
		F	2,762	-	-	-	-	5	14	72	395	928	1,348	111
		M	955	-	-	-	1	1	4	14	71	197	667	115
		F	1,474	-	-	1	-	-	6	9	36	217	1,205	117
B27	Other diseases of heart	M	405	1	1	-	-	3	8	19	60	137	176	100
B28	Hypertension with heart disease	F	468	-	1	1	2	3	4	9	41	107	300	102
		M	280	-	-	-	-	2	3	19	58	105	93	143
		F	391	-	-	-	-	1	3	8	35	133	211	145
B29	Hypertension without mention of heart	M	140	-	-	-	1	5	16	35	32	50	126	
B46 (pt.)	Other circulatory diseases (450-468)	F	166	-	-	-	-	1	2	9	13	39	102	141
		M	559	1	-	1	2	1	8	28	83	161	274	99
		F	693	-	-	-	1	5	7	11	39	137	493	102
B30	Influenza	M	136	1	-	1	1	1	6	21	36	68	140	
B31	Pneumonia	F	133	1	-	-	-	2	2	5	5	32	86	121
		M	751	59	9	3	6	3	4	30	80	157	400	79
		F	794	42	10	3	2	2	6	12	56	139	522	76
B32	Bronchitis	M	1,627	10	3	-	1	-	9	77	336	648	543	118
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	472	7	1	1	1	1	4	23	59	135	240	99
		M	454	4	-	-	-	4	5	43	119	152	126	219
		F	114	4	2	-	1	1	7	5	24	26	41	111
B33	Ulcer of stomach and duodenum	M	133	-	-	-	-	2	2	8	34	41	46	86
B34	Appendicitis	F	64	-	-	-	-	-	1	6	9	17	31	79
		M	15	-	-	-	1	1	1	3	3	5	109	
		F	12	-	-	1	-	1	-	1	3	1	5	101
B35	Intestinal obstruction and hernia	M	74	3	-	-	-	-	1	4	14	20	32	92
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	85	6	1	-	-	-	1	4	9	24	40	93
		M	67	16	4	1	2	1	3	-	13	16	11	115
		F	91	9	3	-	-	2	5	2	10	25	35	100
B37	Cirrhosis of liver	M	62	-	-	-	-	1	3	15	19	17	7	145
B38	Nephritis and nephrosis	F	45	-	-	-	1	-	3	9	9	13	10	127
		M	113	-	1	-	11	6	9	12	26	17	31	130
B39	Hyperplasia of prostate	F	102	1	1	-	4	3	8	15	20	21	29	148
		M	153	-	-	-	-	-	-	1	8	40	104	128
B40	Complications of pregnancy, childbirth and puerperium	F	7	-	-	-	1	4	2	-	-	-	-	57
B41	Congenital malformations	M	145	97	12	3	7	4	-	9	8	4	1	105
		F	125	82	10	7	3	2	2	8	3	4	4	103
B42	Birth injuries, postnatal asphyxia and atelectasis	M	127	127	-	-	-	-	-	-	-	-	-	96
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	F	102	102	-	-	-	-	-	-	-	-	-	119
		M	1	1	-	-	-	-	-	-	-	-	-	54
		F	-	-	-	-	-	-	-	-	-	-	-	-
		M	20	20	-	-	-	-	-	-	-	-	-	104
B44	Other diseases of early infancy and immaturity unqualified	F	22	22	-	-	-	-	-	-	-	-	-	161
		M	123	123	-	-	-	-	-	-	-	-	-	107
		F	87	87	-	-	-	-	-	-	-	-	-	106
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	106	-	-	-	-	1	1	-	1	5	98	117
		F	186	2	-	-	-	-	1	-	1	2	180	112
B46 (Rem.)	All other diseases (Remainder 001-795)	M	527	17	12	10	21	18	28	50	104	138	129	103
		F	747	12	7	5	8	18	35	66	120	201	275	108
BE47	Motor vehicle accidents	M	242	1	6	14	87	20	30	21	32	19	12	80
BE48	All other accidents	F	98	1	4	9	13	4	8	11	13	21	14	82
		M	433	16	13	25	41	40	41	54	60	53	90	132
		F	377	14	9	7	5	2	10	20	33	56	221	119
BE49	Suicide and self-inflicted injury	M	172	-	-	-	18	21	29	39	32	20	13	106
BE50	Homicide and operations of war	F	100	-	-	-	1	10	11	28	23	18	9	82
		M	7	1	-	-	2	-	1	2	-	-	1	62
		F	6	-	-	1	2	1	1	-	-	-	1	71
EN47	Fractures, head injuries and internal injuries	M	500	4	12	21	110	46	61	58	66	49	73	108
EN48	Burns	F	353	1	8	11	14	4	9	14	24	54	214	114
		M	20	1	-	1	2	2	-	1	4	4	5	141
		F	22	-	1	1	-	-	1	-	4	6	9	99
EN49	Effects of poisons	M	126	-	-	1	11	19	20	23	24	14	78	
EN50	All other injuries	F	129	-	1	1	4	12	10	33	34	27	7	80
		M	208	13	7	16	25	14	20	34	30	25	24	126
		F	77	14	3	4	3	1	10	12	7	8	15	100

TABLE 19 - continued

Abbreviated List No.	Causes of death	Birmingham Hospital Region												S.M.R. (England and Wales = 100)
		Age												
		All ages	Under 1 year	Years										
1-	5-			15-	25-	35-	45-	55-	65-	75 and over				
	Numbers	M	27,968	1,027	196	163	434	316	835	2,496	5,966	7,862	8,673	103
	F		25,285	809	148	98	170	216	545	1,444	3,018	5,962	12,875	104
	Rates	M	11,220	21,530	1,049	429	1,095	941	2,378	7,728	21,853	56,843	144,791	
	F		10,000	17,898	834	273	447	695	1,646	4,575	10,375	30,279	107,292	
B1	Tuberculosis of respiratory system	M	188	-	1	-	1	1	9	29	51	65	31	126
		F	59	-	-	-	2	4	10	7	15	11	10	118
B2	Tuberculosis, other forms	M	12	-	-	1	-	2	1	1	5	2	-	99
		F	15	-	1	-	-	2	-	3	4	5	-	109
B3	Syphilis and its sequelae	M	32	-	-	-	-	1	1	1	3	13	13	69
		F	25	1	-	-	-	-	1	3	3	9	8	83
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	1	-	-	-	-	-	-	-	-	95
		F	1	-	-	-	-	-	-	-	-	-	1	104
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	1	-	-	1	-	-	-	-	-	-	-	230
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	2	2	-	-	-	-	-	-	-	-	-	203
		F	6	6	-	-	-	-	-	-	-	-	-	390
B10	Meningococcal infections	M	6	4	1	-	-	-	-	1	-	-	-	93
		F	7	4	2	-	-	-	-	-	-	1	-	146
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	9	2	6	1	-	-	-	-	-	-	-	191
		F	4	1	1	1	1	-	-	-	-	-	-	100
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	51	10	6	3	3	1	4	12	5	5	2	116
		F	48	5	5	4	1	5	1	3	3	6	15	98
	Malignant neoplasm: (140-205)	M	5,508	5	20	28	35	48	182	682	1,618	1,717	1,173	100
	stomach (151)	F	4,560	5	10	16	29	50	207	645	1,064	1,216	1,318	101
		M	711	-	-	-	-	3	26	67	212	248	155	101
		F	572	-	-	-	1	-	10	38	106	164	253	115
	trachea, bronchus and lung (162, 163)	M	2,123	-	1	1	1	4	52	336	778	690	260	99
	breast (170)	F	332	-	-	-	1	1	12	57	88	103	70	82
		M	10	-	-	-	-	-	-	4	1	4	1	103
		F	962	-	-	-	-	16	69	211	239	210	217	106
	uterus (171-174)	F	372	-	-	-	-	4	29	81	94	88	76	101
	Leukaemia and aleukaemia (204)	M	144	1	8	11	11	6	10	16	22	29	30	94
		F	123	3	4	11	8	6	12	12	19	23	25	98
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,520	4	11	16	23	35	94	259	605	746	727	100
		F	2,199	2	6	5	19	23	75	246	518	628	677	100
B19	Benign and unspecified neoplasms	M	63	2	1	3	2	2	5	9	20	12	7	95
		F	67	1	-	2	1	2	6	14	15	17	9	98
B20	Diabetes mellitus	M	162	-	-	-	1	2	9	19	32	51	48	115
		F	287	-	-	-	1	2	7	11	33	103	130	117
B21	Anaemias	M	56	-	4	-	4	-	-	2	6	14	26	110
		F	110	1	1	1	-	1	2	3	16	29	56	112
B22	Vascular lesions affecting central nervous system	M	3,081	3	1	3	5	14	52	161	495	962	1,385	107
		F	4,240	-	-	-	6	13	32	143	377	1,048	2,621	104
B23	Non-meningococcal meningitis	M	19	10	-	1	1	-	-	3	-	-	1	92
		F	18	7	3	-	-	-	-	3	3	2	-	95
B24	Rheumatic fever	M	3	-	1	-	1	-	-	-	1	-	-	73
		F	1	-	-	-	-	-	-	-	-	-	-	30
B25	Chronic rheumatic heart disease	M	218	1	-	-	1	13	26	48	58	49	22	109
		F	382	-	-	-	3	9	40	73	85	107	65	104

TABLE 19 - continued

Abbreviated List No.	Causes of death	Birmingham Hospital Region												S.M.R. (England and Wales = 100)
		Age												
		All ages	Under 1 year	Years										
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease including coronary disease (420)	M	6,195	-	-	-	2	16	206	742	1,719	1,973	1,537	95
	Degenerative heart disease (421, 422)	F	3,836	-	-	-	-	6	19	121	487	1,218	1,985	97
		M	1,334	1	-	1	3	2	20	36	96	265	910	109
		F	2,170	1	-	1	1	6	8	17	53	281	1,802	108
B27	Other diseases of heart	M	635	2	1	1	4	4	9	35	93	179	307	104
		F	791	1	-	1	2	3	5	12	65	196	506	108
B28	Hypertension with heart disease	M	355	-	-	-	-	-	5	19	64	127	140	119
		F	527	-	-	-	1	-	2	12	48	157	307	124
B29	Hypertension without mention of heart	M	201	-	-	-	3	3	14	32	43	51	55	113
		F	204	-	-	-	1	2	5	9	22	44	121	108
B46 (pt.)	Other circulatory diseases (450-468)	M	799	2	1	-	3	5	11	44	130	220	383	94
		F	950	-	1	-	2	6	13	29	67	203	629	88
B30	Influenza	M	228	2	1	-	1	5	6	18	44	65	86	152
		F	237	2	2	1	2	-	7	10	20	54	139	134
B31	Pneumonia	M	1,707	93	18	6	20	7	17	73	216	422	835	116
		F	1,918	71	30	3	8	7	15	52	119	339	1,274	114
B32	Bronchitis	M	2,529	17	8	1	4	5	16	160	618	953	747	119
		F	939	12	7	3	2	3	12	36	113	262	489	122
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	350	8	2	1	2	2	5	29	88	116	97	107
		F	183	7	1	2	-	1	12	17	21	39	83	108
B33	Ulcer of stomach and duodenum	M	287	-	-	-	1	5	9	18	70	89	95	119
		F	139	-	-	1	-	-	2	7	11	43	75	108
B34	Appendicitis	M	30	-	2	1	3	2	-	8	3	7	4	129
		F	19	-	2	-	1	-	-	2	2	7	5	96
B35	Intestinal obstruction and hernia	M	121	15	1	-	2	-	2	5	19	30	47	95
		F	153	9	1	1	1	1	1	10	16	39	74	104
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	103	29	8	-	2	2	3	6	12	24	17	104
		F	153	16	6	1	1	2	3	9	16	24	75	101
B37	Cirrhosis of liver	M	84	-	1	-	1	3	9	15	28	19	8	118
		F	53	-	1	-	-	3	2	10	8	17	12	91
B38	Nephritis and nephrosis	M	147	1	-	1	5	8	14	26	32	29	31	101
		F	110	-	-	1	5	5	7	12	17	30	33	96
B39	Hyperplasia of prostate	M	202	-	-	-	-	-	-	1	11	41	149	115
B40	Complications of pregnancy, childbirth and puerperium	F	27	-	-	-	7	14	6	-	-	-	-	112
B41	Congenital malformations	M	257	182	18	10	8	3	9	10	14	3	-	94
		F	257	173	21	17	5	5	10	10	6	8	2	108
B42	Birth injuries, postnatal asphyxia and atelectasis	M	293	293	-	-	-	-	-	-	-	-	-	109
		F	215	215	-	-	-	-	-	-	-	-	-	124
B43	Diarrhoea of newborn (764)	M	6	6	-	-	-	-	-	-	-	-	-	161
		F	4	4	-	-	-	-	-	-	-	-	-	114
	Other infections of newborn (763, 765-768)	M	46	46	-	-	-	-	-	-	-	-	-	118
		F	41	41	-	-	-	-	-	-	-	-	-	148
B44	Other diseases of early infancy and immaturity unqualified	M	197	197	-	-	-	-	-	-	-	-	-	85
		F	163	163	-	-	-	-	-	-	-	-	-	98
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	122	3	1	-	1	1	-	3	5	3	105	91
		F	219	-	-	-	-	-	2	1	1	6	209	82
B46 (Rem.)	All other diseases (Remainder 001-795)	M	835	44	29	18	28	30	43	79	160	215	189	100
		F	1,124	25	12	13	24	35	56	85	189	271	414	99
BE47	Motor vehicle accidents	M	619	2	23	46	212	66	53	71	55	33	58	111
		F	249	2	14	21	39	11	18	23	39	46	36	119
BE48	All other accidents	M	593	43	39	32	47	40	49	48	87	65	143	102
		F	587	36	24	6	9	5	11	20	38	82	356	111
BE49	Suicide and self-inflicted injury	M	256	-	-	1	26	19	43	44	62	39	22	88
		F	170	-	-	-	11	8	23	29	42	41	16	81
BE50	Homicide and operations of war	M	25	2	1	3	2	4	3	6	-	4	-	118
		F	17	-	3	2	4	5	-	2	-	1	-	108
BN47	Fractures, head injuries and internal injuries	M	946	8	29	56	228	89	82	94	119	76	165	114
		F	626	6	18	24	43	11	20	25	57	92	330	122
BN48	Burns	M	20	-	1	-	2	1	1	3	2	3	7	81
		F	32	-	3	1	1	2	1	3	3	5	13	85
BN49	Effects of poisons	M	254	4	10	4	21	19	40	43	51	35	27	88
		F	228	3	8	-	12	8	25	36	40	47	49	82
BN50	All other injuries	M	273	35	23	22	36	20	25	29	32	27	24	90
		F	137	29	12	4	7	8	6	10	19	26	16	101

TABLE 19 - continued

Abbreviated List No.	Causes of death	Manchester Hospital Region													S.M.R. (England and Wales = 100)
		Age													
		All ages	Under 1 year	Years											
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over			
	Numbers	M	30,702	1,008	156	140	336	311	876	2,494	6,639	9,092	9,650	113	
		F	30,402	734	132	90	139	183	569	1,494	3,813	7,768	15,480	116	
	Rates	M	14,065	24,828	950	413	1,094	1,162	2,999	8,559	24,616	60,573	157,423		
		F	12,895	19,115	847	280	446	700	1,969	4,835	12,257	33,936	118,530		
B1	Tuberculosis of respiratory system	M	175	1	-	-	-	2	3	35	66	47	21	118	
		F	49	-	-	-	1	1	10	13	11	9	4	94	
B2	Tuberculosis, other forms	M	10	-	-	-	2	-	1	1	3	2	1	89	
		F	11	-	-	1	1	-	1	2	2	2	2	78	
B3	Syphilis and its sequelae	M	48	-	-	-	-	-	1	4	14	18	11	102	
		F	34	-	-	-	-	-	-	-	9	11	14	103	
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	1	-	-	-	-	-	-	-	-	-	107	
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	2	2	-	-	-	-	-	-	-	-	-	149	
B10	Meningococcal infections	M	8	6	2	-	-	-	-	-	-	-	-	140	
		F	4	2	2	-	-	-	-	-	-	-	-	93	
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B14	Measles	M	5	1	1	3	-	-	-	-	-	-	-	122	
		F	7	1	2	2	1	1	-	-	-	-	-	198	
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B17	All other diseases classified as infective and parasitic	M	38	6	4	1	3	4	2	8	6	2	2	93	
		F	48	3	3	2	3	-	6	7	9	7	8	98	
	Malignant neoplasm:	M	5,770	3	19	12	35	44	179	646	1,746	1,921	1,165	104	
	(140-205)	F	4,983	1	8	14	19	40	209	600	1,148	1,515	1,429	103	
	stomach (151)	M	835	-	-	-	-	3	12	87	253	294	186	117	
		F	703	-	-	-	-	1	10	34	110	247	301	129	
	trachea, bronchus and lung	M	2,165	-	-	-	1	8	66	262	794	767	267	100	
	(162, 163)	F	394	-	-	1	1	3	19	70	109	127	64	90	
	breast (170)	M	8	-	-	-	-	-	1	1	3	1	2	84	
		F	935	-	-	-	1	7	55	177	261	219	215	97	
	uterus (171-174)	F	448	-	-	-	-	5	31	69	95	153	95	115	
	Leukaemia and aleukaemia (204)	M	153	1	9	7	11	2	10	14	30	48	21	104	
		F	109	1	5	2	2	8	8	10	16	22	35	85	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,609	2	10	5	23	31	90	282	666	811	689	104	
		F	2,394	-	3	11	15	16	86	240	557	747	719	101	
B19	Benign and unspecified neoplasms	M	63	-	1	2	1	3	2	14	19	15	6	99	
		F	68	1	-	2	4	1	3	8	21	16	12	96	
B20	Diabetes mellitus	M	152	-	-	1	2	6	6	15	26	54	42	107	
		F	264	-	-	-	-	-	6	11	54	97	97	98	
B21	Anaemias	M	70	-	1	-	-	1	3	5	9	17	34	136	
		F	151	-	1	-	-	-	1	5	13	46	85	142	
B22	Vascular lesions affecting central nervous system	M	3,693	-	-	3	2	9	49	165	566	1,189	1,710	126	
		F	5,572	2	-	1	2	13	48	136	507	1,447	3,416	125	
B23	Non-meningococcal meningitis	M	17	7	1	-	-	1	2	-	1	4	1	90	
		F	15	4	2	-	1	-	1	2	3	1	1	84	
B24	Rheumatic fever	M	4	-	-	-	1	-	-	-	1	-	2	103	
		F	3	-	-	-	-	-	-	-	1	-	1	87	
B25	Chronic rheumatic heart disease	M	230	-	-	-	-	10	22	38	80	51	29	119	
		F	454	-	-	-	2	8	34	80	132	116	82	117	

TABLE 19 - continued

Abbreviated List No.	Causes of death		Manchester Hospital Region											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
1-	5-	15-			25-	35-	45-	55-	65-	75 and over				
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	7,323	-	-	-	2	14	241	809	2,069	2,451	1,737	111
		F	4,773	-	-	-	-	6	36	156	743	1,663	2,169	110
		M	1,564	1	-	-	2	6	9	27	114	342	1,063	124
		F	2,849	-	-	-	2	1	3	15	70	431	2,327	130
B27	Other diseases of heart	M	761	1	-	2	3	2	11	29	113	239	361	121
B28	Hypertension with heart disease	F	1,057	1	1	-	1	5	6	34	89	263	657	132
		M	283	-	-	-	-	-	3	18	60	102	100	92
		F	493	-	-	-	-	2	1	5	53	155	277	105
B29	Hypertension without mention of heart	M	145	-	-	-	-	6	3	22	35	33	46	82
B46 (pt.)	Other circulatory diseases (450-468)	F	182	-	-	-	1	1	4	5	24	51	96	89
		M	1,019	2	-	1	3	5	11	45	135	287	530	117
		F	1,329	-	-	-	4	6	15	18	88	267	931	113
B30	Influenza	M	238	4	-	-	1	2	5	8	38	77	103	157
B31	Pneumonia	F	301	3	2	2	1	-	3	7	28	73	182	157
		M	1,474	132	21	9	9	23	67	181	357	666	99	
		F	1,782	107	28	10	5	2	12	46	140	381	1,051	98
B32	Bronchitis	M	2,884	12	5	1	4	5	30	164	699	1,093	871	133
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	1,266	18	2	-	1	2	12	62	156	371	642	151
		M	358	10	3	1	2	3	16	28	92	113	90	109
		F	187	5	2	-	3	3	14	16	24	43	77	104
B33	Ulcer of stomach and duodenum	M	268	-	-	-	1	2	11	21	55	88	90	110
B34	Appendicitis	F	145	-	-	-	-	-	2	11	16	46	69	103
		M	31	1	1	-	-	2	1	3	5	8	10	139
		F	25	-	-	3	-	1	1	2	4	5	9	121
B35	Intestinal obstruction and hernia	M	145	15	2	2	-	1	1	11	26	41	46	114
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	209	5	1	-	1	-	4	5	33	54	110	131
		M	101	23	6	2	5	2	4	6	16	13	24	106
		F	168	19	8	-	5	-	6	10	25	33	62	105
B37	Cirrhosis of liver	M	83	-	-	-	-	3	9	21	20	19	11	119
B38	Nephritis and nephrosis	F	75	-	-	1	-	-	2	11	19	20	22	120
		M	152	2	1	1	6	8	16	20	27	41	30	108
B39	Hyperplasia of prostate	F	126	-	1	-	4	2	7	10	39	27	36	105
		M	172	-	-	-	-	-	-	-	13	41	118	95
B40	Complications of pregnancy, childbirth and puerperium	F	19	-	-	-	7	8	4	-	-	-	-	93
B41	Congenital malformations	M	250	171	20	11	7	2	8	11	6	9	5	104
		F	209	146	16	7	7	4	3	9	7	4	6	98
B42	Birth injuries, postnatal asphyxia and atelectasis	M	267	267	-	-	-	-	-	-	-	-	-	114
		F	170	170	-	-	-	-	-	-	-	-	-	113
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	4	4	-	-	-	-	-	-	-	-	-	123
		F	8	8	-	-	-	-	-	-	-	-	-	261
		M	35	35	-	-	-	-	-	-	-	-	-	103
		F	18	18	-	-	-	-	-	-	-	-	-	74
B44	Other diseases of early infancy and immaturity unqualified	M	241	241	-	-	-	-	-	-	-	-	-	119
		F	168	168	-	-	-	-	-	-	-	-	-	115
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	329	3	1	-	1	-	1	3	4	21	295	242
		F	689	1	-	-	1	-	-	2	3	22	660	238
B46 (Rem.)	All other diseases (Remainder 001-795)	M	839	16	10	19	28	38	57	79	179	222	191	103
		F	1,314	15	14	14	28	34	60	108	195	364	482	109
BE47	Motor vehicle accidents	M	543	2	16	33	144	57	50	53	64	63	61	112
BE48	All other accidents	F	243	-	16	13	15	8	13	18	41	56	63	117
		M	572	39	40	35	53	35	41	51	78	54	146	108
BE49	Suicide and self-inflicted injury	F	655	29	22	14	8	14	20	24	44	109	371	118
		M	314	-	-	-	18	25	50	66	71	55	29	118
BE50	Homicide and operations of war	F	258	-	-	-	10	18	26	55	61	60	28	122
		M	24	3	1	1	1	4	5	1	2	3	3	130
		F	18	4	1	3	1	2	1	1	1	2	2	125
BN47	Fractures, head injuries and internal injuries	M	806	7	21	38	150	57	70	83	116	97	167	108
BN48	Burns	F	589	3	16	15	17	7	18	26	50	94	343	110
		M	24	-	6	3	-	5	1	1	-	3	5	105
		F	57	-	6	3	2	3	-	2	4	15	22	148
BN49	Effects of poisons	M	304	2	11	2	23	30	48	54	57	42	35	116
BN50	All other injuries	F	357	3	7	-	13	24	32	60	72	81	65	127
		M	319	35	19	26	43	29	27	33	42	33	32	118
		F	171	27	10	12	2	8	10	10	21	37	54	128

TABLE 19 - continued

Abbreviated List No.	Causes of death	Liverpool Hospital Region													S.M.R. (England and Wales = 100)
		Age													
		All ages	Under 1 year	Years											
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over			
	Numbers	M	12,944	508	82	78	158	157	398	1,073	2,903	3,642	3,945	110	
		F	12,533	369	60	46	75	92	292	680	1,583	2,996	6,340	103	
	Rates	M	12,087	23,519	915	421	941	1,128	3,004	8,254	25,243	56,729	152,907		
		F	10,700	18,000	706	258	428	679	2,124	4,802	11,770	29,576	102,258		
B1	Tuberculosis of respiratory system	M	101	-	-	-	-	-	5	10	33	36	17	157	
		F	32	-	-	-	-	-	5	5	7	9	6	135	
B2	Tuberculosis, other forms	M	7	-	-	-	1	1	1	1	-	2	1	136	
		F	5	-	-	-	-	-	-	1	2	-	2	76	
B3	Syphilis and its sequelae	M	28	-	-	-	-	-	1	1	5	13	8	139	
		F	16	-	-	-	-	-	-	3	3	2	8	107	
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	-	1	218	
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	1	-	-	-	-	-	-	-	-	-	137	
B10	Meningococcal infections	M	6	3	3	-	-	-	-	-	-	-	-	198	
		F	2	1	1	-	-	-	-	-	-	-	-	88	
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B14	Measles	M	3	1	1	-	1	-	-	-	-	-	-	135	
		F	2	1	1	-	-	-	-	-	-	-	-	105	
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B17	All other diseases classified as infective and parasitic	M	10	2	1	1	-	-	1	-	3	2	-	53	
		F	19	1	2	-	1	-	1	4	5	2	3	83	
	Malignant neoplasm: (140-205)	M	2,692	2	16	9	20	25	100	296	792	877	555	112	
		F	2,244	-	8	11	9	27	105	284	527	635	638	102	
	stomach (151)	M	360	-	-	-	-	1	7	41	79	148	84	118	
		F	285	-	-	-	-	1	4	14	51	88	127	114	
	trachea, bronchus and lung (162, 163)	M	1,149	-	-	-	1	3	38	143	414	401	149	123	
		F	248	-	-	-	-	-	14	38	65	81	50	126	
	breast (170)	M	5	-	-	-	-	-	1	-	3	-	1	121	
		F	376	-	-	-	-	6	29	77	100	92	72	86	
	uterus (171-174)	M	168	-	-	-	1	1	13	31	52	47	23	96	
	Leukaemia and aleukaemia (204)	M	57	-	2	4	6	3	5	2	11	12	12	85	
		F	60	-	5	3	2	2	4	15	16	11	99		
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,121	2	14	5	13	18	49	110	285	316	309	103	
		F	1,107	-	3	8	6	17	43	120	244	311	355	102	
B19	Benign and unspecified neoplasms	M	40	1	-	2	1	-	1	4	15	9	7	141	
		F	47	1	-	1	-	2	4	7	15	10	7	144	
B20	Diabetes mellitus	M	60	-	-	-	1	-	2	5	16	20	16	98	
		F	130	-	-	1	-	-	2	5	13	48	61	105	
B21	Anaemias	M	22	-	-	-	-	-	-	2	3	4	13	99	
		F	58	-	-	-	-	1	3	1	3	16	34	117	
B22	Vascular lesions affecting central nervous system	M	1,238	1	-	1	1	7	18	58	210	399	543	99	
		F	1,933	-	1	-	4	4	23	55	206	469	1,171	94	
B23	Non-meningococcal meningitis	M	11	2	1	-	-	1	1	2	2	-	2	118	
		F	7	3	-	-	-	-	-	2	-	-	2	78	
B24	Rheumatic fever	M	3	-	-	-	-	-	-	-	3	-	-	169	
		F	2	-	-	-	-	-	-	-	1	1	-	125	
B25	Chronic rheumatic heart disease	M	93	-	-	-	2	8	13	18	27	16	9	110	
		F	225	-	-	-	1	10	18	41	64	59	32	127	

TABLE 19 - continued

Abbreviated List No.	Causes of death		Liverpool Hospital Region												S.M.R. (England and Wales = 100)
			Age												
			All ages	Under 1 year	Years										
1-	5-	15-			25-	35-	45-	55-	65-	75 and over					
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	3,247	-	-	-	13	107	358	938	997	834	115		
		F	2,174	-	-	1	1	25	85	295	722	1,045	109		
		M	428	1	-	-	3	2	4	14	37	88	279	80	
		F	891	-	-	-	3	1	6	18	124	739	86		
B27	Other diseases of heart	M	299	-	1	-	1	2	5	7	41	79	163	112	
B28	Hypertension with heart disease	F	468	-	-	2	1	-	7	10	33	90	325	126	
		M	145	-	-	-	-	-	2	11	32	47	53	111	
		F	249	-	-	-	-	-	4	7	22	78	138	115	
B29	Hypertension without mention of heart	M	61	-	-	-	1	2	4	9	15	15	15	80	
B46 (pt.)	Other circulatory diseases (450-468)	F	78	-	-	-	-	2	3	3	11	12	47	82	
		M	386	1	-	-	-	2	4	19	55	91	214	104	
		F	480	-	-	-	1	-	3	10	37	74	355	87	
B30	Influenza	M	53	1	1	3	1	-	4	6	14	10	13	81	
B31	Pneumonia	F	67	1	-	-	-	3	2	2	9	14	36	75	
		M	813	72	10	3	3	3	8	32	93	180	409	126	
		F	1,023	45	10	1	2	3	8	12	65	179	698	120	
B32	Bronchitis	M	1,136	17	1	1	-	3	12	63	276	433	330	122	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	433	9	2	-	3	1	7	15	59	120	217	112	
		M	163	6	1	-	1	2	5	21	43	48	36	114	
		F	81	4	1	-	1	-	4	10	13	12	36	96	
B33	Ulcer of stomach and duodenum	M	125	-	-	-	-	1	2	8	34	45	35	120	
B34	Appendicitis	F	60	-	-	-	-	-	2	3	8	16	31	92	
		M	9	-	1	-	-	1	-	1	3	1	2	89	
		F	8	-	-	-	-	1	1	-	3	-	3	82	
B35	Intestinal obstruction and hernia	M	43	4	2	1	1	-	1	5	5	10	14	76	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	86	7	1	-	-	1	1	5	12	17	42	116	
		M	32	3	5	-	3	-	-	4	3	7	7	73	
		F	70	10	1	-	-	2	3	1	5	15	33	93	
B37	Cirrhosis of liver	M	32	-	1	-	2	-	1	5	11	9	3	105	
B38	Nephritis and nephrosis	F	36	-	-	-	-	-	-	10	11	11	4	127	
		M	79	1	-	-	4	10	5	12	10	19	18	127	
		F	59	-	-	1	5	3	5	1	10	20	14	106	
B39	Hyperplasia of prostate	M	78	-	-	-	-	-	-	1	3	15	59	102	
B40	Complications of pregnancy, childbirth and puerperium	F	10	-	-	-	3	3	4	-	-	-	-	94	
B41	Congenital malformations	M	119	82	14	6	3	2	3	4	2	1	2	94	
		F	112	91	3	3	-	-	2	7	3	2	1	100	
B42	Birth injuries, postnatal asphyxia and atelectasis	M	114	114	-	-	-	-	-	-	-	-	-	89	
		F	64	64	-	-	-	-	-	-	-	-	-	78	
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	2	2	-	-	-	-	-	-	-	-	-	113	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
		M	19	19	-	-	-	-	-	-	-	-	-	103	
		F	12	12	-	-	-	-	-	-	-	-	-	91	
B44	Other diseases of early infancy and immaturity unqualified	M	139	139	-	-	-	-	-	-	-	-	-	126	
		F	94	94	-	-	-	-	-	-	-	-	-	119	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	65	-	-	-	1	-	1	-	3	7	53	112	
		F	146	-	-	1	1	1	1	2	1	7	132	107	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	401	12	5	9	17	11	19	34	67	101	126	110	
		F	541	5	8	7	13	5	22	43	70	139	229	96	
BE47	Motor vehicle accidents	M	247	1	11	19	63	31	22	19	38	16	27	105	
BE48	All other accidents	F	123	-	11	11	17	7	6	6	20	23	22	123	
		M	276	20	7	21	21	12	25	23	43	31	73	111	
		F	365	19	10	6	5	7	7	20	15	55	221	139	
BE49	Suicide and self-inflicted injury	M	107	-	-	-	5	17	20	19	28	11	7	89	
BE50	Homicide and operations of war	F	69	-	-	-	4	4	12	12	16	15	6	71	
		M	12	1	-	2	1	1	1	1	-	3	2	133	
		F	10	-	-	1	3	1	1	2	1	-	1	137	
BN47	Fractures, head injuries and internal injuries	M	384	3	13	24	68	36	37	33	58	31	81	109	
BN48	Burns	F	348	2	13	11	17	8	7	8	19	54	209	137	
		M	11	-	-	3	-	-	-	1	2	2	3	103	
		F	34	-	3	-	-	2	2	4	4	8	11	185	
BN49	Effects of poisons	M	122	1	2	3	8	14	24	21	26	15	8	102	
BN50	All other injuries	F	117	3	3	5	6	7	14	22	19	21	20	90	
		M	125	18	3	12	14	11	7	7	23	13	17	95	
		F	68	17	2	2	6	2	3	6	10	10	10	105	

## TABLE 20. Suspended

Note. Publication of Table 20 has been suspended. Instead, Table 21 has been enlarged to include a cause analysis according to the Registrar General's Abridged List as well as the Registrar General's Supplementary Abridged List, but with no age details. A further cause analysis by detail of age is given for England and Wales, regions, hospital regions, conurbations and national aggregates by type of area in Table 19.

All details which prior to this change appeared in Table 20 and also figures (based on the Registrar General's Abridged List, without age detail prior to 1963) for administrative areas not separately shown in Table 21 are available at the General Register Office.

**TABLE 21. Causes of death by sex, 1966, classified in accordance with the Abridged List and Supplementary Abridged List**

England and Wales, regions, Wales, conurbations, hospital regions, Greater London, City of London, London and county boroughs, administrative counties

THE ABRIDGED LIST OF CAUSES OF DEATH adopted by the Registrar General in consultation with the Ministry of Health and its relation to the Detailed International Statistical Classification			THE SUPPLEMENTARY LIST OF SUBDIVISIONS OF THE REGISTRAR GENERAL'S ABRIDGED LIST OF CAUSES OF DEATH and its relation to the Detailed International Statistical Classification		
No.	Registrar General's Abridged List	ICD No.	No.	Registrar General's Supplementary Abridged List	ICD No.
1	Tuberculosis, respiratory.. ..	001-008	9	(1) Infectious hepatitis .. ..	092
2	Tuberculosis, other .. ..	010-019	14	(1) Malignant neoplasm, mouth and pharynx .. ..	140-148
3	Syphilitic disease .. ..	020-029	14	(2) Malignant neoplasm, oesophagus .. ..	150
4	Diphtheria .. ..	055	14	(3) Malignant neoplasm, intestine and rectum ..	152-154
5	Whooping cough .. ..	056	14	(4) Malignant neoplasm, larynx .. ..	161
6	Meningococcal infections .. ..	057	13	(1) Malignant neoplasm, cervix uteri .. ..	171
7	Acute poliomyelitis .. ..	080	14	(5) Malignant neoplasm, prostate .. ..	177
8	Measles .. ..	085	14	(6) Malignant neoplasm, bladder .. ..	181.0, 181.8
9	Other infective and parasitic diseases ..	030-054, 058-074, 081-084, 086-138	14	(7) Malignant neoplasm, bone (including jaw-bone)	196
10	Malignant neoplasm, stomach .. ..	151	14	(8) Lymphosarcoma, reticulosarcoma .. ..	200
11	Malignant neoplasm, lung, bronchus ..	162, 163	14	(9) Hodgkin's disease .. ..	201
12	Malignant neoplasm, breast .. ..	170	32	(1) Thyrotoxicosis .. ..	252
13	Malignant neoplasm, uterus .. ..	171-174	32	(2) Multiple sclerosis .. ..	345
14	Other malignant and lymphatic neoplasms ..	140-150, 152-161, 164, 165, 175-203, 205	32	(3) Rheumatic fever .. ..	400-402
15	Leukaemia, aleukaemia .. ..	204	20	(1) Chronic rheumatic heart disease .. ..	410-416
16	Diabetes .. ..	260	21	(1) Hypertension without mention of heart ..	444-447
17	Vascular lesions of nervous system ..	330-334	25	(1) Pneumoconiosis and chronic interstitial ..	pneumonia .. ..
18	Coronary disease, angina .. ..	420	26	(1) Ulcer of stomach .. ..	523-525, 540
19	Hypertension with heart disease .. ..	440-443	32	(4) Appendicitis .. ..	550-553
20	Other heart disease .. ..	410-416, 421-434	32	(5) Intestinal obstruction and hernia .. ..	560, 561, 570
21	Other circulatory disease .. ..	444-468	32	(6) Cirrhosis of liver .. ..	581
22	Influenza .. ..	480-483	32	(7) Cholelithiasis, cholecystitis .. ..	584, 585
23	Pneumonia .. ..	490-493, 763	30	(1) Maternal sepsis (not abortion) .. ..	640, 641, 681, 682, 684
24	Bronchitis .. ..	500-502	30	(2) Toxaemias of pregnancy and puerperium ..	642, 685, 686
25	Other diseases of respiratory system ..	470-475, 510-527	30	(3) Abortion .. ..	650-652
26	Ulcer of stomach and duodenum .. ..	540, 541	32	(8) Rheumatoid arthritis and allied conditions ..	722
27	Gastritis, enteritis and diarrhoea ..	543, 571, 572, 764	32	(9) Birth injury .. ..	760, 761
28	Nephritis and nephrosis .. ..	590-594	32	(10) Postnatal asphyxia and atelectasis .. ..	762
29	Hyperplasia of prostate .. ..	610	23	(1) Pneumonia of newborn .. ..	763
30	Pregnancy, childbirth, abortion .. ..	640-689	32	(11) Ophthalmia, pemphigus, sepsis of newborn ..	765-768
31	Congenital malformations .. ..	750-759	32	(12) Haemolytic disease of newborn .. ..	770
32	Other defined and ill-defined diseases ...	210-254, 270-326, 340-402, 530-539, 542, 544-570, 573-587, 600-609, 611-637, 690-749, 760-762, 765-795	32	(13) Immaturity (without other disease peculiar to early infancy) .. ..	774, 776
33	Motor vehicle accidents .. ..	E810-835	32	(14) Senility without psychosis .. ..	794
34	All other accidents .. ..	E800-802, 840-962	32	(15) Ill-defined and unknown cause .. ..	780-789, 790-793, 795
35	Suicide .. ..	E963, 970-979			
36	Homicide and operations of war .. ..	E964, 965, 980-999			

TABLE 21 - continued

ENGLAND AND WALES, REGIONS AND CONURBATIONS

Registrar General's Abridged List		England and Wales	Northern			Yorkshire and Humberside			North Western				East Midland
			Total	Tyneside Conurbation	Remainder of Northern	Total	West Yorkshire Conurbation	Remainder of Yorkshire and Humberside	Total	South East Lancashire Conurbation	Merseyside Conurbation	Remainder of North Western	
1 Tuberculosis, respiratory	M	1,559	152	38	114	168	66	102	274	103	65	106	79
	F	531	48	17	31	57	20	37	81	26	20	35	26
2 Tuberculosis, other	M	119	8	3	5	15	8	7	17	5	5	7	10
	F	145	9	4	5	9	6	3	16	8	5	3	16
3 Syphilitic disease	M	498	35	12	23	39	21	18	76	20	14	42	32
	F	340	23	9	14	36	16	20	49	17	13	19	12
4 Diphtheria	M	4	-	-	-	-	-	-	-	-	-	-	2
	F	1	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	9	-	-	-	1	-	1	-	-	-	-	2
	F	14	1	1	-	1	1	-	3	1	1	1	-
6 Meningococcal infections	M	60	7	1	6	3	1	2	14	5	5	4	2
	F	45	5	2	3	5	-	5	6	1	1	4	3
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	43	6	2	4	6	-	6	8	3	2	3	5
	F	37	2	1	1	6	4	2	9	3	-	6	1
9 Other infective, etc., diseases	M	449	28	8	20	44	11	33	48	21	7	20	26
	F	521	29	11	18	45	18	27	68	26	13	29	47
10 Malignant neoplasm: stomach	M	7,520	581	150	431	722	258	464	1,190	456	208	526	511
	F	5,653	406	114	292	612	262	350	980	350	176	454	354
11 lung, bronchus	M	22,610	1,557	477	1,080	2,117	823	1,294	3,298	1,254	763	1,281	1,337
	F	4,415	265	81	184	366	140	226	639	232	170	237	243
12 breast	M	100	9	-	9	7	2	5	13	4	4	5	5
	F	9,822	603	141	462	907	358	549	1,299	507	218	574	610
13 uterus	F	3,950	289	71	218	445	171	274	608	219	104	285	278
14 Other malignant and lymphatic neoplasms	M	26,774	1,912	532	1,380	2,556	924	1,632	3,701	1,385	688	1,628	1,729
	F	24,418	1,556	402	1,154	2,336	926	1,410	3,477	1,317	676	1,484	1,557
15 Leukaemia, aleukaemia	M	1,567	94	17	77	148	53	95	205	69	37	99	101
	F	1,329	79	17	62	134	46	88	167	63	31	73	83
16 Diabetes	M	1,512	115	23	92	139	48	91	210	79	33	98	108
	F	2,789	219	61	158	269	112	157	391	139	66	186	230
17 Vascular lesions of nervous system	M	31,743	2,538	575	1,963	3,563	1,318	2,245	4,884	1,751	723	2,410	2,217
	F	47,081	3,346	795	2,551	4,948	2,057	2,891	7,437	2,733	1,127	3,577	3,027
18 Coronary disease, angina	M	69,547	5,201	1,250	3,951	7,499	3,060	4,439	10,491	3,544	2,055	4,892	4,395
	F	45,219	3,604	902	2,702	4,926	2,218	2,708	6,865	2,306	1,424	3,135	2,699
19 Hypertension with heart disease	M	3,280	217	81	136	339	142	197	423	133	75	215	252
	F	4,935	321	123	198	498	212	286	741	261	152	328	371
20 Other heart disease	M	22,766	1,540	339	1,201	2,323	873	1,450	3,340	1,204	438	1,698	1,737
	F	36,133	2,173	497	1,676	3,397	1,301	2,096	5,888	2,069	894	2,925	2,522
21 Other circulatory disease	M	11,355	758	183	575	1,072	326	746	1,602	573	240	789	828
	F	14,689	992	280	712	1,542	587	955	2,051	831	281	939	943
22 Influenza	M	1,639	107	20	87	181	53	128	281	122	17	142	140
	F	2,033	113	20	93	281	87	194	361	144	28	189	198
23 Pneumonia	M	16,439	1,114	283	831	1,601	629	972	2,320	867	532	921	1,009
	F	19,603	1,162	281	881	1,883	820	1,063	2,816	1,010	735	1,071	1,136
24 Bronchitis	M	23,121	1,696	453	1,243	2,858	1,078	1,780	4,004	1,686	682	1,636	1,604
	F	8,741	595	150	445	1,182	529	653	1,695	799	277	619	583
25 Other diseases of respiratory system	M	3,499	228	43	185	343	149	194	516	178	89	249	238
	F	1,882	122	40	82	202	83	119	264	109	43	112	162
26 Ulcer of stomach and duodenum	M	2,604	189	55	134	269	111	158	391	134	70	187	168
	F	1,480	104	27	77	137	63	74	205	75	38	92	91
27 Gastritis, enteritis and diarrhoea	M	1,046	78	21	57	125	42	83	139	60	18	61	81
	F	1,700	108	29	79	179	77	102	245	96	49	100	105
28 Nephritis and nephrosis	M	1,493	107	16	91	165	60	105	231	75	45	111	99
	F	1,247	91	19	72	150	71	79	184	59	36	89	82
29 Hyperplasia of prostate	M	2,007	135	41	94	202	59	143	244	77	45	122	146
30 Pregnancy, childbirth, abortion	F	223	13	3	10	31	13	18	28	7	3	18	17
31 Congenital malformations	M	2,511	181	47	134	258	86	172	365	140	74	151	158
	F	2,215	158	37	121	230	72	158	319	106	72	141	158
32 Other defined and ill-defined diseases	M	18,699	1,298	344	954	1,949	815	1,134	2,959	1,047	584	1,328	1,299
	F	23,447	1,565	390	1,175	2,400	1,053	1,347	3,939	1,459	692	1,788	1,525
33 Motor vehicle accidents	M	5,293	396	95	301	542	201	341	780	296	131	353	421
	F	2,161	118	40	78	222	96	126	366	130	66	170	168
34 All other accidents	M	5,734	516	132	384	666	237	429	841	290	185	366	396
	F	5,879	475	114	361	630	250	380	1,012	329	209	474	402
35 Suicide	M	2,823	170	57	113	279	103	176	418	168	68	182	173
	F	2,171	116	35	81	223	96	127	322	132	34	156	107
36 Homicide, operations of war	M	199	9	2	7	20	4	16	36	14	9	13	13
	F	152	9	4	5	20	13	7	27	12	6	9	8

TABLE 21 - continued

ENGLAND AND WALES, REGIONS AND CONURBATIONS

Registrar General's Supplementary Abridged List		England and Wales	Northern			Yorkshire and Humberside			North Western				East Midland
			Total	Tyneside Conurbation	Remainder of Northern	Total	West Yorkshire Conurbation	Remainder of Yorkshire and Humberside	Total	South East Lancashire Conurbation	Merseyside Conurbation	Remainder of North Western	
9(1) Infectious hepatitis	M	84	8	3	5	11	2	9	16	8	2	6	3
	F	144	9	6	3	14	5	9	22	5	5	12	12
14(1) Malignant neoplasm, mouth and pharynx	M	945	79	21	58	98	31	67	156	50	27	79	63
	F	655	47	14	33	62	26	36	107	43	24	40	46
14(2) Malignant neoplasm, oesophagus	M	1,485	115	36	79	119	45	74	230	73	60	97	103
	F	1,197	90	21	69	96	42	54	173	60	27	86	86
14(3) Malignant neoplasm, intestine and rectum	M	6,886	524	151	373	677	230	447	950	353	170	427	449
	F	8,100	540	132	408	795	292	503	1,225	460	231	534	486
14(4) Malignant neoplasm, larynx	M	605	44	13	31	61	27	34	92	42	13	37	31
	F	158	9	4	5	19	6	13	24	13	2	9	7
13(1) Malignant neoplasm, cervix uteri	F	2,483	201	50	151	301	117	184	400	153	71	176	175
14(5) Malignant neoplasm, prostate	M	3,914	235	67	168	343	127	216	498	173	91	234	252
14(6) Malignant neoplasm, bladder	M	2,476	173	45	128	246	102	144	337	133	61	143	182
	F	1,004	66	26	40	104	43	61	143	55	38	50	52
14(7) Malignant neoplasm, bone (including jaw bone)	M	298	27	9	18	30	13	17	43	15	10	18	18
	F	208	14	2	12	27	9	18	31	15	6	10	20
14(8) Lymphosarcoma, reticulosarcoma	M	688	43	8	35	66	24	42	89	30	14	45	45
	F	596	37	12	25	56	25	31	63	24	5	34	33
14(9) Hodgkin's disease	M	573	35	9	26	63	24	39	74	33	13	28	41
	F	311	23	5	18	29	15	14	54	20	11	23	26
32(1) Thyrotoxicosis	M	27	3	1	2	3	1	2	6	-	3	3	4
	F	217	16	4	12	17	11	6	34	14	4	16	17
32(2) Multiple sclerosis	M	319	26	7	19	26	6	20	55	29	6	20	13
	F	517	41	12	29	49	23	26	78	35	12	31	52
32(3) Rheumatic fever	M	41	2	-	2	3	1	2	7	3	2	2	6
	F	35	3	1	2	2	1	1	5	1	-	4	3
20(1) Chronic rheumatic heart disease	M	2,033	127	37	90	219	95	124	322	119	52	151	146
	F	3,967	277	87	190	434	180	254	679	243	143	293	258
21(1) Hypertension without mention of heart	M	1,892	115	29	86	155	54	101	205	71	30	104	159
	F	2,154	116	39	77	181	74	107	257	95	43	119	159
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	902	85	12	73	78	32	46	129	49	14	66	33
	F	194	13	5	8	20	9	11	28	10	3	15	8
26(1) Ulcer of stomach	M	1,190	84	24	60	122	50	72	166	65	32	69	74
	F	944	64	18	46	74	29	45	123	47	27	49	62
32(4) Appendicitis	M	237	18	3	15	21	9	12	40	16	4	20	22
	F	215	12	2	10	18	4	14	33	14	5	14	14
32(5) Intestinal obstruction and hernia	M	1,369	88	20	68	142	68	74	185	67	24	94	98
	F	1,663	111	36	75	155	74	81	294	118	50	126	110
32(6) Cirrhosis of liver	M	731	57	20	37	56	26	30	113	40	19	54	39
	F	635	38	8	30	75	28	47	110	37	23	50	45
32(7) Cholelithiasis, cholecystitis	M	360	24	4	20	42	17	25	45	17	5	23	27
	F	731	51	14	37	95	49	46	109	39	17	53	42
30(1) Maternal sepsis (not abortion)	F	20	2	-	2	4	-	4	4	1	-	3	1
30(2) Toxaemias of pregnancy and puerperium	F	38	3	-	3	9	2	7	5	2	-	3	1
30(3) Abortion	F	53	1	-	1	6	3	3	4	1	-	3	2
32(8) Rheumatoid arthritis and allied conditions	M	219	11	4	7	21	10	11	39	15	6	18	12
	F	720	34	6	28	75	36	39	122	41	17	64	49
32(9) Birth injury	M	1,018	81	24	57	111	50	61	148	64	33	51	83
	F	605	45	5	40	65	25	40	93	43	15	35	51
32(10) Postnatal asphyxia and atelectasis	M	1,435	93	14	79	166	66	100	228	100	38	90	93
	F	972	67	13	54	105	42	63	140	65	13	62	47
23(1) Pneumonia of newborn	M	302	24	6	18	33	15	18	47	19	9	19	21
	F	229	15	5	10	21	5	16	28	10	2	16	23
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	52	-	-	-	10	6	4	7	3	1	3	5
	F	24	1	-	1	4	1	3	2	-	1	1	2
32(12) Haemolytic disease of newborn	M	162	9	-	9	22	10	12	28	9	9	10	8
	F	149	6	2	4	10	5	5	26	9	7	10	12
32(13) Immaturity (without other disease peculiar to early infancy)	M	1,444	100	31	69	147	68	79	278	96	71	111	102
	F	1,019	75	21	54	123	45	78	190	58	45	87	53
32(14) Senility without psychosis	M	1,337	108	21	87	150	35	115	358	89	39	230	102
	F	2,969	195	37	158	232	70	162	786	269	92	425	206
32(15) Ill-defined and unknown cause	M	198	18	11	7	18	12	6	35	14	8	13	16
	F	184	24	11	13	12	6	6	36	14	10	12	11

TABLE 21 - continued

## REGIONS AND CONURBATIONS

Registrar General's Abridged List		West Midland			East Anglia	South Eastern				South Western	Wales		
		Total	West Midlands Conurbation	Remainder of West Midland		Total	Greater London	Outer Metropolitan Area	Remainder of South Eastern		Total	Wales I (South East)	Wales II (remainder)
1 Tuberculosis, respiratory	M	188	102	86	33	450	265	97	88	89	126	91	35
	F	59	33	26	14	178	93	49	36	34	34	25	9
2 Tuberculosis, other	M	12	7	5	3	40	18	10	12	5	9	6	3
	F	15	6	9	4	48	27	12	9	15	13	8	5
3 Syphilitic disease	M	32	12	20	13	203	94	51	58	31	37	24	13
	F	25	13	12	17	145	85	34	26	20	13	6	7
4 Diphtheria	M	1	1	-	-	1	-	1	-	-	-	-	-
	F	-	-	-	-	1	-	-	-	-	-	-	-
5 Whooping cough	M	2	2	-	-	3	2	1	-	1	-	-	-
	F	6	6	-	-	2	-	1	1	-	1	1	-
6 Meningococcal infections	M	6	3	3	4	17	11	3	3	4	3	2	1
	F	7	5	2	1	14	7	4	3	2	2	2	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	1	1	-	-	-	-	-	-
8 Measles	M	9	2	7	-	6	-	3	3	1	2	1	1
	F	4	1	3	-	8	2	3	3	3	4	3	1
9 Other infective, etc., diseases	M	52	30	22	19	170	79	42	49	40	22	15	7
	F	49	24	25	17	179	88	49	42	53	34	23	11
10 Malignant neoplasm: stomach	M	711	339	372	260	2,360	1,153	594	613	596	589	404	185
	F	572	286	286	164	1,823	898	455	470	366	376	247	129
11 lung, bronchus	M	2,123	1,119	1,004	623	8,862	4,619	2,418	2,125	1,537	1,156	833	323
	F	332	178	154	117	1,974	1,059	458	457	308	171	113	58
12 breast	M	10	5	5	5	37	22	6	9	8	6	5	1
	F	962	482	480	316	3,864	1,772	982	1,110	750	511	356	155
13 uterus	F	372	174	198	143	1,234	579	309	346	331	250	167	83
14 Other malignant and lymphatic neoplasms	M	2,520	1,216	1,304	922	9,735	4,470	2,578	2,687	2,159	1,540	1,052	488
	F	2,199	1,069	1,130	790	9,153	4,327	2,232	2,594	2,011	1,339	888	451
15 Leukaemia, aleukaemia	M	144	72	72	39	624	285	172	167	121	91	69	22
	F	123	63	60	46	500	248	130	122	122	75	52	23
16 Diabetes	M	162	75	87	55	478	208	138	132	146	99	66	33
	F	287	136	151	98	905	411	236	258	202	188	128	60
17 Vascular lesions of nervous system	M	3,081	1,446	1,635	1,078	9,451	3,718	2,572	3,161	2,814	2,117	1,378	739
	F	4,240	1,974	2,266	1,511	15,633	6,430	4,134	5,069	4,028	2,911	1,867	1,044
18 Coronary disease, angina	M	6,195	2,875	3,320	2,149	23,356	10,839	5,884	6,633	5,524	4,737	3,414	1,323
	F	3,836	1,764	2,072	1,382	15,566	7,207	3,756	4,603	3,579	2,762	2,019	743
19 Hypertension with heart disease	M	355	211	144	83	1,004	407	267	330	327	280	195	85
	F	527	281	246	113	1,533	655	383	495	440	391	259	132
20 Other heart disease	M	2,187	946	1,241	881	6,951	2,837	1,787	2,327	2,297	1,510	1,023	487
	F	3,343	1,516	1,827	1,075	12,013	5,062	2,990	3,961	3,503	2,219	1,454	765
21 Other circulatory disease	M	1,000	420	580	359	3,993	1,917	1,001	1,075	1,044	699	473	226
	F	1,154	511	643	450	5,365	2,683	1,301	1,401	1,313	859	591	268
22 Influenza	M	228	104	124	31	348	108	107	133	187	136	83	53
	F	237	103	134	41	451	137	137	177	218	133	84	69
23 Pneumonia	M	1,748	899	849	646	6,062	2,984	1,491	1,587	1,172	767	552	215
	F	1,955	1,031	924	695	7,617	3,749	1,899	1,969	1,527	812	587	225
24 Bronchitis	M	2,529	1,393	1,136	475	7,028	3,540	1,724	1,764	1,300	1,627	1,233	394
	F	939	525	414	179	2,674	1,448	645	581	422	472	359	113
25 Other diseases of respiratory system	M	350	123	227	95	999	431	272	296	276	454	377	77
	F	183	89	94	57	611	278	155	178	167	114	85	29
26 Ulcer of stomach and duodenum	M	287	152	135	83	896	450	200	246	188	133	97	36
	F	139	66	73	53	583	287	140	156	104	64	44	20
27 Gastritis, enteritis and diarrhoea	M	109	56	53	34	324	174	78	72	88	68	46	22
	F	157	89	68	55	636	309	155	172	124	91	58	33
28 Nephritis and nephrosis	M	147	64	83	44	465	232	122	111	122	113	70	43
	F	110	58	52	42	384	178	95	111	102	102	69	33
29 Hyperplasia of prostate	M	202	90	112	106	630	271	187	172	189	153	100	53
30 Pregnancy, childbirth, abortion	F	27	15	12	4	82	47	27	8	14	7	5	2
31 Congenital malformations	M	257	117	140	79	892	410	264	218	176	145	109	36
	F	257	128	129	80	738	340	211	187	150	125	95	30
32 Other defined and ill-defined diseases	M	1,828	852	976	552	6,287	2,841	1,724	1,702	1,421	1,126	793	333
	F	2,146	992	1,154	710	7,936	3,661	2,119	2,156	1,836	1,390	971	419
33 Motor vehicle accidents	M	619	270	349	203	1,708	676	537	495	382	242	161	81
	F	249	113	136	72	716	310	216	190	152	98	67	31
34 All other accidents	M	593	287	306	190	1,703	811	434	458	396	433	296	137
	F	587	323	264	233	1,745	658	469	618	418	377	251	126
35 Suicide	M	256	132	124	94	1,061	559	232	270	200	172	126	46
	F	170	90	80	71	891	433	203	255	171	100	70	30
36 Homicide, operations of war	M	25	15	10	3	78	60	10	8	8	7	5	2
	F	17	10	7	1	55	31	7	17	9	6	4	2

TABLE 21 - continued

## REGIONS AND CONURBATIONS

Registrar General's Supplementary Abridged List		West Midland			East Anglia	South Eastern				South Western	Wales		
		Total	West Midlands Conurbation	Remainder of West Midland		Total	Greater London	Outer Metropolitan Area	Remainder of South Eastern		Total	Wales I (South East)	Wales II (remainder)
9(1) Infectious hepatitis	M	5	3	2	1	28	16	6	6	6	6	5	1
	F	13	7	6	8	44	21	14	9	11	11	10	1
14(1) Malignant neoplasm, mouth and pharynx	M	97	42	55	35	274	122	64	88	83	60	44	16
	F	52	24	28	15	229	99	63	67	47	50	31	19
14(2) Malignant neoplasm, oesophagus	M	135	57	78	44	518	248	140	130	132	89	62	27
	F	108	54	54	31	410	200	108	102	114	89	48	41
14(3) Malignant neoplasm, intestine and rectum	M	700	342	358	255	2,343	1,051	615	677	568	420	299	121
	F	768	392	376	265	2,929	1,393	721	815	658	434	295	139
14(4) Malignant neoplasm, larynx	M	71	34	37	19	206	98	60	48	47	34	22	12
	F	12	4	8	5	56	26	11	19	16	10	7	3
13(1) Malignant neoplasm, cervix uteri	F	220	97	123	89	740	349	185	206	193	164	106	58
14(5) Malignant neoplasm, prostate	M	328	150	178	157	1,499	620	420	459	360	242	147	95
14(6) Malignant neoplasm, bladder	M	213	110	103	75	957	456	250	251	172	121	83	38
	F	76	37	39	30	419	205	89	125	70	44	31	13
14(7) Malignant neoplasm, bone (including jaw bone)	M	24	9	15	12	101	49	27	25	24	19	14	5
	F	16	8	8	9	67	26	19	22	12	12	9	3
14(8) Lymphosarcoma, reticulosarcoma	M	67	28	39	18	283	129	78	76	52	25	18	7
	F	48	13	35	15	256	129	63	64	52	36	27	9
14(9) Hodgkin's disease	M	51	26	25	26	199	88	61	50	51	33	19	14
	F	32	11	21	10	102	47	26	29	20	15	12	3
32(1) Thyrotoxicosis	M	1	-	1	-	5	4	1	-	2	3	1	2
	F	27	10	17	10	56	21	14	21	20	20	11	9
32(2) Multiple sclerosis	M	29	11	18	4	118	43	39	36	35	13	7	6
	F	46	21	25	21	168	75	46	47	40	22	17	5
32(3) Rheumatic fever	M	3	-	3	2	9	7	1	1	3	6	5	1
	F	1	-	1	2	14	6	5	3	2	3	2	1
20(1) Chronic rheumatic heart disease	M	218	107	111	39	669	374	154	141	143	150	112	38
	F	382	192	190	97	1,318	768	293	257	245	277	215	62
21(1) Hypertension without mention of heart	M	201	105	96	51	706	381	170	155	160	140	100	40
	F	204	121	83	38	850	457	214	179	183	166	116	50
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	112	36	76	5	123	57	24	42	52	285	248	37
	F	16	9	7	6	69	36	15	18	14	20	13	7
26(1) Ulcer of stomach	M	124	65	59	34	422	202	101	119	98	66	48	18
	F	90	43	47	41	376	189	90	97	70	44	28	16
32(4) Appendicitis	M	30	12	18	7	72	31	21	20	12	15	14	1
	F	19	10	9	10	79	31	25	23	18	12	7	5
32(5) Intestinal obstruction and hernia	M	121	50	71	56	479	229	108	142	126	74	50	24
	F	153	65	88	53	576	271	140	165	126	85	57	28
32(6) Cirrhosis of liver	M	84	42	42	11	253	109	56	88	56	62	39	23
	F	53	31	22	15	204	106	37	61	50	45	26	19
32(7) Cholelithiasis, cholecystitis	M	34	18	16	17	116	51	33	32	37	18	7	11
	F	68	35	33	21	229	101	56	72	67	49	29	20
30(1) Maternal sepsis (not abortion)	F	4	2	2	-	3	2	-	1	1	1	1	-
30(2) Toxaemias of pregnancy and puerperium	F	5	4	1	-	10	3	5	2	1	4	2	2
30(3) Abortion	F	4	2	2	-	30	22	7	1	5	1	1	-
32(8) Rheumatoid arthritis and allied conditions	M	19	8	11	6	82	35	25	22	17	12	11	1
	F	69	33	36	38	214	104	51	59	59	60	40	20
32(9) Birth injury	M	116	61	55	26	320	173	82	65	83	50	44	6
	F	88	53	35	17	172	85	49	38	39	35	31	4
32(10) Postnatal asphyxia and atelectasis	M	177	80	97	31	459	238	131	90	111	77	62	15
	F	127	69	58	31	328	181	86	61	60	67	53	14
23(1) Pneumonia of newborn	M	41	20	21	9	87	39	26	22	24	16	12	4
	F	37	21	16	6	64	33	15	13	17	18	15	3
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	5	4	1	2	12	8	3	1	7	4	3	1
	F	4	3	1	1	5	3	2	-	1	4	3	1
32(12) Haemolytic disease of newborn	M	12	8	4	4	62	32	22	8	7	10	8	2
	F	20	10	10	6	53	24	15	14	12	4	4	-
32(13) Immaturity (without other disease peculiar to early infancy)	M	137	66	71	47	482	221	137	124	63	88	65	23
	F	97	48	49	20	352	163	107	82	44	65	48	17
32(14) Senility without psychosis	M	104	19	85	37	257	65	107	85	124	97	61	36
	F	203	53	150	81	749	241	269	239	340	177	118	59
32(15) Ill-defined and unknown cause	M	18	11	7	4	68	31	25	12	12	9	8	1
	F	16	9	7	6	60	24	21	15	10	9	6	3

TABLE 21 - continued

## CONURBATIONS, URBAN AND RURAL AGGREGATES AND HOSPITAL REGIONS

Registrar General's Abridged List		Conurbations	Areas outside conurbations				Hospital regions							
			Urban areas with populations of 100,000 and over	Urban areas with pop. of 50,000 and under 100,000	Urban areas with populations under 50,000	Rural districts	Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	
1	Tuberculosis, respiratory	M	639	243	146	321	210	146	107	137	33	110	90	95
		F	209	83	50	97	92	45	34	50	14	49	26	42
2	Tuberculosis, other	M	46	18	13	16	26	8	10	15	3	8	9	7
		F	56	12	8	37	32	7	9	11	4	14	13	6
3	Syphilitic disease	M	173	67	66	93	99	35	29	40	14	43	39	47
		F	153	32	31	67	57	21	29	18	17	41	20	23
4	Diphtheria	M	1	-	-	2	1	-	-	2	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1
5	Whooping cough	M	4	3	-	1	1	-	-	3	-	2	1	-
		F	10	1	-	3	-	1	1	-	-	1	-	-
6	Meningococcal infections	M	26	10	6	10	8	7	1	3	4	6	4	2
		F	16	6	5	11	7	5	2	6	1	3	4	2
7	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-
8	Measles	M	9	5	6	10	13	6	2	8	-	-	-	2
		F	11	3	7	9	7	2	4	2	1	2	-	4
9	Other infective, etc., diseases	M	156	49	43	95	106	26	29	38	20	43	37	30
		F	180	59	52	133	97	27	28	58	17	52	35	28
10	Malignant neoplasm: stomach	M	2,564	1,080	713	1,692	1,471	546	479	701	278	541	526	515
		F	2,086	801	548	1,231	987	372	426	505	173	421	380	400
11	lung, bronchus	M	9,055	3,062	2,165	4,573	3,755	1,455	1,452	1,871	648	2,222	1,733	1,854
		F	1,860	559	419	823	754	240	269	318	122	521	333	411
12	breast	M	37	7	8	29	19	9	5	7	6	10	14	7
		F	3,478	1,331	921	2,235	1,857	548	659	804	333	891	722	818
13	uterus	F	1,318	571	369	968	724	257	336	367	151	287	240	263
14	Other malignant and lymphatic neoplasms	M	9,215	3,428	2,599	6,132	5,400	1,758	1,775	2,369	967	2,309	1,831	2,030
		F	8,717	3,155	2,428	5,474	4,644	1,415	1,685	2,091	841	2,080	1,565	2,103
15	Leukaemia, aleukaemia	M	533	200	165	345	324	86	97	131	43	146	119	124
		F	468	148	151	298	264	68	92	121	46	133	78	99
16	Diabetes	M	466	212	137	362	335	98	101	141	61	128	92	107
		F	925	390	248	667	559	200	206	279	100	199	196	202
17	Vascular lesions of nervous system	M	9,531	4,080	3,124	7,876	7,132	2,321	2,485	3,176	1,120	1,998	1,748	2,249
		F	15,116	6,247	4,707	11,544	9,467	3,016	3,700	4,119	1,571	3,468	2,781	3,709
18	Coronary disease, angina	M	23,623	9,421	6,727	15,970	13,806	4,798	5,366	6,190	2,253	5,608	4,376	5,079
		F	15,821	6,162	4,543	10,335	8,358	3,271	3,770	3,653	1,450	3,535	2,771	3,629
19	Hypertension with heart disease	M	1,049	459	305	770	697	205	208	351	85	205	177	253
		F	1,684	656	437	1,123	1,035	301	340	484	120	338	235	409
20	Other heart disease	M	6,637	2,765	2,197	5,876	5,291	1,321	1,636	2,349	929	1,463	1,157	1,613
		F	11,339	4,450	3,672	9,116	7,556	1,834	2,428	3,417	1,142	2,423	1,812	2,922
21	Other circulatory disease	M	3,659	1,509	1,113	2,653	2,421	704	668	1,153	379	944	713	888
		F	5,173	1,928	1,368	3,347	2,873	920	1,037	1,378	467	1,308	939	1,109
22	Influenza	M	424	177	138	442	458	85	127	180	31	55	51	102
		F	519	271	179	557	507	97	179	286	49	79	52	103
23	Pneumonia	M	6,194	2,259	1,543	3,189	3,254	1,034	1,162	1,398	674	1,355	1,047	1,377
		F	7,626	2,632	1,870	3,798	3,677	1,077	1,474	1,508	724	1,677	1,397	1,678
24	Bronchitis	M	8,832	3,367	2,195	4,918	3,809	1,592	1,905	2,432	495	1,628	1,544	1,520
		F	3,728	1,240	834	1,652	1,287	548	835	903	188	649	577	559
25	Other diseases of respiratory system	M	1,013	438	322	957	769	214	228	332	104	214	189	242
		F	642	229	178	435	398	114	126	222	60	154	113	130
26	Ulcer of stomach and duodenum	M	972	349	242	564	477	175	205	214	85	207	182	209
		F	556	207	156	302	259	100	103	116	55	133	99	135
27	Gastritis, enteritis and diarrhoea	M	371	130	88	255	202	72	84	120	39	85	60	66
		F	649	224	161	378	288	103	123	146	56	148	123	138
28	Nephritis and nephrosis	M	492	199	148	331	323	100	107	150	48	126	97	97
		F	421	143	134	295	254	85	110	116	44	80	60	110
29	Hyperplasia of prostate	M	583	275	183	467	499	116	129	213	109	140	133	109
30	Pregnancy, childbirth, abortion	F	88	26	22	49	38	9	22	28	5	26	16	16
31	Congenital malformations	M	874	328	230	552	527	170	160	244	83	216	171	178
		F	755	300	238	457	465	155	132	241	83	171	150	139
32	Other defined and ill-defined diseases	M	6,483	2,361	1,753	4,115	3,987	1,207	1,358	1,785	588	1,569	1,156	1,275
		F	8,247	2,840	2,229	5,483	4,648	1,434	1,751	2,059	752	1,807	1,518	1,711
33	Motor vehicle accidents	M	1,669	636	521	1,116	1,351	372	362	549	212	374	321	347
		F	755	289	244	425	448	110	156	224	75	184	116	137
34	All other accidents	M	1,942	766	542	1,238	1,246	483	436	592	195	421	309	375
		F	1,883	818	661	1,396	1,121	429	465	554	250	427	279	342
35	Suicide	M	1,087	398	268	571	499	156	198	236	101	274	177	204
		F	820	296	251	447	357	104	165	157	74	217	139	202
36	Homicide, operations of war	M	104	26	14	31	24	8	8	25	4	32	16	10
		F	76	18	19	22	17	8	18	9	1	10	10	10

TABLE 21 - continued

## CONURBATIONS, URBAN AND RURAL AGGREGATES AND HOSPITAL REGIONS

Registrar General's Supplementary Abridged List		Conurbations	Areas outside conurbations				Hospital regions						
			Urban areas with populations of 100,000 and over	Urban areas with pop. of 50,000 and under 100,000	Urban areas with populations under 50,000	Rural districts	Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan
9(1) Infectious hepatitis	M	34	9	10	15	16	7	6	8	1	8	5	7
	F	49	15	12	41	27	8	11	16	8	10	11	4
14(1) Malignant neoplasm, mouth and pharynx	M	293	144	98	216	194	73	68	90	36	67	43	65
	F	230	77	62	161	125	42	48	62	16	53	32	62
14(2) Malignant neoplasm, oesophagus	M	519	191	131	340	304	108	92	119	50	122	100	123
	F	404	157	102	274	260	81	75	104	32	99	73	78
14(3) Malignant neoplasm, intestine and rectum	M	2,297	856	738	1,608	1,387	484	444	658	263	545	423	519
	F	2,900	1,062	836	1,821	1,481	485	558	691	284	642	540	687
14(4) Malignant neoplasm, larynx	M	227	74	57	142	105	39	46	45	21	37	48	45
	F	55	23	23	31	26	8	14	11	5	12	9	16
13(1) Malignant neoplasm, cervix uteri	F	837	397	241	586	422	181	227	239	94	167	149	154
14(5) Malignant neoplasm, prostate	M	1,228	448	392	941	905	215	241	328	165	315	267	355
14(6) Malignant neoplasm, bladder	M	907	340	245	575	409	153	192	224	78	245	183	195
	F	404	126	106	221	147	61	78	74	31	103	76	88
14(7) Malignant neoplasm, bone (including jaw bone)	M	105	35	26	63	69	27	22	24	12	27	17	24
	F	66	33	15	59	35	13	18	26	9	18	12	17
14(8) Lymphosarcoma, reticulosarcoma	M	233	94	73	142	146	36	48	65	19	68	45	54
	F	208	77	54	131	126	36	42	36	19	55	35	67
14(9) Hodgkin's disease	M	193	68	55	136	121	32	38	64	26	42	46	37
	F	109	43	23	71	65	22	21	30	10	33	16	19
32(1) Thyrotoxicosis	M	9	1	3	11	3	3	1	6	-	2	-	1
	F	64	31	16	57	49	12	16	16	11	7	10	18
32(2) Multiple sclerosis	M	102	32	28	78	79	24	18	20	6	21	22	23
	F	178	58	52	117	112	37	43	56	21	38	33	33
32(3) Rheumatic fever	M	13	6	3	12	7	2	2	7	2	4	2	3
	F	9	8	4	9	5	3	2	3	2	6	2	2
20(1) Chronic rheumatic heart disease	M	784	276	169	419	385	118	159	194	40	170	135	123
	F	1,613	553	349	819	633	268	269	403	100	327	275	282
21(1) Hypertension without mention of heart	M	670	227	171	447	377	107	104	195	52	200	112	136
	F	829	241	188	512	384	109	112	211	41	233	146	177
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	200	134	50	303	215	83	55	54	5	30	26	33
	F	72	24	18	49	31	13	13	13	7	14	21	13
26(1) Ulcer of stomach	M	438	149	113	273	217	80	94	91	36	82	100	99
	F	353	124	109	196	162	62	50	81	42	83	66	82
32(4) Appendicitis	M	75	41	24	54	43	16	14	28	8	16	11	13
	F	66	26	21	56	46	9	12	19	11	11	16	21
32(5) Intestinal obstruction and hernia	M	458	177	144	306	284	77	105	126	62	110	87	106
	F	614	214	164	375	296	101	116	141	55	133	104	144
32(6) Cirrhosis of liver	M	256	102	67	167	139	51	40	53	11	67	47	51
	F	233	83	63	141	115	37	49	64	18	60	27	46
32(7) Cholelithiasis, cholecystitis	M	112	40	33	87	88	21	24	46	17	34	14	28
	F	255	92	69	168	147	45	80	59	21	51	47	58
30(1) Maternal sepsis (not abortion)	F	5	2	4	4	5	1	2	4	-	1	1	1
30(2) Toxaemias of pregnancy and puerperium	F	11	7	4	12	4	2	6	5	-	1	3	3
30(3) Abortion	F	28	8	4	8	5	-	4	4	-	12	5	3
32(8) Rheumatoid arthritis and allied conditions	M	78	25	22	45	49	10	15	17	6	16	20	15
	F	237	90	69	176	148	32	52	61	42	42	53	42
32(9) Birth injury	M	405	145	82	213	173	79	83	104	28	90	54	56
	F	226	89	54	121	115	42	44	66	18	52	33	29
32(10) Postnatal asphyxia and atelectasis	M	536	180	142	284	293	85	104	144	31	133	81	89
	F	383	109	84	194	202	65	69	75	32	83	61	67
23(1) Pneumonia of newborn	M	108	46	23	67	58	22	22	33	9	25	18	14
	F	76	42	20	51	40	15	11	32	6	22	11	13
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	22	7	6	7	10	-	9	3	2	3	3	2
	F	8	5	2	6	3	1	1	4	2	2	-	-
32(12) Haemolytic disease of newborn	M	68	13	19	31	31	8	16	13	4	19	15	9
	F	57	12	18	29	33	6	6	14	6	10	14	4
32(13) Immaturity (without other disease peculiar to early infancy)	M	553	193	160	299	239	96	104	139	48	121	93	94
	F	380	155	108	213	163	71	78	95	23	82	75	60
32(14) Senility without psychosis	M	268	120	129	416	404	105	84	165	40	52	39	63
	F	762	287	252	925	743	174	146	291	85	145	116	173
32(15) Ill-defined and unknown cause	M	87	18	18	40	35	17	15	17	4	21	13	9
	F	74	19	25	48	18	23	9	11	6	9	12	14

TABLE 21 - continued

HOSPITAL REGIONS, GREATER LONDON, CITY OF LONDON, LONDON BOROUGH

Registrar General's Abridged List		Hospital regions - continued								Greater London	City of London	Barking	Barnet
		South West Metropolitan	Wessex	Oxford	South Western	Welsh	Birmingham	Manchester	Liverpool				
1 Tuberculosis, respiratory	M	96	47	34	74	126	188	175	101	265	-	10	7
	F	37	19	17	24	34	59	49	32	93	-	1	2
2 Tuberculosis, other	M	6	10	1	4	9	12	10	7	18	-	1	-
	F	13	3	9	12	13	15	11	5	27	-	1	1
3 Syphilitic disease	M	39	25	15	27	37	32	48	28	94	-	2	1
	F	45	14	7	17	13	25	34	16	85	-	-	2
4 Diphtheria	M	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	1	-	-	-
5 Whooping cough	M	-	-	-	1	-	2	-	-	2	-	-	-
	F	-	1	-	-	1	6	2	1	-	-	-	-
6 Meningococcal infections	M	2	1	3	4	3	6	8	6	11	-	-	1
	F	4	2	-	1	2	7	4	2	7	-	1	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	1	-	-	-
8 Measles	M	1	2	3	-	2	9	5	3	2	-	-	-
	F	-	1	1	3	4	4	7	2	-	-	-	-
9 Other infective, etc., diseases	M	30	20	21	33	22	52	38	10	79	-	2	2
	F	38	17	25	44	34	49	49	20	88	-	-	5
10 Malignant neoplasm: stomach	M	438	260	229	512	589	711	835	360	1,153	-	26	47
	F	342	203	178	317	376	572	703	285	898	-	22	34
11 lung, bronchus	M	1,846	912	730	1,294	1,156	2,123	2,165	1,149	4,619	4	114	170
	F	472	163	157	264	171	332	394	248	1,059	-	22	43
12 breast	M	3	2	3	5	6	10	8	5	22	1	1	1
	F	831	461	323	648	511	962	935	376	1,772	1	30	84
13 uterus	F	240	153	132	286	250	372	448	168	579	-	20	17
14 Other malignant and lymphatic neoplasms	M	1,974	1,201	927	1,843	1,540	2,520	2,609	1,121	4,470	4	98	197
	F	1,970	1,029	844	1,756	1,339	2,199	2,394	1,107	4,327	-	80	190
15 Leukaemia, aleukaemia	M	126	75	79	96	91	144	153	57	285	1	7	15
	F	116	56	53	100	75	123	109	60	248	-	-	10
16 Diabetes	M	91	57	44	119	99	162	152	60	208	-	3	15
	F	145	115	117	161	188	287	264	130	411	-	12	23
17 Vascular lesions of nervous system	M	1,829	1,349	960	2,379	2,117	3,081	3,693	1,238	3,718	2	78	132
	F	3,188	1,980	1,395	3,498	2,911	4,240	5,572	1,933	6,430	-	102	301
18 Coronary disease, angina	M	4,510	2,899	2,227	4,739	4,737	6,195	7,323	3,247	10,839	10	261	418
	F	3,183	1,834	1,483	3,095	2,762	3,836	4,773	2,174	7,207	3	118	266
19 Hypertension with heart disease	M	171	176	107	279	280	355	283	145	407	-	11	22
	F	285	226	166	371	391	527	493	249	655	-	14	23
20 Other heart disease	M	1,489	990	787	1,960	1,510	2,187	2,555	820	2,837	-	51	121
	F	2,881	1,600	1,132	3,036	2,219	3,343	4,360	1,584	5,062	1	58	228
21 Other circulatory disease	M	849	468	395	884	699	1,000	1,164	447	1,917	2	22	81
	F	1,242	648	427	1,132	859	1,154	1,511	558	2,683	-	28	132
22 Influenza	M	63	53	79	158	136	228	238	53	108	-	2	6
	F	85	107	70	188	133	237	301	67	137	-	1	1
23 Pneumonia	M	1,270	729	591	953	767	1,748	1,506	828	2,984	6	48	145
	F	1,676	891	654	1,247	812	1,955	1,799	1,034	3,749	1	53	177
24 Bronchitis	M	1,316	732	674	1,107	1,627	2,529	2,884	1,136	3,540	-	103	105
	F	565	231	220	356	472	939	1,266	433	1,448	-	32	43
25 Other diseases of respiratory system	M	195	125	97	234	454	350	358	163	431	-	19	16
	F	116	71	67	144	114	183	187	81	278	-	4	12
26 Ulcer of stomach and duodenum	M	167	98	88	161	133	287	268	125	450	-	6	18
	F	143	62	40	86	64	139	145	60	287	-	5	13
27 Gastritis, enteritis and diarrhoea	M	78	29	24	73	68	109	105	34	174	-	5	5
	F	129	73	60	107	91	157	176	70	309	-	2	13
28 Nephritis and nephrosis	M	84	52	40	101	113	147	152	79	232	-	8	4
	F	82	39	35	89	102	110	126	59	178	-	5	3
29 Hyperplasia of prostate	M	141	85	65	162	153	202	172	78	271	-	5	9
30 Pregnancy, childbirth, abortion	F	15	2	8	13	7	27	19	10	47	-	2	2
31 Congenital malformations	M	186	110	74	148	145	257	250	119	410	-	6	12
	F	145	80	92	124	125	257	209	112	340	1	2	14
32 Other defined and ill-defined diseases	M	1,190	765	690	1,187	1,126	1,828	2,092	883	2,841	-	60	108
	F	1,682	852	789	1,578	1,390	2,146	2,888	1,090	3,661	3	67	126
33 Motor vehicle accidents	M	317	225	256	307	242	619	543	247	676	-	18	21
	F	150	91	83	122	98	249	243	123	310	-	5	16
34 All other accidents	M	312	194	202	341	433	593	572	276	811	1	19	26
	F	339	253	198	359	377	587	655	365	658	1	8	24
35 Suicide	M	243	114	98	173	172	256	314	107	559	-	8	19
	F	191	110	75	140	100	170	258	69	433	-	10	21
36 Homicide, operations of war	M	13	3	7	5	7	25	24	12	60	-	1	2
	F	12	10	6	7	6	17	18	10	31	-	1	1

TABLE 21 - continued

HOSPITAL REGIONS, GREATER LONDON, CITY OF LONDON, LONDON BOROUGH

Registrar General's Supplementary Abridged List		Hospital regions - continued								Greater London	City of London	Barking	Barnet
		South West Metropolitan	Wessex	Oxford	South Western	Welsh	Birmingham	Manchester	Liverpool				
9(1) Infectious hepatitis	M	4	3	4	4	6	5	14	2	16	-	-	1
	F	10	4	7	9	11	13	15	7	21	-	-	2
14(1) Malignant neoplasm, mouth and pharynx	M	49	39	27	74	60	97	113	44	122	-	3	3
	F	45	30	14	41	50	52	76	32	99	-	1	3
14(2) Malignant neoplasm, oesophagus	M	102	62	40	113	89	135	143	87	248	-	9	9
	F	92	48	41	103	89	108	126	48	200	-	5	10
14(3) Malignant neoplasm, intestine and rectum	M	456	315	231	471	420	700	673	284	1,051	-	29	48
	F	637	331	242	571	434	768	843	387	1,393	-	27	52
14(4) Malignant neoplasm, larynx	M	48	27	13	39	34	71	71	21	98	-	2	2
	F	8	10	7	12	10	12	18	6	26	-	1	1
13(1) Malignant neoplasm, cervix uteri	F	148	97	77	160	164	220	292	114	349	-	13	7
14(5) Malignant neoplasm, prostate	M	315	190	134	318	242	328	352	149	620	-	15	29
14(6) Malignant neoplasm, bladder	M	195	99	79	156	121	213	239	104	456	-	10	21
	F	85	47	32	64	44	76	94	51	205	-	2	8
14(7) Malignant neoplasm, bone (including jaw bone)	M	14	14	13	18	19	24	25	18	49	-	-	2
	F	9	5	12	10	12	16	22	9	26	-	-	2
14(8) Lymphosarcoma, reticulosarcoma	M	72	30	21	48	25	67	63	27	129	1	2	4
	F	66	32	20	41	36	48	43	20	129	-	-	11
14(9) Hodgkin's disease	M	29	32	26	42	33	51	54	21	88	-	1	7
	F	18	15	9	16	15	32	36	19	47	-	-	7
32(1) Thyrotoxicosis	M	2	1	-	1	3	1	3	3	4	-	-	-
	F	10	4	14	17	20	27	26	9	21	-	2	-
32(2) Multiple sclerosis	M	26	20	12	30	13	29	44	11	43	-	-	1
	F	35	24	18	33	22	46	58	20	75	-	1	2
32(3) Rheumatic fever	M	-	-	-	3	6	3	4	3	7	-	-	-
	F	2	1	1	2	3	1	3	2	6	-	-	-
20(1) Chronic rheumatic heart disease	M	145	65	70	123	150	218	230	93	374	-	9	4
	F	275	106	108	216	277	382	454	225	768	-	15	34
21(1) Hypertension without mention of heart	M	165	81	68	125	140	201	145	61	381	1	5	18
	F	200	78	53	164	166	204	182	78	457	-	8	19
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	18	16	6	50	285	112	91	38	57	-	2	5
	F	8	8	6	14	20	16	17	11	36	-	2	-
26(1) Ulcer of stomach	M	75	52	40	85	66	124	114	52	202	-	4	10
	F	98	40	25	58	44	90	86	37	189	-	2	10
32(4) Appendicitis	M	14	10	13	9	15	30	31	9	31	-	-	-
	F	21	6	9	16	12	19	25	8	31	-	-	-
32(5) Intestinal obstruction and hernia	M	100	54	53	106	74	121	145	43	229	-	5	10
	F	108	62	51	115	85	153	209	86	271	-	5	7
32(6) Cirrhosis of liver	M	46	32	25	47	62	84	83	32	109	-	4	3
	F	42	24	21	38	45	53	75	36	106	-	2	5
32(7) Cholelithiasis, cholecystitis	M	23	14	10	32	18	34	35	10	51	-	1	2
	F	40	20	24	60	49	68	78	31	101	-	2	1
30(1) Maternal sepsis (not abortion)	F	-	-	-	1	1	4	3	1	2	-	1	-
30(2) Toxaemias of pregnancy and puerperium	F	-	1	2	1	4	5	5	-	3	-	-	-
30(3) Abortion	F	7	-	3	5	1	4	3	2	22	-	-	1
32(8) Rheumatoid arthritis and allied conditions	M	16	17	6	11	12	19	30	9	35	-	3	1
	F	44	27	25	48	60	69	94	29	104	-	3	1
32(9) Birth injury	M	69	31	43	66	50	116	105	44	173	-	3	9
	F	32	15	26	31	35	88	70	24	85	-	-	6
32(10) Postnatal asphyxia and atelectasis	M	85	48	55	94	77	177	162	70	238	-	-	5
	F	62	32	47	45	67	127	100	40	181	1	2	3
23(1) Pneumonia of newborn	M	14	10	9	22	16	41	32	15	39	-	2	2
	F	8	10	5	13	18	37	17	11	33	-	-	-
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	2	1	6	5	4	5	3	4	8	-	-	-
	F	3	-	-	1	4	4	1	1	3	-	-	-
32(12) Haemolytic disease of newborn	M	12	4	5	6	10	12	17	12	32	-	3	-
	F	14	6	8	11	4	20	16	10	24	-	1	-
32(13) Immaturity (without other disease peculiar to early infancy)	M	99	61	35	51	88	137	175	103	221	-	4	6
	F	74	42	28	38	65	97	123	68	163	-	4	4
32(14) Senility without psychosis	M	51	38	37	103	97	104	306	53	65	-	1	1
	F	194	101	73	292	177	203	668	131	241	-	4	7
32(15) Ill-defined and unknown cause	M	12	7	11	10	9	18	23	12	31	-	2	3
	F	12	11	8	8	9	16	21	15	24	-	-	-

TABLE 21 - continued

## LONDON BOROUGH

Registrar General's Abridged List		Bexley	Brent	Bromley	Camden	Croydon	Ealing	Enfield	Greenwich	Hackney	Hammersmith	Haringey	Harrow
1 Tuberculosis, respiratory	M	1	4	5	16	14	6	3	9	9	10	5	5
	F	1	1	3	4	5	8	3	4	4	4	2	3
2 Tuberculosis, other	M	2	1	1	-	1	-	1	-	2	-	-	-
	F	-	3	-	1	4	-	1	1	1	1	-	1
3 Syphilitic disease	M	2	1	3	2	4	1	4	8	3	2	4	2
	F	1	1	4	4	9	2	1	3	1	1	2	2
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	-	1	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
6 Meningococcal infections	M	-	-	-	-	-	-	-	-	1	1	1	-
	F	-	-	-	-	-	-	-	-	1	-	1	1
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
9 Other infective, etc., diseases	M	2	2	-	4	2	1	7	3	4	2	3	2
	F	2	1	-	2	4	4	5	3	-	4	7	5
10 Malignant neoplasm: stomach	M	31	38	39	31	49	49	45	37	47	38	31	25
	F	18	29	32	23	32	37	27	31	36	24	25	21
11 lung, bronchus	M	105	145	136	155	171	195	163	132	161	165	154	109
	F	27	42	32	26	48	52	32	24	43	39	42	25
12 breast	M	-	1	-	1	-	-	3	-	-	-	1	1
	F	39	59	64	54	89	75	62	48	67	47	53	44
13 uterus	F	13	13	22	10	26	19	24	14	19	15	27	11
14 Other malignant and lymphatic neoplasms	M	110	152	151	139	187	188	155	122	142	135	147	116
	F	119	137	187	154	208	154	152	127	124	136	128	106
15 Leukaemia, aleukaemia	M	10	11	9	5	13	13	12	7	8	5	7	7
	F	7	6	14	7	19	9	8	3	4	7	15	9
16 Diabetes	M	2	8	3	9	4	11	4	3	12	7	6	5
	F	9	15	17	11	15	17	9	11	20	12	11	2
17 Vascular lesions of nervous system	M	94	141	114	96	200	156	121	126	115	81	115	99
	F	133	210	245	157	315	259	212	190	190	155	229	166
18 Coronary disease, angina	M	291	384	360	309	455	465	421	363	347	298	392	291
	F	153	277	283	240	305	327	246	254	222	216	276	182
19 Hypertension with heart disease	M	15	15	16	5	11	11	11	15	14	7	14	9
	F	14	23	30	16	22	28	27	28	17	17	24	14
20 Other heart disease	M	74	92	95	45	117	112	111	61	77	87	91	59
	F	100	108	186	95	281	191	157	97	114	128	158	82
21 Other circulatory disease	M	47	70	65	56	75	71	68	48	118	43	64	47
	F	44	98	93	69	143	123	96	48	164	77	95	71
22 Influenza	M	5	4	2	-	4	1	2	2	2	2	2	-
	F	6	6	8	8	5	6	2	-	1	2	3	-
23 Pneumonia	M	78	83	134	93	163	105	89	105	78	84	79	60
	F	86	84	178	98	192	187	138	132	105	87	86	53
24 Bronchitis	M	77	119	103	98	120	134	132	106	135	110	112	78
	F	27	45	46	46	72	40	41	43	70	63	44	24
25 Other diseases of respiratory system	M	20	19	16	6	14	18	10	9	18	18	12	6
	F	4	27	10	9	10	13	8	7	16	2	11	7
26 Ulcer of stomach and duodenum	M	16	16	14	17	25	19	10	20	16	17	16	14
	F	7	10	8	9	18	13	8	9	7	7	7	10
27 Gastritis, enteritis and diarrhoea	M	5	10	3	6	10	7	9	4	4	7	5	5
	F	6	14	12	10	24	13	12	12	11	7	10	8
28 Nephritis and nephrosis	M	7	8	5	7	9	10	12	8	10	6	10	8
	F	5	3	8	7	3	8	9	3	10	7	6	3
29 Hyperplasia of prostate	M	6	9	8	9	20	4	6	9	13	3	10	4
30 Pregnancy, childbirth, abortion	F	-	3	-	3	1	-	1	1	4	1	7	-
31 Congenital malformations	M	12	17	15	12	10	8	10	9	17	11	13	14
	F	8	16	5	13	6	14	12	9	11	11	12	5
32 Other defined and ill-defined diseases	M	39	116	102	101	113	111	98	69	88	81	103	69
	F	93	133	128	105	187	169	104	93	163	108	115	74
33 Motor vehicle accidents	M	17	27	29	15	29	31	27	18	23	14	19	14
	F	5	18	12	7	13	13	10	10	7	10	13	5
34 All other accidents	M	16	29	23	43	24	14	22	25	26	34	21	16
	F	6	27	18	26	35	22	25	13	25	24	26	17
35 Suicide	M	8	16	6	25	28	18	23	14	18	16	16	12
	F	15	6	17	17	21	11	16	10	10	13	16	6
36 Homicide, operations of war	M	-	1	-	3	1	5	-	-	3	2	5	-
	F	1	1	-	1	-	-	-	1	1	4	3	-

TABLE 21 - continued

LONDON BOROUGH

Registrar General's Supplementary Abridged List		Bexley	Brent	Bromley	Camden	Croydon	Ealing	Enfield	Greenwich	Hackney	Hammersmith	Haringey	Harrow
9(1) Infectious hepatitis	M	1	-	-	1	-	-	-	2	-	-	1	-
	F	-	-	-	-	-	3	1	-	-	1	1	-
14(1) Malignant neoplasm, mouth and pharynx	M	3	5	2	1	5	2	2	5	7	5	7	4
	F	3	2	5	5	4	3	3	2	5	3	3	2
14(2) Malignant neoplasm, oesophagus	M	8	6	10	10	9	9	10	4	6	6	7	4
	F	3	5	9	9	11	10	5	5	4	6	6	3
14(3) Malignant neoplasm, intestine and rectum	M	27	34	27	33	43	40	37	36	35	29	32	22
	F	40	42	60	49	61	45	48	45	37	48	34	32
14(4) Malignant neoplasm, larynx	M	2	-	4	1	5	3	5	2	3	4	4	3
	F	-	3	1	-	-	1	1	1	1	1	-	1
13(1) Malignant neoplasm, cervix uteri	F	3	6	6	6	11	9	16	10	11	11	13	6
14(5) Malignant neoplasm, prostate	M	22	29	26	23	26	24	20	20	16	9	22	20
14(6) Malignant neoplasm, bladder	M	6	14	19	15	15	13	9	7	11	17	16	15
	F	6	7	6	9	7	10	7	5	7	5	7	7
14(7) Malignant neoplasm, bone (including jaw bone)	M	-	5	4	2	2	-	-	1	3	1	-	2
	F	-	1	-	-	1	1	-	3	1	1	1	-
14(8) Lymphosarcoma, reticulosarcoma	M	2	3	6	5	5	2	3	3	4	6	9	4
	F	7	4	8	3	1	5	4	4	4	5	5	1
14(9) Hodgkin's disease	M	3	1	3	3	2	5	4	3	5	1	1	1
	F	-	-	1	1	3	5	1	2	1	2	-	1
32(1) Thyrotoxicosis	M	-	-	-	-	-	-	-	-	-	1	-	1
	F	1	-	1	1	2	-	-	-	-	1	-	-
32(2) Multiple sclerosis	M	-	1	2	2	2	1	1	1	2	-	2	1
	F	3	3	2	-	3	2	2	-	1	2	5	1
32(3) Rheumatic fever	M	-	-	1	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	1	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	7	15	12	13	11	18	19	12	12	17	9	10
	F	18	24	27	29	40	39	26	23	37	21	20	16
21(1) Hypertension without mention of heart	M	8	20	7	15	13	19	7	5	9	12	12	7
	F	10	16	13	14	11	20	14	7	13	9	15	15
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	2	1	2	1	2	3	1	2	3	1	1	2
	F	-	3	4	1	-	-	4	2	3	-	2	-
26(1) Ulcer of stomach	M	9	5	7	8	16	6	6	7	9	6	7	2
	F	5	5	5	4	10	7	6	5	4	6	6	3
32(4) Appendicitis	M	1	-	3	-	2	3	2	-	-	-	2	1
	F	-	2	2	-	2	2	1	2	3	1	-	-
32(5) Intestinal obstruction and hernia	M	4	13	11	7	12	7	11	3	3	3	5	8
	F	7	9	20	9	12	6	7	5	13	9	8	7
32(6) Cirrhosis of liver	M	-	5	3	6	7	3	4	1	3	2	2	1
	F	4	2	2	8	7	6	3	2	2	5	-	4
32(7) Cholelithiasis, cholecystitis	M	1	2	2	2	-	1	3	1	1	3	1	4
	F	3	7	2	3	3	6	3	5	7	3	3	2
30(1) Maternal sepsis (not abortion)	F	-	1	-	-	-	-	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	-	-	-	-	-	-	1	-
30(3) Abortion	F	-	1	-	2	-	-	-	1	4	1	2	-
32(8) Rheumatoid arthritis and allied conditions	M	2	2	1	-	2	1	3	-	2	1	2	-
	F	2	7	2	3	3	5	4	1	4	4	2	5
32(9) Birth injury	M	2	7	5	3	7	10	3	5	8	8	10	1
	F	3	8	3	3	2	4	2	-	7	2	2	1
32(10) Postnatal asphyxia and atelectasis	M	1	9	6	15	5	13	6	2	11	8	10	-
	F	9	9	6	2	4	10	4	6	11	9	6	4
23(1) Pneumonia of newborn	M	-	5	2	1	-	1	1	-	1	1	2	1
	F	1	3	-	-	-	4	1	1	1	1	1	-
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	1	-	-	-	-	-	2	-	-	-	1
	F	-	1	-	1	-	-	-	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	-	1	-	1	1	-	-	1	1	2	4	2
	F	-	3	-	-	-	-	1	1	1	-	-	4
32(13) Immaturity (without other disease peculiar to early infancy)	M	1	8	5	7	13	6	12	10	8	7	10	-
	F	3	9	3	7	12	4	4	5	9	1	6	-
32(14) Senility without psychosis	M	2	-	5	3	5	1	-	3	-	4	-	-
	F	10	2	11	2	22	22	4	6	9	5	2	4
32(15) Ill-defined and unknown cause	M	-	-	1	1	2	1	1	-	-	1	-	-
	F	1	-	-	-	-	1	-	3	1	-	-	-

TABLE 21 - continued

LONDON BOROUGHs

Registrar General's Abridged List		Havering	Hillingdon	Hounslow	Islington	Kensington and Chelsea	Kingston-upon-Thames	Lambeth	Lewisham	Merton	Newham	Redbridge	Richmond-upon-Thames
1 Tuberculosis, respiratory	M	4	1	7	15	5	5	11	7	7	10	6	8
	F	2	-	5	3	2	3	7	6	1	1	2	-
2 Tuberculosis, other	M	1	1	-	-	1	-	1	1	-	1	-	-
	F	-	-	1	1	-	-	1	-	1	1	1	-
3 Syphilitic disease	M	2	2	1	6	3	-	6	4	2	3	-	4
	F	1	1	2	8	-	1	6	5	3	1	5	4
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
6 Meningococcal infections	M	-	-	2	1	1	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	1	-	-	-	-	1
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	1	-
8 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	1	-	-	-	-
9 Other infective, etc., diseases	M	1	1	-	4	3	2	3	-	-	4	3	4
	F	1	1	-	4	-	-	4	1	1	1	6	1
10 Malignant neoplasm: stomach	M	28	31	24	32	18	32	50	49	26	54	43	21
	F	25	29	24	37	22	12	38	22	17	45	27	20
11 lung, bronchus	M	112	107	117	186	94	81	225	169	114	193	126	93
	F	18	26	28	28	29	20	57	36	28	28	30	20
12 breast	M	1	1	-	-	-	-	-	-	-	-	-	-
	F	38	40	35	43	48	33	91	55	43	51	71	42
13 uterus	M	11	16	14	23	14	7	33	22	7	23	23	13
14 Other malignant and lymphatic neoplasms	M	124	124	101	133	113	87	173	169	103	140	142	122
	F	86	81	110	114	124	85	185	164	105	125	143	130
15 Leukaemia, aleukaemia	M	7	4	9	3	6	4	6	16	6	11	11	8
	F	10	3	6	2	13	2	7	9	5	9	8	9
16 Diabetes	M	3	4	7	5	5	-	6	11	7	10	12	6
	F	9	5	16	10	6	3	20	23	4	20	17	7
17 Vascular lesions of nervous system	M	110	72	119	98	85	86	125	162	85	134	130	99
	F	191	139	150	186	134	150	234	255	151	212	231	199
18 Coronary disease, angina	M	302	301	292	310	235	196	429	429	266	343	333	287
	F	189	156	157	192	216	149	316	302	188	207	187	186
19 Hypertension with heart disease	M	8	14	10	8	8	9	26	21	11	16	18	6
	F	12	21	19	19	21	17	26	25	14	20	20	20
20 Other heart disease	M	73	67	101	130	87	42	105	91	60	92	69	76
	F	82	134	161	256	133	83	195	166	112	153	155	168
21 Other circulatory disease	M	49	50	55	52	51	43	81	63	45	53	56	71
	F	43	58	64	83	82	44	101	72	73	62	84	97
22 Influenza	M	1	3	4	3	2	5	6	4	1	2	5	5
	F	6	4	2	3	7	8	6	3	4	3	8	8
23 Pneumonia	M	64	61	51	90	62	42	146	139	45	94	97	62
	F	89	61	84	128	75	61	205	159	62	106	172	89
24 Bronchitis	M	94	78	101	104	71	45	156	157	75	174	105	70
	F	39	25	35	63	33	14	73	57	30	47	41	30
25 Other diseases of respiratory system	M	7	10	15	12	12	4	15	21	6	17	17	18
	F	6	5	4	8	5	4	13	8	8	6	9	7
26 Ulcer of stomach and duodenum	M	10	10	8	11	7	10	13	26	6	15	17	9
	F	1	6	2	14	8	5	29	7	2	12	4	6
27 Gastritis, enteritis and diarrhoea	M	4	3	3	5	7	4	10	5	7	2	7	1
	F	5	6	6	8	5	7	8	15	8	11	10	7
28 Nephritis and nephrosis	M	7	9	3	7	6	3	8	14	5	3	10	5
	F	3	5	7	4	5	3	6	10	7	3	3	4
29 Hyperplasia of prostate	M	5	2	6	7	8	12	6	14	9	12	8	11
30 Pregnancy, childbirth, abortion	F	1	-	1	2	2	-	3	1	3	-	-	2
31 Congenital malformations	M	15	9	10	11	15	8	25	12	10	10	10	11
	F	11	9	12	9	12	8	19	17	3	14	8	11
32 Other defined and ill-defined diseases	M	68	52	78	102	68	33	143	133	72	106	88	70
	F	118	67	79	116	127	64	150	127	77	111	138	100
33 Motor vehicle accidents	M	27	24	21	19	11	17	40	28	18	27	14	6
	F	5	7	10	15	4	6	11	11	4	12	8	7
34 All other accidents	M	14	13	14	28	40	8	42	29	13	28	15	18
	F	9	5	15	30	26	8	32	22	14	17	27	20
35 Suicide	M	14	8	14	20	32	9	41	19	11	14	15	14
	F	10	9	7	8	29	6	26	9	8	14	12	17
36 Homicide, operations of war	M	-	1	-	4	4	-	2	1	-	4	1	1
	F	1	-	1	3	-	-	1	1	2	-	2	-

TABLE 21 - continued

LONDON BOROUGH

Registrar General's Supplementary Abridged List		Havering	Hillingdon	Hounslow	Islington	Kensington and Chelsea	Kingston-upon-Thames	Lambeth	Lewisham	Merton	Newham	Redbridge	Richmond-upon-Thames
9(1) Infectious hepatitis	M	-	-	-	1	-	1	1	-	-	1	-	1
	F	-	-	-	-	-	-	3	1	-	1	1	-
14(1) Malignant neoplasm, mouth and pharynx	M	5	3	1	5	6	1	4	5	2	4	4	4
	F	-	-	2	4	4	-	3	5	3	2	2	8
14(2) Malignant neoplasm, oesophagus	M	3	3	6	12	8	5	11	11	4	4	5	4
	F	6	4	6	7	4	3	13	5	11	5	9	3
14(3) Malignant neoplasm, intestine and rectum	M	25	39	25	30	19	22	32	62	28	38	36	33
	F	36	26	35	37	39	24	65	60	28	51	47	45
14(4) Malignant neoplasm, larynx	M	5	1	-	2	4	1	4	1	2	4	4	1
	F	-	-	-	2	1	-	3	2	1	-	-	-
13(1) Malignant neoplasm, cervix uteri	F	8	8	8	15	9	2	26	16	5	16	13	7
14(5) Malignant neoplasm, prostate	M	14	13	10	12	15	13	27	26	20	14	24	17
14(6) Malignant neoplasm, bladder	M	15	12	16	20	13	11	21	13	10	20	15	13
	F	3	5	6	4	8	1	5	5	7	10	4	5
14(7) Malignant neoplasm, bone (including jaw bone)	M	1	3	1	1	1	-	1	4	1	2	-	1
	F	-	-	1	3	1	-	1	2	-	-	1	1
14(8) Lymphosarcoma, reticulosarcoma	M	4	6	4	4	4	2	5	2	3	1	5	1
	F	-	2	3	-	4	3	3	7	6	2	5	3
14(9) Hodgkin's disease	M	3	1	1	4	3	3	-	3	3	1	5	4
	F	2	2	-	2	1	1	2	-	-	-	2	1
32(1) Thyrotoxicosis	M	-	-	-	-	-	-	1	-	-	-	-	-
	F	2	-	1	-	1	-	1	-	-	1	1	2
32(2) Multiple sclerosis	M	1	2	1	1	-	-	4	1	-	-	2	3
	F	1	2	3	2	1	2	1	2	-	1	6	2
32(3) Rheumatic fever	M	-	-	-	1	-	-	-	-	-	1	-	-
	F	-	-	-	-	-	1	-	-	-	-	-	1
20(1) Chronic rheumatic heart disease	M	15	13	5	9	16	8	18	22	8	9	9	6
	F	20	17	14	28	18	10	25	37	15	27	24	11
21(1) Hypertension without mention of heart	M	6	8	13	13	11	15	27	9	9	9	9	19
	F	5	6	12	18	12	9	25	8	10	19	21	25
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	1	2	3	1	2	-	2	1	-	2	6	1
	F	-	4	-	1	-	1	1	-	2	1	1	-
26(1) Ulcer of stomach	M	3	5	3	3	1	5	5	11	2	11	6	2
	F	1	6	2	7	5	4	23	6	1	9	3	6
32(4) Appendicitis	M	3	1	1	1	2	1	1	2	1	-	1	-
	F	1	-	-	-	-	2	1	1	-	-	2	1
32(5) Intestinal obstruction and hernia	M	4	2	5	8	7	3	10	11	4	13	5	6
	F	7	7	4	11	7	6	13	12	4	10	4	7
32(6) Cirrhosis of liver	M	2	1	3	5	7	1	1	4	4	3	5	7
	F	1	2	4	6	2	-	4	1	2	3	6	5
32(7) Cholelithiasis, cholecystitis	M	2	4	1	-	-	1	3	1	-	1	-	1
	F	2	3	-	1	2	3	1	2	-	4	3	8
30(1) Maternal sepsis (not abortion)	F	-	-	-	-	-	-	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	-	-	-	-	-	-	-	-
30(3) Abortion	F	-	-	1	-	1	-	2	1	2	-	-	2
32(8) Rheumatoid arthritis and allied conditions	M	2	3	1	-	-	-	1	-	1	2	-	-
	F	5	1	4	3	3	2	5	3	3	4	5	2
32(9) Birth injury	M	5	5	4	9	2	4	13	10	4	9	1	3
	F	4	1	-	4	3	-	7	3	1	3	1	1
32(10) Postnatal asphyxia and atelectasis	M	2	2	10	15	2	3	9	25	7	11	7	8
	F	7	3	5	7	4	2	11	12	2	7	3	2
23(1) Pneumonia of newborn	M	1	1	2	-	1	-	-	-	3	2	1	-
	F	-	2	2	1	-	-	1	3	-	2	-	1
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	1	-	-	-	1	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	-	1	1	1	1	1	-	1	1	2	2	-
	F	1	1	1	-	2	1	-	1	1	1	-	1
32(13) Immaturity (without other disease peculiar to early infancy)	M	3	4	-	13	5	2	13	6	7	10	6	3
	F	2	1	5	5	8	5	8	3	3	6	5	4
32(14) Senility without psychosis	M	-	-	1	3	3	-	5	3	1	4	4	4
	F	7	1	4	6	24	5	4	11	5	9	12	10
32(15) Ill-defined and unknown cause	M	1	2	2	2	1	1	-	-	1	1	1	-
	F	-	-	1	2	1	-	2	-	2	-	-	2

TABLE 21 - continued

LONDON BOROUGHs AND COUNTY BOROUGHs

Registrar General's Abridged List		Southwark	Sutton	Tower Hamlets	Waltham Forest	Wandsworth	Westminster, City of	Barnsley	Barrow-in-Furness	Bath	Birkenhead	Birmingham	Blackburn
1 Tuberculosis, respiratory	M F	20 3	4 3	21 1	6 2	14 3	10 5	1 4	3 -	1 1	5 1	43 16	4 3
2 Tuberculosis, other	M F	1 -	- -	- -	- 3	- 1	2 2	- -	- -	1 1	- 1	3 2	1 -
3 Syphilitic disease	M F	2 1	1 1	5 1	5 3	6 6	3 3	1 -	1 -	3 1	2 1	7 10	1 -
4 Diphtheria	M F	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -
5 Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 5	- -
6 Meningococcal infections	M F	- 1	- -	- -	2 -	- -	- -	- -	- -	- -	1 -	2 1	1 1
7 Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
8 Measles	M F	- -	- -	- -	- -	- -	- 1	1 -	- -	- -	- -	1 1	- 1
9 Other infective, etc., diseases	M F	1 4	- 2	3 3	4 1	5 8	5 8	1 -	- 1	- 1	1 4	7 12	2 3
10 Malignant neoplasm: stomach	M F	49 49	17 19	36 26	37 36	45 37	28 22	8 10	11 12	10 11	16 19	157 130	16 13
11 lung, bronchus	M F	203 36	102 19	132 25	133 27	219 66	134 41	22 3	41 4	48 7	70 13	544 92	47 8
12 breast	M F	3 63	1 56	1 32	3 64	1 85	1 66	- 11	- 12	- 12	1 24	5 230	- 21
13 uterus	F	17	18	18	16	25	29	9	2	4	13	88	13
14 Other malignant and lymphatic neoplasms	M F	162 181	100 102	105 100	149 139	200 200	180 151	32 28	44 24	55 47	69 67	596 522	63 51
15 Leukaemia, aleukaemia	M F	9 5	7 4	2 7	6 8	21 8	17 15	4 4	6 -	3 2	3 6	36 32	3 2
16 Diabetes	M F	4 10	7 7	10 23	1 15	10 17	8 15	1 1	2 4	3 4	5 9	31 64	5 5
17 Vascular lesions of nervous system	M F	138 227	103 193	82 125	136 273	180 326	104 190	51 54	51 72	67 98	75 138	623 928	109 124
18 Coronary disease, angina	M F	401 293	228 146	250 170	334 237	447 311	391 237	129 59	143 65	127 95	188 159	1,319 842	192 136
19 Hypertension with heart disease	M F	13 28	9 19	13 12	13 17	13 30	15 18	3 7	1 3	10 10	6 10	93 125	8 12
20 Other heart disease	M F	128 223	66 170	82 117	96 196	207 446	72 128	42 58	77 75	35 63	56 92	421 757	61 135
21 Other circulatory disease	M F	78 119	48 51	36 39	48 78	97 170	64 82	19 16	15 8	19 31	30 34	201 238	31 51
22 Influenza	M F	8 3	6 6	4 2	4 5	5 7	6 3	5 3	1 3	2 5	- 3	34 37	8 12
23 Pneumonia	M F	167 181	49 72	81 83	124 129	166 259	94 77	36 28	32 37	38 92	59 68	444 588	59 77
24 Bronchitis	M F	179 71	68 26	153 64	114 29	163 84	101 51	59 20	28 8	20 11	68 19	664 258	61 34
25 Other diseases of respiratory system	M F	18 10	11 5	6 4	17 10	16 10	8 16	3 5	3 2	10 7	10 5	47 40	7 5
26 Ulcer of stomach and duodenum	M F	11 11	7 3	21 14	12 6	16 18	17 8	1 1	6 3	4 -	9 5	88 38	12 5
27 Gastritis, enteritis and diarrhoea	M F	9 10	2 8	2 11	5 11	6 12	7 7	1 3	1 1	- 4	2 5	23 52	4 6
28 Nephritis and nephrosis	M F	8 10	4 3	8 6	6 6	7 10	7 3	3 2	- 1	3 3	4 4	28 30	5 1
29 Hyperplasia of prostate	M	4	6	12	12	12	10	3	2	3	3	42	8
30 Pregnancy, childbirth, abortion	F	3	-	-	1	2	1	1	-	-	-	8	-
31 Congenital malformations	M F	23 14	10 11	12 6	18 11	19 17	16 9	6 6	- 1	7 5	12 7	52 64	3 8
32 Other defined and ill-defined diseases	M F	97 162	50 74	91 103	97 104	129 175	106 101	20 36	16 32	25 47	71 90	405 493	56 80
33 Motor vehicle accidents	M F	27 10	13 9	15 9	23 13	29 16	15 9	8 1	6 3	7 4	18 4	146 47	5 9
34 All other accidents	M F	45 26	6 12	30 17	24 16	50 29	55 36	21 6	11 10	7 16	23 15	150 172	21 25
35 Suicide	M F	18 16	7 6	11 3	13 11	34 16	38 37	4 4	2 3	2 5	8 1	70 48	5 2
36 Homicide, operations of war	M F	4 2	- 2	2 1	3 1	1 -	9 -	- -	- -	- -	1 -	10 5	- -

TABLE 21 - continued

LONDON BOROUGHS AND COUNTY BOROUGHs

Registrar General's Supplementary Abridged List		Southwark	Sutton	Tower Hamlets	Waltham Forest	Wandsworth	Westminster, City of	Barnsley	Barrow-in-Furness	Bath	Birkenhead	Birmingham	Blackburn
9(1) Infectious hepatitis	M	1	-	-	2	1	1	1	-	-	-	-	-
	F	1	-	1	-	2	1	-	1	-	1	2	-
14(1) Malignant neoplasm, mouth and pharynx	M	6	1	1	2	5	9	1	2	2	1	20	3
	F	5	-	3	4	5	5	1	2	1	3	7	2
14(2) Malignant neoplasm, oesophagus	M	8	2	10	11	19	15	1	6	2	12	29	6
	F	5	-	6	6	9	7	-	1	4	4	28	1
14(3) Malignant neoplasm, intestine and rectum	M	37	28	30	33	35	27	11	11	13	18	167	18
	F	59	30	35	44	75	37	7	9	11	16	181	21
14(4) Malignant neoplasm, larynx	M	8	2	3	7	4	5	1	-	2	1	17	4
	F	1	-	1	1	-	2	-	-	-	-	2	-
13(1) Malignant neoplasm, cervix uteri	F	14	13	14	8	16	23	7	1	1	8	47	6
14(5) Malignant neoplasm, prostate	M	15	14	12	20	33	20	2	7	8	11	81	4
14(6) Malignant neoplasm, bladder	M	18	5	11	19	18	18	1	1	6	7	53	5
	F	10	10	5	12	7	5	1	-	1	4	19	2
14(7) Malignant neoplasm, bone (including jaw bone)	M	2	1	1	1	2	4	-	-	1	-	3	-
	F	2	-	1	-	-	2	1	-	-	-	5	-
14(8) Lymphosarcoma, reticulosarcoma	M	6	6	2	2	5	8	-	-	1	-	13	2
	F	6	4	5	1	10	3	-	1	-	1	8	1
14(9) Hodgkin's disease	M	2	2	2	1	3	7	-	-	1	1	13	-
	F	1	3	2	1	1	2	1	-	-	3	5	-
32(1) Thyrotoxicosis	M	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	2	-	1	-	-	-	1	2	3	1
32(2) Multiple sclerosis	M	1	2	-	4	5	-	-	-	-	1	4	-
	F	6	3	4	3	5	4	-	1	1	2	12	1
32(3) Rheumatic fever	M	1	-	1	-	-	1	-	-	-	1	-	-
	F	1	-	-	-	1	1	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	14	4	9	10	15	16	3	5	3	2	50	3
	F	41	14	24	28	27	19	5	6	4	12	100	10
21(1) Hypertension without mention of heart	M	21	9	4	12	12	17	3	1	4	2	51	3
	F	37	8	5	13	31	9	1	2	6	4	56	8
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	1	-	2	2	2	1	1	-	-	2	10	1
	F	-	-	1	2	-	1	1	-	-	1	5	1
26(1) Ulcer of stomach	M	5	2	14	6	8	8	-	2	2	1	38	4
	F	7	3	11	4	9	4	1	2	-	4	24	3
32(4) Appendicitis	M	-	1	-	-	1	-	-	1	1	-	5	1
	F	4	-	2	1	1	-	1	-	1	-	5	1
32(5) Intestinal obstruction and hernia	M	7	6	8	8	13	7	2	1	3	5	23	5
	F	12	4	10	10	11	8	5	3	5	5	29	7
32(6) Cirrhosis of liver	M	2	2	3	1	2	12	-	1	1	3	27	1
	F	5	-	-	2	3	6	3	-	3	2	15	3
32(7) Cholelithiasis, cholecystitis	M	3	1	1	1	5	2	-	-	1	2	8	1
	F	3	5	5	4	1	4	1	-	-	2	15	4
30(1) Maternal sepsis (not abortion)	F	-	-	-	-	-	-	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	1	-	-	1	-	-	-	-	-	-	1	-
30(3) Abortion	F	-	-	-	-	1	-	-	-	-	-	1	-
32(8) Rheumatoid arthritis and allied conditions	M	1	1	1	1	-	1	1	-	-	2	5	1
	F	4	4	2	6	2	-	2	2	4	1	13	2
32(9) Birth injury	M	6	1	4	2	6	4	-	2	2	4	21	2
	F	2	-	-	2	8	2	-	-	3	3	19	1
32(10) Postnatal asphyxia and atelectasis	M	6	3	7	7	15	8	2	1	2	4	41	6
	F	9	2	3	2	8	6	-	1	1	2	43	4
23(1) Pneumonia of newborn	M	3	1	-	1	1	2	2	-	-	1	12	-
	F	2	-	2	1	1	1	-	-	-	1	9	1
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	-	1	-	-	-	-	-	-	2	-
	F	-	-	-	-	1	-	-	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	2	-	1	1	1	-	2	-	-	-	4	1
	F	-	-	2	1	4	-	-	-	-	2	7	1
32(13) Immaturity (without other disease peculiar to early infancy)	M	7	6	9	8	12	6	2	2	-	7	26	7
	F	9	3	4	6	9	6	3	2	1	6	22	4
32(14) Senility without psychosis	M	2	1	-	1	7	1	2	-	-	7	9	6
	F	2	9	1	6	13	2	4	2	6	17	18	7
32(15) Ill-defined and unknown cause	M	1	-	3	1	2	-	-	-	-	3	4	-
	F	-	-	5	1	2	-	-	-	-	2	4	-

TABLE 21 - continued

COUNTY BOROUGH

Registrar General's Abridged List		Blackpool	Bolton	Bootle	Bournemouth	Bradford	Brighton	Bristol	Burnley	Burton-upon-Trent	Bury	Canterbury	Carlisle
1	Tuberculosis, respiratory	M 4 F 1	8 2	5 2	5 2	15 7	7 -	11 2	3 2	4 -	2 -	- -	2 -
2	Tuberculosis, other	M - F -	1 -	- -	3 -	3 -	- -	2 1	- -	- -	- 1	- -	- 1
3	Syphilitic disease	M 1 F 2	3 1	2 -	4 2	1 1	4 1	4 3	3 1	- 1	- -	- -	2 1
4	Diphtheria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1
5	Whooping cough	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
6	Meningococcal infections	M - F -	- -	- -	1 -	1 -	- -	2 -	- -	- -	- -	- -	- -
7	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
8	Measles	M - F -	- -	- -	1 -	- 2	- 1	- -	- -	- -	- -	- -	1 -
9	Other infective, etc., diseases	M 1 F 3	3 1	- 1	1 1	- 2	2 1	6 3	- -	1 2	- -	1 1	- -
10	Malignant neoplasm: stomach	M 39 F 37	35 28	12 8	21 30	47 47	31 31	71 52	24 21	3 6	11 5	3 2	12 14
11	lung, bronchus	M 90 F 13	87 19	40 10	92 23	115 26	102 38	203 36	42 4	19 1	30 5	12 2	26 5
12	breast	M - F 39	2 45	- 11	- 59	1 60	- 46	1 99	1 21	- 11	- 16	- 8	- 18
13	uterus	F 27	15	4	16	38	24	41	8	6	5	2	5
14	Other malignant and lymphatic neoplasms	M 110 F 95	90 104	33 32	115 117	142 183	110 141	234 251	45 30	29 26	27 33	16 18	43 44
15	Leukaemia, aleukaemia	M 5 F 4	6 8	2 -	10 4	14 7	8 6	16 13	1 3	1 1	- 1	1 -	2 3
16	Diabetes	M 9 F 17	5 12	2 4	3 6	2 14	6 11	21 23	2 7	1 1	1 1	- 1	5 1
17	Vascular lesions of nervous system	M 169 F 248	122 177	33 46	130 264	208 391	138 270	317 495	68 125	36 51	49 77	28 43	68 98
18	Coronary disease, angina	M 334 F 236	237 151	105 54	333 252	508 417	299 199	652 413	125 111	77 44	99 57	50 34	118 94
19	Hypertension with heart disease	M 7 F 16	9 18	5 11	6 23	28 35	13 25	57 63	9 7	4 5	6 5	2 4	6 9
20	Other heart disease	M 148 F 219	86 123	22 42	96 193	171 227	93 178	225 319	47 91	42 49	29 65	11 26	32 73
21	Other circulatory disease	M 52 F 40	34 57	11 12	40 63	59 141	32 50	177 248	32 31	10 11	19 53	16 24	16 30
22	Influenza	M 7 F 9	11 16	2 2	5 3	12 15	3 4	15 22	7 5	1 3	7 10	- -	3 7
23	Pneumonia	M 35 F 40	68 66	24 31	97 99	149 180	78 99	120 179	32 28	16 14	16 19	6 20	20 17
24	Bronchitis	M 94 F 38	139 55	46 18	86 24	164 98	88 31	207 79	68 33	29 9	36 16	18 6	19 16
25	Other diseases of respiratory system	M 15 F 9	16 6	3 2	6 11	31 19	11 10	31 18	3 1	2 -	4 6	3 3	5 1
26	Ulcer of stomach and duodenum	M 15 F 7	9 7	4 -	13 9	17 11	12 10	22 16	2 5	2 1	2 2	1 3	11 1
27	Gastritis, enteritis and diarrhoea	M 2 F 9	4 4	- -	1 12	8 9	4 3	12 20	2 1	1 -	1 3	- 2	3 2
28	Nephritis and nephrosis	M 4 F 5	5 2	3 1	5 4	12 7	6 1	13 7	4 2	1 2	3 3	- 4	4 3
29	Hyperplasia of prostate	M 15 F 1	3 -	3 1	7 -	11 5	12 -	14 4	3 1	- -	2 1	- -	3 -
30	Pregnancy, childbirth, abortion	M 4 F 9	7 2	3 3	5 4	14 8	5 13	21 20	4 4	1 1	4 2	1 -	5 6
31	Congenital malformations	M 98 F 126	73 105	18 34	63 79	149 186	60 89	157 195	40 51	18 44	24 31	18 24	23 30
32	Other defined and ill-defined diseases	M 16 F 7	16 8	12 4	16 8	36 14	10 9	43 18	5 9	6 9	7 4	3 2	7 1
33	Motor vehicle accidents	M 21 F 32	22 34	13 12	20 41	43 41	20 51	47 37	15 22	3 2	4 8	- 1	5 9
34	All other accidents	M 15 F 15	14 10	4 2	11 18	7 18	11 15	28 20	13 3	- 3	10 6	2 1	5 3
35	Suicide	M 1 F -	1 -	- -	- 1	- -	1 -	- -	1 -	- 2	- 2	- -	- -
36	Homicide, operations of war	M - F -	- -	- -	1 -	- -	- -	- -	- -	2 -	2 -	- -	- -

TABLE 21 - continued

COUNTY BOROUGH

Registrar General's Supplementary Abridged List		Blackpool	Bolton	Bootle	Bournemouth	Bradford	Brighton	Bristol	Burnley	Burton-upon-Trent	Bury	Canterbury	Carlisle
9(1) Infectious hepatitis	M	-	1	-	-	-	-	2	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-
14(1) Malignant neoplasm, mouth and pharynx	M	5	5	2	3	6	5	13	3	-	1	-	3
	F	1	3	2	2	5	6	9	-	-	-	-	-
14(2) Malignant neoplasm, oesophagus	M	4	3	1	5	5	6	14	1	2	1	-	1
	F	7	4	-	4	10	3	16	1	3	3	-	2
14(3) Malignant neoplasm, intestine and rectum	M	33	21	9	25	29	26	56	14	12	9	6	9
	F	34	46	13	37	52	51	64	8	6	16	8	15
14(4) Malignant neoplasm, larynx	M	2	5	2	-	6	4	5	2	-	1	-	2
	F	-	1	-	1	-	4	3	-	-	-	-	-
13(1) Malignant neoplasm, cervix uteri	F	17	9	3	11	27	15	29	6	3	2	2	4
14(5) Malignant neoplasm, prostate	M	19	14	1	16	19	18	32	6	3	3	4	7
14(6) Malignant neoplasm, bladder	M	9	10	2	10	16	12	29	5	3	2	1	4
	F	5	5	1	5	10	5	12	2	4	-	-	2
14(7) Malignant neoplasm, bone (including jaw bone)	M	-	2	1	-	-	-	2	-	1	-	-	-
	F	-	-	-	-	1	2	1	-	-	1	-	-
14(8) Lymphosarcoma, reticulosarcoma	M	2	-	1	8	2	1	9	3	-	-	-	-
	F	2	-	-	7	5	-	6	1	-	-	1	-
14(9) Hodgkin's disease	M	2	1	1	4	6	1	5	1	-	-	-	1
	F	-	2	1	-	2	-	5	1	-	1	-	1
32(1) Thyrotoxicosis	M	-	-	-	-	1	-	-	1	-	-	-	-
	F	-	-	-	-	3	3	2	1	1	-	-	1
32(2) Multiple sclerosis	M	-	-	-	4	1	2	2	3	-	1	1	1
	F	2	2	-	-	4	2	6	2	-	2	1	-
32(3) Rheumatic fever	M	-	-	-	-	1	1	-	-	-	-	-	-
	F	-	-	-	-	-	1	1	-	-	-	-	1
20(1) Chronic rheumatic heart disease	M	12	8	4	9	17	6	21	8	-	4	-	1
	F	22	28	9	14	29	14	32	12	3	11	1	12
21(1) Hypertension without mention of heart	M	4	4	4	9	10	8	20	-	1	4	3	2
	F	5	4	2	13	8	8	23	1	4	3	2	4
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	2	5	-	-	-	1	11	-	-	-	-	-
	F	-	-	-	1	1	1	1	-	-	-	1	-
26(1) Ulcer of stomach	M	5	3	1	5	10	10	17	1	1	-	1	4
	F	1	4	-	6	3	6	10	5	1	2	2	-
32(4) Appendicitis	M	2	-	-	1	-	-	1	-	-	-	-	-
	F	1	2	-	-	-	2	1	-	-	1	-	1
32(5) Intestinal obstruction and hernia	M	5	4	1	7	11	7	14	4	-	2	1	1
	F	3	14	4	11	12	9	22	2	2	4	-	3
32(6) Cirrhosis of liver	M	7	3	-	3	3	11	5	2	1	2	-	-
	F	3	2	-	4	4	4	8	1	2	2	1	-
32(7) Cholelithiasis, cholecystitis	M	2	1	-	2	1	1	3	-	-	-	-	1
	F	3	5	1	1	7	6	7	1	-	-	1	1
30(1) Maternal sepsis (not abortion)	F	-	-	-	-	-	-	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	1	-	1	-	-	1	-	-
30(3) Abortion	F	1	-	-	-	-	-	2	-	-	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	1	2	-	1	1	-	2	-	-	-	-	-
	F	1	5	1	1	6	1	5	3	1	1	-	2
32(9) Birth injury	M	3	3	1	3	10	3	16	4	-	-	-	-
	F	2	3	2	-	8	2	16	1	-	-	-	2
32(10) Postnatal asphyxia and atelectasis	M	7	8	1	3	20	2	12	4	1	-	1	1
	F	2	3	-	4	17	-	6	2	1	1	2	4
23(1) Pneumonia of newborn	M	-	-	1	1	2	-	2	1	-	-	-	-
	F	-	1	-	-	1	2	4	-	-	-	-	1
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	-	1	-	-	1	-	-	-	-	-	-	-
	F	-	-	1	-	-	-	3	1	-	-	-	-
32(13) Immaturity (without other disease peculiar to early infancy)	M	4	3	3	2	18	3	5	4	2	3	1	1
	F	4	1	9	1	9	8	4	4	3	1	-	3
32(14) Senility without psychosis	M	35	3	-	2	8	1	1	5	7	-	1	2
	F	65	9	1	3	15	11	6	1	15	-	6	-
32(15) Ill-defined and unknown cause	M	-	1	1	1	3	-	-	-	-	-	-	2
	F	1	2	-	1	1	1	-	-	-	1	-	1

TABLE 21 - continued

## COUNTY BOROUGH

Registrar General's Abridged List		Chester	Coventry	Darlington	Derby	Dewsbury	Doncaster	Dudley	Eastbourne	Exeter	Gateshead	Gloucester	Great Yarmouth
1 Tuberculosis, respiratory	M	4	17	3	4	2	5	11	1	3	9	4	-
	F	1	3	2	1	-	1	1	-	1	1	-	-
2 Tuberculosis, other	M	-	1	1	2	1	2	-	-	-	1	-	-
	F	-	1	-	-	-	-	1	-	-	-	1	-
3 Syphilitic disease	M	-	1	-	2	2	2	-	1	-	-	-	1
	F	-	1	-	-	-	-	1	-	-	-	-	-
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
6 Meningococcal infections	M	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	1	-	-	-	-	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	2	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	1	-	-	-
9 Other infective, etc., diseases	M	-	3	2	-	-	2	4	1	1	1	1	1
	F	-	1	1	-	-	-	1	-	2	1	3	3
10 Malignant neoplasm: stomach	M	11	45	5	33	13	11	19	15	16	23	7	9
	F	8	32	12	15	7	10	14	11	9	18	4	6
11 lung, bronchus	M	35	139	45	62	22	36	77	49	30	69	38	23
	F	8	21	6	6	2	8	11	7	9	9	6	2
12 breast	M	-	1	-	-	-	-	-	-	-	-	1	-
	F	16	41	18	23	12	13	27	27	30	15	9	15
13 uterus	F	7	19	13	13	8	13	11	8	10	6	4	4
14 Other malignant and lymphatic neoplasms	M	40	173	56	78	39	44	67	46	61	63	36	34
	F	35	108	56	74	23	41	61	62	68	49	28	32
15 Leukaemia, aleukaemia	M	1	3	3	2	-	5	7	2	4	4	3	1
	F	3	6	2	1	4	5	4	3	6	2	-	2
16 Diabetes	M	1	18	6	1	1	4	7	1	3	2	6	1
	F	4	22	8	10	10	2	12	5	6	6	2	6
17 Vascular lesions of nervous system	M	37	142	96	68	59	68	107	75	46	68	36	42
	F	60	212	118	131	70	74	111	123	89	82	74	49
18 Coronary disease, angina	M	85	450	179	231	86	106	192	132	136	157	82	103
	F	49	262	109	161	58	67	125	144	100	134	72	74
19 Hypertension with heart disease	M	5	13	5	5	4	9	8	7	2	5	5	3
	F	5	22	7	7	8	9	16	6	6	16	7	2
20 Other heart disease	M	22	106	48	79	32	43	56	44	46	39	53	50
	F	35	127	50	120	43	57	65	86	87	59	74	44
21 Other circulatory disease	M	17	57	22	37	15	33	33	12	27	26	13	14
	F	17	55	28	56	29	25	34	30	45	32	15	22
22 Influenza	M	-	3	3	5	3	5	2	1	5	-	5	1
	F	2	7	2	18	1	3	2	2	8	3	4	-
23 Pneumonia	M	9	97	31	93	15	24	33	24	20	24	30	26
	F	16	75	27	98	20	19	32	37	27	31	29	19
24 Bronchitis	M	30	124	53	100	38	49	88	36	32	64	34	26
	F	9	51	25	30	23	18	28	8	17	20	8	12
25 Other diseases of respiratory system	M	5	24	1	13	6	7	11	9	3	8	4	2
	F	2	9	1	5	3	4	4	4	5	6	1	2
26 Ulcer of stomach and duodenum	M	5	15	2	7	8	5	11	7	6	9	3	4
	F	2	4	4	9	3	1	2	1	5	5	1	2
27 Gastritis, enteritis and diarrhoea	M	3	4	3	-	-	4	3	2	1	2	-	-
	F	1	7	1	3	1	2	6	7	2	3	3	1
28 Nephritis and nephrosis	M	1	11	4	3	5	2	7	-	2	1	-	1
	F	1	5	5	6	2	3	-	4	3	1	1	-
29 Hyperplasia of prostate	M	4	12	2	5	1	7	7	3	7	6	3	5
30 Pregnancy, childbirth, abortion	F	-	2	-	1	-	1	2	-	1	-	1	1
31 Congenital malformations	M	3	18	5	5	6	6	5	4	3	7	2	4
	F	4	17	5	5	5	5	7	3	7	7	3	3
32 Other defined and ill-defined diseases	M	15	141	43	63	17	43	41	35	31	42	28	20
	F	25	122	41	54	40	45	71	48	55	40	34	26
33 Motor vehicle accidents	M	16	33	12	22	7	15	14	6	8	15	11	6
	F	7	12	4	7	3	9	4	-	5	7	5	3
34 All other accidents	M	4	24	11	16	4	16	13	10	10	16	7	6
	F	11	22	16	11	7	18	12	14	18	9	6	11
35 Suicide	M	1	18	4	5	6	6	5	11	6	6	3	-
	F	-	8	5	2	3	4	2	10	6	6	3	-
36 Homicide, operations of war	M	-	-	-	2	-	1	-	-	-	-	-	-
	F	1	2	2	-	-	-	-	1	-	-	-	-

TABLE 21 - continued

COUNTY BOROUGH

Registrar General's Supplementary Abridged List		Chester	Coventry	Darlington	Derby	Dewsbury	Doncaster	Dudley	Eastbourne	Exeter	Gateshead	Gloucester	Great Yarmouth
9(1) Infectious hepatitis	M	-	1	1	-	-	-	-	-	-	1	1	-
	F	-	-	-	-	-	-	1	-	-	1	2	2
14(1) Malignant neoplasm, mouth and pharynx	M	1	9	6	3	2	1	3	1	3	2	-	2
	F	-	1	2	2	1	-	1	-	2	1	-	-
14(2) Malignant neoplasm, oesophagus	M	4	8	4	4	3	2	3	1	6	4	2	2
	F	1	6	1	7	1	1	7	1	2	1	1	3
14(3) Malignant neoplasm, intestine and rectum	M	7	40	12	22	14	15	23	14	19	20	13	4
	F	12	28	15	26	6	18	23	23	23	15	14	13
14(4) Malignant neoplasm, larynx	M	2	8	2	2	1	1	1	-	2	1	-	-
	F	-	1	-	-	-	-	-	-	1	2	1	1
13(1) Malignant neoplasm, cervix uteri	F	4	9	11	11	2	11	9	5	7	3	4	2
14(5) Malignant neoplasm, prostate	M	3	31	7	9	5	7	7	10	9	9	9	6
14(6) Malignant neoplasm, bladder	M	7	15	4	3	4	2	7	3	4	4	4	5
	F	3	4	3	1	1	1	4	1	4	2	1	4
14(7) Malignant neoplasm, bone (including jaw bone)	M	1	1	-	1	-	-	1	-	1	1	1	-
	F	-	1	-	-	-	-	-	-	-	-	-	-
14(8) Lymphosarcoma, reticulosarcoma	M	2	3	1	4	-	2	1	1	1	1	-	2
	F	2	6	-	1	-	3	1	1	3	5	-	1
14(9) Hodgkin's disease	M	1	5	2	2	1	2	1	2	2	-	1	3
	F	1	2	-	1	-	1	-	-	-	-	1	1
32(1) Thyrotoxicosis	M	-	-	-	-	-	-	-	-	-	1	-	-
	F	-	1	-	1	-	-	3	1	1	-	-	-
32(2) Multiple sclerosis	M	-	4	1	-	1	-	-	3	-	-	-	1
	F	-	-	3	1	-	3	-	-	1	1	3	-
32(3) Rheumatic fever	M	-	-	-	2	-	-	-	-	-	-	-	-
	F	-	1	1	-	-	-	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	1	12	1	3	4	3	8	3	5	7	2	1
	F	5	28	6	11	6	12	9	5	8	13	2	2
21(1) Hypertension without mention of heart	M	4	6	2	5	4	5	11	3	3	5	1	1
	F	2	13	1	4	10	8	6	4	3	7	1	3
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	-	11	-	1	3	-	-	-	1	3	-	-
	F	-	-	-	-	-	1	1	-	1	1	-	-
26(1) Ulcer of stomach	M	2	4	-	2	4	2	5	4	3	4	2	1
	F	2	4	4	5	-	1	2	-	5	2	1	2
32(4) Appendicitis	M	1	3	-	-	-	1	-	-	1	-	-	-
	F	-	1	-	1	-	-	2	1	-	-	1	-
32(5) Intestinal obstruction and hernia	M	1	8	6	8	1	4	2	3	3	4	5	4
	F	5	7	2	7	1	3	5	4	2	5	2	4
32(6) Cirrhosis of liver	M	-	6	2	2	-	3	-	-	-	3	-	-
	F	3	1	1	-	-	1	1	-	2	1	-	-
32(7) Cholelithiasis, cholecystitis	M	-	3	1	2	-	2	1	-	-	1	2	-
	F	1	2	-	1	1	2	4	5	1	3	-	1
30(1) Maternal sepsis (not abortion)	F	-	-	-	-	-	1	-	-	1	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	-	-	1	-	-	-	-	-
30(3) Abortion	F	-	1	-	-	-	-	-	-	-	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	-	4	-	-	2	2	-	-	-	-	-	-
	F	-	4	1	2	1	1	2	1	1	1	-	2
32(9) Birth injury	M	1	15	4	4	-	-	5	1	2	4	1	-
	F	1	11	1	1	-	4	5	-	-	-	1	1
32(10) Postnatal asphyxia and atelectasis	M	1	16	4	6	2	4	4	1	1	2	5	1
	F	1	5	1	4	1	2	3	-	2	1	1	1
23(1) Pneumonia of newborn	M	-	4	-	3	-	-	3	-	2	1	3	-
	F	1	2	1	2	-	1	1	-	-	1	-	-
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	1	1	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	1	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	-	-	1	-	-	1	2	-	-	-	-	-
	F	-	1	-	-	-	1	-	-	-	-	1	1
32(13) Immaturity (without other disease peculiar to early infancy)	M	-	13	3	2	1	5	2	2	1	3	-	3
	F	-	7	-	-	2	4	4	-	-	1	1	5
32(14) Senility without psychosis	M	-	4	4	1	-	2	1	4	1	2	-	1
	F	1	11	3	2	3	1	3	-	6	3	-	-
32(15) Ill-defined and unknown cause	M	-	1	-	1	-	-	1	-	-	-	-	-
	F	-	1	-	-	-	-	-	-	-	-	-	-

TABLE 21 - continued

COUNTY BOROUGH

Registrar General's Abridged List		Grimsby	Halifax	Hastings	Huddersfield	Ipswich	Kingston-upon-Hull	Leeds	Leicester	Lincoln	Liverpool	Luton	Manchester
1 Tuberculosis, respiratory	M	2	8	3	2	6	8	19	8	1	39	2	32
	F	3	-	3	-	3	2	7	5	-	13	1	10
2 Tuberculosis, other	M	-	-	1	1	-	-	1	1	1	5	1	1
	F	-	-	1	1	1	-	2	-	-	4	-	2
3 Syphilitic disease	M	-	-	1	3	1	2	10	4	1	4	1	5
	F	1	-	-	-	2	2	12	3	-	2	2	2
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	1	-	-	-	-	-	-	-	-	-	1
6 Meningococcal infections	M	-	-	-	-	1	-	-	-	-	2	-	3
	F	1	-	-	-	-	-	-	1	-	1	-	1
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	-	-	-	-	-	-	-	-	2	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-
9 Other infective, etc., diseases	M	-	-	-	1	1	2	3	2	-	4	-	7
	F	1	1	2	4	2	1	4	-	-	5	-	9
10 Malignant neoplasm: stomach	M	21	12	11	18	21	55	70	39	13	126	19	112
	F	10	14	18	17	10	41	64	35	8	108	9	93
11 lung, bronchus	M	48	56	44	58	44	148	304	121	43	436	80	393
	F	9	9	8	11	14	42	47	23	6	94	5	72
12 breast	M	-	-	-	1	-	-	-	-	-	1	-	1
	F	13	22	21	22	29	51	103	71	26	112	27	113
13 uterus	F	7	13	8	17	8	37	38	34	8	50	10	59
14 Other malignant and lymphatic neoplasms	M	55	70	45	68	70	154	268	139	55	338	70	368
	F	47	46	75	71	63	143	269	150	50	351	46	311
15 Leukaemia, aleukaemia	M	1	-	2	4	4	10	19	14	4	20	6	14
	F	6	1	2	2	4	11	16	5	3	14	7	19
16 Diabetes	M	4	6	2	6	9	5	9	6	3	18	4	22
	F	1	10	2	9	10	12	27	21	5	30	12	32
17 Vascular lesions of nervous system	M	52	110	69	87	77	180	287	187	56	387	71	409
	F	70	149	179	161	105	269	468	336	76	532	121	703
18 Coronary disease, angina	M	131	200	124	245	172	368	842	357	159	1,064	178	810
	F	87	176	107	184	123	264	587	243	85	719	90	575
19 Hypertension with heart disease	M	5	2	9	12	8	6	39	29	5	54	6	43
	F	13	6	11	13	5	20	51	36	15	96	11	75
20 Other heart disease	M	37	58	43	62	33	112	178	154	29	208	42	298
	F	63	93	136	106	53	197	265	262	68	496	60	547
21 Other circulatory disease	M	26	19	29	29	25	70	76	55	24	114	27	125
	F	24	25	14	36	28	70	140	93	13	137	40	152
22 Influenza	M	1	5	-	3	2	13	9	6	8	8	-	30
	F	2	13	2	5	6	23	10	6	11	12	1	34
23 Pneumonia	M	29	38	41	41	66	146	178	93	29	303	36	207
	F	32	49	61	52	53	153	224	124	24	445	31	224
24 Bronchitis	M	39	47	49	55	37	201	370	129	38	377	56	461
	F	16	34	19	24	15	65	153	49	20	172	20	223
25 Other diseases of respiratory system	M	8	13	1	7	9	11	35	12	2	43	12	46
	F	8	3	9	4	3	7	24	20	4	27	6	26
26 Ulcer of stomach and duodenum	M	2	3	4	7	8	28	33	14	2	44	4	28
	F	1	3	6	10	4	7	20	13	3	20	1	20
27 Gastritis, enteritis and diarrhoea	M	1	4	-	3	5	6	14	7	4	12	4	13
	F	4	8	4	9	5	11	23	8	1	30	2	31
28 Nephritis and nephrosis	M	3	2	-	7	4	11	14	14	3	20	4	21
	F	4	2	2	7	-	8	18	10	5	23	1	18
29 Hyperplasia of prostate	M	6	5	2	7	8	18	18	20	5	17	4	15
30 Pregnancy, childbirth, abortion	F	2	-	-	2	-	2	2	3	1	1	-	3
31 Congenital malformations	M	5	5	3	6	6	21	29	12	4	41	12	35
	F	5	5	3	3	2	17	23	12	3	39	6	33
32 Other defined and ill-defined diseases	M	50	32	40	69	48	84	259	131	31	313	54	281
	F	52	48	63	78	52	121	335	120	28	341	76	357
33 Motor vehicle accidents	M	7	8	6	16	14	35	59	44	9	74	14	63
	F	4	5	4	6	5	12	29	15	5	41	8	30
34 All other accidents	M	8	13	9	14	16	35	67	27	13	114	10	76
	F	9	14	18	32	23	33	72	52	4	129	15	81
35 Suicide	M	6	7	7	10	9	22	36	18	6	37	8	34
	F	-	1	7	12	5	17	33	14	4	19	6	28
36 Homicide, operations of war	M	-	-	-	1	-	-	1	2	-	5	-	5
	F	-	-	-	2	-	4	6	3	-	5	-	1

TABLE 21 - continued

COUNTY BOROUGH

Registrar General's Supplementary Abridged List		Grimsby	Halifax	Hastings	Huddersfield	Ipswich	Kingston-upon-Hull	Leeds	Leicester	Lincoln	Liverpool	Luton	Manchester
9(1) Infectious hepatitis	M	-	-	-	-	-	-	-	-	-	1	-	4
	F	-	-	-	1	-	-	1	-	-	1	-	1
14(1) Malignant neoplasm, mouth and pharynx	M	2	-	3	2	4	10	9	3	2	15	2	14
	F	-	-	3	2	1	2	9	4	5	12	1	13
14(2) Malignant neoplasm, oesophagus	M	3	4	2	3	4	10	13	5	3	21	2	25
	F	3	5	2	3	3	4	8	8	3	17	-	16
14(3) Malignant neoplasm, intestine and rectum	M	13	24	13	21	24	38	59	37	15	85	19	92
	F	21	14	25	19	31	57	83	37	14	125	18	97
14(4) Malignant neoplasm, larynx	M	1	2	-	1	2	3	11	3	1	7	3	5
	F	1	-	-	-	-	1	2	1	-	1	-	2
13(1) Malignant neoplasm, cervix uteri	F	3	10	8	14	2	26	29	22	4	36	5	39
14(5) Malignant neoplasm, prostate	M	3	6	7	12	8	14	30	20	12	44	8	34
14(6) Malignant neoplasm, bladder	M	7	13	5	6	6	22	25	16	8	31	3	33
	F	2	3	2	3	1	11	14	4	-	19	4	10
14(7) Malignant neoplasm, bone (including jaw bone)	M	-	1	-	2	-	2	7	-	1	3	2	2
	F	-	-	1	1	-	1	3	4	1	4	-	3
14(8) Lymphosarcoma, reticulosarcoma	M	4	1	2	1	2	2	8	4	-	7	3	8
	F	-	-	-	2	1	3	7	4	1	3	-	9
14(9) Hodgkin's disease	M	6	2	-	-	2	1	7	4	1	7	-	12
	F	-	1	-	3	1	2	5	7	1	3	1	4
32(1) Thyrotoxicosis	M	-	-	-	-	-	-	-	-	1	1	-	-
	F	-	-	1	-	1	1	1	1	-	2	-	2
32(2) Multiple sclerosis	M	1	1	1	-	-	1	1	1	-	3	1	10
	F	2	2	-	1	3	3	7	4	2	5	2	9
32(3) Rheumatic fever	M	-	-	-	-	-	1	-	-	1	-	-	1
	F	-	-	-	-	-	1	1	-	-	-	-	1
20(1) Chronic rheumatic heart disease	M	3	2	2	5	1	17	38	19	1	29	6	27
	F	8	5	5	18	17	16	58	33	2	86	8	57
21(1) Hypertension without mention of heart	M	4	-	6	4	7	7	16	8	5	18	8	16
	F	3	-	2	2	3	3	21	9	2	19	4	20
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	-	1	-	1	1	1	15	1	-	9	1	9
	F	-	1	1	-	1	-	4	1	-	2	-	4
26(1) Ulcer of stomach	M	1	1	2	-	1	15	13	6	-	24	1	14
	F	1	-	2	6	2	2	10	9	2	13	1	11
32(4) Appendicitis	M	2	1	1	3	-	1	2	2	2	3	2	3
	F	1	-	-	-	1	2	3	-	-	4	1	4
32(5) Intestinal obstruction and hernia	M	5	3	4	5	6	5	18	10	2	13	3	13
	F	4	4	5	8	4	9	21	11	2	24	8	30
32(6) Cirrhosis of liver	M	2	-	2	3	2	1	8	4	2	8	4	9
	F	3	3	4	-	1	8	6	4	1	16	1	9
32(7) Cholelithiasis, cholecystitis	M	-	-	-	5	3	2	4	2	-	-	-	4
	F	-	3	3	6	1	7	15	4	-	4	3	9
30(1) Maternal sepsis (not abortion)	F	-	-	-	-	-	-	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	1	-	-	1	-	-	-	-	-	-	-	-
30(3) Abortion	F	-	-	-	1	-	1	-	1	-	-	-	1
32(8) Rheumatoid arthritis and allied conditions	M	-	1	-	-	1	1	2	2	-	3	1	2
	F	2	2	-	3	2	3	10	-	2	6	3	14
32(9) Birth injury	M	-	-	1	3	2	4	27	8	2	17	2	27
	F	-	1	-	-	2	4	7	5	3	7	3	12
32(10) Postnatal asphyxia and atelectasis	M	5	5	1	6	1	4	15	14	1	19	6	27
	F	1	-	-	3	2	4	11	3	-	5	-	15
23(1) Pneumonia of newborn	M	1	2	1	-	-	-	5	3	-	6	1	7
	F	-	1	-	1	1	5	1	2	-	-	1	2
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	-	-	-	1	4	-	-	1	-	3
	F	-	-	-	-	-	-	-	-	-	1	-	-
32(12) Haemolytic disease of newborn	M	-	2	-	1	-	2	2	-	1	8	-	2
	F	1	-	-	1	-	1	3	-	-	3	-	4
32(13) Immaturity (without other disease peculiar to early infancy)	M	8	-	1	-	5	17	15	18	1	43	6	27
	F	6	6	-	5	1	13	12	12	-	18	9	15
32(14) Senility without psychosis	M	6	2	-	2	5	1	7	7	2	12	-	21
	F	13	2	14	4	4	6	17	10	1	46	7	59
32(15) Ill-defined and unknown cause	M	1	2	-	-	-	-	2	1	-	2	1	1
	F	2	1	-	-	-	-	2	1	-	6	-	1

TABLE 21 - continued

COUNTY BOROUGH

Registrar General's Abridged List		Middlesbrough	Newcastle-upon-Tyne	Northampton	Norwich	Nottingham	Oldham	Oxford	Plymouth	Portsmouth	Preston	Reading	Rochdale
1	Tuberculosis, respiratory	M 20 F 5	11 9	- 1	4 5	9 2	7 2	1 -	6 1	7 2	6 1	4 4	1 3
2	Tuberculosis, other	M - F -	- 2	- -	- -	- 3	- -	- -	- -	1 -	- -	- -	- -
3	Syphilitic disease	M 3 F 1	3 3	1 1	1 2	3 -	2 -	2 1	2 -	3 3	2 2	4 -	1 2
4	Diphtheria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
5	Whooping cough	M - F -	- 1	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -
6	Meningococcal infections	M - F -	- 1	1 -	- -	- 1	- -	1 -	- -	- -	- -	- -	- -
7	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
8	Measles	M - F -	- 1	- -	- -	- -	- 1	- -	- -	- -	- -	1 -	- -
9	Other infective, etc., diseases	M - F 1	1 4	1 3	1 -	4 5	1 -	3 1	- 3	- 3	- -	- -	- -
10	Malignant neoplasm: stomach	M 19 F 16	41 30	24 16	16 16	45 21	30 15	8 9	48 15	38 27	19 23	20 13	17 11
11	lung, bronchus	M 92 F 14	147 25	62 13	44 8	158 26	56 9	45 12	107 19	117 18	61 8	40 10	35 12
12	breast	M 1 F 34	- 42	- 19	- 39	- 58	- 32	- 19	- 37	- 63	1 23	- 26	- 9
13	uterus	F 15	20	11	15	31	15	7	27	18	12	8	17
14	Other malignant and lymphatic neoplasms	M 65 F 71	173 118	74 73	68 62	186 150	63 58	57 60	98 88	149 119	56 61	72 58	52 63
15	Leukaemia, aleukaemia	M 3 F 3	5 5	4 3	1 3	5 8	1 -	5 2	6 2	4 4	6 2	4 3	1 4
16	Diabetes	M 5 F 9	7 17	3 10	6 2	11 26	3 7	- 7	10 12	7 30	4 4	4 6	6 7
17	Vascular lesions of nervous system	M 119 F 134	161 249	76 138	85 118	198 322	88 125	40 68	134 195	139 224	70 120	78 101	72 96
18	Coronary disease, angina	M 233 F 166	399 288	175 143	172 95	388 238	155 104	161 125	324 203	348 210	201 124	183 111	146 92
19	Hypertension with heart disease	M 1 F 8	34 27	14 21	3 11	31 44	7 10	- 5	23 30	29 34	7 12	8 19	5 8
20	Other heart disease	M 57 F 81	82 141	64 105	77 100	142 245	62 132	26 41	118 167	128 184	31 92	52 83	56 108
21	Other circulatory disease	M 27 F 54	64 97	26 31	27 36	93 107	41 60	17 30	43 52	50 73	24 29	27 18	23 23
22	Influenza	M 1 F 3	4 4	2 7	- 1	22 28	3 -	1 5	2 8	3 7	5 8	2 1	10 8
23	Pneumonia	M 62 F 60	89 85	42 29	45 54	110 142	77 72	32 52	79 110	97 140	21 33	72 77	45 53
24	Bronchitis	M 91 F 24	153 45	59 17	47 15	247 118	106 56	43 10	80 27	122 35	65 34	45 18	44 40
25	Other diseases of respiratory system	M 7 F 4	9 15	5 4	10 3	20 19	10 5	5 2	6 8	15 6	8 3	3 4	6 6
26	Ulcer of stomach and duodenum	M 9 F 6	22 9	6 5	7 3	19 13	11 4	6 2	13 8	12 9	8 -	6 3	4 5
27	Gastritis, enteritis and diarrhoea	M 4 F 8	8 6	2 6	1 1	12 17	4 2	1 5	7 3	5 8	3 6	3 5	- 4
28	Nephritis and nephrosis	M 6 F 4	7 5	3 3	4 5	6 11	7 3	3 3	7 7	3 5	4 4	3 2	1 2
29	Hyperplasia of prostate	M 4	10	7	9	11	4	2	11	7	1	7	3
30	Pregnancy, childbirth, abortion	F 1	-	-	-	-	-	1	2	-	-	3	-
31	Congenital malformations	M 6 F 8	11 6	5 3	6 10	23 24	5 7	3 3	12 10	13 9	6 7	4 5	3 3
32	Other defined and ill-defined diseases	M 53 F 66	104 138	40 50	40 38	153 201	42 79	42 61	74 104	101 95	36 60	47 65	34 54
33	Motor vehicle accidents	M 24 F 7	31 9	14 6	16 6	33 15	18 10	17 10	19 4	21 19	13 9	7 3	8 5
34	All other accidents	M 37 F 19	47 35	16 14	7 15	43 48	20 24	13 19	24 10	38 41	20 16	17 18	13 14
35	Suicide	M 8 F 3	23 12	17 6	8 13	26 11	5 5	4 6	12 9	24 21	8 7	12 6	8 12
36	Homicide, operations of war	M - F -	2 3	- -	- -	3 2	1 1	- -	1 1	- -	2 1	2 1	1 1

TABLE 21 - continued

## COUNTY BOROUGH

Registrar General's Supplementary Abridged List		Middlesbrough	Newcastle-upon-Tyne	Northampton	Norwich	Nottingham	Oldham	Oxford	Plymouth	Portsmouth	Preston	Reading	Rochdale
9(1) Infectious hepatitis	M	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	3	-	-	2	-	-	-	-	-	-	-
14(1) Malignant neoplasm, mouth and pharynx	M	2	6	4	1	9	5	2	6	6	3	-	1
	F	2	4	1	1	5	2	1	1	3	2	3	1
14(2) Malignant neoplasm, oesophagus	M	5	10	4	4	12	-	4	7	8	5	1	4
	F	7	9	4	1	10	3	2	4	5	6	-	1
14(3) Malignant neoplasm, intestine and rectum	M	19	45	15	18	46	16	9	18	34	15	20	14
	F	17	42	33	23	49	20	19	29	37	18	17	28
14(4) Malignant neoplasm, larynx	M	1	6	1	-	3	-	1	3	3	-	-	1
	F	-	2	-	-	-	-	1	-	-	-	1	1
13(1) Malignant neoplasm, cervix uteri	F	13	16	7	11	25	13	5	21	14	8	5	12
14(5) Malignant neoplasm, prostate	M	5	28	8	7	15	11	7	24	31	4	13	8
14(6) Malignant neoplasm, bladder	M	9	11	6	8	21	5	6	13	13	5	5	7
	F	6	4	4	3	8	-	1	3	7	2	2	3
14(7) Malignant neoplasm, bone (including jaw bone)	M	1	1	2	-	4	1	-	1	2	1	1	-
	F	3	1	1	-	-	2	1	-	2	2	-	1
14(8) Lymphosarcoma, reticulosarcoma	M	2	2	1	2	6	1	1	1	4	3	2	2
	F	2	1	3	-	2	1	2	3	5	-	-	-
14(9) Hodgkin's disease	M	1	3	-	2	4	1	2	1	4	-	-	1
	F	2	2	-	-	1	2	1	1	5	2	1	-
32(1) Thyrotoxicosis	M	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	1	-	1	3	1	2	1	-	1	1	-
32(2) Multiple sclerosis	M	-	2	-	-	-	2	1	2	2	-	2	4
	F	2	6	2	1	7	2	1	2	2	2	1	-
32(3) Rheumatic fever	M	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	1	-	1	-
20(1) Chronic rheumatic heart disease	M	4	9	5	3	19	8	5	9	6	3	3	7
	F	11	28	6	3	29	18	7	20	17	8	8	8
21(1) Hypertension without mention of heart	M	1	7	4	3	24	9	-	10	10	2	6	3
	F	7	15	4	2	19	10	-	6	8	2	2	1
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	1	2	-	-	2	5	-	2	4	-	-	-
	F	2	1	-	2	1	2	-	2	-	1	-	-
26(1) Ulcer of stomach	M	3	10	-	3	8	7	2	7	7	2	2	-
	F	3	7	3	3	9	3	2	6	7	-	1	2
32(4) Appendicitis	M	3	2	1	1	3	1	-	1	1	2	1	2
	F	-	2	2	1	1	2	-	1	1	2	1	1
32(5) Intestinal obstruction and hernia	M	9	5	3	4	9	1	2	5	8	2	4	2
	F	8	13	4	3	12	7	8	5	9	3	2	5
32(6) Cirrhosis of liver	M	1	5	1	1	1	3	2	6	5	1	1	2
	F	1	3	2	-	7	-	-	2	1	1	2	4
32(7) Cholelithiasis, cholecystitis	M	1	2	1	1	2	1	-	1	1	1	1	-
	F	3	5	2	1	7	2	-	3	3	3	3	3
30(1) Maternal sepsis (not abortion)	F	1	-	-	-	-	-	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	-	-	-	-	-	-	1	-
30(3) Abortion	F	-	-	-	-	-	-	-	1	-	-	1	-
32(8) Rheumatoid arthritis and allied conditions	M	-	2	-	1	1	-	-	1	1	-	-	-
	F	2	-	1	1	4	2	-	2	5	5	3	3
32(9) Birth injury	M	4	8	1	1	19	4	3	2	6	3	3	-
	F	2	2	3	-	12	4	1	2	3	2	-	2
32(10) Postnatal asphyxia and atelectasis	M	7	4	3	3	4	5	-	4	5	2	4	4
	F	3	7	4	1	4	3	2	5	3	1	5	1
23(1) Pneumonia of newborn	M	1	1	-	2	1	1	-	1	3	2	2	1
	F	1	1	-	1	3	-	-	2	1	1	1	-
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	1	-	-	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	1	-	-	1	3	-	-	1	1	-	-	-
	F	-	1	-	-	1	-	2	-	-	-	-	-
32(13) Immaturity (without other disease peculiar to early infancy)	M	4	9	1	9	11	2	2	5	9	4	1	2
	F	4	9	2	-	7	1	2	7	4	5	3	-
32(14) Senility without psychosis	M	7	2	1	-	10	3	1	3	1	-	2	2
	F	6	7	1	4	37	19	2	21	3	4	4	14
32(15) Ill-defined and unknown cause	M	-	5	-	-	1	-	1	1	-	1	1	2
	F	-	4	-	-	1	2	1	1	3	3	-	1

TABLE 21 - continued

COUNTY BOROUGH

Registrar General's Abridged List		Rotherham	St. Helens	Salford	Sheffield	Smethwick*	Solihull	Southampton	Southend-on-Sea	Southport	South Shields	Stockport	Stoke-on-Trent
1	Tuberculosis, respiratory	M 4	8	9	27	3	4	11	4	4	4	3	20
	F	-	-	1	9	2	-	2	1	-	3	-	7
2	Tuberculosis, other	M	-	-	1	-	1	2	1	-	-	-	-
	F	-	-	-	-	-	-	-	2	-	-	-	1
3	Syphilitic disease	M 1	2	1	2	-	-	2	3	5	1	-	1
	F	-	-	4	3	-	-	2	-	1	3	-	-
4	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5	Whooping cough	M	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
6	Meningococcal infections	M	-	-	2	-	-	-	-	-	-	-	1
	F	-	-	-	1	-	-	-	-	-	-	-	-
7	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8	Measles	M	-	-	1	-	-	-	-	-	-	1	-
	F	-	-	1	-	-	-	-	-	-	-	-	-
9	Other infective, etc., diseases	M 1	1	-	6	2	-	3	-	-	1	-	3
	F	-	1	1	7	-	-	1	4	-	1	-	1
10	Malignant neoplasm: stomach	M 12	27	30	94	2	7	31	33	12	21	32	57
	F	7	17	33	83	2	12	28	41	11	14	17	44
11	lung, bronchus	M 43	54	110	298	10	20	125	108	42	67	65	143
	F	1	6	18	45	1	3	19	18	10	9	15	25
12	breast	M	-	-	-	-	-	-	1	-	-	-	-
	F	13	15	22	99	3	17	48	59	26	14	45	56
13	uterus	F 4	9	13	34	-	7	24	10	8	13	11	22
14	Other malignant and lymphatic neoplasms	M 46	58	78	252	4	44	141	111	52	61	92	141
	F	34	48	100	273	11	32	89	120	69	43	78	125
15	Leukaemia, aleukaemia	M 3	3	4	12	1	1	12	9	3	-	7	9
	F	-	1	1	14	-	2	7	8	8	2	5	1
16	Diabetes	M 2	5	5	20	-	4	9	4	3	3	4	6
	F	2	8	20	20	1	3	12	12	7	8	11	13
17	Vascular lesions of nervous system	M 73	63	104	375	13	44	114	162	80	78	110	179
	F	63	100	146	533	18	64	143	285	152	104	182	273
18	Coronary disease, angina	M 142	170	221	776	31	119	322	312	166	157	218	389
	F	67	95	154	462	16	48	187	223	124	93	141	266
19	Hypertension with heart disease	M 9	6	8	38	4	6	16	7	8	9	3	15
	F	2	10	20	45	5	5	14	22	7	21	10	27
20	Other heart disease	M 38	45	52	245	9	36	81	70	55	56	74	103
	F	48	67	93	395	16	43	97	145	137	61	121	181
21	Other circulatory disease	M 19	29	19	149	2	8	47	40	22	34	26	85
	F	25	30	30	207	7	17	70	73	44	38	46	96
22	Influenza	M 6	8	15	18	4	-	2	8	1	4	2	15
	F	2	12	15	31	2	2	4	3	5	6	3	13
23	Pneumonia	M 28	55	72	147	12	14	71	33	41	29	45	121
	F	33	52	55	178	11	35	73	55	50	23	64	107
24	Bronchitis	M 50	72	141	347	21	28	80	98	47	61	80	171
	F	32	29	61	148	5	7	26	44	21	18	50	65
25	Other diseases of respiratory system	M 7	9	16	28	-	2	12	8	2	4	3	67
	F	7	5	8	15	1	5	7	8	9	2	8	8
26	Ulcer of stomach and duodenum	M 8	13	10	25	1	-	11	8	9	7	7	14
	F	4	1	6	20	-	4	6	8	6	8	6	5
27	Gastritis, enteritis and diarrhoea	M 4	-	4	6	-	4	4	4	1	2	4	5
	F	3	3	7	20	-	2	3	12	6	3	12	11
28	Nephritis and nephrosis	M 4	6	3	21	1	-	3	5	4	1	6	10
	F	4	4	1	9	-	3	6	1	5	4	1	7
29	Hyperplasia of prostate	M 4	6	2	16	2	3	13	12	5	4	6	11
30	Pregnancy, childbirth, abortion	F 1	-	-	3	-	-	1	-	-	1	-	-
31	Congenital malformations	M 5	4	10	34	1	3	13	10	1	6	15	15
	F	9	3	9	28	1	4	10	9	1	12	4	15
32	Other defined and ill-defined diseases	M 25	36	93	167	6	22	87	60	38	39	61	80
	F	23	69	117	157	7	30	87	100	44	43	83	99
33	Motor vehicle accidents	M 10	23	10	32	2	11	20	14	10	10	15	32
	F	2	6	10	20	2	3	6	9	7	2	10	14
34	All other accidents	M 14	11	23	68	3	9	25	21	17	19	14	30
	F	10	16	19	61	6	10	24	24	39	16	15	29
35	Suicide	M 5	4	13	19	-	4	7	11	8	7	12	14
	F	4	-	12	18	3	4	8	12	6	3	8	9
36	Homicide, operations of war	M 1	-	1	4	-	-	-	2	-	-	1	3
	F	-	1	1	1	-	-	-	-	-	-	-	-

\* Area abolished 1st April 1966. Figures relate to January - March 1966.

TABLE 21 - continued

COUNTY BOROUGH

Registrar General's Supplementary Abridged List		Rotherham	St. Helens	Salford	Sheffield	Smethwick*	Solihull	Southampton	Southend-on-Sea	Southport	South Shields	Stockport	Stoke-on-Trent
9(1) Infectious hepatitis	M	1	-	-	2	-	-	-	-	-	1	-	-
	F	-	1	-	1	-	-	1	3	-	-	-	1
14(1) Malignant neoplasm, mouth and pharynx	M	1	1	3	12	-	2	4	3	3	5	2	8
	F	1	1	2	7	1	1	2	2	1	3	2	1
14(2) Malignant neoplasm, oesophagus	M	-	3	4	7	-	2	6	12	1	4	6	10
	F	2	4	3	9	-	2	3	4	3	-	2	6
14(3) Malignant neoplasm, intestine and rectum	M	16	21	17	76	1	15	37	20	13	22	26	30
	F	9	19	33	97	6	13	20	42	29	12	25	58
14(4) Malignant neoplasm, larynx	M	3	1	7	2	1	1	2	2	1	-	3	3
	F	1	-	-	2	-	3	-	-	1	-	4	1
13(1) Malignant neoplasm, cervix uteri	F	3	9	10	21	-	2	20	5	3	8	6	17
14(5) Malignant neoplasm, prostate	M	4	7	7	26	1	4	16	14	6	8	9	11
14(6) Malignant neoplasm, bladder	M	5	6	6	18	-	3	18	8	11	4	7	17
	F	1	2	6	5	-	-	7	3	1	5	4	6
14(7) Malignant neoplasm, bone (including jaw bone)	M	-	-	1	4	-	-	-	1	2	1	1	2
	F	1	1	-	5	-	-	1	3	-	1	-	-
14(8) Lymphosarcoma, reticulosarcoma	M	2	-	3	5	-	-	3	6	1	2	2	4
	F	-	-	1	6	-	1	-	2	2	1	-	4
14(9) Hodgkin's disease	M	-	-	3	7	-	-	3	8	1	-	2	2
	F	-	1	2	3	1	-	1	1	-	-	1	2
32(1) Thyrotoxicosis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	1	2	1	-	-	-	-	1	-	-	3
32(2) Multiple sclerosis	M	-	-	3	2	-	1	1	2	-	1	-	1
	F	1	1	-	2	-	-	2	1	2	3	3	1
32(3) Rheumatic fever	M	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	2	-	-	-	-	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	7	6	7	24	1	6	8	5	5	7	15	16
	F	12	8	15	67	2	6	12	10	6	10	18	42
21(1) Hypertension without mention of heart	M	5	4	5	16	1	2	5	8	6	3	5	10
	F	2	7	2	20	2	7	13	9	3	4	8	8
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	1	4	7	7	-	2	2	-	1	1	1	30
	F	-	1	-	4	-	2	1	-	4	-	2	1
26(1) Ulcer of stomach	M	3	3	7	10	1	-	8	2	4	3	5	8
	F	3	-	5	13	-	1	4	5	3	5	4	1
32(4) Appendicitis	M	-	-	1	2	-	1	2	-	-	-	1	1
	F	1	-	-	1	-	-	-	-	-	-	1	1
32(5) Intestinal obstruction and hernia	M	1	4	7	14	-	1	2	3	3	1	4	11
	F	1	3	6	9	-	2	4	8	3	6	3	10
32(6) Cirrhosis of liver	M	1	1	4	6	-	-	4	3	1	1	3	3
	F	1	2	3	8	-	1	3	2	2	-	5	2
32(7) Cholelithiasis, cholecystitis	M	-	1	1	4	-	-	2	-	1	-	-	-
	F	-	2	3	5	1	1	3	2	1	1	2	4
30(1) Maternal sepsis (not abortion)	F	-	-	-	1	-	-	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	2	-	-	1	-	-	-	-	-
30(3) Abortion	F	1	-	-	-	-	-	-	-	-	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	-	1	3	2	-	-	2	-	-	-	2	-
	F	-	3	1	6	-	1	6	3	2	-	2	3
32(9) Birth injury	M	4	1	6	8	3	1	1	-	2	4	2	2
	F	-	1	3	4	-	-	1	1	1	1	-	1
32(10) Postnatal asphyxia and atelectasis	M	7	5	8	13	-	1	7	3	1	-	4	12
	F	4	3	6	5	-	2	5	4	1	-	2	3
23(1) Pneumonia of newborn	M	1	2	2	3	-	-	4	1	-	-	2	1
	F	-	-	-	3	-	1	2	-	2	-	-	2
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	1	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	2	-	-	-	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	-	-	-	2	-	-	-	-	-	-	2	-
	F	-	-	2	1	-	-	1	-	-	-	-	-
32(13) Immaturity (without other disease peculiar to early infancy)	M	-	6	5	8	-	1	13	3	7	6	11	3
	F	1	6	9	9	1	-	8	6	1	1	4	3
32(14) Senility without psychosis	M	3	2	23	7	-	-	-	-	1	2	3	3
	F	2	17	39	18	1	3	1	1	1	4	22	3
32(15) Ill-defined and unknown cause	M	-	-	4	-	-	-	2	1	2	1	1	1
	F	-	-	-	1	-	-	1	-	2	3	-	1

\* Area abolished 1st April 1966. Figures relate to January - March 1966.

TABLE 21 - continued

COUNTY BOROUGH

Registrar General's Abridged List		Sunderland	Tynemouth	Wakefield	Wallasey	Walsall	Warley*	Warrington	West Bromwich	West Hartlepool	Wigan	Wolverhampton	Worcester
1 Tuberculosis, respiratory	M	10	1	-	5	5	8	4	16	3	6	6	4
	F	1	2	1	-	2	-	1	4	1	-	5	-
2 Tuberculosis, other	M	-	-	-	-	1	-	-	-	-	-	1	-
	F	-	1	-	-	1	-	-	-	-	-	1	-
3 Syphilitic disease	M	1	2	1	1	-	2	-	-	2	1	1	1
	F	-	2	1	4	-	-	1	1	-	-	-	-
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	1	-	-	-	-
6 Meningococcal infections	M	1	-	-	-	-	-	-	1	1	1	-	-
	F	-	1	-	-	1	-	-	-	1	-	-	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	1	-	-	-	-	-	1	-	-	-	1
	F	1	-	-	-	-	-	1	-	-	-	-	-
9 Other infective, etc., diseases	M	1	1	-	-	3	1	-	6	-	-	3	1
	F	5	2	-	-	1	1	1	1	-	-	4	-
10 Malignant neoplasm: stomach	M	32	9	18	13	26	21	19	23	17	11	35	11
	F	22	7	13	10	33	11	4	18	7	12	29	9
11 lung, bronchus	M	94	35	19	69	100	62	41	70	46	26	113	32
	F	27	3	8	16	8	13	16	10	2	3	18	6
12 breast	M	-	-	-	1	-	-	-	-	-	1	-	-
	F	39	16	11	17	47	22	16	27	7	13	50	11
13 uterus	F	12	7	6	11	12	12	10	7	4	6	9	5
14 Other malignant and lymphatic neoplasms	M	109	46	38	68	91	70	44	63	49	34	118	26
	F	82	36	30	68	67	79	41	61	35	46	107	32
15 Leukaemia, aleukaemia	M	3	2	3	3	1	4	3	6	2	-	6	4
	F	2	2	1	3	4	6	3	3	1	1	6	3
16 Diabetes	M	6	4	2	2	8	5	4	2	3	2	5	2
	F	16	7	4	5	11	7	11	13	8	4	10	2
17 Vascular lesions of nervous system	M	113	46	45	59	100	86	36	84	61	69	140	53
	F	163	58	66	116	142	101	56	121	53	77	189	91
18 Coronary disease, angina	M	260	79	103	170	226	158	131	164	129	130	274	67
	F	207	65	74	125	88	82	95	100	91	61	202	42
19 Hypertension with heart disease	M	9	13	6	4	16	13	4	16	3	5	17	5
	F	11	14	17	8	25	21	11	23	6	7	26	10
20 Other heart disease	M	54	30	50	42	67	52	35	56	32	52	113	34
	F	77	45	55	64	101	72	41	97	34	87	151	58
21 Other circulatory disease	M	29	10	10	28	32	26	38	26	22	33	28	19
	F	24	19	30	25	44	26	43	23	21	18	44	15
22 Influenza	M	-	4	2	1	4	3	2	6	-	1	29	2
	F	2	3	7	2	13	1	2	1	-	3	13	1
23 Pneumonia	M	65	32	17	44	63	35	19	61	27	22	123	13
	F	101	19	27	52	64	32	25	51	34	17	122	14
24 Bronchitis	M	109	26	43	53	89	61	60	92	52	51	102	36
	F	47	14	29	18	31	21	30	37	23	23	37	22
25 Other diseases of respiratory system	M	10	1	8	8	6	9	5	12	5	9	10	5
	F	1	2	1	6	7	3	1	7	3	1	11	2
26 Ulcer of stomach and duodenum	M	6	2	3	7	14	5	7	12	6	6	9	6
	F	10	-	-	4	2	1	2	7	4	5	5	4
27 Gastritis, enteritis and diarrhoea	M	4	2	1	-	3	3	1	3	3	1	10	-
	F	8	-	4	6	4	5	2	3	5	2	10	2
28 Nephritis and nephrosis	M	11	3	2	3	5	4	-	3	2	3	7	3
	F	5	1	1	1	4	5	1	4	2	5	3	1
29 Hyperplasia of prostate	M	2	5	1	8	5	7	2	5	2	1	4	2
30 Pregnancy, childbirth, abortion	F	1	1	3	1	2	-	-	2	-	-	1	1
31 Congenital malformations	M	9	4	2	8	11	8	3	4	5	5	8	3
	F	4	2	1	4	12	10	4	6	6	2	9	2
32 Other defined and ill-defined diseases	M	81	23	21	51	70	57	26	45	21	33	90	31
	F	89	33	30	60	73	34	36	66	31	54	90	39
33 Motor vehicle accidents	M	17	3	9	5	17	8	8	11	18	7	20	4
	F	7	1	3	-	8	2	7	10	1	4	18	4
34 All other accidents	M	25	14	9	9	23	14	5	14	8	11	21	3
	F	32	7	6	16	10	12	14	28	10	13	31	6
35 Suicide	M	8	4	3	2	7	8	4	10	4	4	8	3
	F	7	4	2	5	5	5	4	5	7	6	5	4
36 Homicide, operations of war	M	1	-	-	-	-	-	1	-	-	-	5	1
	F	-	-	1	-	3	-	-	1	-	2	-	-

\* Area created 1st April 1966. Figures relate to April - December 1966.

TABLE 21 - continued

COUNTY BOROUGH

Registrar General's Supplementary Abridged List		Sunderland	Tynemouth	Wakefield	Wallasey	Walsall	Warley*	Warrington	West Bromwich	West Hartlepool	Wigan	Wolverhampton	Worcester
9(1) Infectious hepatitis	M	-	-	-	-	1	-	-	-	-	-	2	-
	F	-	-	-	-	1	-	-	1	-	-	1	-
14(1) Malignant neoplasm, mouth and pharynx	M	4	-	2	-	4	1	5	2	2	1	2	1
	F	-	1	-	1	2	2	-	1	2	-	3	-
14(2) Malignant neoplasm, oesophagus	M	8	1	2	7	2	5	1	5	-	1	4	1
	F	6	1	2	2	2	2	3	-	3	-	8	1
14(3) Malignant neoplasm, intestine and rectum	M	26	14	6	22	28	15	10	12	12	13	37	7
	F	33	10	14	26	28	36	15	21	11	23	38	16
14(4) Malignant neoplasm, larynx	M	3	2	1	1	5	4	-	-	-	-	3	-
	F	-	-	-	-	-	-	-	-	-	1	2	-
13(1) Malignant neoplasm, cervix uteri	F	11	4	2	6	6	5	10	6	1	6	4	2
14(5) Malignant neoplasm, prostate	M	13	5	8	9	9	5	4	10	4	6	14	2
14(6) Malignant neoplasm, bladder	M	14	9	5	6	9	9	5	6	7	2	9	4
	F	1	2	-	1	1	1	1	3	2	-	3	-
14(7) Malignant neoplasm, bone (including jaw bone)	M	3	1	-	1	2	-	3	-	1	-	1	-
	F	2	-	-	1	1	1	-	-	-	-	1	-
14(8) Lymphosarcoma, reticulosarcoma	M	2	1	3	1	1	1	5	2	5	-	3	-
	F	2	1	1	-	-	-	2	1	2	1	1	-
14(9) Hodgkin's disease	M	2	-	1	-	-	3	-	1	2	-	3	-
	F	1	2	-	1	1	1	1	1	1	-	1	-
32(1) Thyrotoxicosis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	1	-	-	1	-	1	-	2
32(2) Multiple sclerosis	M	1	1	-	-	1	-	-	-	-	-	-	-
	F	-	1	-	3	2	1	-	1	4	1	1	1
32(3) Rheumatic fever	M	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	8	-	3	3	11	3	2	5	2	4	11	3
	F	14	9	4	8	11	10	4	11	4	13	12	3
21(1) Hypertension without mention of heart	M	4	1	-	2	6	3	2	10	5	7	7	1
	F	6	2	2	5	9	1	4	10	6	2	12	2
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	5	-	-	-	3	3	-	7	1	3	3	-
	F	-	1	-	-	-	-	-	-	-	-	-	-
26(1) Ulcer of stomach	M	1	1	1	3	5	2	4	5	1	3	3	2
	F	6	-	-	3	1	1	1	6	3	2	4	1
32(4) Appendicitis	M	3	-	-	1	1	3	1	-	-	-	1	-
	F	1	-	-	-	-	-	2	-	-	1	-	-
32(5) Intestinal obstruction and hernia	M	6	2	1	1	7	3	2	-	-	2	3	3
	F	6	3	4	5	7	1	4	7	1	5	9	4
32(6) Cirrhosis of liver	M	1	4	2	-	1	2	2	4	1	-	4	2
	F	2	-	1	-	7	-	-	-	1	2	3	-
32(7) Cholelithiasis, cholecystitis	M	-	-	-	1	-	4	-	-	-	1	3	1
	F	2	-	2	3	1	1	-	2	1	1	3	1
30(1) Maternal sepsis (not abortion)	F	-	-	-	-	-	-	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	1	-	-	-	1	-	-	1	-	-	-	-
30(3) Abortion	F	-	-	1	-	1	-	-	-	-	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	1	-	-	1	2	-	-	-	1	1	1	1
	F	4	-	-	3	4	1	5	2	1	-	2	1
32(9) Birth injury	M	10	-	-	4	9	2	-	3	-	1	10	-
	F	5	-	3	1	5	1	1	6	1	1	11	-
32(10) Postnatal asphyxia and atelectasis	M	9	2	4	5	5	3	5	2	3	2	16	3
	F	8	2	1	-	3	5	6	2	1	3	3	2
23(1) Pneumonia of newborn	M	1	-	-	-	1	1	-	1	-	-	-	1
	F	-	-	-	-	1	1	-	1	-	-	3	1
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	-	-	-	1	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	-	-	-	-	1	1	-	-	-	-	-	-
	F	1	-	-	-	-	1	2	-	-	-	-	-
32(13) Immaturity (without other disease peculiar to early infancy)	M	3	1	2	3	13	5	2	1	1	4	6	3
	F	4	2	-	4	6	1	2	1	2	2	5	2
32(14) Senility without psychosis	M	-	4	-	8	1	1	3	3	1	10	-	2
	F	-	3	-	17	1	3	3	4	1	16	6	3
32(15) Ill-defined and unknown cause	M	-	1	1	-	-	1	1	3	-	-	-	1
	F	-	1	-	-	2	1	1	1	-	-	-	1

\* Area created 1st April 1966. Figures relate to April - December 1966.

TABLE 21 - continued

COUNTY BOROUGH AND ADMINISTRATIVE COUNTIES

Registrar General's Abridged List		York	Cardiff	Merthyr Tydfil	Newport (Mon.)	Swansea	Bedfordshire	Berkshire	Buckinghamshire	Cambridgeshire and Isle of Ely	Cheshire	Cornwall	Cumberland
1	Tuberculosis, respiratory	M F	2 -	6 9	7 2	4 4	4 2	6 6	10 4	5 1	20 6	11 1	3 1
2	Tuberculosis, other	M F	- -	1 2	1 -	- -	1 -	- -	1 2	1 -	1 2	- 3	- -
3	Syphilitic disease	M F	1 1	4 -	2 -	4 -	5 1	4 1	5 2	1 2	13 9	6 4	1 -
4	Diphtheria	M F	- -	- -	- -	- -	- -	- -	1 -	2 -	- -	- -	- -
5	Whooping cough	M F	- -	- -	- -	- 1	- 1	- -	- -	- -	- -	- -	- -
6	Meningococcal infections	M F	- 1	- -	- -	- -	- -	- -	2 -	1 -	3 -	- 1	- -
7	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
8	Measles	M F	- -	- -	1 -	- -	- -	1 1	- 1	- -	2 1	- -	1 -
9	Other infective, etc., diseases	M F	1 -	3 3	2 2	1 4	4 4	4 3	8 10	3 6	5 10	4 9	- 1
10	Malignant neoplasm: stomach	M F	23 8	56 34	15 12	30 18	28 23	38 34	71 55	57 29	154 116	66 47	44 23
11	lung, bronchus	M F	46 3	120 23	30 -	52 13	101 15	113 25	225 40	107 25	406 92	141 31	74 11
12	breast	M F	- 23	1 53	- 11	- 25	- 42	1 50	1 85	1 53	1 212	- 66	1 39
13	uterus	F	8	26	7	8	17	22	43	25	79	40	23
14	Other malignant and lymphatic neoplasms	M F	56 60	137 141	34 30	64 49	108 101	132 102	268 212	182 135	531 502	264 250	133 133
15	Leukaemia, aleukaemia	M F	6 4	10 10	1 1	5 2	5 1	3 7	20 15	8 9	26 21	9 20	5 6
16	Diabetes	M F	2 3	5 20	2 7	6 10	8 12	9 9	11 28	14 14	28 49	25 25	12 10
17	Vascular lesions of nervous system	M F	76 123	124 195	49 76	72 99	149 171	187 275	222 344	174 275	777 1,125	332 467	190 277
18	Coronary disease, angina	M F	171 124	478 302	103 57	179 93	293 178	365 187	659 364	365 233	1,497 980	581 329	381 226
19	Hypertension with heart disease	M F	3 4	32 29	4 6	10 20	25 33	14 27	17 35	22 22	62 106	46 67	17 21
20	Other heart disease	M F	45 62	82 133	41 49	66 80	59 138	92 115	185 276	182 251	428 686	361 545	133 204
21	Other circulatory disease	M F	17 29	61 60	14 19	22 25	45 51	41 43	83 100	111 127	241 298	100 103	57 63
22	Influenza	M F	2 8	5 4	1 3	7 11	7 2	5 12	19 17	6 12	35 47	12 27	14 19
23	Pneumonia	M F	63 90	111 109	16 13	22 29	38 61	72 92	143 148	169 178	297 375	92 106	46 52
24	Bronchitis	M F	67 16	140 30	54 7	62 22	97 32	118 37	134 75	216 77	456 177	109 26	76 24
25	Other diseases of respiratory system	M F	1 2	9 11	12 3	8 2	7 7	12 6	18 13	30 17	71 38	41 8	16 7
26	Ulcer of stomach and duodenum	M F	4 1	15 11	3 2	2 2	8 3	11 6	11 15	11 10	43 25	27 7	17 12
27	Gastritis, enteritis and diarrhoea	M F	3 3	5 9	2 2	5 1	4 6	10 11	5 15	6 14	13 29	8 12	4 7
28	Nephritis and nephrosis	M F	2 2	8 5	1 -	3 3	7 3	6 7	13 16	17 6	34 22	16 15	5 7
29	Hyperplasia of prostate	M	5	3	4	7	10	12	11	23	37	31	13
30	Pregnancy, childbirth, abortion	F	-	-	1	-	1	2	3	1	7	1	-
31	Congenital malformations	M F	7 3	15 13	5 4	9 5	8 9	19 7	23 32	29 24	19 50	13 17	13 15
32	Other defined and ill-defined diseases	M F	39 44	96 133	29 32	42 56	68 79	113 112	173 191	188 199	475 686	149 185	87 119
33	Motor vehicle accidents	M F	10 3	24 17	3 2	8 4	15 9	27 9	63 24	82 23	37 17	32 10	18 15
34	All other accidents	M F	13 17	27 21	7 12	19 13	23 18	25 27	38 53	55 63	40 46	93 56	42 32
35	Suicide	M F	8 6	25 8	3 3	7 2	12 9	10 5	24 13	30 23	19 44	45 10	9 2
36	Homicide, operations of war	M F	- -	2 -	- -	- -	- 1	1 -	- 1	- -	1 5	- -	- -

TABLE 21 - continued

COUNTY BOROUGH AND ADMINISTRATIVE COUNTIES

Registrar General's Supplementary Abridged List		York	Cardiff	Merthyr Tydfil	Newport (Mon.)	Swansea	Bedfordshire	Berkshire	Buckinghamshire	Cambridgeshire and Isle of Ely	Cheshire	Cornwall	Cumberland
9(1) Infectious hepatitis	M	1	1	-	-	1	1	-	1	1	-	-	-
	F	-	1	-	-	3	-	2	3	2	8	1	-
14(1) Malignant neoplasm, mouth and pharynx	M	2	7	2	3	6	5	9	9	5	15	11	4
	F	2	3	-	4	3	3	4	6	1	16	7	3
14(2) Malignant neoplasm, oesophagus	M	2	8	1	2	7	8	9	10	8	38	22	5
	F	2	10	1	5	6	6	13	8	5	28	21	9
14(3) Malignant neoplasm, intestine and rectum	M	12	32	16	18	27	25	48	65	48	128	67	50
	F	19	46	8	12	36	23	60	58	44	153	86	58
14(4) Malignant neoplasm, larynx	M	2	3	-	1	2	-	-	4	4	14	6	5
	F	-	1	2	1	-	1	1	1	-	6	3	-
13(1) Malignant neoplasm, cervix uteri	F	8	18	6	7	11	14	9	26	13	52	17	16
14(5) Malignant neoplasm, prostate	M	4	18	6	10	16	22	27	46	41	77	47	16
14(6) Malignant neoplasm, bladder	M	6	15	2	6	10	9	24	23	17	46	14	9
	F	1	3	1	-	6	3	10	7	4	24	8	5
14(7) Malignant neoplasm, bone (including jaw bone)	M	1	1	1	1	2	1	2	3	3	7	1	2
	F	1	1	-	-	1	1	4	5	2	5	2	-
14(8) Lymphosarcoma, reticulosarcoma	M	2	4	-	2	2	4	5	6	4	12	9	2
	F	4	4	1	1	3	2	4	4	5	10	8	4
14(9) Hodgkin's disease	M	1	2	1	-	2	1	10	9	2	10	7	1
	F	-	1	-	1	-	2	2	-	1	6	1	4
32(1) Thyrotoxicosis	M	-	-	-	-	-	-	-	-	-	1	-	-
	F	1	2	-	1	1	1	4	2	2	2	1	1
32(2) Multiple sclerosis	M	2	1	-	-	-	1	4	1	1	11	4	3
	F	2	1	-	-	2	2	3	4	3	11	4	5
32(3) Rheumatic fever	M	-	-	-	-	-	-	1	-	1	1	-	-
	F	-	-	-	-	-	-	-	1	-	-	-	-
20(1) Chronic rheumatic heart disease	M	5	11	3	6	8	7	12	21	7	36	6	5
	F	7	28	7	14	17	10	24	31	10	84	21	29
21(1) Hypertension without mention of heart	M	3	11	2	3	9	5	12	22	10	27	18	6
	F	3	9	6	3	13	8	11	14	3	31	15	4
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	-	2	9	1	2	-	2	1	1	12	18	5
	F	-	1	-	1	-	-	3	1	2	1	2	-
26(1) Ulcer of stomach	M	1	5	3	-	4	2	6	12	3	17	13	8
	F	-	5	2	2	-	6	11	7	6	19	6	8
32(4) Appendicitis	M	-	3	-	1	2	1	4	4	2	6	-	3
	F	-	2	-	-	2	-	1	1	-	1	3	1
32(5) Intestinal obstruction and hernia	M	4	6	1	-	1	10	7	11	6	30	12	7
	F	3	7	4	2	5	5	13	11	10	43	19	10
32(6) Cirrhosis of liver	M	-	7	-	2	6	2	8	7	1	18	9	5
	F	2	2	1	1	3	4	3	1	8	8	3	-
32(7) Cholelithiasis, cholecystitis	M	-	2	1	-	-	2	1	5	1	7	7	5
	F	2	3	1	2	-	1	7	7	2	19	7	6
30(1) Maternal sepsis (not abortion)	F	-	-	-	-	-	-	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	1	-	1	-	-	2	-	-
30(3) Abortion	F	-	-	-	-	-	-	2	-	-	1	1	-
32(8) Rheumatoid arthritis and allied conditions	M	-	-	-	1	-	-	3	-	1	5	-	-
	F	1	6	-	3	6	1	5	2	11	20	6	5
32(9) Birth injury	M	3	10	1	2	1	2	8	12	3	18	8	4
	F	2	5	1	2	3	1	5	12	2	11	3	2
32(10) Postnatal asphyxia and atelectasis	M	1	7	3	4	3	6	22	8	3	31	6	8
	F	1	7	3	-	6	4	10	7	5	23	5	4
23(1) Pneumonia of newborn	M	-	3	-	-	1	2	2	4	-	4	-	4
	F	-	5	1	-	-	1	-	4	1	4	-	-
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	1	-	-	-	-	1	1	-	1	-
	F	-	1	1	1	-	-	-	-	1	-	-	-
32(12) Haemolytic disease of newborn	M	-	-	1	-	1	1	1	4	-	4	2	-
	F	-	-	-	-	-	-	2	2	1	4	1	-
32(13) Immaturity (without other disease peculiar to early infancy)	M	3	7	2	4	9	16	16	13	2	29	9	4
	F	3	6	2	3	4	3	7	14	4	27	8	4
32(14) Senility without psychosis	M	-	1	3	7	9	11	18	9	6	107	16	9
	F	-	9	4	14	7	19	41	13	12	215	31	29
32(15) Ill-defined and unknown cause	M	-	1	2	1	2	-	2	6	2	4	2	1
	F	-	1	-	-	-	1	-	3	4	2	1	1

TABLE 21 - continued

## ADMINISTRATIVE COUNTIES

Registrar General's Abridged List		Derbyshire	Devonshire	Dorset	Durham	Essex	Gloucestershire	Hampshire	Herefordshire	Hertfordshire	Huntingdon and Peterborough	Kent	Lancashire
1	Tuberculosis, respiratory	M 20 F 8	15 5	4 4	61 17	16 8	12 2	13 5	- 2	15 8	2 -	40 16	90 32
2	Tuberculosis, other	M 2 F 2	1 3	1 2	4 2	2 3	- -	3 1	- -	2 3	- -	1 3	8 6
3	Syphilitic disease	M 6 F 2	5 3	3 1	12 5	11 7	5 4	11 7	- -	7 7	1 1	15 4	25 16
4	Diphtheria	M 2 F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
5	Whooping cough	M 1 F -	1 -	- -	- -	1 -	- -	- 1	- -	- -	- -	- 1	- 2
6	Meningococcal infections	M 1 F 1	1 -	- 1	2 1	1 -	- -	- -	- -	- 2	- -	1 1	3 2
7	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 2	- 3
8	Measles	M 2 F 1	- -	1 -	1 -	- -	- 1	- 1	- -	- -	- -	2 2	3 3
9	Other infective, etc., diseases	M 4 F 11	8 12	8 6	11 8	9 10	6 4	7 4	- 1	8 10	2 1	19 12	23 28
10	Malignant neoplasm: stomach	M 131 F 95	110 53	54 34	214 125	162 82	82 40	98 80	14 12	106 74	36 29	182 128	398 346
11	lung, bronchus	M 286 F 53	275 59	157 34	449 60	442 80	197 43	377 61	55 6	345 90	73 10	656 140	997 180
12	breast	M - F 117	2 145	1 77	5 173	4 231	- 104	1 180	- 25	2 163	1 27	3 314	3 434
13	uterus	F 54	69	25	82	71	32	56	13	48	17	99	210
14	Other malignant and lymphatic neoplasms	M 408 F 343	426 395	213 179	527 408	578 465	295 271	483 436	102 71	421 368	82 77	791 715	1,290 1,174
15	Leukaemia, aleukaemia	M 19 F 25	21 20	14 17	33 24	38 17	13 15	34 17	3 3	33 21	2 13	49 40	84 56
16	Diabetes	M 21 F 55	15 37	21 18	28 56	29 53	7 22	12 40	5 2	23 35	- 10	51 87	70 131
17	Vascular lesions of nervous system	M 601 F 722	531 780	271 371	749 859	605 888	371 497	543 800	93 116	440 702	106 156	890 1,385	1,770 2,735
18	Coronary disease, angina	M 1,172 F 619	1,059 718	554 378	1,528 1,037	1,347 904	785 474	1,129 666	168 114	923 608	212 130	1,853 1,260	3,779 2,382
19	Hypertension with heart disease	M 51 F 70	50 75	29 29	68 94	58 60	40 62	78 108	4 13	50 70	3 14	111 186	145 270
20	Other heart disease	M 392 F 632	456 665	184 297	390 488	397 578	296 474	413 686	93 142	273 411	73 91	690 1,156	1,310 2,252
21	Other circulatory disease	M 200 F 237	175 215	107 148	244 302	207 245	131 157	191 255	26 45	157 208	43 53	369 447	578 781
22	Influenza	M 31 F 45	50 54	18 18	37 29	18 25	39 26	19 68	3 13	16 15	7 10	54 49	117 146
23	Pneumonia	M 227 F 267	196 231	140 182	366 363	299 436	153 199	266 351	43 58	255 341	54 61	445 529	717 879
24	Bronchitis	M 374 F 111	211 59	122 33	579 177	387 152	175 55	267 95	54 24	261 119	50 18	550 195	1,386 524
25	Other diseases of respiratory system	M 67 F 33	41 35	27 13	94 39	62 38	39 14	52 25	8 7	47 24	16 6	95 43	207 83
26	Ulcer of stomach and duodenum	M 34 F 16	26 24	17 10	52 19	56 28	33 9	41 18	6 4	39 24	8 2	78 54	129 64
27	Gastritis, enteritis and diarrhoea	M 18 F 15	15 23	6 14	22 31	17 30	17 18	10 31	5 2	10 30	3 8	23 45	62 72
28	Nephritis and nephrosis	M 22 F 19	15 17	12 13	37 25	29 14	14 17	22 10	3 5	22 14	9 9	36 43	87 67
29	Hyperplasia of prostate	M 34 F 6	43 3	16 -	38 2	45 4	17 -	35 -	10 -	32 5	8 1	40 8	90 11
30	Pregnancy, childbirth, abortion	M 34 F 40	32 14	24 11	60 53	56 56	35 23	54 36	7 8	35 27	7 12	68 52	138 108
32	Other defined and ill-defined diseases	M 266 F 334	272 417	143 146	395 469	381 450	196 213	308 374	55 73	262 346	57 67	520 629	994 1,296
33	Motor vehicle accidents	M 77 F 39	47 19	32 16	107 30	115 33	57 26	126 39	27 6	89 35	28 9	151 54	290 108
34	All other accidents	M 98 F 115	68 95	27 47	146 139	97 102	48 41	79 78	22 17	87 108	27 21	141 99	275 360
35	Suicide	M 37 F 28	35 30	18 21	45 29	45 34	25 18	47 32	5 2	41 42	6 7	80 70	157 112
36	Homicide, operations of war	M 2 F 1	1 3	1 2	4 2	1 3	1 -	2 8	- -	- -	1 -	2 3	10 6

TABLE 21 - continued

ADMINISTRATIVE COUNTIES

Registrar General's Supplementary Abridged List		Derbyshire	Devonshire	Dorset	Durham	Essex	Gloucestershire	Hampshire	Herefordshire	Hertfordshire	Huntingdon and Peterborough	Kent	Lancashire
9(1) Infectious hepatitis	M	-	-	2	3	2	-	1	-	1	-	3	10
	F	5	4	-	2	4	1	2	-	2	-	1	6
14(1) Malignant neoplasm, mouth and pharynx	M	20	18	6	22	12	9	18	4	8	3	21	61
	F	13	9	6	12	7	5	16	2	8	4	24	39
14(2) Malignant neoplasm, oesophagus	M	25	20	17	31	24	20	20	11	25	1	49	70
	F	18	24	13	27	20	13	21	5	18	2	38	60
14(3) Malignant neoplasm, intestine and rectum	M	116	105	54	152	122	83	129	29	115	26	187	320
	F	113	132	67	141	167	92	138	19	129	33	224	429
14(4) Malignant neoplasm, larynx	M	9	5	5	10	9	4	13	3	16	3	18	31
	F	-	1	1	1	3	2	3	-	1	-	4	7
13(1) Malignant neoplasm, cervix uteri	F	33	35	13	59	43	18	30	4	27	13	56	133
14(5) Malignant neoplasm, prostate	M	62	83	39	69	98	44	76	18	62	13	152	198
14(6) Malignant neoplasm, bladder	M	40	30	12	36	60	26	46	4	43	8	81	117
	F	10	14	3	13	22	11	22	2	17	4	35	48
14(7) Malignant neoplasm, bone (including jaw bone)	M	4	6	4	9	8	5	7	-	3	3	8	19
	F	3	6	1	5	5	1	1	-	3	1	2	11
14(8) Lymphosarcoma, reticulosarcoma	M	9	6	4	8	14	8	13	-	9	3	24	32
	F	5	5	9	14	12	8	7	3	8	2	24	25
14(9) Hodgkin's disease	M	13	6	4	9	14	7	12	1	6	1	17	28
	F	8	2	1	3	4	3	6	-	8	1	10	20
32(1) Thyrotoxicosis	M	1	1	-	1	-	-	-	-	1	-	-	3
	F	2	6	2	5	1	1	2	1	1	-	8	17
32(2) Multiple sclerosis	M	3	8	3	7	10	6	11	-	3	-	8	16
	F	12	4	4	8	13	3	13	1	3	2	12	25
32(3) Rheumatic fever	M	-	1	-	1	-	-	-	2	-	-	-	2
	F	1	1	-	1	2	-	-	-	2	1	-	2
20(1) Chronic rheumatic heart disease	M	35	26	9	48	31	20	29	5	33	3	38	121
	F	69	42	14	80	55	30	45	5	46	7	84	224
21(1) Hypertension without mention of heart	M	36	18	23	38	38	16	27	5	19	-	51	69
	F	34	36	10	28	33	16	33	2	47	4	64	107
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	10	5	4	52	5	5	6	1	7	-	18	66
	F	-	3	1	4	7	3	3	-	3	-	2	9
26(1) Ulcer of stomach	M	14	11	9	30	32	17	21	4	21	2	37	53
	F	13	14	6	12	20	4	11	3	9	2	35	33
32(4) Appendicitis	M	3	3	1	3	3	2	6	1	3	-	6	14
	F	5	4	1	3	6	5	5	1	4	1	6	9
32(5) Intestinal obstruction and hernia	M	16	20	17	21	27	17	16	5	16	4	46	71
	F	31	22	12	21	25	20	22	5	32	3	42	104
32(6) Cirrhosis of liver	M	11	11	7	12	19	8	9	4	7	-	19	42
	F	14	12	8	17	7	4	5	-	5	2	17	40
32(7) Cholelithiasis, cholecystitis	M	7	7	6	6	4	4	4	2	7	-	14	20
	F	10	18	6	16	15	6	6	4	5	6	23	40
30(1) Maternal sepsis (not abortion)	F	-	-	-	-	-	-	-	-	-	-	-	4
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	1	-	-	-	1	-	2	2
30(3) Abortion	F	1	1	-	-	1	-	-	-	2	-	1	1
32(8) Rheumatoid arthritis and allied conditions	M	4	1	5	2	5	4	7	1	3	-	10	14
	F	15	9	5	9	15	4	8	4	8	4	23	39
32(9) Birth injury	M	13	9	5	26	19	10	10	3	14	6	18	42
	F	4	7	3	16	13	5	6	2	8	2	12	33
32(10) Postnatal asphyxia and atelectasis	M	23	13	8	25	26	25	25	3	13	2	38	74
	F	10	5	1	21	15	8	14	3	13	2	20	55
23(1) Pneumonia of newborn	M	4	5	-	11	7	3	3	2	2	1	7	17
	F	8	2	2	1	3	4	4	-	2	-	4	15
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	3	1	-	1	-	-	-	-	1	-	1
	F	-	-	-	1	-	-	-	-	-	-	-	1
32(12) Haemolytic disease of newborn	M	-	-	1	2	4	1	2	-	6	1	4	10
	F	-	2	-	2	3	1	4	2	5	1	2	6
32(13) Immaturity (without other disease peculiar to early infancy)	M	17	8	7	35	29	17	25	1	14	6	51	98
	F	11	6	3	25	27	2	23	4	13	-	25	63
32(14) Senility without psychosis	M	16	40	7	47	25	4	17	4	26	8	26	105
	F	33	130	22	78	46	14	47	6	56	12	60	206
32(15) Ill-defined and unknown cause	M	2	5	2	4	2	-	-	-	7	-	7	11
	F	1	3	1	5	4	1	5	-	2	-	7	12

TABLE 21 - continued

ADMINISTRATIVE COUNTIES

Registrar General's Abridged List		Leicestershire	Lincolnshire (Parts of Holland)	Lincolnshire (Parts of Kesteven)	Lincolnshire (Parts of Lindsey)	Norfolk	Northamptonshire	Northumberland	Nottinghamshire	Oxfordshire	Rutland	Shropshire	Somerset
1	Tuberculosis, respiratory	M 14 F 2	4 1	2 2	5 3	5 2	7 1	11 2	11 3	2 2	1 -	8 5	7 9
2	Tuberculosis, other	M 1 F 1	- -	- -	2 2	- 1	- 7	2 -	3 3	- -	- -	1 -	3 -
3	Syphilitic disease	M 2 F -	1 1	1 -	1 -	6 7	- 1	6 3	10 5	1 1	2 -	2 -	2 3
4	Diphtheria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
5	Whooping cough	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
6	Meningococcal infections	M - F -	- -	- -	- -	1 -	- -	1 -	1 -	- -	- -	1 -	1 -
7	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
8	Measles	M - F -	1 -	- 1	1 1	- -	1 -	1 -	1 -	- -	- -	1 1	- 1
9	Other infective, etc., diseases	M 4 F 13	1 1	1 1	3 4	5 3	4 4	5 2	4 9	3 3	1 -	- 3	6 7
10	Malignant neoplasm: stomach	M 59 F 53	18 11	23 20	48 36	57 30	46 40	77 65	90 51	24 13	5 2	40 37	92 70
11	lung, bronchus	M 175 F 30	33 4	46 8	128 21	167 30	142 30	225 45	230 46	82 25	4 2	103 17	224 47
12	breast	M - F 71	- 17	1 27	1 63	- 73	- 71	1 87	4 115	- 39	- 2	- 66	1 124
13	uterus	F 23	11	17	28	33	27	38	52	14	1	24	55
14	Other malignant and lymphatic neoplasms	M 217 F 186	59 50	91 67	234 164	259 224	167 139	296 239	297 300	118 124	14 11	165 164	319 307
15	Leukaemia, aleukaemia	M 11 F 11	4 -	6 1	14 6	9 11	18 10	11 8	16 17	10 11	1 1	9 7	18 22
16	Diabetes	M 15 F 32	5 6	11 7	9 17	23 28	14 19	11 39	19 40	2 13	1 1	12 22	18 28
17	Vascular lesions of nervous system	M 304 F 390	91 110	93 117	287 332	316 389	192 254	429 594	405 505	114 154	23 31	229 350	467 699
18	Coronary disease, angina	M 497 F 326	107 67	189 121	502 280	562 352	438 282	798 534	785 475	278 210	22 15	441 246	812 591
19	Hypertension with heart disease	M 32 F 47	7 8	11 18	42 57	21 29	24 38	31 56	47 65	8 6	2 6	28 31	38 49
20	Other heart disease	M 248 F 317	71 82	134 138	217 268	309 363	156 213	265 404	294 406	87 111	18 22	212 281	302 531
21	Other circulatory disease	M 86 F 104	27 36	54 47	72 111	86 115	89 85	108 144	148 153	39 45	9 13	91 68	171 242
22	Influenza	M 12 F 23	3 5	8 14	19 39	14 10	24 14	8 11	19 29	12 10	- -	32 24	30 33
23	Pneumonia	M 92 F 93	57 34	52 68	108 79	201 204	59 65	153 191	162 220	82 100	14 10	126 102	185 239
24	Bronchitis	M 156 F 50	33 13	56 18	146 40	133 41	142 50	229 87	296 112	67 22	9 2	137 39	206 71
25	Other diseases of respiratory system	M 28 F 21	8 4	9 5	23 19	12 10	20 16	44 21	59 29	13 9	2 2	25 11	48 39
26	Ulcer of stomach and duodenum	M 21 F 7	- -	3 2	13 6	23 17	23 8	23 15	39 16	9 3	1 -	15 12	22 12
27	Gastritis, enteritis and diarrhoea	M 13 F 17	2 4	6 5	12 15	13 13	2 13	11 21	16 19	2 7	1 -	5 6	15 18
28	Nephritis and nephrosis	M 21 F 12	2 2	7 1	14 9	10 12	8 7	12 13	12 13	3 2	1 -	13 6	20 17
29	Hyperplasia of prostate	M 17 F 2	6 2	6 1	17 1	32 1	11 -	18 1	27 2	6 -	1 -	15 1	27 1
30	Pregnancy, childbirth, abortion	M 20 F 16	4 2	10 7	19 15	18 17	12 12	24 21	31 38	10 10	2 1	14 17	19 22
32	Other defined and ill-defined diseases	M 176 F 211	48 67	67 92	168 182	151 180	121 134	211 212	229 249	96 114	9 14	120 173	207 263
33	Motor vehicle accidents	M 60 F 30	16 5	29 3	51 17	54 16	45 11	69 23	76 34	36 7	2 -	38 19	68 25
34	All other accidents	M 44 F 51	11 13	13 19	42 27	53 51	41 30	79 85	72 49	23 23	8 2	55 35	56 61
35	Suicide	M 14 F 11	8 5	6 1	21 10	20 16	9 9	21 18	31 19	14 14	1 1	20 8	25 29
36	Homicide, operations of war	M 1 F -	- -	- -	3 1	- 1	1 1	1 1	4 1	2 3	- -	2 1	2 3

TABLE 21 - continued

ADMINISTRATIVE COUNTIES

Registrar General's Supplementary Abridged List		Leicestershire	Lincolnshire (Parts of Holland)	Lincolnshire (Parts of Kesteven)	Lincolnshire (Parts of Lindsey)	Norfolk	Northamptonshire	Northumberland	Nottinghamshire	Oxfordshire	Rutland	Shropshire	Somerset
9(1) Infectious hepatitis	M	1	-	-	-	-	1	-	-	1	-	-	1
	F	3	1	-	1	3	-	2	1	2	-	2	1
14(1) Malignant neoplasm, mouth and pharynx	M	3	2	6	12	8	3	11	12	3	-	8	14
	F	5	1	3	3	5	-	8	9	4	-	6	6
14(2) Malignant neoplasm, oesophagus	M	14	4	9	12	12	11	22	17	3	1	11	18
	F	13	3	3	11	10	6	10	13	8	1	4	16
14(3) Malignant neoplasm, intestine and rectum	M	55	17	22	67	79	37	71	80	34	5	45	84
	F	47	16	22	61	64	41	83	93	28	5	51	102
14(4) Malignant neoplasm, larynx	M	2	-	-	8	5	5	5	7	-	-	4	7
	F	1	-	1	1	1	2	2	2	-	-	-	-
13(1) Malignant neoplasm, cervix uteri	F	12	5	11	17	23	14	25	32	7	-	15	26
14(5) Malignant neoplasm, prostate	M	45	11	11	40	38	28	27	37	15	-	24	59
14(6) Malignant neoplasm, bladder	M	19	5	9	19	16	20	30	36	10	1	13	27
	F	7	1	-	9	6	3	15	13	8	1	3	9
14(7) Malignant neoplasm, bone (including jaw bone)	M	2	2	-	3	4	-	4	2	3	-	-	1
	F	5	-	-	1	3	3	-	3	-	-	2	-
14(8) Lymphosarcoma, reticulosarcoma	M	6	3	2	4	4	3	6	9	4	-	5	7
	F	5	-	3	1	2	7	1	3	3	-	3	7
14(9) Hodgkin's disease	M	8	-	2	4	8	4	9	5	1	-	3	9
	F	1	2	-	2	2	4	3	2	1	1	3	3
32(1) Thyrotoxicosis	M	-	-	-	2	-	-	-	1	-	-	1	-
	F	1	-	1	1	2	4	1	4	1	-	2	3
32(2) Multiple sclerosis	M	2	1	2	3	1	2	6	3	1	-	1	7
	F	9	3	2	1	7	4	2	8	2	-	6	5
32(3) Rheumatic fever	M	1	1	-	-	-	-	-	-	-	-	-	2
	F	2	-	-	-	1	-	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	22	1	5	7	18	14	21	23	10	1	8	28
	F	38	2	3	16	25	22	37	48	7	2	9	49
21(1) Hypertension without mention of heart	M	18	4	8	8	11	17	23	31	8	3	23	32
	F	27	5	10	19	7	17	19	29	6	4	17	45
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	2	1	-	5	2	4	13	12	1	-	2	9
	F	2	-	-	-	-	2	4	2	-	-	1	2
26(1) Ulcer of stomach	M	8	-	3	7	13	14	10	20	3	-	6	10
	F	6	-	-	5	12	4	7	12	2	-	6	9
32(4) Appendicitis	M	1	-	3	2	4	1	1	6	1	-	2	1
	F	1	-	-	3	4	2	-	3	3	-	2	1
32(5) Intestinal obstruction and hernia	M	5	5	6	8	19	10	8	25	13	1	8	24
	F	8	1	5	14	13	11	12	19	6	1	14	14
32(6) Cirrhosis of liver	M	4	1	2	7	2	5	12	6	4	-	5	7
	F	3	2	3	4	1	3	8	8	7	-	4	3
32(7) Cholelithiasis, cholecystitis	M	1	2	-	9	5	1	3	10	1	-	2	5
	F	5	2	2	5	6	2	5	7	1	-	4	15
30(1) Maternal sepsis (not abortion)	F	1	-	-	-	-	-	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	1	-	-	-	-	-	-	-	-	-	-
30(3) Abortion	F	-	-	-	-	-	-	-	-	-	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	1	-	-	1	2	2	3	3	1	-	2	1
	F	4	2	3	4	9	8	7	9	1	-	5	13
32(9) Birth injury	M	13	-	3	8	7	6	7	15	6	-	7	12
	F	1	2	2	8	2	5	6	14	2	-	3	2
32(10) Postnatal asphyxia and atelectasis	M	12	1	5	8	6	12	11	15	4	1	10	19
	F	6	1	5	9	6	5	10	5	9	-	7	9
23(1) Pneumonia of newborn	M	4	1	2	1	5	1	3	2	2	-	1	2
	F	2	1	-	1	-	1	1	4	1	-	1	-
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	-	-	-	3	-	1	-	-	-	1
	F	-	-	1	-	-	-	-	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	-	-	1	1	2	1	4	2	-	-	1	1
	F	2	1	1	-	2	2	1	4	2	1	1	3
32(13) Immaturity (without other disease peculiar to early infancy)	M	17	8	3	15	8	18	16	16	5	1	5	8
	F	7	2	3	13	4	3	5	7	4	-	3	8
32(14) Senility without psychosis	M	31	6	9	25	15	3	15	16	2	2	16	24
	F	56	15	12	33	32	6	24	33	11	5	28	53
32(15) Ill-defined and unknown cause	M	2	1	2	3	2	3	1	4	-	-	-	-
	F	3	-	1	-	1	4	8	-	-	-	1	3

TABLE 21 - continued

ADMINISTRATIVE COUNTIES

Registrar General's Abridged List		Staffordshire	Suffolk, East	Suffolk, West	Surrey	Sussex, East	Sussex, West	Warwickshire	Westmorland	Wight, Isle of	Wiltshire	Worcestershire	Yorkshire, East Riding
1 Tuberculosis, respiratory	M	21	5	6	16	2	11	11	2	3	17	7	4
	F	6	3	-	8	7	2	4	-	1	9	2	3
2 Tuberculosis, other	M	1	-	2	2	-	1	2	-	-	-	2	-
	F	-	1	1	3	1	2	5	-	-	1	2	1
3 Syphilitic disease	M	5	1	1	10	7	6	7	-	1	2	5	4
	F	3	3	-	10	4	5	4	1	1	2	4	7
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
6 Meningococcal infections	M	-	1	-	-	-	-	-	-	1	-	1	-
	F	2	1	-	1	-	2	2	-	-	-	-	1
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	-	-	1	-	-	1	-	-	-	2	1
	F	-	-	-	-	-	-	1	-	-	-	1	-
9 Other infective, etc., diseases	M	9	2	4	9	1	4	6	-	1	3	3	2
	F	9	1	1	9	2	5	6	1	1	7	6	2
10 Malignant neoplasm: stomach	M	121	47	17	107	68	63	72	6	18	53	58	36
	F	70	28	16	84	58	57	63	12	9	40	50	29
11 lung, bronchus	M	270	103	62	430	246	242	178	21	50	168	188	107
	F	42	18	10	101	61	72	33	5	8	32	25	15
12 breast	M	1	3	-	-	1	1	2	-	-	2	1	1
	F	148	46	34	207	133	146	87	18	28	73	94	71
13 uterus	F	66	27	14	60	34	33	39	9	14	33	32	22
14 Other malignant and lymphatic neoplasms	M	340	156	71	538	308	339	248	56	76	228	243	162
	F	295	145	52	515	314	324	259	28	81	185	179	129
15 Leukaemia, aleukaemia	M	20	8	6	33	11	22	20	7	2	18	13	7
	F	18	3	1	31	11	19	15	2	3	10	12	8
16 Diabetes	M	28	3	7	31	24	16	13	2	5	20	15	10
	F	53	19	9	39	26	22	30	6	6	28	21	19
17 Vascular lesions of nervous system	M	513	165	113	481	415	401	302	62	108	307	337	196
	F	633	263	156	879	659	672	423	84	162	365	417	262
18 Coronary disease, angina	M	909	371	192	1,187	777	766	690	114	194	563	521	431
	F	591	272	103	778	600	565	413	102	122	317	355	261
19 Hypertension with heart disease	M	53	13	10	46	31	30	29	5	11	36	31	16
	F	77	18	12	60	52	57	53	1	12	49	43	22
20 Other heart disease	M	355	168	45	393	283	321	190	45	64	269	242	160
	F	542	200	71	769	568	577	275	68	123	382	386	224
21 Other circulatory disease	M	149	73	25	236	129	131	123	13	24	102	84	61
	F	178	106	35	330	168	172	146	24	36	98	107	87
22 Influenza	M	56	7	-	22	23	11	12	11	5	14	22	6
	F	57	7	3	30	26	11	24	11	5	15	24	17
23 Pneumonia	M	258	95	55	349	160	181	163	18	36	153	126	63
	F	266	121	39	450	196	237	225	21	27	172	159	103
24 Bronchitis	M	445	72	33	333	157	183	185	21	55	143	203	114
	F	152	34	16	109	56	59	75	6	15	50	78	47
25 Other diseases of respiratory system	M	60	17	11	57	39	41	44	7	8	35	18	13
	F	27	12	5	35	22	23	24	4	7	20	17	7
26 Ulcer of stomach and duodenum	M	41	15	7	38	20	27	23	2	5	21	25	12
	F	12	14	4	34	19	20	23	-	5	14	15	12
27 Gastritis, enteritis and diarrhoea	M	19	7	1	15	11	10	8	-	2	8	13	12
	F	18	11	4	28	22	17	19	1	8	13	10	8
28 Nephritis and nephrosis	M	21	5	2	27	13	11	15	-	1	21	15	12
	F	17	7	3	24	20	14	8	3	-	4	10	5
29 Hyperplasia of prostate	M	30	23	9	47	11	18	26	7	6	21	21	17
30 Pregnancy, childbirth, abortion	F	5	1	-	4	3	-	2	1	-	1	1	-
31 Congenital malformations	M	52	10	9	60	26	16	40	4	4	17	15	13
	F	36	15	10	38	15	21	28	3	9	24	20	13
32 Other defined and ill-defined diseases	M	258	89	53	357	162	163	215	32	55	180	174	98
	F	310	131	72	486	255	246	210	54	48	215	212	124
33 Motor vehicle accidents	M	102	22	26	96	52	47	89	12	3	69	59	26
	F	35	8	8	53	20	22	31	-	3	26	25	12
34 All other accidents	M	85	27	14	68	57	27	67	7	6	54	57	48
	F	61	44	22	87	74	78	70	10	14	46	64	35
35 Suicide	M	33	23	9	39	28	25	35	3	6	21	16	15
	F	25	11	5	45	32	22	21	5	9	27	13	9
36 Homicide, operations of war	M	3	1	-	3	2	-	1	-	-	2	-	1
	F	-	-	-	-	1	2	2	1	-	-	1	-

TABLE 21 - continued

ADMINISTRATIVE COUNTIES

Registrar General's Supplementary Abridged List		Staffordshire	Suffolk, East	Suffolk, West	Surrey	Sussex, East	Sussex, West	Warwickshire	Westmorland	Wight, Isle of	Wiltshire	Worcestershire	Yorkshire, East Riding
9(1) Infectious hepatitis	M	1	-	-	-	-	1	-	-	-	1	-	-
	F	1	-	1	2	1	-	1	-	-	2	2	1
14(1) Malignant neoplasm, mouth and pharynx	M	12	8	4	11	14	8	12	3	2	4	9	8
	F	12	3	-	17	9	6	8	1	-	4	4	3
14(2) Malignant neoplasm, oesophagus	M	18	7	6	28	24	12	12	-	4	11	12	8
	F	16	7	-	27	7	10	15	1	3	7	3	4
14(3) Malignant neoplasm, intestine and rectum	M	101	40	16	135	84	87	63	17	23	71	75	40
	F	116	44	13	166	92	102	70	6	30	60	58	35
14(4) Malignant neoplasm, larynx	M	6	2	3	10	6	12	10	1	2	11	5	3
	F	2	3	-	2	3	-	2	-	1	4	2	-
13(1) Malignant neoplasm, cervix uteri	F	47	15	10	36	19	18	24	6	8	25	20	14
14(5) Malignant neoplasm, prostate	M	42	31	13	88	55	67	36	7	12	21	30	35
14(6) Malignant neoplasm, bladder	M	28	13	2	52	30	32	17	7	4	10	16	11
	F	11	6	2	19	13	17	8	2	3	5	7	8
14(7) Malignant neoplasm, bone (including jaw bone)	M	4	2	-	1	5	3	5	1	2	1	4	1
	F	2	2	1	2	5	2	1	-	1	1	2	2
14(8) Lymphosarcoma, reticulosarcoma	M	16	-	1	17	7	17	10	1	1	8	8	4
	F	7	-	4	14	9	18	8	-	3	4	5	3
14(9) Hodgkin's disease	M	6	6	2	5	3	7	3	1	2	8	10	5
	F	7	2	2	5	5	2	5	1	-	3	3	-
32(1) Thyrotoxicosis	M	-	-	-	-	-	-	-	-	-	1	-	-
	F	4	1	3	3	2	1	3	1	-	3	2	-
32(2) Multiple sclerosis	M	7	1	-	10	3	1	5	-	1	4	5	2
	F	5	4	1	11	5	9	11	-	4	7	4	1
32(3) Rheumatic fever	M	-	-	1	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	37	4	2	30	7	19	21	1	4	15	21	9
	F	66	23	10	76	27	33	35	1	6	28	30	12
21(1) Hypertension without mention of heart	M	21	15	4	44	15	11	28	1	3	19	15	7
	F	15	13	3	64	22	22	26	5	3	23	14	12
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	17	-	1	6	6	3	18	-	-	-	2	2
	F	3	1	-	4	2	-	2	-	2	-	1	-
26(1) Ulcer of stomach	M	19	9	2	20	6	10	13	-	3	10	8	6
	F	10	12	2	26	9	11	17	-	3	10	8	8
32(4) Appendicitis	M	4	-	-	2	-	3	4	1	-	1	4	1
	F	1	3	-	6	3	6	5	-	1	1	1	-
32(5) Intestinal obstruction and hernia	M	23	10	3	29	9	12	11	3	5	11	13	10
	F	18	13	3	28	28	16	15	2	4	8	18	5
32(6) Cirrhosis of liver	M	7	4	1	10	9	11	9	2	3	3	9	2
	F	8	2	1	11	6	6	8	1	3	6	1	2
32(7) Cholelithiasis, cholecystitis	M	4	6	1	8	5	4	5	1	1	3	1	1
	F	5	3	1	14	5	8	6	-	2	8	14	7
30(1) Maternal sepsis (not abortion)	F	1	-	-	-	1	-	1	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	1	-	-	-	-	-	-	-	-	-	-	-
30(3) Abortion	F	-	-	-	1	-	-	1	1	-	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	2	-	1	7	1	4	-	-	-	4	1	1
	F	14	4	5	10	5	8	7	1	1	10	5	3
32(9) Birth injury	M	14	3	4	20	5	4	16	2	5	17	5	5
	F	10	4	4	8	4	3	7	1	1	8	7	3
32(10) Postnatal asphyxia and atelectasis	M	21	9	6	26	6	8	21	5	6	16	18	11
	F	21	6	8	19	3	6	12	-	2	17	12	5
23(1) Pneumonia of newborn	M	10	1	-	3	-	2	3	-	-	4	1	2
	F	8	2	1	4	-	2	-	-	-	3	6	-
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	-	1	-	-	-	-	-	1	-	1
	F	-	-	-	1	-	1	-	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	-	-	-	6	1	-	2	1	-	1	1	2
	F	4	-	1	3	-	3	2	-	-	1	2	-
32(13) Immaturity (without other disease peculiar to early infancy)	M	24	6	8	22	7	11	21	1	5	7	11	4
	F	16	3	3	16	4	9	7	1	1	6	12	3
32(14) Senility without psychosis	M	23	2	-	22	16	4	13	7	2	30	17	17
	F	50	13	4	88	42	22	27	20	9	53	21	16
32(15) Ill-defined and unknown cause	M	2	-	-	4	-	-	2	1	2	2	2	-
	F	2	-	1	1	2	3	1	-	1	-	1	1

TABLE 21 - continued

## ADMINISTRATIVE COUNTIES

Registrar General's Abridged List		Yorkshire, North Riding	Yorkshire, West Riding	Anglesey	Breconshire	Caernarvonshire	Cardiganshire	Carmarthenshire	Denbighshire	Flintshire	Glamorgan	Merionethshire	Monmouthshire
1	Tuberculosis, respiratory	M 12	64	1	5	10	2	3	8	2	45	7	12
	F 4	17	1	-	-	-	-	2	2	2	6	1	-
2	Tuberculosis, other	M -	4	1	-	-	1	2	-	-	3	1	1
	F 3	2	-	-	-	1	-	2	4	-	2	-	1
3	Syphilitic disease	M 2	8	1	-	2	-	2	6	2	11	-	1
	F 4	8	1	-	-	1	-	2	1	3	3	-	1
4	Diphtheria	M -	-	-	-	-	-	-	-	-	-	-	-
	F -	-	-	-	-	-	-	-	-	-	-	-	-
5	Whooping cough	M -	-	-	-	-	-	-	-	-	-	-	-
	F -	-	-	-	-	-	-	-	-	-	-	-	-
6	Meningococcal infections	M 1	-	-	1	-	-	-	-	1	1	-	-
	F -	1	-	-	1	-	-	-	-	-	-	-	1
7	Acute poliomyelitis	M -	-	-	-	-	-	-	-	-	-	-	-
	F -	-	-	-	-	-	-	-	-	-	-	-	-
8	Measles	M 1	2	-	-	1	-	-	-	-	-	-	-
	F -	1	1	1	-	-	-	-	-	-	2	-	1
9	Other infective, etc., diseases	M 5	22	-	1	3	-	-	1	2	3	-	5
	F 2	19	-	1	1	2	1	1	2	2	7	2	5
10	Malignant neoplasm: stomach	M 61	236	18	13	40	18	38	48	28	153	9	71
	F 41	216	6	2	32	10	24	29	21	21	94	8	40
11	lung, bronchus	M 167	667	27	14	60	18	71	79	64	324	10	121
	F 44	116	3	3	12	4	5	16	11	35	2	19	1
12	breast	M 1	3	-	-	-	-	1	1	-	2	-	1
	F 83	320	13	13	23	6	34	44	38	133	6	45	29
13	uterus	F 42	163	5	4	15	4	21	25	15	55	4	29
14	Other malignant and lymphatic neoplasms	M 235	896	35	34	82	39	85	127	89	416	14	174
	F 214	795	34	22	94	37	99	103	95	322	19	124	124
15	Leukaemia, aleukaemia	M 14	46	1	4	4	1	7	5	22	-	15	5
	F 17	45	1	2	5	1	3	5	4	28	2	5	10
16	Diabetes	M 21	56	1	2	8	1	11	4	4	22	3	20
	F 28	118	4	2	10	2	9	19	7	48	4	20	219
17	Vascular lesions of nervous system	M 298	1,409	55	49	114	47	174	173	147	542	46	219
	F 473	1,863	76	78	187	93	194	250	214	729	54	325	552
18	Coronary disease, angina	M 669	2,759	87	118	237	75	372	334	289	1,319	70	333
	F 458	1,759	34	68	119	57	177	215	148	81	31	7	123
19	Hypertension with heart disease	M 11	117	1	3	14	6	11	9	27	80	7	30
	F 30	189	6	8	22	11	23	28	30	89	7	51	211
20	Other heart disease	M 277	833	44	39	97	51	116	101	61	409	33	293
	F 388	1,236	61	62	159	85	155	149	115	544	59	92	94
21	Other circulatory disease	M 86	398	17	20	55	18	48	49	40	171	10	94
	F 116	547	21	21	52	20	76	52	59	245	15	24	7
22	Influenza	M 18	72	6	1	5	4	10	14	14	28	1	13
	F 13	102	7	3	11	2	13	19	13	21	2	7	123
23	Pneumonia	M 152	519	14	10	28	17	36	71	45	196	7	100
	F 138	616	6	12	30	16	26	76	46	237	11	265	76
24	Bronchitis	M 163	1,069	29	37	73	18	74	99	109	504	21	54
	F 69	419	7	10	20	13	29	28	22	153	7	13	18
25	Other diseases of respiratory system	M 17	142	1	12	19	4	78	18	14	197	8	5
	F 16	74	2	6	2	4	11	8	3	32	1	13	18
26	Ulcer of stomach and duodenum	M 21	100	1	7	11	3	9	4	12	35	1	5
	F 11	37	2	-	6	1	2	4	1	19	2	7	12
27	Gastritis, enteritis and diarrhoea	M 10	46	1	-	3	2	7	2	8	16	3	9
	F 12	56	2	1	6	-	4	7	7	7	33	4	27
28	Nephritis and nephrosis	M 14	51	4	2	7	3	7	7	7	30	4	27
	F 13	67	4	4	6	4	7	9	4	30	-	3	3
29	Hyperplasia of prostate	M 21	66	4	-	12	4	11	10	15	38	-	3
30	Pregnancy, childbirth, abortion	F 5	8	-	-	-	1	-	-	1	-	-	17
31	Congenital malformations	M 22	80	3	1	5	3	6	7	11	48	1	22
	F 10	84	2	-	2	3	3	6	11	4	36	-	141
32	Other defined and ill-defined diseases	M 144	708	23	16	49	35	77	73	63	324	17	180
	F 200	899	28	18	70	21	96	82	98	377	27	24	8
33	Motor vehicle accidents	M 53	213	6	5	8	9	25	10	20	57	3	65
	F 11	82	4	5	6	1	3	6	4	19	1	39	19
34	All other accidents	M 60	251	7	10	20	6	26	34	35	119	5	12
	F 56	242	8	4	21	12	36	35	20	108	10	2	1
35	Suicide	M 23	104	5	4	12	1	13	10	6	43	3	19
	F 12	82	2	5	6	5	2	7	7	29	-	-	1
36	Homicide, operations of war	M 1	8	-	-	2	-	-	-	-	2	-	2
	F -	5	-	-	1	-	-	-	1	1	-	-	-

TABLE 21 - continued

ADMINISTRATIVE COUNTIES

Registrar General's Supplementary Abridged List		Yorkshire, North Riding	Yorkshire, West Riding	Anglesey	Breconshire	Caernarvonshire	Cardiganshire	Cardmarthenshire	Denbighshire	Flintshire	Glamorgan	Merionethshire	Monmouthshire
9(1) Infectious hepatitis	M	2	6	-	-	1	-	-	-	-	1	-	2
	F	1	9	-	1	1	-	-	-	-	2	-	3
14(1) Malignant neoplasm, mouth and pharynx	M	9	28	1	1	1	-	3	5	1	14	-	8
	F	8	26	3	-	9	1	9	2	2	7	-	5
14(2) Malignant neoplasm, oesophagus	M	20	44	3	3	6	2	6	5	2	29	-	6
	F	14	31	4	-	5	5	7	10	7	12	-	7
14(3) Malignant neoplasm, intestine and rectum	M	55	236	12	10	18	10	28	38	21	123	3	45
	F	82	283	6	9	28	11	37	39	25	116	10	31
14(4) Malignant neoplasm, larynx	M	6	15	-	1	-	2	2	4	2	12	-	1
	F	2	11	1	-	1	1	1	-	-	2	-	-
13(1) Malignant neoplasm, cervix uteri	F	24	107	3	4	9	2	9	16	11	32	3	19
14(5) Malignant neoplasm, prostate	M	30	128	4	6	18	9	13	20	20	53	5	25
14(6) Malignant neoplasm, bladder	M	25	86	-	3	9	2	7	11	8	26	2	14
	F	4	34	-	1	2	-	1	5	5	13	-	6
14(7) Malignant neoplasm, bone (including jaw bone)	M	1	9	-	-	1	1	2	2	-	6	-	1
	F	2	10	-	-	1	-	1	1	1	5	-	1
14(8) Lymphosarcoma, reticulosarcoma	M	10	26	1	1	1	-	-	1	2	7	-	2
	F	4	21	-	-	3	1	3	1	3	14	1	1
14(9) Hodgkin's disease	M	4	20	-	-	6	-	-	3	4	9	-	5
	F	3	9	-	1	-	1	3	-	1	3	1	3
32(1) Thyrotoxicosis	M	1	-	-	-	-	-	-	1	-	1	-	-
	F	4	9	2	-	-	-	-	2	2	4	1	3
32(2) Multiple sclerosis	M	3	11	-	-	1	1	1	2	-	3	-	2
	F	6	20	1	1	1	-	-	-	1	9	-	4
32(3) Rheumatic fever	M	1	1	-	-	-	-	3	1	-	1	-	1
	F	-	-	-	-	-	-	1	-	-	-	1	1
20(1) Chronic rheumatic heart disease	M	13	72	3	-	4	5	11	8	10	54	5	19
	F	23	159	5	3	11	3	20	11	19	86	4	40
21(1) Hypertension without mention of heart	M	17	63	5	5	14	3	11	5	6	36	1	23
	F	8	67	10	6	12	1	17	6	8	41	5	21
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	2	41	-	6	10	1	51	10	3	152	8	25
	F	-	8	-	-	-	1	4	2	-	7	-	-
26(1) Ulcer of stomach	M	9	48	-	2	4	2	7	2	6	16	1	11
	F	7	21	1	-	5	-	2	3	1	14	2	3
32(4) Appendicitis	M	2	6	-	-	1	-	-	-	-	4	-	4
	F	4	6	-	-	1	-	1	1	1	1	-	1
32(5) Intestinal obstruction and hernia	M	15	50	1	4	4	1	10	7	4	17	2	11
	F	19	52	1	2	9	-	10	7	4	20	1	7
32(6) Cirrhosis of liver	M	8	18	1	-	5	4	2	5	6	16	-	6
	F	3	29	1	-	-	-	6	11	5	11	-	2
32(7) Cholelithiasis, cholecystitis	M	3	14	1	-	2	-	-	2	3	4	-	-
	F	8	32	2	-	4	2	4	5	4	14	-	5
30(1) Maternal sepsis (not abortion)	F	1	2	-	-	-	-	-	-	-	-	-	1
30(2) Toxaemias of pregnancy and puerperium	F	2	4	-	-	-	1	-	-	1	-	-	1
30(3) Abortion	F	-	2	-	-	-	-	-	-	-	-	-	1
32(8) Rheumatoid arthritis and allied conditions	M	2	7	1	-	-	-	3	-	-	6	-	1
	F	1	31	1	-	5	1	6	3	4	14	2	5
32(9) Birth injury	M	8	39	1	1	-	-	1	2	2	16	-	12
	F	6	21	-	3	-	-	1	-	4	10	-	6
32(10) Postnatal asphyxia and atelectasis	M	12	59	2	4	3	2	6	1	5	24	-	11
	F	5	41	1	1	1	-	5	2	4	16	-	15
23(1) Pneumonia of newborn	M	3	12	2	-	1	-	-	1	-	5	-	3
	F	2	7	-	-	-	-	-	1	1	6	-	3
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	3	-	-	1	-	1	-	-	-	-	1
	F	-	2	1	-	-	-	-	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	-	6	-	-	1	-	1	-	-	4	-	1
	F	1	2	-	-	-	-	-	-	-	1	-	3
32(13) Immaturity (without other disease peculiar to early infancy)	M	11	47	3	-	5	3	3	4	4	24	2	16
	F	14	34	4	-	1	1	6	3	3	16	1	11
32(14) Senility without psychosis	M	6	68	4	-	-	8	4	5	6	30	3	7
	F	17	98	2	2	9	5	6	14	10	60	4	16
32(15) Ill-defined and unknown cause	M	1	6	-	1	-	-	-	-	-	1	1	-
	F	1	4	-	-	-	1	-	1	1	3	-	2

TABLE 21 - continued

ADMINISTRATIVE COUNTIES

Registrar General's Abridged List		Montgomeryshire	Pembrokeshire	Radnorshire	Registrar General's Supplementary Abridged List		Montgomeryshire	Pembrokeshire	Radnorshire
1 Tuberculosis, respiratory	M F	1 2	2 1	2 -	9(1) Infectious hepatitis	M F	- -	- -	- -
2 Tuberculosis, other	M F	- -	- -	- -	14(1) Malignant neoplasm, mouth and pharynx	M F	4 1	3 1	1 -
3 Syphilitic disease	M F	- -	2 -	- 1	14(2) Malignant neoplasm, oesophagus	M F	3 5	5 5	1 -
4 Diphtheria	M F	- -	- -	- -	14(3) Malignant neoplasm, intestine and rectum	M F	7 7	8 11	4 2
5 Whooping cough	M F	- -	- -	- -	14(4) Malignant neoplasm, larynx	M F	1 -	3 -	- -
6 Meningococcal infections	M F	- -	- -	- -	13(1) Malignant neoplasm, cervix uteri	F	2	10	2
7 Acute poliomyelitis	M F	- -	- -	- -	14(5) Malignant neoplasm, prostate	M	8	10	1
8 Measles	M F	- -	- -	- -	14(6) Malignant neoplasm, bladder	M F	2 -	4 1	- -
9 Other infective, etc., diseases	M F	- -	1 1	- 1	14(7) Malignant neoplasm, bone (including jaw bone)	F	-	-	-
10 Malignant neoplasm: stomach	M F	8 6	16 16	- 1	14(8) Lymphosarcoma, reticulosarcoma	M F	1 -	- -	1 -
11 lung, bronchus	M F	16 3	40 7	9 -	14(9) Hodgkin's disease	M F	1 -	- -	- -
12 breast	M F	- 7	- 18	- -	32(1) Thyrotoxicosis	M F	- -	1 2	- -
13 uterus	F	2	11	2	32(2) Multiple sclerosis	M F	1 -	1 1	- 1
14 Other malignant and lymphatic neoplasms	M F	36 28	54 35	12 6	32(3) Rheumatic fever	M F	- -	- -	- -
15 Leukaemia, aleukaemia	M F	1 -	1 5	2 -	20(1) Chronic rheumatic heart disease	M F	- 2	3 6	- 1
16 Diabetes	M F	2 2	10 12	- -	21(1) Hypertension without mention of heart	M F	4 2	2 5	- 1
17 Vascular lesions of nervous system	M F	43 54	91 86	23 30	25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M F	2 2	2 1	1 1
18 Coronary disease, angina	M F	64 36	136 81	31 22	26(1) Ulcer of stomach	M F	1 1	2 2	- 1
19 Hypertension with heart disease	M F	6 7	13 17	2 4	32(4) Appendicitis	M F	- -	- 1	- 1
20 Other heart disease	M F	32 48	59 69	9 20	32(5) Intestinal obstruction and hernia	M F	2 2	2 3	1 1
21 Other circulatory disease	M F	10 13	20 30	7 6	32(6) Cirrhosis of liver	M F	- 1	2 1	- -
22 Influenza	M F	7 5	2 7	- 3	32(7) Cholelithiasis, cholecystitis	M F	1 -	1 3	- -
23 Pneumonia	M F	8 13	25 25	- 2	30(1) Maternal sepsis (not abortion)	F	1 -	2 -	- -
24 Bronchitis	M F	12 5	29 10	4 1	30(2) Toxaemias of pregnancy and puerperium	F	-	-	-
25 Other diseases of respiratory system	M F	3 5	8 3	2 1	30(3) Abortion	F	-	-	-
26 Ulcer of stomach and duodenum	M F	1 1	2 2	1 1	32(8) Rheumatoid arthritis and allied conditions	M F	- 2	- 2	- -
27 Gastritis, enteritis and diarrhoea	M F	2 3	2 5	- -	32(9) Birth injury	M F	- -	1 -	- -
28 Nephritis and nephrosis	M F	4 -	7 2	1 -	32(10) Postnatal asphyxia and atelectasis	M F	- 1	2 4	- -
29 Hyperplasia of prostate	M	1	6	1	23(1) Pneumonia of newborn	M F	- -	- 1	- -
30 Pregnancy, childbirth, abortion	F	-	-	-	32(11) Ophthalmia, pemphigus, sepsis of newborn	M F	- -	- -	- -
31 Congenital malformations	M F	2 3	2 5	2 -	32(12) Haemolytic disease of newborn	M F	- -	1 -	- -
32 Other defined and ill-defined diseases	M F	20 25	43 57	10 11	32(13) Immaturity (without other disease peculiar to early infancy)	M F	- 1	- 3	- -
33 Motor vehicle accidents	M F	8 4	16 5	1 -	32(14) Senility without psychosis	M F	6 8	3 6	1 1
34 All other accidents	M F	4 4	21 14	5 2	32(15) Ill-defined and unknown cause	M F	- -	- -	- -
35 Suicide	M F	1 1	4 2	4 -					
36 Homicide, operations of war	M F	- -	- -	- -					

TABLE 22. Causes of death by month of occurrence, January to December, 1966

England and Wales

Note. 1 Totals for any period made up from this table will differ from the corresponding figures shown in other tables (except Table 16) which are tabulated according to date of registration.

2 Deaths occurring in the year but which were registered after 31st March of the following year are excluded.

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	ALL CAUSES	M	31,505	28,538	27,975	24,581	22,236	20,429	20,530	20,653	19,549	22,534	23,996	26,267
		F	29,952	27,863	27,213	23,731	20,771	19,304	19,309	19,396	18,557	21,163	22,770	25,241
001-138	I Infective and parasitic diseases	M	289	258	265	238	214	226	168	203	170	246	205	255
		F	162	143	147	139	130	140	121	126	122	119	135	149
001-008	Tuberculosis of respiratory system	M	164	154	161	137	134	118	86	106	87	135	119	156
		F	54	48	63	44	38	45	45	43	36	27	42	43
010	Tuberculosis of meninges and central nervous system	M	1	3	1	2	1	5	2	4	2	2	2	4
		F	3	1	2	5	1	5	3	1	1	2	2	2
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	M	-	-	1	1	-	2	-	1	-	-	1	1
		F	2	2	-	2	1	1	2	1	-	-	-	1
012, 013	Tuberculosis of bones and joints	M	2	-	4	-	2	1	2	1	2	5	-	3
		F	1	1	1	4	6	2	1	1	3	1	1	2
014-019	Tuberculosis, all other forms	M	6	8	6	4	5	8	2	7	5	6	1	3
		F	7	7	7	8	7	9	2	8	5	8	3	9
020-029	Syphilis and its sequelae	M	58	36	39	42	37	44	34	39	41	44	42	40
		F	35	26	27	31	23	19	19	23	33	38	32	33
030-039	Gonococcal infection and other venereal diseases	M	2	-	1	-	-	1	-	1	-	1	2	-
		F	-	-	-	-	-	-	-	-	-	1	-	-
040	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
041	Paratyphoid fever	M	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
042	Other Salmonella infections	M	-	-	3	-	-	-	-	1	2	1	-	2
		F	1	-	1	-	1	-	-	-	3	1	-	-
044	Brucellosis (undulant fever)	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
045	Bacillary dysentery	M	1	1	1	-	1	1	1	-	-	-	-	1
		F	-	1	1	1	-	1	1	-	-	-	-	-
048	Unspecified forms of dysentery	M	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	1	-	-
049	Food poisoning (infection and intoxication)	M	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
050	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
051	Streptococcal sore throat	M	1	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	1	-	1	-	-	-
052	Erysipelas	M	1	1	-	1	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	1	1
053, 054	Septicaemia, pyaemia, and bacterial toxæmia	M	7	9	4	8	6	6	10	4	1	8	6	3
		F	8	3	3	2	6	7	4	6	5	5	8	8
055	Diphtheria	M	1	-	-	-	-	-	2	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	M	3	1	-	-	2	1	-	-	-	1	1	-
		F	-	-	-	1	-	2	-	5	2	1	1	2
057	Meningococcal infections	M	6	7	8	11	1	5	2	4	4	2	3	7
		F	3	11	3	5	4	2	4	2	-	5	4	2
061	Tetanus	M	1	-	1	2	-	1	1	1	-	1	2	-
		F	-	2	-	1	-	1	-	2	1	1	-	-
070	Vincent's infection	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
072	Leptospirosis icterohaemorrhagica (Weill's disease)	M	1	-	1	-	2	-	-	1	3	2	2	1
		F	1	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	1	-	-	-
081	Late effects of acute poliomyelitis	M	-	1	1	-	1	1	1	3	1	5	-	1
		F	1	2	1	-	-	-	1	1	-	-	-	-
082	Acute infectious encephalitis	M	6	7	5	3	3	5	5	3	1	7	4	8
		F	6	3	2	6	6	7	4	1	2	1	3	4
083	Late effects of acute infectious encephalitis	M	2	4	9	5	1	3	-	2	2	2	-	1
		F	7	4	5	3	3	5	3	3	2	5	3	2
084	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	M	4	2	2	6	3	3	2	3	2	3	5	8
		F	4	-	3	3	-	3	3	3	1	1	7	9
086	Rubella (German measles)	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 22 - continued

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
087	Chickenpox	M	1	-	2	1	1	3	1	1	-	-	-	-
		F	1	1	-	-	2	1	-	-	-	-	-	1
088	Herpes zoster	M	-	-	1	1	1	-	3	2	1	-	3	1
		F	4	6	5	4	6	5	1	2	4	3	4	1
089	Mumps	M	-	-	-	-	-	-	-	1	-	1	1	-
		F	1	1	-	1	1	-	1	1	-	-	1	-
092	Infectious hepatitis	M	6	7	9	4	5	6	10	9	7	10	5	6
		F	9	10	15	10	14	15	11	12	11	12	16	11
093	Glandular fever (infectious mononucleosis)	M	1	1	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	1	2	-	1	-	-	1
096	Other diseases attributable to viruses	M	7	6	2	3	2	7	1	2	4	1	3	4
		F	4	6	4	4	2	2	2	-	1	1	1	11
100-108	Typhus and other rickettsial diseases	M	-	-	1	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	M	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of 001-138	All other diseases classified as infective and parasitic	M	7	9	2	7	4	5	3	6	5	7	3	4
		F	8	8	4	4	8	7	11	10	9	4	6	6
140-239	II Neoplasms	M	5,439	4,618	4,945	4,749	4,870	4,752	4,918	4,936	4,752	5,119	5,112	5,069
		F	4,449	3,884	4,281	4,177	4,094	4,040	4,255	4,230	4,045	4,306	4,234	4,394
140-148	Malignant neoplasm of buccal cavity and pharynx	M	89	71	94	70	62	80	80	86	69	88	73	85
		F	46	43	59	64	60	48	60	52	50	61	61	52
150	Malignant neoplasm of oesophagus	M	131	109	120	109	122	123	132	130	107	123	138	141
		F	122	90	80	77	107	97	124	100	110	108	88	95
151	Malignant neoplasm of stomach	M	651	594	626	609	620	612	619	659	630	643	643	616
		F	468	458	499	464	441	476	479	468	467	498	474	465
152-154	Malignant neoplasm of intestine, including rectum	M	595	550	583	556	565	559	578	572	557	617	582	573
		F	705	592	715	663	611	673	726	713	626	672	703	713
155, 156	Malignant neoplasm of biliary passages and of liver	M	83	73	79	76	98	90	100	113	90	99	82	99
		F	103	100	91	100	87	103	95	92	92	103	122	124
157-159	Malignant neoplasm of pancreas, peritoneum, and unspecified digestive organs	M	241	201	218	204	216	242	221	206	212	220	236	202
		F	176	172	216	219	194	201	210	217	202	221	206	217
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses	M	7	10	10	10	12	9	14	13	7	9	17	7
		F	17	13	10	9	8	13	12	9	11	10	6	8
161	Malignant neoplasm of larynx	M	55	43	48	57	40	45	45	55	45	50	57	64
		F	15	14	15	12	14	7	11	16	17	11	18	8
162-165	Malignant neoplasm of lung and bronchus, trachea, mediastinum, and of thoracic organs (secondary)	M	2,108	1,794	1,854	1,808	1,862	1,811	1,878	1,888	1,831	1,984	1,945	1,920
		F	392	324	364	399	394	355	394	362	358	380	372	393
170	Malignant neoplasm of breast	M	10	5	12	7	5	6	14	5	10	8	9	8
		F	942	827	802	846	811	771	752	805	729	817	868	859
171-174	Malignant neoplasm of uterus	F	356	305	328	340	360	306	330	332	339	340	310	310
175, 176	Malignant neoplasm of other and unspecified female genital organs	F	333	284	323	329	321	325	338	337	317	313	331	332
177	Malignant neoplasm of prostate	M	391	329	371	322	289	308	305	312	285	308	325	370
178, 179	Malignant neoplasm of other and unspecified male genital organs	M	34	19	27	35	37	32	35	20	29	30	22	21
180	Malignant neoplasm of kidney	M	91	62	68	87	73	72	72	67	58	68	103	70
		F	47	42	57	48	44	44	48	56	46	45	46	51
181	Malignant neoplasm of bladder and other urinary organs	M	247	182	191	216	215	201	200	200	186	194	227	235
		F	83	72	78	83	78	71	91	89	91	113	87	92
190, 191	Malignant neoplasm of skin	M	48	32	43	36	43	43	29	44	40	41	42	34
		F	48	45	40	31	46	31	39	34	33	33	40	48
193	Malignant neoplasm of brain and other parts of nervous system	M	117	75	79	92	101	80	101	89	95	106	98	97
		F	85	60	76	56	75	62	72	71	69	75	60	65
196	Malignant neoplasm of bone (including jaw bone)	M	31	23	25	20	31	21	23	20	27	20	24	36
		F	14	17	10	22	17	13	18	19	16	22	19	22
201	Hodgkin's disease	M	48	44	57	50	46	38	43	46	41	63	46	49
		F	25	26	23	22	23	25	30	24	33	26	25	30
204	Leukaemia and aleukaemia	M	147	113	138	125	127	116	125	130	142	147	124	139
		F	122	99	145	86	94	114	120	107	98	118	106	124
Remainder of 140-205	Malignant neoplasm of all other and unspecified sites, including other neoplasms of lymphatic and haematopoietic tissues	M	242	231	248	207	261	203	259	231	231	248	261	243
		F	285	225	285	247	260	251	238	283	284	286	239	301

TABLE 22 - continued

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
210	Benign neoplasm of buccal cavity and pharynx	M F	1 -	- 1	1 -	- -	- 1	- -	- -	- -	- -	- -	- -	1 -
211	Benign neoplasm of other parts of digestive system	M F	2 5	1 3	2 1	1 1	1 4	3 -	- 2	4 -	- 1	4 -	5 -	1 1
212	Benign neoplasm of respiratory system	M F	2 -	1 3	4 3	- 1	1 1	3 2	4 3	2 1	4 1	- 2	2 1	5 -
213	Benign neoplasm of breast	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
214-217	Benign neoplasm of female genital organs	F	9	13	16	8	11	8	9	8	4	11	9	19
218	Benign neoplasm of male genital organs	M	-	-	-	-	-	-	-	-	-	-	-	-
219	Benign neoplasm of kidney and other urinary organs	M F	5 3	6 2	3 -	6 1	2 3	4 8	2 1	2 -	- 4	3 2	3 1	4 5
220-222	Benign neoplasm of skin	M F	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -
223	Benign neoplasm of brain and other parts of nervous system	M F	13 12	13 14	9 11	17 16	5 6	10 12	13 17	12 10	10 15	13 14	5 9	8 17
224-229	Benign neoplasm of all other and unspecified organs and tissues	M F	12 11	8 10	5 6	5 7	8 6	7 6	7 9	4 6	6 4	5 5	8 9	7 7
230-239	Neoplasm of unspecified nature	M F	38 25	29 30	30 28	24 25	28 17	34 18	19 27	26 19	40 28	28 20	35 24	34 36
240-289	III Allergic, endocrine system, metabolic, and nutritional diseases	M F	298 517	245 482	260 466	235 417	219 385	203 349	263 415	243 381	207 373	217 368	261 412	221 437
241	Asthma	M F	77 83	74 100	76 100	70 87	72 103	65 90	97 110	90 91	77 106	71 80	84 96	53 91
Remainder of 240-245	Other allergic disorders	M F	7 3	4 2	- 4	3 1	2 2	3 2	2 1	3 3	3 -	3 1	1 1	2 -
250	Simple goitre	M F	- 1	- -	1 -	- 2	- 2	- 1	- 2	- 1	- -	1 1	- 2	1 -
251	Non-toxic nodular goitre	M F	- 1	- 1	3 1	- 3	- 1	- 2	- 1	- -	- 3	- -	- 1	- 2
252	Thyrototoxicosis with or without goitre	M F	3 22	3 16	3 29	3 24	1 21	1 9	2 23	3 17	2 14	2 13	2 17	2 9
253, 254	Other diseases of thyroid gland	M F	6 48	5 43	5 30	5 37	2 14	1 18	1 20	5 10	3 17	1 20	5 30	7 33
260	Diabetes mellitus	M F	173 296	129 273	136 264	125 224	121 206	102 196	134 216	110 228	104 196	114 213	143 231	124 246
270-277	Diseases of other endocrine glands	M F	9 23	10 12	12 11	4 10	6 8	9 9	4 9	3 15	4 5	9 7	13 11	7 13
280-286	Avitaminoses, and other deficiency states	M F	3 10	8 9	10 6	7 7	4 9	8 10	5 9	6 5	4 7	6 11	5 4	4 9
287	Obesity, not specified as of endocrine origin	M F	8 19	2 17	5 15	5 9	2 12	3 5	5 13	2 3	3 17	1 11	2 12	8 15
288	Gout	M F	2 1	1 1	3 -	2 1	2 2	2 -	3 -	8 -	2 -	2 2	- 1	2 -
289	Other metabolic diseases	M F	10 10	9 8	6 6	11 12	7 5	9 7	10 11	13 8	5 8	7 9	6 6	11 19
290-299	IV Diseases of the blood and blood-forming organs	M F	65 110	77 125	61 124	72 123	65 110	56 106	65 107	58 101	55 118	74 106	65 115	66 91
290	Perniciosis and other hyperchromic anaemias	M F	12 37	9 45	18 44	18 42	17 35	13 41	15 34	18 31	16 33	21 39	10 43	17 38
291	Iron deficiency anaemias (hyperchromic anaemias)	M F	5 28	9 20	11 28	9 29	5 23	5 20	6 24	5 20	8 19	7 24	7 16	7 11
292, 293	Other anaemias	M F	25 36	38 39	19 32	22 36	28 35	19 26	23 35	21 36	16 41	32 24	27 32	22 31
294-299	Other diseases of blood and blood-forming organs	M F	23 9	21 21	13 20	23 16	15 17	19 19	21 14	14 25	15 19	14 24	21 11	20 11
300-326	V Mental, psychoneurotic, and personality disorders	M F	63 64	39 90	40 82	51 65	46 50	30 55	36 48	30 69	27 59	40 74	34 68	54 101
300-309	Psychoses	M F	57 55	30 81	31 79	35 51	35 42	24 45	25 40	16 59	20 48	33 63	21 52	38 86
310-326	Psychoneuroses, and disorders of personality, including mental deficiency	M F	6 9	9 9	9 3	16 14	11 8	6 10	11 8	14 10	7 11	7 11	13 16	16 15
330-398	VI Diseases of the nervous system and sense organs	M F	3,866 5,368	3,181 4,803	3,264 4,822	3,025 4,406	2,861 3,948	2,438 3,628	2,492 3,543	2,419 3,582	2,283 3,454	2,739 3,930	2,856 4,123	3,146 4,668

TABLE 22 - continued

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
330-334	Vascular lesions affecting central nervous system	M F	3,568 5,031	2,946 4,503	3,006 4,524	2,798 4,141	2,645 3,705	2,253 3,431	2,271 3,322	2,175 3,343	2,087 3,217	2,479 3,670	2,635 3,865	2,905 4,347
340	Meningitis, except meningococcal and tuberculous													
340.0	H. influenzae	M F	2 1	2 1	2 2	1 -	1 1	1 -	1 -	2 -	1 -	4 1	3 3	1 5
340.1	Pneumococcus	M F	6 10	4 5	6 9	7 9	6 5	5 4	4 3	3 1	1 3	7 2	5 7	11 3
340.2	Due to other specified organism	M F	2 2	1 4	4 2	3 2	3 1	1 2	2 5	4 4	3 2	1 2	1 1	1 4
340.3	Unspecified cause	M F	9 10	5 6	6 6	8 9	6 5	5 8	5 -	12 7	5 8	9 4	9 11	10 9
341-344	Other inflammatory diseases of central nervous system	M F	14 13	8 16	17 6	10 12	19 10	12 9	17 12	20 8	4 12	12 8	10 6	15 15
345	Multiple sclerosis	M F	33 45	25 49	28 63	27 43	35 48	27 25	26 37	28 31	17 47	28 50	17 32	30 44
350	Paralysis agitans	M F	84 105	68 81	64 89	59 83	43 76	38 62	50 68	55 71	52 62	71 80	48 75	39 101
351, 352	Cerebral spastic infantile paralysis, and other cerebral paralysis	M F	41 54	27 52	42 42	29 44	22 40	21 32	27 36	32 40	33 30	39 41	43 45	45 58
353	Epilepsy	M F	37 25	31 19	28 28	30 15	28 15	29 14	36 22	34 28	35 23	25 29	31 27	32 27
354-357	Other diseases of central nervous system	M F	53 63	49 49	44 44	41 36	43 31	35 32	39 26	45 39	39 45	54 35	43 39	46 51
365	Erythroedema polyneuritica	M F	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- 1	- -	- -
360-364, 366-369	Other diseases of nerves and peripheral ganglia	M F	4 4	3 3	5 1	4 3	5 3	1 1	2 3	5 4	1 2	3 4	2 2	6 2
370-379	Inflammatory diseases of eye	M F	- -	- 1	- -	- -	1 -	1 -	- 1	- -	1 -	- -	- -	- -
380-389	Other diseases and conditions of eye	M F	2 -	- 8	1 2	1 3	1 4	2 2	- 3	- 3	- 1	1 -	3 2	1 -
390-398	Diseases of ear and mastoid process	M F	11 5	12 6	11 4	7 6	3 4	4 6	12 5	4 3	4 2	6 3	6 8	4 2
400-468	VII Diseases of the circulatory system	M F	11,476 11,327	10,065 10,123	10,348 9,935	9,297 8,755	8,426 7,702	7,665 6,959	7,481 6,949	7,674 6,968	7,278 6,630	8,281 7,773	9,065 8,556	10,019 9,412
400-402	Rheumatic fever	M F	4 5	4 2	4 2	6 5	3 5	3 -	3 1	2 5	3 3	3 3	- 2	4 2
410-416	Chronic rheumatic heart disease	M F	232 443	201 420	168 387	157 308	163 298	147 294	153 293	141 284	144 245	160 304	163 327	202 373
420	Arteriosclerotic heart disease, including coronary disease	M F	7,105 4,821	6,063 4,109	6,407 4,168	6,055 3,944	5,658 3,410	5,125 3,217	5,037 3,239	5,153 3,211	4,860 3,112	5,481 3,730	6,098 3,998	6,570 4,277
421	Chronic endocarditis not specified as rheumatic	M F	151 175	152 127	120 126	110 133	114 117	117 98	97 101	96 98	98 112	119 108	112 118	140 138
422	Other myocardial degeneration	M F	1,544 2,626	1,416 2,490	1,417 2,387	1,156 1,918	917 1,695	816 1,476	774 1,468	815 1,437	740 1,392	883 1,578	936 1,771	1,123 2,001
430	Acute and sub-acute endocarditis	M F	13 14	12 7	15 10	12 3	15 10	22 8	15 7	12 13	7 11	14 8	12 7	14 7
431	Acute myocarditis not specified as rheumatic	M F	10 10	11 5	5 7	14 1	4 2	- 4	5 6	3 8	4 1	6 5	6 2	4 6
432	Acute pericarditis specified as non-rheumatic	M F	1 3	- 1	1 2	1 2	- -	- -	2 1	1 -	1 1	1 -	2 -	2 2
433	Functional disease of heart	M F	203 328	175 269	191 251	129 259	127 184	96 180	105 174	94 170	93 152	99 176	113 205	125 247
434	Other and unspecified diseases of heart	M F	593 665	559 640	517 616	437 523	362 435	335 393	297 344	309 383	293 303	362 401	420 506	516 535
440-447	Hypertensive disease	M F	583 857	552 773	530 715	430 577	372 572	364 474	361 500	374 501	355 463	390 501	404 535	453 627
450	General arteriosclerosis	M F	588 865	530 804	538 778	442 674	326 588	304 463	316 448	300 462	330 446	372 521	368 620	402 675
451-456	Other diseases of arteries	M F	244 201	198 195	248 200	181 144	208 132	183 134	159 129	192 157	217 156	231 144	245 172	267 193
460-466	Diseases of veins	M F	197 306	187 272	181 280	164 258	152 248	148 213	147 233	174 233	126 227	155 283	179 287	194 322
467	Other diseases of circulatory system	M F	7 6	5 7	6 5	3 6	4 7	5 5	8 5	7 6	7 6	5 8	7 6	2 7

TABLE 22 - continued

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
468	Certain diseases of lymph nodes and lymph channels	M	1	-	-	-	1	-	2	1	-	-	-	1
		F	2	2	1	-	1	-	-	-	-	3	-	-
470-527	VIII Diseases of the respiratory system	M	6,493	6,887	5,526	3,754	2,670	2,240	2,172	2,269	2,032	2,802	3,458	4,090
		F	4,592	5,388	4,321	2,852	1,783	1,499	1,414	1,456	1,436	1,911	2,377	3,076
470-475	Acute upper respiratory infections	M	3	10	5	5	6	2	3	2	3	4	9	6
		F	8	10	5	4	5	1	2	6	1	11	8	6
480-483	Influenza	M	208	730	478	109	17	4	9	4	5	12	27	35
		F	202	938	621	133	21	10	10	4	10	21	25	37
490	Lobar pneumonia	M	264	235	216	150	102	102	84	84	82	96	125	158
		F	184	217	196	134	82	81	55	65	53	114	100	148
491	Bronchopneumonia	M	1,845	1,942	1,655	1,172	850	701	657	746	681	915	1,093	1,279
		F	2,338	2,435	2,152	1,595	998	844	860	890	902	1,071	1,309	1,736
492	Primary atypical pneumonia	M	43	41	29	23	13	10	12	12	14	11	15	28
		F	34	29	12	21	17	13	13	9	14	12	19	20
493	Pneumonia, other and unspecified	M	99	81	69	60	39	40	31	44	33	38	54	65
		F	79	74	72	57	38	48	38	23	38	50	65	76
500	Acute bronchitis	M	239	217	135	84	53	48	41	40	35	67	81	116
		F	236	258	182	91	48	32	34	28	32	60	92	126
501	Bronchitis unqualified	M	130	137	96	72	39	31	34	38	28	47	59	77
		F	138	148	117	73	55	30	32	26	24	55	59	76
502	Chronic bronchitis	M	3,214	3,061	2,493	1,773	1,317	1,083	1,088	1,090	972	1,371	1,686	2,030
		F	1,137	1,050	788	582	400	326	271	295	259	567	562	667
510	Hypertrophy of tonsils and adenoids	M	-	1	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	1	-	1	1	2	1	-	-	-
511-517	Other diseases of upper respiratory tract	M	4	10	8	8	3	3	3	2	1	5	4	7
		F	7	10	4	5	5	2	4	3	3	1	3	3
518-522	Empyema, pleurisy, and pneumothorax	M	53	44	35	53	29	39	28	38	22	38	47	35
		F	69	80	66	56	45	44	36	40	47	59	50	63
523, 524	Silicosis and occupational pulmonary fibrosis	M	89	81	73	53	44	32	49	40	26	41	50	47
		F	1	-	1	-	-	-	1	1	2	1	-	-
525	Other chronic interstitial pneumonia	M	24	28	27	26	22	25	16	20	17	23	18	32
		F	27	18	20	16	13	11	13	10	10	19	12	19
526	Bronchiectasis	M	119	121	91	66	54	54	38	45	48	62	79	70
		F	81	70	39	44	29	22	25	28	25	34	46	52
527	Other diseases of lung and pleural cavity	M	159	148	115	100	82	66	79	64	65	72	111	105
		F	51	51	46	40	27	34	19	26	15	36	27	47
530-587	IX Diseases of the digestive system	M	807	699	724	656	528	503	536	539	517	599	603	729
		F	827	684	712	614	596	594	586	592	541	600	628	724
530-539	Diseases of buccal cavity and oesophagus	M	9	9	17	8	11	15	15	7	11	10	12	11
		F	11	14	14	10	16	12	11	6	11	11	14	14
540	Ulcer of stomach	M	136	128	125	115	90	63	73	80	73	93	81	136
		F	132	101	79	88	73	48	67	84	56	58	74	83
541	Ulcer of duodenum	M	171	141	158	145	90	92	97	94	74	99	119	143
		F	65	57	49	47	34	29	34	30	33	42	44	70
542	Gastrojejunal ulcer	M	6	1	2	3	2	7	2	3	1	2	2	2
		F	3	-	-	-	-	-	-	1	1	1	-	1
543	Gastritis and duodenitis	M	4	1	3	2	2	1	1	1	2	2	1	1
		F	5	3	-	3	4	3	2	5	6	4	2	5
544	Disorders of function of stomach	M	1	1	1	-	-	1	2	-	-	2	1	1
		F	2	1	1	1	2	-	-	-	3	-	1	1
545	Other diseases of stomach and duodenum	M	6	7	3	4	3	5	7	6	5	5	5	6
		F	2	5	7	4	3	4	6	1	2	3	2	5
550-553	Appendicitis	M	15	21	24	24	20	19	18	17	18	18	19	22
		F	11	20	27	13	18	18	15	20	19	16	21	17
560, 561	Hernia of abdominal cavity	M	77	58	57	58	41	45	54	48	40	49	47	56
		F	90	65	65	47	60	62	55	58	50	68	60	81
570	Intestinal obstruction, without mention of hernia	M	69	68	67	59	55	58	57	60	58	62	59	68
		F	110	89	81	74	77	62	69	72	55	68	78	69
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	M	46	42	28	30	24	32	22	41	35	39	34	47
		F	54	43	40	26	35	39	36	45	37	45	29	38
572-578	Other diseases of intestines and peritoneum	M	94	88	83	65	57	45	74	58	67	84	85	86
		F	143	118	140	133	117	137	121	90	102	121	127	152
580-583	Diseases of liver	M	96	72	90	67	74	59	54	60	55	71	69	87
		F	69	71	92	56	60	61	75	66	59	52	73	71

TABLE 22 - continued

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
584-586	Diseases of gallbladder and biliary ducts	M F	40 79	34 62	35 80	45 78	26 68	27 82	33 64	29 81	42 85	51 78	33 61	34 73
587	Diseases of pancreas	M F	37 51	28 35	31 37	31 34	33 29	34 37	27 31	35 33	36 42	32 33	36 42	29 44
590-637	X Diseases of the genito-urinary system	M F	468 383	513 336	512 361	456 355	395 306	414 314	410 287	401 295	376 263	433 322	435 342	458 332
590	Acute nephritis	M F	2 3	3 2	5 1	2 4	5 3	5 2	3 3	3 6	6 2	6 4	7 4	5 3
591-594	Chronic, other and unspecified nephritis	M F	126 118	136 117	135 120	135 104	115 89	112 91	88 87	106 93	115 87	114 94	123 113	139 94
600-609	Other diseases of urinary system	M F	137 240	164 202	162 226	152 228	121 196	138 206	152 181	142 184	107 163	151 210	143 214	133 219
610	Hyperplasia of prostate	M	201	205	208	164	152	156	158	146	143	154	156	172
611-617	Other diseases of male genital organs	M	2	5	2	3	2	3	9	4	5	8	6	9
620, 621	Diseases of breast	M F	- 1	- -	- 1	- -	- 1	- -	- 1	- 1	- -	- -	- -	- -
622-626	Diseases of ovary, Fallopian tube, and parametrium	F	7	5	1	4	4	2	3	2	4	4	3	2
630-637	Diseases of uterus and other female genital organs	F	14	10	12	15	13	13	12	9	7	10	8	14
640-689	XI Deliveries and complications of pregnancy, childbirth and the puerperium	F	21	18	27	17	15	21	16	17	17	19	12	15
640	Pyelitis and pyelonephritis of pregnancy	F	-	-	1	-	-	1	-	-	-	-	-	-
641	Other infections of genito-urinary tract during pregnancy	F	-	-	-	-	-	-	-	-	-	-	-	-
642	Toxaemias of pregnancy	F	5	2	2	4	-	3	3	3	3	4	-	5
643-649	Other complications of pregnancy	F	1	4	6	3	3	2	1	3	2	2	5	1
650-652	Abortion	F	3	8	8	3	1	5	7	3	3	2	2	1
660-678	Delivery	F	7	2	6	5	6	7	4	8	8	10	4	7
680	Puerperal urinary infection without other sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-
681, 683	Sepsis of childbirth and the puerperium, and pyrexia of unknown origin during the puerperium	F	3	-	2	1	-	-	-	-	-	-	1	-
682	Puerperal phlebitis and thrombosis	F	-	-	1	1	3	1	1	-	1	-	-	1
684	Puerperal pulmonary embolism	F	-	-	1	-	-	1	-	-	-	-	-	-
685, 686	Puerperal toxæmia	F	-	2	-	-	-	-	-	-	-	1	-	-
687	Cerebral haemorrhage in the puerperium	F	1	-	-	-	1	-	-	-	-	-	-	-
688, 689	Other complications of puerperium	F	1	-	-	-	1	1	-	-	-	-	-	-
690-716	XII Diseases of the skin and cellular tissue	M F	12 31	10 32	23 27	12 26	13 28	4 17	10 16	8 22	15 20	7 27	21 26	10 24
690-698	Infections of skin and subcutaneous tissue	M F	6 8	2 11	5 9	6 6	2 9	3 3	5 3	1 6	5 10	3 3	8 7	2 7
700-716	Other diseases of skin and subcutaneous tissue	M F	6 23	8 21	18 18	6 20	11 19	1 14	5 13	7 16	10 10	4 24	13 19	8 17
720-749	XIII Diseases of the bones and organs of movement	M F	80 168	62 117	51 136	65 123	49 112	57 102	58 93	50 106	47 113	54 92	55 109	67 108
720, 721	Acute arthritis	M F	- 1	- 3	1 2	2 -	1 2	1 4	- 2	1 1	- 1	3 1	- 1	1 -
722	Rheumatoid arthritis and allied conditions	M F	27 84	15 61	16 70	21 61	9 54	25 52	20 47	16 61	18 62	21 57	11 58	19 54
723	Osteo-arthritis (arthrosis) and allied conditions	M F	12 29	12 16	8 24	15 36	4 17	6 16	9 8	10 17	4 22	7 11	7 18	5 21
724, 725	Other and unspecified forms of arthritis	M F	- -	2 1	1 2	- -	1 1	- 1	1 3	1 1	- 1	- -	1 -	- 1
726, 727	Muscular rheumatism, and rheumatism unspecified	M F	- -	- 1	- -	2 -	2 -	1 1	2 1	- -	- 2	1 -	- 2	2 1
730	Osteomyelitis and periostitis	M F	3 1	3 2	1 5	1 1	4 -	1 -	3 2	1 1	3 3	1 -	6 2	5 2

TABLE 22 - continued

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
731-749	Other diseases of musculoskeletal system	M F	38 53	30 33	24 33	24 25	28 38	23 28	23 30	21 25	22 23	21 23	30 26	35 29
750-759	XIV Congenital malformations	M F	242 219	189 189	221 202	198 173	188 170	198 201	213 177	184 170	207 161	219 181	229 186	228 189
750	Monstrosity	M F	5 3	6 3	3 8	9 12	6 12	9 5	3 8	10 8	4 10	8 7	8 9	4 8
751	Spina bifida and meningocele	M F	19 41	14 36	23 34	19 22	12 25	23 39	28 42	14 28	15 28	19 36	26 30	32 31
752	Congenital hydrocephalus	M F	11 4	4 8	8 12	9 5	6 7	7 8	8 5	6 11	3 5	5 8	10 8	11 10
753	Other congenital malformation of nervous system and sense organs	M F	4 7	12 4	2 3	5 3	8 4	7 5	4 8	6 5	6 2	7 6	5 9	10 7
754	Congenital malformations of circulatory system	M F	126 92	98 89	120 90	104 91	97 77	96 94	97 66	91 75	104 71	97 81	120 83	108 88
755	Cleft palate and harelip	M F	- -	1 -	1 -	- -	- -	- -	2 -	- -	- -	- -	- -	- -
756	Congenital malformations of digestive system	M F	17 18	14 18	14 17	13 13	18 17	17 18	28 23	14 14	22 18	29 15	19 12	16 16
757	Congenital malformations of genito-urinary system	M F	30 31	16 18	31 16	20 13	18 12	22 17	21 17	24 16	25 12	32 15	17 26	24 18
758	Congenital malformations of bone and joint	M F	6 4	4 4	4 6	2 2	1 5	2 5	5 2	2 3	6 2	4 3	4 3	7 3
759	Other and unspecified congenital malformations, not elsewhere classified	M F	24 19	20 9	15 16	17 12	22 11	15 10	17 6	17 10	22 13	18 10	20 6	16 8
760-776	XV Certain diseases of early infancy	M F	444 295	369 246	430 286	414 315	402 276	383 294	433 306	404 280	413 269	425 248	380 285	472 286
760	Intracranial and spinal injury at birth	M F	74 45	51 29	67 33	58 44	56 39	42 40	59 43	59 30	77 36	64 32	68 28	47 31
761	Other birth injury	M F	26 9	18 17	34 27	22 18	21 15	17 7	16 11	25 16	39 17	22 12	26 10	29 13
762	Postnatal asphyxia and atelectasis	M F	108 90	104 73	114 66	128 92	131 61	118 88	137 87	120 86	113 75	110 76	113 101	147 79
763	Pneumonia of newborn	M F	31 21	24 16	23 20	27 22	25 11	20 21	30 25	17 17	17 19	29 10	27 20	36 26
764	Diarrhoea of newborn	M F	6 4	2 -	1 3	2 1	2 4	4 7	2 2	3 4	3 1	3 3	1 -	4 3
765-769	Other infections of newborn	M F	10 5	12 9	10 14	13 11	19 10	9 8	6 4	16 9	10 10	15 6	4 11	11 10
770	Haemolytic disease of newborn	M F	1 15	15 10	16 13	15 14	12 13	13 15	6 17	26 10	12 11	13 9	16 6	6 16
771	Haemorrhagic disease of newborn	M F	9 3	7 7	7 4	9 9	8 6	11 3	14 6	13 12	8 7	8 6	12 5	13 6
772, 773	Nutritional maladjustment and ill-defined diseases peculiar to early infancy	M F	33 12	30 12	29 18	27 19	29 27	28 14	23 17	22 19	25 14	27 15	17 12	22 17
774-776	Immaturity unqualified	M F	136 91	106 73	129 88	113 85	99 90	121 91	140 94	103 77	109 79	134 79	96 92	157 85
780-795	XVI Symptoms, senility and ill-defined conditions	M F	197 368	162 339	183 331	129 294	101 230	117 224	98 207	89 228	107 190	99 228	115 242	134 275
780-789	Symptoms referable to systems or organs	M F	11 20	5 11	8 9	5 6	17 5	8 8	6 7	6 10	6 7	6 14	5 6	14 9
792	Uraemia unqualified	M F	6 1	6 1	1 5	2 1	3 1	3 1	1 2	3 3	5 2	1 4	5 4	3 2
794	Senility without mention of psychosis	M F	178 344	150 322	171 313	115 282	74 222	99 215	83 191	74 211	89 176	84 207	104 230	113 259
790, 791, 793, 795	Ill-defined and unknown causes of mortality	M F	2 3	1 5	3 4	7 5	7 2	7 -	8 7	6 4	7 5	8 3	1 2	4 5
E800-E999	XVII Accidents, poisonings and violence (external cause)	M F	1,266 1,061	1,164 864	1,122 953	1,230 880	1,189 836	1,145 761	1,177 769	1,146 773	1,063 746	1,180 859	1,102 920	1,249 960
E800-E802	Railway accidents	M F	18 2	4 1	13 2	8 2	2 2	9 -	12 1	9 -	9 2	10 -	8 2	12 3
E810-E825	Motor vehicle traffic accidents	M F	412 168	441 143	385 156	404 155	408 163	405 170	464 204	395 185	404 153	463 189	442 225	568 259
E830-E835	Motor vehicle non-traffic accidents	M F	7 -	3 1	2 2	6 3	13 -	6 4	7 2	6 1	4 1	9 -	9 -	1 1

TABLE 22 - continued

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
E840-E845	Other road vehicle accidents	M	5	1	8	9	2	9	2	4	10	5	2	8
		F	2	7	2	-	2	-	3	2	1	3	1	-
E850-E858	Water transport accidents	M	8	10	4	25	17	12	32	23	13	11	6	4
		F	1	-	-	2	2	1	9	-	2	1	-	-
E860-E866	Aircraft accidents	M	4	10	3	6	4	19	-	8	8	27	1	2
		F	-	-	-	1	-	-	-	-	-	10	-	-
E870-E895	Accidental poisoning	M	111	79	74	75	52	51	52	49	51	63	80	74
		F	138	74	90	83	66	50	52	70	66	87	87	76
E900-E904	Accidental falls	M	186	153	158	202	148	124	170	150	122	143	160	168
		F	382	317	330	322	281	271	263	247	259	276	299	329
E910-E936	Other accidents	M	240	216	203	207	250	226	196	221	203	183	163	179
		F	172	117	116	112	94	64	78	70	78	87	121	136
E940-E959	Complications due to medical and surgical procedures	M	3	4	-	4	-	2	3	4	3	2	4	2
		F	-	2	5	1	4	3	2	2	2	3	1	2
E960-E965	Late effects of injury and poisoning	M	14	14	12	7	12	9	5	4	10	14	4	6
		F	-	2	5	-	-	1	2	5	2	5	1	2
E970-E973	Suicide by poisoning	M	179	140	148	158	157	177	133	162	132	158	140	133
		F	133	151	184	147	178	160	116	157	141	154	143	124
E974	Suicide and self-inflicted injury by hanging and strangulation	M	30	31	35	39	52	34	35	37	35	29	32	34
		F	2	9	17	13	9	12	9	10	10	16	10	4
E975	Suicide and self-inflicted injury by submersion (drowning)	M	8	13	14	15	16	10	12	12	16	13	9	14
		F	16	19	11	20	16	6	6	10	7	13	15	14
E976-E979	Suicide by other and unspecified means	M	31	35	48	49	40	28	34	45	32	41	29	33
		F	11	7	13	7	11	7	9	8	13	4	8	4
*E980-E985	Homicide and injury purposely inflicted by other persons (not in war)	M	10	10	15	16	16	24	20	17	11	9	10	10
		F	24	14	20	12	8	12	13	6	9	11	7	6
E990-E999	Injury resulting from operations of war	M	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-

\* The number of deaths assigned to this cause which occurred in 1965 and were registered after 31st March 1966 were: June 1M, August 1F, October 1M, November 1F, December 1M, 2F.

TABLE 22 SUPPLEMENT. Causes of accidental death occurring in the home and residential institutions by month of occurrence, January to December, 1966

England and Wales

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
E870-E936	All accidents in the home and residential institutions	M	334	256	236	264	220	160	206	200	180	218	245	258
		F	598	412	433	423	335	293	290	294	324	368	433	462
E870-E888	Accidental poisoning by solid and liquid substances	M	26	20	25	24	21	22	25	22	27	30	20	18
		F	37	21	47	27	24	22	23	26	23	32	33	34
E890-E895	Accidental poisoning by gases and vapours	M	57	41	32	40	28	17	23	18	16	24	50	32
		F	92	43	35	44	30	15	21	32	32	45	48	32
E900	Fall on stairs	M	39	32	25	31	20	17	18	14	16	26	26	34
		F	45	45	40	29	27	32	20	30	40	29	43	44
E901	Fall from ladders	M	1	2	1	4	2	2	3	2	4	5	-	3
		F	-	-	-	-	-	-	1	-	-	3	1	1
E902	Other falls from one level to another	M	12	9	11	21	9	12	16	14	14	15	12	15
		F	19	8	21	24	16	16	13	17	18	16	16	11
E903	Fall on same level	M	58	54	45	62	52	28	45	46	29	42	55	58
		F	190	145	151	175	141	140	126	126	126	150	171	175
E904	Unspecified falls	M	17	11	16	11	9	7	16	12	7	9	16	10
		F	71	62	52	37	29	30	37	20	30	28	28	48
E914	Accident caused by electric current	M	2	-	1	3	3	2	3	5	2	3	3	1
		F	1	1	1	6	3	1	1	2	3	2	1	2
E916	Accident caused by fire and explosion of combustible material	M	46	23	30	26	26	8	16	11	17	15	18	37
		F	73	47	48	45	26	11	13	11	23	33	57	61
E917	Accident caused by hot substance, corrosive liquid, and steam	M	6	5	5	2	3	1	3	-	4	1	-	1
		F	3	5	2	5	1	1	5	3	3	3	6	7
E921	Inhalation and ingestion of food causing obstruction or suffocation	M	28	29	21	21	17	18	16	15	18	18	25	24
		F	35	15	15	19	17	11	18	16	10	9	19	20
E924	Accidental mechanical suffocation in bed and cradle	M	9	6	6	8	6	6	5	9	11	6	8	9
		F	9	3	3	4	5	2	3	4	3	8	5	3
E929	Accidental drowning and submersion	M	3	3	3	1	6	6	3	7	3	1	2	2
		F	4	2	4	-	7	5	5	5	2	2	2	5
Rem. E870-E936	All other accidents	M	30	21	15	10	18	14	14	25	12	23	10	14
		F	19	15	14	8	9	7	4	2	11	8	3	19

TABLE 23. Stillbirths by sex and legitimacy (with rates per 1,000 total births), 1966

England and Wales, regions, Wales, conurbations hospital regions, Greater London, City of London, London and county boroughs, urban and rural aggregates in each administrative county

Area	Legitimate		Illegitimate		Total	Stillbirths per 1,000 total births
	M	F	M	F		
SUMMARY						
ENGLAND AND WALES	6,208	5,767	649	619	13,243	15
Regions and conurbations:						
Northern	461	416	44	42	963	17
Tyneside Conurbation	116	101	9	15	241	17
Remainder of Northern	345	315	35	27	722	17
Yorkshire and Humberside	619	607	72	70	1,368	16
West Yorkshire Conurbation	242	197	19	39	497	16
Remainder of Yorkshire and Humberside	377	410	53	31	871	16
North Western	999	949	111	91	2,150	17
South East Lancashire Conurbation	361	356	45	45	807	18
Merseyside Conurbation	246	214	26	12	498	19
Remainder of North Western	392	379	40	34	845	16
East Midland	417	401	43	46	907	15
West Midland	791	714	55	60	1,620	17
West Midlands Conurbation	384	340	26	32	782	17
Remainder of West Midland	407	374	29	28	838	17
East Anglia	176	160	19	13	368	14
South Eastern	1,956	1,720	235	226	4,137	14
Greater London	942	815	150	124	2,031	14
Outer Metropolitan Area	596	517	43	49	1,205	13
Remainder of South Eastern	418	388	42	53	901	13
South Western	405	399	37	39	880	14
Wales	384	401	33	32	850	19
Wales I (South East)	280	297	24	23	624	19
Wales II (remainder)	104	104	9	9	226	18
Urban/Rural aggregates:						
Conurbations	2,291	2,023	275	267	4,856	16
Areas outside conurbations:						
Urban areas with populations of 100,000 and over	787	760	87	93	1,727	16
Urban areas with populations of 50,000 and under 100,000	641	536	81	60	1,318	16
Urban areas with populations under 50,000	1,341	1,227	110	116	2,794	15
Rural districts	1,148	1,221	96	83	2,548	14
Hospital regions:						
Newcastle	436	394	40	36	906	17
Leeds	413	355	48	59	875	16
Sheffield	602	628	63	56	1,349	16
East Anglia	182	167	19	13	381	14
North West Metropolitan	467	448	68	58	1,041	13
North East Metropolitan	411	329	42	45	827	14
South East Metropolitan	372	341	47	47	807	14
South West Metropolitan	385	304	56	42	787	14
Wessex	210	193	18	23	444	13
Oxford	221	208	16	20	465	13
South Western	331	332	31	37	731	14
Welsh	384	401	33	32	850	19
Birmingham	791	714	55	60	1,620	17
Manchester	635	620	72	72	1,399	17
Liverpool	368	333	41	19	761	18

TABLE 23 - continued

Area	Legitimate		Illegitimate		Total	Still- births per 1,000 total births	Area	Legitimate		Illegitimate		Total	Still- births per 1,000 total births
	M	F	M	F				M	F	M	F		
GREATER LONDON, CITY OF LONDON, LONDON AND COUNTY BOROUGH													
Greater London	942	815	150	124	2,031	14							
City of London	2	-	-	-	2	63	Dewsbury	8	9	1	2	20	22
							Doncaster	9	10	-	2	21	15
London Boroughs:							Dudley	24	19	-	-	43	15
Barking	19	13	-	2	34	14	Eastbourne	3	1	-	1	5	7
Barnet	34	26	5	1	66	14	Exeter	9	4	-	-	13	9
Bexley	22	23	1	1	47	12	Gateshead	13	12	1	2	28	15
Brent	36	38	9	7	90	14							
Bromley	32	31	6	2	71	15	Gloucester	6	11	1	1	19	13
							Great Yarmouth	7	8	1	-	16	22
Camden	22	18	5	5	50	13	Grimsby	18	17	3	2	40	22
Croydon	30	30	6	2	68	12	Halifax	17	8	1	2	28	16
Ealing	47	37	1	7	92	16	Hastings	6	7	2	1	16	17
Enfield	28	20	2	2	52	12							
Greenwich	25	27	3	4	59	16	Huddersfield	13	24	2	2	41	17
							Ipswich	14	11	4	1	30	14
Hackney	41	32	11	7	91	16	Kingston upon Hull	41	34	8	3	86	15
Hammersmith	24	23	4	9	60	14	Leeds	81	53	6	12	152	16
Haringey	34	32	8	4	78	14	Leicester	38	34	6	7	85	16
Harrow	24	19	4	3	50	15							
Havering	32	25	1	2	60	14	Lincoln	10	5	2	2	19	14
							Liverpool	128	128	15	5	276	20
Hillingdon	21	24	1	2	48	12	Luton	19	31	3	2	55	15
Hounslow	18	20	1	2	41	11	Manchester	80	107	18	15	220	18
Islington	29	24	9	6	68	11	Middlesbrough	29	20	5	3	57	18
Kensington and Chelsea	20	15	11	2	48	14							
							Newcastle upon Tyne	32	28	2	6	68	16
Kingston upon Thames	22	16	1	-	39	17	Northampton	10	15	2	3	30	13
Lambeth	54	43	15	2	114	15	Norwich	12	11	2	3	28	15
Lewisham	37	37	7	5	86	15	Nottingham	49	36	4	3	92	15
Merton	19	9	4	-	32	11	Oldham	14	9	1	2	26	13
Newham	41	31	5	6	83	15	Oxford	6	4	2	1	13	8
Redbridge	27	18	3	5	53	13	Plymouth	23	24	2	-	49	13
Richmond upon Thames	19	12	2	1	34	12	Portsmouth	29	23	3	6	61	17
Southwark	40	34	8	8	90	15	Preston	21	13	1	4	39	20
							Reading	19	17	-	4	40	16
Sutton	20	13	-	1	34	14							
Tower Hamlets	26	29	4	5	64	17	Rochdale	16	13	4	4	37	22
Waltham Forest	27	33	3	4	67	16	Rotherham	15	20	2	2	39	24
Wandsworth	52	42	5	8	107	16	St. Helens	21	21	1	4	47	26
Westminster, City of	18	21	5	9	53	14	Salford	23	28	3	4	58	21
							Sheffield	55	78	8	5	146	17
County boroughs	1,949	1,814	225	225	4,213	17	*Smethwick	1	-	-	-	1	3
Barnsley	12	8	1	-	21	14	Solihull	9	4	-	1	14	9
Barrow-in-Furness	8	9	3	-	20	17	Southampton	18	22	1	1	42	11
Bath	12	9	2	2	25	21	Southend-on-Sea	22	14	2	-	38	15
Birkenhead	25	18	4	-	47	17	Southport	15	10	1	1	27	24
Birmingham	170	158	18	21	367	17							
							South Shields	15	12	1	4	32	18
Blackburn	14	12	2	1	29	16	Stockport	27	22	2	5	56	22
Blackpool	7	12	1	4	24	12	Stoke-on-Trent	41	39	1	5	86	19
Bolton	22	19	2	2	45	16	Sunderland	35	33	1	1	70	20
Bootle	20	9	2	-	31	20	Tynemouth	12	9	3	1	25	18
Bournemouth	12	10	3	-	25	13							
							Wakefield	6	5	-	2	13	14
Bradford	45	37	6	10	98	18	Wallasey	13	12	3	2	30	17
Brighton	10	10	2	3	25	10	Walsall	36	30	2	1	69	21
Bristol	48	50	2	8	108	15	† Warley	15	18	1	1	35	15
Burnley	10	10	1	4	25	20	Warrington	14	7	3	-	24	17
Burton upon Trent	11	8	-	1	20	19							
							West Bromwich	32	25	-	1	58	20
Bury	14	15	1	1	31	23	West Hartlepool	10	13	-	-	23	15
Canterbury	1	2	1	-	4	8	Wigan	6	9	1	-	16	12
Carlisle	12	10	4	-	26	20	Wolverhampton	46	33	4	7	90	19
Chester	6	10	3	-	19	17	Worcester	15	11	1	-	27	21
Coventry	48	44	5	3	100	15	York	8	15	4	4	31	18
Darlington	12	9	4	1	26	18	Cardiff	41	37	4	5	87	18
Derby	23	20	1	3	47	19	Merthyr Tydfil	18	9	1	1	29	28
							Newport, Mon.	10	15	3	1	29	13
							Swansea	24	28	2	1	55	20

\* Area abolished 1st April 1966. Figures relate to January - March 1966.

† Area created 1st April 1966. Figures relate to April - December 1966.

TABLE 23 - continued

Area		Legitimate		Illegitimate		Total	Still- births per 1,000 total births	Area		Legitimate		Illegitimate		Total	Still- births per 1,000 total births
		M	F	M	F					M	F	M	F		
ADMINISTRATIVE COUNTIES															
Note. The following figures relate to aggregates of urban districts (including municipal boroughs, but excluding county boroughs) and of rural districts in each administrative county.															
Bedfordshire	U.D.	15	18	2	2	37	12	Shropshire	U.D.	22	25	1	-	48	17
	R.D.	15	13	1	1	30	11		R.D.	27	22	3	2	54	18
Berkshire	U.D.	18	17	3	-	38	14	Somerset	U.D.	32	25	1	5	63	14
	R.D.	43	39	2	3	87	13		R.D.	29	32	2	-	63	13
Buckinghamshire	U.D.	29	34	3	3	69	12	Staffordshire	U.D.	84	87	4	7	182	18
	R.D.	33	28	-	1	62	13		R.D.	48	47	1	2	98	17
Cambridgeshire	U.D.	21	13	1	1	36	16	Suffolk, East	U.D.	10	8	1	2	21	12
and Isle of Ely	R.D.	17	16	2	1	36	15		R.D.	13	9	2	-	24	11
Cheshire	U.D.	101	99	8	11	219	15	Suffolk, West	U.D.	6	8	-	-	14	13
	R.D.	27	23	2	-	52	13		R.D.	9	8	-	-	17	10
Cornwall	U.D.	23	32	4	4	63	20	Surrey	U.D.	85	60	3	8	156	12
	R.D.	20	22	4	-	46	20		R.D.	22	13	1	2	38	12
Cumberland	U.D.	14	11	3	1	29	19	Sussex, East	U.D.	18	15	2	1	36	11
	R.D.	15	17	1	-	33	15		R.D.	18	18	-	1	37	14
Derbyshire	U.D.	51	36	5	4	96	15	Sussex, West	U.D.	19	22	2	5	48	12
	R.D.	53	63	5	5	126	17		R.D.	12	16	2	-	30	12
Devon	U.D.	18	23	2	3	46	11	Warwickshire	U.D.	56	44	6	1	107	16
	R.D.	20	30	2	2	54	13		R.D.	24	27	1	2	54	13
Dorset	U.D.	22	25	3	-	50	15	Westmorland	U.D.	4	3	2	-	9	18
	R.D.	10	13	1	1	25	12		R.D.	2	3	-	-	5	10
Durham	U.D.	107	97	7	7	218	19	Wight, Isle of	U.D.	9	6	-	-	15	12
	R.D.	34	39	2	3	78	14		R.D.	1	3	-	-	4	15
Essex	U.D.	104	66	8	8	186	13	Wiltshire	U.D.	37	33	3	2	75	17
	R.D.	28	32	3	3	66	12		R.D.	33	22	2	1	58	13
Gloucestershire	U.D.	20	15	3	6	44	13	Worcestershire	U.D.	45	35	3	4	87	16
	R.D.	54	43	3	4	104	14		R.D.	20	18	2	-	40	18
Hampshire	U.D.	86	54	6	9	155	14	Yorkshire, E.R.	U.D.	13	8	-	1	22	11
	R.D.	32	43	4	8	87	13		R.D.	17	14	5	-	36	18
Herefordshire	U.D.	7	7	1	1	16	12	Yorkshire, N.R.	U.D.	28	15	6	6	55	12
	R.D.	10	13	1	-	24	21		R.D.	27	21	1	5	54	15
Hertfordshire	U.D.	60	71	4	5	140	12	Yorkshire, W.R.	U.D.	167	137	17	13	334	15
	R.D.	19	20	2	1	42	11		R.D.	45	75	1	6	127	13
Huntingdon and Peterborough	U.D.	9	13	2	2	26	11	Anglesey	U.D.	5	1	-	-	6	14
	R.D.	7	8	-	1	16	13		R.D.	4	5	-	1	10	15
Kent	U.D.	118	84	6	13	221	14	Breconshire	U.D.	3	1	1	-	5	20
	R.D.	42	52	9	7	110	13		R.D.	6	6	1	1	14	25
Lancashire	U.D.	309	276	26	21	632	18	Caernarvonshire	U.D.	5	5	1	-	11	10
	R.D.	42	53	2	-	97	14		R.D.	6	3	-	2	11	17
Leicestershire	U.D.	30	25	1	1	57	15	Cardiganshire	U.D.	3	1	-	-	4	15
	R.D.	36	30	2	3	71	16		R.D.	9	8	1	-	18	35
Lincolnshire	U.D.	4	8	-	-	12	17	Carmarthenshire	U.D.	8	6	-	-	14	17
(Holland)	R.D.	4	6	2	1	13	14		R.D.	14	12	1	1	28	19
Lincolnshire	U.D.	3	3	-	-	6	6	Denbighshire	U.D.	11	14	2	1	28	20
(Kesteven)	R.D.	10	10	-	3	23	12		R.D.	12	15	3	1	31	21
Lincolnshire	U.D.	26	33	2	2	63	20	Flintshire	U.D.	14	14	1	1	30	21
(Lindsey)	R.D.	23	22	5	-	50	14		R.D.	15	14	-	-	29	20
Norfolk	U.D.	9	10	2	-	21	15	Glamorgan	U.D.	78	74	5	8	165	19
	R.D.	42	37	2	2	83	16		R.D.	24	45	1	-	70	17
Northamptonshire	U.D.	22	19	3	4	48	14	Merionethshire	U.D.	1	1	-	-	2	8
	R.D.	7	7	1	1	15	7		R.D.	-	1	-	-	1	3
Northumberland	U.D.	52	48	1	1	102	17	Monmouthshire	U.D.	44	56	3	5	108	21
	R.D.	8	16	-	1	25	16		R.D.	10	8	2	-	20	17
Nottinghamshire	U.D.	58	59	7	6	130	17	Montgomeryshire	U.D.	4	1	1	1	7	24
	R.D.	21	26	3	2	52	13		R.D.	1	2	-	1	4	12
Oxfordshire	U.D.	11	6	-	1	18	13	Pembrokeshire	U.D.	8	10	-	-	18	19
	R.D.	21	20	3	1	45	13		R.D.	5	9	-	1	15	18
Rutland	U.D.	2	-	-	-	2	17	Radnorshire	U.D.	-	-	-	-	-	-
	R.D.	2	4	-	-	6	16		R.D.	1	-	-	-	1	7

**TABLE 23A. Stillbirths by cause, sex and mother's age at maternity (with, for certain selected causes, rates per 1,000 total births), 1966**

**England and Wales**

Note. In this Table stillbirths to mothers whose age was not stated have been distributed and included with those to mothers of stated ages.

ICD No.	Cause		Age of mother							
			All ages	Under 20*	20-	25-	30-	35-	40-	45 and over
Y30-Y39	ALL CAUSES	M	6,857	622	1,810	1,822	1,250	931	397	25
		F	6,386	607	1,739	1,744	1,120	827	321	28
		P	13,243	1,229	3,549	3,566	2,370	1,758	718	53
Y30	Chronic disease in mother	M	244	12	36	54	48	55	37	2
		F	174	8	24	42	37	35	24	4
Y30.0	Syphilis	M	4	1	1	-	1	-	1	-
		F	2	-	1	-	1	-	-	-
Y30.1	Tuberculosis (any form)	M	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-
Y30.2	Diabetes mellitus	M	64	4	9	14	17	13	7	-
		F	52	3	9	15	12	5	7	1
Y30.3	Chronic disease of circulatory system	M	144	3	19	31	24	38	28	1
		F	95	3	9	22	14	27	17	3
Y30.4	Chronic disease of genito-urinary system	M	12	1	3	2	2	4	-	-
		F	6	-	-	1	4	1	-	-
Y30.5	Other chronic disease	M	20	3	4	7	4	-	1	1
		F	18	1	5	4	6	2	-	-
Y31	Acute disease in mother	M	14	3	2	5	-	3	1	-
		F	24	-	6	11	2	4	1	-
Y31.0	Typhoid fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y31.1	Influenza	M	2	-	-	1	-	1	-	-
		F	10	-	3	4	-	3	-	-
Y31.2	Pneumonia (any form)	M	1	-	-	-	-	-	1	-
		F	2	-	1	1	-	-	-	-
Y31.3	Other acute respiratory disease	M	1	-	-	-	-	1	-	-
		F	1	-	-	-	1	-	-	-
Y31.4	Other acute disease or condition	M	10	3	2	4	-	1	-	-
		F	11	-	2	6	1	1	1	-
	0 Rubella	M	3	1	-	2	-	-	-	-
		F	4	-	1	3	-	-	-	-
	1 Other virus diseases	M	1	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	2 Others	M	6	1	2	2	-	1	-	-
		F	7	-	1	3	1	1	1	-
Y32	Diseases and conditions of pregnancy and childbirth	M	1,176	107	290	294	222	183	74	6
		F	902	86	239	230	163	121	58	5
Y32.0	Pregnancy interrupted by self or other person for non-therapeutic purposes	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y32.1	Ectopic gestation	M	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-
Y32.2	Haemorrhage without mention of placental condition	M	262	20	66	59	60	43	14	-
		F	186	10	58	57	33	19	8	1
Y32.3	Toxaemia with convulsions during pregnancy or labour (eclampsia)	M	33	9	4	7	10	3	-	-
		F	29	5	11	5	5	3	-	-
Y32.4	Other toxaemias of pregnancy	M	872	77	218	227	150	134	60	6
		F	672	68	166	163	125	96	50	4

\* See footnotes at end of table.

TABLE 23A - continued

ICD No.	Cause		Age of mother							
			All ages	Under 20*	20-	25-	30-	35-	40-	45 and over
Y32.5	Infection (ante- and intra-partum)	M	9	1	2	1	2	3	-	-
		F	14	3	4	4	-	3	-	-
	0 Urinary infection	M	2	-	1	-	-	1	-	-
		F	3	2	-	-	-	1	-	-
	1 Others	M	7	1	1	1	2	2	-	-
		F	11	1	4	4	-	2	-	-
Y33	Absorption of toxic substance from mother	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y33.0	Narcotic	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y33.1	Quinine	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y33.2	Other toxic substance	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y34	Difficulties in labour	M	452	45	126	109	84	64	22	2
		F	361	31	96	128	59	38	8	1
Y34.0	Difficult labour with abnormality of bones of pelvis	M	4	2	-	1	1	-	-	-
		F	2	-	1	-	1	-	-	-
Y34.1	Difficult labour with disproportion, but no mention of abnormality, of pelvis	M	153	12	45	38	32	16	10	-
		F	124	3	31	50	25	13	2	-
Y34.2	Difficult labour with malposition of foetus	M	203	24	54	50	33	32	8	2
		F	164	22	43	53	25	15	5	1
Y34.3	Difficult labour with abnormality of forces of labour	M	36	5	12	4	5	8	2	-
		F	18	3	1	10	2	2	-	-
Y34.4	Difficult labour with operative delivery	M	10	-	5	4	1	-	-	-
		F	12	2	5	3	2	-	-	-
Y34.5	Difficult labour with abnormality of organs or tissues of pelvis	M	15	1	4	2	4	3	1	-
		F	10	-	2	3	2	2	1	-
Y34.6	difficult labour without mention of underlying condition	M	31	1	6	10	8	5	1	-
		F	31	1	13	9	2	6	-	-
Y35	Other causes in mother	M	37	4	10	10	3	5	5	-
		F	20	4	3	3	4	5	1	-
Y35.0	Fall	M	11	2	4	3	-	2	-	-
		F	3	-	-	1	1	-	1	-
Y35.1	Other accident or violence	M	10	1	4	1	3	-	1	-
		F	6	2	2	-	2	-	-	-
Y35.2	Overexertion	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y35.3	Other and ill-defined causes in mother	M	16	1	2	6	-	3	4	-
		F	11	2	1	2	1	5	-	-
Y36	Placental and cord conditions	M	2,334	201	606	640	445	307	128	7
		F	1,841	146	478	512	338	262	99	6
Y36.0	Cord condition without mention of placental abnormality	M	543	55	147	134	102	72	30	3
		F	492	40	108	142	112	66	23	1
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	M	69	11	26	17	10	4	1	-
		F	78	10	9	29	20	6	4	-
	1 Prolapse of cord	M	147	13	35	34	33	27	4	1
		F	108	7	27	28	21	18	6	1
	2 Others	M	327	31	86	83	59	41	25	2
		F	306	23	72	85	71	42	13	-
	Y36.1 Placenta praevia	M	86	6	17	25	19	11	8	-
		F	48	4	9	21	5	7	2	-
Y36.2	Premature separation of normally implanted placenta	M	775	60	189	234	142	111	37	2
		F	554	36	148	162	102	78	27	1

\* See footnotes at end of table.

TABLE 23A - continued

ICD No.	Cause		Age of mother							
			All ages	Under 20*	20-	25-	30-	35-	40-	45 and over
Y36.3	Placenta praevia with cord abnormality	M	4	-	-	1	3	-	-	-
		F	4	1	1	-	1	1	-	-
Y36.4	Premature separation of normally implanted placenta with cord abnormality	M	5	-	1	1	2	1	-	-
		F	1	-	-	1	-	-	-	-
Y36.5	Placental infarct	M	136	13	41	37	26	16	3	-
		F	116	9	32	29	20	19	6	1
Y36.6	Other abnormality of placenta and cord	M	785	67	211	208	151	96	50	2
		F	626	56	180	157	98	91	41	3
Y37	Birth injury	M	121	18	32	32	20	15	4	-
		F	126	13	29	35	28	17	3	1
Y37.0	Birth injury with abnormality of bones of pelvis	M	1	-	1	-	-	-	-	-
		F	3	-	1	1	1	-	-	-
Y37.1	Birth injury with abnormality of organs or tissues of pelvis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y37.2	Birth injury with disproportion but no mention of abnormality of pelvis	M	9	-	4	1	1	2	1	-
		F	4	-	-	1	3	-	-	-
Y37.3	Birth injury with malposition of foetus	M	25	6	7	5	6	1	-	-
		F	23	2	6	6	6	3	-	-
Y37.4	Birth injury with abnormality of forces of labour	M	7	2	2	2	1	-	-	-
		F	16	3	3	4	2	4	-	-
Y37.5	Operation causing mutilation of foetus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y37.6	Other operation for delivery	M	7	2	2	1	-	2	-	-
		F	8	2	3	3	-	-	-	-
Y37.7	Birth injury with difficult labour but without mention of underlying condition	M	8	1	2	3	1	-	1	-
		F	3	-	1	2	-	-	-	-
Y37.8	Birth injury due to other or unspecified cause	M	64	7	14	20	11	10	2	-
		F	69	6	15	18	16	10	3	1
Y38	Congenital malformations of foetus	M	929	100	286	262	147	102	29	3
		F	1,535	192	503	393	238	150	57	2
Y38.0	Anencephalus	M	396	38	130	114	58	46	10	-
		F	1,027	137	339	272	152	98	29	-
	0 With mention of spina bifida or synonym	M	53	7	19	11	7	9	-	-
		F	139	23	45	32	21	16	2	-
	1 Without mention of spina bifida or synonym	M	343	31	111	103	51	37	10	-
		F	888	114	294	240	131	82	27	-
Y38.1	Hydrocephalus	M	209	24	68	56	30	22	9	-
		F	154	16	44	41	27	18	7	1
Y38.2	Spina bifida	M	129	14	35	37	26	15	2	-
		F	175	19	70	38	28	13	7	-
	0 With mention of hydrocephalus	M	84	9	25	21	18	9	2	-
		F	120	13	50	24	22	7	4	-
	1 Without mention of hydrocephalus	M	45	5	10	16	8	6	-	-
		F	55	6	20	14	6	6	3	-
Y38.3	Other malformation of the central nervous system	M	36	7	9	8	6	3	2	1
		F	55	7	9	12	9	11	7	-
	0 Mongolism	M	10	1	-	1	3	2	2	1
		F	13	1	-	2	1	3	6	-
	1 Microcephaly	M	7	-	4	2	-	1	-	-
		F	8	-	1	1	2	4	-	-
	2 Others	M	19	6	5	5	3	-	-	-
		F	34	6	8	9	6	4	1	-

\* See footnotes at end of table.

TABLE 23A - continued

ICD No.	Cause		Age of mother							
			All ages	Under 20*	20-	25-	30-	35-	40-	45 and over
Y38.4	Malformation of the cardiovascular system	M	32	2	6	12	4	6	2	-
		F	29	2	10	5	7	2	3	-
	0 Tetralogy of Fallot	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-
	1 Patent ductus arteriosus	M	5	-	-	3	-	2	-	-
		F	2	1	-	-	1	-	-	-
	2 Interventricular septal defect	M	8	1	1	1	2	2	1	-
		F	9	-	2	1	2	2	2	-
	3 Interauricular septal defect	M	1	-	1	-	-	-	-	-
		F	4	-	4	-	-	-	-	-
	4 Fibroelastosis cordis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	5 Other malformations of heart	M	14	1	2	7	1	2	1	-
		F	7	1	2	-	3	-	1	-
	6 Coarctation of aorta	M	1	-	1	-	-	-	-	-
		F	2	-	-	2	-	-	-	-
	7 other circulatory malformations	M	3	-	1	1	1	-	-	-
		F	4	-	2	2	-	-	-	-
Y38.5	Malformation of other specified system	M	80	9	26	18	18	6	1	2
		F	52	7	18	14	6	4	3	-
	0 Digestive system	M	13	2	4	4	2	1	-	-
		F	3	-	-	1	-	2	-	-
	1 Genito-urinary system	M	21	1	6	6	4	3	1	-
		F	11	1	4	3	2	-	1	-
	2 Dwarf	M	2	1	-	-	1	-	-	-
		F	2	-	1	-	1	-	-	-
	3 Other skeletal	M	16	1	4	4	5	1	-	1
		F	20	4	8	5	2	-	1	-
	4 Respiratory system	M	2	1	-	1	-	-	-	-
		F	1	-	1	-	-	-	-	-
	5 Skin	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	6 Muscle	M	6	-	3	2	-	1	-	-
		F	-	-	-	-	-	-	-	-
	7 Others	M	20	3	9	1	6	-	-	1
		F	15	2	4	5	1	2	1	-
Y38.6	Monster	M	3	1	1	1	-	-	-	-
		F	13	-	5	6	2	-	-	-
	0 Double monster	M	1	1	-	-	-	-	-	-
		F	5	-	3	2	-	-	-	-
	1 Monster N.O.S.	M	-	-	-	-	-	-	-	-
		F	3	-	1	2	-	-	-	-
	2 Others	M	2	-	1	1	-	-	-	-
		F	5	-	1	2	2	-	-	-
Y38.7	Other and unspecified malformations	M	44	5	11	16	5	4	3	-
		F	30	4	8	5	7	4	1	1
Y39	Diseases of foetus and ill-defined causes	M	1,550	132	422	416	281	197	97	5
		F	1,403	127	361	390	251	195	70	9
Y39.0	Syphilis	M	1	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y39.1	Infection other than syphilis	M	6	-	3	1	1	1	-	-
		F	7	-	1	2	2	2	-	-
Y39.2	Erythroblastosis	M	303	7	64	89	62	54	25	2
		F	282	6	52	103	66	40	15	-

\* See footnotes at end of table.

TABLE 23A - continued

ICD No.	Cause	Age of mother								
		All ages	Under 20*	20-	25-	30-	35-	40-	45 and over	
Y39.3	Other cause originated in the foetus	M	15	4	1	3	4	2	-	1
		F	13	-	4	4	2	2	1	-
Y39.4	Maceration, cause not specified	M	409	38	112	110	72	46	30	1
		F	371	30	106	108	56	44	20	7
Y39.5	Other ill-defined cause	M	461	49	135	120	79	62	15	1
		F	413	45	114	94	76	62	21	1
	0 Asphyxia	M	219	21	61	57	48	25	6	1
		F	191	19	53	48	34	26	11	-
	1 Atelectasis	M	57	7	17	14	7	9	3	-
		F	38	4	12	7	6	7	2	-
	2 Post-maturity	M	44	-	12	18	6	6	2	-
		F	42	4	14	8	8	8	-	-
	3 Prematurity	M	97	16	34	19	9	15	4	-
		F	78	13	21	18	16	8	2	-
	4 Others	M	44	5	11	12	9	7	-	-
		F	64	5	14	13	12	13	6	1
Y39.6	Cause unspecified	M	355	34	106	93	63	32	27	-
		F	317	46	84	79	49	45	13	1
Total live and still births		M	444,119	45,346	148,649	132,505	71,509	35,477	9,927	706
		F	418,947	42,629	140,708	124,804	67,267	33,317	9,505	717
		P	863,066	87,975	289,357	257,309	138,776	68,794	19,432	1,423

## Stillbirths per 1,000 total births

Y30-Y39	All causes	M	15.4	13.7	12.2	13.8	17.5	26.2	40.0	35.4
		F	15.2	14.2	12.4	14.0	16.7	24.8	33.8	39.1
		P	15.3	14.0	12.3	13.9	17.1	25.6	36.9	37.2
Y30-Y35	Maternal conditions		3.9	3.4	2.9	3.4	4.5	7.5	11.9	14.1
Y30.2	Diabetes		0.1	0.1	0.1	0.1	0.2	0.3	0.7	0.7
Y30.3	Circulatory		0.3	0.1	0.1	0.2	0.3	0.9	2.3	2.8
Y32	Diseases of pregnancy		2.4	2.2	1.8	2.0	2.8	4.4	6.8	7.7
Y32.2	Haemorrhage N.E.C.		0.5	0.3	0.4	0.5	0.7	0.9	1.1	0.7
Y32.4	Other toxæmia		1.8	1.6	1.3	1.5	2.0	3.3	5.7	7.0
Y34	Difficulties in labour		0.9	0.9	0.8	0.9	1.0	1.5	1.5	2.1
Y34.2	Malposition		0.4	0.5	0.3	0.4	0.4	0.7	0.7	2.1
Y34.3	Abnormal forces		0.1	0.1	0.0	0.1	0.1	0.1	0.1	-
Y36	Placental and cord conditions		4.8	3.9	3.7	4.5	5.6	8.3	11.7	9.7
Y36.1	Placenta prævia		0.2	0.1	0.1	0.2	0.2	0.3	0.5	-
Y36.2	Placenta and placental separation		1.5	1.1	1.2	1.5	1.8	2.7	3.3	2.1
Y36.5	Placental infarct		0.3	0.3	0.3	0.3	0.3	0.5	0.5	0.7
Y37-Y39	Foetal conditions		6.6	6.6	5.6	5.9	7.0	9.8	13.4	14.1
Y37	Birth injury		0.3	0.4	0.2	0.3	0.3	0.5	0.4	0.7
Y38	Congenital malformation		2.9	3.3	2.7	2.5	2.8	3.7	4.4	3.5
Y38.0	Anencephalus		1.6	2.0	1.6	1.5	1.5	2.1	2.0	-
Y38.1	Hydrocephalus		0.4	0.5	0.4	0.4	0.4	0.6	0.8	0.7
Y38.2	Spina bifida		0.4	0.4	0.4	0.3	0.4	0.4	0.5	-
Y39	Other and ill-defined causes		3.4	2.9	2.7	3.1	3.8	5.7	8.6	9.8
Y39.2	Erythroblastosis		0.7	0.1	0.4	0.7	0.9	1.4	2.1	1.4
Y39.6	Unspecified		0.8	0.9	0.7	0.7	0.8	1.1	2.1	0.7

\* Including the following stillbirths where the mother's age was under 16 years: Y32 Diseases and conditions of pregnancy 2M, 5F; Y32.4 Other toxæmias of pregnancy 2M, 5F; Y34 Difficulties in labour 1F; Y34.2 Difficult labour with malposition of foetus 1F; Y36 Placental and cord conditions 3M, 2F; Y36.0 Cord condition without mention of placental abnormality 2M; Y36.2 Premature separation of normally implanted placenta 2F; Y36.6 Other abnormality of placenta and cord 1M; Y38 Congenital malformations of foetus 3M, 3F; Y38.0 Anencephalus 2M, 2F; Y38.3 Other malformation of the central nervous system 1F; Y38.5 Malformation of other specified system 1M; Y39 Diseases of foetus and ill-defined causes 2M, 5F; Y39.4 Maceration, cause not specified 2F; Y39.6 Cause unspecified 2M, 3F.

TABLE 23B. Legitimate stillbirths by cause and parity of mother (with, for certain selected causes, rates per 1,000 total births), 1966

England and Wales

ICD No.	Cause	Number of previous children of all marriages, live and still born												
		Total	0	1	2	3	4	5	6	7	8	9	10 and over	
Y30-Y39	ALL CAUSES	M 6,208 F 5,767 P 11,975	2,420 2,174 4,594	1,360 1,303 2,663	946 939 1,885	661 574 1,235	338 309 647	205 192 397	110 98 208	69 76 145	42 44 86	24 24 48	33 34 67	
Y30	Chronic disease in mother	387	143	81	61	35	25	18	9	1	9	4		
Y30.0	Syphilis	3	-	1	-	1	-	-	1	-	-	-	-	
Y30.1	Tuberculosis (any form)	-	-	-	-	-	-	-	-	-	-	-	-	
Y30.2	Diabetes mellitus	111	39	28	20	4	8	5	1	-	4	1	1	
Y30.3	Chronic disease of circulatory system	224	81	44	35	22	15	13	6	1	5	2	-	
Y30.4	Chronic disease of genito-urinary system	16	9	1	2	4	-	-	-	-	-	-	-	
Y30.5	Other chronic disease	33	14	7	4	4	2	-	1	-	-	1	-	
Y31	Acute disease in mother	36	13	6	7	6	1	-	-	2	1	-	-	
Y31.0	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	
Y31.1	Influenza	12	6	2	2	2	-	-	-	-	-	-	-	
Y31.2	Pneumonia (any form)	2	-	1	-	-	-	-	-	1	-	-	-	
Y31.3	Other acute respiratory disease	2	-	-	-	-	-	-	-	1	1	-	-	
Y31.4	Other acute disease or condition	20	7	3	5	4	1	-	-	-	-	-	-	
	0 Rubella	7	2	1	2	2	-	-	-	-	-	-	-	
	1 Other virus diseases	1	1	-	-	-	-	-	-	-	-	-	-	
	2 Others	12	4	2	3	2	1	-	-	-	-	-	-	
Y32	Diseases and conditions of pregnancy and childbirth	1,884	894	361	257	160	75	58	30	15	18	6	10	
Y32.0	Pregnancy interrupted by self or other persons for non-therapeutic purposes	-	-	-	-	-	-	-	-	-	-	-	-	
Y32.1	Ectopic gestation	1	-	1	-	-	-	-	-	-	-	-	-	
Y32.2	Haemorrhage without mention of placental condition	404	119	98	78	45	24	20	8	2	6	-	4	
Y32.3	Toxaemia with convulsions during pregnancy or labour (eclampsia)	52	33	9	7	-	2	1	-	-	-	-	-	
Y32.4	Other toxæmias of pregnancy	1,409	732	251	169	114	48	37	22	13	12	6	6	
Y32.5	Infection (ante- and intra-partum)	18	10	2	4	1	1	-	-	-	-	-	-	
	0 Urinary infection	4	3	-	1	-	-	-	-	-	-	-	-	
	1 Others	14	7	2	3	1	1	-	-	-	-	-	-	
Y33	Absorption of toxic substance from mother	-	-	-	-	-	-	-	-	-	-	-	-	
Y33.0	Narcotic	-	-	-	-	-	-	-	-	-	-	-	-	
Y33.1	Quinine	-	-	-	-	-	-	-	-	-	-	-	-	
Y33.2	Other toxic substance	-	-	-	-	-	-	-	-	-	-	-	-	
Y34	Difficulties in labour	724	260	182	99	85	43	22	10	9	7	2	5	
Y34.0	Difficult labour with abnormality of bones of pelvis	5	4	-	1	-	-	-	-	-	-	-	-	
Y34.1	Difficult labour with disproportion, but no mention of abnormality, of pelvis	250	81	78	33	24	15	6	2	5	3	1	2	
Y34.2	Difficult labour with malposition of foetus	324	116	72	50	38	23	9	8	2	3	1	2	
Y34.3	Difficult labour with abnormality of forces of labour	48	20	11	3	7	3	3	-	1	-	-	-	
Y34.4	Difficult labour with operative delivery	21	15	3	2	-	-	-	-	1	-	-	-	
Y34.5	Difficult labour with abnormality of organs or tissues of pelvis	21	5	6	1	4	1	3	-	-	-	-	1	
Y34.6	Difficult labour without mention of underlying condition	55	19	12	9	12	1	1	-	-	1	-	-	
Y35	Other causes in mother	50	17	11	9	6	4	2	-	-	1	-	-	
Y35.0	Fall	13	6	3	-	3	1	-	-	-	-	-	-	
Y35.1	Other accident or violence	14	5	2	4	2	-	1	-	-	-	-	-	
Y35.2	Overexertion	-	-	-	-	-	-	-	-	-	-	-	-	
Y35.3	Other and ill-defined causes in mother	23	6	6	5	1	3	1	-	-	1	-	-	
Y36	Placental and cord conditions	3,788	1,379	822	595	411	236	137	80	49	30	19	30	
Y36.0	Cord condition without mention of placental abnormality	936	324	233	149	96	57	27	19	11	8	6	6	
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	130	45	44	18	12	6	2	-	1	2	-	-	
	1 Prolapse of cord	233	70	48	43	30	14	6	6	7	5	2	2	
	2 Others	573	209	141	88	54	37	19	13	3	1	4	4	
Y36.1	Placenta praevia	120	19	25	32	26	9	5	1	1	2	-	-	
Y36.2	Premature separation of normally implanted placenta	1,210	369	249	198	155	91	46	38	26	13	10	15	

TABLE 23B - continued

ICD No.	Cause	Number of previous children of all marriages, live and still born											
		Total	0	1	2	3	4	5	6	7	8	9	10 and over
Y36.3	Placenta praevia with cord abnormality	8	1	1	3	-	3	-	-	-	-	-	-
Y36.4	Premature separation of normally implanted placenta with cord abnormality	6	1	3	2	-	-	-	-	-	-	-	-
Y36.5	Placental infarct	217	93	38	36	18	14	12	3	2	1	-	-
Y36.6	Other abnormality of placenta and cord	1,291	572	273	175	116	62	47	19	9	6	3	9
Y37	Birth injury	218	105	51	27	13	8	4	4	3	1	-	2
Y37.0	Birth injury with abnormality of bones of pelvis	3	1	2	-	-	-	-	-	-	-	-	-
Y37.1	Birth injury with abnormality of organs or tissues of pelvis	-	-	-	-	-	-	-	-	-	-	-	-
Y37.2	Birth injury with disproportion but no mention of abnormality of pelvis	13	6	5	2	-	-	-	-	-	-	-	-
Y37.3	Birth injury with malposition of foetus	43	21	10	5	3	-	-	3	-	1	-	-
Y37.4	Birth injury with abnormality of forces of labour	19	8	3	2	1	3	2	-	-	-	-	-
Y37.5	Operation causing mutilation of foetus	-	-	-	-	-	-	-	-	-	-	-	-
Y37.6	Other operation for delivery	11	9	1	1	-	-	-	-	-	-	-	-
Y37.7	Birth injury with difficult labour but without mention of underlying condition	9	5	1	2	-	-	-	-	1	-	-	-
Y37.8	Birth injury due to other or unspecified cause	120	55	29	15	9	5	2	1	2	-	-	2
Y38	Congenital malformation of foetus	2,256	924	567	345	191	108	48	29	21	7	8	8
Y38.0	Anencephalus	1,310	556	304	211	117	61	31	12	11	3	2	2
	0 With mention of spina bifida or synonym	173	84	34	23	19	10	2	1	-	-	-	-
	1 Without mention of spina bifida or synonym	1,137	472	270	188	98	51	29	11	11	3	2	2
Y38.1	Hydrocephalus	325	127	95	38	32	14	5	8	2	-	2	2
Y38.2	Spina bifida	280	124	67	37	16	16	4	5	4	-	3	4
	0 With mention of hydrocephalus	189	83	45	27	9	12	3	3	2	-	2	3
	1 Without mention of hydrocephalus	91	41	22	10	7	4	1	2	2	-	1	1
Y38.3	Other malformation of the central nervous system	83	26	22	15	7	5	4	1	1	1	1	-
	0 Mongolism	21	3	6	6	1	2	2	-	1	-	-	-
	1 Microcephaly	14	4	3	2	4	-	-	-	-	1	-	-
	2 Others	48	19	13	7	2	3	2	1	-	-	1	-
Y38.4	Malformation of the cardiovascular system	55	17	15	9	8	4	1	-	1	-	-	-
	0 Tetralogy of Fallot	1	-	1	-	-	-	-	-	-	-	-	-
	1 Patent ductus arteriosus	7	2	3	1	-	1	-	-	-	-	-	-
	2 Interventricular septal defect	16	3	3	2	6	1	-	-	1	-	-	-
	3 Interatrial septal defect	4	2	1	-	1	-	-	-	-	-	-	-
	4 Fibroelastosis cordis	-	-	-	-	-	-	-	-	-	-	-	-
	5 Other malformations of heart	19	9	4	3	1	1	1	-	-	-	-	-
	6 Coarctation of aorta	2	-	1	1	-	-	-	-	-	-	-	-
	7 Other circulatory malformations	6	1	2	2	-	1	-	-	-	-	-	-
Y38.5	Malformation of other specified system or part	118	43	36	23	6	5	2	-	1	2	-	-
	0 Digestive system	15	5	3	6	1	-	-	-	-	-	-	-
	1 Genito-urinary system	31	11	11	5	1	2	-	-	-	1	-	-
	2 Dwarf	3	1	-	-	1	-	-	-	1	-	-	-
	3 Other skeletal	31	10	8	8	1	2	1	-	-	1	-	-
	4 Respiratory system	2	1	-	1	-	-	-	-	-	-	-	-
	5 Skin	-	-	-	-	-	-	-	-	-	-	-	-
	6 Muscle	6	1	4	-	-	-	1	-	-	-	-	-
	7 Others	30	14	10	3	2	1	-	-	-	-	-	-
Y38.6	Monster	16	5	5	4	1	1	-	-	-	-	-	-
	0 Double monster	6	4	2	-	-	-	-	-	-	-	-	-
	1 Monster N.O.S.	3	-	1	2	-	-	-	-	-	-	-	-
	2 Others	7	1	2	2	1	1	-	-	-	-	-	-
Y38.7	Other and unspecified malformations	69	26	23	8	4	2	1	3	1	1	-	-
Y39	Diseases of foetus and ill-defined causes	2,632	859	582	485	328	147	108	46	45	12	9	11
Y39.0	Syphilis	-	-	-	-	-	-	-	-	-	-	-	-
Y39.1	Infection other than syphilis	10	2	2	4	-	1	-	1	-	-	-	-
Y39.2	Erythroblastosis	559	38	150	140	116	43	43	15	10	3	1	-
Y39.3	Other cause originated in the foetus	25	10	7	1	5	2	-	-	-	-	-	-
Y39.4	Maceration, cause not specified	695	262	155	114	75	36	22	8	10	4	2	5
Y39.5	Other ill-defined cause	766	312	150	131	73	39	25	9	16	4	4	4
	0 Asphyxia	364	152	74	65	30	19	9	5	4	-	2	4
	1 Atelectasis	85	41	13	17	4	1	3	-	3	3	-	-
	2 Post-maturity	81	35	10	14	9	4	4	2	3	-	-	-
	3 Prematurity	140	57	28	24	11	7	8	2	1	1	1	-
	4 Others	96	27	25	11	19	7	1	-	5	-	1	-
Y39.6	Cause unspecified	577	235	118	95	59	25	18	13	9	1	2	2
Total legitimate live and still births		M 409,084	148,583	127,661	68,092	32,397	15,522	7,978	4,051	2,194	1,207	620	779
		F 385,658	139,665	120,026	64,690	30,543	14,763	7,446	3,914	2,157	1,104	657	693
		P 794,742	288,248	247,687	132,782	62,940	30,285	15,424	7,965	4,351	2,311	1,277	1,472

TABLE 23B - continued

ICD No.	Cause	Number of previous children of all marriages, live and still born												
		Total	0	1	2	3	4	5	6	7	8	9	10 and over	
Stillbirths per 1,000 total births														
Y30-Y39	All causes	M	15.2	16.3	10.7	13.9	20.4	21.8	25.7	27.2	31.4	34.8	38.7	42.4
		F	15.0	15.6	10.9	14.5	18.8	20.9	25.8	25.0	35.2	39.9	36.5	49.1
		P	15.1	15.9	10.8	14.2	19.6	21.4	25.7	26.1	33.3	37.2	37.6	45.5
Y30-Y35	Maternal conditions		3.9	4.6	2.6	3.3	4.6	4.9	6.5	6.2	6.2	15.6	9.4	10.9
Y30.2	Diabetes		0.1	0.1	0.1	0.2	0.1	0.3	0.3	0.1	-	1.7	0.8	0.7
Y30.3	Circulatory		0.3	0.3	0.2	0.3	0.3	0.5	0.8	0.8	0.2	2.2	1.6	-
Y32	Diseases of pregnancy		2.4	3.1	1.5	1.9	2.5	2.5	3.8	3.8	3.4	7.8	4.7	6.8
Y32.2	Haemorrhage N.E.C.		0.5	0.4	0.4	0.6	0.7	0.8	1.3	1.0	0.5	2.6	-	2.7
Y32.4	Other toxæmia		1.8	2.5	1.0	1.3	1.8	1.6	2.4	2.8	3.0	5.2	4.7	4.1
Y34	Difficulties in labour		0.9	0.9	0.7	0.7	1.4	1.4	1.4	1.3	2.1	3.0	1.6	3.4
Y34.2	Malposition		0.4	0.4	0.3	0.4	0.6	0.8	0.6	1.0	0.5	1.3	0.8	1.4
Y34.3	Abnormal forces		0.1	0.1	0.0	0.0	0.1	0.1	0.2	-	0.2	-	-	-
Y36	Placental and cord conditions		4.8	4.8	3.3	4.5	6.5	7.8	8.9	10.0	11.3	13.0	14.9	20.4
Y36.1	Placenta prævia		0.2	0.1	0.1	0.2	0.4	0.3	0.3	0.1	0.2	0.9	-	-
Y36.2	Placenta and placental separation		1.5	1.3	1.0	1.5	2.5	3.0	3.0	4.8	6.0	5.6	7.8	10.2
Y36.5	Placental infarct		0.3	0.3	0.2	0.3	0.3	0.5	0.8	0.4	0.5	0.4	-	-
Y37-Y39	Foetal conditions		6.4	6.5	4.8	6.5	8.5	8.7	10.4	9.9	15.9	8.7	13.3	14.3
Y37	Birth injury		0.3	0.4	0.2	0.2	0.2	0.3	0.3	0.5	0.7	0.4	-	1.4
Y38	Congenital malformation		2.8	3.2	2.3	2.6	3.0	3.6	3.1	3.6	4.8	3.0	6.3	5.4
Y38.0	Anencephalus		1.6	1.9	1.2	1.6	1.9	2.0	2.0	1.5	2.5	1.3	1.6	1.4
Y38.1	Hydrocephalus		0.4	0.4	0.4	0.3	0.5	0.5	0.3	1.0	0.5	-	1.6	1.4
Y38.2	Spina bifida		0.4	0.4	0.3	0.3	0.3	0.5	0.3	0.6	0.9	-	2.3	2.7
Y39	Other and ill-defined causes		3.3	3.0	2.3	3.7	5.2	4.9	7.0	5.8	10.3	5.2	7.0	7.5
Y39.2	Erythroblastosis		0.7	0.1	0.6	1.1	1.6	1.4	2.8	1.9	2.3	1.3	0.8	-
Y39.6	Unspecified		0.7	0.8	0.5	0.7	0.9	0.8	1.2	1.6	2.1	0.4	1.6	1.4

TABLE 23C. Stillbirths by cause and month of occurrence (with,  
for certain selected causes, rates per 1,000 total births), 1966

England and Wales

ICD No.	Cause	Total	Month of occurrence											
			Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Y30-Y39	ALL CAUSES	M 6,857 F 6,386 P 13,243	617 573 1,190	544 548 1,092	587 583 1,170	609 504 1,113	596 533 1,129	546 495 1,041	602 543 1,145	577 493 1,070	542 546 1,088	554 507 1,061	509 493 1,002	574 568 1,142
Y30	Chronic disease in mother	418	48	25	37	37	33	24	40	41	31	27	31	44
Y30.0	Syphilis	6	1	1	-	1	-	1	1	-	-	-	-	1
Y30.1	Tuberculosis (any form)	1	-	-	-	-	1	-	-	-	-	-	-	-
Y30.2	Diabetes mellitus	116	11	7	13	8	10	8	8	8	12	7	10	16
Y30.3	Chronic disease of circulatory system	239	29	14	16	20	20	11	30	28	17	15	18	21
Y30.4	Chronic disease of genito-urinary system	18	4	1	3	3	-	-	1	3	-	2	1	-
Y30.5	Other chronic disease	38	3	2	5	7	2	4	-	2	2	3	2	6
Y31	Acute disease in mother	38	3	5	4	4	5	3	2	3	2	1	2	4
Y31.0	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-
Y31.1	Influenza	12	-	2	4	-	-	1	1	-	2	-	1	1
Y31.2	Pneumonia (any form)	3	-	1	-	1	-	-	-	-	-	1	-	-
Y31.3	Other acute respiratory disease	2	-	1	-	-	-	-	-	-	-	-	1	-
Y31.4	Other acute disease or condition	21	3	1	-	3	5	2	1	3	-	-	-	3
	0 Rubella	7	1	-	-	2	1	-	1	-	-	-	-	2
	1 Other virus diseases	1	2	1	-	-	4	1	-	-	-	-	-	1
	2 Others	13	-	-	-	-	-	-	-	-	-	-	-	-
Y32	Diseases and conditions of pregnancy and childbirth	2,078	182	194	181	166	176	158	181	194	163	162	155	166
Y32.0	Pregnancy interrupted by self or other person for non-therapeutic purposes	-	-	-	-	-	-	-	-	-	-	-	-	-
Y32.1	Ectopic gestation	1	-	-	-	-	-	-	1	-	-	-	-	-
Y32.2	Haemorrhage without mention of placental condition	448	37	39	29	31	45	41	41	45	35	33	34	39
Y32.3	Toxaemia with convulsions during pregnancy or labour (eclampsia)	62	2	3	8	4	4	3	21	3	-	5	3	6
Y32.4	Other toxaeimias of pregnancy	1,544	140	153	142	127	126	108	116	145	128	123	116	120
Y32.5	Infection (ante- and intra-partum)	23	3	-	2	4	1	6	2	1	-	1	2	1
	0 Urinary infection	5	-	-	1	2	-	2	-	-	-	-	2	-
	1 Others	18	3	-	1	2	1	4	2	1	-	1	-	1
Y33	Absorption of toxic substance from mother	-	-	-	-	-	-	-	-	-	-	-	-	-
Y33.0	Narcotic	-	-	-	-	-	-	-	-	-	-	-	-	-
Y33.1	Quinine	-	-	-	-	-	-	-	-	-	-	-	-	-
Y33.2	Other toxic substance	-	-	-	-	-	-	-	-	-	-	-	-	-

Y34	Difficulties in labour	813	77	80	74	55	58	64	82	70	60	58	70	64
Y34.0	Difficult labour with abnormality of bones of pelvis	6	1	-	-	-	1	1	-	2	-	1	-	-
Y34.1	Difficult labour with disproportion, but no mention of abnormality, of pelvis	277	17	30	26	25	18	21	30	23	18	22	28	19
Y34.2	Difficult labour with malposition of foetus	367	38	33	39	23	25	32	36	29	27	20	31	34
Y34.3	Difficult labour with abnormality of forces of labour	54	8	7	2	4	3	5	5	2	4	8	1	5
Y34.4	Difficult labour with operative delivery	22	3	-	1	-	3	-	3	1	2	1	5	3
Y34.5	Difficult labour with abnormality of organs or tissues of pelvis	25	7	1	2	-	2	1	1	5	3	1	2	-
Y34.6	Difficult labour without mention of underlying condition	62	3	9	4	3	7	4	7	8	6	5	3	3
Y35	Other causes in mother	57	6	7	5	5	4	3	2	8	4	5	2	6
Y35.0	Fall	14	2	1	1	1	-	1	1	1	2	1	-	3
Y35.1	Other accident or violence	16	3	3	1	2	-	2	-	4	-	-	-	1
Y35.2	Overexertion	-	-	-	-	-	-	-	-	-	-	-	-	-
Y35.3	Other and ill-defined causes in mother	27	1	3	3	2	4	-	1	3	2	4	2	2
Y36	Placental and cord conditions	4,175	339	334	362	361	357	334	340	316	346	361	349	376
Y36.0	Cord condition without mention of placental abnormality	1,035	97	74	96	82	83	87	94	69	82	90	95	86
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	147	15	9	13	11	11	13	13	14	13	15	10	10
	1 Prolapse of cord	255	21	19	23	24	23	23	22	15	17	21	24	23
	2 Others	633	61	46	60	47	49	51	59	40	52	54	61	53
Y36.1	Placenta praevia	134	14	8	13	12	11	5	6	12	10	14	14	15
Y36.2	Premature separation of normally implanted placenta	1,329	107	103	102	123	113	116	122	107	108	113	108	107
Y36.3	Placenta praevia with cord abnormality	8	-	-	3	1	1	1	1	-	-	-	1	-
Y36.4	Premature separation of normally implanted placenta with cord abnormality	6	-	-	-	1	-	1	1	-	3	-	-	-
Y36.5	Placental infarct	252	15	25	22	22	25	21	15	23	25	19	14	26
Y36.6	Other abnormality of placenta and cord	1,411	106	124	126	120	124	103	101	105	118	125	117	142
Y37	Birth injury	247	19	24	27	24	24	21	19	16	15	19	22	17
Y37.0	Birth injury with abnormality of bones of pelvis	4	-	-	2	-	1	-	1	-	-	-	-	-
Y37.1	Birth injury with abnormality of organs or tissues of pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-
Y37.2	Birth injury with disproportion but no mention of abnormality of pelvis	13	-	1	-	1	2	1	4	1	1	1	-	1
Y37.3	Birth injury with malposition of foetus	48	8	3	7	6	7	5	2	1	1	4	4	-

TABLE 23C - continued

ICD No.	Cause	Total	Month of occurrence											
			Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Y37.4	Birth injury with abnormality of forces of labour	23	-	4	1	1	2	3	2	2	3	1	1	3
Y37.5	Operation causing mutilation of foetus	-	-	-	-	-	-	-	-	-	-	-	-	-
Y37.6	Other operation for delivery	15	1	1	1	2	2	3	1	-	2	1	1	-
Y37.7	Birth injury with difficult labour but without mention of underlying condition	11	-	2	1	1	-	-	1	-	-	2	3	1
Y37.8	Birth injury due to other or unspecified cause	133	10	13	15	13	10	9	8	12	8	10	13	12
Y38	Congenital malformation of foetus	2,464	244	181	211	220	207	190	207	195	204	194	174	237
Y38.0	Anencephalus	1,423	136	102	124	132	130	106	115	107	115	120	99	137
	0 With mention of spina bifida or synonym	192	22	10	17	13	12	16	25	21	18	13	11	14
	1 Without mention of spina bifida or synonym	1,231	114	92	107	119	118	90	90	86	97	107	88	123
Y38.1	Hydrocephalus	363	40	37	31	32	27	30	25	31	24	26	26	34
Y38.2	Spina bifida	304	25	19	35	29	25	23	28	26	27	22	25	20
	0 With mention of hydrocephalus	204	16	11	18	22	18	14	21	16	18	14	21	15
	1 Without mention of hydrocephalus	100	9	8	17	7	7	9	7	10	9	8	4	5
Y38.3	Other malformation of the central nervous system	91	10	7	5	6	6	8	9	8	4	7	7	14
	0 Mongolism	23	4	2	3	-	1	1	2	1	-	3	3	3
	1 Microcephaly	15	3	2	2	2	1	3	1	3	-	-	-	-
	2 Others	53	3	3	2	4	4	4	6	4	4	4	4	11
Y38.4	Malformation of the cardiovascular system	61	5	1	3	4	6	5	8	6	8	5	5	5
	0 Tetralogy of Fallot	1	-	-	-	-	-	1	-	-	-	-	-	-
	1 Patent ductus arteriosus	1	-	-	-	1	1	1	-	-	2	3	-	-
	2 Interventricular septal defect	17	-	-	-	2	3	-	5	3	2	-	1	1
	3 Interatrial septal defect	5	-	-	-	-	1	1	-	-	1	-	1	-
	4 Fibroelastosis cordis	-	-	-	-	-	-	-	-	-	-	-	-	-
	5 Other malformations of heart	21	3	1	3	1	1	3	3	1	2	1	1	1
	6 Coarctation of aorta	3	-	-	-	-	-	-	-	1	-	1	1	-
	7 Other circulatory malformations	7	1	-	-	-	-	-	-	1	1	-	1	3
Y38.5	Malformation of other specified system or part	132	22	10	11	7	8	11	10	11	11	8	7	16
	0 Digestive system	16	2	1	2	2	1	3	1	2	2	3	2	-
	1 Genito-urinary system	32	6	3	3	1	3	2	-	2	5	1	2	4
	2 Dwarf	4	-	2	-	-	-	-	3	-	1	1	1	1
	3 Other skeletal	36	5	2	4	2	2	3	3	4	1	2	3	5
	4 Respiratory system	3	1	1	-	-	-	-	1	-	-	-	-	-
	5 Skin	-	-	-	-	-	-	-	-	-	-	-	-	-
	6 Muscle	6	2	-	-	-	-	2	-	-	-	-	-	-
	7 Others	35	6	4	2	2	2	1	4	3	3	2	1	5
Y38.6	Monster	16	1	2	-	2	1	3	1	1	2	2	-	1
	0 Double monster	6	-	-	-	-	-	2	-	-	-	2	-	-
	1 Monster N.O.S.	3	1	-	-	-	-	1	-	-	-	-	-	-
	2 Others	7	-	2	-	-	1	-	1	1	1	-	-	1
Y38.7	Other and unspecified malformations	74	5	3	2	8	4	4	11	5	13	4	5	10

Y39	Diseases of foetus, and ill-defined causes	2,953	272	242	269	241	264	244	272	227	263	234	197	228
Y39-0	Syphilis	1	1	-	-	-	-	-	-	-	-	-	-	-
Y39-1	Infection other than syphilis	13	3	2	2	2	3	-	-	-	-	1	-	-
Y39-2	Erythroblastosis	585	52	49	47	46	56	53	62	47	48	50	38	37
Y39-3	Other cause originated in the foetus	28	3	2	2	3	6	1	1	-	4	1	2	3
Y39-4	Maceration, cause not specified	780	68	74	68	60	84	66	72	65	70	67	49	57
Y39-5	Other ill-defined cause	874	90	65	87	77	78	66	64	70	72	63	69	73
	0 Asphyxia	410	40	28	46	35	50	30	50	43	29	29	33	37
	1 Atelectasis	95	12	4	11	8	12	8	4	6	7	4	11	8
	2 Post-maturity	86	10	11	7	5	9	5	2	4	11	8	11	3
	3 Prematurity	175	10	16	17	23	18	13	19	13	15	10	7	14
	4 Others	108	18	6	6	6	9	10	9	4	10	12	7	11
Y39-6	Cause unspecified	672	55	50	63	53	57	58	73	45	69	52	39	58
Total live and still births		M 444,119 F 418,947 P 863,066	37,489 35,404 72,893	34,866 33,277 68,143	40,683 37,915 78,598	37,386 34,867 72,253	37,936 36,589 74,525	36,985 34,986 71,971	38,301 35,988 74,289	37,763 35,263 73,026	37,170 35,120 72,290	36,102 34,175 70,277	33,466 31,446 64,912	35,972 33,917 69,889

Stillbirths per 1,000 total births

Y30-Y39	All causes	15.4	16.5	15.6	14.4	16.3	15.7	14.8	15.7	15.3	14.6	15.3	15.2	16.0
Y30-Y39	All causes	15.2	16.2	16.3	15.4	14.5	14.6	14.1	15.1	14.0	15.5	14.8	15.7	16.7
Y30-Y39	All causes	15.3	16.3	16.0	14.9	15.4	15.1	14.5	15.4	14.7	15.1	15.1	15.4	16.3
Y30-Y35	Maternal conditions	3.9	4.3	4.6	3.8	3.7	3.7	3.5	4.1	4.3	3.6	3.6	4.0	4.1
Y30-2	Diabetes	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2
Y30-3	Circulatory	0.3	0.4	0.2	0.2	0.3	0.3	0.2	0.4	0.4	0.2	0.2	0.3	0.3
Y32	Diseases of pregnancy	2.4	2.5	2.8	2.3	2.3	2.4	2.2	2.4	2.7	2.3	2.3	2.4	2.4
Y32-2	Haemorrhage N.E.C.	0.5	0.5	0.6	0.4	0.4	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.6
Y32-4	Other toxæmia	1.8	1.9	2.2	1.8	1.8	1.7	1.5	1.6	2.0	1.8	1.8	1.8	1.7
Y34	Difficulties in labour	0.9	1.1	1.2	0.9	0.8	0.8	0.9	1.1	1.0	0.8	0.8	1.1	0.9
Y34-2	Malposition	0.4	0.5	0.5	0.5	0.3	0.3	0.4	0.5	0.4	0.4	0.3	0.5	0.5
Y34-3	Abnormal forces	0.1	0.1	0.1	0.0	0.1	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.1
Y36	Placental and cord conditions	4.8	4.7	4.9	4.6	5.0	4.8	4.6	4.6	4.3	4.8	5.1	5.4	5.4
Y36-1	Placenta prævia	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.2
Y36-2	Placenta and placental separation	1.5	1.5	1.5	1.3	1.7	1.5	1.6	1.6	1.5	1.5	1.6	1.7	1.5
Y36-5	Placental infarct	0.3	0.2	0.4	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.2	0.4
Y37-Y39	Foetal conditions	6.6	7.3	6.6	6.5	6.7	6.6	6.3	6.7	6.0	6.7	6.4	6.1	6.9
Y37	Birth injury	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.3	0.3	0.2
Y38	Congenital malformation	2.9	3.3	2.7	2.7	3.0	2.8	2.6	2.8	2.7	2.8	2.8	2.7	3.4
Y38-0	Anencephalus	1.6	1.9	1.5	1.6	1.8	1.7	1.5	1.5	1.5	1.6	1.7	1.5	2.0
Y38-1	Hydrocephalus	0.4	0.5	0.5	0.4	0.4	0.4	0.4	0.3	0.4	0.3	0.4	0.4	0.5
Y38-2	Spina bifida	0.4	0.3	0.3	0.4	0.4	0.3	0.3	0.4	0.4	0.4	0.3	0.4	0.3
Y39	Other and ill-defined causes	3.4	3.7	3.6	3.4	3.3	3.5	3.4	3.7	3.1	3.6	3.3	3.0	3.3
Y39-2	Erythroblastosis	0.7	0.7	0.7	0.6	0.6	0.7	0.7	0.8	0.6	0.7	0.7	0.6	0.5
Y39-6	Unspecified	0.8	0.8	0.7	0.8	0.7	0.8	0.8	1.0	0.6	1.0	0.7	0.6	0.8

TABLE 23D. Stillbirths by cause and area of residence of mother (with, for certain selected causes, rates per 1,000 total births). 1966

England and Wales, regions, Wales, urban and rural aggregates, and hospital regions

ICD No.	Cause	Regions										Urban/Rural aggregates						
		England and Wales										Urban/Rural aggregates						
		Northern	Yorkshire and Humberside	North Western	East Midland	West Midland	East Anglia	South Eastern	South Western	Wales	Conurbations	Areas outside conurbations						
Y30-Y39	ALL CAUSES	6,857 6,386 13,243	505 458 963	691 677 1,368	1,110 1,040 2,150	460 447 907	846 774 1,620	195 173 368	2,191 1,946 4,137	442 438 880	417 433 850	874 853 1,727	722 596 1,318	1,451 1,343 2,794	Urban areas with populations of 50,000 and under 100,000	Urban areas with populations under 50,000	Rural districts	
Y30	Chronic disease in mother	418	18	36	67	23	55	17	144	31	27	58	37	73	82			
Y30-0	Syphilis	6	-	1	1	1	1	-	2	-	-	3	1	2	-	-	-	-
Y30-1	Tuberculosis (any form)	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Y30-2	Diabetes mellitus	116	7	8	21	6	17	2	36	10	9	44	15	11	20	26		
Y30-3	Chronic disease of circulatory system	239	11	19	34	12	27	13	89	19	15	98	37	17	42	45		
Y30-4	Chronic disease of genito-urinary system	18	-	3	7	1	2	1	2	1	1	5	2	2	6	3		
Y30-5	Other chronic disease	38	-	5	4	3	8	1	14	1	2	17	3	5	5	8		
Y31	Acute disease in mother	38	1	3	6	6	1	1	14	2	4	11	10	5	4	8		
Y31-0	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Y31-1	Influenza	12	1	-	1	2	1	-	3	1	3	2	3	-	3	4		
Y31-2	Pneumonia (any form)	3	-	-	1	1	-	-	1	-	-	1	1	-	1	-		
Y31-3	Other acute respiratory disease	2	-	1	-	-	-	-	-	-	1	-	-	2	-	-		
Y31-4	Other acute disease or condition	21	-	2	4	3	-	1	10	1	-	8	6	3	-	4		
	0 Rubella	7	-	1	3	-	-	-	3	-	-	5	1	1	-	-		
	1 Other virus diseases	1	-	1	-	-	-	-	7	1	-	-	1	-	-	-		
	2 Others	13	-	-	1	3	-	1	-	1	-	3	4	2	-	-		
Y32	Diseases and conditions of pregnancy and childbirth	2,078	146	191	299	148	304	57	651	154	128	797	265	180	441	395		
Y32-0	Pregnancy interrupted by self or other person for non-therapeutic purposes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Y32-1	Ectopic gestation	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
Y32-2	Haemorrhage without mention of placental condition	448	29	47	55	24	58	8	177	29	21	190	71	41	77	69		
Y32-3	Toxaemia with convulsions during pregnancy or labour (eclampsia)	62	4	1	3	6	5	-	34	4	5	22	10	5	11	14		
Y32-4	Other toxæmias of pregnancy	1,544	112	142	240	118	235	49	427	121	100	575	181	131	348	309		
Y32-5	Infection (ante- and intra-partum)	23	1	1	-	-	6	-	13	-	2	9	3	3	5	3		
	0 Urinary infection	5	-	1	-	2	2	-	1	-	1	1	1	1	1	1		
	1 Others	18	1	1	-	-	4	-	10	-	2	8	2	2	3	3		



TABLE 23D - continued

ICD No.	Cause	Regions							Urban/Rural aggregates			
		England and Wales							Conurbations	Areas outside conurbations		
		Northern	Yorkshire and Humberside	North Western	East Midland	West Midland	East Anglia	South Eastern		Urban areas with populations of 100,000 and over	Urban areas with populations of 50,000 and under 100,000	Rural districts
Y36.3	Placenta praevia with cord abnormality	8	-	3	-	2	-	1	4	1	1	2
Y36.4	Premature separation of normally implanted placenta with cord abnormality	6	1	1	-	-	-	3	2	-	1	1
Y36.5	Placental infarct	252	32	31	7	45	6	75	92	27	31	50
Y36.6	Other abnormality of placenta and cord	1,411	157	173	103	162	37	479	494	207	152	267
Y37	Birth injury	247	14	41	20	23	7	75	86	20	30	54
Y37.0	Birth injury with abnormality of bones of pelvis	4	2	1	-	-	-	-	-	-	1	2
Y37.1	Birth injury with abnormality of organs or tissues of pelvis	-	-	-	-	-	-	-	-	-	-	-
Y37.2	Birth injury with disproportion but no mention of abnormality of pelvis	13	2	1	1	1	1	6	5	2	4	3
Y37.3	Birth injury with malposition of foetus	48	8	6	3	4	1	12	12	5	7	12
Y37.4	Birth injury with abnormality of forces of labour	23	1	1	2	3	1	9	8	1	3	10
Y37.5	Operation causing mutilation of foetus	-	-	-	-	-	-	-	-	-	-	-
Y37.6	Other operation for delivery	18	1	1	-	2	-	8	6	1	2	1
Y37.7	Birth injury with difficult labour but without mention of underlying condition	11	-	2	-	-	1	3	3	-	1	3
Y37.8	Birth injury due to other or unspecified cause	133	10	29	14	13	3	37	56	11	12	23
Y38	Congenital malformation of foetus	2,464	199	432	177	258	76	658	816	314	247	508
Y38.0	Anencephalus	1,423	104	278	104	148	38	360	477	174	141	289
	0 With mention of spina bifida or synonym	162	15	30	10	20	8	53	85	18	28	42
	1 Without mention of spina bifida or synonym	1,231	89	248	94	128	30	307	412	156	113	247
Y38.1	Hydrocephalus	363	40	45	22	45	14	107	123	45	41	78
Y38.2	Spina bifida	304	30	57	25	22	7	79	99	39	28	66
	0 With mention of hydrocephalus	204	24	36	18	13	5	50	84	23	23	45
	1 Without mention of hydrocephalus	100	6	21	7	9	2	26	35	16	5	21
Y38.3	Other malformation of the central nervous system	91	6	24	4	10	1	25	26	11	11	19
	0 Mongolism	23	1	7	1	5	1	5	7	3	3	6
	1 Microcephaly	15	1	4	1	1	-	16	13	5	8	4
	2 Others	53	4	13	2	4	-	-	43	-	-	9

Y38.4	Malformation of the cardiovascular system	61	3	13	4	3	10	5	18	3	2	21	10	4	18	9
	0 Tetralogy of Fallot	1	-	5	1	-	-	1	-	-	-	4	-	1	1	-
	1 Patent ductus arteriosus	7	3	-	1	-	3	2	7	-	1	6	2	2	2	6
	2 Interventricular septal defect	5	-	2	-	-	-	-	2	1	-	1	2	2	2	-
	3 Intraventricular septal defect	5	-	-	-	-	-	-	2	-	-	6	-	-	-	-
	4 Fibroelastosis cordis	21	-	4	2	1	3	2	7	1	1	6	6	1	9	-
	5 Other malformations of heart	3	-	1	1	1	4	-	1	-	-	4	1	-	1	1
	6 Coarctation of aorta	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	7 Other circulatory malformations	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Y38.5	Malformation of other specified system or part	132	8	16	12	12	15	9	41	8	11	36	24	15	28	29
	0 Digestive system	16	1	3	-	1	3	2	8	-	1	6	4	1	3	2
	1 Genito-urinary system	32	2	4	6	3	2	3	11	1	1	9	6	4	7	6
	2 Dwarf	4	2	1	1	1	1	1	1	1	-	2	1	4	1	1
	3 Other skeletal	36	2	9	2	5	6	3	8	1	2	11	8	5	4	8
	4 Respiratory system	3	-	1	-	-	-	-	-	-	-	1	-	-	1	1
	5 Skin	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-
	6 Muscle	35	2	2	3	3	3	1	12	5	4	7	4	2	11	11
	7 Others	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y38.6	Monster	16	-	2	3	2	2	-	5	-	2	7	2	1	2	4
	0 Double monster	6	-	-	1	-	2	-	2	-	2	2	-	1	4	4
	1 Monster N.O.S.	3	-	2	2	2	-	-	2	-	-	1	2	-	1	-
	2 Others	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y38.7	Other and unspecified malformations	74	8	5	9	5	6	2	23	8	8	27	9	6	17	15
Y39	Diseases of foetus, and ill-defined causes	2,953	189	318	548	195	349	80	972	154	148	1,131	400	281	600	551
Y39.0	Syphilis	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Y39.1	Infection other than syphilis	13	3	-	2	-	1	-	5	1	1	6	3	2	-	2
Y39.2	Erythroblastosis	585	49	61	111	37	64	18	185	35	25	217	82	54	123	109
Y39.3	Other cause originated in the foetus	28	-	3	3	2	3	2	11	1	3	7	4	1	5	11
Y39.4	Maceration, cause not specified	780	37	91	140	48	105	12	258	53	36	289	118	69	151	153
Y39.5	Other ill-defined cause	874	63	84	161	61	105	20	295	30	55	344	106	89	186	149
	0 Asphyxia	410	20	30	93	31	42	12	145	14	23	186	52	31	77	149
	1 Atelectasis	95	11	13	15	7	7	1	33	5	3	36	8	12	20	64
	2 Post-maturity	86	5	7	11	3	13	4	36	3	4	32	10	11	17	19
	3 Prematurity	175	18	28	26	9	21	-	49	5	19	56	27	19	43	30
	4 Others	108	9	6	16	11	22	3	32	3	6	34	9	16	29	20
Y39.6	Cause unspecified	672	37	79	131	47	71	28	217	34	28	257	87	66	135	127
Total live and still births		M 444,119 F 418,947 P 863,066	29,870 28,158 58,028	43,806 41,785 85,591	63,335 59,710 123,045	31,032 29,437 60,469	49,204 46,676 95,880	13,611 12,895 26,506	157,623 148,045 305,668	31,960 29,983 61,943	23,458 22,258 45,716	158,192 148,859 307,051	55,237 52,656 107,893	42,992 40,414 83,406	95,058 90,057 185,113	92,582 86,961 179,543

TABLE 23D - continued

ICD No.	Cause	Regions										Urban/Rural aggregates									
		England and Wales										Conurbations									
		Northern		Yorkshire and Humberside		North Western		East Midlands		West Midlands						East Anglia		South Eastern		South Western	
M	F	P	15-4	16-9	15-8	17-5	14-8	17-2	14-1	13-9	13-8	17-8	16-2	15-8	16-8	15-3	16-8	15-8	15-3	13-4	
Y30-Y39	ALL CAUSES				15.4	16.9	15.8	17.5	14.8	17.2	14.1	13.9	13.8	17.8	16.2	15.8	16.8	15.3	16.8	15.3	13.4
Y30	Maternal conditions				3.9	3.8	3.8	4.0	4.0	5.0	3.7	3.6	3.8	4.9	4.2	4.1	3.8	3.8	3.8	3.7	3.7
Y30.2	Diabetes				0.1	0.7	0.7	0.2	0.7	0.2	0.7	0.1	0.2	0.2	0.1	0.7	0.7	0.1	0.7	0.1	0.1
Y30.3	Circulatory				0.3	0.2	0.2	0.3	0.2	0.3	0.5	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.3
Y32	Diseases of pregnancy				2.4	2.5	2.2	2.4	2.4	3.2	2.1	2.1	2.5	2.8	2.6	2.5	2.2	2.4	2.4	2.2	2.2
Y32.2	Haemorrhage N.E.C.				0.5	0.5	0.5	0.4	0.4	0.6	0.3	0.6	0.5	0.5	0.6	0.7	0.5	0.4	0.4	0.4	0.4
Y32.4	Other toxemia				1.8	1.9	1.7	2.0	2.0	2.5	1.8	1.4	2.0	2.2	1.9	1.7	1.6	1.9	1.9	1.7	1.7
Y34	Difficulties in labour				0.9	0.9	1.0	0.9	1.0	1.1	0.8	0.9	0.7	1.4	0.9	1.0	1.0	0.9	0.9	0.9	0.9
Y34.2	Malposition				0.4	0.4	0.5	0.4	0.5	0.5	0.3	0.3	0.4	0.8	0.4	0.5	0.5	0.4	0.4	0.4	0.4
Y34.3	Abnormal forces				0.1	0.7	0.7	0.7	0.0	0.7	-	0.7	0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
Y36	Placental and cord conditions				4.8	5.8	5.2	5.2	4.5	5.4	4.0	4.4	4.7	5.1	5.1	5.1	5.3	4.6	4.3	4.3	4.3
Y36.1	Placenta praevia				0.2	0.7	0.7	0.2	0.2	0.7	0.7	0.1	0.7	0.2	0.2	0.7	0.7	0.7	0.2	0.1	0.1
Y36.2	Placenta and placental separation				1.5	1.6	1.8	2.1	1.5	1.6	1.1	1.3	1.4	1.7	1.8	1.7	1.4	1.3	1.3	1.3	1.3
Y36.5	Placental infarct				0.3	0.6	0.3	0.3	0.7	0.5	0.2	0.2	0.4	0.7	0.3	0.3	0.4	0.3	0.3	0.3	0.3
Y37-Y39	Foetal conditions				6.6	6.9	7.1	8.3	6.5	6.6	6.1	5.6	5.8	8.5	6.6	6.8	6.7	6.7	6.2	6.2	6.2
Y37	Birth injury				0.3	0.2	0.4	0.3	0.3	0.2	0.3	0.2	0.4	0.2	0.3	0.2	0.4	0.3	0.3	0.3	0.3
Y38	Congenital malformations				2.9	3.4	2.9	3.5	2.9	2.7	2.8	2.2	2.9	3.1	2.7	2.9	3.0	3.1	2.8	2.8	2.8
Y38.0	Anencephalus				1.6	1.8	1.9	2.3	1.7	1.5	1.4	1.2	1.6	2.9	1.6	1.6	1.7	1.8	1.6	1.6	1.6
Y38.1	Hydrocephalus				0.4	0.7	0.4	0.4	0.4	0.5	0.5	0.4	0.4	0.7	0.4	0.4	0.5	0.4	0.4	0.4	0.4
Y38.2	Spina bifida				0.4	0.5	0.2	0.5	0.4	0.2	0.3	0.3	0.4	0.8	0.3	0.4	0.3	0.4	0.4	0.4	0.4
Y39	Other ill-defined causes				3.4	3.5	3.7	4.5	3.2	3.5	3.0	3.2	2.5	3.8	3.7	3.7	3.4	3.2	3.1	3.1	3.1
Y39.2	Erythroblastosis				0.7	0.8	0.7	0.9	0.8	0.7	0.7	0.9	0.6	0.8	0.7	0.8	0.6	0.7	0.6	0.6	0.6
Y39.6	Unspecified				0.8	0.6	0.9	1.1	0.8	0.7	1.0	0.7	0.5	0.6	0.8	0.7	0.8	0.7	0.7	0.7	0.7

TABLE 23D - continued

ICD No.	Cause	Hospital regions														
		Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Welsh	Birmingham	Manchester	Liverpool
Y30-Y39	M F P ALL CAUSES	476 430 906	461 414 875	665 684 1,349	201 180 381	535 506 1,041	453 374 827	419 388 807	441 346 787	228 216 444	237 228 465	362 369 731	417 433 850	846 774 1,620	707 692 1,399	409 352 761
Y30	Chronic disease in mother	17	25	32	18	44	26	23	26	20	9	28	27	55	41	27
Y30-0	Syphilis	-	1	1	-	1	-	-	-	-	1	-	-	1	1	-
Y30-1	Tuberculosis (any form)	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Y30-2	Diabetes mellitus	7	6	8	3	10	5	7	6	5	3	9	9	17	13	8
Y30-3	Chronic disease of circulatory system	10	13	16	13	28	18	13	18	13	3	17	15	27	20	15
Y30-4	Chronic disease of genito-urinary system	-	2	2	1	-	1	1	-	-	-	1	1	2	5	2
Y30-5	Other chronic disease	-	3	5	1	5	2	2	1	2	2	1	2	8	2	2
Y31	Acute disease in mother	1	2	7	1	2	3	2	3	4	1	1	4	1	4	2
Y31-0	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y31-1	Influenza	1	-	2	-	-	1	1	-	2	-	-	3	1	1	-
Y31-2	Pneumonia (any form)	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-
Y31-3	Other acute respiratory disease	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Y31-4	Other acute disease or condition	-	2	3	1	1	2	1	3	2	1	1	-	-	2	2
	0 Rubella	-	1	-	-	-	-	-	1	1	1	-	-	-	2	1
	1 Other virus diseases	-	1	-	-	-	2	1	2	1	-	-	-	-	-	1
	2 Others	-	-	3	1	1	-	-	-	-	-	1	-	-	-	-
Y32	Diseases and conditions of pregnancy and childbirth	131	126	209	61	185	110	122	136	63	77	125	128	304	218	83
Y32-0	Pregnancy interrupted by self or other person for non-therapeutic purposes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y32-1	Ectopic gestation	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Y32-2	Haemorrhage without mention of placental condition	27	27	41	10	47	38	31	35	18	15	24	21	58	34	22
Y32-3	Toxaemia with convulsions during pregnancy or labour (eclampsia)	3	1	7	-	11	6	11	2	1	3	4	5	5	2	1
Y32-4	Other toxaeimas of pregnancy	101	96	161	51	121	66	78	96	43	58	97	100	235	181	60
Y32-5	Infection (ante- and intra-partum)	-	2	-	-	6	-	2	3	1	1	-	2	6	-	-
	0 Urinary infection	-	-	-	-	1	-	1	1	-	-	-	-	2	-	-
	1 Others	-	2	-	-	5	-	1	2	1	1	-	2	4	-	-

TABLE 23D - continued

ICD No.	Cause	Hospital regions														
		Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Welsh	Birmingham	Manchester	Liverpool
Y33	Absorption of toxic substance from mother	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y33.0	Narcotic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y33.1	Quinine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y33.2	Other toxic substance	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y34	Difficulties in labour	45	62	81	24	64	50	52	50	33	33	33	64	109	74	39
Y34.0	Difficult labour with abnormality of bones of pelvis	2	2	-	1	-	-	1	-	-	-	-	-	-	-	-
Y34.1	Difficult labour with disproportion, but no mention of abnormality, of pelvis	13	18	21	15	29	18	23	18	8	10	12	16	40	22	14
Y34.2	Difficult labour with malposition of foetus	21	32	40	8	21	22	19	18	20	16	16	36	44	35	19
Y34.3	Difficult labour with abnormality of forces of labour	3	2	6	-	2	4	4	3	1	2	2	6	10	7	2
Y34.4	Difficult labour with operative delivery	-	4	6	-	3	-	1	3	-	2	-	-	2	1	-
Y34.5	Difficult labour with abnormality of organs or tissues of pelvis	-	2	4	-	3	2	1	2	-	-	1	2	6	2	-
Y34.6	Difficult labour without mention of underlying condition	6	2	4	-	6	4	3	6	4	3	2	4	7	7	4
Y35	Other causes in mother	7	3	6	2	3	2	1	3	4	3	4	3	8	7	1
Y35.0	Fall	1	1	2	-	1	-	-	1	-	-	1	2	2	3	-
Y35.1	Other accident or violence	1	1	1	1	1	1	-	-	2	3	3	-	-	1	1
Y35.2	Overexertion	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y35.3	Other and ill-defined causes in mother	5	1	3	1	1	1	1	2	2	-	-	1	6	3	-
Y36	Placental and cord conditions	319	286	422	108	333	288	250	266	138	141	236	235	513	389	251
Y36.0	Cord condition without mention of placental abnormality	65	61	101	31	76	73	72	72	37	40	61	66	132	90	58
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	10	8	11	7	8	14	7	6	2	5	9	9	23	14	14
	1 Prolapse of cord	15	12	28	6	13	13	16	17	11	8	10	22	41	31	12
	2 Others	40	41	62	18	55	46	49	49	24	27	42	35	68	45	32
Y36.1	Placenta praevia	15	7	13	4	8	10	5	6	4	5	6	8	15	19	9
Y36.2	Premature separation of normally implanted placenta	87	112	123	30	105	82	66	77	40	47	74	76	157	148	105



TABLE 23D - continued

ICD No.	Cause	Hospital regions														
		Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Welsh	Birmingham	Manchester	Liverpool
Y38-5	Malformation of other specified system or part 0 Digestive system 1 Genito-urinary system 2 Dwarf 3 Other skeletal 4 Respiratory system 5 Skin 6 Muscle 7 Others	7 1 2 - 1 1 1 1	12 - 2 5 1 - 3	16 1 4 - 6 - 2 3	9 2 3 - 3 - 1 1	12 2 1 4 - - 5	9 2 4 1 - - 2	10 3 3 1 1 1 2	6 1 1 1 - - 2	3 1 1 1 - - 1	4 1 1 1 - - 1	6 - - 1 - - 4	11 1 1 2 1 - 2	15 2 2 6 - - 3	10 5 1 1 - - 3	2 1 1 - - - 3
Y38-6	Monster 0 Double monster 1 Monster N.O.S. 2 Others	- - - 7	2 - - 5	2 - 2 5	- - - 2	2 1 1 9	- - - 6	2 2 - 3	- - - 3	- - - 2	1 1 1 1	- - - 7	2 2 - 8	2 2 - 6	- - - 7	3 1 2 3
Y38-7	Other and unspecified malformations															
Y39	Diseases of foetus, and ill-defined causes	182	198	295	83	232	193	220	172	95	104	133	148	349	361	188
Y39-0	Syphilis	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Y39-1	Infection other than syphilis	3	-	-	-	1	1	-	3	-	-	1	1	1	2	-
Y39-2	Erythroblastosis	47	39	56	20	45	36	44	33	13	20	31	25	64	74	38
Y39-3	Other cause originated in the foetus	-	-	5	2	3	-	4	2	1	1	1	3	3	2	1
Y39-4	Maceration, cause not specified	36	55	77	12	56	56	53	40	30	44	40	36	105	91	49
Y39-5	Other ill-defined cause 0 Asphyxia 1 Atelectasia 2 Post-maturity 3 Prematurity 4 Others	60 20 10 5 18 9	53 48 44 2 20 2	91 39 40 8 19 15	20 12 1 4 - 3	83 43 10 7 13 10	60 35 3 8 6 8	67 32 11 9 12 7	52 20 8 8 2 4	19 8 1 2 7 1	30 19 8 1 12 4	44 20 1 1 3 2	36 55 23 3 4 19 6	105 105 42 17 13 21 22	91 108 32 14 8 16 9	49 53 1 1 3 10 7
Y39-6	Cause unspecified	36	51	66	29	44	40	52	41	32	19	32	28	71	84	47
Total live and still births		M 27,950 F 26,322 P 54,272	28,932 27,470 56,402	43,037 40,891 83,928	14,450 13,532 27,982	40,678 39,507 79,185	30,791 28,118 58,909	30,122 28,418 58,540	29,807 27,838 57,645	17,150 16,160 33,310	18,199 17,417 35,616	26,549 25,062 51,611	23,458 22,258 45,716	49,204 46,876 96,080	41,781 39,592 81,373	21,911 20,502 42,413

	M	17.0	15.9	15.5	13.9	13.2	14.7	13.9	14.8	13.3	13.0	13.6	17.8	17.2	16.9	18.7
	F	16.3	15.1	16.7	13.3	13.1	13.1	13.8	12.4	13.4	13.1	14.7	19.5	16.6	17.5	17.2
	P	16.7	15.5	16.1	13.6	13.1	13.9	13.9	13.7	13.3	13.1	14.1	18.6	16.9	17.2	17.9
Y30-Y39	ALL CAUSES															
Y30-Y35	Maternal conditions															
Y30.2	Diabetes	3.7	3.9	4.0	3.9	3.8	3.2	3.4	3.8	3.7	3.5	3.7	4.9	5.0	4.2	3.6
Y30.3	Circulatory	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.4
Y30.4	Other	0.2	0.2	0.2	0.5	0.4	0.3	0.3	0.3	0.4	0.1	0.3	0.3	0.3	0.2	0.4
Y31	Diseases of pregnancy	2.4	2.2	2.5	2.2	2.3	1.9	2.1	2.4	1.9	2.2	2.4	2.8	2.8	2.7	2.0
Y32.2	Haemorrhage N.E.C.	0.5	0.5	0.5	0.4	0.6	0.6	0.5	0.6	0.5	0.4	0.5	0.5	0.6	0.4	0.5
Y32.4	Other toxæmia	1.9	1.7	1.9	1.8	1.5	1.1	1.3	1.7	1.3	1.6	1.9	2.2	2.5	2.2	1.4
Y34	Difficulties in labour	0.8	1.1	1.0	0.9	0.8	0.8	0.9	0.9	1.0	0.9	0.6	1.4	1.1	0.9	0.9
Y34.2	Malposition	0.4	0.6	0.5	0.3	0.3	0.4	0.3	0.3	0.8	0.4	0.3	0.8	0.5	0.4	0.4
Y34.3	Abnormal forces	0.1	0.0	0.1	-	0.0	0.1	0.1	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.0
Y36	Placental and cord conditions															
Y36.1	Placenta prævia	5.9	5.1	5.0	3.9	4.2	4.8	4.3	4.6	4.1	4.0	4.6	5.1	5.1	4.8	5.9
Y36.2	Placenta and placental separation	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2
Y36.5	Placental infarct	1.6	2.0	1.5	1.1	1.3	1.4	1.1	1.5	1.2	1.3	1.4	1.7	1.6	1.8	2.5
Y37-Y39	Foetal conditions															
Y37	Birth injury	7.1	6.6	7.1	6.0	5.2	5.9	6.1	5.3	5.5	5.6	5.9	8.5	6.6	8.2	8.4
Y38	Congenital malformations	0.2	0.3	0.4	0.3	0.2	0.4	0.1	0.3	0.2	0.4	0.3	0.2	0.2	0.2	0.7
Y38.0	Anencephalus	3.5	2.7	3.4	2.3	2.0	2.3	2.2	2.0	2.3	2.3	3.0	5.1	2.7	3.3	3.9
Y38.1	Hydrocephalus	1.8	1.7	1.9	1.4	1.0	1.3	1.2	1.1	1.4	1.4	1.6	2.9	1.5	2.1	2.5
Y38.2	Spina bifida	0.7	0.3	0.4	0.5	0.4	0.4	0.3	0.3	0.3	0.3	0.4	0.7	0.5	0.3	0.5
Y39	Other ill-defined causes	0.6	0.2	0.3	0.3	0.2	0.3	0.3	0.3	0.2	0.3	0.4	0.7	0.2	0.5	0.4
Y39.2	Erythroblastosis	3.4	3.5	3.5	3.0	2.9	3.2	3.6	3.0	2.6	2.3	2.6	3.5	3.6	4.4	4.4
Y39.6	Unspecified	0.9	0.7	0.7	0.7	0.6	0.6	0.8	0.6	0.4	0.3	0.6	0.5	0.7	0.9	0.9
		0.7	0.9	0.8	1.0	0.6	0.7	0.9	0.7	1.0	0.5	0.8	0.6	0.7	1.0	1.1

TABLE 23E. Stillbirths by cause and length of gestation, 1966

England and Wales

ICD No.	Cause	Total	Duration of pregnancy (weeks)									
			28-29	30-31	32-33	34-35	36-37	38-39	40	41-42	43+	Not stated
Y30-Y39	ALL CAUSES	M 6,857 F 6,386 P 13,243	380 309 689	551 514 1,065	737 729 1,466	800 762 1,562	1,131 1,006 2,137	1,031 931 1,962	1,256 1,115 2,371	566 597 1,163	84 99 183	321 324 645
Y30	Chronic disease in mother	418	29	55	46	81	73	63	37	14	4	16
Y30.0	Syphilis	6	1	1	2	-	-	-	1	1	-	-
Y30.1	Tuberculosis (any form)	1	-	-	-	-	-	-	-	-	-	1
Y30.2	Diabetes mellitus	116	5	11	7	23	30	23	7	2	2	6
Y30.3	Chronic disease of circulatory system	239	19	35	28	49	34	32	22	11	2	7
Y30.4	Chronic disease of genito-urinary system	18	3	5	4	2	2	1	1	-	-	-
Y30.5	Other chronic disease	38	1	3	5	7	7	7	6	-	-	2
Y31	Acute disease in mother	38	5	4	3	2	7	6	7	1	-	3
Y31.0	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-
Y31.1	Influenza	12	3	1	1	-	-	3	1	1	-	2
Y31.2	Pneumonia (any form)	3	-	1	-	-	1	-	1	-	-	-
Y31.3	Other acute respiratory disease	2	1	-	-	1	-	-	-	-	-	-
Y31.4	Other acute disease or condition	21	1	2	2	1	6	3	5	-	-	1
	0 Rubella	7	-	-	-	1	2	1	3	-	-	-
	1 Other virus diseases	1	-	-	-	-	1	-	-	-	-	-
	2 Others	13	1	2	2	-	3	2	2	-	-	1
Y32	Diseases and conditions of pregnancy and childbirth	2,078	140	231	301	320	398	281	220	106	12	69
Y32.0	Pregnancy interrupted by self or other person for non-therapeutic purposes	-	-	-	-	-	-	-	-	-	-	-
Y32.1	Ectopic gestation	1	-	-	-	-	-	-	-	-	1	-
Y32.2	Haemorrhage without mention of placental condition	448	55	59	75	67	71	45	38	20	-	18
Y32.3	Toxaemia with convulsions during pregnancy or labour (eclampsia)	62	5	9	14	8	12	6	4	2	1	1
Y32.4	Other toxaeimias of pregnancy	1,544	78	162	209	245	313	225	174	80	10	48
Y32.5	Infection (ante- and intra-partum)	23	2	1	3	-	2	5	4	4	-	2
	0 Urinary infection	5	-	-	2	-	-	1	1	-	-	1
	1 Others	18	2	1	1	-	2	4	3	4	-	1
Y33	Absorption of toxic substance from mother	-	-	-	-	-	-	-	-	-	-	-
Y33.0	Narcotic	-	-	-	-	-	-	-	-	-	-	-
Y33.1	Quinine	-	-	-	-	-	-	-	-	-	-	-
Y33.2	Other toxic substance	-	-	-	-	-	-	-	-	-	-	-
Y34	Difficulties in labour	813	41	47	66	69	88	117	217	106	8	54
Y34.0	Difficult labour with abnormality of bones of pelvis	6	-	-	-	-	1	-	2	3	-	-
Y34.1	Difficult labour with disproportion, but no mention of abnormality, of pelvis	277	27	19	38	16	37	51	48	21	1	19
Y34.2	Difficult labour with malposition of foetus	367	11	23	21	45	37	47	120	37	5	21
Y34.3	Difficult labour with abnormality of forces of labour	54	1	2	3	1	4	8	17	12	1	5
Y34.4	Difficult labour with operative delivery	22	-	-	-	1	2	3	4	9	-	3
Y34.5	Difficult labour with abnormality of organs or tissues of pelvis	25	2	2	3	4	3	3	3	4	-	1
Y34.6	Difficult labour without mention of underlying condition	62	-	1	1	2	4	5	23	20	1	5
Y35	Other causes in mother	57	2	4	7	8	18	7	4	3	-	4
Y35.0	Fall	14	2	1	-	3	5	1	1	1	-	-
Y35.1	Other accident or violence	16	-	2	4	1	5	2	1	1	-	-
Y35.2	Overexertion	-	-	-	-	-	-	-	-	-	-	-
Y35.3	Other and ill-defined causes in mother	27	-	1	3	4	8	4	2	1	-	4
Y36	Placental and cord conditions	4,175	200	262	383	397	642	708	896	459	59	169
Y36.0	Cord condition without mention of placental abnormality	1,035	22	28	37	47	101	194	373	176	15	42
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	147	-	4	4	7	12	27	55	30	3	5
	1 Prolapse of cord	255	15	11	10	9	20	40	103	41	1	5
	2 Others	633	7	13	23	31	69	127	215	105	11	32
Y36.1	Placenta praevia	134	16	20	19	21	16	14	15	7	1	5

TABLE 23E - continued

ICD No.	Cause	Total	Duration of pregnancy (weeks)									
			28-29	30-31	32-33	34-35	36-37	38-39	40	41-42	43+	Not stated
Y36.2	Premature separation of normally implanted placenta	1,329	101	114	182	182	275	187	167	53	4	64
Y36.3	Placenta praevia with cord abnormality	8	-	-	-	1	2	1	3	1	-	-
Y36.4	Premature separation of normally implanted placenta with cord abnormality	6	-	-	1	-	2	1	1	1	-	-
Y36.5	Placental infarct	252	13	19	20	25	37	50	42	29	5	12
Y36.6	Other abnormality of placenta and cord	1,411	48	81	124	121	209	261	295	192	34	48
Y37	Birth injury	247	6	3	9	18	19	34	93	42	6	17
Y37.0	Birth injury with abnormality of bones of pelvis	4	-	-	-	-	-	2	1	-	-	1
Y37.1	Birth injury with abnormality of organs or tissues of pelvis	-	-	-	-	-	-	-	-	-	-	-
Y37.2	Birth injury with disproportion, but no mention of abnormality, of pelvis	13	-	-	-	2	1	-	5	5	-	-
Y37.3	Birth injury with malposition of foetus	48	-	-	4	7	-	6	20	8	-	3
Y37.4	Birth injury with abnormality of forces of labour	23	-	-	-	1	-	5	11	3	1	2
Y37.5	Operation causing mutilation of foetus	-	-	-	-	-	-	-	-	-	-	-
Y37.6	Other operation for delivery	15	-	-	-	-	-	5	6	3	-	1
Y37.7	Birth injury with difficult labour but without mention of underlying condition	11	-	-	-	-	1	1	4	3	1	1
Y37.8	Birth injury due to other or unspecified cause	133	6	3	5	8	17	15	46	20	4	9
Y38	Congenital malformation of foetus	2,464	88	216	358	362	432	327	393	150	23	115
Y38.0	Anencephalus	1,423	51	149	265	260	293	155	133	46	11	60
	0 With mention of spina bifida or synonym	192	9	26	47	34	29	15	15	5	3	9
	1 Without mention of spina bifida or synonym	1,231	42	123	218	226	264	140	118	41	8	51
Y38.1	Hydrocephalus	363	10	19	21	38	54	65	103	32	6	17
Y38.2	Spina bifida	304	11	19	21	18	31	57	89	39	3	16
	0 With mention of hydrocephalus	204	2	5	8	6	19	43	77	32	2	10
	1 Without mention of hydrocephalus	100	9	14	13	12	12	14	12	7	1	6
Y38.3	Other malformation of the central nervous system	91	4	4	10	10	18	15	20	7	1	2
	0 Mongolism	23	-	-	-	-	4	6	8	4	-	1
	1 Microcephaly	15	-	-	2	2	4	2	4	1	-	-
	2 Others	53	4	4	8	8	10	7	8	2	1	1
Y38.4	Malformation of the cardiovascular system	61	2	5	8	3	2	11	17	9	-	4
	0 Tetralogy of Fallot	1	-	-	-	-	-	-	-	1	-	-
	1 Patent ductus arteriosus	7	-	-	1	-	-	2	4	-	-	-
	2 Interventricular septal defect	17	1	3	2	1	-	3	4	2	-	1
	3 Interatrial septal defect	5	-	-	-	-	-	2	2	-	-	-
	4 Fibroelastosis cordis	-	-	-	-	-	-	-	-	-	-	-
	5 Other malformations of heart	21	1	2	4	1	-	3	5	4	-	1
	6 Coarctation of aorta	3	-	-	-	-	1	1	-	-	-	1
	7 Other circulatory malformations	7	-	-	1	1	1	-	2	2	-	-
Y38.5	Malformation of other specified system or part	132	7	11	13	22	24	14	19	10	-	12
	0 Digestive system	16	-	3	2	3	-	1	3	3	-	1
	1 Genito-urinary system	32	3	1	2	7	5	3	6	1	-	4
	2 Dwarf	4	-	-	2	-	-	1	-	1	-	-
	3 Other skeletal	36	2	3	4	4	7	5	6	2	-	3
	4 Respiratory system	3	-	1	-	-	1	-	-	-	-	1
	5 Skin	-	-	-	-	-	-	-	-	-	-	-
	6 Muscle	6	-	-	-	-	1	1	3	1	-	-
	7 Others	35	2	3	3	8	10	3	1	2	-	3
Y38.6	Monster	16	1	1	5	1	1	1	2	3	1	-
	0 Double monster	6	-	1	2	-	-	-	1	2	-	-
	1 Monster N.O.S.	3	-	-	2	-	1	-	-	-	-	-
	2 Others	7	1	-	1	1	-	1	1	1	1	-
Y38.7	Other and unspecified malformations	74	2	8	15	12	9	9	10	4	1	4
Y39	Diseases of foetus, and ill-defined causes	2,953	178	243	293	305	460	419	504	282	71	198
Y39.0	Syphilis	1	-	-	-	-	1	-	-	-	-	-
Y39.1	Infection other than syphilis	13	-	1	-	1	1	3	2	5	-	-
Y39.2	Erythroblastosis	585	33	63	71	101	146	91	37	11	2	30
Y39.3	Other cause originated in the foetus	28	3	1	4	4	3	3	6	3	-	1
Y39.4	Maceration, cause not specified	780	39	71	91	88	115	131	138	54	8	45
Y39.5	Other ill-defined cause	874	65	63	75	54	103	89	183	147	53	42
	0 Asphyxia	410	14	8	19	22	58	60	115	80	14	20
	1 Atelectasis	95	1	3	7	8	15	14	30	9	2	6
	2 Post-maturity	86	-	1	-	-	-	2	11	42	30	-
	3 Prematurity	175	43	45	32	18	16	6	3	1	-	11
	4 Others	108	7	6	17	6	14	7	24	15	7	5
Y39.6	Cause unspecified	672	38	44	52	57	91	102	138	62	8	80

TABLE 23F. Stillbirths by cause and birth weights, 1966

England and Wales

ICD No.	Cause	Total	Birth weight											Not stated
			under 1.5lbs. 682g.	1.5lbs.- 682g.- 1,136g.	2-5lbs- 1,136g.- 1,594g.	3-5lbs- 1,594g.- 2,045g.-	4-5lbs- 2,045g.- 2,500g.-	5-5lbs- 2,500g.- 2,955g.-	6-5lbs- 2,955g.- 3,864g.-	7-5lbs- 3,864g.- 4,318g.-	8-5lbs- 4,318g.- 4,773g.-	9-5lbs- 4,773g.- 5,128g.-	10-5lbs- 5,128g.- 5,483g.-	
Y30-Y39	ALL CAUSES	M 6,857 F 6,386 P 13,243	173 229 402	597 721 1,318	860 962 1,822	952 814 1,766	845 706 1,551	823 699 1,522	752 711 1,463	519 426 945	212 169 381	101 47 148	54 36 90	969 866 1,835
Y30	Chronic disease in mother	418	25	57	66	61	44	33	35	21	10	11	11	44
Y30-0	Syphilis	6	-	1	1	1	1	-	1	-	1	-	-	-
Y30-1	Tuberculosis (any form)	1	-	-	-	-	-	-	-	-	-	-	-	1
Y30-2	Diabetes mellitus	116	2	11	12	6	8	9	17	11	8	10	10	12
Y30-3	Chronic disease of circulatory system	239	22	41	44	41	27	18	12	9	1	1	1	22
Y30-4	Chronic disease of genito-urinary system	18	1	2	7	5	1	-	-	-	-	-	-	2
Y30-5	Other chronic disease	38	-	2	2	8	7	6	5	1	-	-	-	7
Y31	Acute disease in mother	38	1	3	8	1	7	4	2	5	-	-	-	7
Y31-0	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-
Y31-1	Influenza	12	2	3	3	-	1	1	1	-	-	-	-	5
Y31-2	Pneumonia (any form)	3	-	-	-	-	-	1	-	1	-	-	-	1
Y31-3	Other acute respiratory disease	2	-	-	1	-	-	-	-	1	-	-	-	-
Y31-4	Other acute disease or condition	21	1	4	4	1	6	3	-	4	-	-	-	1
	0 Rubella	7	1	1	1	-	3	1	-	1	-	-	-	-
	1 Other virus diseases	1	-	-	-	-	-	-	-	-	-	-	-	-
	2 Others	13	-	1	3	1	3	1	-	3	-	-	-	1
Y32	Diseases and conditions of pregnancy and childbirth	2,078	52	252	389	396	261	211	154	90	29	14	6	224
Y32-0	Pregnancy interrupted by self or other person for non-therapeutic purposes	-	-	-	-	-	-	-	-	-	-	-	-	-
Y32-1	Ectopic gestation	1	-	-	-	-	-	-	-	-	-	-	-	1
Y32-2	Haemorrhage without mention of placental condition	448	15	43	78	92	53	51	37	22	2	2	-	53
Y32-3	Toxaemia with convulsions during pregnancy or labour (eclampsia)	62	-	13	16	12	7	4	2	2	-	-	-	6
Y32-4	Other toxæmias of pregnancy	1,544	36	196	294	288	199	154	112	65	25	9	6	160
Y32-5	Infection (ante- and intra-partum)	23	1	-	1	4	2	2	3	1	2	3	-	4
	0 Urinary infection	5	-	-	-	1	1	2	1	1	2	3	-	1
	1 Others	18	1	-	1	3	-	-	2	-	-	-	-	3
Y33	Absorption of toxic substance from mother	-	-	-	-	-	-	-	-	-	-	-	-	-
Y33-0	Narcotic	-	-	-	-	-	-	-	-	-	-	-	-	-
Y33-1	Quinine	-	-	-	-	-	-	-	-	-	-	-	-	-
Y33-2	Other toxic substance	-	-	-	-	-	-	-	-	-	-	-	-	-

	813	30	44	90	79	97	77	98	70	35	27	25	141
Y34 Difficulties in labour													
Y34.0 Difficult labour with abnormality of bones of pelvis	6	-	-	-	-	-	-	2	2	-	-	1	1
Y34.1 Difficult labour with disproportion, but no mention of abnormality, of pelvis	277	28	35	50	29	34	16	5	7	7	9	8	49
Y34.2 Difficult labour with malposition of foetus	367	1	7	34	43	48	47	58	32	10	11	13	63
Y34.3 Difficult labour with abnormality of forces of labour	54	-	1	2	2	6	6	17	4	3	1	1	11
Y34.4 Difficult labour with operative delivery	22	-	-	-	-	3	2	7	4	4	-	1	1
Y34.5 Difficult labour with abnormality of organs or tissues of pelvis	25	1	1	4	3	1	3	3	2	4	-	-	3
Y34.6 Difficult labour without mention of underlying condition	62	-	-	-	2	5	3	6	19	7	6	1	13
Y35 Other causes in mother	57	1	5	6	8	9	9	8	1	3	-	-	7
Y35.0 Fall	14	1	1	1	2	4	2	3	-	-	-	-	-
Y35.1 Other accident or violence	16	-	1	1	4	3	4	1	-	-	-	-	2
Y35.2 Overexertion	-	-	-	-	-	-	-	-	-	-	-	-	-
Y35.3 Other and ill-defined causes in mother	27	-	3	4	2	2	3	4	1	3	-	-	5
Y36 Placental and cord conditions	4,175	89	300	468	545	557	567	574	360	141	40	17	517
Y36.0 Cord condition without mention of placental abnormality	1,035	10	31	52	73	105	172	238	155	55	14	3	127
0 Pressure on cord, compression of cord,	147	-	3	2	9	16	23	44	27	6	1	-	16
1 Protrusion of cord, thrombosis of cord	255	2	12	17	18	19	42	41	41	22	5	1	29
2 Others	633	8	16	33	46	70	107	147	87	27	8	2	82
Placenta praevia	134	1	14	28	12	22	14	13	9	5	-	-	16
Y36.1 Premature separation of normally implanted placenta	1,329	18	93	183	219	209	188	145	76	36	8	4	150
Y36.2 Placenta praevia with cord abnormality	8	-	-	-	3	2	1	-	-	1	-	-	1
Y36.3 Premature separation of normally implanted placenta with cord abnormality	6	-	-	1	-	3	1	-	-	1	-	-	-
Y36.4 Placental infarct	252	8	16	30	41	37	31	30	14	4	1	1	39
Y36.5 Other abnormality of placenta and cord	1,411	52	146	174	197	179	160	148	106	39	17	9	184
Y37 Birth injury	247	1	4	9	9	28	29	46	46	25	13	5	32
Y37.0 Birth injury with abnormality of bones of pelvis	4	-	-	-	-	-	1	-	2	-	-	-	1
Y37.1 Birth injury with abnormality of organs or tissues of pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-
Y37.2 Birth injury with disproportion, but no mention of abnormality, of pelvis	13	-	-	1	1	-	1	3	3	-	2	1	1
Y37.3 Birth injury with malposition of foetus	48	-	-	-	3	10	6	4	10	4	3	-	8
Y37.4 Birth injury with abnormality of forces of labour	23	-	-	1	-	1	3	3	7	2	-	1	5
Y37.5 Operation causing mutilation of foetus	-	-	-	-	-	-	-	-	-	-	-	-	-
Y37.6 Other operation for delivery	15	-	-	-	-	-	1	2	4	5	1	-	2
Y37.7 Birth injury with difficult labour but without mention of underlying condition	11	-	-	-	-	-	1	2	-	2	2	1	3
Y37.8 Birth injury due to other or unspecified cause	133	1	4	7	5	17	16	32	20	12	5	2	12

TABLE 23F - continued

IOD No.	Cause	Total	Birth weight										10-5lbs- 4,773g.-	Not stated
			under 1.5lbs. 682g.	1.5lbs- 682g.-	2.5lbs- 1,136g.-	3.5lbs- 1,591g.-	4.5lbs- 2,045g.-	5.5lbs- 2,500g.-	6.5lbs- 2,955g.-	7.5lbs- 3,369g.-	8.5lbs- 3,818g.-	9.5lbs- 4,268g.-		
Y38	Congenital malformation of foetus	2,464	78	394	487	366	228	211	155	111	37	8	7	382
Y38-0	Anencephalus	1,423	58	320	375	261	104	41	34	11	8	1	1	209
	0 With mention of spina bifida or synonym	1,423	48	320	375	261	104	41	34	11	8	1	1	209
	1 Without mention of spina bifida or synonym	1,231	48	258	328	228	95	39	32	10	5	1	1	186
Y38-1	Hydrocephalus	363	4	20	26	31	53	59	50	35	13	2	2	63
Y38-2	Spina bifida	304	4	17	34	19	24	57	44	45	13	2	2	45
	0 With mention of hydrocephalus	204	2	5	6	8	16	44	41	41	5	2	2	31
	1 Without mention of hydrocephalus	100	2	12	28	11	8	13	3	4	5	-	-	14
Y38-3	Other malformation of the central nervous system	91	2	11	14	11	9	11	11	6	1	-	1	14
	0 Mongolism	23	-	-	-	2	2	3	4	4	1	-	-	7
	1 Microcephaly	15	-	2	2	9	6	3	5	2	-	-	-	3
	2 Others	53	2	9	12	9	1	5	3	2	-	-	1	4
Y38-4	Malformation of the cardiovascular system	61	2	4	3	5	8	15	6	12	-	1	-	5
	0 Tetralogy of Fallot	1	-	-	-	-	-	1	-	-	-	-	-	-
	1 Patent ductus arteriosus	7	-	-	-	1	3	3	1	3	-	-	-	-
	2 Interventricular septal defect	17	-	3	2	2	1	3	1	4	-	-	-	2
	3 Intraventricular septal defect	5	-	-	-	-	-	-	-	-	-	-	-	1
	4 Fibroelastosis cordis	-	-	-	-	-	-	-	-	-	-	-	-	-
	5 Other malformations of heart	21	2	1	1	-	2	6	4	2	-	1	2	2
	6 Coarctation of aorta	3	1	1	-	1	1	1	1	1	-	-	-	-
	7 Other circulatory malformations	7	-	-	-	1	1	2	1	2	-	-	-	-
Y38-5	Malformation of other specified system or part	132	5	13	18	26	20	16	3	1	-	1	-	29
	0 Digestive system	16	-	3	2	9	9	6	-	-	-	-	-	3
	1 Genito-urinary system	32	1	2	4	7	4	3	-	-	-	-	-	6
	2 Dwarf	4	-	-	-	1	2	2	-	-	-	-	-	-
	3 Other skeletal	36	1	3	5	4	7	3	2	2	-	1	-	7
	4 Respiratory system	3	-	-	1	-	-	-	-	-	-	-	-	1
	5 Skin	-	-	-	-	-	-	-	-	-	-	-	-	-
	6 Muscle	8	-	-	1	-	-	-	-	-	-	-	-	2
	7 Others	35	3	5	5	6	3	3	-	1	-	-	-	10
Y38-6	Monster	16	-	-	3	1	3	4	-	-	-	-	3	2
	0 Double monster	9	-	-	-	-	1	1	-	-	-	-	3	2
	1 Monster N.O.S.	2	-	-	1	-	1	1	-	-	-	-	-	-
	2 Others	7	-	-	2	1	1	3	-	-	-	-	-	-
Y38-7	Other and unspecified malformations	74	3	9	14	12	7	8	7	1	2	1	-	10
Y39	Diseases of foetus, and ill-defined causes	2,953	125	259	299	301	320	381	391	241	101	35	19	481
Y39-0	Syphilis	1	-	-	-	1	-	-	-	-	-	-	-	-
Y39-1	Infection other than syphilis	13	-	1	-	-	1	4	1	3	1	-	-	2
Y39-2	Erythroblastosis	585	31	43	49	45	88	90	75	41	21	7	4	91
Y39-3	Other cause originated in the foetus	28	1	1	3	4	5	1	5	4	1	1	1	1
Y39-4	Maceration, cause not specified	780	40	85	106	112	73	79	89	50	11	1	3	131
Y39-5	Other ill-defined cause	874	27	72	76	75	90	118	127	96	45	17	9	122
	0 Asphyxia	410	9	19	23	29	41	59	75	59	23	12	5	65
	1 Atelectasis	95	-	3	4	11	16	17	20	21	9	3	2	9
	2 Post-maturity	86	-	-	1	1	1	12	20	21	14	3	1	27
	3 Prematurity	175	47	45	35	22	18	18	11	1	-	1	1	12
	4 Others	108	1	5	13	15	10	21	41	16	5	1	1	134
Y39-6	Cause unspecified	672	26	57	65	64	63	89	94	47	22	9	2	134

**TABLE 23G. Stillbirths by cause and place of confinement (with, for certain selected causes, rates per 1,000 total births), 1966**

**England and Wales**

Note. Institutions described as other hospitals are mainly maternity homes.

ICD No.	Cause	Total	Place of occurrence			
			N.H.S. hospital	Other hospital	At home	Else-where
Y30-Y39	ALL CAUSES	M 6,857 F 6,386 P 13,243	6,100 5,739 11,839	105 86 191	581 501 1,082	71 60 131
Y30	Chronic disease in mother	418	393	5	17	3
Y30.0	Syphilis	6	5	-	1	-
Y30.1	Tuberculosis (any form)	1	1	-	-	-
Y30.2	Diabetes mellitus	116	113	1	2	-
Y30.3	Chronic disease of circulatory system	239	222	3	11	3
Y30.4	Chronic disease of genito-urinary system	18	17	1	-	-
Y30.5	Other chronic disease	38	35	-	3	-
Y31	Acute disease in mother	38	27	1	9	1
Y31.0	Typhoid fever	-	-	-	-	-
Y31.1	Influenza	12	7	1	3	1
Y31.2	Pneumonia (any form)	3	3	-	-	-
Y31.3	Other acute respiratory disease	2	2	-	-	-
Y31.4	Other acute disease or condition	21	15	-	6	-
	0 Rubella	7	5	-	2	-
	1 Other virus diseases	1	1	-	-	-
	2 Others	13	9	-	4	-
Y32	Diseases and conditions of pregnancy and childbirth	2,078	1,978	29	64	7
Y32.0	Pregnancy interrupted by self or other person for non-therapeutic purposes	-	-	-	-	-
Y32.1	Ectopic gestation	1	1	-	-	-
Y32.2	Haemorrhage without mention of placental condition	448	423	3	20	2
Y32.3	Toxaemia with convulsions during pregnancy or labour (eclampsia)	62	57	3	2	-
Y32.4	Other toxaemias of pregnancy	1,544	1,478	22	39	5
Y32.5	Infection (ante- and intra-partum)	23	19	1	3	-
	0 Urinary infection	5	4	-	1	-
	1 Others	18	15	1	2	-
Y33	Absorption of toxic substance from mother	-	-	-	-	-
Y33.0	Narcotic	-	-	-	-	-
Y33.1	Quinine	-	-	-	-	-
Y33.2	Other toxic substance	-	-	-	-	-
Y34	Difficulties in labour	813	681	7	114	11
Y34.0	Difficult labour with abnormality of bones of pelvis	6	6	-	-	-
Y34.1	Difficult labour with disproportion, but no mention of abnormality, of pelvis	277	245	2	30	-
Y34.2	Difficult labour with malposition of foetus	367	302	3	55	7
Y34.3	Difficult labour with abnormality of forces of labour	54	33	-	18	3
Y34.4	Difficult labour with operative delivery	22	19	2	1	-
Y34.5	Difficult labour with abnormality of organs or tissues of pelvis	25	21	-	4	-
Y34.6	Difficult labour without mention of underlying condition	62	55	-	6	1
Y35	Other causes in mother	57	49	2	6	-
Y35.0	Fall	14	13	-	1	-
Y35.1	Other accident or violence	16	12	1	3	-
Y35.2	Overexertion	-	-	-	-	-
Y35.3	Other and ill-defined causes in mother	27	24	1	2	-
Y36	Placental and cord conditions	4,175	3,761	79	307	28
Y36.0	Cord condition without mention of placental abnormality	1,035	896	21	108	10
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	147	110	3	30	4
	1 Prolapse of cord	255	237	4	13	1
	2 Others	633	549	14	65	5
Y36.1	Placenta praevia	134	127	4	3	-
Y36.2	Premature separation of normally implanted placenta	1,329	1,267	14	41	7
Y36.3	Placenta praevia with cord abnormality	8	8	-	-	-
Y36.4	Premature separation of normally implanted placenta with cord abnormality	6	6	-	-	-
Y36.5	Placental infarct	252	193	8	49	2
Y36.6	Other abnormality of placenta and cord	1,411	1,264	32	106	9
Y37	Birth injury	247	206	4	36	1
Y37.0	Birth injury with abnormality of bones of pelvis	4	4	-	-	-
Y37.1	Birth injury with abnormality of organs or tissues of pelvis	-	-	-	-	-
Y37.2	Birth injury with disproportion, but no mention of abnormality, of pelvis	13	12	-	1	-
Y37.3	Birth injury with malposition of foetus	48	42	1	5	-
Y37.4	Birth injury with abnormality of forces of labour	23	13	1	9	-
Y37.5	Operation causing mutilation of foetus	-	-	-	-	-
Y37.6	Other operation for delivery	15	15	-	-	-
Y37.7	Birth injury with difficult labour but without mention of underlying condition	11	10	-	1	-
Y37.8	Birth injury due to other or unspecified cause	133	110	2	20	1
Y38	Congenital malformation of foetus	2,464	2,204	31	215	14
Y38.0	Anencephalus	1,423	1,318	14	83	8
	0 With mention of spina bifida or synonym	192	183	-	9	-
	1 Without mention of spina bifida or synonym	1,231	1,135	14	74	8

TABLE 23G - continued

ICD No.	Cause	Total	Place of occurrence				
			N.H.S. hospital	Other hospital	At home	Else- where	
Y38-1	Hydrocephalus	363	296	7	57	3	
Y38-2	Spina bifida	304	274	5	23	2	
	0 With mention of hydrocephalus	204	192	3	9	-	
	1 Without mention of hydrocephalus	100	82	2	14	2	
Y38-3	Other malformation of the central nervous system	91	74	3	14	-	
	0 Mongolism	23	16	-	7	-	
	1 Microcephaly	15	12	1	2	-	
	2 Others	53	46	2	5	-	
Y38-4	Malformation of the cardiovascular system	61	53	-	7	1	
	0 Tetralogy of Fallot	1	1	-	-	-	
	1 Patent ductus arteriosus	7	7	-	-	-	
	2 Interventricular septal defect	17	13	-	4	-	
	3 Interauricular septal defect	5	5	-	-	-	
	4 Fibroelastosis cordis	-	-	-	-	-	
	5 Other malformations of heart	21	18	-	3	-	
	6 Coarctation of aorta	3	2	-	-	1	
	7 Other circulatory malformations	7	7	-	-	-	
Y38-5	Malformation of other specified system or part	132	104	1	27	-	
	0 Digestive system	16	14	-	2	-	
	1 Genito-urinary system	32	27	-	5	-	
	2 Dwarf	4	4	-	-	-	
	3 Other skeletal	36	25	1	10	-	
	4 Respiratory system	3	2	-	1	-	
	5 Skin	-	-	-	-	-	
	6 Muscle	6	4	-	2	-	
	7 Others	35	28	-	7	-	
Y38-6	Monster	16	14	1	1	-	
	0 Double monster	6	5	1	-	-	
	1 Monster N.O.S.	3	2	-	1	-	
	2 Others	7	7	-	-	-	
Y38-7	Other and unspecified malformations	74	71	-	3	-	
Y39	Diseases of foetus, and ill-defined causes	2,953	2,540	33	314	66	
Y39-0	Syphilis	1	1	-	-	-	
Y39-1	Infection other than syphilis	13	11	-	2	-	
Y39-2	Erythroblastosis	585	564	4	17	-	
Y39-3	Other cause originated in the foetus	28	24	1	3	-	
Y39-4	Maceration, cause not specified	780	669	10	91	10	
Y39-5	Other ill-defined cause	874	731	12	111	20	
	0 Asphyxia	410	362	5	34	9	
	1 Atelectasis	95	73	2	18	2	
	2 Post-maturity	86	75	2	8	1	
	3 Prematurity	175	127	2	38	8	
	4 Others	108	94	1	13	-	
Y39-6	Cause unspecified	672	540	6	90	36	
Total live and still births		M	444,119	322,283	11,513	104,922	5,401
		F	418,947	302,684	10,764	100,096	5,403
		P	863,066	624,967	22,277	205,018	10,804

## Stillbirths per 1,000 total births

			M	F	P	15.4	18.9	9.1	5.5	13.1
Y30-Y39	All causes					15.2	19.0	8.0	5.0	11.1
Y30-Y35	Maternal conditions					15.3	18.9	8.6	5.3	12.1
Y30-2	Diabetes					3.9	5.0	2.0	1.0	2.0
Y30-3	Circulatory					0.1	0.2	0.0	0.0	-
						0.3	0.4	0.1	0.1	0.3
Y32	Diseases of pregnancy					2.4	3.2	1.3	0.3	0.6
Y32-2	Haemorrhage N.E.C.					0.5	0.7	0.1	0.1	0.2
Y32-4	Other toxæmia					1.8	2.4	1.0	0.2	0.5
Y34	Difficulties in labour					0.9	1.1	0.3	0.6	1.0
Y34-2	Malposition					0.4	0.5	0.1	0.3	0.6
Y34-3	Abnormal forces					0.1	0.1	-	0.1	0.3
Y36	Placental and cord conditions					4.8	6.0	3.5	1.5	2.6
Y36-1	Placenta prævia					0.2	0.2	0.2	0.0	-
Y36-2	Placenta and placental separation					1.5	2.0	0.6	0.2	0.6
Y36-5	Placental infarct					0.3	0.3	0.4	0.2	0.2
Y37-Y39	Foetal conditions					6.6	7.9	3.1	2.8	7.5
Y37	Birth injury					0.3	0.3	0.2	0.2	0.1
Y38	Congenital malformation					2.9	3.5	1.4	1.0	1.3
Y38-0	Anencephalus					1.6	2.1	0.6	0.4	0.7
Y38-1	Hydrocephalus					0.4	0.5	0.3	0.3	0.3
Y38-2	Spina bifida					0.4	0.4	0.2	0.1	0.2
Y39	Other and ill-defined causes					3.4	4.1	1.5	1.5	6.1
Y39-2	Erythroblastosis					0.7	0.9	0.2	0.1	-
Y39-6	Unspecified					0.8	0.9	0.3	0.4	3.3

TABLE 23H. Legitimate stillbirths by certain selected causes, parity of mother and number of previous stillbirths with rates per 1,000 total births, 1966

England and Wales

Parity - previous live and still births of all marriages	Number of previous stillbirths							Number of previous stillbirths						
	0	1	2	3	4	5-9	Total	0	1	2	3	4	5-9	Total
All causes (Y30-Y39)								Chronic and acute diseases in mother (Y30, Y31)						
0	4,594	-	-	-	-	-	4,594	156	-	-	-	-	-	156
1	2,512	151	-	-	-	-	2,663	80	7	-	-	-	-	87
2	1,655	213	17	-	-	-	1,885	51	16	1	-	-	-	68
3	1,021	168	40	6	-	-	1,235	33	7	1	-	-	-	41
4	524	85	30	6	2	-	647	20	5	1	-	-	-	26
5-9	624	184	55	15	5	1	884	26	11	4	1	2	-	44
10 and over	43	10	11	1	2	-	67	1	-	-	-	-	-	1
Total	10,973	811	153	28	9	1	11,975	367	46	7	1	2	-	423
Haemorrhage without mention of placental condition (Y32.2)								Toxaemia and infection of pregnancy (Y32.3-5)						
0	119	-	-	-	-	-	119	775	-	-	-	-	-	775
1	90	8	-	-	-	-	98	232	30	-	-	-	-	262
2	74	4	-	-	-	-	78	152	22	5	-	-	-	179
3	38	5	2	-	-	-	45	89	21	5	-	-	-	115
4	23	1	-	-	-	-	24	39	9	2	1	-	-	51
5-9	20	12	3	-	1	-	36	65	19	5	2	-	-	91
10 and over	4	-	-	-	-	-	4	4	1	1	-	-	-	6
Total	368	30	5	-	1	-	404	1,356	102	18	3	-	-	1,479
Difficult labour, birth injury (Y34, Y37)								Placental and cord conditions (Y36)						
0	365	-	-	-	-	-	365	1,379	-	-	-	-	-	1,379
1	226	7	-	-	-	-	233	779	43	-	-	-	-	822
2	118	8	-	-	-	-	126	524	66	5	-	-	-	595
3	89	8	-	1	-	-	98	352	42	15	2	-	-	411
4	43	5	3	-	-	-	51	196	26	9	3	2	-	236
5-9	47	10	5	-	-	-	62	226	75	10	4	-	-	315
10 and over	1	1	4	-	1	-	7	20	6	4	-	-	-	30
Total	889	39	12	1	1	-	942	3,476	258	43	9	2	-	3,788
Anencephalus (Y38.0)								Hydrocephalus, spina bifida, and other malformation of the central nervous system (Y38.1-3)						
0	556	-	-	-	-	-	556	277	-	-	-	-	-	277
1	281	25	-	-	-	-	304	174	10	-	-	-	-	184
2	185	25	1	-	-	-	211	80	10	-	-	-	-	90
3	96	19	2	-	-	-	117	47	7	-	1	-	-	55
4	51	8	2	-	-	-	61	29	5	1	-	-	-	35
5-9	41	15	2	1	-	-	59	31	7	3	-	-	-	41
10 and over	2	-	-	-	-	-	2	4	1	1	-	-	-	6
Total	1,212	90	7	1	-	-	1,310	642	40	5	1	-	-	688
Other congenital malformation of foetus (Y38.4-7)								Erythroblastosis (Y39.2)						
0	91	-	-	-	-	-	91	38	-	-	-	-	-	38
1	79	-	-	-	-	-	79	148	2	-	-	-	-	150
2	41	3	-	-	-	-	44	106	32	2	-	-	-	140
3	17	1	1	-	-	-	19	72	31	12	1	-	-	116
4	10	2	-	-	-	-	12	17	16	8	2	-	-	43
5-9	11	1	1	-	-	-	13	38	10	16	6	2	-	72
10 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	249	7	2	-	-	-	258	419	91	38	9	2	-	559
Legitimate live and stillbirths														
0	288,248	-	-	-	-	-	288,248							
1	244,028	3,659	-	-	-	-	247,687							
2	127,862	4,726	194	-	-	-	132,782							
3	59,199	3,430	236	25	-	-	62,940							
4	27,957	2,037	248	34	9	-	30,285							
5-9	28,022	2,695	481	87	33	10	31,328							
10 and over	1,185	199	52	21	6	9	1,472							
Total	776,501	16,746	1,261	167	48	19	794,742							

TABLE 23H - continued

Parity - previous live and still births of all marriages	Number of previous stillbirths							Number of previous stillbirths						
	0	1	2	3	4	5-9	Total	0	1	2	3	4	5-9	Total
Stillbirths per 1,000 total births														
	All causes (Y30-Y39)							Chronic and acute diseases in mother (Y30, Y31)						
0	15.9	-	-	-	-	-	15.9	0.5	-	-	-	-	-	0.5
1	10.3	41.3	-	-	-	-	10.8	0.3	1.9	-	-	-	-	0.4
2	12.9	45.1	87.6	-	-	-	14.2	0.4	3.4	5.2	-	-	-	0.5
3	17.2	49.0	139.9	240.0	-	-	19.6	0.6	2.0	3.5	-	-	-	0.7
4	18.7	41.7	121.0	176.5	222.2	-	21.4	0.7	2.5	4.0	-	-	-	0.9
5-9	22.3	68.3	114.3	172.4	151.5	100.0	28.2	0.9	4.1	8.3	11.5	60.6	-	1.4
10 and over	36.3	50.3	211.5	47.6	333.3	-	45.5	0.8	-	-	-	-	-	0.7
Total	14.1	48.4	121.3	187.7	187.5	52.6	15.1	0.5	2.7	5.6	6.0	41.7	-	0.5
	Haemorrhage without mention of placental condition (Y32.2)							Toxaemia and infection of pregnancy (Y32.3-.5)						
0	0.4	-	-	-	-	-	0.4	2.7	-	-	-	-	-	2.7
1	0.4	2.2	-	-	-	-	0.4	1.0	8.2	-	-	-	-	1.1
2	0.6	0.8	-	-	-	-	0.6	1.2	4.7	25.8	-	-	-	1.3
3	0.6	1.5	7.0	-	-	-	0.7	1.5	6.1	17.5	-	-	-	1.8
4	0.8	0.5	-	-	-	-	0.8	1.4	4.4	8.1	29.4	-	-	1.7
5-9	0.7	4.5	6.2	-	30.3	-	1.1	2.3	7.1	10.4	23.0	-	-	2.9
10 and over	3.4	-	-	-	-	-	2.7	3.4	5.0	19.2	-	-	-	4.1
Total	0.5	1.8	4.0	-	20.8	-	0.5	1.7	6.1	14.3	18.0	-	-	1.9
	Difficult labour, birth injury (Y34, Y37)							Placental and cord conditions (Y36)						
0	1.3	-	-	-	-	-	1.3	4.8	-	-	-	-	-	4.8
1	0.9	1.9	-	-	-	-	0.9	3.2	11.8	-	-	-	-	3.3
2	0.9	1.7	-	-	-	-	0.9	4.1	14.0	25.8	-	-	-	4.5
3	1.5	2.3	-	40.0	-	-	1.6	5.9	12.2	52.4	80.0	-	-	6.5
4	1.5	2.5	12.1	-	-	-	1.7	7.0	12.8	36.3	88.2	222.2	-	7.8
5-9	1.7	3.7	10.4	-	-	-	2.0	8.1	27.8	20.8	46.0	-	-	10.1
10 and over	0.8	5.0	76.9	-	166.7	-	4.8	16.9	30.2	76.9	-	-	-	20.4
Total	1.1	2.3	9.5	6.0	20.8	-	1.2	4.5	15.4	34.1	53.9	41.7	-	4.8
	Anencephalus (Y38.0)							Hydrocephalus, spina bifida, and other malformation of the central nervous system (Y38.1-.3)						
0	1.9	-	-	-	-	-	1.9	1.0	-	-	-	-	-	1.0
1	1.2	6.3	-	-	-	-	1.2	0.7	2.7	-	-	-	-	0.7
2	1.4	5.3	5.2	-	-	-	1.6	0.6	2.1	-	-	-	-	0.7
3	1.6	5.5	7.0	-	-	-	1.9	0.8	2.0	-	40.0	-	-	0.9
4	1.8	3.9	8.1	-	-	-	2.0	1.0	2.5	4.0	-	-	-	1.2
5-9	1.5	5.6	4.2	11.5	-	-	1.9	1.1	2.6	6.2	-	-	-	1.3
10 and over	1.7	-	-	-	-	-	1.4	3.4	5.0	19.2	-	-	-	4.1
Total	1.6	5.4	5.6	6.0	-	-	1.6	0.8	2.4	4.0	6.0	-	-	0.9
	Other congenital malformation of foetus (Y38.4-.7)							Erythroblastosis (Y39.2)						
0	0.3	-	-	-	-	-	0.3	0.1	-	-	-	-	-	0.1
1	0.3	-	-	-	-	-	0.3	0.6	0.5	-	-	-	-	0.6
2	0.3	0.6	-	-	-	-	0.3	0.8	6.8	10.3	-	-	-	1.1
3	0.3	0.3	3.5	-	-	-	0.3	1.2	9.0	42.0	40.0	-	-	1.8
4	0.4	1.0	-	-	-	-	0.4	0.6	7.9	32.3	58.8	-	-	1.4
5-9	0.4	0.4	2.1	-	-	-	0.4	1.4	3.7	33.3	69.0	60.6	-	2.3
10 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	0.3	0.4	1.6	-	-	-	0.3	0.5	5.4	30.1	53.9	41.7	-	0.7

**TABLE 23I. Stillbirths by cause, sex and year of occurrence (with, for certain selected causes, rates per 1,000 total births), 1961 to 1966**

England and Wales

ICD No.	Cause		1961	1962	1963	1964	1965	1966
Y30-Y39	All Causes	M F P	8,076 7,651 15,727	7,957 7,507 15,464	7,884 7,105 14,989	7,566 6,980 14,546	7,200 6,641 13,841	6,857 6,386 13,243
Y30	Chronic disease in mother	M F	254 195	245 219	294 192	257 212	267 194	244 174
Y30.0	Syphilis	M F	5 4	6 3	3 2	5 8	2 1	4 2
Y30.1	Tuberculosis (any form)	M F	- -	1 2	4 1	4 1	1 -	- 1
Y30.2	Diabetes mellitus	M F	72 42	63 52	73 50	63 47	75 47	64 52
Y30.3	Chronic disease of circulatory system	M F	136 109	137 124	189 105	158 128	145 114	144 95
Y30.4	Chronic disease of genito-urinary system	M F	14 14	10 11	6 13	11 9	10 13	12 6
Y30.5	Other chronic disease	M F	27 26	28 27	19 21	16 19	34 19	20 18
Y31	Acute disease in mother	M F	36 31	37 35	36 22	17 18	13 23	14 24
Y31.0	Typhoid fever	M F	- -	- -	- -	- -	- -	- -
Y31.1	Influenza	M F	25 20	12 11	7 5	7 2	3 8	2 10
Y31.2	Pneumonia (any form)	M F	- 1	3 1	7 2	3 2	3 3	1 2
Y31.3	Other acute respiratory disease	M F	2 1	2 4	3 2	- 4	1 4	1 1
Y31.4	Other acute disease or condition	M F	9 9	20 19	19 13	7 10	6 8	10 11
	0 Rubella	M F	1 1	11 12	8 7	- 5	1 1	3 4
	1 Other virus diseases	M F	3 3	2 4	4 2	3 2	- 1	1 -
	2 Others	M F	5 5	7 3	7 4	4 3	5 6	6 7
Y32	Diseases and conditions of pregnancy and childbirth	M F	1,543 1,265	1,475 1,154	1,431 1,087	1,264 1,029	1,237 937	1,176 902
Y32.0	Pregnancy interrupted by self or other person for non-therapeutic purposes	M F	- -	- -	- -	- -	- -	- -
Y32.1	Ectopic gestation	M F	1 3	- 1	2 1	- 2	2 3	- 1
Y32.2	Haemorrhage without mention of placental condition	M F	306 220	244 188	270 216	293 216	227 193	262 186
Y32.3	Toxaemia with convulsions during pregnancy or labour (eclampsia)	M F	24 28	38 24	35 24	25 30	27 22	33 29
Y32.4	Other toxaemias of pregnancy	M F	1,188 991	1,176 928	1,108 828	931 765	964 709	872 672
Y32.5	Infection (ante- and intra-partum)	M F	24 23	17 13	16 18	15 16	17 10	9 14
	0 Urinary infection	M F	10 7	4 4	5 3	4 6	7 4	2 3
	1 Others	M F	14 16	13 9	11 15	11 10	10 6	7 11
Y33	Absorption of toxic substance from mother	M F	- 1	1 2	1 1	1 -	1 -	- -
Y33.0	Narcotic	M F	- -	- -	- -	- -	- -	- -

TABLE 23I - continued

ICD No.	Cause		1961	1962	1963	1964	1965	1966
Y33.1	Quinine	M	-	-	-	-	-	-
		F	-	-	-	-	-	-
Y33.2	Other toxic substance	M	-	1	1	1	1	-
		F	1	2	1	-	-	-
Y34	Difficulties in labour	M	711	654	623	532	495	452
		F	569	509	425	451	376	361
Y34.0	Difficult labour with abnormality of bones of pelvis	M	15	11	9	8	3	4
		F	8	7	6	7	3	2
Y34.1	Difficult labour with disproportion, but no mention of abnormality, of pelvis	M	154	148	147	110	162	153
		F	112	108	95	125	138	124
Y34.2	Difficult labour with malposition of fetus	M	388	322	313	271	215	203
		F	324	258	231	203	168	164
Y34.3	Difficult labour with abnormality of forces of labour	M	74	84	74	65	36	36
		F	63	58	43	53	20	18
Y34.4	Difficult labour with operative delivery	M	27	25	22	15	19	10
		F	13	19	5	13	6	12
Y34.5	Difficult labour with abnormality of organs or tissues of pelvis	M	11	14	15	13	18	15
		F	15	21	18	7	13	10
Y34.6	Difficult labour without mention of underlying condition	M	42	50	43	50	42	31
		F	34	38	27	43	28	31
Y35	Other causes in mother	M	29	19	27	33	33	37
		F	23	32	27	14	17	20
Y35.0	Fall	M	9	4	7	10	10	11
		F	9	10	5	4	5	3
Y35.1	Other accident or violence	M	4	5	6	8	7	10
		F	5	6	3	2	6	6
Y35.2	Overexertion	M	-	-	-	-	-	-
		F	-	-	-	-	-	-
Y35.3	Other and ill-defined causes in mother	M	16	10	14	15	16	16
		F	9	16	19	8	6	11
Y36	Placental and cord conditions	M	2,263	2,370	2,479	2,403	2,416	2,334
		F	1,798	1,944	1,949	1,945	1,857	1,841
Y36.0	Cord condition without mention of placental abnormality	M	710	664	648	599	598	543
		F	544	575	568	538	473	492
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	M	111	103	89	86	80	69
		F	97	101	97	108	65	78
	1 Prolapse of cord	M	215	207	214	181	166	147
		F	132	134	131	112	124	108
	2 Others	M	384	354	345	332	352	327
		F	315	340	340	318	284	306
Y36.1	Placenta praevia	M	122	89	97	97	82	86
		F	94	80	67	67	62	48
Y36.2	Premature separation of normally implanted placenta	M	653	746	782	766	769	775
		F	463	499	545	496	519	554
Y36.3	Placenta praevia with cord abnormality	M	4	5	3	6	3	4
		F	3	2	3	7	5	4
Y36.4	Premature separation of normally implanted placenta with cord abnormality	M	3	5	7	7	-	5
		F	2	8	6	2	4	1
Y36.5	Placental infarct	M	196	187	180	139	144	136
		F	186	162	163	138	122	116
Y36.6	Other abnormality of placenta and cord	M	575	674	762	789	820	785
		F	504	618	597	697	672	626
Y37	Birth injury	M	231	220	201	189	152	121
		F	183	181	137	112	115	126
Y37.0	Birth injury with abnormality of bones of pelvis	M	4	1	5	-	3	1
		F	2	1	2	1	2	3

TABLE 231 - continued

ICD No.	Cause		1961	1962	1963	1964	1965	1966
Y37.1	Birth injury with abnormality of organs or tissue of pelvis	M F	1 -	4 1	4 -	- -	2 -	- -
Y37.2	Birth injury with disproportion but no mention of abnormality of pelvis	M F	18 11	19 12	14 7	10 5	12 8	9 4
Y37.3	Birth injury with malposition of foetus	M F	77 48	63 50	52 36	50 19	34 24	25 23
Y37.4	Birth injury with abnormality of forces of labour	M F	26 20	17 21	18 15	14 18	20 18	7 16
Y37.5	Operation causing mutilation of foetus	M F	1 -	- -	- -	- -	- -	- -
Y37.6	Other operation of delivery	M F	19 10	14 11	8 8	7 1	5 7	7 8
Y37.7	Birth injury with difficult labour but without mention of underlying condition	M F	2 6	7 3	5 9	6 -	5 4	8 3
Y37.8	Birth injury due to other or unspecified cause	M F	83 86	95 82	95 60	102 68	71 72	64 69
Y38	<b>Congenital malformations of foetus</b>	M F	<b>1,127</b> <b>1,950</b>	<b>1,119</b> <b>1,738</b>	<b>1,053</b> <b>1,715</b>	<b>1,035</b> <b>1,656</b>	<b>913</b> <b>1,638</b>	<b>929</b> <b>1,535</b>
Y38.0	Anencephalus	M F	454 1,218	452 1,103	419 1,128	454 1,088	376 1,077	396 1,027
	0 With mention of spina bifida or synonym	M F	47 139	55 121	45 151	63 146	37 135	53 139
	1 Without mention of spina bifida or synonym	M F	407 1,079	397 982	374 977	391 942	339 942	343 888
Y38.1	Hydrocephalus	M F	313 258	298 229	279 204	232 204	215 165	209 154
Y38.2	Spina bifida	M F	151 250	137 174	130 190	119 181	98 192	129 175
	0 With mention of hydrocephalus	M F	104 166	102 127	85 122	90 133	62 147	84 120
	1 Without mention of hydrocephalus	M F	47 84	35 47	45 68	29 48	36 45	45 55
Y38.3	Other malformation of the central nervous system	M F	33 54	40 72	37 64	41 40	43 54	36 55
	0 Mongolism	M F	9 10	8 17	14 13	7 5	4 17	10 13
	1 Microcephaly	M F	5 13	8 10	2 12	10 7	15 8	7 8
	2 Others	M F	19 31	24 45	21 39	24 28	24 29	19 34
Y38.4	Malformation of the cardiovascular system	M F	28 24	36 26	33 26	33 30	30 30	32 29
	0 Tetralogy of Fallot	M F	- -	1 1	- -	- 1	- -	- 1
	1 Patent ductus arteriosus	M F	5 1	3 3	2 1	2 2	3 1	5 2
	2 Interventricular septal defect	M F	2 7	11 6	14 5	6 10	9 7	8 9
	3 Interauricular septal defect	M F	4 2	2 1	2 2	7 3	2 7	1 4
	4 Fibroelastosis cordis	M F	- -	1 -	- 2	2 -	1 1	- -
	5 Other malformations of heart	M F	13 10	16 14	12 12	13 10	11 11	14 7
	6 Coarctation of aorta	M F	1 -	1 -	2 1	- 3	3 -	1 2
	7 Other circulatory malformations	M F	3 4	1 1	1 3	3 1	1 3	3 4

TABLE 23I - continued

ICD No.	Cause		1961	1962	1963	1964	1965	1966
Y38.5	Malformation of other specified system	M	101	110	101	97	100	80
		F	98	93	58	61	72	52
	0 Digestive system	M	11	20	16	7	10	13
		F	9	15	8	5	7	3
	1 Genito-urinary system	M	19	23	24	28	28	21
		F	16	14	5	10	10	11
	2 Dwarf	M	2	3	3	-	2	2
		F	2	3	-	-	2	2
	3 Other skeletal	M	26	10	21	14	19	16
		F	26	17	18	11	13	20
	4 Respiratory system	M	2	4	2	1	4	2
		F	3	13	4	4	9	1
	5 Skin	M	-	-	1	1	-	-
		F	-	1	-	-	-	-
	6 Muscle	M	4	3	4	8	3	6
		F	-	-	1	3	2	-
	7 Others	M	37	47	30	38	34	20
		F	42	30	22	28	29	15
Y38.6	Monster	M	7	6	9	6	3	3
		F	12	7	13	13	11	13
	0 Double monster	M	2	3	7	1	1	1
		F	7	2	11	3	7	5
	1 Monster N.O.S.	M	-	-	-	2	1	-
		F	1	1	1	5	1	3
	2 Others	M	5	3	2	3	1	2
		F	4	4	1	5	3	5
Y38.7	Other and unspecified malformations	M	40	40	45	53	48	44
		F	36	34	32	39	37	30
Y39	Diseases of foetus and ill-defined causes	M	1,882	1,817	1,739	1,835	1,673	1,550
		F	1,636	1,639	1,550	1,543	1,484	1,403
Y39.0	Syphilis	M	-	-	2	-	1	1
		F	1	1	-	-	-	-
Y39.1	Infection other than syphilis	M	11	7	8	16	11	6
		F	3	9	9	8	13	7
Y39.2	Erythroblastosis	M	405	359	360	404	338	303
		F	343	312	303	329	313	282
Y39.3	Other cause originated in the foetus	M	40	24	26	20	19	15
		F	39	19	15	13	11	13
Y39.4	Maceration, cause not specified	M	541	513	505	531	451	409
		F	471	484	430	429	370	371
Y39.5	Other ill-defined cause	M	486	504	466	491	484	461
		F	414	497	452	437	443	413
	0 Asphyxia	M	178	196	208	208	209	219
		F	146	192	213	219	206	191
	1 Atelectasis	M	53	64	52	47	55	57
		F	43	57	44	35	48	38
	2 Post-maturity	M	67	63	39	48	51	44
		F	42	57	40	36	46	42
	3 Prematurity	M	130	116	109	120	104	97
		F	105	106	93	81	80	78
	4 Others	M	58	65	58	68	65	44
		F	78	85	62	66	63	64
Y39.6	Cause unspecified	M	399	410	372	373	369	355
		F	365	371	341	327	334	317
Total live and still births		M	425,844	439,590	446,360	458,638	450,390	444,119
		F	401,164	414,610	422,684	431,880	426,176	418,947
		P	827,008	584,200	869,044	890,518	876,566	863,066

TABLE 23I - continued

ICD No.	Cause		1961	1962	1963	1964	1965	1966
Stillbirths per 1,000 total births								
Y30-Y39	All Causes	M	19.0	18.1	17.7	16.5	16.0	15.4
		F	19.1	18.1	16.8	16.2	15.6	15.2
		P	19.0	18.1	17.2	16.3	15.8	15.3
Y30-Y35	Maternal conditions		5.6	5.1	4.8	4.9	4.1	3.9
Y30.2	Diabetes		0.1	0.1	0.1	0.1	0.1	0.1
Y30.3	Circulatory		0.3	0.3	0.3	0.3	0.3	0.3
Y32	Diseases of pregnancy							
Y32.2	Haemorrhage N.E.C.		3.4	3.1	2.9	2.6	2.5	2.4
Y32.4	Other toxæmia		0.6	0.5	0.6	0.6	0.5	0.5
			2.6	2.5	2.2	1.9	1.9	1.8
Y34	Difficulties in labour							
Y34.2	Malposition		1.5	1.4	1.2	1.1	1.0	0.9
Y34.3	Abnormal forces		0.9	0.7	0.6	0.5	0.4	0.4
			0.2	0.2	0.1	0.1	0.1	0.1
Y36	Placental and cord conditions		4.9	5.1	5.1	4.9	4.9	4.8
Y36.1	Placenta prævia		0.3	0.2	0.2	0.2	0.2	0.2
Y36.2	Placenta and placental separation		1.3	1.5	1.5	1.4	1.5	1.5
Y36.5	Placental infarct		0.5	0.4	0.4	0.3	0.3	0.3
Y37-Y39	Foetal conditions		8.5	7.9	7.4	7.2	6.8	6.6
Y37	Birth injury							
Y38	Congenital malformations		0.5	0.5	0.4	0.3	0.3	0.3
Y38.0	Anencephalus		3.7	3.3	3.2	3.0	2.9	2.9
Y38.1	Hydrocephalus		2.0	1.8	1.8	1.7	1.7	1.6
Y38.2	Spina bifida		0.7	0.6	0.6	0.5	0.4	0.4
			0.5	0.4	0.4	0.3	0.3	0.4
Y39	Other and ill-defined causes							
Y39.2	Erythroblastosis		4.3	4.1	3.8	3.8	3.6	3.4
Y39.6	Unspecified		0.9	0.8	0.8	0.8	0.7	0.7
			0.9	0.9	0.8	0.8	0.8	0.8

**TABLE 24. Deaths at various periods in the first year of life and death rates per 1,000 live births, stillbirths and combined stillbirths and infant deaths per 1,000 total births, 1966**

AREA	Infant deaths										Still -births
	Days		Weeks			Months				Total under 1 year	
	0	1-6	1	2	3	1-2	3-5	6-8	9-11		
ENGLAND AND WALES	5,564	3,882	703	433	351	2,098	1,737	866	513	16,147	13,243
Regions and conurbations:											
Northern	385	275	53	44	33	167	140	61	40	1,198	963
Tyneside Conurbation	89	79	10	10	6	50	38	15	12	309	241
Remainder of Northern	296	196	43	34	27	117	102	46	28	889	722
Yorkshire and Humberside	598	447	76	47	41	258	224	126	64	1,881	1,368
West Yorkshire Conurbation	254	174	24	14	19	101	89	56	24	755	497
Remainder of Yorkshire and Humberside	344	273	52	33	22	157	135	70	40	1,126	871
North Western	834	657	116	70	62	360	287	132	85	2,603	2,150
South East Lancashire Conurbation	332	255	43	30	23	143	115	54	24	1,019	807
Merseyside Conurbation	182	134	25	16	15	80	70	23	9	554	498
Remainder of North Western	320	268	48	24	24	137	102	55	52	1,030	845
East Midland	401	277	43	20	21	165	117	68	32	1,144	907
West Midland	644	424	89	62	42	218	201	96	60	1,836	1,620
West Midlands Conurbation	333	203	51	37	25	102	109	55	26	941	782
Remainder of West Midland	311	221	38	25	17	116	92	41	34	895	838
East Anglia	162	109	25	10	7	58	50	21	18	460	368
South Eastern	1,896	1,221	198	127	97	629	519	248	152	5,087	4,137
Greater London	938	611	90	59	47	312	255	120	67	2,499	2,031
Outer Metropolitan Area	532	330	62	36	27	165	134	65	42	1,393	1,205
Remainder of South Eastern	426	280	46	32	23	152	130	63	43	1,195	901
South Western	354	237	54	26	32	126	109	52	37	1,027	880
Wales	290	235	49	27	16	117	90	62	25	911	850
Wales I (South East)	237	172	35	23	14	90	64	52	16	703	624
Wales II (remainder)	53	63	14	4	2	27	26	10	9	208	226
Urban/Rural aggregates:											
Conurbations	2,128	1,456	243	166	135	788	676	323	162	6,077	4,856
Areas outside conurbations:											
Urban areas with populations of 100,000 and over	736	494	115	61	56	340	262	121	71	2,256	1,727
Urban areas with populations of 50,000 and under 100,000	530	361	66	43	34	203	200	99	47	1,583	1,318
Urban areas with populations under 50,000	1,138	802	148	82	71	407	331	179	127	3,285	2,794
Rural districts	1,032	769	131	81	55	360	268	144	106	2,946	2,548
Hospital Regions:											
Newcastle	363	255	51	42	33	159	137	59	40	1,139	906
Leeds	392	298	52	25	27	170	139	85	43	1,231	875
Sheffield	588	395	60	43	33	246	190	102	49	1,706	1,349
East Anglia	168	116	28	10	7	59	53	22	18	481	381
North West Metropolitan	520	311	63	37	19	170	115	68	47	1,350	1,041
North East Metropolitan	366	242	30	18	21	107	113	40	24	961	827
South East Metropolitan	334	226	31	29	23	117	94	50	37	941	807
South West Metropolitan	370	241	35	20	21	122	107	42	19	977	787
Wessex	208	134	28	16	14	70	68	36	23	597	444
Oxford	188	150	25	11	3	73	56	30	15	551	465
South Western	292	190	46	23	30	109	87	42	28	847	731
Welsh	290	235	49	27	16	117	90	62	25	911	850
Birmingham	644	424	89	62	42	218	201	96	60	1,836	1,620
Manchester	577	443	73	44	39	238	175	88	65	1,742	1,399
Liverpool	264	222	43	26	23	123	112	44	20	877	761

England and Wales, regions, Wales,  
conurbations, urban and rural  
aggregates and hospital regions

Infant mortality per 1,000 live births										Rates per 1,000 total births		
Days		Weeks			Months				Total infant mortality	Still -births	Still -births plus infant deaths under 1 week	Still -births plus infant deaths under 1 year
0	1-6	1	2	3	1-2	3-5	6-8	9-11				
6.55	4.57	0.83	0.51	0.41	2.47	2.04	1.02	0.60	19.00	15.34	26.29	34.05
6.75	4.82	0.93	0.77	0.58	2.93	2.45	1.07	0.70	20.99	16.60	27.97	37.24
6.28	5.58	0.71	0.71	0.42	3.53	2.68	1.06	0.85	21.81	16.73	28.39	38.17
6.90	4.57	1.00	0.79	0.63	2.73	2.38	1.07	0.65	20.72	16.55	27.83	36.93
7.10	5.31	0.90	0.56	0.49	3.06	2.66	1.50	0.76	22.33	15.98	28.19	37.96
8.24	5.64	0.78	0.45	0.62	3.28	2.89	1.82	0.78	24.48	15.86	29.52	39.96
6.44	5.11	0.97	0.62	0.41	2.94	2.53	1.31	0.75	21.09	16.05	27.43	36.81
6.90	5.43	0.96	0.58	0.51	2.98	2.37	1.09	0.70	21.53	17.47	29.59	38.63
7.41	5.69	0.96	0.67	0.51	3.19	2.57	1.20	0.54	22.74	17.69	30.56	40.03
7.10	5.23	0.98	0.62	0.59	3.12	2.73	0.90	0.35	21.61	19.05	31.15	40.25
6.34	5.31	0.95	0.48	0.48	2.72	2.02	1.09	1.03	20.42	16.48	27.94	36.56
6.73	4.65	0.72	0.34	0.35	2.77	1.96	1.14	0.54	19.21	15.00	26.21	33.92
6.83	4.50	0.94	0.66	0.45	2.31	2.13	1.02	0.64	19.48	16.90	28.04	36.05
7.27	4.43	1.11	0.81	0.55	2.23	2.38	1.20	0.57	20.53	16.77	28.27	36.96
6.42	4.56	0.78	0.52	0.35	2.40	1.90	0.85	0.70	18.48	17.01	27.81	35.18
6.15	4.14	0.95	0.38	0.27	2.20	1.90	0.80	0.68	17.47	13.78	23.93	31.00
6.29	4.05	0.66	0.42	0.32	2.09	1.72	0.82	0.50	16.87	13.53	23.73	30.18
6.66	4.34	0.64	0.42	0.33	2.21	1.81	0.85	0.48	17.74	14.21	25.05	31.69
5.80	3.60	0.68	0.39	0.29	1.80	1.46	0.71	0.46	15.18	12.96	22.23	27.94
6.19	4.07	0.67	0.46	0.33	2.21	1.89	0.92	0.62	17.36	12.92	23.04	30.05
5.80	3.88	0.88	0.43	0.52	2.06	1.78	0.85	0.61	16.81	14.20	23.74	30.78
6.46	5.24	1.09	0.60	0.36	2.61	2.01	1.38	0.56	20.30	18.59	30.08	38.52
7.27	5.28	1.07	0.71	0.43	2.76	1.96	1.60	0.49	21.58	18.79	31.11	39.96
4.31	5.13	1.14	0.33	0.16	2.20	2.12	0.81	0.73	16.93	18.07	27.34	34.70
7.04	4.82	0.80	0.55	0.45	2.61	2.24	1.07	0.54	20.11	15.81	27.49	35.61
6.93	4.65	1.08	0.57	0.53	3.20	2.47	1.14	0.67	21.24	16.00	27.39	36.90
6.46	4.40	0.80	0.52	0.41	2.47	2.44	1.21	0.57	19.28	15.80	26.48	34.78
6.24	4.40	0.81	0.45	0.39	2.23	1.82	0.98	0.70	18.02	15.09	25.57	32.84
5.83	4.34	0.74	0.46	0.31	2.03	1.51	0.81	0.60	16.64	14.19	24.22	30.60
6.80	4.78	0.96	0.79	0.62	2.98	2.57	1.11	0.75	21.34	16.69	28.08	37.68
7.06	5.37	0.94	0.45	0.49	3.06	2.50	1.53	0.77	22.17	15.51	27.75	37.34
7.12	4.78	0.73	0.52	0.40	2.98	2.30	1.24	0.59	20.66	16.07	27.79	36.40
6.09	4.20	1.01	0.36	0.25	2.14	1.92	0.80	0.65	17.43	13.62	23.77	30.81
6.65	3.98	0.81	0.47	0.24	2.18	1.47	0.87	0.60	17.28	13.15	23.64	30.20
6.25	4.13	0.51	0.31	0.36	1.83	1.93	0.68	0.41	16.41	13.92	24.16	30.10
5.82	3.94	0.54	0.50	0.40	2.04	1.64	0.87	0.64	16.38	13.86	23.47	30.01
6.51	4.24	0.62	0.35	0.37	2.15	1.88	0.74	0.33	17.18	13.65	24.25	30.60
6.33	4.08	0.85	0.49	0.43	2.13	2.07	1.10	0.70	18.16	13.33	23.60	31.25
5.35	4.27	0.71	0.31	0.09	2.08	1.59	0.85	0.43	15.68	13.06	22.55	28.53
5.73	3.73	0.90	0.45	0.59	2.14	1.71	0.82	0.55	16.61	14.14	23.46	30.52
6.46	5.24	1.09	0.60	0.36	2.61	2.01	1.38	0.56	20.30	18.59	30.08	38.52
6.83	4.50	0.94	0.66	0.45	2.31	2.13	1.02	0.64	19.48	16.90	28.04	36.05
7.21	5.54	0.91	0.55	0.49	2.98	2.19	1.10	0.81	21.78	17.19	29.73	38.60
6.34	5.33	1.03	0.62	0.55	2.95	2.69	1.06	0.48	21.06	17.94	29.40	38.62

TABLE 24 SUPPLEMENT. Stillbirth rates and infant death rates in England and Wales various age periods, 1906 to 1966

Period	Total infant mortality (under 1 year)	Infant mortality per 1,000 live births* at various ages									Stillbirths and infant deaths - rates per 1,000 total births†				
		Neonatal mortality (under 4 weeks)	Early neonatal mortality (under 1 week)	Late neonatal mortality (1 week and under 4 weeks)	Post-neonatal mortality (4 weeks and under 1 year)	Early neonatal period		Post-neonatal period			Stillbirths plus infant deaths under 1 year 'Birth wastage'	Stillbirths (late foetal deaths at or over 28 weeks gestation)	Stillbirths plus infant deaths under 1 week 'Perinatal mortality'	Infant deaths at 1 week or over	Stillbirths plus infant deaths under 4 weeks
						Under 1 day	1 day and under 1 week	4 weeks and under 3 months	3 months and under 6 months	6 months and under 1 year					
1906-1910	117.1	40.2	24.5	15.7	76.9	11.5	13.0	22.8	22.0	32.1	-	-	-	-	-
1911-1915	108.7	39.0	24.1	14.9	69.8	11.4	12.7	20.2	19.6	30.0	-	-	-	-	-
1916-1920	90.9	37.0	23.4	13.7	53.9	11.0	12.4	16.5	14.6	22.8	-	-	-	-	-
1921-1925	74.9	33.4	21.7	11.7	41.6	10.4	11.3	12.8	11.3	17.5	-	-	-	-	-
1926-1930	67.6	31.8	21.8	9.9	35.7	10.3	11.5	10.8	9.5	15.4	-	-	-	-	-
1931-1935	61.9	31.4	22.4	9.0	30.5	10.7	11.7	9.9	8.5	12.1	100.6	41.0	62.5	38.1	71.1
1936-1940	55.3	29.2	21.5	7.7	26.0	10.4	11.2	8.8	7.8	9.4	91.7	38.5	59.2	32.5	66.6
1941-1945	49.8	26.0	18.7	7.2	23.8	9.3	9.5	8.9	7.7	7.2	78.5	30.5	48.6	23.9	55.6
1946-1950	36.3	21.1	16.2	4.9	15.2	7.9	8.4	5.8	5.0	4.4	59.5	24.0	39.8	19.6	44.6
1951-1955	26.9	18.0	15.0	3.0	8.9	7.5	7.5	3.4	3.0	2.5	49.2	23.0	37.6	11.6	40.5
1956-1960	22.6	16.2	13.8	2.4	6.5	7.5	6.3	2.6	2.1	1.8	43.6	21.4	34.9	8.7	37.2
1961-1965															
1931	65.7	31.5	22.1	9.5	34.2	10.4	11.7	10.8	9.2	14.2	104.5	40.9	62.1	42.4	71.2
1932	64.5	31.5	22.4	9.2	33.0	10.6	11.8	10.8	9.0	13.2	103.7	41.3	62.8	40.8	71.6
1933	62.7	32.1	22.9	9.3	30.6	11.0	11.8	9.8	8.6	12.2	102.5	41.4	63.4	39.1	72.3
1934	59.3	31.4	22.7	8.7	27.9	10.9	11.8	8.9	7.7	11.3	96.7	40.5	62.2	34.5	70.5
1935	57.0	30.4	22.0	8.4	26.6	10.7	11.3	9.1	7.7	9.8	95.4	40.7	61.9	33.5	69.9
1936	58.7	30.2	21.9	8.2	28.5	10.7	11.3	9.3	8.3	10.9	95.9	39.7	60.8	35.2	68.7
1937	57.7	29.7	22.0	7.8	28.0	10.8	11.2	9.4	8.3	10.3	94.4	39.0	60.2	34.2	67.6
1938	52.8	28.3	21.1	7.1	24.5	10.3	10.8	8.2	7.3	9.0	88.9	38.3	58.6	30.4	65.5
1939	50.6	28.3	21.2	7.1	22.2	10.3	10.9	7.9	7.0	7.3	86.9	38.1	58.5	28.4	65.3
1940	56.8	29.6	21.3	8.3	27.2	9.8	11.5	9.3	8.2	9.7	92.5	37.2	57.7	34.7	65.7
1941	60.0	29.0	20.7	8.3	31.1	10.1	10.6	11.3	9.7	10.1	92.4	34.8	54.7	37.7	62.7
1942	50.6	27.2	19.6	7.7	23.4	9.6	10.0	8.7	7.5	7.2	81.1	33.2	52.1	29.0	59.4
1943	49.1	25.2	18.3	6.9	23.9	9.1	9.2	8.8	7.8	7.3	77.5	30.1	47.9	29.6	54.6
1944	45.4	24.4	17.5	6.9	21.1	8.8	8.8	8.0	7.0	6.1	70.9	27.6	44.5	26.3	51.1
1945	46.0	24.8	18.0	6.8	21.3	9.0	9.0	8.2	7.0	6.1	73.4	27.6	45.2	28.1	51.8
1946	42.9	24.5	17.8	6.7	18.4	8.7	9.1	7.1	6.1	5.2	66.9	27.2	44.3	22.6	50.7
1947	41.4	22.7	16.5	6.2	18.6	7.8	8.7	6.9	6.0	5.7	65.0	24.1	40.3	24.6	46.4
1948	33.9	19.7	15.6	4.1	14.2	7.8	7.9	5.5	4.8	3.9	56.8	23.2	38.5	18.4	42.5
1949	32.4	19.3	15.6	3.7	13.0	7.6	8.0	4.8	4.4	3.8	54.6	22.7	38.0	16.7	41.5
1950	29.6	18.5	15.2	3.3	11.1	7.2	8.0	4.3	3.7	3.1	51.7	22.6	37.4	14.3	40.7
1951	29.7	18.8	15.5	3.3	10.9	7.5	8.0	4.1	3.6	3.2	52.2	23.0	38.2	14.0	41.5
1952	27.6	18.3	15.2	3.2	9.3	7.6	7.6	3.7	3.0	2.6	49.6	22.7	37.5	12.1	40.6
1953	26.8	17.7	14.8	2.9	9.1	7.4	7.4	3.4	3.0	2.7	48.6	22.4	36.9	11.7	39.7
1954	25.4	17.7	14.9	2.8	7.7	7.6	7.4	3.0	2.6	2.1	48.4	23.5	38.1	10.3	40.8
1955	24.9	17.3	14.6	2.6	7.6	7.6	7.0	2.9	2.6	2.1	47.5	23.2	37.4	10.0	40.0
1956	23.7	16.8	14.2	2.6	6.9	7.4	6.8	2.7	2.3	1.8	46.0	22.9	36.7	9.2	39.3
1957	23.1	16.5	14.1	2.4	6.7	7.6	6.5	2.6	2.1	1.9	45.1	22.5	36.2	8.8	38.5
1958	22.5	16.2	13.8	2.4	6.4	7.5	6.3	2.6	2.1	1.7	43.6	21.5	35.0	8.6	37.3
1959	22.2	15.9	13.6	2.3	6.3	7.6	6.0	2.4	2.1	1.8	42.6	20.8	34.1	8.5	36.3
1960	21.8	15.5	13.3	2.2	6.3	7.5	5.8	2.5	2.1	1.6	41.1	19.8	32.8	8.3	35.0
1961	21.4	15.3	13.3	2.1	6.1	7.6	5.7	2.4	2.0	1.7	40.0	19.0	32.0	8.0	34.1
1962	21.7	15.1	13.0	2.1	6.6	7.4	5.6	2.5	2.3	1.8	39.4	18.1	30.8	8.5	32.9
1963	21.1	14.3	12.3	2.0	6.9	7.2	5.1	2.7	2.4	1.8	38.0	17.2	29.3	8.7	31.3
1964	19.9	13.8	12.0	1.8	6.1	7.1	4.9	2.4	2.1	1.6	35.9	16.3	28.2	7.8	29.9
1965	19.0	13.0	11.3	1.7	6.0	6.6	4.7	2.4	2.1	1.6	34.5	15.8	26.9	7.6	28.6
1966	19.0	12.9	11.1	1.7	6.1	6.5	4.6	2.5	2.0	1.6	34.1	15.3	26.3	7.8	28.0

\*Rates based on related live births from 1926 to 1956.

†The births upon which these rates are based for successive calendar years are numbers registered up to 1939 inclusive, and numbers of occurrences from 1939.

TABLE 25. Deaths at various periods in the first year of life and death rates per 1,000 live births; stillbirths, and combined stillbirths and infant deaths per 1,000 total births, 1966, and the four quarters thereof

England and Wales

		Infant deaths																Stillbirths		
		Days				Weeks				Months				Total under 1 year						
		Under 30 minutes		Total under 1 day		1 day and under 1 week		1	2	3		1-2		3-5		6-8			9-11	
		Under 30 minutes	30 minutes and under 1 day	1	2	3	4	5	6	1	2	1	2	1	2	1	2			
All infants	M	311	2,896	3,207	921	619	368	176	130	89	2,303	404	225	199	1,243	995	490	291	9,357	
	F	291	2,066	2,357	683	386	189	122	101	98	1,579	289	208	152	855	742	376	222	6,790	
	P	602	4,962	5,564	1,604	1,005	557	298	231	187	3,882	703	433	351	2,098	1,737	866	513	16,147	
March quarter		160	1,229	1,369	407	261	146	72	56	42	984	180	110	72	621	591	258	175	4,380	
June quarter		152	1,227	1,379	406	280	139	74	66	54	1,019	186	104	77	456	318	199	115	3,853	
September quarter		140	1,271	1,411	395	250	141	81	64	50	981	171	110	90	430	319	154	87	3,753	
December quarter		150	1,235	1,385	396	214	131	71	45	41	898	166	109	112	591	509	255	136	4,161	
Legitimate	M	248	2,570	2,818	814	554	339	161	121	79	2,068	368	206	178	1,104	910	454	272	8,378	
	F	239	1,827	2,066	617	344	174	109	93	91	1,428	283	190	136	771	687	350	212	6,123	
	P	487	4,397	4,884	1,431	898	513	270	214	170	3,496	651	396	314	1,875	1,597	804	484	14,501	
Illegitimate	M	63	326	389	107	65	29	15	9	10	235	36	19	21	139	85	36	19	979	
	F	52	239	291	66	42	15	13	8	7	151	48	18	16	84	55	26	10	667	
	P	115	565	680	173	107	44	28	17	17	386	52	37	37	223	140	62	29	1,646	

		Infant mortality per 1,000 live births																Rates per 1,000 total births			
		Days				Weeks				Months				Total					Stillbirths plus infant deaths under 1 year	Stillbirths plus infant deaths under 1 year	
		Under 30 minutes		Total under 1 day		1 day and under 1 week		1	2	3		1-2		3-5		6-8		9-11			
		Under 30 minutes	30 minutes and under 1 day	1	2	3	4	5	6	1	2	1	2	1	2	1	2				
All infants	M	0.71	6.62	7.33	2.11	1.42	0.84	0.40	0.30	0.20	5.27	0.92	0.51	0.51	0.67	1.12	2.84	15.44	27.85		
	F	0.71	5.01	5.71	1.66	0.94	0.46	0.30	0.24	0.24	3.83	0.72	0.50	0.37	0.54	0.91	2.07	15.24	24.64		
	P	0.71	5.84	6.55	1.89	1.18	0.66	0.35	0.27	0.22	4.57	0.83	0.51	0.41	0.60	1.02	2.47	15.34	26.29		
March quarter		0.74	5.69	6.43	1.88	1.21	0.68	0.33	0.26	0.19	4.55	0.83	0.51	0.33	0.81	1.19	2.87	15.72	28.52		
June quarter		0.71	5.69	6.40	1.88	1.30	0.65	0.34	0.31	0.25	4.73	0.86	0.49	0.36	0.53	0.92	2.12	15.01	25.97		
September quarter		0.65	5.88	6.52	1.83	1.16	0.65	0.37	0.30	0.23	4.54	0.79	0.51	0.42	0.40	0.71	1.99	15.04	25.93		
December quarter		0.74	6.12	6.86	1.96	1.06	0.65	0.35	0.22	0.20	4.45	0.82	0.54	0.55	0.67	1.26	2.93	15.63	28.76		
Legitimate	M	0.62	6.38	6.99	2.02	1.38	0.84	0.40	0.30	0.20	5.13	0.91	0.51	0.44	0.68	1.13	2.74	15.18	27.12		
	F	0.63	4.81	5.44	1.62	0.91	0.46	0.29	0.24	0.24	3.76	0.74	0.50	0.36	0.56	0.92	2.03	14.95	24.01		
	P	0.62	5.62	6.24	1.83	1.15	0.66	0.34	0.27	0.22	4.47	0.83	0.51	0.40	0.62	1.03	2.40	14.97	25.61		
Illegitimate	M	1.83	9.48	11.31	3.11	1.89	0.84	0.44	0.26	0.29	6.83	1.06	0.55	0.61	0.55	1.05	4.04	18.52	36.34		
	F	1.59	7.32	8.91	2.02	1.29	0.46	0.40	0.24	0.21	4.62	0.49	0.55	0.49	0.31	0.80	2.57	18.59	31.87		
	P	1.71	8.43	10.14	2.58	1.60	0.66	0.42	0.25	0.25	5.76	0.78	0.55	0.55	0.43	0.92	3.33	18.56	34.16		

TABLE 25 SUPPLEMENT. Infant mortality rates per 1,000 live births for principal causes and at certain ages, and stillbirth rates per 1,000 total births, for year and quarters and quarterly percentages of the annual rates, 1966

England and Wales

Aetiological group	ICD No.	Cause of death	Annual rates	Quarterly rates				Quarterly rates per cent of annual rates*			
				March	June	Sept.	Dec.	March	June	Sept.	Dec.
Prenatal and natal group	760	Intracranial and spinal injury at birth	1.36	1.40	1.29	1.42	1.33	103	95	105	98
	761	Other birth injury (including maternal antepartum haemorrhage)	0.55	0.60	0.48	0.57	0.55	109	87	103	101
	762	Postnatal asphyxia and atelectasis	2.83	2.60	2.85	2.88	3.01	92	101	102	106
	769	Attributed to maternal toxæmia	0.19	0.19	0.23	0.17	0.19	96	119	87	98
	770	Erythroblastosis	0.37	0.37	0.39	0.39	0.31	101	107	106	85
	771	Haemorrhagic disease of newborn	0.23	0.18	0.21	0.29	0.24	77	94	126	104
	773	Ill-defined diseases of early infancy	0.59	0.59	0.66	0.57	0.53	100	112	96	91
	774; 776	Immaturity alone, or primary to disease other than of early infancy	2.90	2.86	2.81	2.78	3.17	99	97	96	109
		Total	9.02	8.78	8.92	9.05	9.33	97	99	100	104
	750-759	Congenital malformations	3.80	3.89	3.58	3.68	4.09	102	94	97	108
Postnatal group	001-138; 340; 391-393; 470-483 518,519; 690-698 765-768	Causes classified as infective and others mainly infective in origin	0.62	0.77	0.60	0.41	0.71	124	96	66	114
	490-493, 763 500-502	Pneumonia and bronchitis	3.15	4.14	2.51	2.09	3.89	132	80	67	124
	571, 764	Gastro-enteritis and diarrhoea of newborn	0.44	0.50	0.40	0.36	0.53	112	91	80	118
	E921-E925	Accidental mechanical suffocation from vomit, food, foreign body, or in cot	0.52	0.62	0.50	0.41	0.53	121	96	80	104
	E926, E980-E985	Lack of care, neglect (including foundlings), infanticide	0.09	0.13	0.11	0.05	0.07	144	120	55	80
	Rem. E800-E999	Other violent causes	0.15	0.13	0.13	0.16	0.19	84	87	105	125
		Total	4.98	6.30	4.25	3.49	5.92	127	85	70	119
Unclassified	140-239	Neoplasms	0.08	0.09	0.08	0.11	0.06	104	99	126	70
	Rem. of 001-E999	Other remaining causes	1.12	1.20	1.05	1.03	1.20	107	94	92	108
		Total	1.20	1.29	1.14	1.13	1.26	107	94	94	105
	774, 776	Immaturity alone, or primary to disease other than of early infancy	2.90	2.86	2.81	2.78	3.17	99	97	96	109
	760,5-773,5	Immaturity associated with other diseases of early infancy	3.83	3.61	3.87	3.87	3.98	94	101	101	104
		Total immaturity	6.73	6.47	6.68	6.65	7.14	96	99	99	106
		All causes, excluding immaturity	12.27	13.79	11.20	10.70	13.47	112	91	87	110
Stillbirths (late foetal deaths at or over 28 weeks' gestation)			15.34	15.72	15.01	15.04	15.63	102	98	98	102
Infant deaths			19.00	20.26	17.88	17.35	20.61	107	94	91	108
Infant deaths at ages under 1 week			11.12	10.98	11.13	11.06	11.31	99	100	99	102
Infant deaths at ages 1 week and under 4 weeks			1.75	1.67	1.70	1.72	1.92	96	97	98	110
Infant deaths at 4 weeks and under 1 year			6.14	7.61	5.05	4.58	7.39	124	82	75	120

\* These percentages have been calculated using unrounded rates.

TABLE 26. Infant mortality from certain causes, 1966.  
Deaths of infants under 1 year and various sub-divisions  
of the first year, with rates per 1,000 live births.  
Deaths of illegitimate infants, and rates per 1,000  
illegitimate live births

England and Wales, regions, Wales,  
conurbations, urban and rural  
aggregates and hospital regions

Area	Infant deaths							Rates per 1,000 live births						
	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year per 1,000 illegit. live births
All causes														
ENGLAND AND WALES	16,147	10,933	2,098	1,737	866	513	1,646	19.00	12.87	2.47	2.04	1.02	0.60	24.55
Regions and Conurbations:														
Northern	1,198	790	167	140	61	40	89	20.99	13.84	2.93	2.45	1.07	0.70	24.34
Tyneside Conurbation	309	194	50	38	15	12	30	21.81	13.69	3.53	2.68	1.06	0.85	28.52
Remainder of Northern	889	596	117	102	46	28	59	20.72	13.89	2.73	2.38	1.07	0.65	22.66
Yorkshire and Humberside	1,881	1,209	258	224	126	64	206	22.33	14.35	3.06	2.66	1.50	0.76	30.27
West Yorkshire Conurbation	755	485	101	89	56	24	118	24.48	15.73	3.28	2.89	1.82	0.78	38.60
Remainder of Yorkshire and Humberside	1,126	724	157	135	70	40	88	21.09	13.56	2.94	2.53	1.31	0.75	23.48
North Western	2,603	1,739	360	287	132	85	266	21.53	14.38	2.98	2.37	1.09	0.70	27.14
South East Lancashire														
Conurbation	1,019	683	143	115	54	24	119	22.74	15.24	3.19	2.57	1.20	0.54	27.25
Merseyside Conurbation	554	372	80	70	23	9	56	21.61	14.51	3.12	2.73	0.90	0.35	27.20
Remainder of North Western	1,030	684	137	102	55	52	91	20.42	13.56	2.72	2.02	1.09	1.03	26.96
East Midland	1,144	762	165	117	68	32	118	19.21	12.79	2.77	1.96	1.14	0.54	26.42
West Midland	1,836	1,261	218	201	96	60	167	19.48	13.38	2.31	2.13	1.02	0.64	24.69
West Midlands Conurbation	941	649	102	109	55	26	95	20.53	14.16	2.23	2.38	1.20	0.57	25.05
Remainder of West Midland	895	612	116	92	41	34	72	18.48	12.64	2.40	1.90	0.85	0.70	24.23
East Anglia	460	313	58	50	21	18	40	17.47	11.88	2.20	1.90	0.80	0.68	21.80
South Eastern	5,087	3,539	629	519	248	152	615	16.87	11.74	2.09	1.72	0.82	0.50	23.20
Greater London	2,499	1,745	312	255	120	67	362	17.74	12.38	2.21	1.81	0.85	0.48	23.52
Outer Metropolitan Area	1,393	987	165	134	65	42	117	15.18	10.75	1.80	1.46	0.71	0.46	21.48
Remainder of South Eastern	1,195	807	152	130	63	43	136	17.36	11.72	2.21	1.89	0.92	0.62	23.99
South Western	1,027	703	126	109	52	37	84	16.81	11.51	2.06	1.78	0.85	0.61	19.16
Wales	911	617	117	90	62	25	61	20.30	13.75	2.61	2.01	1.38	0.56	21.49
Wales I (South East)	703	461	90	64	52	16	49	21.58	14.76	2.76	1.96	1.60	0.49	24.20
Wales II (remainder)	208	136	27	26	10	9	12	16.93	11.07	2.20	2.12	0.81	0.73	14.74
Urban/Rural aggregates:														
Conurbations	6,077	4,128	788	676	323	162	780	20.11	13.66	2.61	2.24	1.07	0.54	26.25
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	2,256	1,462	340	262	121	71	242	21.24	13.76	3.20	2.47	1.14	0.67	23.17
Urban areas with populations of 50,000 and under 100,000	1,583	1,034	203	200	99	47	157	19.28	12.60	2.47	2.44	1.21	0.57	24.16
Urban areas with populations under 50,000	3,285	2,241	407	331	179	127	261	18.02	12.29	2.23	1.82	0.98	0.70	23.32
Rural districts	2,946	2,068	360	268	144	106	206	16.64	11.68	2.03	1.51	0.81	0.60	22.38
Hospital regions:														
Newcastle	1,139	744	159	137	59	40	82	21.34	13.94	2.98	2.57	1.11	0.75	24.04
Leeds	1,231	794	170	139	85	43	159	22.17	14.30	3.06	2.50	1.53	0.77	33.63
Sheffield	1,706	1,119	246	190	102	49	159	20.66	13.55	2.98	2.30	1.24	0.59	26.00
East Anglia	481	329	59	53	22	18	42	17.43	11.92	2.14	1.92	0.80	0.65	21.94
North West Metropolitan	1,350	950	170	115	68	47	186	17.28	12.16	2.18	1.47	0.87	0.60	24.20
North East Metropolitan	961	677	107	113	40	24	97	16.41	11.56	1.83	1.93	0.68	0.41	22.59
South East Metropolitan	941	643	117	94	50	37	102	16.38	11.20	2.04	1.64	0.87	0.64	20.78
South West Metropolitan	977	687	122	107	42	19	139	17.18	12.08	2.15	1.88	0.74	0.33	23.97
Wessex	597	400	70	68	36	23	56	18.16	12.17	2.13	2.07	1.10	0.70	20.48
Oxford	551	377	73	56	30	15	55	15.68	10.73	2.08	1.59	0.85	0.43	23.71
South Western	847	581	109	87	42	28	72	16.61	11.40	2.14	1.71	0.82	0.55	19.52
Welsh	911	617	117	90	62	25	61	20.30	13.75	2.61	2.01	1.38	0.56	21.49
Birmingham	1,836	1,261	218	201	96	60	167	19.48	13.38	2.31	2.13	1.02	0.64	24.69
Manchester	1,742	1,176	238	175	88	65	191	21.78	14.70	2.98	2.19	1.10	0.81	27.89
Liverpool	877	578	123	112	44	20	78	21.06	13.88	2.95	2.69	1.06	0.48	25.93

TABLE 26 - continued

Area	Infant deaths							Rates per 1,000 live births						
	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year per 1,000 illegit. live births
	Pneumonia (490-493, 763)													
ENGLAND AND WALES	2,302	531	705	646	284	136	223	2.71	0.62	0.83	0.76	0.33	0.16	3.33
Regions and Conurbations:														
Northern	190	39	60	54	23	14	18	3.33	0.68	1.05	0.95	0.40	0.25	4.92
Tyneside Conurbation	50	11	14	16	6	3	6	3.53	0.78	0.99	1.13	0.42	0.21	5.70
Remainder of Northern	140	28	46	38	17	11	12	3.26	0.65	1.07	0.89	0.40	0.26	4.61
Yorkshire and Humberside	298	54	94	82	51	17	39	3.54	0.64	1.12	0.97	0.61	0.20	5.73
West Yorkshire Conurbation	151	20	47	40	35	9	24	4.90	0.65	1.52	1.30	1.14	0.29	7.85
Remainder of Yorkshire and Humberside	147	34	47	42	16	8	15	2.75	0.64	0.88	0.79	0.30	0.15	4.00
North Western	431	75	151	127	51	27	36	3.57	0.62	1.25	1.05	0.42	0.22	3.67
South East Lancashire Conurbation	201	29	73	65	23	11	19	4.49	0.65	1.63	1.45	0.51	0.25	4.35
Merseyside Conurbation	79	11	27	29	10	2	3	3.08	0.43	1.05	1.13	0.39	0.08	1.46
Remainder of North Western	151	35	51	33	18	14	14	2.99	0.69	1.01	0.65	0.36	0.28	4.15
East Midland	160	44	53	39	19	5	12	2.69	0.74	0.89	0.65	0.32	0.08	2.69
West Midland	242	78	55	75	24	10	21	2.57	0.83	0.58	0.80	0.25	0.11	3.11
West Midlands Conurbation	121	41	27	38	12	3	11	2.64	0.89	0.59	0.63	0.26	0.07	2.90
Remainder of West Midland	121	37	28	37	12	7	10	2.50	0.76	0.58	0.76	0.25	0.14	3.37
East Anglia	69	15	26	18	6	4	6	2.62	0.57	0.99	0.68	0.23	0.15	3.27
South Eastern	632	151	185	179	77	40	68	2.10	0.50	0.61	0.59	0.26	0.13	2.57
Greater London	339	72	109	97	43	18	42	2.41	0.51	0.77	0.69	0.31	0.13	2.73
Outer Metropolitan Area	150	41	36	43	17	13	12	1.63	0.45	0.39	0.47	0.19	0.14	2.20
Remainder of South Eastern	143	38	40	39	17	9	14	2.08	0.55	0.58	0.57	0.25	0.13	2.47
South Western	145	41	41	39	14	10	14	2.37	0.67	0.67	0.64	0.23	0.16	3.19
Wales	135	34	40	33	19	9	9	3.01	0.76	0.89	0.74	0.42	0.20	3.77
Wales I (South East)	102	27	29	22	17	7	6	3.13	0.83	0.89	0.68	0.52	0.21	2.96
Wales II (remainder)	33	7	11	11	2	2	3	2.69	0.57	0.90	0.90	0.16	0.16	3.69
Urban/Rural aggregates:														
Conurbations	941	184	297	285	129	46	105	3.11	0.61	0.98	0.94	0.43	0.15	3.53
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	375	88	121	103	42	21	42	3.53	0.83	1.14	0.97	0.40	0.20	4.02
Urban areas with populations of 50,000 and under 100,000	225	43	70	69	31	12	22	2.74	0.52	0.85	0.84	0.38	0.15	3.39
Urban areas with populations under 50,000	423	118	113	114	45	33	31	2.32	0.65	0.62	0.63	0.25	0.18	2.77
Rural districts	358	98	104	75	37	24	23	1.91	0.55	0.59	0.42	0.21	0.14	2.50
Hospital regions:														
Newcastle	178	37	54	52	21	14	17	3.34	0.69	1.01	0.97	0.39	0.26	4.98
Leeds	242	33	81	64	48	16	35	4.36	0.59	1.46	1.15	0.86	0.29	7.40
Sheffield	214	65	65	56	22	6	16	2.59	0.79	0.79	0.68	0.27	0.07	2.62
East Anglia	71	15	26	19	7	4	6	2.57	0.54	0.94	0.69	0.25	0.14	3.13
North West Metropolitan	173	47	51	41	19	15	22	2.21	0.60	0.65	0.52	0.24	0.19	2.86
North East Metropolitan	117	29	33	37	14	4	17	2.00	0.50	0.56	0.63	0.24	0.07	3.96
South East Metropolitan	110	27	29	31	16	7	7	1.92	0.47	0.50	0.54	0.28	0.12	1.43
South West Metropolitan	123	22	43	38	12	8	13	2.16	0.39	0.76	0.67	0.21	0.14	2.24
Wessex	74	20	18	24	7	5	6	2.25	0.61	0.55	0.73	0.21	0.15	2.19
Oxford	71	14	25	17	11	4	5	2.02	0.40	0.71	0.48	0.31	0.11	2.16
South Western	121	35	34	32	13	7	13	2.37	0.69	0.67	0.63	0.26	0.14	3.52
Welsh	135	34	40	33	19	9	9	3.01	0.76	0.89	0.74	0.42	0.20	3.17
Birmingham	242	78	55	75	24	10	21	2.57	0.83	0.58	0.80	0.25	0.11	3.11
Manchester	288	49	100	82	33	24	28	3.60	0.61	1.25	1.03	0.41	0.30	4.09
Liverpool	143	26	51	45	18	3	8	3.43	0.62	1.22	1.08	0.43	0.07	2.66

TABLE 26 - continued

Area	Infant deaths							Rates per 1,000 live births						
	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year per 1,000 illegit. live births
	Bronchitis (500-502)													
ENGLAND AND WALES	372	15	121	139	67	30	29	0.44	0.02	0.14	0.16	0.08	0.04	0.43
Regions and Conurbations:														
Northern	19	-	5	9	3	2	1	0.33	-	0.09	0.16	0.05	0.04	0.27
Tyneside Conurbation	4	-	2	1	1	-	-	0.28	-	0.14	0.07	0.07	-	-
Remainder of Northern	15	-	3	8	2	2	1	0.35	-	0.07	0.19	0.05	0.05	0.38
Yorkshire and Humberside	44	2	15	19	7	1	3	0.52	0.02	0.18	0.23	0.08	0.01	0.44
West Yorkshire Conurbation	9	-	2	5	1	1	3	0.29	-	0.06	0.16	0.03	0.03	0.98
Remainder of Yorkshire and Humberside	35	2	13	14	6	-	-	0.66	0.04	0.24	0.26	0.11	-	-
North Western	56	2	16	26	9	3	5	0.46	0.02	0.13	0.22	0.07	0.02	0.51
South East Lancashire Conurbation	17	1	8	6	2	-	-	0.38	0.02	0.18	0.13	0.04	-	-
Merseyside Conurbation	17	-	6	7	3	1	2	0.66	-	0.23	0.27	0.12	0.04	0.97
Remainder of North Western	22	1	2	13	4	2	3	0.44	0.02	0.04	0.26	0.08	0.04	0.89
East Midland	55	4	21	21	5	4	5	0.92	0.07	0.35	0.35	0.08	0.07	1.12
West Midland	29	2	8	12	5	2	2	0.31	0.02	0.08	0.13	0.05	0.02	0.30
West Midlands Conurbation	21	2	6	9	4	-	2	0.46	0.04	0.13	0.20	0.09	-	0.53
Remainder of West Midland	8	-	2	3	1	2	-	0.17	-	0.04	0.06	0.02	0.04	-
East Anglia	3	-	1	2	-	-	-	0.11	-	0.04	0.08	-	-	-
South Eastern	137	4	47	45	27	14	12	0.45	0.07	0.16	0.15	0.09	0.05	0.45
Greater London	82	1	32	30	12	7	9	0.58	0.07	0.23	0.21	0.09	0.05	0.58
Outer Metropolitan Area	36	3	11	9	9	4	3	0.39	0.03	0.12	0.10	0.10	0.04	0.55
Remainder of South Eastern	19	-	4	6	6	3	-	0.28	-	0.06	0.09	0.09	0.04	-
South Western	12	-	4	2	5	1	1	0.20	-	0.07	0.03	0.08	0.02	0.23
Wales	17	1	4	3	6	3	-	0.38	0.02	0.09	0.07	0.13	0.07	-
Wales I (South East)	13	1	4	2	4	2	-	0.40	0.03	0.12	0.06	0.12	0.06	-
Wales II (remainder)	4	-	-	1	2	1	-	0.33	-	-	0.08	0.16	0.08	-
Urban/Rural aggregates:														
Conurbations	150	4	56	58	23	9	16	0.50	0.01	0.19	0.19	0.08	0.03	0.54
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	67	7	19	26	10	5	6	0.63	0.07	0.18	0.24	0.09	0.05	0.57
Urban areas with populations of 50,000 and under 100,000	39	1	9	15	10	4	5	0.48	0.01	0.11	0.18	0.12	0.05	0.77
Urban areas with populations under 50,000	62	3	19	18	14	8	1	0.34	0.02	0.10	0.10	0.08	0.04	0.09
Rural districts	54	-	18	22	10	4	1	0.31	-	0.10	0.12	0.06	0.02	0.11
Hospital regions:														
Newcastle	19	-	5	9	3	2	1	0.36	-	0.09	0.17	0.06	0.04	0.29
Leeds	20	2	7	8	2	1	3	0.36	0.04	0.13	0.14	0.04	0.02	0.63
Sheffield	75	4	29	29	9	4	5	0.91	0.05	0.35	0.35	0.11	0.05	0.82
East Anglia	3	-	1	2	-	-	-	0.11	-	0.04	0.07	-	-	-
North West Metropolitan	41	3	13	11	10	4	3	0.52	0.04	0.17	0.14	0.13	0.05	0.39
North East Metropolitan	26	-	5	13	4	4	3	0.44	-	0.09	0.22	0.07	0.07	0.70
South East Metropolitan	30	1	11	11	4	3	1	0.52	0.02	0.19	0.19	0.07	0.05	0.20
South West Metropolitan	25	-	14	6	4	1	5	0.44	-	0.25	0.11	0.07	0.02	0.86
Wessex	14	-	2	4	6	2	-	0.43	-	0.06	0.12	0.18	0.06	-
Oxford	9	-	2	4	3	-	-	0.26	-	0.06	0.11	0.09	-	-
South Western	8	-	4	1	2	1	1	0.16	-	0.08	0.02	0.04	0.02	0.27
Welsh	17	1	4	3	6	3	-	0.38	0.02	0.09	0.07	0.13	0.07	-
Birmingham	29	2	8	12	5	2	2	0.31	0.02	0.08	0.13	0.05	0.02	0.30
Manchester	30	2	8	12	6	2	-	0.38	0.03	0.10	0.15	0.08	0.03	-
Liverpool	26	-	8	14	3	1	5	0.62	-	0.19	0.34	0.07	0.02	1.66

TABLE 26 - continued

Area	Infant deaths							Rates per 1,000 live births						
	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year per 1,000 illegit. live births
Gastro-enteritis (571, 764)														
ENGLAND AND WALES	378	66	109	87	68	48	40	0.44	0.08	0.13	0.10	0.08	0.06	0.60
Regions and Conurbations:														
Northern	38	7	11	12	5	3	1	0.67	0.12	0.19	0.21	0.09	0.05	0.27
Tyneside Conurbation	10	1	4	3	2	-	1	0.71	0.07	0.28	0.21	0.14	-	0.95
Remainder of Northern	28	6	7	9	3	3	-	0.65	0.14	0.16	0.21	0.07	0.07	-
Yorkshire and Humberside	69	12	16	15	16	10	6	0.82	0.14	0.19	0.18	0.19	0.12	0.88
West Yorkshire Conurbation	23	6	5	6	4	2	4	0.75	0.19	0.16	0.19	0.13	0.06	1.31
Remainder of Yorkshire and Humberside	46	6	11	9	12	8	2	0.86	0.11	0.21	0.17	0.22	0.15	0.53
North Western	68	14	24	6	13	11	11	0.56	0.12	0.20	0.05	0.11	0.09	1.12
South East Lancashire														
Conurbation	30	8	5	4	9	4	5	0.67	0.18	0.11	0.09	0.20	0.09	1.14
Merseyside Conurbation	11	2	6	1	1	1	4	0.43	0.08	0.23	0.04	0.04	0.04	1.94
Remainder of North Western	27	4	13	1	3	6	2	0.54	0.08	0.26	0.02	0.06	0.12	0.59
East Midland	27	6	6	7	4	4	2	0.45	0.10	0.10	0.12	0.07	0.07	0.45
West Midland	55	10	21	14	7	3	7	0.58	0.11	0.22	0.15	0.07	0.03	1.04
West Midlands Conurbation	33	7	12	7	5	2	5	0.72	0.15	0.26	0.15	0.11	0.04	1.32
Remainder of West Midland	22	3	9	7	2	1	2	0.45	0.06	0.19	0.14	0.04	0.02	0.67
East Anglia	6	1	1	2	1	1	3	0.23	0.04	0.04	0.08	0.04	0.04	1.63
South Eastern	72	12	22	13	15	10	7	0.24	0.04	0.07	0.04	0.05	0.03	0.26
Greater London	36	6	11	8	9	2	4	0.26	0.04	0.08	0.06	0.06	0.01	0.26
Outer Metropolitan Area	17	2	6	2	2	5	2	0.19	0.02	0.07	0.02	0.02	0.05	0.37
Remainder of South Eastern	19	4	5	3	4	3	1	0.28	0.06	0.07	0.04	0.06	0.04	0.18
South Western	18	3	3	6	1	5	2	0.29	0.05	0.05	0.10	0.02	0.08	0.46
Wales	25	1	5	12	6	1	1	0.56	0.02	0.11	0.27	0.13	0.02	0.35
Wales I (South East)	18	1	4	8	5	-	-	0.55	0.03	0.12	0.25	0.15	-	-
Wales II (remainder)	7	-	1	4	1	1	1	0.57	-	0.08	0.33	0.08	0.08	1.23
Urban/Rural aggregates:														
Conurbations	143	30	43	29	30	11	23	0.47	0.10	0.14	0.10	0.10	0.04	0.77
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	63	11	21	16	9	6	8	0.59	0.10	0.20	0.15	0.08	0.06	0.77
Urban areas with populations of 50,000 and under 100,000	34	4	7	11	5	7	3	0.41	0.05	0.09	0.13	0.06	0.09	0.46
Urban areas with populations under 50,000	82	8	26	17	14	17	1	0.45	0.04	0.14	0.09	0.08	0.09	0.09
Rural districts	56	13	12	14	10	7	5	0.32	0.07	0.07	0.08	0.06	0.04	0.54
Hospital regions:														
Newcastle	38	7	11	12	5	3	1	0.71	0.13	0.21	0.22	0.09	0.06	0.29
Leeds	38	10	8	8	8	4	4	0.68	0.18	0.14	0.14	0.14	0.07	0.85
Sheffield	56	6	14	14	12	10	4	0.68	0.07	0.17	0.17	0.15	0.12	0.65
East Anglia	6	1	1	2	1	1	3	0.22	0.04	0.04	0.07	0.04	0.04	1.57
North West Metropolitan	15	2	5	2	3	3	1	0.19	0.03	0.06	0.03	0.04	0.04	0.13
North East Metropolitan	11	-	5	3	2	1	-	0.19	-	0.09	0.05	0.03	0.02	-
South East Metropolitan	18	3	2	3	8	2	1	0.31	0.05	0.03	0.05	0.14	0.03	0.20
South West Metropolitan	15	4	4	3	2	2	3	0.26	0.07	0.07	0.05	0.04	0.04	0.52
Wessex	14	3	6	3	-	2	1	0.43	0.09	0.18	0.09	-	0.06	0.37
Oxford	6	3	1	1	-	1	1	0.17	0.09	0.03	0.03	-	0.03	0.43
South Western	13	2	2	4	1	4	2	0.26	0.04	0.04	0.08	0.02	0.08	0.54
Welsh	25	1	5	12	6	1	1	0.56	0.02	0.11	0.27	0.13	0.02	0.35
Birmingham	55	10	21	14	7	3	7	0.58	0.11	0.22	0.15	0.07	0.03	1.04
Manchester	54	12	17	5	11	9	7	0.68	0.15	0.21	0.06	0.14	0.11	1.02
Liverpool	14	2	7	1	2	2	4	0.34	0.05	0.17	0.02	0.05	0.05	1.33

TABLE 26 - continued

Area	Infant deaths							Rates per 1,000 live births						
	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year per 1,000 illegit. live birth
Other diseases of infective origin (001-138, 340, 470-483, 518, 519, 690-698, 765-768)														
ENGLAND AND WALES	477	151	106	91	75	54	40	0.56	0.18	0.12	0.11	0.09	0.06	0.60
Regions and Conurbations:														
Northern	35	11	6	9	4	5	4	0.61	0.19	0.11	0.16	0.07	0.09	1.09
Tyneside Conurbation	9	1	3	2	-	3	1	0.64	0.07	0.21	0.14	-	0.21	0.95
Remainder of Northern	26	10	3	7	4	2	3	0.61	0.23	0.07	0.16	0.09	0.05	1.15
Yorkshire and Humberside	56	19	15	9	7	6	3	0.66	0.23	0.18	0.11	0.08	0.07	0.44
West Yorkshire Conurbation	24	9	5	3	3	4	3	0.78	0.29	0.16	0.10	0.10	0.13	0.98
Remainder of Yorkshire and Humberside	32	10	10	6	4	2	-	0.60	0.19	0.19	0.11	0.07	0.04	-
North Western	74	16	17	20	14	7	8	0.61	0.13	0.14	0.17	0.12	0.06	0.82
South East Lancashire														
Conurbation	21	7	4	3	5	2	-	0.47	0.16	0.09	0.07	0.11	0.04	-
Merseyside Conurbation	17	3	5	6	2	1	2	0.66	0.12	0.20	0.23	0.08	0.04	0.97
Remainder of North Western	36	6	8	11	7	4	6	0.71	0.12	0.16	0.22	0.14	0.08	1.78
East Midland	47	13	12	10	8	4	2	0.79	0.22	0.20	0.17	0.13	0.07	0.45
West Midland	72	24	13	13	13	9	5	0.76	0.25	0.14	0.14	0.14	0.10	0.74
West Midlands Conurbation	47	20	10	9	3	5	4	1.03	0.44	0.22	0.20	0.07	0.11	1.05
Remainder of West Midland	25	4	3	4	10	4	1	0.52	0.08	0.06	0.08	0.21	0.08	0.34
East Anglia	13	5	4	-	2	2	-	0.49	0.19	0.15	-	0.08	0.08	-
South Eastern	121	38	28	23	17	15	15	0.40	0.13	0.09	0.08	0.06	0.05	0.57
Greater London	64	23	15	13	5	8	9	0.45	0.16	0.11	0.09	0.04	0.06	0.58
Outer Metropolitan Area	29	7	7	5	5	5	1	0.32	0.08	0.08	0.05	0.05	0.05	0.18
Remainder of South Eastern	28	8	6	5	7	2	5	0.41	0.12	0.09	0.07	0.10	0.03	0.88
South Western	34	15	9	2	4	4	3	0.56	0.25	0.15	0.03	0.07	0.07	0.68
Wales	25	10	2	5	6	2	-	0.56	0.22	0.04	0.11	0.13	0.04	-
Wales I (South East)	19	8	1	3	5	2	-	0.58	0.25	0.03	0.09	0.15	0.06	-
Wales II (remainder)	6	2	1	2	1	-	-	0.49	0.16	0.08	0.16	0.08	-	-
Urban/Rural aggregates:														
Conurbations	162	63	42	36	18	23	19	0.60	0.21	0.14	0.12	0.06	0.08	0.64
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	76	26	14	17	13	6	8	0.72	0.24	0.13	0.16	0.12	0.06	0.77
Urban areas with populations of 50,000 and under 100,000	47	15	11	6	10	5	9	0.57	0.18	0.13	0.07	0.12	0.06	1.38
Urban areas with populations under 50,000	69	24	20	18	21	6	2	0.49	0.13	0.11	0.10	0.12	0.03	0.18
Rural districts	83	23	19	14	13	14	2	0.47	0.13	0.11	0.08	0.07	0.08	0.22
Hospital regions:														
Newcastle	35	11	6	9	4	5	4	0.66	0.21	0.11	0.17	0.07	0.09	1.17
Leeds	30	12	7	3	3	5	3	0.54	0.22	0.13	0.05	0.05	0.09	0.63
Sheffield	61	15	19	14	10	3	1	0.74	0.18	0.23	0.17	0.12	0.04	0.16
East Anglia	14	6	4	-	2	2	-	0.51	0.22	0.14	-	0.07	0.07	-
North West Metropolitan	31	10	6	6	1	8	3	0.40	0.13	0.08	0.08	0.01	0.10	0.39
North East Metropolitan	30	8	8	7	5	2	4	0.51	0.14	0.14	0.12	0.09	0.03	0.93
South East Metropolitan	22	8	6	2	3	3	5	0.38	0.14	0.10	0.03	0.05	0.05	1.02
South West Metropolitan	13	5	2	3	2	1	-	0.23	0.09	0.04	0.05	0.04	0.02	-
Wessex	11	4	2	1	3	1	2	0.33	0.12	0.06	0.03	0.09	0.03	0.73
Oxford	30	10	6	7	5	2	3	0.85	0.28	0.17	0.20	0.14	0.06	1.29
South Western	29	12	8	1	4	4	2	0.57	0.24	0.16	0.02	0.08	0.08	0.54
Welsh	25	10	2	5	6	2	-	0.56	0.22	0.04	0.11	0.13	0.04	-
Birmingham	72	24	13	13	13	9	5	0.76	0.25	0.14	0.14	0.14	0.10	0.74
Manchester	49	11	11	12	11	4	5	0.61	0.14	0.14	0.15	0.14	0.05	0.73
Liverpool	25	5	6	8	3	3	3	0.60	0.12	0.14	0.19	0.07	0.07	1.00

TABLE 26 - continued

Area	Infant deaths							Rates per 1,000 live births						
	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year per 1,000 illegit. live births
	Accidental mechanical suffocation (E921-E925)													
ENGLAND AND WALES	439	42	160	167	46	24	47	0.52	0.05	0.19	0.20	0.05	0.03	0.70
Regions and Conurbations:														
Northern	54	1	26	21	5	1	3	0.95	0.02	0.46	0.37	0.09	0.02	0.82
Tyneside Conurbation	16	-	9	6	1	-	1	1.13	-	0.64	0.42	0.07	-	0.95
Remainder of Northern	38	1	17	15	4	1	2	0.89	0.02	0.40	0.35	0.09	0.02	0.77
Yorkshire and Humberside	34	2	9	12	6	5	6	0.40	0.02	0.11	0.14	0.07	0.06	0.88
West Yorkshire Conurbation	13	-	3	6	3	1	3	0.42	-	0.10	0.19	0.10	0.03	0.98
Remainder of Yorkshire and Humberside	21	2	6	6	3	4	3	0.39	0.04	0.11	0.11	0.06	0.07	0.80
North Western	88	12	31	30	8	7	10	0.73	0.10	0.26	0.25	0.07	0.06	1.02
South East Lancashire Conurbation	24	2	6	11	4	1	5	0.54	0.04	0.13	0.25	0.09	0.02	1.14
Merseyside Conurbation	23	2	11	9	1	-	2	0.90	0.08	0.43	0.35	0.04	-	0.97
Remainder of North Western	41	8	14	10	3	6	3	0.81	0.16	0.28	0.20	0.06	0.12	0.89
East Midland	27	-	17	7	2	1	5	0.45	-	0.29	0.12	0.03	0.02	1.12
West Midland	56	7	20	23	4	2	5	0.59	0.07	0.21	0.24	0.04	0.02	0.74
West Midlands Conurbation	28	2	9	14	3	-	3	0.61	0.04	0.20	0.31	0.07	-	0.79
Remainder of West Midland	28	5	11	9	1	2	2	0.58	0.10	0.23	0.19	0.02	0.04	0.67
East Anglia	9	1	-	8	-	-	1	0.34	0.04	-	0.30	-	-	0.54
South Eastern	107	13	40	42	8	4	15	0.35	0.04	0.13	0.14	0.03	0.01	0.57
Greater London	29	6	11	11	1	-	5	0.21	0.04	0.08	0.08	0.01	-	0.32
Outer Metropolitan Area	32	2	15	10	5	-	5	0.35	0.02	0.16	0.11	0.05	-	0.92
Remainder of South Eastern	46	5	14	21	2	4	5	0.67	0.07	0.20	0.31	0.03	0.06	0.88
South Western	39	4	10	14	8	3	2	0.64	0.07	0.16	0.23	0.13	0.05	0.46
Wales	25	2	7	10	5	1	-	0.56	0.04	0.16	0.22	0.11	0.02	-
Wales I (South East)	21	2	6	7	5	1	-	0.64	0.06	0.18	0.21	0.15	0.03	-
Wales II (remainder)	4	-	1	3	-	-	-	0.33	-	0.08	0.24	-	-	-
Urban/Rural aggregates:														
Conurbations	133	12	49	57	13	2	19	0.44	0.04	0.16	0.19	0.04	0.01	0.64
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	60	9	25	21	5	-	9	0.56	0.08	0.24	0.20	0.05	-	0.86
Urban areas with populations of 50,000 and under 100,000	52	6	15	21	5	5	7	0.63	0.07	0.18	0.26	0.06	0.06	1.08
Urban areas with populations under 50,000	114	9	41	39	14	11	10	0.63	0.05	0.22	0.21	0.08	0.06	0.89
Rural districts	80	6	30	29	9	6	2	0.45	0.03	0.17	0.16	0.05	0.03	0.22
Hospital regions:														
Newcastle	54	1	26	21	5	1	3	1.01	0.02	0.49	0.39	0.09	0.02	0.88
Leeds	22	-	6	8	5	3	3	0.40	-	0.11	0.14	0.09	0.05	0.63
Sheffield	37	2	20	10	2	3	8	0.45	0.02	0.24	0.12	0.02	0.04	1.31
East Anglia	10	1	-	9	-	-	1	0.36	0.04	-	0.33	-	-	0.52
North West Metropolitan	25	5	12	4	4	-	5	0.32	0.06	0.15	0.05	0.05	-	0.65
North East Metropolitan	14	-	4	8	2	-	2	0.24	-	0.07	0.14	0.03	-	0.47
South East Metropolitan	23	2	8	11	-	2	3	0.40	0.03	0.14	0.19	-	0.03	0.61
South West Metropolitan	18	2	10	6	-	-	1	0.32	0.04	0.18	0.11	-	-	0.17
Wessex	26	5	6	10	2	3	3	0.79	0.15	0.18	0.30	0.06	0.09	1.10
Oxford	10	1	2	6	1	-	2	0.28	0.03	0.06	0.17	0.03	-	0.86
South Western	31	2	8	11	8	2	1	0.61	0.04	0.16	0.22	0.16	0.04	0.27
Welsh	25	2	7	10	5	1	-	0.56	0.04	0.16	0.22	0.11	0.02	-
Birmingham	56	7	20	23	4	2	5	0.59	0.07	0.21	0.24	0.04	0.02	0.74
Manchester	55	9	18	16	7	5	8	0.69	0.11	0.23	0.20	0.09	0.06	1.17
Liverpool	33	3	13	14	1	2	2	0.79	0.07	0.31	0.34	0.02	0.05	0.66

TABLE 26 - continued

Area	Infant deaths							Rates per 1,000 live births						
	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year per 1000 illegit. live births
Congenital malformations (750-759)														
ENGLAND AND WALES	3,233	2,163	536	304	146	84	230	3.80	2.55	0.63	0.36	0.17	0.10	3.43
Regions and Conurbations:														
Northern	246	168	40	18	12	8	13	4.31	2.94	0.70	0.32	0.27	0.14	3.56
Tyneside Conurbation	62	44	9	3	3	3	4	4.38	3.11	0.64	0.21	0.21	0.21	3.80
Remainder of Northern	184	124	31	15	9	5	9	4.29	2.89	0.72	0.35	0.21	0.12	3.46
Yorkshire and Humberside	343	228	52	40	10	13	27	4.07	2.71	0.62	0.47	0.12	0.15	3.97
West Yorkshire Conurbation	110	79	13	12	3	3	12	3.57	2.56	0.42	0.39	0.10	0.10	3.93
Remainder of Yorkshire and Humberside	233	149	39	28	7	10	15	4.36	2.79	0.73	0.52	0.13	0.19	4.00
North Western	484	332	72	41	24	15	33	4.00	2.75	0.60	0.34	0.20	0.12	3.37
South East Lancashire														
Conurbation	178	137	21	10	7	3	15	3.97	3.06	0.47	0.22	0.16	0.07	3.43
Merseyside Conurbation	110	77	15	10	4	4	5	4.29	3.00	0.59	0.39	0.16	0.16	2.43
Remainder of North Western	196	118	36	21	13	8	13	3.89	2.34	0.71	0.42	0.26	0.16	3.85
East Midland	224	154	33	18	15	4	10	3.76	2.59	0.55	0.30	0.25	0.07	2.24
West Midland	355	246	52	29	20	8	24	3.77	2.61	0.55	0.31	0.21	0.08	3.55
West Midlands Conurbation	167	123	14	12	13	5	11	3.64	2.68	0.31	0.26	0.28	0.11	2.90
Remainder of West Midland	188	123	38	17	7	3	13	3.88	2.54	0.78	0.35	0.14	0.06	4.38
East Anglia	109	76	16	9	6	2	9	4.14	2.89	0.67	0.34	0.23	0.08	4.90
South Eastern	1,062	687	198	111	39	27	87	3.52	2.28	0.66	0.37	0.13	0.09	3.28
Greater London	478	311	86	53	17	11	49	3.39	2.21	0.61	0.38	0.12	0.08	3.18
Outer Metropolitan Area	315	202	56	35	13	9	18	3.43	2.20	0.61	0.38	0.14	0.10	3.10
Remainder of South Eastern	269	174	56	23	9	7	20	3.91	2.53	0.81	0.33	0.13	0.10	3.53
South Western	231	160	36	21	9	5	15	3.78	2.62	0.59	0.34	0.15	0.08	3.42
Wales	179	112	37	17	11	2	12	3.99	2.50	0.82	0.38	0.25	0.04	4.23
Wales I (South East)	138	84	29	14	10	1	9	4.24	2.58	0.89	0.43	0.31	0.03	4.44
Wales II (remainder)	41	28	8	3	1	1	3	3.34	2.28	0.65	0.24	0.08	0.08	3.69
Urban/Rural aggregates:														
Conurbations	1,105	771	158	100	47	29	96	3.66	2.55	0.52	0.33	0.16	0.10	3.23
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	440	281	81	44	21	13	30	4.14	2.65	0.76	0.41	0.20	0.12	2.87
Urban areas with populations of 50,000 and under 100,000	336	217	54	40	18	7	16	4.09	2.64	0.66	0.49	0.22	0.09	2.46
Urban areas with populations under 50,000	689	451	131	58	28	21	50	3.78	2.47	0.72	0.32	0.15	0.12	4.47
Rural districts	663	443	112	62	32	14	38	3.75	2.50	0.63	0.35	0.18	0.08	4.13
Hospital regions:														
Newcastle	234	159	38	17	12	8	11	4.38	2.98	0.71	0.32	0.22	0.15	3.22
Leeds	206	138	30	25	6	7	21	3.71	2.49	0.54	0.45	0.11	0.13	4.44
Sheffield	344	231	55	31	18	9	18	4.17	2.80	0.67	0.38	0.22	0.11	2.94
East Anglia	116	82	17	9	6	2	10	4.20	2.97	0.62	0.33	0.22	0.07	5.22
North West Metropolitan	252	159	50	26	9	8	27	3.22	2.03	0.64	0.33	0.12	0.10	3.51
North East Metropolitan	224	156	31	25	8	4	9	3.82	2.66	0.53	0.43	0.14	0.07	2.10
South East Metropolitan	203	126	42	20	8	7	13	3.53	2.19	0.73	0.35	0.14	0.12	2.65
South West Metropolitan	190	122	34	25	6	3	21	3.34	2.15	0.60	0.44	0.11	0.05	3.62
Wessex	139	94	24	11	7	3	11	4.23	2.86	0.73	0.33	0.21	0.09	4.02
Oxford	110	65	21	13	7	4	7	3.13	1.85	0.60	0.37	0.20	0.11	3.02
South Western	191	136	32	15	4	4	13	3.75	2.67	0.63	0.29	0.08	0.08	3.52
Welsh	179	112	37	17	11	2	12	3.99	2.50	0.82	0.38	0.25	0.04	4.23
Birmingham	355	246	52	29	20	8	24	3.77	2.61	0.55	0.31	0.21	0.08	3.55
Manchester	317	224	49	21	14	9	28	3.96	2.80	0.61	0.26	0.18	0.11	4.09
Liverpool	173	113	24	20	10	6	5	4.15	2.71	0.58	0.48	0.24	0.14	1.66

TABLE 26 - continued

Area	Infant deaths							Rates per 1,000 live births						
	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year per 1,000 illegit. live births
Injury at birth (760, 761)														
ENGLAND AND WALES	1,622	1,616	5	-	-	1	158	1.91	1.90	0.01	-	-	0.00	2.36
Regions and Conurbations:														
Northern	125	124	1	-	-	-	10	2.19	2.17	0.02	-	-	-	2.74
Tyneside Conurbation	28	28	-	-	-	-	3	1.98	1.98	-	-	-	-	2.85
Remainder of Northern	97	96	1	-	-	-	7	2.26	2.24	0.02	-	-	-	2.69
Yorkshire and Humberside	176	175	1	-	-	-	20	2.09	2.08	0.01	-	-	-	2.94
West Yorkshire Conurbation	75	74	1	-	-	-	12	2.43	2.40	0.03	-	-	-	3.93
Remainder of Yorkshire and Humberside	101	101	-	-	-	-	8	1.89	1.89	-	-	-	-	2.13
North Western	241	239	1	-	-	1	23	1.99	1.98	0.01	-	-	0.01	2.35
South East Lancashire Conurbation	107	106	1	-	-	-	15	2.39	2.37	0.02	-	-	-	3.43
Merseyside Conurbation	48	48	-	-	-	-	2	1.87	1.87	-	-	-	-	0.97
Remainder of North Western	86	85	-	-	-	1	6	1.70	1.69	-	-	-	0.02	1.78
East Midland	134	134	-	-	-	-	20	2.25	2.25	-	-	-	-	4.48
West Midland	204	204	-	-	-	-	16	2.16	2.16	-	-	-	-	2.37
West Midlands Conurbation	114	114	-	-	-	-	12	2.49	2.49	-	-	-	-	3.16
Remainder of West Midland	90	90	-	-	-	-	4	1.86	1.86	-	-	-	-	1.35
East Anglia	43	43	-	-	-	-	2	1.63	1.63	-	-	-	-	1.09
South Eastern	492	491	1	-	-	-	50	1.63	1.63	0.00	-	-	-	1.89
Greater London	258	257	1	-	-	-	29	1.83	1.82	0.01	-	-	-	1.88
Outer Metropolitan Area	131	131	-	-	-	-	8	1.43	1.43	-	-	-	-	1.47
Remainder of South Eastern	103	103	-	-	-	-	13	1.50	1.50	-	-	-	-	2.29
South Western	122	121	1	-	-	-	9	2.00	1.98	0.02	-	-	-	2.05
Wales	85	85	-	-	-	-	8	1.89	1.89	-	-	-	-	2.82
Wales I (South East)	75	75	-	-	-	-	8	2.30	2.30	-	-	-	-	3.95
Wales II (remainder)	10	10	-	-	-	-	-	0.81	0.81	-	-	-	-	-
Urban/Rural aggregates:														
Conurbations	630	627	3	-	-	-	73	2.08	2.07	0.01	-	-	-	2.46
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	234	233	-	-	-	1	24	2.20	2.19	-	-	-	0.01	2.30
Urban areas with populations of 50,000 and under 100,000	136	136	-	-	-	-	15	1.66	1.66	-	-	-	-	2.31
Urban areas with populations under 50,000	334	334	-	-	-	-	21	1.83	1.83	-	-	-	-	1.88
Rural districts	288	286	2	-	-	-	25	1.63	1.62	0.01	-	-	-	2.72
Hospital regions:														
Newcastle	120	119	1	-	-	-	9	2.25	2.23	0.02	-	-	-	2.64
Leeds	127	126	1	-	-	-	15	2.29	2.27	0.02	-	-	-	3.17
Sheffield	170	170	-	-	-	-	22	2.06	2.06	-	-	-	-	3.60
East Anglia	46	46	-	-	-	-	2	1.67	1.67	-	-	-	-	1.04
North West Metropolitan	142	141	1	-	-	-	15	1.82	1.80	0.01	-	-	-	1.95
North East Metropolitan	87	87	-	-	-	-	3	1.49	1.49	-	-	-	-	0.70
South East Metropolitan	85	85	-	-	-	-	10	1.48	1.48	-	-	-	-	2.04
South West Metropolitan	101	101	-	-	-	-	15	1.78	1.78	-	-	-	-	2.59
Wessex	46	46	-	-	-	-	7	1.40	1.40	-	-	-	-	2.56
Oxford	69	69	-	-	-	-	4	1.96	1.96	-	-	-	-	1.72
South Western	97	96	1	-	-	-	8	1.90	1.88	0.02	-	-	-	2.17
Welsh	85	85	-	-	-	-	8	1.89	1.89	-	-	-	-	2.82
Birmingham	204	204	-	-	-	-	16	2.16	2.16	-	-	-	-	2.37
Manchester	175	174	1	-	-	-	19	2.19	2.18	0.01	-	-	-	2.77
Liverpool	68	67	-	-	-	1	5	1.63	1.61	-	-	-	0.02	1.66

TABLE 26 - continued

Area	Infant deaths							Rates per 1,000 live births						
	Total under 1 year	Under 4 weeks	4 weeks and under 5 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 5 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year per 1,000 illegit. live births
Postnatal asphyxia, atelectasis (762)														
ENGLAND AND WALES	2,407	2,380	15	7	3	2	265	2.83	2.80	0.02	0.01	0.00	0.00	3.95
Regions and Conurbations:														
Northern	160	160	-	-	-	-	11	2.80	2.80	-	-	-	-	3.01
Tyneside Conurbation	27	27	-	-	-	-	2	1.91	1.91	-	-	-	-	1.90
Remainder of Northern	133	133	-	-	-	-	9	3.10	3.10	-	-	-	-	3.46
Yorkshire and Humberside	271	266	3	-	2	-	24	3.22	3.16	0.04	-	0.02	-	3.53
West Yorkshire Conurbation	108	105	2	-	1	-	11	3.50	3.41	0.06	-	0.03	-	3.60
Remainder of Yorkshire and Humberside	163	161	1	-	1	-	13	3.05	3.02	0.02	-	0.02	-	3.47
North Western	368	367	-	1	-	-	40	3.04	3.04	-	0.01	-	-	4.08
South East Lancashire														
Conurbation	165	165	-	-	-	-	21	3.68	3.68	-	-	-	-	4.81
Merseyside Conurbation	51	51	-	-	-	-	7	1.99	1.99	-	-	-	-	3.40
Remainder of North Western	152	151	-	1	-	-	12	3.01	2.99	-	0.02	-	-	3.56
East Midland	140	140	-	-	-	-	18	2.35	2.35	-	-	-	-	4.03
West Midland	304	301	3	-	-	-	39	3.23	3.19	0.03	-	-	-	5.77
West Midlands Conurbation	149	148	1	-	-	-	19	3.25	3.23	0.02	-	-	-	5.01
Remainder of West Midland	155	153	2	-	-	-	20	3.20	3.16	0.04	-	-	-	6.73
East Anglia	62	61	-	1	-	-	5	2.35	2.32	-	0.04	-	-	2.72
South Eastern	787	774	9	3	-	1	108	2.61	2.57	0.03	0.01	-	0.00	4.07
Greater London	419	415	4	-	-	-	69	2.97	2.95	0.03	-	-	-	4.48
Outer Metropolitan Area	217	212	3	2	-	-	15	2.36	2.31	0.03	0.02	-	-	2.75
Remainder of South Eastern	151	147	2	1	-	1	24	2.19	2.14	0.03	0.01	-	0.01	4.23
South Western	171	167	-	2	1	1	13	2.80	2.73	-	0.03	0.02	0.02	2.97
Wales	144	144	-	-	-	-	7	3.21	3.21	-	-	-	-	2.47
Wales I (South East)	115	115	-	-	-	-	6	3.53	3.53	-	-	-	-	2.96
Wales II (remainder)	29	29	-	-	-	-	1	2.36	2.36	-	-	-	-	1.23
Urban/Rural aggregates:														
Conurbations	919	911	7	-	1	-	129	3.04	3.01	0.02	-	0.00	-	4.34
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	289	286	2	-	-	1	33	2.72	2.69	0.02	-	-	0.01	3.16
Urban areas with populations of 50,000 and under 100,000	226	221	2	1	2	-	24	2.75	2.69	0.02	0.01	0.02	-	3.69
Urban areas with populations under 50,000	478	472	3	3	-	-	41	2.62	2.59	0.02	0.02	-	-	3.66
Rural districts	495	490	1	3	-	1	38	2.80	2.77	0.01	0.02	-	0.01	4.13
Hospital regions:														
Newcastle	150	150	-	-	-	-	10	2.81	2.81	-	-	-	-	2.93
Leeds	173	170	2	-	1	-	16	3.12	3.06	0.04	-	0.02	-	3.38
Sheffield	219	217	1	-	1	-	25	2.65	2.63	0.01	-	0.01	-	4.09
East Anglia	63	62	-	1	-	-	5	2.28	2.25	-	0.04	-	-	2.61
North West Metropolitan	216	214	2	-	-	-	28	2.76	2.74	0.03	-	-	-	3.64
North East Metropolitan	142	138	3	1	-	-	14	2.42	2.36	0.05	0.02	-	-	3.26
South East Metropolitan	156	154	1	1	-	-	23	2.72	2.68	0.02	0.02	-	-	4.69
South West Metropolitan	147	146	-	1	-	-	27	2.59	2.57	-	0.02	-	-	4.66
Wessex	80	77	2	-	-	1	5	2.43	2.34	0.06	-	-	0.03	1.83
Oxford	102	101	1	-	-	-	14	2.90	2.87	0.03	-	-	-	6.03
South Western	139	135	-	2	1	1	11	2.73	2.65	-	0.04	0.02	0.02	2.98
Welsh	144	144	-	-	-	-	7	3.21	3.21	-	-	-	-	2.47
Birmingham	304	301	3	-	-	-	39	3.23	3.19	0.03	-	-	-	5.77
Manchester	262	261	-	1	-	-	30	3.28	3.26	-	0.01	-	-	4.38
Liverpool	110	110	-	-	-	-	11	2.64	2.64	-	-	-	-	3.66

TABLE 26 - continued

Area	Infant deaths							Rates per 1,000 live births						
	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year per 1,000 illegit. live births
Haemolytic disease of newborn (770)														
ENGLAND AND WALES	311	310	-	1	-	-	22	0.37	0.36	-	0.00	-	-	0.33
Regions and Conurbations:														
Northern	15	15	-	-	-	-	-	0.26	0.26	-	-	-	-	-
Tyneside Conurbation	2	2	-	-	-	-	-	0.14	0.14	-	-	-	-	-
Remainder of Northern	13	13	-	-	-	-	-	0.30	0.30	-	-	-	-	-
Yorkshire and Humberside	32	32	-	-	-	-	3	0.38	0.38	-	-	-	-	0.44
West Yorkshire Conurbation	15	15	-	-	-	-	2	0.49	0.49	-	-	-	-	0.65
Remainder of Yorkshire and Humberside	17	17	-	-	-	-	1	0.32	0.32	-	-	-	-	0.27
North Western	54	54	-	-	-	-	4	0.45	0.45	-	-	-	-	0.47
South East Lancashire														
Conurbation	18	18	-	-	-	-	2	0.40	0.40	-	-	-	-	0.46
Merseyside Conurbation	16	16	-	-	-	-	1	0.62	0.62	-	-	-	-	0.49
Remainder of North Western	20	20	-	-	-	-	1	0.40	0.40	-	-	-	-	0.30
East Midland	20	20	-	-	-	-	-	0.34	0.34	-	-	-	-	-
West Midland	32	32	-	-	-	-	2	0.34	0.34	-	-	-	-	0.30
West Midlands Conurbation	18	18	-	-	-	-	1	0.39	0.39	-	-	-	-	0.26
Remainder of West Midland	14	14	-	-	-	-	1	0.29	0.29	-	-	-	-	0.34
East Anglia	10	10	-	-	-	-	1	0.38	0.38	-	-	-	-	0.54
South Eastern	115	114	-	1	-	-	12	0.38	0.38	-	0.00	-	-	0.45
Greater London	56	56	-	-	-	-	8	0.40	0.40	-	-	-	-	0.52
Outer Metropolitan Area	37	37	-	-	-	-	3	0.40	0.40	-	-	-	-	0.55
Remainder of South Eastern	22	21	-	1	-	-	1	0.32	0.31	-	0.07	-	-	0.18
South Western	19	19	-	-	-	-	-	0.37	0.37	-	-	-	-	-
Wales	14	14	-	-	-	-	-	0.37	0.37	-	-	-	-	-
Wales I (South East)	12	12	-	-	-	-	-	0.37	0.37	-	-	-	-	-
Wales II (remainder)	2	2	-	-	-	-	-	0.16	0.16	-	-	-	-	-
Urban/Rural aggregates:														
Conurbations	125	125	-	-	-	-	14	0.41	0.41	-	-	-	-	0.47
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	25	25	-	-	-	-	-	0.24	0.24	-	-	-	-	-
Urban areas with populations of 50,000 and under 100,000	37	36	-	1	-	-	2	0.45	0.44	-	0.07	-	-	0.31
Urban areas with populations under 50,000	60	60	-	-	-	-	4	0.33	0.33	-	-	-	-	0.36
Rural districts	64	64	-	-	-	-	2	0.36	0.36	-	-	-	-	0.22
Hospital regions:														
Newcastle	14	14	-	-	-	-	-	0.26	0.26	-	-	-	-	-
Leeds	22	22	-	-	-	-	2	0.40	0.40	-	-	-	-	0.42
Sheffield	27	27	-	-	-	-	1	0.33	0.33	-	-	-	-	0.16
East Anglia	10	10	-	-	-	-	1	0.36	0.36	-	-	-	-	0.52
North West Metropolitan	29	29	-	-	-	-	3	0.37	0.37	-	-	-	-	0.39
North East Metropolitan	29	29	-	-	-	-	5	0.50	0.50	-	-	-	-	1.16
South East Metropolitan	13	13	-	-	-	-	1	0.23	0.23	-	-	-	-	0.20
South West Metropolitan	26	26	-	-	-	-	3	0.46	0.46	-	-	-	-	0.52
Wessex	10	9	-	1	-	-	-	0.30	0.27	-	0.03	-	-	-
Oxford	13	13	-	-	-	-	-	0.37	0.37	-	-	-	-	-
South Western	17	17	-	-	-	-	-	0.33	0.33	-	-	-	-	-
Welsh	14	14	-	-	-	-	-	0.31	0.31	-	-	-	-	-
Birmingham	32	32	-	-	-	-	2	0.34	0.34	-	-	-	-	0.30
Manchester	33	33	-	-	-	-	3	0.41	0.41	-	-	-	-	0.44
Liverpool	22	22	-	-	-	-	1	0.53	0.53	-	-	-	-	0.33

TABLE 26 - continued

Area	Infant deaths							Rates per 1,000 live births						
	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year per 1,000 illegit. live births
Immaturity associated with diseases of early infancy (760-773)*														
ENGLAND AND WALES	3,256	3,253	3	-	-	-	346	3.83	3.83	0.00	-	-	-	5.16
Regions and Conurbations:														
Northern	254	254	-	-	-	-	20	4.45	4.45	-	-	-	-	5.47
Tyneside Conurbation	55	55	-	-	-	-	5	3.88	3.88	-	-	-	-	4.75
Remainder of Northern	199	199	-	-	-	-	15	4.64	4.64	-	-	-	-	5.76
Yorkshire and Humberside	379	378	1	-	-	-	40	4.50	4.49	0.07	-	-	-	5.88
West Yorkshire Conurbation	156	155	1	-	-	-	22	5.06	5.03	0.03	-	-	-	7.20
Remainder of Yorkshire and Humberside	223	223	-	-	-	-	18	4.18	4.18	-	-	-	-	4.80
North Western	440	439	1	-	-	-	48	3.64	3.63	0.07	-	-	-	4.90
South East Lancashire														
Conurbation	192	191	1	-	-	-	25	4.28	4.26	0.02	-	-	-	5.72
Merseyside Conurbation	86	86	-	-	-	-	9	3.35	3.35	-	-	-	-	4.37
Remainder of North Western	162	162	-	-	-	-	14	3.21	3.21	-	-	-	-	4.15
East Midland	211	211	-	-	-	-	21	3.54	3.54	-	-	-	-	4.70
West Midland	415	415	-	-	-	-	46	4.40	4.40	-	-	-	-	6.80
West Midlands Conurbation	213	213	-	-	-	-	25	4.65	4.65	-	-	-	-	6.59
Remainder of West Midland	202	202	-	-	-	-	21	4.17	4.17	-	-	-	-	7.07
East Anglia	87	87	-	-	-	-	6	3.30	3.30	-	-	-	-	3.27
South Eastern	1,051	1,050	1	-	-	-	141	3.49	3.48	0.00	-	-	-	5.32
Greater London	549	548	1	-	-	-	81	3.90	3.89	0.01	-	-	-	5.26
Outer Metropolitan Area	276	276	-	-	-	-	18	3.01	3.01	-	-	-	-	3.30
Remainder of South Eastern	226	226	-	-	-	-	42	3.28	3.28	-	-	-	-	7.41
South Western	231	231	-	-	-	-	14	3.78	3.78	-	-	-	-	3.79
Wales	188	188	-	-	-	-	10	4.19	4.19	-	-	-	-	3.52
Wales I (South East)	147	147	-	-	-	-	10	4.51	4.51	-	-	-	-	4.94
Wales II (remainder)	41	41	-	-	-	-	-	3.34	3.34	-	-	-	-	-
Urban/Rural aggregates:														
Conurbations	1,251	1,248	3	-	-	-	167	4.14	4.13	0.07	-	-	-	5.62
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	425	425	-	-	-	-	36	4.00	4.00	-	-	-	-	3.45
Urban areas with populations of 50,000 and under 100,000	274	274	-	-	-	-	33	3.34	3.34	-	-	-	-	5.08
Urban areas with populations under 50,000	661	661	-	-	-	-	59	3.63	3.63	-	-	-	-	5.27
Rural districts	645	645	-	-	-	-	51	3.64	3.64	-	-	-	-	5.54
Hospital regions:														
Newcastle	241	241	-	-	-	-	18	4.52	4.52	-	-	-	-	5.28
Leeds	255	254	1	-	-	-	30	4.59	4.57	0.02	-	-	-	6.35
Sheffield	313	313	-	-	-	-	30	3.79	3.79	-	-	-	-	4.91
East Anglia	89	89	-	-	-	-	6	3.22	3.22	-	-	-	-	3.13
North West Metropolitan	298	297	1	-	-	-	38	3.81	3.80	0.07	-	-	-	4.94
North East Metropolitan	186	186	-	-	-	-	18	3.18	3.18	-	-	-	-	4.19
South East Metropolitan	180	180	-	-	-	-	31	3.13	3.13	-	-	-	-	6.32
South West Metropolitan	214	214	-	-	-	-	34	3.76	3.76	-	-	-	-	5.86
Wessex	107	107	-	-	-	-	12	3.26	3.26	-	-	-	-	4.39
Oxford	148	148	-	-	-	-	13	4.21	4.21	-	-	-	-	5.60
South Western	180	180	-	-	-	-	11	3.53	3.53	-	-	-	-	2.98
Welsh	188	188	-	-	-	-	10	4.19	4.19	-	-	-	-	3.52
Birmingham	415	415	-	-	-	-	46	4.40	4.40	-	-	-	-	6.80
Manchester	309	308	1	-	-	-	34	3.86	3.85	0.07	-	-	-	4.96
Liverpool	133	133	-	-	-	-	15	3.19	3.19	-	-	-	-	4.99

\*Including some deaths shown elsewhere in this table.

TABLE 26 - continued

Area	Infant deaths							Rates per 1,000 live births						
	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year per 1,000 illegit. live births
Immaturity (774-776)														
ENGLAND AND WALES	2,463	2,449	13	1	-	-	353	2.90	2.88	0.02	0.00	-	-	5.26
Regions and Conurbations:														
Northern	175	174	-	1	-	-	15	3.07	3.05	-	0.02	-	-	4.70
Tyneside Conurbation	52	51	-	1	-	-	8	3.67	3.60	-	0.07	-	-	7.60
Remainder of Northern	123	123	-	-	-	-	7	2.87	2.87	-	-	-	-	2.69
Yorkshire and Humberside	270	269	1	-	-	-	39	3.21	3.19	0.07	-	-	-	5.73
West Yorkshire Conurbation	113	112	1	-	-	-	23	3.66	3.63	0.03	-	-	-	7.52
Remainder of Yorkshire and Humberside	157	157	-	-	-	-	16	2.94	2.94	-	-	-	-	4.27
North Western	468	462	6	-	-	-	65	3.87	3.82	0.05	-	-	-	6.83
South East Lancashire Conurbation	154	151	3	-	-	-	23	3.44	3.37	0.07	-	-	-	5.27
Merseyside Conurbation	116	115	1	-	-	-	20	4.52	4.49	0.04	-	-	-	9.71
Remainder of North Western	198	196	2	-	-	-	22	3.93	3.89	0.04	-	-	-	6.52
East Midland	155	153	2	-	-	-	30	2.60	2.57	0.03	-	-	-	6.72
West Midland	234	233	1	-	-	-	21	2.48	2.47	0.07	-	-	-	3.11
West Midlands Conurbation	114	114	-	-	-	-	14	2.49	2.49	-	-	-	-	3.69
Remainder of West Midland	120	119	1	-	-	-	7	2.48	2.46	0.02	-	-	-	2.36
East Anglia	67	67	-	-	-	-	9	2.54	2.54	-	-	-	-	4.90
South Eastern	834	831	3	-	-	-	146	2.77	2.76	0.07	-	-	-	5.51
Greater London	384	383	1	-	-	-	83	2.73	2.72	0.07	-	-	-	5.39
Outer Metropolitan Area	244	244	-	-	-	-	26	2.66	2.66	-	-	-	-	4.77
Remainder of South Eastern	206	204	2	-	-	-	37	2.99	2.96	0.03	-	-	-	6.53
South Western	107	107	-	-	-	-	11	1.75	1.75	-	-	-	-	2.57
Wales	153	153	-	-	-	-	17	3.41	3.41	-	-	-	-	5.99
Wales I (South East)	113	113	-	-	-	-	14	3.47	3.47	-	-	-	-	6.91
Wales II (remainder)	40	40	-	-	-	-	3	3.26	3.26	-	-	-	-	3.69
Urban/Rural aggregates:														
Conurbations	933	926	6	1	-	-	171	3.09	3.06	0.02	0.00	-	-	5.75
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	348	348	-	-	-	-	52	3.28	3.28	-	-	-	-	4.98
Urban areas with populations of 50,000 and under 100,000	268	264	4	-	-	-	34	3.26	3.22	0.05	-	-	-	5.23
Urban areas with populations under 50,000	512	510	2	-	-	-	60	2.81	2.80	0.07	-	-	-	5.38
Rural districts	402	401	1	-	-	-	36	2.27	2.27	0.07	-	-	-	3.91
Hospital regions:														
Newcastle	167	166	-	1	-	-	15	3.13	3.11	-	0.02	-	-	4.40
Leeds	182	181	1	-	-	-	31	3.28	3.26	0.02	-	-	-	6.56
Sheffield	234	233	1	-	-	-	37	2.83	2.82	0.07	-	-	-	6.05
East Anglia	71	71	-	-	-	-	9	2.57	2.57	-	-	-	-	4.70
North West Metropolitan	203	202	1	-	-	-	44	2.60	2.58	0.07	-	-	-	5.73
North East Metropolitan	168	167	1	-	-	-	25	2.87	2.85	0.02	-	-	-	5.82
South East Metropolitan	154	154	-	-	-	-	20	2.68	2.68	-	-	-	-	4.07
South West Metropolitan	173	173	-	-	-	-	34	3.04	3.04	-	-	-	-	5.88
Wessex	103	102	1	-	-	-	13	3.13	3.10	0.03	-	-	-	4.75
Oxford	63	62	1	-	-	-	13	1.79	1.76	0.03	-	-	-	5.60
South Western	89	89	-	-	-	-	9	1.75	1.75	-	-	-	-	2.44
Welsh	153	153	-	-	-	-	17	3.41	3.41	-	-	-	-	5.99
Birmingham	234	233	1	-	-	-	21	2.48	2.47	0.07	-	-	-	3.11
Manchester	298	294	4	-	-	-	41	3.73	3.68	0.05	-	-	-	5.99
Liverpool	171	169	2	-	-	-	24	4.11	4.06	0.05	-	-	-	7.98

TABLE 27. Causes of death at various ages under 5 years, 1966 England and Wales

Note. Separate columns are not shown for those causes to which, as a rule, few deaths are assigned. To make the record complete, the classification numbers of such causes are printed as close as possible to the places where they would occur. Figures of deaths from these causes are shown in footnotes in which heavy-faced figures preceding the cause show the International Classification number, and the figures following it indicate the sex and age-group of the decedent. A dash ( - ) indicates that no deaths are assigned. The following abbreviations are used to denote age or age-groups:- 'D' to indicate day(s); 'W' week(s); 'M' month(s); 'Y' year(s).

Causes of death	All Causes		001-008		010-019		010		011, 012, 013,014-018*		020-029, 030-039*		045-048*		050, 055*	
			Tuberculosis of respiratory system		Tuberculosis, other forms		Tuberculosis of meninges and central nervous system		019 Disseminated tuberculosis		040-049 Infectious diseases commonly arising in intestinal tract		050-064 Other bacterial diseases		056.0 Whooping cough without mention of pneumonia	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	10,920	8,010	5	2	4	9	3	7	1	2	6	5	72	56	5	5
Days 0	3,207	2,357	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-6	2,303	1,579	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weeks 1	404	299	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	225	208	-	-	-	-	-	-	-	-	-	1	-	-	-	-
3	199	152	-	-	-	-	-	-	-	-	-	-	1	2	-	1
Months 1-2	1,243	855	2	1	-	-	-	-	-	-	-	-	18	15	2	2
3-5	995	742	-	-	-	-	-	-	-	-	-	2	19	8	2	1
6-8	490	376	-	-	-	1	-	-	-	1	2	-	12	6	1	1
9-11	291	222	-	-	1	-	-	-	1	-	-	-	5	5	-	-
Years 0	9,357	6,790	2	1	1	1	-	-	1	1	2	3	55	36	5	5
1	616	508	1	1	2	5	2	4	-	1	1	1	5	10	-	-
2	389	293	-	-	1	1	1	1	-	-	1	-	6	8	-	-
3	301	214	1	-	-	2	-	2	-	-	-	1	4	1	-	-
4	257	205	1	-	-	-	-	-	-	-	2	-	2	1	-	-

Causes of death	056.1		057.0		057.1		057.2,057.3, 061,070-074*		080, 081		082, 083		085.0		085.1	
	Whooping cough, with pneumonia		Meningo-coccal meningitis		Acute and unspecified meningo-coccaemia		080-096 Diseases attributable to viruses		Acute polio myelitis, including late effects		Acute infectious encephalitis, including late effects		Measles, without mention of pneumonia		Measles, with pneumonia	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	4	9	12	10	31	17	91	65	-	-	26	18	11	9	23	16
Days 0	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
1-6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weeks 1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
3	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-
Months 1-2	1	5	2	1	5	1	7	5	-	-	1	2	-	-	-	-
3-5	3	-	3	3	7	1	7	7	-	-	2	2	-	-	1	1
6-8	-	1	2	2	5	2	8	12	-	-	3	4	1	2	3	3
9-11	-	2	1	-	3	2	11	6	-	-	5	1	3	1	-	3
Years 0	4	8	8	6	21	7	36	31	-	-	12	10	4	3	4	7
1	-	1	-	1	4	5	24	11	-	-	5	4	2	1	10	3
2	-	-	3	2	3	5	11	13	-	-	4	4	1	2	4	4
3	-	-	1	-	3	-	12	5	-	-	3	-	3	2	3	1
4	-	-	-	1	-	-	8	5	-	-	2	-	1	1	2	1

\* 011 Tuberculosis of intestines, peritoneum, and mesenteric glands - : 012,013 Tuberculosis of bones and joints - : 014-018 Tuberculosis, all other organs - : 020-029 Syphilis and its sequelae: Males 0D, 3-5M; Female 0D: 030-039 Gonococcal infection and other venereal diseases - : 045-048 Dysentery, all forms: Males 6-8M, 2Y, 4Y; Females 3-5M, 3Y: 050 Scarlet Fever - 055 Diphtheria - : 057.2 Chronic meningococcaemia - : 057.3 Other forms of meningococcal infection: Males 9-11M, 4Y: 061 Tetanus - : 070-074 Spirochaetal diseases, except syphilis - .

TABLE 27 - continued

Causes of death	086*		NEOPLASMS													
	087  Chickenpox		089,100-108, 110-117, 120-138*		140-199  Malignant neoplasms		140-148*		160-165*		180  of kidney		190-199 of other and unspecified sites		192  of eye	
			140-239  Neoplasms				150-159  of digestive organs and peritoneum		170-181 of breast and genito- urinary organs							
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	7	2	230	184	116	82	9	3	27	31	24	27	78	45	4	2
Days 0	-	-	2	5	-	1	-	-	-	-	-	-	-	1	-	-
1-6	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Weeks 1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	2	-	2	-	-	-	1	-	1	-	1	-	-
3	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-
Months 1-2	1	-	10	4	4	3	-	1	2	-	2	-	1	2	-	-
3-5	1	-	11	9	4	4	-	1	1	2	1	2	3	1	-	-
6-8	1	-	7	4	4	2	1	-	-	1	-	-	3	1	-	-
9-11	1	-	4	7	3	4	-	-	3	1	2	1	-	2	-	-
Years 0	5	-	38	34	16	16	2	2	6	5	5	4	7	8	-	-
1	2	1	35	38	22	20	4	-	4	7	4	6	14	13	-	1
2	-	-	48	37	29	20	1	-	5	4	5	3	22	14	-	-
3	-	-	53	35	26	10	1	-	7	7	5	6	18	3	4	-
4	-	1	56	40	23	16	1	1	5	8	5	8	17	7	-	1

Causes of death	NEOPLASMS															
	193 of brain and other parts of nervous system		195 of endocrine glands		195.0 of suprarenal		195.1,195.2, 195.3,196*		200-205 Leukaemia, aleukaemia and reticuloses		200 Lympho- sarcoma and reticulo- sarcoma		204.0*		204.2 Monocytic leukaemia	
	197 of connective tissue		204.1 Myeloid leukaemia		204.2		197		200-205		200		204.1		204.2	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	55	35	7	3	5	2	5	-	90	83	8	4	3	1	1	4
Days 0	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weeks 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Months 1-2	1	2	-	-	-	-	-	-	2	1	-	-	-	-	-	-
3-5	2	1	1	-	1	-	-	-	3	4	-	-	-	-	-	2
6-8	3	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-
9-11	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Years 0	6	8	1	-	1	-	-	-	6	9	-	-	-	-	-	2
1	11	10	1	2	1	1	1	-	11	16	1	-	-	1	-	1
2	15	11	1	-	1	-	2	-	16	14	1	1	2	-	-	1
3	11	1	1	-	1	-	-	-	26	21	2	1	1	-	-	-
4	12	5	3	1	1	1	2	-	31	23	4	2	-	-	1	-

\* 086 Rubella (German measles) - : 089 Mumps; Males 3Y, 4Y; 100-108 Typhus and other rickettsial diseases - : 110-117 Malaria - : 120-138 Other infective and parasitic diseases; Females 1-2M, 1-2M; 140-148 Malignant neoplasm of buccal cavity and pharynx; Male 1-2M; 160-165 Malignant neoplasm of respiratory system; Male 2Y; Females 9-11M, 2Y, 2Y; 195.1 Malignant neoplasm of parathyroid gland - : 195.2 Malignant neoplasm of thymus; Males 4Y, 4Y; Female 1Y; 195.3 Malignant neoplasm of pituitary gland and craniopharyngeal duct - : 196 Malignant neoplasm of bone; Males 2Y, 2Y; Females 2Y, 3Y; 204.0 Lymphatic leukaemia; Male 2Y; Females 3Y, 4Y, 4Y.

TABLE 27 - continued

Causes of death	NEOPLASMS												240-245  Allergic disorders		250-254  Diseases of thyroid gland	
	204.3  Acute leukaemia		204.4  Other and unspecified leukaemia		210-239  Benign and unspecified neoplasms		210-229  Benign neoplasm		230-239  Neoplasm of unspecified nature		223, 237  of brain and central nervous system					
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	63	69	3	1	24	19	17	9	7	10	11	8	30	17	4	3
Days 0	-	-	-	-	2	4	2	2	-	2	-	-	-	-	1	-
1-6	-	-	-	-	2	3	2	2	-	1	-	-	-	-	2	1
Weeks 1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	1	-	1	-	-	-	1	-	-	1	-	-
Months 1-2	-	1	-	-	4	-	3	-	1	-	2	-	4	7	-	-
3-5	3	2	-	-	4	1	3	1	1	-	-	-	8	2	-	1
6-8	-	2	-	-	2	-	2	-	-	-	2	-	4	1	1	-
9-11	-	2	-	-	1	1	1	1	-	-	1	-	1	-	-	-
Years 0	3	7	-	-	16	9	14	6	2	3	6	-	18	11	4	2
1	9	14	-	-	2	2	-	1	2	1	2	2	7	-	-	1
2	10	11	-	-	3	3	2	2	1	1	2	1	-	3	-	-
3	19	18	2	1	1	4	1	-	-	4	-	4	-	1	-	-
4	22	19	1	-	2	1	-	-	2	1	1	1	5	2	-	-

Causes of death	260  Diabetes mellitus		270-277  Diseases of other endocrine glands		280-289  Avitaminoses and other metabolic diseases		283, 286.0*		290-293  Anaemias		294-299  Other diseases of blood and blood-forming organs		300-309, 310-318*		325  Mental deficiency	
							290-299  Diseases of the blood and blood-forming organs						320-326  Mental, psychoneurotic, and personality disorders			
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	3	5	24	12	16	16	33	25	17	15	16	10	31	33	31	33
Days 0	-	1	-	-	-	-	-	-	-	-	-	-	3	2	3	2
1-6	-	-	5	3	-	1	2	-	-	-	2	-	3	3	3	3
Weeks 1	-	-	-	-	1	-	-	-	-	-	-	-	1	4	1	4
2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1
Months 1-2	1	-	6	2	4	2	5	5	2	2	3	3	2	6	2	6
3-5	-	-	5	2	3	2	4	3	2	2	2	1	2	2	2	2
6-8	-	-	2	-	1	1	6	3	1	-	5	3	5	2	5	2
9-11	-	-	-	-	2	2	-	3	-	3	-	-	2	-	2	-
Years 0	1	1	18	7	11	9	17	14	5	7	12	7	18	21	18	21
1	1	1	3	3	1	3	2	4	1	1	1	3	7	6	7	6
2	1	1	2	1	-	2	5	4	4	4	1	-	5	4	5	4
3	-	1	1	-	3	1	5	2	3	2	2	-	-	1	-	1
4	-	1	-	1	1	1	4	1	4	1	-	-	1	1	1	1

\* 283 Active rickets; Female 1-2M; 286.0 Steatorrhoea and sprue; Males 1-2M, 1-2M, 1-2M, 3-5M, 6-8M, 1Y; Females 1-2M, 6-8M; 300-309 Psychoses - ; 310-318 Psychoneurotic disorders; Males 1-2M, 1Y.

TABLE 27 - continued

Causes of death	330-334		340-345		340		350-357		351		353		360-369, 370-379, 380-389*		400-402*	
	Vascular lesions affecting central nervous system		Inflammatory diseases of central nervous system		Meningitis, except meningo-coccal and tuberculous		Other diseases of central nervous system		Cerebral spastic infantile paralysis		Epilepsy		390-398		410-434	
	Diseases of ear and mastoid process		Diseases of the heart													
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	23	21	145	125	95	88	91	62	33	20	30	15	37	23	32	20
Days 0	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1-6	-	1	7	8	7	8	-	-	-	-	-	-	-	-	-	-
Weeks 1	-	-	15	11	15	11	-	-	-	-	-	-	-	-	-	-
2	1	-	5	9	4	8	-	1	-	1	-	-	1	-	-	-
3	-	-	5	4	4	4	-	-	-	-	-	-	-	-	-	-
Months 1-2	8	9	20	16	16	12	12	6	7	3	3	-	19	8	12	6
3-5	8	4	11	18	6	13	10	7	3	1	-	-	7	4	4	4
6-8	1	2	20	12	13	9	9	12	1	4	1	1	4	7	2	1
9-11	2	1	9	10	5	7	6	5	3	-	-	3	-	1	1	1
Years 0	20	17	93	88	70	72	37	31	14	9	4	4	31	20	19	12
1	-	2	31	15	15	8	17	11	10	6	6	2	4	2	7	5
2	2	1	12	11	7	4	15	7	4	1	9	3	2	1	3	1
3	1	-	5	6	2	2	14	7	4	3	7	4	-	-	2	1
4	-	1	4	5	1	2	8	6	1	1	4	2	-	-	1	1

Causes of death	410-416*		430-434  Other diseases of heart	440-468  Other diseases of the circulatory system	440-443, 444-447*		460-468  Diseases of veins and other diseases of circulatory system	470-475  Acute upper respiratory infections	480-483  Influenza	490-493  Pneumonia						
	420-422  Arterio-sclerotic and degenerative heart disease	450-456  Diseases of arteries														
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
Total under 5 years	7	5	22	15	17	10	2	2	15	7	44	24	21	31	1,256	897
Days 0	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
1-6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Weeks 1	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-	-
2	-	-	-	-	3	-	-	-	3	-	-	-	-	1	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Months 1-2	5	2	7	4	1	-	-	-	1	-	11	4	2	4	442	263
3-5	1	1	3	3	3	3	1	-	2	3	8	4	3	7	369	277
6-8	-	-	-	1	-	3	-	1	-	1	4	2	4	2	182	102
9-11	-	-	1	1	1	-	-	-	1	-	4	4	2	3	73	63
Years 0	6	3	11	9	12	6	1	1	11	4	27	14	11	20	1,066	705
1	1	1	6	4	1	1	1	-	1	1	6	6	3	3	100	106
2	-	-	3	1	2	1	-	-	2	1	7	1	4	3	47	41
3	-	-	1	1	1	-	-	-	1	-	3	1	3	3	28	25
4	-	1	1	-	1	2	-	1	1	1	1	2	-	2	15	20

\* 360-369 Diseases of nerves and peripheral ganglia; Female 2Y; 370-379 Inflammatory diseases of eye - : 380-389 Other diseases and conditions of eye - : 400-402 Rheumatic fever: Males 3-5M, 3-5M, 2Y; Females 9-11M, 2Y, 4Y; 410-416 Chronic rheumatic heart disease; Males 6-8M, 6-8M, 3Y; 440-443 Hypertensive heart disease; Female 6-8M; 444-447 Other hypertensive heart disease - .

TABLE 27 - continued

Causes of death	490		491		492-493		500-502		510-527		518		519,530-539*		543	
	Lobar pneumonia		Broncho-pneumonia		Primary atypical, other and unspecified pneumonia		Bronchitis		Other diseases of respiratory system		Empyema		540-545 Diseases of stomach and duodenum		Gastritis and duodenitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	40	32	1,032	725	184	140	282	191	102	89	3	4	6	-	4	-
Days 0	-	-	-	-	-	-	-	1	1	5	-	-	-	-	-	-
1-6	-	-	-	-	-	-	-	1	4	-	-	-	1	-	-	-
Weeks 1	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
2	-	-	-	-	-	-	5	1	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	2	3	1	-	1	-	-	-	-	-
Months 1-2	14	8	372	212	56	43	77	44	32	24	-	1	1	-	1	-
3-5	8	11	305	231	56	35	83	56	28	27	2	2	1	-	-	-
6-8	5	1	154	85	23	16	36	31	9	12	-	-	1	-	1	-
9-11	1	2	54	47	18	14	22	8	10	2	-	1	-	-	-	-
Years 0	28	22	885	575	153	108	226	146	86	71	3	4	4	-	2	-
1	7	5	75	79	18	22	31	23	7	9	-	-	2	-	2	-
2	3	1	37	34	7	6	11	12	6	3	-	-	-	-	-	-
3	1	2	22	21	5	2	9	6	1	4	-	-	-	-	-	-
4	1	2	13	16	1	2	5	4	2	2	-	-	-	-	-	-

Causes of death	544*															
	550-553		560-561		570-578		570		570.0		570.3		571		580-587	
	Appendicitis		Hernia of abdominal cavity		Other diseases of intestines and peritoneum		Intestinal obstruction, without mention of hernia		Intussusception		Volvulus		Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over		Diseases of liver, gallbladder and pancreas	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	14	8	102	64	322	221	49	25	21	9	15	9	252	184	69	69
Days 0	-	-	48	31	-	2	-	1	-	-	-	-	-	-	-	1
1-6	-	-	22	20	6	2	2	1	-	-	1	1	-	-	9	8
Weeks 1	1	-	4	4	7	3	5	2	-	-	3	1	-	-	4	3
2	-	-	3	-	3	3	1	2	-	-	1	-	-	-	1	1
3	-	-	1	1	1	1	1	-	-	-	1	-	-	-	1	1
Months 1-2	-	-	9	6	77	52	9	3	1	1	4	1	65	44	8	12
3-5	-	1	8	-	74	31	11	4	7	4	-	-	60	27	13	9
6-8	-	-	2	1	40	33	3	1	3	-	-	1	36	32	5	3
9-11	1	-	-	-	32	26	4	4	3	-	1	3	26	22	7	5
Years 0	2	1	97	63	240	153	36	18	14	5	11	7	187	125	48	43
1	2	1	2	-	53	47	6	5	4	3	-	2	44	40	9	9
2	3	1	1	-	17	10	2	1	1	-	1	-	15	9	4	4
3	6	4	1	1	10	7	4	-	2	-	2	-	6	7	5	5
4	1	1	1	-	2	4	1	1	-	1	1	-	-	3	3	8

\* 519 Pleurisy: Male 1-6D: 530-539 Diseases of buccal cavity and oesophagus: Males 1-6D, 3-5M, 1Y, 1Y, 3Y; Females 2W, 3-5M, 1Y, 4Y: 544 Disorders of function of stomach - .

TABLE 27 - continued

Causes of death	587  Diseases of pancreas		590-594  Nephritis and nephrosis		600-609  Other diseases of urinary system		610-617, 615, 620-626 630-637*		700-716  Other diseases of skin and subcutaneous tissue		720-749  Diseases of the bones and organs of movement		720-727*		730*	
							690-698  Infections of skin and subcutaneous tissue						730-738  Osteomyelitis and other diseases of bone and joint		740-749  Other diseases of musculo-skeletal system	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	57	55	16	8	39	21	3	3	3	1	13	11	4	4	9	7
Days 0	-	1	-	-	-	-	-	-	-	-	1	1	-	-	1	1
1-6	8	7	-	1	2	-	-	-	-	-	-	-	-	-	-	-
Weeks 1	4	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-
2	-	1	-	1	3	1	-	-	-	-	2	1	-	1	2	-
3	1	1	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Months 1-2	7	11	3	-	10	6	1	2	1	1	-	1	-	1	-	-
3-5	10	8	4	2	6	2	1	1	-	-	1	3	-	-	1	-
6-8	4	2	2	1	1	3	-	-	-	-	2	1	-	1	2	3
9-11	7	4	-	-	4	2	-	-	1	-	1	-	-	-	1	-
Years 0	41	37	10	5	28	14	3	3	2	1	8	7	1	3	7	4
1	7	4	1	1	3	2	-	-	1	-	1	-	1	-	-	-
2	4	4	-	1	1	1	-	-	-	-	1	1	1	-	-	1
3	3	3	3	1	6	3	-	-	-	-	1	3	-	1	1	2
4	2	7	2	-	1	1	-	-	-	-	2	-	1	-	1	-

Causes of death	750-759  Congenital mal- formations		750  Monstrosity		751  Spina bifida and meningocele		752  Congenital hydro- cephalus		753.0*		754.0  Tetralogy of Fallot		754.1  Patent ductus arteriosus (Botalli)		754.2  Inter- ventricular septal defect	
									753.1  Other congenital mal- formations of nervous system and sense organs							
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	1,909	1,696	75	94	236	384	68	79	49	49	47	27	64	50	101	85
Days 0	361	336	47	67	45	77	19	23	5	9	1	1	6	7	6	6
1-6	436	355	26	21	40	63	9	9	5	4	9	2	22	7	15	21
Weeks 1	174	154	1	2	32	37	3	3	1	3	3	-	6	6	13	8
2	89	100	1	-	14	40	-	6	1	1	-	-	4	4	9	8
3	90	68	-	1	19	24	-	3	1	1	1	1	4	1	7	3
Months 1-2	289	247	-	-	36	68	7	10	3	4	2	1	16	8	24	20
3-5	152	152	-	-	15	27	8	10	5	6	6	3	5	5	10	8
6-8	71	75	-	1	9	11	5	3	7	4	3	1	-	5	4	5
9-11	45	39	-	2	3	7	7	2	5	2	3	1	-	1	3	-
Years 0	1,707	1,526	75	94	213	354	58	69	33	34	28	10	63	44	91	79
1	107	72	-	-	17	16	6	6	7	9	7	5	-	2	4	1
2	38	41	-	-	3	8	1	-	4	3	3	5	-	1	1	1
3	30	27	-	-	1	3	1	3	2	1	6	2	-	2	1	-
4	27	30	-	-	2	3	2	1	3	2	3	5	1	1	4	4

\* 610-617 Diseases of male genital organs - : 615 Redundant prepuce and phimosis - : 620-626 Diseases of breast, ovary, Fallopian tube, and parametrium - : 630-637 Diseases of uterus and other female genital organs - : 720-727 Arthritis and rheumatism, except rheumatic fever - : 730 Osteomyelitis and periostitis: Males 3W, 1Y, 2Y; Females 2W, 1-2M, 6-8M, 3Y: 753.0 Congenital cataract - .

TABLE 27 - continued

Causes of death	754.3		754.4		754.5		754.6		754.7		755		756.0		756.1	
	Inter-auricular septal defect		Fibro-elastosis cordis		Other and unspecified mal-formations of heart		Coarctation of aorta		Other circulatory mal-formations		Cleft palate and harelip		Congenital hypertrophic pyloric stenosis		Imperforate anus	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	38	44	37	43	489	380	36	33	125	67	3	-	14	4	16	5
Days 0	6	5	1	1	35	31	3	4	10	4	-	-	-	-	3	1
1-6	13	8	7	1	150	113	6	7	31	11	-	-	-	-	5	2
Weeks 1	3	4	5	-	40	44	7	4	14	10	1	-	-	-	3	1
2	1	2	-	3	17	12	3	3	9	4	-	-	-	-	2	1
3	2	-	-	-	24	13	2	2	4	7	-	-	2	-	-	-
Months 1-2	4	11	8	6	89	59	9	8	28	7	2	-	11	4	1	-
3-5	3	7	10	15	53	39	3	3	9	11	-	-	1	-	1	-
6-8	-	1	1	8	14	22	-	1	7	4	-	-	-	-	-	-
9-11	1	-	1	1	11	8	-	-	4	4	-	-	-	-	1	-
Years 0	33	38	33	35	433	341	33	32	116	62	3	-	14	4	16	5
1	1	3	1	5	32	13	1	-	4	1	-	-	-	-	-	-
2	2	1	2	1	13	10	-	-	1	-	-	-	-	-	-	-
3	1	2	1	1	8	6	1	-	1	3	-	-	-	-	-	-
4	1	-	-	1	3	10	1	1	3	1	-	-	-	-	-	-

Causes of death	756.2  Other congenital mal- formations of digestive system		757.0*		757.2*		758.0*		758.2  Congenital mal- formations of skull		758.3  Brittle bones		758.4, 758.5*		759.0  Congenital mal- formations of respiratory system	
			757.1  Polycystic disease of kidney		757.3  Other congenital mal- formations of genito- urinary system		758.1  Chondro- dystrophy						758.6  Other congenital mal- formations of bone and joint			
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	173	152	23	21	100	34	7	11	6	5	4	7	11	10	56	36
Days 0	16	10	15	9	42	16	4	6	1	1	-	3	5	2	26	17
1-6	50	48	2	2	8	5	1	4	-	2	1	-	1	4	8	5
Weeks 1	25	21	1	3	2	2	-	-	1	-	1	-	1	2	4	2
2	13	10	-	-	12	1	-	-	-	-	-	-	1	1	1	2
3	10	9	1	1	8	-	-	-	-	-	-	1	-	-	1	-
Months 1-2	21	15	2	3	10	5	1	-	-	1	-	1	2	1	5	5
3-5	8	9	-	1	4	1	-	1	1	-	-	-	-	-	-	2
6-8	6	6	-	-	5	-	-	-	1	1	1	-	-	-	4	1
9-11	3	8	-	2	1	-	-	-	1	-	-	1	-	-	1	-
Years 0	152	136	21	21	92	30	6	11	5	5	3	6	10	10	50	34
1	13	8	-	-	5	1	1	-	-	-	1	-	-	-	3	1
2	4	5	-	-	1	2	-	-	1	-	-	1	-	-	2	1
3	3	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-
4	1	1	1	-	-	-	-	-	-	-	-	-	1	-	1	-

\* 757.0 Undescended testicle - : 757.2 Congenital malformations of external genital organs: Male OD; Female 2W:  
 758.0 Congenital dislocation of hip - : 758.4 Cervical rib: Male 6-8M: 758.5 Congenital abnormalities of lumbosacral region - .

TABLE 27 - continued

Causes of death	759.1		759.2		759.3		760-769		760.0		760.5		761.0		761.5	
	Congenital malformations of skin		Congenital malformations of muscle		Other and unspecified congenital malformations		Birth injuries, asphyxia, and infections of newborn		Intracranial and spinal injury at birth, without mention of immaturity		Intracranial and spinal injury at birth, with immaturity		Other birth injury, without mention of immaturity		Other birth injury, with immaturity	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	3	2	13	4	113	69	2,924	1,943	402	221	321	211	129	72	166	101
Days 0	-	-	11	2	53	34	1,491	1,028	189	119	161	101	90	54	136	84
1-6	-	-	1	-	26	16	1,118	714	183	90	149	100	31	17	27	17
Weeks 1	-	-	-	-	7	2	128	68	15	6	9	7	4	-	2	-
2	-	-	-	-	1	1	85	64	7	3	1	1	-	-	-	-
3	1	-	-	-	3	1	76	54	6	3	1	1	-	1	1	-
Months 1-2	2	1	1	-	5	9	17	7	1	-	-	1	3	-	-	-
3-5	-	-	-	1	10	3	4	4	-	-	-	-	-	-	-	-
6-8	-	1	-	-	3	-	2	2	-	-	-	-	-	-	-	-
9-11	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-
Years 0	3	2	13	3	108	66	2,922	1,943	401	221	321	211	129	72	166	101
1	-	-	-	-	4	1	1	1	-	-	-	-	-	-	-	-
2	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-
3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes of death	762.0		762.5		763.0		763.5		764.0		764.5		765.0, 765.5, 766.0, 766.5*		767.5*	
	Postnatal asphyxia and atelectasis, without mention of immaturity		Postnatal asphyxia and atelectasis, with immaturity		Pneumonia of newborn, without mention of immaturity		Pneumonia of newborn with immaturity		Diarrhoea of newborn, without mention of immaturity		Diarrhoea of newborn, with immaturity		Umbilical sepsis, without mention of immaturity		Other sepsis of newborn, without mention of immaturity	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	461	293	974	679	233	177	69	52	28	29	6	3	6	2	31	14
Days 0	252	183	583	406	22	23	9	9	-	-	-	-	-	-	2	-
1-6	187	91	372	265	84	72	34	20	3	3	-	-	2	-	10	6
Weeks 1	3	7	11	6	41	27	10	7	8	3	2	-	2	-	11	3
2	2	1	5	1	43	26	6	14	10	8	2	3	1	1	5	4
3	1	1	3	-	43	29	10	2	7	15	2	-	-	-	2	1
Months 1-2	10	4	-	1	-	-	-	-	-	-	-	-	1	1	1	-
3-5	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6-8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9-11	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Years 0	461	293	974	679	233	177	69	52	28	29	6	3	6	2	31	14
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\* 765.0 Ophthalmia neonatorum, without mention of immaturity - : 765.5 Ophthalmia neonatorum, with immaturity - :  
 766.0 Pemphigus neonatorum, without mention of immaturity: Male 1W: 766.5 Pemphigus neonatorum, with immaturity - :  
 767.5 Umbilical sepsis, with immaturity - .

TABLE 27 - continued

Causes of death	768.5  Other sepsis of newborn, with immaturity		769.0 Neonatal disorders attributed to 'toxaemia of pregnancy' without mention of immaturity		769.1 Neonatal disorders attributed to maternal diabetes, without mention of immaturity		769.2, 769.3, 769.4*		769.6  Neonatal disorders attributed to maternal diabetes, with immaturity		769.7, 769.8, 769.9*		770.0  Erythroblastosis, without mention of nervous affection or immaturity		770.1  Kernicterus, without mention of immaturity	
							769.5  Neonatal disorders attributed to 'toxaemia of pregnancy' with immaturity				770-776  Other diseases peculiar to early infancy					
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	14	8	11	11	9	5	48	47	3	3	2,035	1,441	105	99	6	1
Days 0	-	2	8	11	4	2	26	29	1	1	1,259	914	73	70	-	-
1-6	6	4	3	-	4	2	20	17	2	2	675	449	29	25	5	1
Weeks 1	6	-	-	-	-	-	2	1	-	-	54	47	3	3	-	-
2	2	1	-	-	1	1	-	-	-	-	18	14	-	1	-	-
3	-	1	-	-	-	-	-	-	-	-	9	2	-	-	-	-
Months 1-2	-	-	-	-	-	-	-	-	-	-	13	10	-	-	-	-
3-5	-	-	-	-	-	-	-	-	-	-	3	2	-	-	1	-
6-8	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-
9-11	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
Years 0	14	8	11	11	9	5	48	47	3	3	2,035	1,441	105	99	6	1
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes of death	770.2*		770.6 Kernicterus with immaturity		770.7*		771.5 Haemorrhagic disease of newborn with immaturity		772.0,772.5*		773.5 Ill-defined diseases peculiar to early infancy, with immaturity		774 Immaturity with mention of any other subsidiary condition		776 Immaturity unqualified	
	770.5 Erythroblastosis without mention of nervous affection but with immaturity				771.0 Haemorrhagic disease of newborn, without mention of immaturity				773.0 Ill-defined diseases peculiar to early infancy, without mention of immaturity							
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	47	44	4	5	69	48	49	28	96	51	212	143	34	17	1,410	1,002
Days 0	24	28	-	-	22	18	18	5	30	20	103	80	11	8	978	685
1-6	21	16	3	4	37	26	27	19	48	19	96	54	14	4	394	281
Weeks 1	1	-	1	1	4	4	3	3	5	4	8	7	3	4	26	21
2	-	-	-	-	3	-	-	1	4	1	3	2	-	-	8	9
3	1	-	-	-	2	-	1	-	3	-	1	-	-	-	1	2
Months 1-2	-	-	-	-	-	-	-	-	3	4	1	-	5	1	3	4
3-5	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
6-8	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
9-11	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
Years 0	47	44	4	5	69	48	49	28	96	51	212	143	34	17	1,410	1,002
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\* 769.2 Attributed to maternal rubella, without mention of immaturity: Males 1-2M, 1Y; Females 1-6D, 1W; 769.3 Attributed to toxoplasmosis, without mention of immaturity: Females 1-6D, 1-6D, 3-5M, 6-8M; 769.4 Attributed to other or unspecified diseases of mother during pregnancy, without mention of immaturity: Male OD; 769.7 Attributed to maternal rubella, with immaturity - : 769.8 Attributed to toxoplasmosis, with immaturity: Male 1W; 769.9 Attributed to other or unspecified diseases of mother during pregnancy, with immaturity: Males OD, OD, OD, OD, OD, OD, OD, 1-6D; Females OD, OD, OD, OD, 1-6D, 1-6D, 1-6D, 1-6D; 770.2 Erythroblastosis with disorder of liver other than icterus gravis, without mention of immaturity - : 770.7 Erythroblastosis with disorder of liver other than icterus gravis, with immaturity - : 772.0 Nutritional maladjustment, without mention of immaturity: Males 1-2M, 6-8M; Females 1-2M, 3-5M, 3-5M; 772.5 Nutritional maladjustment, with immaturity: Male 1-6D.

TABLE 27 - continued

Causes of death	780-795		780-789		780.2		785.2*		E800-E999		E800-E866		E800-E802*		E812	
	Symptoms and ill-defined conditions		Symptoms referable to systems or organs		Convulsions		Senility and ill-defined diseases		Accidents, poisonings, and violence		Transport accidents		E810-E825		Motor vehicle traffic accident to pedestrian	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	20	16	10	7	2	3	10	9	834	572	184	108	177	105	134	76
Days 0	5	6	-	-	-	-	5	6	31	23	-	-	-	-	-	-
1-6	-	2	-	1	-	-	-	1	8	6	-	-	-	-	-	-
Weeks 1	-	-	-	-	-	-	-	-	6	3	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	6	5	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	6	11	-	-	-	-	-	-
Months 1-2	4	3	3	2	-	2	1	1	114	75	2	1	2	1	1	-
3-5	6	-	4	-	1	-	2	-	125	85	6	5	6	5	-	3
6-8	1	2	-	1	-	1	1	1	41	38	-	2	-	2	-	-
9-11	-	-	-	-	-	-	-	-	42	24	3	1	3	1	-	-
Years 0	16	13	7	4	1	3	9	9	379	270	11	9	11	9	1	3
1	3	2	3	2	1	-	-	-	132	106	26	18	24	17	14	9
2	1	-	-	-	-	-	1	-	130	76	47	20	46	20	41	18
3	-	-	-	-	-	-	-	-	92	60	41	26	40	25	35	19
4	-	1	-	1	-	-	-	-	101	60	59	35	56	34	43	27

Causes of death	E830-E835		E840-E845 E850-E858 E860-E866*		E870-E888		E890-E895		E900-E904		E910-E936		E916		E917	
	Motor vehicle non-traffic accidents		E870-E885 Accidental poisoning		Accidental poisoning by solid and liquid substances		Accidental poisoning by gases and vapours		Accidental falls		Other accidents		Accident caused by fire and explosion of combustible material		Accident caused by hot substance, corrosive liquid and steam	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	3	1	25	21	13	16	12	5	55	43	533	372	63	71	11	12
Days 0	-	-	-	-	-	-	-	-	1	-	23	20	-	-	-	-
1-6	-	-	-	-	-	-	-	-	-	-	7	6	-	-	-	-
Weeks 1	-	-	-	-	-	-	-	-	-	-	5	2	-	-	-	-
2	-	-	-	-	-	-	-	-	1	6	3	-	-	-	-	-
3	-	-	-	-	-	-	-	-	1	6	10	1	-	-	-	-
Months 1-2	-	-	1	-	1	-	-	-	5	5	103	66	2	1	-	-
3-5	-	-	1	-	-	-	1	-	5	2	107	75	3	2	-	-
6-8	-	-	-	-	-	-	-	-	2	5	33	28	2	7	-	-
9-11	-	-	1	1	1	1	-	-	5	3	30	16	5	2	1	-
Years 0	-	-	3	1	2	1	1	-	18	17	320	226	13	12	1	-
1	2	1	10	15	6	13	4	2	16	10	75	60	11	16	4	8
2	-	-	5	4	4	1	1	3	11	8	64	40	18	22	3	4
3	-	-	3	1	1	1	2	-	4	5	43	26	15	9	3	-
4	1	-	4	-	-	-	4	-	6	3	31	20	6	12	-	-

\* 785.2 Jaundice (not of newborn) - : E800-E802 Railway accidents: Males 2Y, 3Y; Females 3Y, 4Y; E840-E845 Other road vehicle accidents: Males 4Y, 4Y; E850-E858 Water transport accidents - : E860-E866 Aircraft accidents - .

TABLE 27 - continued

Causes of death	E921-E925		E926		E929		E940-E959		E940-E946		E950-E959, E960-E965, E970-E979*		E990-E999*	N800-N809		
	Accidental mechanical suffocation	Lack of care of infants under 1 year of age	Accidental drowning and submersion	Accidents due to medical and surgical intervention	Complications due to non- therapeutic medical and surgical procedures	Homicide and injury purposely inflicted by other person (not in war)	N800-N829									
							Fractures									
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	301	203	20	20	86	33	7	2	5	-	30	26	163	99	163	97
Days 0	2	2	20	16	-	1	-	-	-	-	7	3	2	2	2	2
1-6	7	4	-	2	-	-	1	-	-	-	-	-	-	-	-	-
Weeks 1	5	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
2	5	3	-	-	1	-	-	-	-	-	-	1	-	1	-	1
3	5	7	-	-	-	1	-	-	-	-	-	-	-	3	-	3
Months 1-2	96	64	-	-	-	-	-	1	-	-	3	2	5	3	5	3
3-5	100	67	-	2	-	-	2	1	2	-	4	2	10	7	10	7
6-8	27	19	-	-	-	-	-	-	-	-	6	3	2	3	2	3
9-11	14	10	-	-	1	-	-	-	-	-	3	3	7	4	7	4
Years 0	261	178	20	20	2	2	3	2	2	-	24	15	26	23	26	23
1	25	15	-	-	19	9	2	-	1	-	3	3	30	16	30	16
2	11	6	-	-	27	7	1	-	1	-	2	4	35	17	35	17
3	2	2	-	-	17	11	1	-	1	-	-	2	34	19	34	18
4	2	2	-	-	21	4	-	-	-	-	1	2	38	24	38	23

Causes of death	N810-N819, N820-N829, N830-N839, N840-N848*				N870-N879, N880-N888, N890-N898, N900-N908, N910-N918, N920-N929*				N950-N959*		N980-N989*	
	N850-N856  Head injury (excluding skull fracture)				N860-N869 Internal injury of chest, abdomen and pelvis				N930-N936 Effects of foreign body entering through orifice		N940-N949  Burns	
	Ages at death	M	F	M	F	M	F	M	F	M	F	M
Total under 5 years	65	32	42	33	203	147	35	49	68	65	252	144
Days 0	-	-	1	-	1	1	-	-	-	-	27	20
1-6	-	-	-	-	5	4	-	-	-	-	3	2
Weeks 1	-	-	-	-	3	2	-	-	-	-	3	1
2	-	1	-	-	1	2	-	-	-	-	5	1
3	-	-	-	-	3	1	-	-	1	-	2	7
Months 1-2	7	1	1	1	57	51	1	-	3	2	40	16
3-5	6	2	1	1	66	48	2	-	2	3	38	24
6-8	4	5	1	-	24	11	-	2	3	5	7	12
9-11	4	3	1	1	7	7	3	1	5	3	15	5
Years 0	21	12	5	3	167	127	6	3	14	13	140	88
1	12	5	7	7	22	12	10	18	15	23	35	25
2	16	4	11	7	9	5	9	17	17	16	32	10
3	5	4	7	10	3	2	7	5	14	6	20	13
4	11	7	12	6	2	1	3	6	8	7	25	8

\* E950-E959 Therapeutic misadventure and late complications of therapeutic procedures; Males 1-6D, 1Y; Females 1-2M, 3-5M; E960-E965 Late effects of injury and poisoning - ; E970-E979 Suicide and self inflicted injury - ; E990-E999 Injury resulting from operations of war - ; N810-N819 Fracture of upper limb - ; N820-N829 Fracture of lower limb; Females 3Y, 4Y; N830-N839 Dislocation without fracture; Males 1Y, 3Y, 4Y; N840-N848 Sprains and strains of joints and adjacent muscles - ; N870-N879 Laceration and open wound of face, neck and trunk; Male 2Y; N880-N888 Laceration and open wound of upper limb - ; N890-N898 Laceration and open wound of lower limb; Female 3Y; N900-N908 Laceration and open wounds of multiple location; Male 4Y; N910-N918 Superficial injury - ; N920-N929 Contusion and crushing with intact skin surface; Male 3Y; N950-N959 Injury to nerves and spinal cord without bone injury - ; N980-N989 Effects of weather, exposure, and related conditions; Females 1-2M, 4Y.

TABLE 27 SUPPLEMENT. Infant death rates per 1,000 live births in various age periods, by sex, from principal causes, 1966

England and Wales

Aetiological group	ICD No.	Cause of death		Infant mortality per 1,000 live births									
				Total infant mortality (under 1 year)	Neonatal mortality (under 1 week)	Early neonatal mortality (under 1 week)	Late neonatal mortality (1 week and under 4 weeks)	Post-neonatal mortality (4 weeks and under 1 year)	Early neo-natal period		Post-neonatal period		
									Under 1 day	1 day and under 1 week	4 weeks and under 3 months	3 months and under 6 months	6 months and under 1 year
	760	Intracranial and spinal injury at birth	M	1.65	1.65	1.56	0.09	0.00	0.80	0.76	0.00	-	-
			F	1.05	1.04	0.99	0.05	0.00	0.53	0.46	0.00	-	-
	761	Other birth injury (including maternal antepartum haemorrhage)	M	0.67	0.67	0.65	0.02	0.01	0.52	0.13	0.01	-	0.00
			F	0.42	0.42	0.42	0.00	-	0.33	0.08	-	-	-
	762	Postnatal asphyxia and atelectasis	M	3.28	3.25	3.19	0.06	0.04	1.91	1.28	0.02	0.01	0.00
			F	2.36	2.33	2.29	0.04	0.03	1.43	0.86	0.01	0.01	0.01
	769	Attributed to maternal toxæmia	M	0.19	0.19	0.18	0.01	0.00	0.11	0.07	0.00	-	-
			F	0.20	0.19	0.18	0.01	0.00	0.11	0.07	-	0.00	0.00
	770	Erythroblastosis	M	0.37	0.37	0.35	0.01	0.00	0.22	0.13	-	0.00	-
			F	0.36	0.36	0.35	0.01	-	0.24	0.11	-	-	-
	771	Haemorrhagic disease of newborn	M	0.27	0.27	0.24	0.03	0.00	0.09	0.15	-	-	0.00
			F	0.18	0.18	0.16	0.02	-	0.06	0.11	-	-	-
	773	Ill-defined diseases of early infancy	M	0.70	0.69	0.63	0.05	0.02	0.30	0.33	0.01	0.00	0.00
			F	0.47	0.45	0.42	0.03	0.02	0.24	0.18	0.01	-	0.01
	774,776	Immaturity alone, or primary to disease other than of early infancy	M	3.30	3.28	3.19	0.09	0.02	2.26	0.93	0.02	0.00	-
			F	2.47	2.46	2.37	0.09	0.01	1.68	0.69	0.01	-	-
		<b>Total</b>	<b>M</b>	<b>10.44</b>	<b>10.35</b>	<b>9.99</b>	<b>0.36</b>	<b>0.09</b>	<b>6.21</b>	<b>3.78</b>	<b>0.06</b>	<b>0.02</b>	<b>0.01</b>
			<b>F</b>	<b>7.50</b>	<b>7.44</b>	<b>7.19</b>	<b>0.25</b>	<b>0.06</b>	<b>4.62</b>	<b>2.56</b>	<b>0.04</b>	<b>0.01</b>	<b>0.02</b>
	750-759	Congenital malformations	M	3.90	2.63	1.82	0.81	1.27	0.83	1.00	0.66	0.35	0.27
			F	3.70	2.46	1.67	0.78	1.24	0.81	0.86	0.60	0.37	0.28
	001-138; 340; 391-393; 470-483 518,519; 690-698 765-768	Causes classified as infective and others mainly infective in origin	M	0.68	0.20	0.07	0.13	0.47	0.01	0.06	0.18	0.12	0.17
			F	0.56	0.15	0.05	0.10	0.41	0.01	0.05	0.13	0.12	0.16
	490-493, 763 500-502	Pneumonia and bronchitis	M	3.65	0.71	0.34	0.37	2.94	0.07	0.27	1.19	1.03	0.72
			F	2.62	0.57	0.31	0.27	2.05	0.08	0.23	0.74	0.81	0.49
	571, 764	Gastro-enteritis and diarrhoea of newborn	M	0.51	0.08	0.01	0.07	0.43	-	0.01	0.15	0.14	0.14
			F	0.38	0.08	0.01	0.07	0.30	-	0.01	0.11	0.07	0.13
	E921-E925	Accidental mechanical suffocation from vomit, food, foreign body, or in cut	M	0.60	0.05	0.02	0.03	0.54	0.00	0.02	0.22	0.23	0.09
			F	0.43	0.04	0.01	0.03	0.39	0.00	0.01	0.16	0.16	0.07
	E926, E980-E985	Lack of care, neglect (including foundlings), infanticide	M	0.10	0.06	0.06	0.00	0.04	0.06	-	0.01	0.01	0.02
			F	0.08	0.06	0.05	0.00	0.03	0.05	0.00	0.00	0.01	0.01
	rem. E800-E999	Other violent causes	M	0.17	0.01	0.01	0.00	0.16	0.00	0.00	0.03	0.05	0.08
			F	0.14	0.02	0.00	0.01	0.12	0.00	-	0.02	0.03	0.07
		<b>Total</b>	<b>M</b>	<b>5.69</b>	<b>1.12</b>	<b>0.51</b>	<b>0.62</b>	<b>4.57</b>	<b>0.15</b>	<b>0.35</b>	<b>1.77</b>	<b>1.58</b>	<b>1.22</b>
			<b>F</b>	<b>4.22</b>	<b>0.92</b>	<b>0.44</b>	<b>0.48</b>	<b>3.30</b>	<b>0.14</b>	<b>0.29</b>	<b>1.17</b>	<b>1.19</b>	<b>0.94</b>
	140-239	Neoplasms	M	0.09	0.01	0.01	0.00	0.07	0.00	0.00	0.02	0.03	0.03
			F	0.08	0.02	0.02	0.00	0.06	0.01	0.01	0.01	0.02	0.03
	Rem. of 001-E999	Other remaining causes	M	1.27	0.38	0.27	0.11	0.89	0.14	0.13	0.32	0.31	0.26
			F	0.96	0.30	0.22	0.08	0.66	0.12	0.10	0.26	0.20	0.19
		<b>Total</b>	<b>M</b>	<b>1.36</b>	<b>0.39</b>	<b>0.28</b>	<b>0.11</b>	<b>0.97</b>	<b>0.14</b>	<b>0.13</b>	<b>0.35</b>	<b>0.33</b>	<b>0.29</b>
			<b>F</b>	<b>1.04</b>	<b>0.32</b>	<b>0.24</b>	<b>0.08</b>	<b>0.72</b>	<b>0.13</b>	<b>0.11</b>	<b>0.27</b>	<b>0.23</b>	<b>0.22</b>
	774, 776	Immaturity alone, or primary to disease other than of early infancy	M	3.30	3.28	3.19	0.09	0.02	2.26	0.93	0.02	0.00	-
			F	2.47	2.46	2.37	0.09	0.01	1.68	0.69	0.01	-	-
	760.5-773.5	Immaturity associated with diseases of early infancy	M	4.40	4.40	4.18	0.22	0.00	2.44	1.74	0.00	-	-
			F	3.23	3.23	3.08	0.14	0.00	1.82	1.27	0.00	-	-
		<b>Total immaturity</b>	<b>M</b>	<b>7.70</b>	<b>7.68</b>	<b>7.37</b>	<b>0.30</b>	<b>0.02</b>	<b>4.70</b>	<b>2.67</b>	<b>0.02</b>	<b>0.00</b>	<b>-</b>
			<b>F</b>	<b>5.70</b>	<b>5.68</b>	<b>5.45</b>	<b>0.23</b>	<b>0.02</b>	<b>3.50</b>	<b>1.96</b>	<b>0.02</b>	<b>-</b>	<b>-</b>
		All causes, excluding immaturity	M	13.70	6.82	5.23	1.59	6.88	2.63	2.60	2.82	2.27	1.79
			F	10.76	5.45	4.09	1.37	5.30	2.22	1.87	2.06	1.80	1.45

TABLE 28. Weekly notifications of certain infectious diseases and deaths from certain causes, 1966

England and Wales

Week ended	Original notifications (including Port Health Districts)											Deaths*		
	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Dysentery	Measles	Acute poliomyelitis		Food poisoning	Influenza and influenza pneumonia	Pneumonia**	Bronchitis
									Para-lytic	Non-para-lytic				
Jan. 1	-	-	6	434	233	-	440	3,872	-	-	89	19	969	873
8	-	-	10	455	289	1	549	4,791	-	-	178	37	1,088	980
15	1	1	9	410	239	-	453	4,259	1	-	131	45	1,101	925
22	2	-	9	520	336	-	434	3,569	-	-	135	58	1,177	1,077
29	1	-	11	626	302	-	434	3,486	-	-	140	111	1,464	1,280
Feb. 5	1	1	5	652	320	-	531	4,616	-	-	88	264	1,572	1,237
12	1	1	13	539	318	-	419	4,902	1	-	95	319	1,376	1,122
19	1	1	17	604	230	-	609	5,020	-	-	158	333	1,291	1,153
26	2	1	11	548	204	-	533	4,814	-	-	77	467	1,672	1,321
Mar. 5	1	2	11	559	211	-	624	4,766	-	-	55	488	1,558	1,098
12	-	1	9	658	208	-	743	4,268	-	-	62	350	1,323	942
19	-	1	21	570	197	-	636	4,370	1	-	84	200	1,139	787
26	2	2	12	608	268	-	624	4,561	2	-	95	154	1,011	757
Apr. 2	-	-	7	600	259	-	663	5,131	-	-	76	93	1,026	701
9	1	-	15	475	183	-	555	4,568	-	-	110	84	943	628
16	1	3	7	436	155	-	416	5,131	-	-	75	57	963	626
23	-	-	9	363	190	-	485	5,962	-	1	67	39	787	628
30	-	10	13	405	179	-	424	4,816	-	-	71	18	804	529
May 7	3	2	10	491	300	-	338	4,502	-	-	88	10	656	493
14	1	6	3	521	305	1	432	4,071	3	-	114	10	627	418
21	3	5	8	494	272	-	487	4,818	-	-	98	6	536	368
28	-	-	6	481	273	-	590	5,862	-	-	234	7	583	379
June 4	3	1	4	352	220	-	514	5,869	-	-	74	3	547	350
11	5	3	14	323	301	-	497	7,423	1	-	165	3	591	404
18	3	5	7	306	271	1	503	6,997	-	-	128	2	551	341
25	1	6	9	347	321	-	520	6,574	-	-	318	3	486	334
July 2	4	4	7	375	403	-	542	6,869	-	-	206	2	418	332
9	2	6	14	321	372	1	541	7,204	3	-	154	4	485	326
16	5	7	12	371	422	9	542	7,862	-	-	146	3	495	314
23	3	2	4	345	370	3	502	8,400	-	-	144	3	459	313
30	6	5	10	312	359	-	356	8,302	1	1	128	5	455	306
Aug. 6	3	1	11	221	415	-	391	8,807	1	-	115	2	510	339
13	6	5	9	238	419	2	323	8,117	2	-	150	-	532	337
20	3	4	8	194	447	-	281	6,955	1	-	133	2	527	311
27	6	2	10	157	462	1	233	5,188	-	-	181	1	472	309
Sept. 3	1	3	7	134	510	-	216	3,381	1	1	152	3	465	308
10	4	5	4	169	574	-	261	3,335	-	-	152	2	496	308
17	4	5	6	184	575	-	211	2,674	-	-	121	4	457	303
24	6	3	5	211	628	-	279	2,786	-	-	261	3	495	283
Oct. 1	3	2	6	243	617	-	299	3,293	1	-	146	3	500	294
8	6	3	10	269	506	-	306	4,410	-	-	120	3	607	384
15	2	6	3	351	479	-	384	6,088	-	-	308	8	572	390
22	5	3	11	359	434	-	362	7,099	1	-	105	6	628	453
29	1	2	10	406	501	1	308	8,211	1	-	98	8	568	454
Nov. 5	2	3	6	383	470	-	371	8,769	-	-	112	9	650	437
12	-	2	7	426	436	-	299	9,156	-	1	115	14	759	545
19	-	-	9	479	543	-	437	10,464	-	-	103	13	751	561
26	3	3	9	441	621	1	458	11,581	3	-	126	9	784	563
Dec. 3	2	-	3	503	649	1	565	12,291	-	-	108	12	785	620
10	1	-	3	501	671	-	563	13,942	-	-	118	17	873	600
17	4	1	7	478	516	-	547	13,649	-	-	221	14	876	660
24	2	-	9	446	423	-	516	14,022	1	-	94	22	935	663
31	1	4	2	333	350	-	381	14,866	-	-	72	4	938	674
Totals	119	135	458	21,627	19,716	22	23,927	346,739	26	4	6,872	3,356	42,343	31,138
Corrected notifications (excluding Port Health Districts)														
Totals†	111	131	407	21,226	19,417	20	21,559	343,525	19	4	4,531	3,672	36,042	31,862

\* The weekly deaths are compiled from returns furnished by Registrars of Births and Deaths.

† Classified according to the International Classification of Diseases (7th Revision 1955).

‡ These totals are for the period 1st January to 31st December.

\*\* Except secondary to accidents and to other infections (including influenza).

TABLE 29. Cases of certain infectious diseases notified, 1956 to 1966

England and Wales

Final numbers after correction (including original cases in Port Health Districts)\*

Diseases	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966
Typhoid fever	136	125	147	123	90	97	130	247	124	138	112
Paratyphoid fever	440	310	200	379	241	254	126	342	229	832	132
Plague	-	-	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection	1,163	1,016	836	746	632	651	576	606	506	406	407
Scarlet fever	33,103	29,547	38,853	47,919	32,170	19,990	15,306	17,437	20,129	26,725	21,228
Whooping cough	92,410	95,018	33,404	33,253	58,030	24,470	8,348	34,737	31,596	12,945	19,417
Diphtheria	53	37	80	102	49	52	16	33	20	25	20
Erysipelas	4,382	3,589	3,293	3,203	2,956	2,237	1,789	1,740	1,740	1,759	1,361
Ophthalmia neonatorum	1,515	1,483	1,304	1,179	1,063	932	1,017	970	832	727	612
Dysentery	49,009	28,910	38,107	35,626	43,285	20,418	30,924	31,759	20,204	26,183	21,567
Malaria (contracted in England and Wales)	-	1	-	-	-	-	-	1	-	-	-
Relapsing fever	-	1	1	2	1	-	-	-	-	-	-
Smallpox	-	4	(1) 6	1	1	1	66	-	-	-	62
Measles	160,556	633,678	259,308	539,524	159,364	763,531	184,895	601,255	306,801	502,209	343,642
Acute Poliomyelitis (paralytic)	1,717	3,177	1,419	739	257	707	212	39	29	55	19
Acute Poliomyelitis (non-paralytic)	1,483	1,667	575	289	121	169	59	12	8	36	4
Acute Encephalitis (infective)	173	172	171	140	144	118	113	125	114	97	83
Acute Encephalitis (post-infectious)	106	155	119	140	117	158	119	165	143	71	114
Typhus fever	1	-	-	-	-	†1	-	‡2	-	-	-
Pneumonia (acute primary and acute influenzal)	25,460	32,732	22,323	26,616	14,563	18,466	12,542	14,181	9,258	7,983	8,029
Puerperal fever and pyrexia	11,682	11,634	10,814	10,699	8,896	8,337	7,147	6,486	6,027	5,190	4,594
Food poisoning	10,998	9,180	8,801	9,971	7,738	7,842	5,151	5,869	5,408	5,003	4,539
Anthrax	?	?	?	?	?	8	8	14	7	7	10

\*Cases notified in Port Health Districts are not corrected for subsequent changes of diagnosis. When these notifications relate to quarantine diseases, they are distinguished in this table in brackets alongside the figures in which they are included.

†Not louse borne. ‡One case not louse borne.

TABLE 30. Cases of certain infectious diseases notified, by sex and age, 1966

England and Wales, regions, Wales, conurbations, urban and rural aggregates outside conurbations, and hospital regions

Final numbers after correction.

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown		
			M		F		M		F		M		F		M		F		M			F	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F
Scarlet fever																							
10,852	10,574	63	71	250	219	629	590	1,039	987	1,406	1,339	5,762	5,855	976	1,005	370	320	106	140	51	48		
ENGLAND AND WALES (excluding Port Health Districts)																							
Regions and Conurbations:																							
Northern																							
Tyne-side Conurbation																							
Remainder of Northern																							
Yorkshire and Humberside																							
West Yorkshire Conurbation																							
Rem. of Yorkshire and Humberside																							
North Western																							
South East Lancashire																							
Conurbation																							
Merseyside Conurbation																							
Rem. of North Western																							
East Midlands																							
West Midlands																							
West Midlands Conurbation																							
Rem. of West Midlands																							
East Anglia																							
South Eastern																							
Greater London																							
Outer Metropolitan Area																							
Rem. of South Eastern																							
South Western																							
Wales																							
Wales I (South East)																							
Wales II (remainder)																							
Urban/Rural aggregates:																							
Conurbations																							
Areas outside conurbations:																							
Urban areas with populations of 100,000 and over																							
Urban areas with populations of 50,000 and under 100,000																							
Urban areas with populations under 50,000																							
Rural districts																							
Hospital regions:																							
Newcastle																							
Leeds																							
Sheffield																							
East Anglia																							
North West Metropolitan																							
North East Metropolitan																							
South East Metropolitan																							
South West Metropolitan																							
Wessex																							
Oxford																							
South Western																							
Welsh																							
Birmingham																							
Manchester																							
Liverpool																							

TABLE 30 - continued

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
Whooping cough																							
ENGLAND AND WALES (excluding Port Health Districts)	9,253	10,164	1,075	1,022	1,205	1,268	1,324	1,482	1,161	1,337	1,180	1,285	2,844	3,178	309	343	54	69	60	145	41	35	
Regions and Conurbations:																							
Northern	962	1,104	101	103	111	133	139	165	136	147	149	158	293	345	27	29	3	5	1	17	2	2	
Tyneside Conurbation	325	393	35	49	31	46	39	55	39	46	54	52	112	123	12	15	3	1	6	2	2		
Remainder of Northern	637	711	66	54	80	87	100	110	97	101	95	106	181	222	15	14	-	4	1	11	2		
Yorkshire and Humberside	1,160	1,244	153	149	154	162	187	192	148	165	145	146	327	375	32	36	6	4	3	14	5	1	
West Yorkshire Conurbation	588	609	91	73	73	76	107	93	72	95	59	75	165	174	16	17	4	2	1	4	-	-	
Rem. of Yorkshire and Humberside	572	635	62	76	81	86	80	99	76	70	86	71	162	201	16	19	2	2	2	10	5	1	
North Western	1,504	1,682	201	197	215	222	247	261	207	237	196	205	385	491	35	39	5	11	7	9	6	10	
South East Lancashire Conurbation	400	457	47	53	58	71	68	66	55	68	48	54	106	123	14	10	1	1	2	5	1	6	
Merseyside Conurbation	637	645	105	87	93	86	107	115	92	82	79	72	140	181	13	11	3	7	4	1	1	3	
Rem. of North Western	467	560	49	57	64	65	72	80	60	87	69	79	139	187	8	18	1	3	1	3	4	1	
East Midlands	533	630	67	54	69	79	60	95	64	80	69	82	177	201	16	27	5	1	2	9	4	2	
West Midlands	1,336	1,396	148	135	187	188	199	219	157	185	179	192	408	407	41	48	9	4	5	16	3	2	
West Midlands Conurbation	839	873	101	94	124	129	124	142	99	117	126	123	240	231	18	27	3	2	4	8	2	-	
Rem. of West Midlands	497	523	47	41	63	59	75	77	58	68	53	69	168	176	25	21	6	2	1	8	1	2	
East Anglia	315	323	32	22	32	36	32	35	35	39	35	45	130	113	12	21	3	1	2	8	2	3	
South Eastern	2,668	2,974	273	287	352	367	363	414	332	392	318	351	860	973	114	105	14	32	31	52	11	11	
Greater London	1,375	1,505	143	153	211	193	192	225	154	210	180	167	416	466	55	51	7	12	12	22	5	8	
Outer Metropolitan Area	1,797	1,930	81	74	90	107	108	128	112	114	89	116	261	327	33	29	6	11	12	20	5	4	
Rem. of South Eastern	496	539	49	60	51	57	63	61	66	68	49	68	183	180	26	25	1	3	7	10	1	1	
South Western	545	581	59	51	59	63	65	74	53	69	68	67	202	194	24	35	6	10	6	16	3	2	
Wales	230	230	41	24	26	28	32	27	29	23	23	39	62	79	8	3	3	1	3	4	3	2	
Wales I (South East)	193	190	36	23	21	23	28	19	24	15	19	34	51	67	8	2	1	1	3	4	3	2	
Wales II (remainder)	37	40	3	1	5	5	4	8	5	8	4	5	11	12	-	-	2	-	-	-	3	-	
Urban/Rural aggregates:																							
Conurbations	4,164	4,482	522	509	590	601	637	696	511	618	546	543	1,179	1,298	126	131	21	25	23	46	9	15	
Areas outside conurbations:																							
Urban areas with populations of 100,000 and over	1,181	1,294	172	164	157	171	180	206	157	166	156	186	327	351	22	28	4	10	4	12	2	-	
Urban areas with populations of 50,000 and under 100,000	752	853	90	81	86	107	99	117	93	99	102	108	250	287	23	27	1	10	4	12	4	5	
Urban areas with populations under 50,000	1,440	1,669	154	134	186	195	208	235	187	228	173	213	449	571	49	41	9	13	12	30	13	9	
Rural districts	1,716	1,866	137	134	188	194	200	228	213	226	203	235	639	671	89	116	19	11	17	45	15	6	
Hospital regions:																							
Newcastle	901	1,026	96	99	107	126	133	157	130	142	142	139	266	317	22	26	3	4	-	14	2	1	
Leeds	860	902	113	96	100	103	141	125	103	124	99	124	267	283	27	28	5	4	2	14	5	2	
Sheffield	781	900	103	97	115	130	100	146	100	108	110	114	218	265	22	29	4	2	4	9	5	2	
East Anglia	331	347	32	22	34	38	33	38	37	41	38	45	136	123	13	23	4	1	2	9	2	3	
North West Metropolitan	625	670	64	64	91	81	82	103	76	95	73	71	195	215	27	16	3	8	11	18	3	1	
North East Metropolitan	661	792	53	78	86	102	98	120	86	100	81	103	217	243	27	22	4	8	7	11	2	5	
South East Metropolitan	660	727	78	68	83	95	92	80	73	92	84	86	217	249	38	35	4	8	8	13	3	4	
South West Metropolitan	429	454	46	35	62	48	53	68	55	65	65	48	129	157	11	16	3	5	2	10	3	4	
Wessex	190	196	24	24	21	20	26	27	28	26	20	25	63	81	6	9	-	2	1	1	-	-	
Oxford	252	291	20	34	25	27	32	42	31	35	30	32	100	99	10	20	2	-	1	2	1	-	
South Western	487	535	55	48	52	57	56	68	48	63	60	62	178	181	22	28	5	10	6	16	5	2	
Welsh	230	230	41	24	26	28	32	27	29	23	23	39	62	79	8	3	3	1	3	4	3	2	
Birmingham	1,336	1,396	148	135	187	188	199	219	157	185	179	192	408	407	41	48	9	4	5	16	3	2	
Manchester	597	666	78	87	105	97	105	129	107	107	73	94	172	206	16	22	9	4	5	16	3	2	
Liverpool	913	961	138	120	129	120	150	157	129	131	123	113	216	291	19	18	3	7	5	1	3	3	

TABLE 30 - continued

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
Diphtheria																							
ENGLAND AND WALES (excluding Port Health Districts)  Regions and Conurbations: Northern Tyneside Conurbation Remainder of Northern  Yorkshire and Humberside West Yorkshire Conurbation Rem. of Yorkshire and Humberside  North Western South East Lancashire Conurbation Merseyside Conurbation Rem. of North Western  East Midland  West Midland West Midlands Conurbation Rem. of West Midland  East Anglia  South Eastern Greater London Outer Metropolitan Area Rem. of South Eastern  South Western  Wales Wales I (South East) Wales II (remainder)  Urban/Rural aggregates: Conurbations Areas outside conurbations: Urban areas with populations of 100,000 and over Urban areas with populations of 50,000 and under 100,000 Urban areas with populations under 50,000 Rural districts  Hospital regions: Newcastle Leeds Sheffield East Anglia North West Metropolitan North East Metropolitan South East Metropolitan South West Metropolitan Wessex Oxford South Western Welsh Birmingham Manchester Liverpool	12	8	-	-	1	-	-	-	-	-	-	-	6	4	3	1	1	-	1	3	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-</				

TABLE 30 - continued

Area	All ages			0-			1-			2-			3-			4-			5-			10-			15-			25 and over			Unknown
	M	F		M	F		M	F		M	F		M	F		M	F		M	F		M	F		M	F					
Measles																															
ENGLAND AND WALES (Excluding Port Health Districts)	175,256	168,269		7,176	7,108	20,679	19,558	25,118	24,376	26,118	25,355	25,751	24,446	65,899	62,640	2,490	2,509	916	1,005	358	548	751	724								
Regions and Conurbations:																															
Northern	14,012	13,285		688	630	1,792	1,699	2,045	1,953	2,228	2,144	2,024	1,835	4,993	4,755	157	168	46	45	15	22	24	34								
Tyneside Conurbation	3,997	3,785		197	176	518	512	612	574	675	644	584	572	1,376	1,270	26	27	4	4	3	4	2	2								
Remainder of Northern	10,015	9,500		491	454	1,274	1,187	1,433	1,379	1,553	1,500	1,440	1,263	3,617	3,485	131	141	42	41	12	18	22	32								
Yorkshire and Humberside	23,102	22,152		1,067	1,042	2,795	2,729	3,422	3,332	3,534	3,333	3,404	3,186	8,456	8,109	248	238	76	75	28	37	72	71								
West Yorkshire Conurbation	8,890	8,422		404	383	1,068	1,000	1,391	1,289	1,583	1,351	1,324	1,248	3,172	3,019	81	77	31	27	10	16	26	17								
Rem. of Yorkshire and Humberside	14,212	13,730		663	659	1,727	1,729	2,031	2,043	2,151	1,982	2,080	1,940	5,284	5,090	167	161	45	48	18	24	46	54								
North Western	31,249	29,936		1,415	1,360	3,957	3,761	5,051	4,773	5,020	4,808	4,878	4,643	10,325	9,971	295	291	101	119	40	67	167	143								
South East Lancashire Conurbation	11,229	10,775		503	467	1,471	1,429	1,846	1,745	1,896	1,782	1,818	1,743	3,535	3,429	80	95	16	34	14	16	50	55								
Merseyside Conurbation	5,633	5,329		338	340	775	754	951	866	909	826	790	726	1,733	1,672	59	56	26	25	11	17	41	41								
Rem. of North Western	14,387	13,832		574	553	1,711	1,578	2,254	2,142	2,215	2,220	2,270	2,174	5,057	4,870	136	140	59	60	15	34	76	61								
East Midlands	13,459	12,994		482	517	1,513	1,456	1,842	1,804	1,925	1,986	1,939	1,751	5,379	5,055	208	227	78	88	27	51	66	59								
West Midlands	17,546	16,685		719	747	2,177	2,003	2,475	2,417	2,607	2,511	2,495	2,335	6,705	6,272	207	201	91	97	25	49	45	53								
West Midlands Conurbation	7,565	7,364		361	371	1,076	972	1,117	1,076	1,155	1,084	995	1,013	2,768	2,727	57	62	26	32	5	20	5	7								
Rem. of West Midlands	9,981	9,321		358	376	1,101	1,031	1,358	1,341	1,452	1,427	1,500	1,322	3,917	3,545	150	139	65	65	20	29	40	46								
East Anglia	5,787	5,649		178	198	561	519	751	742	761	798	804	743	2,423	2,328	202	190	54	69	23	29	30	33								
South Eastern	47,788	46,024		1,691	1,697	5,500	5,121	6,595	6,497	6,875	6,763	6,890	6,711	18,876	17,754	700	715	337	372	124	201	200	193								
Greater London	21,478	20,895		846	895	2,798	2,570	3,102	3,058	3,076	3,089	3,235	3,095	7,929	7,590	245	252	116	169	52	90	79	87								
Outer Metropolitan Area	14,910	14,208		464	477	1,595	1,460	2,078	2,033	2,279	2,111	2,183	2,138	5,942	5,587	175	201	112	108	29	54	53	39								
Rem. of South Eastern	11,400	10,921		381	325	1,107	1,091	1,415	1,406	1,520	1,563	1,472	1,478	5,005	4,577	280	262	109	95	43	57	68	67								
South Western	12,474	12,143		445	459	1,295	1,228	1,608	1,559	1,776	1,694	1,750	1,702	5,135	4,993	271	299	85	90	45	53	64	66								
Wales	9,839	9,401		491	458	1,089	1,042	1,329	1,299	1,392	1,318	1,567	1,540	3,607	3,403	202	180	48	50	31	39	83	72								
Wales I (South East)	7,712	7,351		416	376	884	841	1,070	1,042	1,123	1,046	1,228	1,214	2,771	2,620	124	110	30	34	11	23	55	45								
Wales II (remainder)	2,127	2,050		75	82	205	201	259	257	269	272	339	326	836	783	78	70	18	16	20	16	28	27								
Urban/Rural aggregates:																															
Conurbations	58,812	56,570		2,649	2,632	7,706	7,237	9,019	8,628	9,094	8,758	8,746	8,395	20,533	19,707	548	569	219	291	95	160	203	195								
Areas outside conurbations:																															
Urban areas with populations of 100,000 and over	23,001	22,322		1,153	1,086	2,924	2,874	3,471	3,428	3,540	3,403	3,559	3,390	8,014	7,736	186	213	83	99	27	47	44	46								
Urban areas with populations of 50,000 and under 100,000	16,040	15,445		671	658	1,975	1,830	2,365	2,429	2,634	2,524	2,444	2,305	5,647	5,337	156	174	74	85	22	45	52	58								
Urban areas with populations under 50,000	40,920	38,922		1,590	1,532	4,609	4,219	5,674	5,496	5,936	5,874	6,127	5,682	16,010	15,103	498	491	188	206	60	97	228	222								
Rural Districts	36,483	35,011		1,113	1,200	3,465	3,398	4,569	4,395	4,914	4,798	4,875	4,674	15,695	14,757	1,102	1,062	352	324	154	199	224	203								
Hospital regions:																															
Newcastle	13,226	12,570		665	614	1,718	1,626	1,943	1,854	2,115	2,041	1,917	1,748	4,656	4,443	136	151	39	40	14	20	23	33								
Leeds	14,654	13,819		646	611	1,692	1,610	2,169	2,039	2,207	2,071	1,978	1,770	5,453	5,227	194	171	60	60	20	28	35	52								
Sheffield	21,015	20,453		871	903	2,494	2,490	2,956	2,961	3,135	3,095	3,009	2,836	8,094	7,665	245	271	88	89	28	47	92	32								
East Anglia	5,974	5,885		182	203	576	538	781	764	784	838	800	771	2,495	2,412	208	205	57	78	26	43	55	33								
North West Metropolitan	12,681	12,629		505	536	1,562	1,462	1,867	1,809	1,900	1,840	1,965	1,930	4,738	4,710	132	149	53	94	34	45	55	54								
North East Metropolitan	9,788	9,479		318	355	1,161	1,084	1,430	1,352	1,357	1,399	1,394	1,353	3,680	3,614	139	141	56	74	24	43	49	31								
South East Metropolitan	10,261	9,705		364	348	1,180	1,102	1,334	1,387	1,439	1,437	1,464	1,370	4,150	3,742	158	171	73	71	26	38	46	31								
South West Metropolitan	7,661	7,269		279	252	875	786	1,006	1,020	1,093	1,057	1,085	1,063	3,052	2,814	126	163	54	51	23	38	48	33								
Wessex	4,694	4,705		144	127	479	454	640	586	663	678	594	560	1,690	1,608	134	127	35	34	17	23	27	33								
Oxford	5,741	5,493		192	191	591	535	781	761	855	834	869	836	2,545	2,458	124	127	35	34	17	23	29	33								
South Western	10,360	10,092		381	397	1,091	1,048	1,309	1,245	1,478	1,407	1,576	1,416	3,645	3,403	247	247	68	73	36	41	49	50								
Welsh	9,839	9,401		491	458	1,089	1,042	1,329	1,299	1,392	1,318	1,567	1,540	3,607	3,403	202	180	48	50	31	39	83	72								
Birmingham	17,546	16,685		719	747	2,177	2,003	2,475	2,417	2,607	2,511	2,495	2,335	6,705	6,272	207	201														

TABLE 30 - continued

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
Acute poliomyelitis (paralytic)																						
ENGLAND AND WALES (excluding Port Health Districts)	14	5	-	-	2	-	-	-	-	-	1	1	1	3	-	1	5	-	5	-	-	
	Regions and Conurbations:																					
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2	3	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	1	-	-	
	-	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	
	2	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	
	East Midland																					
	West Midland																					
	West Midlands Conurbation																					
	Rem. of West Midland																					
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	East Anglia																					
	9	2	-	-	2	-	-	-	-	-	-	-	-	1	1	-	1	3	-	3	-	-
	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	
2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
South Western																						
Wales																						
Wales I (South East)																						
Wales II (remainder)																						
Urban/Rural aggregates:																						
5	2	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	2	-	2	-	-	
Areas outside conurbations:																						
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	
Urban areas with populations of 100,000 and over																						
Urban areas with populations of 50,000 and under 100,000																						
5	1	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Hospital regions:																						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	
2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	
Oxford																						
South Western																						
Welsh																						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 30 - continued

[illegible]

TABLE 30 - continued

Area	All ages			0-			5-			15-			45-			65 and over			Unknown
	M	F	P	M	F	P	M	F	P	M	F	P	M	F	P	M	F	P	
Typhoid fever																			
ENGLAND AND WALES (excluding Port Health Districts)	66	45	10	5	18	10	32	14	6	12	-	4	-	-	-	-	-	-	
Regions and Conurbations:																			
Northern	2	5	-	-	-	2	1	1	1	2	-	-	-	-	-	-	-	-	
Tyneside Conurbation	1	1	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	
Remainder of Northern	1	4	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	
Yorkshire and Humberside	8	3	1	3	3	1	4	1	-	-	-	-	-	-	-	-	-	-	
West Yorkshire Conurbation	7	2	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	
Rem. of Yorkshire and Humberside	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
North Western	7	5	2	-	1	1	2	2	2	2	-	-	-	-	-	-	-	-	
South East Lancashire Conurbation	3	3	1	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-	
Merseyside Conurbation	2	2	1	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	
Rem. of North Western	2	2	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	
East Midland	6	-	1	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	
West Midland	13	3	-	-	5	2	8	1	-	-	-	-	-	-	-	-	-	-	
West Midlands Conurbation	9	3	-	-	4	2	5	1	-	-	-	-	-	-	-	-	-	-	
Rem. of West Midland	4	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	
East Anglia	3	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
South Eastern	27	27	5	5	5	4	14	9	3	6	-	3	-	-	-	-	-	-	
Greater London	14	20	3	3	2	4	6	7	2	5	-	1	-	-	-	-	-	-	
Outer Metropolitan Area	9	1	1	2	-	-	5	1	1	1	-	1	-	-	-	-	-	-	
Rem. of South Eastern	4	6	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	
South Western	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	
Wales	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Wales I (South East)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Wales II (remainder)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Urban/Rural aggregates:																			
Conurbations	36	29	5	3	11	9	16	9	4	6	-	2	-	-	-	-	-	-	
Areas outside conurbations:																			
Urban areas with populations of 100,000 and over	14	2	1	-	6	-	7	-	-	1	-	-	-	-	-	-	-	-	
Urban areas with populations of 50,000 and under 100,000	7	4	2	1	-	-	4	3	1	-	-	-	-	-	-	-	-	-	
Urban areas with populations under 50,000	7	6	2	-	1	1	3	2	1	2	-	-	-	-	-	-	-	-	
Rural districts	2	4	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Hospital regions:																			
Newcastle	2	3	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	
Leeds	7	2	1	-	3	1	2	1	-	-	-	-	-	-	-	-	-	-	
Sheffield	7	1	1	-	4	-	2	1	-	-	-	-	-	-	-	-	-	-	
East Anglia	3	1	1	-	2	-	2	1	-	1	-	-	-	-	-	-	-	-	
North West Metropolitan	12	9	4	1	2	-	5	4	1	1	-	-	-	-	-	-	-	-	
North East Metropolitan	3	5	1	-	-	3	1	1	-	1	-	-	-	-	-	-	-	-	
South East Metropolitan	3	6	1	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	
South West Metropolitan	6	6	-	1	3	-	3	1	-	2	-	-	-	-	-	-	-	-	
Wessex	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Oxford	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
South Western	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Welsh	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Birmingham	13	3	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
Manchester	5	7	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	
Liverpool	2	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	

TABLE 30 - continued

Area	All ages		0-		5-		15-		45-		65 and over		Unknown
	M	F	M	F	M	F	M	F	M	F	M	F	
	Paratyphoid fever												
ENGLAND AND WALES (excluding Port Health Districts)	59	72	8	9	13	15	29	32	7	6	2	9	1
Regions and Conurbations:													
Northern	4	4	-	-	-	-	4	3	-	1	-	-	-
Tyneside Conurbation	2	2	-	-	-	-	2	2	-	1	-	-	-
Remainder of Northern													
Yorkshire and Humberside	6	5	3	-	-	-	1	3	1	-	1	1	1
West Yorkshire Conurbation	5	5	2	-	-	-	1	3	1	-	1	1	1
Rem. of Yorkshire and Humberside	1	-	1	-	-	-	-	-	-	-	-	-	-
North Western	9	17	1	4	2	2	4	6	1	1	1	4	-
South East Lancashire Conurbation	1	-	-	-	-	-	1	-	-	-	-	-	-
Merseyside Conurbation	4	3	1	1	2	2	1	2	1	1	1	-	-
Rem. of North Western	4	14	-	3	-	-	2	4	-	-	-	4	-
East Midland	3	1	-	-	-	-	3	-	-	1	-	-	-
West Midland	6	3	-	1	3	-	2	1	1	1	-	-	-
West Midlands Conurbation	4	2	-	1	1	-	-	-	1	-	-	-	-
Rem. of West Midland	2	2	-	-	-	-	-	-	-	-	-	-	-
East Anglia	-	1	-	-	-	-	-	1	-	-	-	-	-
South Eastern	23	37	3	2	5	13	12	16	3	2	-	4	-
Greater London	12	21	2	1	1	11	7	9	2	1	-	-	-
Outer Metropolitan Area	8	9	1	1	2	-	4	4	1	1	-	3	-
Rem. of South Eastern	3	7	-	-	-	2	1	3	-	-	-	1	-
South Western	5	1	1	1	1	-	2	-	1	-	-	-	-
Wales	3	3	-	1	2	-	1	2	-	-	-	-	-
Wales I (South East)	3	1	-	1	2	-	1	1	-	-	-	-	-
Wales II (remainder)	-	2	-	-	-	-	-	-	-	-	-	-	-
Urban/Rural aggregates:													
Conurbations	28	32	5	1	3	11	14	17	4	1	2	1	-
Areas outside conurbations:													
Urban areas with populations of 100,000 and over	6	2	1	1	1	-	4	-	-	-	-	1	-
Urban areas with populations of 50,000 and under 100,000	3	5	-	-	1	-	2	4	-	-	-	1	-
Urban areas with populations under 50,000	11	25	1	6	4	2	6	8	-	-	-	6	-
Rural districts	11	8	1	1	4	2	5	5	3	2	-	-	-
Hospital regions:													
Newcastle	4	3	-	-	-	-	4	3	1	1	1	1	1
Leeds	5	5	2	-	-	-	1	3	1	1	1	-	-
Sheffield	4	1	1	-	-	-	1	1	-	1	-	-	-
East Anglia	-	17	1	-	1	-	4	1	-	1	-	-	-
North West Metropolitan	5	7	1	1	1	2	2	5	1	1	-	2	-
North East Metropolitan	5	4	1	1	1	1	2	2	1	1	-	-	-
South East Metropolitan	3	7	1	1	3	1	2	3	1	1	-	-	-
South West Metropolitan	2	1	2	1	1	1	1	1	-	1	-	-	-
Wessex	2	-	-	-	-	-	2	-	-	-	-	-	-
Oxford	1	-	-	-	-	-	1	-	-	-	-	-	-
South Western	3	3	1	1	1	-	1	1	1	1	-	-	-
Welsh	3	3	1	1	2	-	1	2	1	1	-	-	-
Birmingham	6	14	2	1	3	2	3	4	1	2	-	3	1
Manchester	5	5	-	-	-	-	-	-	-	-	-	-	-
Liverpool	4	4	1	1	-	-	1	1	1	1	1	-	-

TABLE 30 - continued

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
Dysentery																							
10,624	10,935	538	444	947	741	985	819	903	708	780	618	3,008	2,718	874	656	609	1,065	1,803	2,910	177	256		
ENGLAND AND WALES (excluding Port Health Districts)																							
Regions and Conurbations:																							
Northern																							
Tyneside Conurbation																							
Remainder of Northern																							
Yorkshire and Humberside																							
West Yorkshire Conurbation																							
Rem. of Yorkshire and Humberside																							
North Western																							
South East Lancashire Conurbation																							
Merseyside Conurbation																							
Rem. of North Western																							
East Midland																							
West Midland																							
West Midlands Conurbation																							
Rem. of West Midland																							
East Anglia																							
South Eastern																							
Greater London																							
Outer Metropolitan Area																							
Rem. of South Eastern																							
South Western																							
Wales																							
Wales I (South East)																							
Wales II (remainder)																							
Urban/Rural aggregates:																							
Conurbations																							
Areas outside conurbations:																							
Urban areas with populations of 100,000 and over																							
Urban areas with populations of 50,000 and under 100,000																							
Urban areas with populations under 50,000																							
Rural districts																							
Hospital regions:																							
Newcastle																							
Leeds																							
Sheffield																							
East Anglia																							
North West Metropolitan																							
North East Metropolitan																							
South East Metropolitan																							
South West Metropolitan																							
Wessex																							
Oxford																							
South Western																							
Welsh																							
Birmingham																							
Manchester																							
Liverpool																							

TABLE 30 - continued

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
Meningococcal infection																						
ENGLAND AND WALES (excluding Port Health Districts)	217	190	67	43	25	29	21	14	9	17	5	9	32	17	21	18	20	10	16	31	1	2
Regions and Conurbations:																						
Northern																						
Tyneside Conurbation																						
Remainder of Northern																						
Yorkshire and Humberside																						
West Yorkshire Conurbation																						
Rem. of Yorkshire and Humberside																						
North Western																						
South East Lancashire Conurbation																						
Merseyside Conurbation																						
Rem. of North Western																						
East Midland																						
West Midland																						
West Midlands Conurbation																						
Rem. of West Midland																						
East Anglia																						
South Eastern																						
Greater London																						
Outer Metropolitan Area																						
Rem. of South Eastern																						
South Western																						
Wales																						
Wales I (South East)																						
Wales II (remainder)																						
Urban/Rural aggregates:																						
Conurbations																						
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over																						
Urban areas with populations of 50,000 and under 100,000																						
Urban areas with populations under 50,000																						
Rural districts																						
Hospital regions:																						
Newcastle																						
Leeds																						
Sheffield																						
East Anglia																						
North West Metropolitan																						
North East Metropolitan																						
South East Metropolitan																						
South West Metropolitan																						
Wessex																						
Oxford																						
South Western																						
Welsh																						
Birmingham																						
Manchester																						
Liverpool																						

TABLE 30 - continued

Area	All ages			0-			5-			15-			45-			65 and over			Unknown	
	M	F		M	F		M	F		M	F		M	F		M	F			
Erysipelas																				
ENGLAND AND WALES (excluding Port Health Districts)	575	786		9	14		23	21		117	153		278	353		139	228		9	17
Regions and Conurbations:																				
Northern	33	27		-	-		-	-		13	9		13	7		6	11		1	-
Tyneside Conurbation	11	10		-	-		-	-		4	4		5	1		2	5		-	-
Remainder of Northern	22	17		-	-		-	-		9	5		8	6		4	6		1	-
Yorkshire and Humberside	85	83		1	4		6	2		14	15		43	41		18	20		3	1
West Yorkshire Conurbation	36	41		1	3		-	-		4	4		21	20		8	14		2	-
Rem. of Yorkshire and Humberside	49	42		-	1		6	2		10	11		22	21		10	6		1	1
North Western	66	91		2	3		3	4		14	14		33	45		14	23		-	2
South East Lancashire Conurbation	21	32		1	3		2	-		6	5		6	14		6	10		-	-
Merseyside Conurbation	23	24		1	1		-	1		4	5		15	17		3	4		-	-
Rem. of North Western	22	35		-	-		1	3		4	4		12	17		5	9		-	2
East Midland	37	54		-	1		-	1		5	9		21	23		11	18		-	2
West Midland	63	73		1	2		4	2		16	18		35	30		7	20		-	1
West Midlands Conurbation	32	35		1	1		2	1		5	7		18	15		6	10		-	-
Rem. of West Midland	31	38		-	1		2	1		11	11		17	13		1	10		-	-
East Anglia	15	23		-	1		-	-		4	8		3	5		8	7		-	2
South Eastern	206	312		4	3		7	11		41	65		105	148		45	79		4	8
Greater London	110	160		3	1		3	3		20	24		57	84		26	44		1	4
Outer Metropolitan Area	56	83		1	1		1	5		12	25		30	31		8	18		3	3
Rem. of South Eastern	40	71		-	1		2	3		9	17		18	31		11	18		-	1
South Western	45	89		1	-		-	1		7	11		20	38		17	38		-	1
Wales	25	34		-	-		3	-		3	4		5	18		13	12		1	-
Wales I (South East)	18	28		-	-		2	-		2	3		4	15		10	10		-	-
Wales II (remainder)	7	6		-	-		1	-		1	1		1	3		3	2		1	-
Urban/Rural aggregates:																				
Conurbations	233	302		7	8		7	5		43	49		122	148		51	87		3	5
Areas outside conurbations:																				
Urban areas with populations of 100,000 and over	85	123		-	2		6	3		23	29		34	59		22	30		-	-
Urban areas with populations of 50,000 and under 100,000	46	71		-	1		2	2		9	22		26	24		9	21		-	1
Urban areas with populations under 50,000	113	153		-	2		3	3		32	22		50	71		27	49		1	6
Rural districts	98	137		2	1		5	8		10	31		46	51		30	41		5	5
Hospital regions:																				
Newcastle	33	26		-	3		-	-		13	9		13	7		6	10		1	-
Leeds	62	54		1	1		4	1		9	6		32	27		14	17		2	1
Sheffield	50	74		-	1		2	2		10	17		25	31		12	19		1	-
East Anglia	15	23		-	1		-	-		8	8		8	5		16	7		-	-
North West Metropolitan	65	81		3	2		1	5		15	22		28	35		18	20		2	1
North East Metropolitan	48	58		-	2		1	-		10	10		33	24		9	20		1	1
South East Metropolitan	38	69		-	1		1	4		12	14		18	30		11	15		1	2
South West Metropolitan	32	60		-	1		1	2		7	13		16	30		5	17		1	1
Wessex	12	30		-	-		2	1		3	7		9	13		4	8		-	3
Oxford	27	32		-	-		1	1		6	11		17	18		5	6		-	1
South Western	39	81		1	-		3	1		3	14		17	34		15	34		-	1
Welsh	23	30		-	-		4	2		6	11		15	19		13	12		-	-
Birmingham	43	73		1	2		3	2		16	18		35	30		7	20		1	1
Manchester	40	91		1	3		3	3		9	18		17	27		10	18		-	2
Liverpool	26	30		1	-		-	1		5	6		16	18		4	5		-	-

TABLE 30 - continued

Area	All ages			0-			5-			15-			45-			65 and over			Unknown	
	M	F		M	F		M	F		M	F		M	F		M	F			
Acute encephalitis (infective)																				
ENGLAND AND WALES (excluding Port Health Districts)	49	34	14	4	17	9	15	14	2	7	1	-	-	-	-	-	-	-	-	
	13	7	2	-	8	4	3	2	-	1	-	-	-	-	-	-	-	-	-	
	5	4	2	-	6	2	3	1	-	1	-	-	-	-	-	-	-	-	-	
	6	2	-	-	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
	3	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	3	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	1	3	1	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
	-	3	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Merseyside Conurbation	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Rem. of North Western	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
East Midland	8	3	5	-	-	1	2	2	-	-	1	-	-	-	-	-	-	-	-	
West Midland	5	3	2	1	-	1	2	2	-	4	-	-	-	-	-	-	-	-	-	
West Midlands Conurbation	3	4	1	1	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	
Rem. of West Midland	2	4	1	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	
East Anglia	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
South Eastern	14	6	3	1	5	-	6	5	-	-	-	-	-	-	-	-	-	-	-	
Greater London	10	2	2	2	4	-	4	2	-	-	-	-	-	-	-	-	-	-	-	
Outer Metropolitan Area	2	2	1	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	
Rem. of South Eastern	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
South Western	1	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Wales	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Wales I (South East)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Wales II (remainder)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Urban/Rural aggregates:																				
Conurbations	25	16	6	2	12	4	6	6	-	4	-	-	1	4	-	-	-	-	-	
Areas outside conurbations:																				
Urban areas with populations of 100,000 and over	13	7	6	-	3	3	2	3	-	3	1	-	1	1	-	-	-	-	-	
Urban areas with populations of 50,000 and under 100,000	-	3	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	
Urban areas with populations under 50,000	5	3	1	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
Rural districts	6	5	1	-	1	-	4	1	-	1	-	-	-	2	-	-	-	-	-	
Hospital regions:																				
Newcastle	12	7	2	-	8	4	2	2	-	4	-	-	-	1	-	-	-	-	-	
Leeds	4	1	5	-	2	1	3	2	-	1	-	-	-	-	-	-	-	-	-	
Sheffield	11	4	1	-	1	1	5	3	-	2	-	-	-	-	-	-	-	-	-	
East Anglia	7	3	1	1	5	-	2	2	-	-	-	-	-	-	-	-	-	-	-	
North West Metropolitan	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
North East Metropolitan	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
South East Metropolitan	4	1	1	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	
South West Metropolitan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Wessex	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
Oxford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
South Western	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Welsh	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Birmingham	5	8	2	1	1	1	2	1	-	1	-	-	1	4	-	-	-	-	-	
Manchester	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Liverpool	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 30 - continued

Area	All ages			0-			5-			15-			45-			65 and over			Unknown
	M	F	P	M	F	P	M	F	P	M	F	P	M	F	P	M	F	P	
Acute encephalitis (post-infectious)																			
ENGLAND AND WALES (excluding Port Health Districts)	65	49		20	11	31	20	8	15	5	3	-	-	-	1	-	-	-	
	Regions and Conurbations:																		
	Northern	13	5	4	-	4	3	-	-	2	5	-	-	-	-	-	-	-	-
	Tyneside Conurbation	3	1	1	1	-	1	3	-	1	1	-	-	-	-	-	-	-	-
	Remainder of Northern	10	4	3	3	-	3	-	-	1	4	-	-	-	-	-	-	-	-
	Yorkshire and Humberside	1	5	1	1	2	-	2	-	1	-	-	-	-	-	-	-	-	-
	West Yorkshire Conurbation	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Rem. of Yorkshire and Humberside	1	3	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	North Western	10	6	4	4	1	4	3	2	2	-	-	-	-	-	-	-	-	-
	South East Lancashire	4	1	1	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-
	Conurbation	3	2	2	2	1	2	3	1	1	-	-	-	-	-	-	-	-	-
	Merseyside Conurbation	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Rem. of North Western	8	4	3	3	2	3	1	1	1	-	-	-	-	-	-	-	-	-
	East Midland	6	5	1	5	1	1	2	-	2	-	-	-	-	-	-	-	-	-
	West Midland	4	2	2	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-
	West Midlands Conurbation	2	2	-	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-
	Rem. of West Midland	6	5	1	5	1	1	2	-	2	-	-	-	-	-	-	-	-	-
	East Anglia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	South Eastern	20	18	3	3	4	13	7	4	5	-	-	-	-	-	-	-	-	-
	Greater London	11	9	1	1	2	6	4	2	1	-	-	-	-	-	-	-	-	-
	Outer Metropolitan Area	6	4	2	2	1	3	2	-	1	-	-	-	-	-	-	-	-	-
	Rem. of South Eastern	3	5	1	1	1	5	2	-	1	-	-	-	-	-	-	-	-	-
	South Western	6	4	-	-	-	5	2	1	1	-	-	-	-	-	-	-	-	-
	Wales	1	2	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	Wales I (South East)	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Wales II (remainder)	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Urban/Rural aggregates:	25	18	7	7	5	14	6	3	7	1	-	-	-	-	-	-	-	-
	Conurbations																		
Areas outside conurbations:																			
Urban areas with populations of 100,000 and over	14	7	6	6	-	7	4	-	2	-	1	-	-	-	1	-	-	-	
Urban areas with populations of 50,000 and under 100,000	5	7	2	2	1	2	4	1	2	-	-	-	-	-	-	-	-	-	
Urban areas with populations under 50,000	14	9	4	4	2	6	2	4	2	-	-	-	-	-	1	-	-	-	
Rural districts	7	8	1	1	3	2	2	-	-	-	-	-	-	-	1	-	-	-	
Hospital regions:																			
Newcastle	13	5	4	4	-	4	3	-	2	-	-	-	-	-	5	-	-	-	
Leeds	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Sheffield	9	7	4	4	3	-	-	1	2	-	-	-	-	-	-	-	-	-	
East Anglia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
North West Metropolitan	10	6	1	1	3	3	3	2	1	-	-	-	-	-	1	-	-	-	
North East Metropolitan	4	5	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
South East Metropolitan	3	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
South West Metropolitan	1	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Wessex	4	3	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	
Oxford	1	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
South Western	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Welsh	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Birmingham	6	5	2	2	1	1	2	-	1	-	-	-	-	-	1	-	-	-	
Manchester	6	4	2	2	1	2	3	-	2	-	-	-	-	-	1	-	-	-	
Liverpool	4	2	2	2	-	2	-	-	1	-	-	-	-	-	-	-	-	-	

TABLE 30 - continued

Area	All ages			0-			5-			15-			45-			65 and over			Unknown		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
Acute pneumonia (primary and influenza)																					
ENGLAND AND WALES (excluding Port Health Districts)	4,272	3,752	664	534	419	291	737	616	1,213	907	1,165	1,339	74	65							
	303	234	31	23	21	15	58	28	98	64	91	102	4	2							
	145	113	18	13	9	4	23	12	49	34	46	50	-	2							
	158	121	13	10	12	11	35	16	49	30	45	52	4	2							
	1,007	935	220	177	86	61	138	132	252	202	293	335	18	28							
	476	459	109	84	39	30	65	59	115	99	131	160	17	27							
	531	476	111	93	47	31	73	73	137	103	162	175	1	1							
	428	379	81	67	35	30	66	71	128	86	106	118	12	7							
	167	119	36	25	17	9	21	24	52	30	36	31	5	-							
	131	134	28	26	11	10	26	25	33	30	30	30	3	5							
Regions and Conurbations: Tyneside Conurbation Remainder of Northern Yorkshire and Humberside West Yorkshire Conurbation Rem. of Yorkshire and Humberside	130	126	17	16	7	11	19	22	43	26	40	49	4	2							
	278	244	50	38	34	21	37	52	82	54	71	70	4	9							
	541	428	69	58	42	34	111	69	172	106	138	159	9	2							
	264	189	35	26	17	17	56	42	96	57	80	90	3	-							
	277	229	34	32	25	17	55	27	76	52	81	99	6	2							
	130	155	14	21	27	15	29	29	24	33	32	52	4	5							
	1,032	935	133	99	125	82	210	165	296	234	257	350	11	5							
	551	467	73	25	60	45	113	93	168	132	133	169	4	3							
	277	262	33	51	43	27	54	39	74	60	71	84	2	1							
	203	206	27	23	22	10	43	33	54	42	53	97	5	1							
South Western Wales Wales I (South East) Wales II (remainder)	325	239	34	22	29	17	65	33	94	66	97	98	6	3							
	228	203	32	29	20	16	23	37	67	62	80	55	6	4							
	179	160	30	26	15	12	18	25	53	51	62	45	1	1							
	49	43	2	3	5	4	5	12	14	11	18	10	5	3							
	1,734	1,491	299	199	153	115	304	255	513	379	433	508	32	35							
	829	715	175	139	76	52	117	84	221	162	235	275	5	3							
	279	240	41	29	26	14	37	46	88	57	82	90	5	4							
	755	710	96	97	88	53	133	123	208	168	217	253	13	16							
	675	596	53	70	76	57	146	108	183	141	198	213	19	7							
	Hospital regions: Leeds Sheffield East Anglia North West Metropolitan North East Metropolitan South East Metropolitan South West Metropolitan Wessex Oxford South Western Welsh Birmingham Manchester Liverpool	285	225	31	23	18	14	54	27	94	60	84	99	4	2						
771		728	173	144	64	45	105	94	192	155	220	261	17	27							
490		413	92	66	57	33	68	79	133	96	136	130	4	9							
141		166	17	13	28	16	29	31	28	35	34	55	5	1							
220		191	24	23	20	16	48	34	77	65	89	68	2	3							
290		263	49	34	34	27	52	43	79	65	73	91	3	1							
235		215	27	20	29	15	49	35	63	50	67	85	2	-							
207		183	20	16	29	15	47	40	56	48	53	64	2	-							
70		67	14	14	5	3	11	9	15	11	22	29	3	4							
80		81	3	10	4	8	17	21	22	12	30	29	4	1							
284	209	32	17	24	15	55	25	87	62	83	88	3	2								
228	203	32	23	20	16	23	37	67	62	80	55	6	4								
541	428	69	58	42	34	111	69	172	106	138	159	9	2								
285	227	48	38	24	18	37	40	82	56	67	74	7	1								
165	155	33	29	11	12	31	31	32	46	32	39	44	5	6							

TABLE 30 - continued

Area	All ages		0-		5-		15-		45-		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Food poisoning														
ENGLAND AND WALES (excluding Port Health Districts)	2,249	2,282	527	381	317	308	878	829	238	316	89	209	200	239

TABLE 30 - continued

Area	All ages		0-		1-		2-		5-		10-		15-		20-		25-		35-		45-		55-		65-		75 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
Tuberculosis, respiratory																														
ENGLAND AND WALES (excluding Port Health Districts)	8,250	4,105	24	21	50	46	172	160	219	204	140	155	386	301	559	480	1,141	803	1,193	708	1,487	486	1,600	330	958	241	294	151	27	19

TABLE 30 - continued

Area	All ages		0-		1-		2-		5-		10-		15-		20-		25-		35-		45-		55-		65-		75 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
Tuberculosis of meninges and central nervous system																														
ENGLAND AND WALES (excluding Port Health Districts)  Regions and Conurbations: Northern Tyne-side Conurbation Remainder of Northern  Yorkshire and Humberside West Yorkshire Conurbation Rem. of Yorkshire and Humberside  North Western South East Lancashire Conurbation Merseyside Conurbation Rem. of North Western  East Midland  West Midland West Midlands Conurbation Rem. of West Midland  East Anglia  South Eastern Greater London Outer Metropolitan Area Rem. of South Eastern  South Western  Wales Wales I (South East) Wales II (remainder)  Urban/Rural aggregates: Conurbations Areas outside conurbations: Urban areas with populations of 100,000 and over Urban areas with populations of 50,000 and under 100,000 Urban areas with populations under 50,000 Rural districts  Hospital regions: Newcastle Leeds Sheffield East Anglia North West Metropolitan North East Metropolitan South East Metropolitan South West Metropolitan Wessex Oxford South Western Welsh Birmingham Manchester Liverpool	51	48	2	1	1	2	6	5	2	1	1	6	5	5	5	3	10	5	5	6	1	2	1	4	1	2	1	1	1	
	9	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	1	3	1	-	-	-	1	1	-	-	-	
	5	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	1	1	-	-	-	
	4	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	1	1	-	-	-	
	5	2	1	-	-	-	1	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
	3	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8	4	-	-	-	-	2	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	3	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	9	7	-	1	1	3	2	-	-	-	-	2	1	1	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	
	8	3	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	1	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	13	16	1	-	-	-	1	-	-	1	1	2	2	1	1	3	5	3	1	1	2	-	-	-	-	-	-	-	-	-
	11	10	1	-	-	-	1	-	-	1	1	2	1	1	1	4	3	1	1	1	1	-	-	-	-	-	-	-	1	1
	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	7	-	1	1	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	5	-	1	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	31	18	1	-	1	1	4	2	2	2	2	4	4	1	2	3	8	3	2	2	2	1	-	1	-	1	1	1	-	-
	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8	6	1	-	-	-	-	-	-	2	2	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	5	10	-	1	-	-	-	2	1	-	-	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	9	5	-	-	-	-	-	2	-	1	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

TABLE 30 - continued

Area	All ages		0-		1-		2-		5-		10-		15-		20-		25-		35-		45-		55-		65-		75 and over		Unknown		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			
Tuberculosis, other forms																															
ENGLAND AND WALES (excluding Port Health Districts)	969	1,178	2	7	6	27	17	27	32	35	29	70	70	120	128	238	289	184	202	110	141	75	90	46	83	23	73	5	16		
	Regions and Conurbations:																														
	56	70	-	-	-	1	-	2	2	3	5	2	2	8	5	9	17	5	11	11	12	4	9	6	3	2	5	-	-		
	27	28	-	-	-	1	-	1	1	1	2	2	2	4	3	5	7	3	2	6	5	3	2	1	1	1	3	-	-		
	29	42	-	-	-	-	-	1	2	2	3	-	3	-	2	4	10	7	3	7	7	1	7	5	2	1	2	-	-		
	129	106	-	-	-	-	1	2	1	5	4	10	10	22	11	30	32	21	15	16	14	8	3	5	8	2	5	-	-		
	89	57	-	-	-	-	-	1	2	1	5	3	10	6	16	5	23	17	14	7	12	10	3	1	-	1	3	-	-		
	40	49	-	-	-	-	-	-	2	-	3	1	-	4	6	7	15	7	8	4	4	5	2	5	7	1	2	-	-		
	111	126	-	-	-	1	-	3	2	-	8	7	4	15	4	14	17	32	25	22	21	5	10	6	15	4	11	2	8	-	-
	38	48	-	-	-	-	-	1	-	3	1	4	4	2	5	5	15	9	6	7	3	6	2	7	-	4	1	1	-	-	
	18	35	-	-	-	-	-	2	1	-	4	3	-	8	-	6	8	13	9	14	10	2	3	5	4	1	1	2	-	-	
	55	43	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	5	-	-	-	
	80	87	-	-	-	-	-	-	5	-	6	3	1	2	8	8	10	12	23	15	20	10	5	10	4	3	5	2	6	-	-
	158	146	-	-	-	3	1	5	3	3	6	6	3	9	13	17	14	51	39	39	35	12	15	7	6	5	5	1	5	-	-
	112	89	-	-	-	3	1	4	3	3	6	2	2	8	11	14	9	42	23	22	18	8	6	4	2	1	4	1	1	-	-
46	57	-	-	-	-	-	1	-	-	-	4	1	1	2	3	5	9	16	17	17	4	9	3	4	4	1	1	2	-	-	
17	28	1	-	-	-	-	-	1	-	1	-	1	1	2	-	3	1	7	4	2	4	5	2	3	1	2	2	2	-	-	
322	442	1	-	1	4	6	8	9	9	10	9	13	24	44	49	86	117	62	75	36	51	26	26	16	32	8	33	4	5	3	
199	253	1	-	1	3	5	4	7	5	8	5	8	19	28	32	59	73	39	42	19	21	11	11	10	17	4	20	2	1	1	
80	112	-	-	-	-	-	2	2	1	4	1	4	1	5	10	17	26	19	13	11	6	7	9	2	10	1	6	-	-	-	
43	77	-	-	-	-	-	1	1	1	-	-	-	-	6	7	10	18	4	14	6	10	7	9	2	10	1	6	-	-	-	
52	96	-	1	1	-	1	-	-	2	2	2	7	3	2	11	9	18	11	13	9	16	5	11	3	10	2	4	-	5	-	
44	77	-	-	-	-	2	1	1	1	1	1	2	4	5	8	8	11	5	10	7	13	7	13	3	7	2	5	1	2	-	
29	57	-	-	-	-	1	1	1	1	1	-	1	1	3	3	5	8	4	7	4	8	5	10	2	6	2	4	1	1	-	
15	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Urban/Rural aggregates:																															
Conurbations	483	510	1	-	5	5	11	9	14	19	19	15	35	42	70	58	148	136	85	82	48	49	24	29	13	28	8	32	2	6	
Areas outside conurbations:																															
Urban areas with populations of 100,000 and over	153	168	-	-	-	-	3	1	6	7	9	3	10	7	22	19	29	45	29	28	17	20	13	15	10	14	5	8	-	1	
Urban areas with populations of 50,000 and under 100,000	68	94	-	-	1	-	2	2	-	1	2	3	4	5	6	12	18	19	15	17	9	8	7	7	3	14	1	8	-	-	
Urban areas with populations under 50,000	151	229	1	2	-	1	1	4	2	2	5	11	6	12	18	33	53	53	31	44	25	39	14	25	13	16	5	11	1	3	
Rural districts	114	177	-	-	1	-	10	1	5	3	3	10	10	21	10	10	36	24	31	11	27	17	17	14	7	11	4	14	2	6	
Hospital regions:																															
Newcastle	53	65	-	-	1	-	2	2	1	1	1	5	3	5	8	5	9	17	4	11	11	8	4	9	6	3	2	4	-	-	
Leeds	100	79	-	-	-	-	4	1	6	1	1	3	10	6	17	7	26	23	16	12	14	16	4	4	1	1	1	5	4	5	
Sheffield	98	100	-	-	-	-	4	1	1	1	1	1	1	2	13	13	16	27	17	21	10	4	13	8	1	5	2	6	3	3	
East Anglia	17	30	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	8	4	2	4	5	2	2	3	1	1	1	1	1	
North West Metropolitan	121	163	-	-	-	-	3	1	2	3	1	4	4	4	10	25	29	47	41	33	14	24	8	6	6	2	3	8	3	3	
North East Metropolitan	63	81	1	-	-	1	1	1	1	1	1	3	7	7	13	2	18	21	15	14	7	7	4	5	4	4	1	10	1	1	
South East Metropolitan	46	75	-	-	-	-	1	1	1	1	2	3	6	7	9	11	18	14	5	9	3	14	4	4	4	3	2	7	4	1	
South West Metropolitan	54	64	-	-	-	-	-	2	1	1	1	3	4	1	7	7	16	14	5	7	3	3	5	4	4	3	2	7	4	-	-
Wessex	27	36	-	-	-	-	-	1	1	1	1	1	1	1	4	5	8	10	5	7	5	3	5	2	4	3	4	4	1	1	
Oxford	38	56	-	-	-	-	3	1	1	1	1	1	1	1	1	4	8	15	6	9	6	5	5	2	4	3	4	4	1	1	
South Western	37	79	-	-	-	-	2	1	1	1	1	1	1	1	1	1	8	11	5	11	6	13	7	10	3	7	1	1	1	1	
Welsh	44	77	-	-	1	-	3	1	3	3	3	9	13	17	14	51	39	31	35	12	15	7	13	6	7	5	1	1	1	1	
Birmingham	158	146	-	-	1	-	5	3	2	1	1	1	2	4	5	8	11	14	8	10	10	13	7	13	3	6	5	4	4	4	
Manchester	87	83	-	-	-	-	1	-	3	6	4	3	4	4	4	5	4	15	18	16	4	10	4	8	2	5	4	4	4	4	
Liverpool	26	44	-	-	-	-	-	-	-	3	4	3	4	4	4	5	4	10	4	5	1	1	2	6	2	3	1	1	1	1	1

**TABLE 30 SUPPLEMENT. Notification rates per 100,000 living for certain infectious diseases, by sex and age, 1966**

**England and Wales**

Age	Scarlet fever		Whooping cough		Acute poliomyelitis				Measles		Diphtheria		Dysentery		Meningococcal infection	
					Paralytic		Non-paralytic									
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	46	43	40	41	0.06	0.02	0.02	-	749	682	0.05	0.03	45	44	0.93	0.77
Under 1 year	15	17	250	250	-	-	0.24	-	1,667	1,738	-	-	125	109	16	11
1-	57	53	277	307	0.46	-	-	-	4,747	4,731	0.23	-	217	179	5.74	7.01
2-	146	144	306	361	-	-	-	-	5,810	5,940	-	-	228	200	4.86	3.47
3-	245	245	274	332	-	-	-	-	6,160	6,293	-	-	213	176	2.72	4.22
4-	339	340	284	326	0.24	0.25	-	-	6,205	6,203	-	-	188	157	1.20	2.28
5-	304	331	153	180	0.05	0.17	-	-	3,536	3,539	0.32	0.23	161	154	1.72	0.96
10-	59	63	19	22	-	0.06	0.06	-	149	158	0.18	0.06	52	41	1.26	1.73
15-	10	9	1.52	1.99	0.14	-	0.03	-	26	29	0.03	-	17	31	0.56	0.29
25 and over	0.75	0.88	0.42	0.92	0.04	-	0.07	-	2.53	3.46	0.07	0.02	13	18	0.17	0.20

Age	Acute pneumonia (primary or influenzal)		Acute encephalitis				Enteric or typhoid fever		Para- typhoid fever		Erysipelas		Food poisoning	
			Infective		Post- infectious									
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	18	15	0.21	0.14	0.28	0.20	0.28	0.18	0.25	0.29	2.46	3.18	9.61	9.25
Under 5 years	31	26	0.66	0.20	0.94	0.54	0.47	0.25	0.37	0.44	0.42	0.69	25	19
5-	12	9	0.48	0.27	0.88	0.60	0.51	0.30	0.37	0.45	0.65	0.63	8.98	9.17
15-	7.59	6.54	0.75	0.15	0.08	0.16	0.33	0.15	0.30	0.34	1.21	1.62	9.04	8.80
45-	21	15	0.03	0.11	0.09	0.05	0.10	0.19	0.12	0.10	4.82	5.70	4.12	5.10
65 and over	52	36	0.04	-	-	-	-	0.11	0.09	0.24	6.19	6.20	3.97	5.68

Age	Tuberculosis					
	Respiratory		Meninges and C.N.S.		Other	
	M	F	M	F	M	F
All ages	35	17	0.22	0.19	4.14	4.77
Under 5 years	12	11	0.42	0.39	1.68	1.23
5-	10	11	0.34	0.36	1.76	1.82
15-	27	23	0.28	0.23	5.35	5.72
25-	38	25	0.24	0.18	6.86	8.24
45-	53	13	0.03	0.10	3.21	3.73
65 and over	56	11	0.09	0.05	3.07	4.24

TABLE 31. Cases of certain infectious diseases notified, 1966

England and Wales, regions, Wales, conurbations, urban and rural aggregates outside conurbations, hospital regions, counties, London and county boroughs

Area	2	3	4	5	6	7	8	9	10	11	Acute poliomyelitis		Acute encephalitis		Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis		
	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
1											12	13	14	15	16	17	18	19	20	21

(a) Numbers originally notified

*ENGLAND AND WALES (including Port Health Districts):																				
Total	118	133	445	21,257	19,454	27	1,361	624	23,560	343,764	24	4	79	116	8,127	4,614	6,717	12,473	98	2,156
Total (excluding Port Health Districts)	117	132	445	21,257	19,454	27	1,361	624	23,551	343,647	24	4	79	116	8,122	4,613	6,709	12,454	97	2,154
Port Health Districts	1	1	-	2	-	-	-	-	8	117	-	-	-	-	5	1	8	19	1	2
Regions and Conurbations:																				
*North	8	8	54	1,101	2,075	1	59	5	1,488	27,271	-	2	20	18	534	170	234	1,012	13	126
Tyneside Conurbation	2	4	12	276	721	-	21	2	346	7,775	-	-	11	4	252	11	46	355	8	54
*Remainder of North	6	4	42	825	1,354	1	38	3	1,142	19,496	-	2	9	14	282	159	188	657	5	72
*Yorkshire and Humberside	12	9	56	3,154	2,421	2	170	35	3,473	45,305	3	-	10	6	2,027	240	612	1,268	7	236
*West Yorkshire Conurbation	10	8	7	1,210	1,202	2	79	25	1,698	17,320	-	-	4	2	970	88	285	591	4	145
*Remainder of Yorkshire and Humberside	2	1	49	1,944	1,219	-	91	10	1,775	27,985	3	-	6	4	1,057	152	327	677	3	91
*North West	13	28	85	4,979	3,197	1	158	129	3,675	61,198	6	-	9	15	808	491	1,566	1,765	11	235
*South East Lancashire Conurbation	7	1	26	1,605	860	1	54	53	1,799	22,000	3	-	4	5	286	145	672	747	4	86
*Merseyside Conurbation	2	8	15	1,131	1,285	-	47	67	782	10,962	-	-	3	5	265	261	401	434	1	52
Remainder of North West	4	19	44	2,243	1,052	-	57	9	1,094	28,236	3	-	2	5	257	85	493	584	6	97
East Midlands	6	4	24	1,399	1,162	12	92	16	1,504	26,455	-	1	8	13	521	62	231	653	4	171
*West Midlands	15	9	33	2,270	2,735	2	138	291	1,982	34,235	-	-	8	12	972	414	426	1,536	17	309
*West Midlands Conurbation	11	3	19	1,161	1,714	2	68	270	965	14,950	-	-	2	7	463	175	84	1,027	12	205
*Remainder of West Midlands	4	6	14	1,109	1,021	-	70	21	1,017	19,285	-	-	6	5	509	239	342	509	5	104
*East Anglia	3	-	15	612	640	-	38	8	2,176	11,442	2	-	1	-	284	116	240	254	1	47
South East	58	61	132	5,782	5,634	8	512	113	7,203	93,873	13	1	20	39	1,964	2,766	2,853	4,883	28	765
Greater London Conurbation	36	34	75	2,884	2,876	5	263	89	3,834	42,374	6	-	12	21	1,018	1,776	1,424	2,944	21	456
Outer Metropolitan Area	12	18	26	1,866	1,724	2	139	19	2,468	29,175	3	-	4	10	537	493	905	980	4	191
Remainder of South East	10	9	31	1,252	1,032	1	110	5	901	22,324	4	1	4	8	409	497	524	759	3	118
*South West	2	7	28	1,053	1,125	1	135	19	1,178	24,639	-	-	3	10	582	298	285	588	5	146
*Wales	-	6	18	907	465	-	59	8	872	19,229	-	-	-	3	430	56	262	695	11	119
*Wales I (South East)	-	4	12	744	386	-	46	5	626	15,047	-	-	-	2	340	45	125	511	7	86
Wales II (Remainder)	-	2	6	163	79	-	13	3	246	4,182	-	-	-	1	90	11	137	184	4	33

\*For smallpox and anthrax cases notified see summary at end of table.

TABLE 31 - continued

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
<b>Urban/Rural Aggregates:</b> Conurbations Areas Outside Conurbations: Urban areas with populations of 100,000 and over Urban areas with populations of 50,000 and under 100,000 Urban areas with populations under 50,000 Rural Districts	68	58	154	8,247	8,660	10	532	506	9,424	115,381	9	-	36	44	3,264	2,456	2,912	6,098	50	998
	16	8	103	2,633	2,497	-	212	42	3,514	45,382	3	-	20	21	1,599	736	1,067	1,882	7	328
	12	7	49	2,018	1,607	2	117	28	2,811	31,499	-	1	3	11	529	614	583	992	12	162
	15	36	91	4,265	3,109	9	265	29	3,663	79,877	6	1	9	24	1,465	477	1,334	1,992	13	377
	6	23	48	4,094	3,581	6	235	19	4,139	71,508	6	2	11	16	1,265	330	813	1,490	15	289
<b>Hospital Regions</b> *Newcastle *Leeds *Sheffield *East Anglia North West Metropolitan North East Metropolitan South East Metropolitan South West Metropolitan Wessex Oxford *South Western *Welsh *Birmingham *Manchester *Liverpool	6	7	53	1,022	1,937	1	58	5	1,431	25,778	-	2	19	18	507	167	211	984	13	118
	10	8	25	2,037	1,770	2	118	28	2,758	28,503	3	-	12	17	1,571	132	417	845	6	180
	5	52	2,219	1,689	12	125	125	21	2,122	41,490	-	1	7	12	1,913	159	399	1,009	4	202
	3	-	16	728	678	-	38	8	2,250	11,865	2	-	1	-	307	120	242	206	4	49
	22	25	30	1,489	1,502	-	144	41	1,626	25,553	6	-	10	17	409	1,083	724	1,504	10	282
	10	9	31	1,610	1,448	1	102	31	1,275	19,272	1	-	2	9	553	403	763	909	8	146
	8	8	26	1,448	1,383	7	107	21	1,075	19,982	2	1	1	4	449	515	476	849	3	120
	13	18	24	757	1,883	7	91	18	2,079	14,933	2	1	5	4	390	525	545	844	5	120
	1	2	16	392	386	-	43	3	465	9,595	2	-	5	7	137	230	311	345	-	64
	4	1	15	677	538	-	59	2	967	11,232	1	-	2	4	160	50	118	404	3	93
	2	5	20	985	1,021	1	121	18	974	20,475	1	-	3	7	4	511	268	249	498	5
	15	9	33	907	465	-	59	8	872	19,229	-	-	-	3	430	56	262	695	11	119
	15	9	33	2,270	2,735	2	138	291	1,982	34,235	-	-	8	12	972	434	426	1,536	17	309
	13	20	63	3,162	1,342	1	102	58	2,481	43,920	6	-	6	9	493	213	899	1,192	7	170
	2	9	23	1,829	1,877	-	56	71	1,214	17,585	-	-	3	6	320	278	667	576	4	68
(b) Final number after correction																				
<b>*ENGLAND AND WALES (excluding Port Health Districts):</b>																				
Total	111	131	407	21,226	19,417	20	1,361	612	21,559	343,525	19	4	83	114	8,024	4,593	4,531	12,355	99	2,147
<b>Regions and Conurbations:</b> *North Tyneside Conurbation *Remainder of North	7	8	53	1,108	2,066	-	60	5	1,303	27,297	-	2	20	18	537	169	192	1,009	14	126
	2	4	12	276	718	-	21	2	216	7,782	-	-	12	4	258	11	41	350	8	55
	5	4	41	832	1,348	-	39	3	1,087	19,515	-	2	8	14	279	158	151	659	6	71
	11	11	56	3,142	2,404	-	188	36	3,358	45,254	-	-	8	6	1,942	240	502	1,254	7	235
	9	10	9	1,207	1,197	-	77	25	1,673	17,342	-	-	4	2	935	89	290	586	4	146
<b>*Yorkshire and Humberside</b> *West Yorkshire Conurbation *Remainder of Yorkshire and Humberside	2	1	47	1,935	1,207	-	91	11	1,685	27,942	-	-	4	4	1,007	151	212	668	3	89
	12	26	58	4,982	3,186	-	157	126	2,830	61,185	5	-	7	16	807	485	636	1,759	12	237
	6	1	26	1,603	857	-	53	50	1,417	22,004	2	-	3	5	286	145	310	750	4	86
	2	7	14	1,136	1,282	-	47	67	546	10,962	-	-	3	5	265	260	80	424	1	53
	4	18	18	2,243	1,047	-	57	9	867	28,219	3	-	1	6	256	80	246	585	7	98
<b>East Midlands</b> *West Midlands *West Midlands Conurbation *Remainder of West Midlands	6	4	22	1,395	1,163	9	91	13	1,415	26,453	-	1	11	12	522	62	208	651	4	167
	16	9	34	2,272	2,732	4	136	284	1,895	34,231	-	-	13	11	969	410	445	1,498	16	304
	12	5	21	1,159	1,712	4	67	263	930	14,949	-	-	7	7	463	174	184	991	11	201
	4	4	13	1,113	1,020	-	69	21	965	19,282	-	-	6	4	506	236	261	507	5	105
	3	1	14	614	638	-	38	8	2,172	11,436	3	-	1	-	285	113	196	252	1	45
<b>East Anglia</b> *South East Greater London Conurbation Outer Metropolitan Area Remainder of South East	54	60	128	5,767	5,642	6	518	114	6,788	93,812	11	1	20	38	1,967	2,770	1,888	4,654	29	764
	34	33	71	2,882	2,880	4	270	89	3,539	42,373	5	-	12	20	1,018	1,781	733	2,918	21	452
	10	17	26	1,668	1,727	1	139	20	2,367	29,118	3	-	4	10	539	491	680	377	5	192
	10	10	31	1,247	1,035	1	109	5	882	22,321	3	1	4	8	410	498	475	759	3	120
	2	6	24	1,053	1,126	1	134	18	969	24,617	-	-	3	10	564	293	250	581	5	148
<b>*Wales</b> *Wales I (South East) *Wales II (Remainder)	-	6	18	893	460	-	59	8	829	19,240	-	-	-	3	431	51	214	697	11	121
	-	4	12	731	383	-	46	5	583	15,063	-	-	-	2	339	42	98	511	7	86
	-	2	6	162	77	-	13	3	246	4,177	-	-	-	1	92	9	116	186	4	35
	-	2	6	162	77	-	13	3	246	4,177	-	-	-	1	92	9	116	186	4	35
	-	2	6	162	77	-	13	3	246	4,177	-	-	-	1	92	9	116	186	4	35

\*For smallpox and anthrax cases notified see summary at end of table.

TABLE 31 - continued

Area	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute polio-myelitis		Acute encephalitis		Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.M.S.	Other
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>	<b>17</b>	<b>18</b>	<b>19</b>	<b>20</b>	<b>21</b>
<b>Urban/Rural Aggregates:</b>																				
Conurbations	65	60	153	8,233	8,646	8	535	496	8,321	115,382	7	-	41	43	3,225	2,460	1,638	6,019	49	993
Areas outside Conurbations:																				
Urban areas with populations of 100,000 and over	16	8	75	2,622	2,475	-	208	41	3,439	45,323	2	-	20	21	1,544	735	812	1,873	8	321
Urban areas with populations of 50,000 and under 100,000	11	8	46	2,020	1,605	2	117	27	2,457	31,485	-	1	3	12	519	606	288	987	13	162
Urban areas with populations under 50,000	13	36	89	4,258	3,109	6	266	29	3,381	79,842	6	1	8	23	1,465	476	1,123	1,986	14	380
Rural districts	6	19	44	4,093	3,582	4	235	19	3,961	71,493	4	2	11	15	1,271	316	670	1,490	15	291
<b>Hospital regions</b>																				
*Newcastle	5	7	52	1,029	1,927	-	59	5	1,246	25,796	-	2	19	18	510	167	169	981	14	118
*Leeds	9	10	26	2,031	1,762	-	116	28	2,692	28,473	-	-	5	12	1,497	132	392	837	6	179
Sheffield	8	5	49	2,209	1,681	9	124	21	1,982	41,468	-	1	15	16	1,593	159	292	1,001	4	198
East Anglia	3	15	15	1,729	1,678	-	38	8	2,245	11,859	3	-	1	-	307	116	199	262	1	47
North West Metropolitan	21	23	29	1,481	1,295	-	148	41	1,579	25,510	6	-	10	16	411	1,087	549	1,495	11	284
North East Metropolitan	8	9	30	1,609	1,453	1	106	31	1,194	19,267	1	-	2	9	553	403	277	901	8	144
South East Metropolitan	8	26	26	1,587	1,387	5	107	21	1,992	19,966	1	1	1	4	450	533	354	847	3	121
South West Metropolitan	12	18	22	754	883	1	92	18	1,884	14,930	1	-	5	4	590	523	357	838	5	118
Wessex	1	2	16	379	386	-	42	3	458	9,599	2	-	-	7	137	231	317	344	-	63
Oxford	4	1	13	678	543	-	59	1	946	11,234	1	-	2	4	161	53	116	401	3	94
*South Western	2	4	18	965	1,022	1	120	17	787	20,452	1	-	3	4	493	263	214	491	5	116
*Welsh	16	9	34	2,272	2,732	4	136	8	829	19,240	-	-	-	3	431	51	214	697	11	121
*Birmingham	12	19	37	3,160	1,334	-	101	55	1,895	34,231	5	-	13	11	969	410	445	1,498	16	304
*Manchester	12	8	22	1,834	1,874	-	56	71	2,076	43,915	-	-	4	10	492	211	455	1,198	8	170
*Liverpool	2	8	22	1,834	1,874	-	56	71	1,754	17,585	-	-	3	6	320	274	181	566	4	70
<b>ENGLAND</b>	<b>111</b>	<b>125</b>	<b>389</b>	<b>20,333</b>	<b>18,957</b>	<b>20</b>	<b>1,301</b>	<b>604</b>	<b>20,730</b>	<b>324,285</b>	<b>19</b>	<b>4</b>	<b>83</b>	<b>111</b>	<b>7,593</b>	<b>4,542</b>	<b>4,317</b>	<b>11,660</b>	<b>87</b>	<b>2,026</b>
<b>Bedfordshire</b>	<b>3</b>	<b>1</b>	<b>3</b>	<b>160</b>	<b>266</b>	<b>-</b>	<b>10</b>	<b>4</b>	<b>134</b>	<b>4,396</b>	<b>1</b>	<b>-</b>	<b>1</b>	<b>-</b>	<b>41</b>	<b>148</b>	<b>44</b>	<b>133</b>	<b>2</b>	<b>25</b>
Luton C.B.	1	-	1	19	77	-	1	1	67	1,674	-	-	-	-	-	8	23	66	1	14
Total M.B.'s and U.D.'s	2	1	2	75	110	-	2	-	41	1,678	-	-	-	-	31	135	10	42	1	8
Total R.D.'s	-	-	-	66	79	-	7	3	26	1,044	1	-	1	-	10	5	11	25	-	3
<b>Berkshire</b>	<b>1</b>	<b>-</b>	<b>1</b>	<b>181</b>	<b>121</b>	<b>-</b>	<b>22</b>	<b>1</b>	<b>337</b>	<b>4,344</b>	<b>1</b>	<b>-</b>	<b>1</b>	<b>3</b>	<b>23</b>	<b>12</b>	<b>41</b>	<b>125</b>	<b>1</b>	<b>21</b>
Reading C.B.	1	-	-	35	12	-	3	-	15	670	-	-	-	-	9	3	-	34	-	8
Total M.B.'s and U.D.'s	1	-	-	49	35	-	6	-	38	1,468	-	-	-	2	7	5	8	33	1	4
Total R.D.'s	-	-	1	97	74	-	13	1	284	2,206	1	-	1	1	7	4	33	58	-	9
<b>Buckinghamshire</b>	<b>1</b>	<b>1</b>	<b>-</b>	<b>223</b>	<b>114</b>	<b>-</b>	<b>9</b>	<b>-</b>	<b>307</b>	<b>3,371</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>1</b>	<b>42</b>	<b>41</b>	<b>21</b>	<b>107</b>	<b>1</b>	<b>26</b>
Total M.B.'s and U.D.'s	1	1	-	99	48	-	5	-	280	1,736	-	-	-	-	13	9	6	63	-	19
Total R.D.'s	-	1	-	124	66	-	4	-	27	1,635	-	-	1	1	29	32	15	44	1	7

\*For smallpox and anthrax cases notified see summary at end of table.

TABLE 31 - continued

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
<b>Cambridgeshire and Isle of Ely</b>	1	1	-	108	182	-	6	1	798	2,511	-	-	-	-	15	4	18	28	-	6
Total M.B.'s and U.D.'s	1	1	-	61	59	-	3	1	709	1,480	-	-	-	-	6	2	4	19	-	5
Total R.D.'s	-	-	-	47	123	-	3	-	89	1,031	-	-	-	-	9	2	14	9	-	1
<b>†Cheshire</b>	2	3	11	952	413	-	28	4	380	14,431	1	-	4	5	154	37	82	258	1	32
Total C.B.'s	-	-	6	159	96	-	8	2	90	3,800	-	-	2	4	77	31	21	154	-	16
Birkenhead C.B.	-	-	3	50	56	-	4	-	40	1,360	-	-	2	2	51	11	1	154	-	32
Chester C.B.	-	-	3	18	16	-	1	-	30	1,395	-	-	2	4	3	1	1	45	-	1
Stockport C.B.	-	-	-	32	18	-	1	-	1	1,221	-	-	-	-	7	2	3	9	-	1
Wallasey C.B.	-	-	3	59	6	-	2	2	19	1,026	-	-	-	2	16	17	36	36	-	4
†Total M.B.'s and U.D.'s	2	2	4	581	256	-	13	2	221	8,390	1	-	2	2	58	5	50	108	1	5
Total R.D.'s	-	1	1	212	61	-	7	-	69	2,241	-	-	-	1	19	1	11	26	-	14
<b>Cornwall</b>	-	1	-	29	141	-	14	-	74	2,259	-	-	1	1	87	7	1	65	1	2
Total M.B.'s and U.D.'s	-	1	-	21	53	-	13	-	44	1,046	-	-	-	-	50	5	-	65	1	10
Total R.D.'s	-	-	-	8	88	-	1	-	30	1,213	-	-	1	1	37	2	1	25	-	5
<b>Cumberland</b>	1	-	1	207	200	-	5	-	60	1,891	-	-	-	-	53	33	8	66	2	13
Carlisle C.B.	-	-	-	24	118	-	1	-	46	703	-	-	-	-	4	2	4	15	2	1
Total M.B.'s and U.D.'s	1	1	1	42	13	-	3	-	3	372	-	-	-	-	23	26	2	28	-	9
Total R.D.'s	-	-	-	141	69	-	1	-	11	816	-	-	-	-	26	5	2	23	-	3
<b>Derbyshire</b>	4	2	2	283	273	-	23	2	156	6,310	-	-	-	3	120	7	25	172	-	44
Derby C.B.	4	1	-	35	58	-	2	-	68	612	-	-	-	1	19	-	4	55	-	15
Total M.B.'s and U.D.'s	-	1	1	116	93	-	13	2	45	2,561	-	-	-	2	68	-	3	53	-	13
Total R.D.'s	-	-	1	132	122	-	8	-	43	3,137	-	-	-	-	33	3	18	64	-	16
<b>Devon</b>	-	1	7	286	310	-	37	10	255	3,927	-	-	1	3	213	94	116	146	3	52
Total C.B.'s	-	-	4	161	127	-	23	8	147	1,403	-	-	-	3	97	91	46	66	-	20
Exeter C.B.	-	-	-	103	75	-	6	7	61	797	-	-	-	-	18	47	15	15	-	10
Plymouth C.B.	-	-	4	58	52	-	17	1	86	606	-	-	-	3	79	44	23	51	-	10
Total M.B.'s and U.D.'s	-	1	3	61	59	-	3	1	68	1,227	-	-	1	-	59	3	16	45	-	16
Total R.D.'s	-	-	3	64	124	-	11	1	40	1,297	-	-	-	-	57	-	31	35	1	16
<b>Dorset</b>	-	1	2	29	64	-	12	-	38	1,557	-	-	-	4	40	40	21	57	-	11
Total M.B.'s and U.D.'s	-	1	-	15	13	-	6	-	12	847	-	-	-	2	13	40	17	37	-	11
Total R.D.'s	-	-	2	14	51	-	6	-	26	710	-	-	-	2	27	-	4	20	-	1
<b>Durham</b>	3	3	35	484	1,108	-	27	3	464	13,973	-	1	13	16	310	113	96	552	5	60
Total C.B.'s	2	2	20	145	454	-	11	2	166	5,864	-	-	10	6	193	51	58	258	1	29
Darlington C.B.	-	-	1	18	46	-	2	-	-	401	-	-	-	-	10	-	4	18	-	9
Gateshead C.B.	-	-	2	49	224	-	6	-	57	1,144	-	-	10	1	100	2	7	50	-	9
South Shields C.B.	1	1	3	39	126	-	2	1	85	1,363	-	-	-	-	37	2	11	59	-	11
Sunderland C.B.	1	1	13	33	56	-	1	1	22	2,188	-	-	-	5	42	47	35	111	1	-
West Hartlepool C.B.	-	-	1	6	2	-	-	-	2	868	-	-	-	-	4	-	1	20	-	-
Total M.B.'s and U.D.'s	1	1	14	262	481	-	14	1	225	5,354	-	1	3	10	102	45	21	226	4	23
Total R.D.'s	-	-	1	77	173	-	2	-	73	2,655	-	-	-	-	15	17	17	68	-	8
<b>Essex</b>	-	3	9	645	577	-	34	10	330	6,437	-	-	-	1	242	148	112	203	3	37
Southend on Sea C.B.	-	-	2	144	123	-	7	10	18	1,040	-	-	-	-	35	5	24	39	-	14
Total M.B.'s and U.D.'s	-	1	7	357	346	-	19	-	118	4,089	-	-	-	1	178	50	68	138	2	20
Total R.D.'s	-	2	-	144	108	-	8	-	194	1,308	-	-	-	-	29	93	20	26	1	3
<b>Gloucestershire</b>	1	1	8	495	384	-	43	4	271	9,248	-	-	1	1	138	114	67	194	1	40
Total C.B.'s	1	1	4	224	184	-	23	2	196	3,704	-	-	1	-	93	64	57	94	1	20
Bristol C.B.	1	1	4	199	117	-	20	1	190	3,530	-	-	-	-	82	20	55	76	1	12
Gloucester C.B.	-	-	-	25	67	-	3	1	6	174	-	-	1	-	11	44	2	18	-	8
Total M.B.'s and U.D.'s	-	1	4	46	84	-	5	1	5	1,493	-	-	-	-	10	34	2	40	-	8
Total R.D.'s	-	-	-	225	116	-	15	1	70	4,051	-	-	-	1	35	16	8	60	-	12

†Smallpox cases notified:- Cheshire 7: Cheadle and Gatley U.D.7.

TABLE 31 - continued

Area	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis				Acute pneumonia (primary and influenza)		Puerperal pyrexia	Food poisoning	Tuberculosis		
											Non-paralytic		Paralytic		Infective	Post-infectious			Respiratory	Meninges and C.N.S.	Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	
Greater London	34	33	71	2,852	2,880	4	270	89	3,539	42,373	5	-	-	20	1,018	1,781	733	2,918	20	452	
City of London	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	7	1	4	-	1	
London Boroughs:																					
Barking	-	1	2	71	99	-	6	2	10	1,039	-	-	-	1	6	-	3	53	1	3	
Barnet	2	1	4	79	82	-	7	3	34	1,853	-	-	1	1	11	62	35	88	3	12	
Bexley	1	-	1	81	73	-	8	1	81	2,000	-	-	-	-	21	22	58	44	1	11	
Brent	2	1	2	135	77	-	15	3	83	1,985	1	-	1	-	54	114	21	75	2	34	
Bromley	1	-	2	111	113	-	8	1	43	1,236	1	-	-	-	46	24	7	50	1	9	
Camden	3	1	1	38	30	-	5	12	87	690	-	-	-	-	13	33	43	190	2	27	
Croydon	-	2	1	158	75	-	11	-	186	1,768	-	-	-	-	51	9	25	101	-	10	
Ealing	-	-	3	126	96	-	11	-	294	1,214	-	-	3	-	36	38	5	131	-	32	
Enfield	-	-	1	148	92	-	4	-	87	2,560	-	-	-	-	45	132	22	73	-	16	
Greenwich	1	2	2	43	96	-	6	5	92	1,250	-	-	-	2	30	83	54	67	-	9	
Hackney	4	3	5	65	133	-	9	8	196	2,337	-	-	1	5	17	57	31	100	2	14	
Hammersmith	1	-	3	29	122	-	10	5	257	1,233	-	-	-	-	8	50	29	89	1	18	
Haringey	1	-	3	129	107	-	17	2	55	2,130	2	-	-	1	42	12	38	90	1	19	
Harrow	1	10	-	45	28	-	4	-	9	716	-	-	-	-	23	1	13	43	-	6	
Havering	-	-	1	199	93	-	4	4	122	1,640	-	-	1	-	4	-	6	58	-	5	
Hillingdon	-	2	1	91	53	-	9	-	4	822	-	-	2	1	36	143	7	45	-	14	
Hounslow	-	1	3	120	37	-	3	-	79	893	-	-	-	5	18	53	1	65	-	18	
Islington	3	2	2	126	116	-	15	12	299	1,875	-	-	-	1	36	213	55	192	-	19	
Kensington and Chelsea	-	-	3	18	69	-	4	2	30	516	-	-	-	-	5	55	20	87	1	9	
Kingston upon Thames	-	1	-	42	15	-	2	-	146	736	-	-	-	-	52	43	-	27	-	6	
Lambeth	1	2	2	75	184	-	9	5	79	1,451	-	-	1	-	42	83	13	135	3	21	
Lewisham	1	-	3	83	169	1	18	4	172	2,021	-	-	-	-	35	37	41	135	-	13	
Merton	-	-	-	45	74	-	10	-	39	851	-	-	-	1	18	7	4	48	-	5	
Newham	2	-	1	77	115	-	4	-	89	1,172	-	-	-	-	22	2	4	136	1	23	
Redbridge	1	1	-	145	63	-	6	2	294	827	1	-	-	1	20	4	12	67	-	6	
Richmond upon Thames	1	-	1	76	80	-	17	-	11	888	-	-	-	-	32	4	2	71	-	10	
Southwark	-	-	8	102	170	2	6	7	200	1,435	-	-	-	-	25	160	41	163	-	8	
Sutton	-	2	-	49	24	-	1	-	118	806	-	-	1	-	15	93	11	31	-	1	
Tower Hamlets	-	1	8	95	127	-	15	2	81	1,469	-	-	-	1	160	26	48	109	-	24	
Waltham Forest	2	-	2	147	123	1	20	3	43	1,157	-	-	-	-	29	23	28	65	1	13	
Wandsworth	4	-	5	56	126	-	3	3	107	1,341	-	-	1	-	63	1	23	126	-	19	
Westminster, City of	2	-	1	48	19	-	3	3	104	454	1	-	-	-	3	190	32	160	-	17	

TABLE 31 - continued

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
<b>Hampshire</b>																				
Total C.B.'s	1	1	15	350	350	-	29	3	405	7,093	2	-	-	2	103	192	85	278	-	41
Bournemouth C.B.	1	1	10	206	118	-	16	1	128	3,139	1	-	-	-	50	165	38	160	-	20
Portsmouth C.B.	-	-	9	88	17	-	2	-	12	463	-	-	-	-	4	4	-	40	-	6
Southampton C.B.	1	1	1	90	64	-	9	-	16	1,148	-	-	-	-	29	34	32	46	-	8
Total M.B.'s and U.D.'s	1	1	1	109	37	-	5	2	98	1,528	1	-	-	2	17	127	6	74	-	16
Total R.D.'s	-	-	2	35	75	-	6	-	111	2,826	1	-	-	-	42	19	25	70	-	5
									168	1,128	-	-	-	-	11	8	22	48	-	
<b>Herefordshire</b>																				
Total M.B.'s and U.D.'s	-	-	2	83	73	-	5	-	113	2,055	-	-	2	-	18	3	13	16	-	5
Total R.D.'s	-	-	2	38	21	-	4	-	56	1,445	-	-	2	-	9	3	6	9	-	2
	-	-	2	45	52	-	1	-	57	610	-	-	-	-	14	-	7	7	-	3
<b>Hertfordshire</b>																				
Total M.B.'s and U.D.'s	3	3	6	183	218	-	19	2	291	4,851	1	-	2	3	49	41	238	161	-	33
Total R.D.'s	2	2	4	153	156	-	13	2	49	3,694	1	-	2	2	35	38	100	123	-	24
	1	1	2	30	62	-	6	-	242	1,157	-	-	-	1	14	3	138	38	-	9
<b>Huntingdon and Peterborough</b>																				
Total M.B.'s and U.D.'s	1	1	1	47	75	-	7	-	54	1,528	-	-	-	-	48	45	14	34	1	7
Total R.D.'s	-	-	-	20	43	-	3	-	18	523	-	-	-	-	17	1	10	29	1	4
	-	-	-	20	43	-	3	-	18	523	-	-	-	-	17	1	4	5	-	3
<b>Kent</b>																				
Canterbury C.B.	3	4	5	555	603	2	37	1	354	9,093	-	1	1	2	210	114	96	293	1	60
Total M.B.'s and U.D.'s	2	3	5	12	1	-	-	-	3	167	-	-	-	-	5	5	3	5	-	2
Total R.D.'s	1	1	-	355	399	-	29	-	269	6,270	-	1	-	2	119	88	64	211	1	47
	-	-	-	188	203	2	8	1	82	2,656	-	-	1	-	86	21	29	77	-	11
<b>Lancashire</b>																				
†*Total C.B.'s	10	23	46	4,023	2,771	-	127	122	2,438	46,157	4	-	3	10	653	447	553	1,493	11	205
Barrow in Furness C.B.	7	6	36	2,200	1,680	-	61	116	1,515	22,920	1	-	2	6	405	428	345	1,009	7	128
Blackburn C.B.	-	-	-	55	4	-	-	-	-	710	-	-	-	-	3	-	-	13	-	-
Blackpool C.B.	-	-	-	154	1	-	-	-	115	1,121	-	-	-	-	3	40	20	24	1	11
Bolton C.B.	-	-	2	66	37	-	5	-	10	1,455	1	-	-	1	24	6	13	60	-	5
*Bootle C.B.	-	-	1	242	96	-	2	1	136	1,420	-	-	-	-	35	2	31	46	-	5
	-	-	-	19	39	-	-	-	10	191	-	-	-	-	1	-	4	45	-	3
Burnley C.B.	-	-	-	83	9	-	3	1	67	1,215	-	-	-	-	24	-	3	16	-	6
Bury C.B.	-	-	4	16	47	-	1	-	11	713	-	-	-	-	9	-	1	14	-	1
Liverpool C.B.	-	1	5	7	808	-	26	64	372	5,094	-	-	-	-	158	230	59	237	1	29
Manchester C.B.	3	3	10	272	288	-	13	40	435	3,386	-	-	1	2	98	109	178	277	3	34
Oldham C.B.	-	-	-	111	41	-	2	6	241	1,900	-	-	-	-	4	-	4	58	-	3
Preston C.B.	-	-	-	78	33	-	4	2	44	1,541	-	-	-	1	17	9	16	36	-	11
Rochdale C.B.	-	-	1	42	12	-	-	2	20	1,034	-	-	-	-	6	1	1	39	-	7
St. Helens C.B.	-	-	1	123	81	-	2	-	19	699	-	-	-	-	4	1	-	24	1	3
†Salford C.B.	1	1	4	34	26	-	2	-	32	1,190	-	-	-	1	3	23	14	71	-	4
Southport C.B.	-	1	-	54	14	-	1	-	3	581	-	-	-	-	14	2	1	13	1	1
Warrington C.B.	-	-	4	23	1	-	-	-	-	424	-	-	-	-	1	5	-	13	1	1
Wigan C.B.	2	-	-	20	7	-	-	-	-	246	-	-	1	-	1	-	-	23	-	4
Total M.B.'s and U.D.'s	2	17	9	1,522	826	-	60	6	756	19,896	3	-	1	2	230	17	190	419	3	63
Total R.D.'s	1	1	1	301	265	-	6	-	167	3,541	-	-	-	2	18	2	18	65	1	14
<b>Leicestershire</b>																				
Leicester C.B.	2	-	5	163	180	-	23	7	190	7,195	-	-	-	3	56	18	16	164	-	41
Total M.B.'s and U.D.'s	2	-	3	60	67	-	7	7	158	3,051	-	-	-	2	27	12	11	123	-	27
Total R.D.'s	-	-	-	45	50	-	7	-	10	1,532	-	-	-	1	6	2	1	21	-	9
	-	-	-	58	63	-	9	-	22	2,612	-	-	-	-	23	4	4	20	-	5
<b>Lincolnshire (Parts of Holland)</b>																				
Total M.B.'s and U.D.'s	-	-	-	33	45	-	3	-	104	920	-	-	-	-	53	-	2	12	-	2
Total R.D.'s	-	-	-	5	21	-	1	-	74	521	-	-	-	-	38	-	1	6	-	-
	-	-	-	28	24	-	2	-	30	399	-	-	-	-	15	-	1	6	-	2
<b>Lincolnshire (Parts of Kesteven)</b>																				
Lincoln C.B.	-	-	1	148	42	-	2	-	133	1,997	-	-	-	-	50	6	5	35	1	4
Total M.B.'s and U.D.'s	-	-	-	19	1	-	-	-	31	758	-	-	-	-	2	2	3	11	-	2
Total R.D.'s	-	-	1	47	33	-	-	-	65	588	-	-	-	-	9	5	1	12	1	1
	-	-	-	82	8	-	2	-	37	651	-	-	-	-	39	1	1	12	-	1

\*Anthrax cases notified:- Lancashire 1: Bootle C.B.1.

†Smallpox cases notified:- Lancashire 7: Salford C.B.7.

TABLE 31 - continued

Area	Typhoid Fever	Paratyphoid Fever	Meningococcal Infection	Scarlet Fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis				Acute pneumoniae (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>	<b>17</b>	<b>18</b>	<b>19</b>	<b>20</b>	<b>21</b>
<b>Lincolnshire (Parts of Lindsey)</b>																				
Grimsby C.B.	-	-	11	389	138	-	17	3	256	5,288	-	-	1	2	51	15	25	95	1	12
Total M.B.'s and U.D.'s	-	-	8	190	53	-	3	68	146	1,460	-	-	1	-	3	1	12	33	1	8
Total R.D.'s	-	-	2	128	34	-	8	42	42	1,686	-	-	-	2	18	3	13	24	-	1
<b>Norfolk</b>																				
Total C.B.'s	1	-	5	219	227	-	8	4	981	4,402	-	-	-	-	134	38	130	85	-	14
Great Yarmouth C.B.	-	-	-	101	60	-	4	2	570	1,065	-	-	-	-	45	28	113	29	-	2
Norwich C.B.	-	-	-	16	3	-	4	-	13	159	-	-	-	-	3	-	1	7	-	-
Total M.B.'s and U.D.'s	1	-	1	85	57	-	4	2	557	906	-	-	-	-	42	28	112	22	-	2
Total R.D.'s	-	-	4	30	49	-	1	-	59	904	-	-	-	-	19	4	2	14	-	2
	-	-	4	88	118	-	3	2	352	2,433	-	-	-	-	70	6	15	42	-	10
<b>Northamptonshire</b>																				
Northampton C.B.	-	-	3	281	219	-	20	-	153	2,659	-	-	-	-	69	10	49	87	1	29
Total M.B.'s and U.D.'s	-	-	3	63	20	-	5	-	56	982	-	-	-	-	12	3	12	19	-	13
Total R.D.'s	-	-	-	80	31	-	12	-	85	836	-	-	-	-	37	6	32	46	1	13
	-	-	-	138	168	-	3	-	12	841	-	-	-	-	26	1	5	22	-	3
<b>*Northumberland</b>																				
Total C.B.'s	1	3	6	267	289	-	18	1	342	6,470	-	-	-	1	127	7	39	236	6	37
Newcastle upon Tyne C.B.	-	2	4	101	192	-	4	1	43	2,472	-	-	-	-	57	6	13	120	5	23
Tynemouth C.B.	-	2	2	96	127	-	4	1	42	1,539	-	-	-	-	51	6	13	99	3	20
*Total M.B.'s and U.D.'s	1	1	1	65	74	-	10	-	145	2,843	-	-	-	1	6	-	-	21	2	3
Total R.D.'s	-	-	1	101	23	-	4	-	154	1,155	-	-	-	-	52	1	22	109	1	10
<b>Nottinghamshire</b>																				
Nottingham C.B.	-	2	12	475	403	-	21	4	681	7,840	-	1	11	7	173	22	114	189	2	47
Total M.B.'s and U.D.'s	-	1	6	133	183	-	8	1	141	2,389	-	-	11	2	79	20	36	101	2	25
Total R.D.'s	-	-	5	239	95	-	9	2	304	3,055	-	-	-	3	81	1	30	65	-	13
	-	1	1	103	125	-	4	1	236	2,396	-	1	-	2	13	1	48	23	-	9
<b>Oxfordshire</b>																				
Oxford C.B.	2	-	6	57	128	-	17	-	103	1,326	-	-	-	3	20	21	21	126	1	20
Total M.B.'s and U.D.'s	2	-	3	13	37	-	12	-	50	449	-	-	-	1	11	17	10	52	-	8
Total R.D.'s	-	-	3	6	39	-	3	-	11	161	-	-	-	-	2	3	5	35	-	5
	-	-	3	38	52	-	2	-	42	716	-	-	-	2	7	3	6	39	1	7
<b>Rutland</b>																				
Oakham U.D.	-	-	-	19	3	-	-	-	2	129	-	-	-	-	1	-	-	1	-	-
Total R.D.'s	-	-	-	5	-	-	-	-	-	9	-	-	-	-	-	-	-	-	-	-
	-	-	-	14	3	-	-	-	2	120	-	-	-	-	1	-	-	-	-	-
<b>Shropshire</b>																				
Total M.B.'s and U.D.'s	-	1	3	129	189	-	6	-	58	2,161	-	-	-	-	56	2	7	35	3	10
Total R.D.'s	-	-	1	42	128	-	2	-	39	1,001	-	-	-	-	27	1	5	22	1	4
	-	1	1	87	61	-	4	-	19	1,160	-	-	-	-	29	1	2	13	2	6
<b>*Somerset</b>																				
Bath C.B.	1	1	2	128	148	1	24	3	92	4,785	-	-	-	-	65	31	27	63	-	14
Total M.B.'s and U.D.'s	-	-	1	23	42	-	4	-	39	845	-	-	-	-	4	2	6	6	-	4
Total R.D.'s	-	-	1	39	20	-	9	2	33	1,825	-	-	-	-	17	22	8	34	-	5
	1	-	1	66	86	1	11	1	20	2,115	-	-	-	-	44	7	13	23	-	5

\*Anthrax cases notified:- Northumberland 1: Seaton Valley U.D.1. Somerset 2: Axbridge R.D.1; Long Ashton R.D.1.

TABLE 31 - continued

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
†Staffordshire																				
†Total C.B.'s	5	1	15	749	819	-	32	17	600	10,917	-	-	-	-	386	207	43	487	6	96
Burton upon Trent C.B.	5	-	11	421	588	-	23	7	387	6,197	-	-	-	-	259	198	24	375	6	74
Dudley C.B.	1	-	-	3	64	-	-	-	-	430	-	-	-	-	1	4	-	16	-	2
†Stoke-on-Trent C.B.	1	-	4	47	10	-	1	-	101	548	-	-	-	-	9	1	4	41	1	4
†Walsall C.B.	2	-	1	94	26	-	5	-	223	1,712	-	-	-	-	117	177	13	65	2	8
†West Bromwich C.B.	1	-	-	108	291	-	8	4	22	1,782	-	-	-	-	89	5	1	93	1	18
West Bromwich C.B.	1	-	5	73	92	-	2	3	27	623	-	-	-	-	4	4	1	47	1	15
Wolverhampton C.B.	-	-	1	96	105	-	7	-	14	1,102	-	-	-	-	39	7	5	113	2	27
Total M.B.'s and U.D.'s	-	-	3	232	144	-	7	9	142	3,174	-	-	-	-	71	7	9	81	-	18
Total R.D.'s	-	1	1	96	87	-	2	1	71	1,546	-	-	-	-	56	2	10	31	-	4
Suffolk, East																				
Ipswich C.B.	-	-	6	160	45	-	12	3	333	1,516	3	-	1	-	37	22	28	79	-	11
Total M.B.'s and U.D.'s	-	-	3	65	8	-	1	3	201	576	-	-	-	-	8	13	18	39	-	4
Total R.D.'s	-	-	2	52	15	-	2	-	69	299	1	-	-	-	10	6	5	24	-	2
Total R.D.'s	-	-	1	43	22	-	9	-	63	641	2	-	1	-	19	3	5	16	-	5
Sussex, West																				
Total M.B.'s and U.D.'s	-	-	2	80	109	-	5	-	6	1,479	-	-	-	-	51	4	6	26	-	7
Total R.D.'s	-	-	2	12	21	-	2	-	3	852	-	-	-	-	26	2	1	15	-	3
Total R.D.'s	-	-	-	68	88	-	3	-	3	627	-	-	-	-	25	2	5	11	-	4
Surrey																				
Total M.B.'s and U.D.'s	3	7	2	208	156	-	31	2	721	4,095	1	-	-	2	110	113	209	151	-	23
Total R.D.'s	3	4	2	153	147	-	26	2	541	3,295	1	-	-	2	82	111	193	117	-	19
Total R.D.'s	-	3	-	55	9	-	5	-	180	800	-	-	-	-	28	2	16	34	-	4
Sussex, East																				
Total C.B.'s	1	3	5	228	163	-	24	2	50	2,954	-	-	-	-	83	73	57	95	-	11
Brighton C.B.	-	2	2	101	72	-	12	2	14	1,192	-	-	-	-	49	29	32	40	-	6
Eastbourne C.B.	-	-	2	91	35	-	4	2	14	495	-	-	-	-	43	24	31	22	-	8
Eastbourne C.B.	-	-	-	4	4	-	3	-	-	191	-	-	-	-	4	4	1	8	-	-
Hastings C.B.	-	-	-	6	33	-	5	-	-	506	-	-	-	-	2	1	-	10	-	-
Total M.B.'s and U.D.'s	-	1	3	73	30	-	7	5	26	776	-	-	-	-	24	35	19	30	-	1
Total R.D.'s	1	-	-	54	61	-	7	-	10	986	-	-	-	-	10	9	6	25	-	4
Sussex, West																				
Total M.B.'s and U.D.'s	2	4	5	106	27	-	11	-	197	2,540	-	-	2	1	21	64	26	34	-	8
Total R.D.'s	-	-	5	75	20	-	5	-	162	1,414	-	-	2	1	15	47	16	28	-	6
Total R.D.'s	-	4	-	31	7	-	6	-	35	1,126	-	-	-	-	1	17	10	6	-	2
†Warrickshire																				
†Total C.B.'s	9	6	14	951	1,329	4	84	254	1,069	14,515	-	-	10	4	365	173	340	828	5	162
Birmingham C.B.	9	5	13	744	1,109	4	64	250	901	10,379	-	-	-	3	296	153	316	727	3	129
Coventry C.B.	8	5	9	546	856	4	37	249	733	6,847	-	-	7	3	213	145	182	585	2	104
†Solihull C.B.	1	-	3	166	214	-	25	-	167	3,131	-	-	3	-	70	7	151	132	1	18
Total M.B.'s and U.D.'s	-	-	1	32	39	-	2	1	1	401	-	-	-	-	13	1	3	10	-	7
Total R.D.'s	-	1	1	120	127	-	16	-	47	2,438	-	-	-	-	36	9	1	62	2	24
Total R.D.'s	-	1	-	87	93	-	4	4	121	1,698	-	-	-	-	33	11	23	39	-	9
Westmorland																				
Total M.B.'s and U.D.'s	2	1	1	13	23	-	-	-	-	486	-	-	-	-	5	-	-	6	-	3
Total R.D.'s	-	1	1	6	12	-	-	-	-	179	-	-	-	-	-	-	-	4	-	1
Total R.D.'s	-	-	-	7	11	-	-	-	-	307	-	-	-	-	5	-	-	2	-	2
Wight, Isle of																				
Total M.B.'s and U.D.'s	-	-	-	16	31	-	2	-	19	499	-	-	-	-	-	-	204	7	-	1
Isle of Wight R.D.	-	-	-	12	17	-	2	-	17	380	-	-	-	-	-	-	204	7	-	-
Isle of Wight R.D.	-	-	-	4	14	-	-	-	2	119	-	-	-	-	-	-	-	-	-	1
Wiltshire																				
Total M.B.'s and U.D.'s	-	1	5	89	87	-	7	1	240	3,281	-	-	-	1	26	29	19	80	-	27
Total R.D.'s	-	1	4	59	44	-	7	-	81	1,510	-	-	-	-	10	20	1	41	-	18
Total R.D.'s	-	1	1	30	43	-	-	1	159	1,971	-	-	-	-	16	9	18	39	-	9
†Worcestershire																				
†Total C.B.'s	2	1	-	360	322	-	9	13	55	4,583	-	-	1	-	144	25	42	132	1	31
†Warley C.B.	1	-	-	144	180	-	2	11	30	1,720	-	-	-	-	94	2	36	79	1	23
Worcester C.B.	1	-	-	88	164	-	1	-	18	1,023	-	-	-	-	72	1	5	59	1	20
Worcester C.B.	-	-	-	56	16	-	1	3	12	697	-	-	-	-	22	1	31	20	-	3
Total M.B.'s and U.D.'s	1	1	-	160	84	-	5	1	22	2,205	-	-	-	-	30	23	5	39	-	5
Total R.D.'s	-	-	-	56	58	-	2	1	3	658	-	-	1	-	20	-	1	14	-	3
Yorkshire, East Riding																				
Kingston upon Hull C.B.	-	-	7	124	185	-	9	-	331	1,902	-	-	-	-	379	30	46	96	-	12
Total M.B.'s and U.D.'s	-	-	2	73	120	-	5	-	106	934	-	-	-	-	350	26	24	80	-	10
Total R.D.'s	-	-	-	24	38	-	-	-	178	426	-	-	-	-	9	2	20	9	-	-
Total R.D.'s	-	-	-	27	27	-	4	-	47	542	-	-	-	-	20	2	2	7	-	2

†Smallpox cases notified:- Staffordshire 35: Stoke-on-Trent C.B.22; Walsall C.B.13. Warwickshire 3: Solihull C.B.3. Worcestershire 2: Warley C.B.2.

TABLE 31 - continued

Area	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis				Acute pneumonia (primary and influenza)		Food poisoning	Tuberculosis.		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>	<b>17</b>	<b>18</b>	<b>19</b>	<b>20</b>	<b>21</b>
<b>Yorkshire, North Riding</b>																				
Middlesbrough C.B.	-	1	10	137	446	-	10	1	437	4,477	-	1	7	1	42	16	49	149	1	13
Total M.B.'s and U.D.'s	-	1	5	45	258	-	6	1	254	1,770	-	-	3	-	7	12	12	64	1	5
Total R.D.'s	-	1	5	38	96	-	3	-	119	1,496	-	-	2	1	17	4	13	60	-	5
				54	92		1		54	1,211		1	2		18	-	24	25		3
<b>*Yorkshire, West Riding</b>																				
*Total C.B.'s	11	11	38	2,629	2,081	-	142	33	2,771	38,064	-	-	7	4	1,512	195	429	1,063	6	211
Barstley C.B.	10	11	21	1,276	1,430	-	83	30	2,147	20,497	-	-	4	4	1,122	164	362	734	2	157
Bradford C.B.	6	6	10	156	26	-	7	10	135	1,063	-	-	4	1	1,109	8	4	17	-	3
*Dewsbury C.B.	1	1	2	273	255	-	20	10	336	2,288	-	-	1	2	315	8	5	180	-	57
Doncaster C.B.	1	1	1	17	10	-	1	2	44	615	-	-	-	-	2	-	1	16	-	5
Halifax C.B.	-	3	-	52	13	-	3	2	50	854	-	-	1	1	1	29	3	29	-	-
Huddersfield	1	-	2	62	140	-	7	-	162	1,515	-	-	-	-	13	-	11	38	-	13
Leeds C.B.	2	-	2	377	492	-	22	15	825	6,439	-	-	-	-	32	2	25	51	1	22
Rotherham C.B.	-	-	4	51	45	-	1	3	4	857	-	-	-	-	377	65	206	189	1	31
Sheffield C.B.	-	1	2	172	366	-	16	3	90	4,391	-	-	2	-	25	28	6	11	-	1
Wakefield C.B.	-	1	1	16	24	-	1	-	9	820	-	-	-	-	220	22	90	172	-	24
York C.B.	-	-	1	76	17	-	5	-	441	967	-	-	-	-	6	2	11	12	-	1
*Total M.B.'s and U.D.'s	1	-	10	944	459	-	46	3	392	12,352	-	-	3	-	286	25	62	242	3	40
Total R.D.'s	-	-	7	409	192	-	13	-	232	5,215	-	-	-	-	104	6	5	87	1	14
<b>WALES</b>																				
<b>Anglesey</b>																				
Total M.B. and U.D.'s	-	-	-	12	2	-	-	-	25	739	-	-	-	-	7	-	4	15	-	5
Total R.D.'s	-	-	-	2	-	-	-	-	-	423	-	-	-	-	-	-	2	11	-	3
<b>Breconshire</b>																				
Total M.B. and U.D.'s	-	-	-	12	-	-	1	-	-	316	-	-	-	-	7	-	2	4	-	2
Total R.D.'s	-	-	-	-	-	-	-	-	-	490	-	-	-	-	-	-	3	23	1	4
<b>Caernarvonshire</b>																				
Total M.B.'s and U.D.'s	-	-	-	16	3	-	-	1	33	1,193	-	-	-	-	9	3	4	53	2	9
Total R.D.'s	-	-	-	14	3	-	-	1	32	678	-	-	-	-	8	3	2	24	2	4
<b>Cardiganshire</b>																				
Total M.B.'s and U.D.'s	-	-	-	-	2	-	-	-	34	230	-	-	-	-	14	-	71	16	-	3
Total R.D.'s	-	-	-	-	1	-	-	-	31	155	-	-	-	-	10	-	66	6	-	2
<b>Carmarthenshire</b>																				
Total M.B.'s and U.D.'s	-	-	-	-	5	-	-	-	36	1,007	-	-	-	-	4	-	5	10	-	1
Total R.D.'s	-	-	-	18	5	-	3	-	16	418	-	-	-	-	38	2	20	20	-	7
	-	-	1	9	5	-	2	-	20	589	-	-	-	-	10	-	7	28	-	7

\*Anthrax cases notified:- Yorkshire West Riding 3; Dewsbury C.B.1; Batley M.B.1; Goole M.B.1.

TABLE 31 - continued

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
<b>Denbighshire</b>	-	1	2	67	-	-	9	1	92	739	-	-	-	1	8	6	20	34	2	8
Total M.B.'s and U.D.'s	-	1	2	45	40	-	8	1	67	557	-	-	-	1	8	5	20	20	1	5
Total R.D.'s	-	-	-	22	5	-	1	-	25	182	-	-	-	-	-	1	-	14	1	3
<b>Flintshire</b>	-	-	4	33	7	-	1	-	60	833	-	-	-	-	18	-	10	17	-	2
Total M.B.'s and U.D.'s	-	-	1	21	2	-	1	-	45	424	-	-	-	-	11	-	6	13	-	1
Total R.D.'s	-	-	3	12	5	-	1	-	15	409	-	-	-	-	4	-	4	4	-	1
<b>*Glamorganshire</b>	-	4	10	553	303	-	37	4	503	9,460	-	-	-	2	215	40	64	348	6	59
Total C.B.'s	-	-	3	194	162	-	15	4	90	3,146	-	-	-	2	48	18	31	150	1	29
Cardiff C.B.	-	-	1	106	109	-	5	1	50	1,781	-	-	-	-	46	4	27	91	1	13
Merthyr Tydfil C.B.	-	-	-	26	6	-	-	-	-	-	-	-	-	-	-	-	-	13	1	-
Swansea C.B.	-	-	2	62	47	-	10	3	40	1,146	-	-	-	2	2	14	4	46	-	16
*Total M.B.'s and U.D.'s	-	4	5	281	113	-	19	-	243	4,194	-	-	-	-	109	14	28	143	2	19
*Total R.D.'s	-	-	2	78	28	-	3	-	170	2,120	-	-	-	-	58	8	5	55	3	11
<b>Merionethshire</b>	-	-	-	-	-	-	1	-	-	221	-	-	-	-	4	-	-	15	-	1
Total U.D.'s	-	-	-	-	-	-	-	-	-	97	-	-	-	-	-	-	-	10	-	-
Total R.D.'s	-	-	-	-	-	-	1	-	-	124	-	-	-	-	4	-	-	5	-	1
<b>†Monmouthshire</b>	-	-	1	148	75	-	5	1	44	4,106	-	-	-	-	75	-	21	92	-	9
Newport C.B.	-	-	-	47	37	-	3	1	15	1,265	-	-	-	-	35	-	1	32	-	2
*Total M.B.'s and U.D.'s	-	-	1	91	33	-	2	-	21	2,417	-	-	-	-	35	-	20	51	-	6
Total R.D.'s	-	-	-	10	5	-	-	-	8	424	-	-	-	-	5	-	-	9	-	1
<b>Montgomeryshire</b>	-	-	-	5	-	-	1	-	1	28	-	-	-	-	12	-	-	13	-	3
Total M.B.'s and U.D.'s	-	-	-	1	-	-	-	-	1	11	-	-	-	-	12	-	-	4	-	1
Total R.D.'s	-	-	-	4	-	-	1	-	1	17	-	-	-	-	-	-	-	9	-	2
<b>Pembrokeshire</b>	-	1	-	26	18	-	1	1	1	164	-	-	-	-	16	-	7	22	-	4
Total M.B.'s and U.D.'s	-	1	-	21	10	-	1	-	1	90	-	-	-	-	7	-	7	9	-	-
Total R.D.'s	-	-	-	5	8	-	-	1	-	74	-	-	-	-	9	-	-	13	-	4
<b>Radnorshire</b>	-	-	-	3	-	-	-	-	-	30	-	-	-	-	4	-	-	1	-	1
Total U.D.'s	-	-	-	-	-	-	-	-	-	19	-	-	-	-	3	-	-	1	-	-
Total R.D.'s	-	-	-	3	-	-	-	-	-	11	-	-	-	-	1	-	-	-	-	-

\* Anthrax cases notified:- Glamorgan 3; Pontypridd U.D. 3; Llantrisant and Llantwit Fardre R.D. 1.  
† Smallpox cases notified:- Monmouthshire 8; Pontypool U.D. 8.

## SUMMARY

Smallpox cases notified: Original - England and Wales 62; North West 14; South East Lancashire Conurbation 14; West Midlands 40; West Midlands Conurbation 18; Remainder of West Midlands 22; Wales I (South East) 8;  
Final - Welsh Hospital Region 8; Birmingham Hospital Region 40; Manchester Hospital Region 14;  
England and Wales 62; North West 14; South East Lancashire Conurbation 14;  
West Midlands 40; West Midlands Conurbation 18; Remainder of West Midlands 22; Wales I (South East) 8;  
Welsh Hospital Region 8; Birmingham Hospital Region 40; Manchester Hospital Region 14.

Anthrax cases notified: Original - England and Wales 12; North 1; Remainder of North 1; Yorkshire and Humberside 3; West Yorkshire Conurbation 2; Remainder of Yorkshire and Humberside 1; North West 2; Merseyside Conurbation 2;  
East Anglia 1; South West 3; Wales I (South East) 2; Newcastle Hospital Region 1; Leeds Hospital Region 3;  
East Anglia Hospital Region 1; South Western Hospital Region 3; Welsh Hospital Region 2;  
Liverpool Hospital Region 2;  
Final - England and Wales 10; North 1; Remainder of North 1; Yorkshire and Humberside 3; West Yorkshire Conurbation 2; Remainder of Yorkshire and Humberside 1; North West 1; Merseyside Conurbation 1;  
South West 2; Wales I (South East) 3; Newcastle Hospital Region 1; Leeds Hospital Region 3; South Western Hospital Region 2; Welsh Hospital Region 3; Liverpool Hospital Region 1.

TABLE 31 SUPPLEMENT. Corrected notifications and deaths  
assigned to a few uncommon infectious diseases, 1966

England and Wales

Notifications					
ICD No.	Disease	Administrative area of assignment	County	Number of cases	
				Males	Females
043	Cholera	-	-	-	-
058	Plague	-	-	-	-
071	Relapsing fever	-	-	-	-
084	Smallpox	Cheadle and Gatley U.D.	Cheshire	3	4
		Salford C.B.	Lancashire	3	4
		Stoke-on-Trent C.B.	Staffordshire	12	10
		Walsall C.B.	Staffordshire	6	7
		Solihull C.B.	Warwickshire	2	1
		Warley C.B.	Worcestershire	1	1
		Pontypool U.D.	Monmouthshire	5	3
100-108	Typhus fever	-	-	-	-
110-117	Malaria (contracted in England and Wales)	-	-	-	-
Deaths					
ICD No.	Disease	Administrative area of assignment	County	Date of death	
043	Cholera	M	-	-	
		F	-	-	
044	Brucellosis	M	-	-	
		F	-	-	
055	Diphtheria	F	Greenwich	10th January	
		M	Hounslow	12th January	
		M	Chesterfield	6th July	
		M	Chesterfield	9th July	
		M	Birmingham	21st October	
058	Plague	M	-	-	
		F	-	-	
062	Anthrax	M	-	-	
		F	-	-	
071	Relapsing fever	M	-	-	
		F	-	-	
084	Smallpox	M	-	-	
		F	-	-	
094	Rabies	M	-	-	
		F	-	-	
100-108	Typhus and other rickettsial diseases	M	Hillingdon	18th March	
		M	Leeds C.B.	15th August	
		F	-	-	
132	Actinomycosis	M	Westminster	4th April	
		M	Lambeth	14th July	
		F	-	-	

**TABLE 32. Quarterly air temperature,  
rainfall and sunshine, 1966**

**England and Wales**

Note. The averages used for rainfall and rain-days are for the period 1916-50, while those for temperature and sunshine are for 1931-60

District	Air temperature (°F)			Rainfall		Sun- shine	Air temperature (°F)			Rainfall		Sun- shine
	Highest	Lowest	Difference from average daily mean	Percentage of average	Number of days difference from average	Percentage of average	Highest	Lowest	Difference from average daily mean	Percentage of average	Number of days difference from average	Percentage of average
Quarter ended 31st March						Quarter ended 30th June						
England N.E.	59	10	+0.4	113	+3	76	78	24	-0.7	150	+8	82
England E.	60	7	+1.0	86	+2	71	83	21	+0.2	122	+7	85
Midland Counties	61	11	+1.0	105	+1	81	82	24	-0.6	148	+13	91
England S.E.	59	-2	+1.5	101	0	73	84	26	+0.3	140	+10	87
England N.W. and North Wales	61	13	+1.0	90	-4	85	78	18	-0.4	148	+5	88
England S.W. and South Wales	59	10	+1.2	107	+2	76	80	23	-0.1	145	+12	87
Mean	-	-	+1.0	100	+1	77	-	-	-0.2	142	+9	87
Quarter ended 30th September						Quarter ended 31st December						
England N.E.	79	31	-1.4	115	+3	94	67	17	-1.0	103	+7	100
England E.	82	30	-1.5	105	0	99	68	15	-0.1	132	+19	79
Midland Counties	83	32	-1.4	99	-4	99	70	18	-0.3	119	+7	99
England S.E.	84	33	-1.2	97	-3	99	69	19	+0.3	130	+11	81
England N.W. and North Wales	81	31	-1.0	106	-8	104	66	14	-0.4	112	+11	99
England S.W. and South Wales	81	35	-0.8	77	-6	97	71	24	-0.2	104	+6	99
Mean	-	-	-1.2	100	-3	99	-	-	-0.3	117	+10	93
Year 1966												
England N.E.	79	10	-0.7	118	+22	88						
England E.	83	7	-0.2	112	+29	88						
Midland Counties	83	11	-0.2	116	+15	94						
England S.E.	84	-2	+0.4	117	+18	89						
England N.W. and North Wales	81	13	-0.2	112	+5	97						
England S.W. and South Wales	81	10	+0.2	106	+13	95						
Mean	-	-	-0.1	113	+17	92						

TABLE 33. Rainfall, mean temperature and sunshine, 1914 to 1966

England and Wales

Year	Fall of rain in inches	Departure from average of 35 years (1916-1950)	Mean temperature of the air at sea level	Departure from average of 30 years (1921-1950)	Mean daily sunshine	Departure from average of 30 years (1921-1950)
	ins.	ins.	F.	F.	hours	hours
1914	38.1	+ 2.5	50.7	+0.6	4.27	+0.30
1915	38.8	+ 3.2	49.0	-1.1	4.10	+0.13
1916	40.1	+ 4.5	49.4	-0.7	3.61	-0.36
1917	34.5	- 1.1	48.3	-1.8	4.03	+0.06
1918	37.7	+ 2.1	50.0	-0.1	4.08	+0.11
1919	37.0	+ 1.4	48.2	-1.9	4.01	+0.04
1920	38.4	+ 2.8	50.2	+0.1	3.66	-0.31
1921	24.7	-10.9	51.8	+1.7	4.60	+0.63
1922	37.1	+ 1.5	47.8	-2.3	4.02	+0.05
1923	39.8	+ 4.2	49.2	-0.9	3.87	-0.10
1924	42.3	+ 6.7	49.5	-0.6	3.75	-0.22
1925	37.3	+ 1.7	49.4	-0.7	4.09	+0.12
1926	35.9	- 0.3	50.3	+0.2	3.77	-0.20
1927	43.3	+ 7.7	49.4	-0.7	3.61	-0.36
1928	40.4	+ 4.8	50.1	0.0	4.12	+0.15
1929	35.2	- 0.4	49.1	-1.0	4.52	+0.55
1930	41.4	+ 5.8	50.0	-0.1	3.84	-0.13
1931	38.4	+ 2.8	49.2	-0.9	3.60	-0.37
1932	36.3	+ 0.7	49.9	-0.2	3.53	-0.44
1933	28.6	- 7.1	50.6	+0.5	4.42	+0.45
1934	33.5	- 2.1	50.9	+0.8	4.08	+0.11
1935	39.8	+ 4.2	50.5	+0.4	4.13	+0.16
1936	38.4	+ 2.8	49.8	-0.3	3.56	-0.41
1937	38.8	+ 3.2	50.1	0.0	3.46	-0.51
1938	34.9	- 0.7	51.0	+0.9	3.84	-0.13
1939	39.9	+ 4.3	50.3	+0.2	3.97	0.00
1940	35.6	0.0	49.3	-0.8	4.18	+0.21
1941	33.8	- 1.8	49.2	-0.9	3.67	-0.30
1942	33.1	- 2.5	49.2	-0.9	3.90	-0.07
1943	32.8	- 2.8	51.0	+0.9	4.25	+0.29
1944	35.3	- 0.3	50.1	0.0	3.73	-0.24
1945	32.8	- 2.8	51.4	+1.3	3.81	-0.15
1946	41.6	+ 6.0	50.0	-0.1	3.83	-0.14
1947	32.4	- 3.2	50.1	0.0	3.97	0.00
1948	37.5	+ 1.9	50.9	+0.8	4.12	+0.16
1949	30.9	- 4.7	51.9	+1.8	4.63	+0.66
1950	40.2	+ 4.6	50.1	0.0	3.94	-0.02
1951	43.7	+ 8.1	49.7	-0.4	3.98	+0.01
1952	35.5	- 0.1	49.5	-0.6	4.10	+0.13
1953	29.8	- 5.8	50.7	+0.6	4.04	+0.08
1954	42.7	+ 7.1	49.6	-0.5	3.52	-0.44
1955	30.9	- 4.7	49.7	-0.4	4.47	+0.51
1956	34.2	- 1.4	48.9	-1.2	3.88	-0.08
1957	35.4	- 0.2	51.0	+0.9	4.04	+0.08
1958	40.5	+ 4.9	49.8	-0.3	3.52	-0.44
1959	31.7	- 3.9	51.8	+1.7	4.63	+0.67
1960	46.1	+10.5	50.4	+0.3	3.84	-0.12
1961	34.4	- 1.2	50.9	+0.8	4.12	+0.16
1962	31.1	- 4.5	48.6	-1.5	4.16	+0.20
1963	33.5	- 2.1	48.2	-1.9	3.87	-0.09
1964	27.8	- 7.8	50.2	+0.1	3.85	-0.13
1965	39.1	+ 3.5	49.1	-1.0	3.67	-0.29
1966	40.3	+ 4.7	50.2	+0.1	3.63	-0.33

TABLE 34. Meteorological observations, 1966

Kew Observatory, Richmond

Month	Temperature of the air				Rain collected in a gauge having a receiving surface 12 inches above the ground		Sunshine registered in hours		Atmospheric pollution	
	Highest for month	Lowest for month	Mean daily value	Departure from average of 90 years	Total	Departure from average of 90 years	Total	Departure from average of 90 years	Maximum for month	Mean
	°F	°F	°F	°F	ins.	ins.	hours	hours	mg/m <sub>3</sub>	mg/m <sub>3</sub>
January	54.9	21.0	39.0	-0.7	1.38	-0.60	40.4	- 3.3	0.521	0.083
February	56.5	32.5	45.1	+4.9	2.69	+1.14	29.7	-30.2	0.239	0.041
March	56.1	29.2	45.3	+2.4	0.38	-1.17	125.4	+18.3	0.474	0.050
April	68.5	33.3	48.2	+0.7	3.62	+1.95	89.1	-63.7	0.282	0.039
May	78.1	38.8	54.3	+0.6	1.90	+0.16	217.7	+17.3	0.192	0.020
June	81.0	48.4	62.8	+3.4	2.60	+0.62	201.0	- 2.7	0.118	0.016
July	79.5	48.4	61.2	-1.5	2.71	+0.30	160.6	-37.8	0.063	0.012
August	80.6	43.2	61.0	-0.9	3.08	+0.74	197.6	+11.6	0.147	0.017
September	72.3	43.5	59.0	+1.6	1.08	-0.92	160.1	+16.9	0.198	0.039
October	66.6	39.4	53.2	+2.7	3.92	+1.48	77.2	-18.1	0.162	0.038
November	59.4	30.6	43.9	-0.5	1.30	-1.06	57.0	+ 4.6	0.241	0.051
December	55.4	25.9	43.7	+2.7	2.92	+0.75	36.3	- 1.9	0.584	0.047
Means	-	-	51.4	+1.3	sum 27.58	+0.28	sum 1392.1	- 7.4	-	0.038

Additional meteorological information may be obtained from the Monthly Weather Reports and Annual Report of the Meteorological Office, and the annual volume of the British Rainfall Organisation, published by Her Majesty's Stationery Office.



# APPENDICES

APPENDIX A. Standardised Mortality Ratios (based on United Kingdom and Irish Republic experience), age specific death rates and infant mortality rates from selected causes and estimated mid-year populations, 1966

ICD No.	Causes of death	Country	SMR		Death rates per million population							
			All ages		All ages		1-4		5-14		15-24	
			M	F	M	F	M	F	M	F	M	F
	All causes	England and Wales	99	97	12,338	11,141	915.7	752.7	433.1	272.7	1,049	427.0
		Scotland	111	114	13,043	11,556	1,031	781.2	486.9	318.9	1,050	523.6
		Northern Ireland	105	114	12,025	10,268	1,279	913.5	458.8	286.8	1,002	484.0
		Irish Republic	101	118	13,222	11,145	991.3	924.4	402.5	336.0	786.6	422.4
001-008	Tuberculosis of respiratory system	England and Wales	93	89	66.6	21.5	1.76	0.62	-	-	1.13	0.87
		Scotland	103	116	69.9	26.3	-	-	-	-	2.58	-
		Northern Ireland	82	97	51.4	19.8	-	-	-	-	8.08	-
		Irish Republic	224	289	155.4	57.9	-	-	-	-	4.18	4.45
010-019	Tuberculosis, other forms	England and Wales	87	92	5.09	5.87	1.76	4.94	0.85	1.19	2.53	1.15
		Scotland	144	160	8.03	9.63	-	5.28	-	4.76	2.58	7.74
		Northern Ireland	53	70	2.78	3.96	-	-	-	7.55	8.08	-
		Irish Republic	268	148	14.5	8.38	15.7	8.25	-	-	-	8.89
020-029	Syphilis and its sequelae	England and Wales	109	112	21.3	13.8	-	-	-	-	-	-
		Scotland	75	33	13.7	3.70	-	-	-	2.38	-	-
		Northern Ireland	64	68	11.1	6.60	-	-	-	-	-	-
		Irish Republic	7	-	1.38	-	-	-	-	-	-	-
057	Meningococcal infections	England and Wales	95	100	2.56	1.82	8.79	8.64	1.13	1.79	0.84	0.58
		Scotland	156	58	4.42	1.11	15.0	5.28	2.28	2.38	-	-
		Northern Ireland	128	248	4.17	5.28	30.8	32.6	-	7.55	-	-
		Irish Republic	66	95	2.07	2.09	7.87	-	-	3.54	-	-
080	Acute poliomyelitis	England and Wales	-	120	-	0.04	-	-	-	-	-	-
		Scotland	-	-	-	-	-	-	-	-	-	-
		Northern Ireland	-	-	-	-	-	-	-	-	-	-
		Irish Republic	-	-	-	-	-	-	-	-	-	-
Rem. 001-138	Other infective and parasitic diseases	England and Wales	99	98	21.6	23.2	35.7	25.9	11.9	8.63	5.91	6.93
		Scotland	87	107	18.9	24.1	45.0	36.9	11.4	2.38	2.58	5.16
		Northern Ireland	113	115	25.0	25.1	15.4	-	-	7.55	16.2	8.20
		Irish Republic	138	107	31.1	23.7	39.3	49.5	23.5	3.54	8.37	13.3
140-148	Malignant neoplasm of - buccal cavity and pharynx	England and Wales	95	99	40.4	26.5	-	-	-	1.19	1.41	-
		Scotland	116	101	45.8	24.8	-	-	-	-	2.58	-
		Northern Ireland	120	116	45.8	25.1	-	-	7.17	-	16.2	-
		Irish Republic	137	114	60.8	25.1	-	-	-	-	-	-
150	oesophagus	England and Wales	99	96	63.5	48.5	-	-	-	-	-	0.29
		Scotland	113	113	67.9	51.5	-	-	-	-	-	-
		Northern Ireland	83	112	47.2	44.9	-	-	-	-	-	-
		Irish Republic	101	161	66.3	66.3	-	-	-	-	-	-
151	stomach	England and Wales	99	96	321.5	229.0	-	-	-	-	0.28	1.15
		Scotland	110	115	335.4	245.8	-	-	-	-	-	-
		Northern Ireland	102	117	291.6	219.0	-	-	-	-	8.08	-
		Irish Republic	98	135	320.4	261.1	-	-	-	-	4.18	-
153	large intestine	England and Wales	98	96	163.6	218.2	-	-	-	-	1.41	0.87
		Scotland	121	133	189.6	274.3	-	-	-	-	-	-
		Northern Ireland	104	107	155.5	194.0	-	-	-	-	-	-
		Irish Republic	103	121	176.8	224.8	-	-	-	-	-	-
154	rectum	England and Wales	101	101	126.0	105.0	-	-	-	-	1.41	0.29
		Scotland	105	107	122.5	101.1	-	-	-	-	-	-
		Northern Ireland	91	96	101.4	79.2	-	-	-	-	-	-
		Irish Republic	83	75	107.0	63.5	-	-	-	-	-	4.45
161	larynx	England and Wales	98	92	25.9	6.40	-	-	-	-	0.28	-
		Scotland	108	121	26.5	7.76	-	-	-	-	-	-
		Northern Ireland	89	117	20.8	6.60	-	-	-	-	-	-
		Irish Republic	119	222	31.8	12.6	-	-	-	-	-	-
162, 163	trachea, bronchus, and lung	England and Wales	103	101	966.6	178.9	0.59	-	0.28	0.30	3.38	1.44
		Scotland	114	109	1,015	179.6	-	-	2.28	-	5.16	2.58
		Northern Ireland	64	66	519.4	96.3	-	-	-	-	-	-
		Irish Republic	48	71	435.7	101.9	-	-	-	-	-	-
170	breast	England and Wales	107	102	4.27	397.9	-	-	-	-	-	0.29
		Scotland	54	98	2.07	355.8	-	-	-	-	-	-
		Northern Ireland	199	84	6.94	271.8	-	-	-	-	-	-
		Irish Republic	18	80	0.69	259.0	-	-	-	-	-	-
171	cervix uteri	England and Wales	-	103	-	100.6	-	-	-	-	-	0.29
		Scotland	-	102	-	94.0	-	-	-	-	-	-
		Northern Ireland	-	68	-	54.1	-	-	-	-	-	-
		Irish Republic	-	52	-	41.9	-	-	-	-	-	-
172	corpus uteri	England and Wales	-	109	-	47.8	-	-	-	0.30	-	0.29
		Scotland	-	51	-	20.7	-	-	-	-	-	-
		Northern Ireland	-	26	-	9.24	-	-	-	-	-	-
		Irish Republic	-	62	-	22.3	-	-	-	-	-	-
177	prostate	England and Wales	100	-	167.3	-	-	-	-	-	-	-
		Scotland	103	-	159.4	-	-	-	-	-	2.58	-
		Northern Ireland	100	-	154.1	-	-	-	-	-	-	-
		Irish Republic	101	-	191.3	-	-	-	-	-	-	-

England and Wales  
Scotland  
Northern Ireland  
Irish Republic

Death rates per million population														Deaths under 1 year per thousand live births		ICD No.
25-34		35-44		45-54		55-64		65-74		75-84		85 and over		M	F	
M	F	M	F	M	F	M	F	M	F	M	F	M	F			
1,058	685.8	2,429	1,705	7,263	4,416	21,439	10,284	53,563	28,562	120,771	81,062	258,156	204,030	21.4	16.5	
1,407	770.4	3,169	2,182	9,167	5,462	25,021	12,642	58,310	34,311	134,259	91,771	273,205	226,865	25.8	20.4	
1,163	699.3	2,916	1,919	7,444	4,912	23,063	11,281	55,024	33,519	121,875	91,926	314,000	254,615	26.8	24.2	
1,250	869.9	2,778	2,013	7,588	5,321	19,929	12,617	53,392	35,815	118,723	92,342	330,676	258,174	27.8	21.9	
5.96	5.54	24.5	21.8	68.6	29.9	177.2	41.0	313.8	54.3	422.2	75.1	240.5	53.9	0.00	0.00	001-008
10.0	25.6	44.8	57.8	86.5	36.2	182.0	37.3	299.9	51.6	478.3	63.8	515.1	46.4	-	-	
-	11.7	24.3	22.4	74.1	35.1	132.5	39.2	330.2	34.8	170.5	148.1	666.7	-	-	-	
35.3	28.3	111.1	50.5	179.5	110.0	485.4	139.3	728.4	209.7	702.1	158.5	-	173.9	0.03	-	
4.64	2.77	2.55	4.23	7.91	5.72	11.7	8.20	10.4	12.9	11.7	19.6	20.0	46.2	0.00	0.00	010-019
6.67	6.39	9.59	6.09	13.3	3.02	7.14	21.8	26.1	17.2	68.3	27.3	-	46.4	-	-	
-	-	-	-	-	-	-	13.1	-	17.4	-	-	333.3	-	-	-	
21.2	-	45.8	6.31	23.9	18.3	14.3	7.33	20.8	9.53	-	35.2	135.1	-	-	0.03	
0.33	-	3.51	0.98	11.2	7.31	40.2	16.4	122.9	48.1	233.6	104.9	100.2	123.2	0.00	0.00	020-029
3.33	-	3.20	3.04	13.3	-	32.1	-	97.8	8.60	51.3	54.6	103.0	-	-	-	
-	-	-	-	-	-	29.5	13.1	94.3	17.4	56.8	111.1	333.3	-	-	-	
-	-	-	-	-	-	-	-	20.8	-	-	-	-	-	-	-	
-	-	-	0.65	0.99	0.95	0.73	0.66	1.29	0.89	1.67	0.85	-	-	0.07	0.03	057
-	-	-	-	-	-	3.57	-	6.52	-	-	-	-	-	0.10	0.02	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.06	0.06	
-	7.07	-	-	-	-	-	7.33	10.4	-	-	-	-	-	0.03	-	
-	-	-	0.33	-	-	-	-	-	-	-	-	-	-	-	-	080
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8.61	7.62	9.88	7.82	20.4	21.6	29.6	32.8	48.5	37.0	41.7	65.7	180.4	173.2	0.14	0.14	Rem. 001-138
3.33	9.59	9.59	15.2	16.6	30.2	32.1	31.1	32.6	34.4	51.3	109.3	-	92.9	0.12	0.11	
12.4	11.7	-	33.7	37.0	-	103.1	26.1	47.2	87.1	56.8	111.1	-	-	0.06	0.19	
28.2	14.1	26.1	12.6	29.9	24.4	28.6	51.3	41.5	19.1	42.6	70.4	-	-	0.25	0.10	
1.99	1.73	8.61	7.82	20.8	26.1	67.6	44.3	201.2	75.7	445.5	147.6	801.6	238.6	0.00	-	140-148
-	-	3.20	9.13	33.3	12.1	74.9	24.9	176.0	81.7	751.7	236.8	1,030	325.0	-	-	
-	-	12.2	11.2	24.7	23.4	73.6	39.2	259.4	104.5	454.5	111.1	1,000	769.2	-	-	
7.06	-	6.54	6.31	23.9	12.2	92.8	44.0	291.4	152.5	638.3	123.2	1,486	347.8	-	-	
0.66	1.38	9.88	7.16	38.9	28.6	140.7	64.9	314.5	151.9	622.4	354.9	901.8	481.1	-	-	150
-	6.39	16.0	9.13	69.9	24.2	153.4	77.7	378.1	172.1	615.0	400.7	618.1	789.3	-	-	
12.4	-	24.3	-	37.0	58.5	88.4	78.4	283.0	122.0	454.5	333.3	666.7	1,346	-	-	
-	-	26.1	6.31	23.9	61.1	99.9	205.3	405.8	257.4	638.3	369.7	675.7	695.7	-	-	
7.29	3.46	52.6	27.7	234.7	104.6	746.5	305.7	1,715	779.1	2,760	1,666	2,735	2,275	-	-	151
26.7	6.39	70.4	33.5	316.2	114.7	842.0	372.9	1,799	959.4	2,665	1,922	4,327	2,739	-	-	
37.1	11.7	72.9	22.4	259.3	128.7	706.9	313.7	1,887	1,028	2,330	1,852	3,333	3,654	-	-	
14.1	7.07	52.3	44.2	239.4	146.6	642.4	417.9	1,811	1,335	2,776	2,042	2,568	2,522	-	-	
7.95	7.96	33.8	30.0	104.8	118.6	319.4	335.9	817.2	696.7	1,655	1,440	2,445	2,386	-	-	153
16.7	16.0	57.6	51.7	143.1	172.1	356.8	369.8	932.2	1,015	2,255	2,104	3,194	3,529	-	-	
12.4	-	48.6	123.5	86.4	140.4	382.9	248.4	872.6	818.8	1,250	1,630	5,000	2,692	-	-	
-	21.2	26.1	63.1	161.6	140.5	335.5	359.2	957.3	1,001	1,638	1,849	7,216	2,281	-	-	
4.31	2.42	18.8	22.5	71.9	51.2	252.5	165.3	631.5	337.6	1,315	698.7	1,974	1,051	-	-	154
3.33	-	19.2	30.4	93.2	72.5	228.3	158.5	704.0	352.8	1,281	774.2	2,369	975.1	-	-	
35.0	24.3	22.4	74.1	35.1	279.8	279.8	143.8	589.6	296.2	1,023	666.7	1,000	1,154	-	-	
7.06	-	32.7	18.9	89.8	48.9	135.6	124.6	707.6	333.7	808.5	387.3	1,216	434.8	-	-	
0.33	0.69	1.59	1.95	18.1	3.50	55.5	16.1	155.3	19.2	213.6	31.6	230.5	38.5	-	-	161
-	-	-	3.04	23.3	6.04	49.9	18.6	176.0	17.2	239.2	63.8	412.1	46.4	-	-	
-	-	-	-	61.7	11.7	58.9	39.2	94.3	17.4	113.6	-	-	-	-	-	
7.06	-	-	-	18.0	18.3	57.1	36.7	135.3	57.2	404.3	52.8	270.3	87.0	-	-	
18.2	7.62	161.0	59.9	855.0	200.6	2,946	406.1	5,233	639.6	4,979	652.7	3,136	511.9	-	-	162,163
16.7	3.20	252.6	48.7	1,035	283.8	3,289	397.8	5,939	688.4	4,732	646.7	1,854	650.0	-	-	
-	11.7	109.4	33.7	456.8	128.7	2,003	235.3	3,255	487.8	2,841	370.4	1,333	384.6	-	-	
7.06	-	143.8	72.6	550.6	146.6	1,463	322.6	2,383	467.1	1,638	352.1	675.7	608.7	-	-	
-	39.1	2.55	214.0	5.93	596.1	11.0	829.9	17.5	1,029	23.4	1,490	30.1	2,271	-	-	170
-	44.8	-	240.4	3.33	504.2	-	736.5	19.6	1,041	17.1	1,630	-	1,997	-	-	
-	46.6	-	235.7	-	561.4	29.5	771.2	47.2	682.0	-	963.0	333.3	1,923	-	-	
-	7.07	-	220.8	-	531.5	-	586.5	10.4	886.6	-	1,074	-	1,217	-	-	
-	9.35	-	91.2	-	176.5	-	196.5	-	258.4	-	299.5	-	346.4	-	-	171
-	12.8	-	88.3	-	232.5	-	186.5	-	215.1	-	245.9	-	325.0	-	-	
-	-	-	22.4	-	198.8	-	156.9	-	104.5	-	74.1	-	384.6	-	-	
-	-	-	25.2	-	122.2	-	170.0	-	76.3	-	193.7	-	173.9	-	-	
-	0.69	-	5.54	-	36.9	-	102.7	-	185.3	-	225.2	-	196.3	-	-	172
-	-	-	6.09	-	15.1	-	88.4	-	86.0	-	45.5	-	92.9	-	-	
-	-	-	-	-	11.7	-	13.1	-	69.7	-	37.0	-	-	-	-	
-	-	-	12.6	-	12.2	-	80.6	-	114.4	-	70.4	-	87.0	-	-	
0.33	-	1.91	-	17.8	-	148.3	-	785.5	-	2,935	-	4,749	-	-	-	177
3.33	-	-	-	9.99	-	157.0	-	834.4	-	3,058	-	4,224	-	-	-	
-	-	-	-	12.3	-	162.0	-	754.7	-	2,614	-	7,000	-	-	-	
-	-	-	-	29.9	-	192.7	-	978.1	-	2,638	-	3,649	-	-	-	

APPENDIX A - continued

ICD No.	Causes of death	Country	S.M.R.		Death rates per million population							
			All ages		All ages		1-4		5-14		15-24	
			M	F	M	F	M	F	M	F	M	F
161	Malignant neoplasm of bladder and other urinary organs	England and Wales Scotland Northern Ireland Irish Republic	104 100 64 50	101 113 73 69	106.5 96.0 58.3 53.2	41.6 42.2 23.7 23.0	- - - -	0.62 - - -	- - - -	- - - -	0.28 - - -	- - - -
204	Leukaemia and aleukaemia	England and Wales Scotland Northern Ireland Irish Republic	102 89 99 93	99 119 88 85	67.0 56.6 61.1 62.8	53.8 61.5 42.2 41.2	39.8 50.0 77.0 47.2	42.6 36.9 32.6 24.8	29.7 20.5 28.7 23.5	22.0 28.6 7.55 10.6	24.8 31.0 32.3 12.6	13.3 23.2 16.4 8.89
Rem. 140-205	Other malignant neoplasms	England and Wales Scotland Northern Ireland Irish Republic	99 107 100 100	98 114 104 107	451.4 460.3 404.1 441.9	554.5 597.6 485.6 498.4	67.4 50.0 46.2 78.7	43.2 47.5 97.9 66.0	39.7 27.3 35.8 40.3	26.8 21.4 30.2 35.4	66.1 82.6 97.0 58.6	46.2 61.9 41.0 57.8
140-205	All malignant neoplasms and neoplasms of the lymphatic and haemato-poietic tissues	England and Wales Scotland Northern Ireland Irish Republic	101 110 85 79	99 110 94 99	2,504 2,576 1,866 1,949	2,009 2,057 1,552 1,641	107.8 100.1 123.3 125.9	86.4 84.5 130.5 90.8	69.7 50.1 71.7 63.7	50.8 50.0 37.7 46.0	99.3 123.9 153.6 75.3	64.4 87.7 57.4 75.6
260	Diabetes mellitus	England and Wales Scotland Northern Ireland Irish Republic	95 146 86 117	93 160 114 116	64.6 92.8 52.8 82.9	113.0 175.1 109.5 115.2	1.17 5.00 - 7.87	2.47 5.28 - -	1.70 4.55 7.17 7.07	2.08 - 7.55 7.07	2.81 7.74 8.20 -	0.87 7.74 8.20 4.45
290-293	Anaemias	England and Wales Scotland Northern Ireland Irish Republic	94 118 159 136	96 111 136 145	23.9 26.1 37.5 38.7	45.5 46.3 50.1 56.5	7.03 - - -	4.94 - 32.6 -	1.98 - - 10.6	2.08 2.38 - -	2.53 2.58 - 4.18	2.89 - - -
330-334	Vascular lesions affecting central nervous system	England and Wales Scotland Northern Ireland Irish Republic	98 127 98 90	96 134 109 104	1,357 1,639 1,235 1,351	1,907 2,310 1,636 1,662	1.76 10.0 15.4 -	2.47 10.6 - 16.5	7.08 6.83 7.17 6.71	3.27 4.76 15.1 7.07	14.4 25.8 24.3 33.5	12.7 20.6 8.20 31.1
345	Multiple sclerosis	England and Wales Scotland Northern Ireland Irish Republic	91 156 119 155	94 122 137 146	13.6 22.1 15.3 20.7	20.9 25.9 26.4 27.2	0.59 - - -	- 10.6 - -	- - - -	- - - -	0.28 5.16 - -	1.73 - - 4.45
400-402, 410-416	Rheumatic fever and chronic rheumatic heart disease	England and Wales Scotland Northern Ireland Irish Republic	98 107 135 110	99 112 115 86	88.7 91.6 106.9 93.9	162.1 171.4 155.7 115.9	1.17 - 15.4 -	1.23 - - -	1.42 - - 3.35	1.79 - - -	7.88 7.74 8.08 12.6	8.37 10.3 16.4 8.89
420	Arteriosclerotic heart disease, including coronary disease	England and Wales Scotland Northern Ireland Irish Republic	99 121 110 85	97 131 115 100	2,973 3,425 2,938 2,584	1,832 2,200 1,697 1,527	- - - -	0.62 - - -	0.28 - 7.17 -	0.30 - - -	3.10 7.74 - 8.37	1.73 2.58 - 4.45
421,422, 430-434	Other heart diseases	England and Wales Scotland Northern Ireland Irish Republic	95 96 141 166	96 108 141 160	886.3 827.4 1,225 1,761	1,303 1,229 1,407 1,749	7.03 - 15.4 15.7	4.32 5.28 32.6 -	3.97 4.55 21.5 10.1	5.36 9.52 - -	15.8 18.1 24.3 33.5	8.93 12.9 16.4 13.3
440-447	Hypertensive disease	England and Wales Scotland Northern Ireland Irish Republic	97 109 106 127	96 116 111 146	221.1 229.7 216.6 301.8	287.2 303.6 256.0 353.2	- - - -	- - - -	0.57 - - -	- 2.38 - -	3.66 7.74 - 4.18	2.02 - - -
450-468	Other circulatory diseases	England and Wales Scotland Northern Ireland Irish Republic	101 99 99 87	100 100 90 95	404.5 368.7 362.4 384.6	507.8 432.8 339.1 385.3	2.93 - - -	2.47 - - -	0.57 - 7.17 3.35	0.60 4.76 - -	5.81 2.58 - -	9.53 7.74 16.4 -
480-483	Influenza	England and Wales Scotland Northern Ireland Irish Republic	78 120 255 335	79 119 311 391	70.1 100.8 212.5 330.1	82.4 107.0 246.7 332.3	5.86 15.0 15.4 15.7	6.79 - - -	3.68 6.83 - 7.07	2.68 4.76 - -	4.50 12.9 8.08 4.18	4.33 - 16.4 4.45
490-493	Pneumonia	England and Wales Scotland Northern Ireland Irish Republic	104 79 103 72	103 76 114 87	689.8 494.0 654.1 536.5	785.0 501.7 671.6 554.3	111.3 145.1 200.3 165.2	118.5 100.3 179.4 239.4	21.5 20.5 14.3 13.4	18.2 14.3 15.1 35.4	29.3 10.3 32.3 37.7	16.5 20.6 24.6 40.0
500-502	Bronchitis	England and Wales Scotland Northern Ireland Irish Republic	102 93 107 77	99 90 143 123	988.4 844.2 929.0 782.4	354.1 286.9 401.1 362.3	32.8 10.0 - 7.87	27.8 42.2 - 33.0	6.51 6.83 21.5 3.35	5.06 9.52 - -	6.47 10.3 8.08 4.18	4.91 - - 4.45
470-475, 510-527	Other respiratory diseases	England and Wales Scotland Northern Ireland Irish Republic	98 113 100 117	97 69 173 194	149.6 162.3 138.9 186.4	76.2 48.5 110.8 129.8	19.3 15.0 46.2 -	17.3 5.28 65.3 8.25	2.55 6.83 - -	3.87 - - 14.1	5.35 2.58 16.2 8.37	5.77 7.74 16.4 13.3
540,541	Ulcer of stomach and duodenum	England and Wales Scotland Northern Ireland Irish Republic	100 105 89 102	99 92 164 98	111.3 109.6 88.9 118.1	60.0 49.2 76.5 48.2	- 15.0 - 7.87	- - - 8.25	- - - -	0.60 - - -	1.69 5.16 - -	2.58 - - -

# APPENDIX A - continued

Death rates per million population														Deaths under 1 year per thousand live births		ICD No.
25-34		35-44		45-54		55-64		65-74		75-84		85 and over		M	F	
M	F	M	F	M	F	M	F	M	F	M	F	M	F			
1.66	-	7.97	2.93	54.1	15.9	207.5	55.4	601.7	152.3	1,101	295.2	1,393	423.4	-	0.00	181
-	-	-	6.09	69.9	24.2	246.2	62.2	586.7	185.0	888.3	300.6	721.1	371.5	-	-	
-	-	12.2	11.2	49.4	11.7	147.3	39.2	471.7	104.5	340.9	148.1	333.3	576.9	-	-	
-	-	6.54	12.6	23.9	12.2	114.2	58.7	291.4	123.9	425.5	123.2	1,081	87.0	-	-	
18.9	21.1	30.9	28.0	51.7	39.4	107.4	71.2	249.8	126.1	432.2	260.2	531.1	211.7	0.01	0.02	204
13.3	25.6	22.4	27.4	49.9	54.3	71.4	99.4	228.2	159.2	392.9	291.5	618.1	46.4	-	0.02	
12.4	11.7	24.3	22.4	74.1	35.1	73.6	26.1	165.1	174.2	511.4	222.2	333.3	384.6	-	0.06	
14.1	21.2	39.2	50.5	101.7	18.3	121.3	102.6	197.7	152.5	234.0	105.6	270.3	87.0	0.03	-	
102.7	73.7	201.8	187.9	468.7	537.0	1,049	1,041	1,849	1,759	2,703	2,516	3,387	3,083	0.04	0.04	Rem. 140-205
143.4	38.4	185.5	216.1	486.0	582.7	1,110	1,178	2,066	2,177	2,750	3,142	5,563	3,018	0.04	0.02	
86.6	93.2	267.3	235.7	407.4	561.4	1,015	1,085	2,005	1,951	2,614	2,519	3,000	2,500	-	-	
84.7	84.9	169.9	220.8	484.7	549.8	892.2	1,122	1,925	2,116	2,787	2,289	5,811	3,478	0.03	0.03	
164.3	169.3	531.5	686.5	1,942	1,935	6,050	3,636	12,571	6,209	19,186	10,078	22,315	13,514	0.05	0.06	140-205
223.4	153.5	626.8	770.0	2,333	2,098	6,579	3,751	13,839	7,150	19,646	11,804	24,930	14,905	0.04	0.04	
160.9	209.8	595.4	740.7	1,543	1,906	5,022	3,190	10,684	5,941	14,545	8,926	23,333	15,769	-	0.06	
141.2	141.4	503.3	694.0	1,747	1,820	4,147	3,570	10,094	7,073	14,617	9,032	18,919	12,087	0.06	0.03	
8.94	9.00	20.7	12.7	41.5	28.0	100.8	121.7	311.9	431.2	687.5	895.8	1,052	893.0	0.00	0.00	260
10.0	-	25.6	9.13	73.2	63.4	178.4	257.8	469.3	795.9	973.8	1,384	1,339	1,161	-	-	
24.8	-	24.3	11.2	49.4	46.8	73.6	104.6	188.7	540.1	454.5	1,148	2,667	1,154	-	-	
14.1	21.2	-	12.6	53.9	12.2	142.8	197.9	405.8	676.8	787.2	793.3	1,622	1,043	-	-	
1.66	3.81	2.23	5.21	6.59	9.22	29.2	28.5	84.8	119.4	352.1	377.1	711.4	919.9	0.01	0.02	290-293
-	9.59	3.20	9.13	9.99	15.1	14.3	40.4	163.0	124.8	410.0	484.5	1,236	928.6	-	-	
-	-	12.2	11.2	12.3	-	29.5	13.1	212.3	209.1	511.4	407.4	1,667	2,115	-	-	
14.1	7.07	6.54	-	23.9	30.5	50.0	58.7	114.5	152.5	510.6	581.0	810.8	1,217	-	0.03	
35.8	33.9	122.7	111.0	433.4	406.3	1,675	1,260	6,244	4,927	18,720	16,795	43,928	41,182	0.05	0.04	330-334
46.7	48.0	140.7	167.4	565.8	612.9	2,198	1,902	7,933	6,935	25,130	22,915	55,012	56,368	-	0.02	
24.8	46.6	158.0	134.7	456.8	514.6	1,915	1,582	5,943	5,871	18,182	17,556	43,000	46,923	0.06	0.06	
35.3	35.4	111.1	220.8	424.9	580.3	1,670	1,752	5,983	5,825	16,064	17,201	39,189	35,304	0.06	0.07	
4.31	8.66	13.7	26.7	27.4	50.2	39.5	51.8	36.9	30.7	20.0	13.7	-	11.5	0.00	-	345
-	6.39	25.6	18.3	53.3	66.4	71.4	59.0	32.6	73.1	51.3	18.2	103.0	-	-	-	
-	11.7	-	33.7	37.0	46.8	44.2	104.6	94.3	52.3	56.8	37.0	-	-	-	-	
7.06	14.1	13.1	69.4	47.9	67.2	78.5	58.7	62.4	57.2	42.6	-	-	-	-	-	
33.1	27.7	63.8	96.1	127.6	207.0	216.7	334.3	298.9	454.3	407.1	604.9	491.0	731.3	0.01	0.00	400-402, 410-416
50.0	48.0	70.4	146.1	123.2	292.9	249.7	366.7	293.3	447.4	546.7	601.1	412.1	510.7	-	-	
86.6	46.6	97.2	134.7	234.6	269.0	250.4	326.8	353.8	505.2	340.9	518.5	1,000	1,538	-	0.06	
35.3	49.5	78.4	94.6	137.6	226.0	149.9	212.6	301.8	268.0	723.4	651.4	1,081	782.6	-	-	
64.8	12.5	621.4	85.0	2,394	404.1	6,733	1,799	14,672	6,369	25,536	14,819	37,305	24,988	-	0.00	420
56.7	19.2	850.7	140.0	3,365	763.9	8,759	3,011	17,444	8,854	29,230	18,113	40,177	28,695	-	-	
86.6	-	838.4	112.2	2,691	666.7	8,115	2,405	16,392	7,805	26,364	15,889	37,000	30,192	-	-	
98.9	42.4	868.6	145.1	2,130	566.4	5,667	2,295	13,361	6,949	19,872	13,239	36,622	23,304	-	-	
23.9	18.0	59.6	36.1	173.4	95.4	670.1	354.3	3,051	2,086	13,886	11,838	49,880	48,209	0.04	0.03	421, 422, 430-434
26.7	28.8	73.6	48.7	163.1	132.8	560.1	450.6	2,920	2,482	14,060	12,414	55,630	53,675	0.06	-	
12.4	35.0	97.2	67.3	172.8	128.7	780.6	575.2	4,528	3,484	20,398	16,074	82,000	70,000	0.12	-	
49.4	21.2	111.1	50.5	347.1	317.7	1,221	821.1	6,191	4,623	22,851	18,151	83,243	70,522	-	-	
13.9	6.92	33.8	19.2	132.5	59.5	391.0	214.9	1,069	861.0	2,483	2,605	3,978	4,519	-	0.00	440-447
6.67	6.39	54.4	18.3	153.1	90.8	428.1	251.7	1,004	976.6	3,041	3,106	5,666	6,129	-	-	
24.8	-	72.9	11.2	123.5	93.6	427.1	281.4	896.2	923.3	3,182	3,185	5,000	5,000	-	-	
28.2	-	26.1	31.5	203.5	128.3	513.9	337.2	1,290	1,239	2,894	3,944	8,378	6,957	-	-	
12.6	22.5	37.3	38.8	118.0	89.7	471.0	286.0	1,653	1,056	5,717	4,321	18,443	14,548	0.03	0.01	450-468
6.67	16.0	32.0	45.7	109.8	96.8	417.4	239.3	1,499	912.1	5,757	4,089	18,367	17,365	-	-	
12.4	23.3	36.5	11.2	135.8	152.0	368.2	274.5	1,769	958.2	5,057	3,815	18,667	11,538	-	-	
-	28.3	52.3	37.9	137.6	61.1	349.8	212.6	1,197	1,010	4,851	3,732	17,973	18,087	-	-	
5.63	5.54	9.88	11.1	28.0	18.8	89.9	51.8	274.3	171.9	867.7	667.2	2,665	2,090	0.03	0.05	480-483
13.3	9.59	9.59	27.4	56.6	39.2	139.1	68.4	436.8	258.1	1,230	974.5	3,606	3,343	0.06	0.02	
-	11.7	24.3	33.7	74.1	23.4	294.6	156.9	754.7	714.3	3,011	2,778	12,000	9,231	0.12	0.19	
7.06	7.07	26.1	25.2	125.7	134.4	271.2	212.6	1,311	867.5	4,085	3,539	11,822	10,000	0.22	0.33	
23.2	20.1	48.1	42.0	180.3	113.8	601.8	346.1	2,344	1,477	9,443	6,500	30,110	22,421	2.44	1.71	490-493
16.7	38.4	44.8	63.9	203.0	78.5	506.6	270.4	1,623	1,045	8,611	4,581	19,264	15,276	2.87	2.16	
12.4	-	24.3	56.1	197.5	93.6	530.2	300.7	2,075	1,359	8,807	7,704	26,000	25,000	2.65	2.58	
28.2	49.5	78.4	50.5	197.5	134.4	556.7	454.5	1,769	1,401	5,340	4,613	16,216	14,435	2.33	2.40	
11.3	8.31	54.8	29.3	365.9	113.5	1,824	333.6	5,803	1,047	10,471	2,705	15,551	5,804	0.52	0.35	500-502
6.67	3.20	67.2	48.7	349.5	186.1	1,962	366.7	4,837	856.2	8,764	2,259	14,011	5,293	0.48	0.26	
-	-	97.2	56.1	469.1	187.1	2,548	483.7	5,778	1,794	8,523	3,667	17,000	8,269	-	0.06	
7.06	21.2	98.0	18.9	347.1	164.9	1,834	476.5	3,871	1,192	6,660	3,275	14,865	8,957	0.06	0.09	
10.6	6.58	24.5	25.4	84.7	42.3	289.4	71.5	720.8	163.0	1,338	424.0	2,515	1,636	0.		

APPENDIX A - continued

ICD No.	Causes of death	Country	SMR		Death rates per million population							
			All ages		All ages		1-4		5-14		15-24	
			M	F	M	F	M	F	M	F	M	F
550-553	Appendicitis	England and Wales	99	104	10.1	8.71	7.03	4.32	4.53	2.98	3.94	1.44
		Scotland	98	105	9.64	8.15	10.0	-	2.28	-	2.58	5.16
		Northern Ireland	72	37	6.94	2.64	-	-	7.17	7.55	-	-
		Irish Republic	124	38	13.1	2.79	15.7	8.25	-	3.54	8.37	-
560,561, 570	Intestinal obstruction and hernia	England and Wales	96	97	58.5	67.4	10.5	4.94	2.27	1.79	1.97	2.02
		Scotland	153	119	87.6	73.3	-	-	4.55	-	5.16	-
		Northern Ireland	106	124	61.1	68.6	15.4	-	-	-	-	-
		Irish Republic	72	101	47.6	58.6	7.87	-	-	-	-	-
543,571, 572	Gastritis and duodenitis, enteritis and colitis (except diarrhoea of newborn)	England and Wales	93	99	43.3	67.6	39.3	37.0	2.27	2.38	6.75	4.91
		Scotland	126	101	57.0	62.6	65.0	52.8	-	4.76	5.16	5.16
		Northern Ireland	109	82	51.4	47.5	30.8	48.9	-	7.55	-	-
		Irish Republic	161	117	80.1	70.5	47.2	41.3	6.71	3.54	8.37	13.3
561	Cirrhosis of liver	England and Wales	93	97	31.2	25.7	2.34	1.23	0.57	1.19	1.41	1.15
		Scotland	184	138	57.8	34.4	-	5.28	-	-	2.58	2.58
		Northern Ireland	76	131	22.2	29.0	-	-	-	7.55	-	-
		Irish Republic	79	70	24.9	15.4	-	-	-	-	-	-
564,565	Cholelithiasis, cholecystitis	England and Wales	103	97	15.4	29.6	-	-	-	-	0.28	-
		Scotland	113	145	15.7	38.9	-	-	-	-	-	-
		Northern Ireland	72	84	9.72	19.8	-	-	-	-	-	8.20
		Irish Republic	47	84	7.60	20.9	-	-	-	-	-	-
Rem. 530-587	Other digestive diseases	England and Wales	100	97	47.7	52.7	14.1	16.7	7.65	6.85	3.94	5.77
		Scotland	100	128	45.4	63.7	5.00	15.8	11.4	11.9	7.74	2.58
		Northern Ireland	97	135	43.0	60.7	15.4	32.6	-	-	16.2	8.20
		Irish Republic	109	90	53.2	41.9	31.5	8.25	-	-	-	4.45
590-594	Nephritis and nephrosis	England and Wales	94	95	63.8	50.5	3.52	1.85	4.25	2.98	16.3	11.3
		Scotland	87	89	55.4	43.7	10.0	-	9.10	4.76	18.1	15.5
		Northern Ireland	125	120	76.4	52.8	15.4	-	7.17	7.55	8.08	-
		Irish Republic	208	225	139.5	100.5	-	-	3.35	3.54	37.7	53.4
610	Hyperplasia of prostate	England and Wales	98	-	85.8	-	-	-	-	-	-	-
		Scotland	105	-	84.7	-	-	-	-	-	-	-
		Northern Ireland	97	-	79.2	-	-	-	-	-	-	-
		Irish Republic	115	-	116.7	-	-	-	-	-	-	-
600-609, 611-637	Other diseases of the genito-urinary system	England and Wales	100	98	75.2	107.3	6.44	4.32	1.98	2.38	3.94	7.22
		Scotland	112	130	78.7	127.0	5.00	10.6	4.55	14.3	-	-
		Northern Ireland	96	125	66.7	108.2	15.4	-	-	-	-	-
		Irish Republic	81	70	65.6	62.8	-	8.25	3.35	7.07	-	8.89
640-689	Complication of preg- nancy, childbirth, and the puerperium	England and Wales	-	98	-	9.03	-	-	-	-	-	18.8
		Scotland	-	97	-	8.89	-	-	-	-	-	15.5
		Northern Ireland	-	85	-	7.92	-	-	-	-	-	-
		Irish Republic	-	147	-	12.6	-	-	-	-	-	8.89
750-759	Congenital malformations	England and Wales	94	93	107.3	89.7	118.3	104.9	29.5	27.4	23.4	12.7
		Scotland	116	120	137.0	117.4	120.1	79.2	36.4	35.7	31.0	41.3
		Northern Ireland	135	140	186.1	159.7	138.7	130.5	21.5	30.2	16.2	32.8
		Irish Republic	141	142	185.1	166.8	125.9	140.3	40.3	38.9	37.7	8.89
760-776	Certain diseases of early infancy	England and Wales	97	96	212.0	137.1	1.17	-	-	-	-	-
		Scotland	114	118	262.3	172.2	-	-	-	-	-	-
		Northern Ireland	115	135	325.0	242.8	-	-	-	-	-	-
		Irish Republic	118	114	307.3	210.1	-	-	-	-	-	-
Rem. 210-795	All other diseases	England and Wales	88	95	324.3	464.1	99.6	75.9	51.5	40.5	93.4	61.2
		Scotland	82	88	284.4	379.1	105.1	63.3	56.9	59.5	64.5	69.6
		Northern Ireland	99	93	344.4	358.9	138.7	65.3	71.7	37.7	137.4	41.0
		Irish Republic	237	231	935.6	939.6	149.5	82.5	33.5	60.1	83.7	40.0
E963, E970-E979	Suicide	England and Wales	105	107	120.7	88.0	-	-	0.85	0.30	68.4	29.7
		Scotland	92	78	100.0	60.7	-	-	-	-	54.2	28.4
		Northern Ireland	65	65	65.3	46.2	-	-	-	-	32.3	41.0
		Irish Republic	35	17	35.9	11.9	-	-	-	-	8.37	8.89
E810-E845	Motor vehicle and other road transport accidents	England and Wales	100	102	229.0	88.6	99.0	59.2	100.5	47.6	450.8	87.2
		Scotland	102	101	230.5	84.4	115.1	95.0	100.1	47.6	345.8	103.2
		Northern Ireland	119	105	269.4	84.4	215.7	114.2	129.0	45.3	355.7	114.8
		Irish Republic	90	63	205.1	51.7	70.8	33.0	83.9	42.4	209.2	26.7
E870- E936 Pt.	Accidents in the home and residential institutions	England and Wales	98	97	119.2	189.6	105.5	98.1	18.4	10.4	31.8	10.1
		Scotland	164	137	190.4	236.2	105.1	100.3	27.3	7.14	15.5	18.1
		Northern Ireland	92	91	109.7	142.5	61.6	48.9	14.3	22.6	24.3	16.4
		Irish Republic	85	100	111.2	168.2	70.8	99.0	13.4	10.6	8.37	4.45
Rem. E900-E995	Other violence	England and Wales	93	102	131.6	53.6	62.1	29.0	73.4	17.9	128.9	21.4
		Scotland	158	74	218.5	35.9	115.1	47.5	113.8	19.0	240.0	23.2
		Northern Ireland	99	90	134.7	40.9	154.1	-	50.2	22.6	105.1	32.8
		Irish Republic	121	123	167.8	58.6	62.9	49.5	83.9	31.8	146.4	13.3
Estimated mid-year population (in thousands)		England and Wales			23,392	24,683	1,707	1,621	3,531	3,359	3,554	3,464
		Scotland			2,490	2,701	200	189	440	420	388	388
		Northern Ireland			720	758	65	61	140	132	124	122
		Irish Republic			1,448	1,432	127	121	298	283	239	225

# APPENDIX A - continued

Death rates per million population														Deaths under 1 year per thousand live births		ICD No.
25-34		35-44		45-54		55-64		65-74		75-84		85 and over		M	F	
M	F	M	F	M	F	M	F	M	F	M	F	M	F			
2.98	2.77	2.87	2.93	9.56	5.09	14.6	11.8	36.2	22.3	70.1	49.5	80.2	57.7	0.00	0.00	550-553
-	3.20	-	3.04	13.3	3.02	7.14	9.32	84.7	12.9	17.1	91.1	-	46.4	-	-	
-	-	-	-	12.0	-	7.14	7.33	62.4	9.53	85.1	37.0	270.3	-	0.06	-	
1.99	2.08	6.38	6.84	23.4	18.4	77.1	54.1	227.8	204.5	679.1	500.8	1,363	1,020	0.30	0.20	560,561, 570
-	-	12.8	21.3	39.9	15.1	139.1	59.0	391.1	223.7	104.2	728.6	2,060	1,207	0.36	0.19	
12.4	-	24.3	11.2	12.3	58.5	103.1	26.1	283.0	191.6	681.8	814.8	1,333	961.5	0.23	0.38	
-	-	19.6	12.6	12.0	18.3	92.8	88.0	176.9	257.4	489.4	493.0	675.7	956.5	0.16	0.03	543,571, 572
6.63	7.62	8.29	12.4	18.8	24.5	59.9	56.1	139.1	156.8	287.0	460.7	671.3	981.5	0.44	0.31	
16.7	-	16.0	30.4	36.6	27.2	60.7	62.2	176.0	103.3	392.9	428.1	618.1	789.3	0.66	0.60	
-	23.3	-	22.4	24.7	11.7	73.6	52.3	165.1	87.1	113.6	296.3	1,000	384.6	0.92	0.50	581
-	-	26.1	6.31	35.9	24.4	57.1	51.3	135.3	114.4	297.9	404.9	270.3	782.6	1.84	1.20	
3.64	2.77	15.3	9.77	45.5	28.9	80.8	49.5	129.4	90.4	135.2	104.9	200.4	65.4	0.00	0.00	
3.33	6.39	22.4	18.3	99.9	27.2	167.7	77.7	247.7	142.0	290.4	109.3	309.1	185.7	-	-	584,585
-	11.7	12.2	11.2	23.4	58.9	78.4	212.3	122.0	113.6	111.1	-	-	192.3	-	-	
-	-	6.54	12.6	53.9	18.3	85.7	44.0	93.7	76.3	106.4	52.8	-	-	-	-	
-	1.73	1.91	1.63	3.30	8.58	20.5	23.3	69.9	80.2	223.6	257.7	440.9	542.7	0.00	-	Rem. 530-587
-	-	-	6.09	-	9.06	32.1	37.3	78.2	137.7	273.3	355.2	206.0	789.3	-	-	
-	-	12.2	-	-	-	-	26.1	47.2	69.7	170.5	222.2	333.3	384.6	-	-	
-	7.07	6.31	5.98	6.11	14.3	14.7	31.2	76.3	63.8	176.1	270.3	608.7	-	-	-	590-594
5.96	6.58	18.8	11.7	33.0	26.4	83.7	62.0	202.5	157.4	362.1	301.2	511.0	615.9	0.14	0.12	
10.0	3.20	12.8	21.3	49.9	36.2	92.8	74.6	163.0	223.7	307.5	409.9	824.1	835.8	0.10	0.09	
42.4	-	12.2	33.7	37.0	70.2	103.1	52.3	141.5	156.8	284.1	592.6	1,000	769.2	0.17	0.06	610
-	6.54	18.9	65.8	18.3	78.5	88.0	312.2	162.1	276.6	316.9	135.1	260.9	-	0.07	-	
28.8	11.8	39.5	24.4	67.9	42.0	111.4	72.5	221.3	127.8	432.2	268.7	811.6	485.0	0.02	0.01	
26.7	12.8	44.8	21.3	89.9	18.1	103.5	68.4	143.4	137.7	392.9	245.9	721.1	510.7	0.02	0.02	600-609, 611-637
74.3	35.0	24.3	-	74.1	46.8	147.3	65.4	306.6	174.2	454.5	444.4	2,333	769.2	-	0.06	
35.3	49.5	58.8	37.9	113.7	48.9	278.4	161.3	457.9	343.2	1,128	669.0	3,108	1,130	-	0.03	
-	-	0.64	-	4.61	-	42.0	-	291.2	-	1,510	-	5,220	-	-	-	640-689
-	-	-	-	3.33	-	32.1	-	247.7	-	1,760	-	6,181	-	-	-	
-	-	-	-	-	-	29.5	-	259.4	-	1,761	-	4,333	-	-	-	
-	-	-	-	5.98	-	35.7	-	312.2	-	2,000	-	5,270	-	-	-	750-759
8.94	16.3	19.1	32.2	38.2	56.0	89.9	97.4	286.6	277.5	927.7	768.7	2,515	1,740	0.06	0.03	
23.3	12.8	25.6	33.5	39.9	87.6	85.6	167.8	254.2	378.6	1,093	947.2	2,678	2,043	0.26	0.02	
-	23.3	12.2	33.7	24.7	70.2	117.8	209.2	283.0	278.7	511.4	888.9	4,667	2,500	0.06	0.13	760-776
-	-	6.54	25.2	18.0	116.1	107.1	80.6	260.1	257.4	638.3	264.1	2,162	695.7	0.12	0.03	
-	36.7	-	16.3	-	0.64	-	-	-	-	-	-	-	-	-	-	
-	28.8	-	27.4	-	-	-	-	-	-	-	-	-	-	-	-	760-776
-	58.3	-	11.2	-	-	-	-	-	-	-	-	-	-	-	-	
-	56.6	-	50.5	-	-	-	-	-	-	-	-	-	-	-	-	
16.9	13.8	20.1	16.3	32.0	30.2	40.9	23.6	38.8	31.6	43.4	38.4	60.1	38.5	3.90	3.70	760-776
30.0	9.59	22.4	30.4	23.3	24.2	28.5	18.6	19.6	30.1	34.2	27.3	-	-	5.08	5.00	
24.8	-	24.3	22.4	12.3	46.8	73.6	26.1	-	17.4	-	74.1	-	-	6.35	5.91	
14.1	28.3	19.6	6.31	41.9	6.11	35.7	51.3	-	9.53	-	-	-	87.0	6.66	6.47	760-776
-	-	-	-	-	-	-	-	-	-	-	-	-	-	11.3	8.20	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	13.1	9.94	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	13.5	11.6	760-776
-	-	-	-	-	-	-	-	-	-	-	-	-	-	13.8	10.0	
76.5	75.1	115.1	113.7	199.7	220.3	441.4	414.6	984.1	944.3	2,646	2,667	11,052	11,493	0.66	0.56	
133.4	111.9	137.5	115.7	183.1	223.4	460.2	438.2	893.1	833.6	2,375	2,313	6,696	7,708	0.58	0.75	
160.9	81.6	170.1	112.2	271.6	210.5	515.5	498.7	1,250	1,045	2,614	2,556	7,667	9,808	0.35	0.31	
84.7	99.0	156.9	164.0	347.1	329.9	720.9	674.5	2,237	1,697	9,340	7,746	57,162	42,957	1.06	0.40	E963, E970-E979
102.7	61.6	147.3	93.5	179.3	147.8	232.0	160.7	265.3	195.5	312.0	154.4	290.6	103.9	-	-	
90.0	60.7	118.3	73.0	166.4	117.7	264.0	130.5	163.0	90.3	222.1	54.6	206.0	92.9	-	-	
74.3	58.3	121.5	78.6	123.5	58.5	147.3	130.7	141.5	34.8	56.8	37.0	-	-	-	-	E810-E845
42.4	14.1	26.1	6.31	59.8	12.2	71.4	44.0	166.5	38.1	63.8	-	135.1	-	-	-	
193.1	35.7	158.1	40.1	178.0	67.4	226.9	100.4	300.2	187.5	702.5	332.7	941.9	250.2	0.03	0.02	
243.4	28.8	243.1	54.8	203.0	72.5	303.3	77.7	286.8	159.2	563.8	309.7	103.0	139.3	-	-	E870-E936 Pt.
222.8	-	170.1	33.7	321.0	93.6	324.0	104.6	400.9	139.4	1,023	296.3	666.7	384.6	0.06	-	
247.2	35.4	241.8	25.2	245.4	73.3	264.1	73.3	437.0	104.9	340.4	123.2	675.7	260.9	-	-	
39.1	22.5	42.4	30.3	67.9	53.7	100.5	100.0	242.6	301.1	1,091	1,426	3,597	4,842	0.71	0.52	Rem. E800-E999
73.3	28.8	127.9	76.1	129.8	90.6	182.0	136.7	436.8	395.8	1,350	1,858	5,872	7,197	1.61	1.07	
24.8	-	72.9	33.7	24.7	23.4	103.1	26.1	235.8	191.6	1,364	1,481	4,000	6,923	0.40	0.38	
49.4	35.4	52.3	31.5	41.9	55.0	107.1	73.3	208.1	390.8	702.1	1,637	4,054	4,348	0.81	0.40	Rem. E800-E999
129.5	18.3	131.3	25.1	140.7	28.9	162.6	36.4	161.1	78.4	307.0	297.8	931.9	919.9	0.13	0.11	
246.7	22.4	249.4	15.2	266.2	33.2	281.9	49.7	195.6	47.3	358.8	127.5	206.0	92.9	0.16	0.11	
74.3	-	97.2	11.2	111.1	-	191.5	-	259.4	69.7	738.6	444.4	166.7	1,154	0.12	0.06	Rem. E800-E999
169.5	42.4	215.7	31.5	185.5	42.8	249.8	51.3	291.4	114.4	404.3	228.9	270.3	1,043	0.09	0.13	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3,019	2,888	3,137	3,071	3,034	3,145	2,737	3,049	1,546	2,245	599	1,172	100	260	-	-	
300	313	313	329	300	331	280	322	153	232	59	110	10	22	-	-	
81	86	82	89	81	86	68	76	42	57	18	27	3	5	-	-	
142	141	153	158	167	164	140	136	96	105	47	57	7	12	-	-	

## APPENDIX B. Abridged life table, 1966

England and Wales

Apart from its use as a basis for calculations of probabilities of death or survival, the life table represents one useful way of providing summary indices of mortality free from peculiarities in the sex and age structure of the population. These summary indices, whether it be the number surviving out of the specified number of births or the expectation of life beyond a specified age, are sex and age standardised. They summarise the individual age death rates for each sex. For this particular purpose the following life table has been constructed from the mortality experience of 1966. Though the functions are summary indices of the mortality of a particular year they will by the same token be sensitive to fluctuations in mortality from one year to another as a result of changes in the weather conditions, irregular incidence of epidemics, etc., and they are not reliable as a basis for calculations of the probabilities of survival over a period of years. Life table functions for use in such computations should be representative of the current level of mortality and should therefore be based on more than one year's experience. For this latter purpose another life table has been constructed based on the three years 1964 to 1966, a larger body of data more representative of the general mortality of recent years; this has been published in the *Registrar General's Quarterly Return* for the June Quarter, 1967, No. 474 and will be published in Part II of the *Statistical Review* for 1966.

Males		Age $x$	Females	
$l_x$	$^o e_x$		$l_x$	$^o e_x$
10,000	68.4	0	10,000	74.7
9,786	68.9	1	9,835	74.9
9,772	68.0	2	9,823	74.0
9,764	67.1	3	9,816	73.1
9,757	66.1	4	9,811	72.1
9,751	65.2	5	9,807	71.1
9,729	60.3	10	9,792	66.2
9,709	55.4	15	9,780	61.3
9,657	50.7	20	9,760	56.4
9,607	46.0	25	9,738	51.5
9,562	41.2	30	9,710	46.7
9,507	36.4	35	9,671	41.9
9,422	31.7	40	9,610	37.1
9,281	27.1	45	9,509	32.5
9,044	22.8	50	9,349	28.0
8,632	18.7	55	9,101	23.7
7,960	15.1	60	8,744	19.6
6,935	12.0	65	8,203	15.7
5,557	9.3	70	7,357	12.2
3,951	7.1	75	6,112	9.2
2,337	5.3	80	4,426	6.7
1,030	3.8	85	2,525	4.9

This abridged life table is constructed from the estimated home population and the total deaths in the year 1966.

The column headed  $l_x$  shows, for each sex, the numbers who would survive to exact age  $x$  out of 10,000 born who were subject throughout their lives to the recorded age death rates of the period.

Column  $^o e_x$  is the "expectation of life", that is, the average future lifetime which would be lived by persons aged exactly  $x$ , if likewise subject to those death rates.

**APPENDIX C1. Tuberculosis of the respiratory system, death rates per million living, by sex and age, 1957 to 1966**

England and Wales

Year	Age-group										
	0-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75 and over
<b>Males</b>											
1957	3	-	2	3	12	40	105	193	410	605	436
1958	3	1	2	6	13	38	85	166	401	572	416
1959	4	-	-	2	6	31	73	141	325	528	480
1960	1	-	-	3	1	19	55	121	297	493	437
1961	3	-	1	-	3	12	57	118	270	477	418
1962	1	1	-	1	3	11	45	96	249	487	409
1963	1	1	-	2	1	10	49	99	239	412	435
1964	1	-	1	2	3	8	34	87	183	363	411
1965	1	-	1	1	2	5	27	68	160	335	353
1966	2	-	-	1	1	6	25	69	177	314	396
<b>Females</b>											
1957	4	1	-	6	12	70	75	53	55	80	91
1958	3	1	-	6	14	48	58	51	69	99	101
1959	4	1	1	2	7	33	44	46	53	86	95
1960	3	1	1	3	3	26	40	42	44	77	91
1961	-	-	-	2	4	21	39	44	52	70	93
1962	1	1	-	1	2	17	31	38	49	68	82
1963	1	1	-	-	3	14	31	36	40	49	77
1964	3	-	1	1	1	9	25	25	33	48	76
1965	1	-	1	1	3	4	20	28	35	52	79
1966	1	-	-	1	1	6	22	30	41	54	71

**APPENDIX C2. Tuberculosis of the respiratory system, notification rates\* per 100,000 living, by sex and age, 1956 to 1966**

England and Wales

Year	Age-group							
	All ages	0-4	5-14	15-24	25-34	35-44	45-64	65 and over
<b>Males</b>								
1957	82	26	23	99	97	90	114	87
1958	76	25	21	89	86	81	108	87
1959	70	21	17	70	79	79	102	89
1960	60	24	15	59	65	68	89	77
1961	55	18	14	48	59	61	84	74
1962	52	18	14	44	60	59	77	69
1963	47	18	13	39	55	51	68	63
1964	43	16	13	34	50	49	63	62
1965	39	14	11	29	45	43	59	55
1966	35	12	10	27	38	38	53	56
<b>Females</b>								
1957	49	30	27	116	90	55	29	17
1958	43	25	24	97	79	47	26	17
1959	39	22	19	83	69	49	25	16
1960	33	20	18	63	60	39	23	15
1961	29	18	16	52	50	37	21	14
1962	26	18	16	43	44	32	19	14
1963	24	15	15	38	38	31	18	12
1964	21	15	12	30	34	27	16	12
1965	18	14	11	25	30	25	14	11
1966	17	11	11	23	28	23	13	11

\*Notifications of tuberculosis used in this and subsequent tables for 1956 onwards are those returned to the General Register Office, and not, as in previous years, those returned to the Ministry of Health. There is a small but insignificant difference between the figures from the two sources. Cases of unstated age are omitted.

APPENDIX C3. Tuberculosis of respiratory system, death rates per million living, by sex and age, notification ratios (notification per 100 deaths) and Standardised Mortality Ratios, 1966

England and Wales, regions, Wales, conurbations, urban and rural aggregates and hospital regions

Area	Males								Females								Persons	
	All ages	0-	5-	15-	25-	45-	65 and over	SMR	All ages	0-	5-	15-	25-	45-	65 and over	SMR	All ages	Notification ratio
ENGLAND AND WALES	67	2	-	1	15	120	339	100	22	1	-	1	14	35	61	100	43	591
Regions and conurbations:																		
Northern	93	-	-	-	21	174	498	144	28	-	-	-	19	59	70	140	60	505
Tyneside Conurbation	92	-	-	-	27	153	524	143	39	-	-	-	18	75	116	189	65	636
Remainder of Northern	95	-	-	-	18	181	490	144	25	-	-	-	19	54	54	123	59	454
Yorkshire and Humberside	73	-	-	3	25	132	348	110	23	-	-	-	22	39	57	110	48	557
West Yorkshire Conurbation	80	-	-	9	42	131	356	118	22	-	-	-	14	38	57	100	50	681
Remainder of Yorkshire and Humberside	69	-	-	-	16	133	343	105	24	-	-	-	27	40	56	116	46	481
North Western	85	3	-	-	12	176	396	128	23	-	-	2	20	40	54	107	53	495
South East Lancashire Conurbation	87	9	-	-	16	193	367	134	20	-	-	6	20	36	37	94	53	581
Merseyside Conurbation	99	-	-	-	18	167	675	166	28	-	-	-	18	41	100	138	62	499
Remainder of North Western	76	-	-	-	6	166	310	108	23	-	-	-	20	43	47	104	49	415
East Midland	48	7	-	4	5	93	252	74	16	7	-	-	7	20	61	75	32	620
West Midland	75	4	-	3	15	134	483	126	23	-	-	5	22	36	66	118	49	606
West Midlands Conurbation	85	9	-	5	18	149	555	144	27	-	-	11	35	30	71	135	56	734
Remainder of West Midland	67	-	-	-	11	121	421	109	20	-	-	-	9	42	62	101	43	453
East Anglia	42	-	-	-	15	54	235	60	18	-	-	-	5	21	71	81	30	536
South Eastern	55	3	-	1	15	90	285	81	20	1	-	-	8	32	62	91	37	741
Greater London	70	6	-	2	20	106	377	102	22	-	-	-	10	38	64	100	45	815
Outer Metropolitan Area	40	-	-	-	9	72	249	66	19	4	-	-	6	35	70	96	29	669
Remainder of South Eastern	44	-	-	-	12	79	181	58	17	-	-	-	9	18	54	70	30	612
South Western	50	-	-	-	7	89	244	70	18	-	-	-	14	21	57	81	34	472
Wales	95	-	-	-	32	171	431	137	25	-	-	-	12	52	59	114	59	436
Wales I (South East)	96	-	-	-	40	169	442	142	25	-	-	-	12	61	52	122	60	441
Wales II (remainder)	95	-	-	-	11	174	408	126	23	-	-	-	11	29	72	98	57	423
Urban/Rural aggregates:																		
Conurbations	79	5	-	2	21	134	426	121	24	-	-	2	17	39	65	111	51	710
Areas outside conurbations:																		
Urban areas with populations of 100,000 and over	82	4	-	-	10	170	403	126	27	4	-	-	11	52	72	124	54	575
Urban areas with populations of 50,000 and under 100,000	64	-	-	-	20	128	308	99	21	-	-	-	15	37	51	96	42	504
Urban areas with populations under 50,000	64	-	-	1	15	118	301	92	18	2	-	-	12	28	50	82	40	475
Rural districts	41	-	-	-	8	66	235	61	18	-	-	-	12	25	64	87	30	493
Hospital regions																		
Newcastle	97	-	-	-	22	181	507	149	29	-	-	-	21	61	66	141	62	514
Leeds	69	-	-	4	32	119	317	103	21	-	-	-	15	31	63	97	44	594
Sheffield	61	5	-	3	7	117	315	93	22	5	-	-	18	35	59	104	41	535
East Anglia	40	-	-	-	14	52	224	57	17	-	-	-	5	20	67	77	28	557
North West Metropolitan	53	5	-	-	13	105	230	78	22	-	-	-	9	42	57	99	37	940
North East Metropolitan	57	-	-	-	22	86	305	84	15	-	-	-	7	30	38	69	36	777
South East Metropolitan	58	7	-	-	7	93	332	86	24	-	-	-	12	27	91	108	41	618
South West Metropolitan	59	-	-	4	23	89	309	87	21	-	-	-	9	36	63	96	40	630
Wessex	51	-	-	-	8	95	254	75	19	-	-	-	12	28	58	86	34	521
Oxford	39	-	-	-	9	41	267	57	18	13	-	-	4	12	81	81	28	786
South Western	50	-	-	-	5	92	235	70	15	-	-	-	8	20	49	68	32	501
Welsh	95	-	-	-	32	171	431	137	25	-	-	-	12	52	59	114	59	436
Birmingham	75	4	-	3	15	134	483	126	23	-	-	5	22	36	66	118	49	606
Manchester	80	5	-	-	9	180	322	118	21	-	-	3	20	39	36	94	49	534
Liverpool	94	-	-	-	18	176	589	157	27	-	-	-	18	43	92	135	59	426

**APPENDIX C4. Tuberculosis of respiratory system, notification rates per 100,000 living, by sex and age, and Standardised Notification Ratios, 1966**

England and Wales, regions, Wales conurbations, urban and rural aggregates and hospital regions

Area	Males								Females								Persons
	All ages	0-	5-	15-	25-	45-	65 and over	SNR	All ages	0-	5-	15-	25-	45-	65 and over	SNR	
<b>ENGLAND AND WALES</b>	<b>35</b>	<b>12</b>	<b>10</b>	<b>27</b>	<b>38</b>	<b>53</b>	<b>56</b>	<b>100</b>	<b>17</b>	<b>11</b>	<b>11</b>	<b>23</b>	<b>25</b>	<b>13</b>	<b>11</b>	<b>100</b>	<b>26</b>
<b>Regions and conurbations:</b>																	
<b>Northern</b>	<b>40</b>	<b>16</b>	<b>11</b>	<b>29</b>	<b>38</b>	<b>67</b>	<b>71</b>	<b>116</b>	<b>21</b>	<b>11</b>	<b>11</b>	<b>27</b>	<b>32</b>	<b>19</b>	<b>13</b>	<b>126</b>	<b>30</b>
Tyneside Conurbation	56	21	19	42	53	86	102	160	28	25	22	31	47	18	15	166	41
Remainder of Northern	35	14	9	25	33	60	60	101	19	7	7	26	27	20	13	112	27
<b>Yorkshire and Humberside</b>	<b>39</b>	<b>9</b>	<b>12</b>	<b>31</b>	<b>44</b>	<b>62</b>	<b>48</b>	<b>111</b>	<b>15</b>	<b>9</b>	<b>8</b>	<b>21</b>	<b>24</b>	<b>11</b>	<b>9</b>	<b>90</b>	<b>26</b>
West Yorkshire Conurbation	51	14	20	51	74	64	38	143	19	15	11	35	30	10	11	114	34
Remainder of Yorkshire and Humberside	32	7	7	21	27	61	54	92	13	5	6	14	21	13	7	76	22
<b>North Western</b>	<b>37</b>	<b>9</b>	<b>6</b>	<b>29</b>	<b>40</b>	<b>57</b>	<b>62</b>	<b>105</b>	<b>17</b>	<b>11</b>	<b>9</b>	<b>23</b>	<b>27</b>	<b>12</b>	<b>10</b>	<b>101</b>	<b>26</b>
South East Lancashire Conurbation	43	7	9	35	52	63	71	124	19	14	8	30	34	12	10	115	31
Merseyside Conurbation	41	16	7	26	41	77	77	123	21	14	16	22	32	21	14	128	31
Remainder of North Western	29	7	4	24	28	44	51	81	12	7	7	18	20	8	9	75	20
<b>East Midland</b>	<b>26</b>	<b>11</b>	<b>6</b>	<b>28</b>	<b>23</b>	<b>40</b>	<b>39</b>	<b>74</b>	<b>14</b>	<b>9</b>	<b>7</b>	<b>22</b>	<b>20</b>	<b>12</b>	<b>7</b>	<b>82</b>	<b>20</b>
<b>West Midland</b>	<b>40</b>	<b>21</b>	<b>17</b>	<b>33</b>	<b>45</b>	<b>55</b>	<b>60</b>	<b>117</b>	<b>19</b>	<b>20</b>	<b>17</b>	<b>24</b>	<b>27</b>	<b>13</b>	<b>14</b>	<b>115</b>	<b>30</b>
West Midlands Conurbation	57	34	25	48	67	74	78	165	25	31	24	31	35	14	14	146	41
Remainder of West Midland	25	9	11	19	25	38	44	72	14	10	10	17	20	12	14	86	20
<b>East Anglia</b>	<b>21</b>	<b>6</b>	<b>7</b>	<b>17</b>	<b>15</b>	<b>37</b>	<b>31</b>	<b>58</b>	<b>11</b>	<b>2</b>	<b>4</b>	<b>17</b>	<b>19</b>	<b>11</b>	<b>8</b>	<b>69</b>	<b>16</b>
<b>South Eastern</b>	<b>37</b>	<b>11</b>	<b>11</b>	<b>25</b>	<b>43</b>	<b>53</b>	<b>59</b>	<b>105</b>	<b>18</b>	<b>12</b>	<b>13</b>	<b>24</b>	<b>27</b>	<b>14</b>	<b>12</b>	<b>109</b>	<b>27</b>
Greater London	52	17	19	31	61	68	83	143	23	19	21	30	37	16	12	140	37
Outer Metropolitan Area	26	7	6	23	30	40	41	76	13	7	7	18	18	11	12	78	20
Remainder of South Eastern	23	6	4	16	24	39	37	66	14	7	8	18	20	12	11	84	18
<b>South Western</b>	<b>21</b>	<b>10</b>	<b>4</b>	<b>20</b>	<b>19</b>	<b>32</b>	<b>33</b>	<b>59</b>	<b>11</b>	<b>6</b>	<b>6</b>	<b>17</b>	<b>16</b>	<b>12</b>	<b>7</b>	<b>70</b>	<b>16</b>
<b>Wales</b>	<b>38</b>	<b>4</b>	<b>11</b>	<b>20</b>	<b>32</b>	<b>65</b>	<b>81</b>	<b>107</b>	<b>14</b>	<b>8</b>	<b>10</b>	<b>16</b>	<b>20</b>	<b>14</b>	<b>11</b>	<b>86</b>	<b>26</b>
Wales I (South East)	40	4	12	24	34	68	82	113	14	10	10	17	20	11	8	82	26
Wales II (remainder)	33	6	7	11	27	55	79	93	16	3	9	13	19	21	16	98	24
<b>Urban and rural aggregates:</b>																	
Conurbations	50	18	17	37	60	69	76	143	22	19	18	30	35	15	12	135	36
Areas outside conurbations:																	
Urban areas with populations of 100,000 and over	42	12	9	35	42	69	68	120	20	12	10	27	30	19	13	121	31
Urban areas with populations of 50,000 and under 100,000	29	6	6	25	33	50	37	85	13	6	10	21	16	12	10	80	21
Urban areas with populations under 50,000	26	8	5	19	24	44	47	75	12	6	7	16	19	11	9	75	19
Rural districts	19	6	7	14	16	29	36	53	11	6	5	14	17	10	8	65	15
<b>Hospital regions:</b>																	
Newcastle	42	17	12	30	40	69	74	122	22	12	12	28	34	20	14	132	32
Leeds	38	8	11	31	49	55	47	108	15	9	9	24	25	11	8	92	26
Sheffield	30	11	8	29	26	51	41	86	14	8	6	19	22	12	8	84	22
East Anglia	21	6	7	17	15	37	32	58	11	2	4	18	18	10	7	67	16
North West Metropolitan	47	17	16	32	68	59	58	133	23	20	17	30	36	17	11	137	35
North East Metropolitan	37	9	15	25	36	57	68	105	19	14	15	29	27	13	12	113	28
South East Metropolitan	35	10	7	20	33	58	68	98	16	5	9	20	25	13	12	96	25
South West Metropolitan	34	10	8	26	43	48	47	97	16	9	13	22	23	12	12	98	25
Wessex	24	8	4	15	20	39	50	67	13	13	7	17	16	9	13	76	18
Oxford	29	14	14	27	31	36	43	81	16	9	12	14	25	14	11	95	22
South Western	22	8	3	21	19	35	34	61	11	4	6	18	15	12	6	68	16
Welsh	38	4	11	20	32	65	81	107	14	8	10	16	20	14	11	86	26
Birmingham	40	21	17	33	45	55	60	117	19	20	17	24	27	13	14	115	30
Manchester	37	7	7	31	42	55	62	106	16	11	7	25	28	10	10	98	26
Liverpool	34	12	5	22	34	64	64	102	17	10	12	19	26	16	12	103	25

**APPENDIX D. Cancer, Standardised Mortality  
Ratios by sex for selected sites, 1966**

**England and Wales, regions, Wales,  
conurbations, urban and rural  
aggregates and hospital regions**

Area	All sites (140-205)		Buccal cavity and pharynx (140-148)		Oesophagus (150)		Stomach (151)		Intestine and rectum (152-154)		Larynx (161)		Trachea, bronchus and lung (162, 163)	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>ENGLAND AND WALES</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>
<b>Regions:</b>														
Northern	105	102	124	114	115	121	114	116	113	107	108	90	102	94
Yorkshire and Humberside	97	100	107	98	82	83	98	112	101	102	103	123	95	85
North Western	105	102	123	115	114	103	116	123	102	107	111	107	106	101
East Midland	92	98	98	110	102	114	100	99	96	95	76	69	87	86
West Midland	100	101	111	88	98	102	101	115	110	107	126	84	99	82
East Anglia	88	95	100	68	81	76	96	85	101	96	87	95	78	80
South Eastern	103	101	81	94	97	91	88	86	95	96	95	96	110	121
South Western	91	96	104	87	106	114	95	77	98	97	93	124	83	86
Wales	97	99	107	138	101	135	132	121	103	97	94	113	86	69
<b>Conurbations:</b>														
Tyneside	118	100	132	129	143	108	117	124	130	100	127	152	123	109
West Yorkshire	99	101	94	105	86	93	96	122	95	95	125	99	100	83
South East Lancashire	111	105	111	128	102	98	124	121	106	111	143	159	112	101
Merseyside	116	102	117	135	164	84	112	116	100	106	87	47	134	142
West Midlands	106	102	103	83	88	105	103	118	114	112	129	57	110	90
Greater London	109	102	79	86	102	95	93	90	93	98	99	94	123	137
<b>Urban and rural aggregates:</b>														
Conurbations	109	102	94	100	105	96	102	105	100	102	112	99	118	119
<i>Areas outside conurbations:</i>														
Urban areas with populations of 100,000 and over	108	105	125	94	105	105	117	113	102	105	99	116	109	100
Urban areas with populations of 50,000 and under 100,000	102	99	109	96	93	85	100	97	113	104	100	147	102	97
Urban areas with populations under 50,000	97	99	100	109	101	101	100	96	103	99	104	87	91	83
Rural Districts	84	94	91	97	92	111	88	89	90	93	78	84	76	87
<b>Hospital regions:</b>														
Newcastle	105	100	123	110	116	118	115	114	112	104	103	86	102	91
Leeds	98	106	109	112	94	96	96	116	98	106	115	134	96	92
Sheffield	92	95	101	107	85	99	99	102	101	97	79	78	87	81
East Anglia	88	96	98	69	88	75	97	85	99	98	91	90	78	80
North West Metropolitan	98	93	78	85	90	87	79	78	87	83	67	81	108	126
North East Metropolitan	105	94	66	68	98	85	102	93	89	93	116	80	112	107
South East Metropolitan	109	112	96	128	116	87	96	95	106	114	105	138	116	127
South West Metropolitan	106	109	73	94	97	104	82	82	94	106	112	69	116	147
Wessex	104	100	102	109	103	95	86	85	113	97	111	152	100	89
Oxford	88	86	74	54	70	85	79	78	87	74	56	112	85	90
South Western	92	99	110	91	108	122	97	79	97	100	92	110	83	88
Wales	97	99	107	138	101	135	132	121	103	97	94	113	86	69
Birmingham	100	101	111	88	98	102	101	115	110	107	126	84	99	82
Manchester	104	103	128	119	102	109	117	129	104	107	124	116	100	90
Liverpool	112	102	116	110	145	91	118	114	102	108	85	86	123	126

Appendix D - continued

Area	Breast (170)		Cervix uteri (171)	Other parts of uterus (172- 174)	Pros- tate (177)	Bladder (181.0,8)		Bone (including jaw bone) (196)		Lympho- sarcoma reticul- sarcoma (200)		Hodgkin's disease (201)		Leukaemia and aleukaemia (204)	
	M	F	F	F	M	M	F	M	F	M	F	M	F	M	F
<b>ENGLAND AND WALES</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>
<b>Regions:</b>															
Northern	133	96	126	95	89	103	106	133	104	92	97	89	113	88	92
Yorkshire and Humberside	71	95	124	101	91	102	108	103	133	98	96	112	95	96	104
North Western	95	93	113	99	97	101	101	106	105	94	74	94	123	96	89
East Midland	73	96	109	110	95	109	82	88	148	95	86	103	128	94	96
West Midland	103	106	94	114	94	93	86	82	81	99	87	86	107	94	98
East Anglia	143	98	110	111	103	82	87	112	130	75	76	132	98	70	104
South Eastern	103	106	81	91	106	108	111	95	87	116	116	98	89	112	102
South Western	100	95	98	115	105	82	83	100	72	95	108	116	82	96	115
Wales	102	93	118	105	104	82	79	109	104	62	108	101	87	99	102
<b>Conurbations:</b>															
Tyneside	-	85	119	86	103	108	159	176	57	67	120	91	94	63	76
West Yorkshire	56	96	124	96	95	117	113	124	116	98	111	118	130	96	93
South East Lancashire	81	99	118	87	96	112	107	103	140	88	78	116	125	90	92
Merseyside	159	82	105	83	98	100	140	129	103	79	31	86	128	91	84
West Midlands	109	108	85	119	94	103	86	65	84	87	48	91	75	99	103
Greater London	132	103	80	90	99	113	116	101	72	114	124	92	87	112	108
<b>Urban and rural aggregates:</b>															
Conurbations	109	100	95	93	97	111	115	104	90	99	99	97	99	101	100
<b>Areas outside conurbations:</b>															
Urban areas with populations of 100,000 and over	56	108	127	94	95	112	100	94	126	110	103	94	110	103	89
Urban areas with populations of 50,000 and under 100,000	85	96	99	88	105	104	106	91	73	112	92	101	75	110	115
Urban areas with populations under 50,000	131	102	106	115	104	102	97	96	127	94	98	110	103	99	100
Rural districts	87	96	86	105	100	74	75	105	85	97	107	97	105	93	99
<b>Hospital regions:</b>															
Newcastle	143	94	122	88	88	98	106	143	104	83	102	88	117	86	85
Leeds	75	102	138	113	94	117	119	112	131	105	107	100	102	93	105
Sheffield	74	91	107	98	89	96	84	85	139	99	68	116	106	88	101
East Anglia	164	98	111	111	103	81	86	107	124	76	91	126	94	74	100
North West Metropolitan	110	97	72	87	87	109	107	100	93	109	98	81	114	103	107
North East Metropolitan	204	104	85	87	98	107	105	84	82	96	83	118	73	111	83
South East Metropolitan	99	114	85	101	126	111	118	114	112	111	153	92	84	112	102
South West Metropolitan	43	116	82	86	113	111	114	67	60	149	152	72	80	115	121
Wessex	50	113	94	91	119	99	111	117	58	109	129	140	117	120	102
Oxford	79	83	79	95	88	83	79	115	147	80	85	120	74	133	101
South Western	74	98	97	125	110	89	90	89	72	104	101	114	78	90	112
Wales	102	93	118	105	104	82	79	109	104	62	108	101	87	99	102
Birmingham	103	106	94	114	94	93	86	82	81	99	87	86	107	94	98
Manchester	84	97	120	108	98	102	97	90	110	97	74	101	120	104	85
Liverpool	121	86	103	83	98	104	115	142	95	93	75	85	135	85	99

**APPENDIX E. Diseases of the circulatory system and vascular lesions affecting the central nervous system, death rates per million living, by sex at ages 45-64 and 65 and over, 1966**

**England and Wales, regions, Wales, conurbations, urban and rural aggregates**

Area	Total		Vascular lesions affecting central nervous system (330-334)		Chronic rheumatic heart disease and chronic endocarditis (410-416, 421)		Arterio-sclerotic heart disease (420)		Myocardial degeneration (422)		Other diseases of heart (430-434)		Hypertension with or without heart disease (440-447)	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>Death rates at age 45-64</b>														
<b>ENGLAND AND WALES</b>	<b>13,986</b>	<b>7,304</b>	<b>1,022</b>	<b>827</b>	<b>256</b>	<b>295</b>	<b>4,451</b>	<b>1,090</b>	<b>115</b>	<b>79</b>	<b>206</b>	<b>117</b>	<b>255</b>	<b>136</b>
<b>Regions:</b>														
Northern	15,913	8,187	1,233	984	238	363	5,188	1,507	98	79	272	123	246	150
Yorkshire and Humberside	14,727	7,761	1,122	839	256	334	4,847	1,339	136	79	266	136	232	146
North Western	16,082	8,377	1,225	999	326	389	5,120	1,419	112	85	232	184	248	145
East Midland	13,277	7,341	1,043	867	288	328	4,056	1,066	95	74	243	110	281	149
West Midland	14,198	7,357	1,101	857	258	285	4,129	1,002	141	91	215	127	265	150
East Anglia	11,391	6,487	831	804	190	187	3,509	784	114	125	147	52	206	104
South Eastern	12,787	6,624	808	700	220	247	4,108	857	94	64	160	85	233	113
South Western	12,964	6,791	1,159	787	243	192	4,142	971	173	109	185	109	292	149
Wales	16,053	8,093	1,204	959	335	402	5,401	1,341	131	83	241	144	390	187
<b>Conurbations:</b>														
Tyneside	16,623	7,953	1,170	864	295	385	5,066	1,418	81	38	183	113	356	197
West Yorkshire	15,872	8,630	1,190	920	305	370	5,455	1,647	131	76	305	139	272	155
South East Lancashire	16,475	8,521	1,286	969	337	401	4,888	1,388	130	78	253	193	217	136
Merseyside	16,322	8,340	1,021	919	287	445	5,561	1,571	73	30	207	172	267	148
West Midlands	15,114	7,336	1,158	770	280	266	4,136	1,009	145	74	221	131	314	175
Greater London	13,329	6,740	763	685	250	296	4,260	901	83	46	156	85	249	105
<b>Areas outside conurbations:</b>														
Urban areas with populations of 100,000 and over	15,195	7,568	1,080	830	266	352	4,818	1,131	86	95	232	114	284	143
Urban areas with populations of 50,000 and under 100,000	13,982	7,280	1,104	860	239	283	4,496	1,030	135	99	209	134	228	123
Urban areas with populations under 50,000	13,978	7,258	1,062	863	259	266	4,612	1,108	135	86	216	110	268	143
Rural districts	12,098	6,909	987	836	217	233	3,812	981	121	94	187	110	224	137
<b>Death rates at age 65 and over</b>														
<b>ENGLAND AND WALES</b>	<b>80,604</b>	<b>57,696</b>	<b>11,251</b>	<b>11,272</b>	<b>707</b>	<b>858</b>	<b>18,579</b>	<b>10,378</b>	<b>5,234</b>	<b>5,899</b>	<b>2,416</b>	<b>2,072</b>	<b>1,576</b>	<b>1,675</b>
<b>Regions:</b>														
Northern	83,974	62,054	13,220	12,735	531	781	19,672	12,981	5,128	5,500	2,564	2,085	1,469	1,637
Yorkshire and Humberside	85,924	61,061	13,070	12,388	787	837	20,439	11,491	5,197	5,465	2,598	2,144	1,574	1,644
North Western	86,139	61,759	12,545	12,329	716	944	19,683	10,572	5,416	6,454	2,739	2,540	1,343	1,627
East Midland	80,359	58,928	11,728	11,471	638	816	17,395	9,774	6,199	6,664	2,764	2,403	1,934	2,017
West Midland	83,216	59,441	11,812	11,578	770	817	17,665	10,107	5,501	6,299	2,446	2,215	1,877	1,985
East Anglia	74,294	53,304	10,671	10,543	506	661	17,165	9,599	6,412	5,563	2,306	1,597	1,094	1,023
South Eastern	76,050	54,099	9,474	10,079	731	885	17,761	9,824	4,237	5,170	2,212	1,872	1,464	1,522
South Western	78,746	57,679	11,544	11,557	625	748	18,360	9,904	7,212	7,698	2,270	1,945	1,778	1,741
Wales	85,877	59,566	12,303	12,377	841	981	20,570	11,108	5,833	6,554	2,288	1,986	2,047	2,367
<b>Conurbations:</b>														
Tyneside	82,853	58,787	11,832	11,478	602	930	18,403	12,276	4,162	4,385	2,330	1,860	1,832	2,309
West Yorkshire	89,122	63,802	13,270	12,950	776	881	22,621	12,850	4,911	4,876	3,053	2,296	1,628	1,734
South East Lancashire	86,783	62,076	12,531	12,579	696	927	18,260	9,661	5,682	6,208	2,587	2,489	1,242	1,610
Merseyside	84,124	57,199	10,109	9,558	693	914	20,949	11,476	2,828	4,197	2,482	2,510	1,040	1,677
West Midlands	82,949	58,172	11,676	11,160	664	901	17,182	9,423	6,690	5,690	2,459	2,080	2,296	2,223
Greater London	74,929	51,844	7,976	8,715	825	1,061	17,386	9,608	3,257	4,075	2,144	1,828	1,403	1,526
<b>Areas outside conurbations:</b>														
Urban areas with populations of 100,000 and over	86,909	60,490	11,793	12,034	741	894	20,631	11,379	5,200	5,655	2,314	1,993	1,665	1,682
Urban areas with populations of 50,000 and under 100,000	82,414	57,139	11,514	11,222	671	736	19,226	10,573	5,452	6,141	2,414	2,085	1,603	1,474
Urban areas with populations under 50,000	82,295	58,989	12,424	12,169	667	782	18,866	10,398	6,386	7,062	2,532	2,061	1,668	1,696
Rural districts	75,176	57,439	11,377	11,617	671	760	17,212	9,900	5,769	6,724	2,400	2,151	1,514	1,719

APPENDIX F1. Maternal deaths from principal causes, and associated maternal deaths, maternal mortality rates and associated maternal mortality rates per 100,000 total births, 1936 to 1966

England and Wales

ICD No.	MATERNAL DEATHS (complications of pregnancy, childbirth and puerperium, including abortion)														ASSOCIATED MATERNAL DEATHS				Total attributed to or associated with maternal causes	
	Puerperal phlebitis thrombosis and embolism	Puerperal sepsis	Ante-partum haemorrhage	Post-partum haemorrhage	Toxaemia	Prolonged labour	Trauma, shock: other complication of delivery	Other causes	Total maternal causes other than abortion	Abortion				Abortion, all forms	Total maternal deaths*	Other than abortion	With abortion	Total		
										Criminal		Other								
										With sepsis	Without mention of sepsis	With sepsis	Without mention of sepsis							
	682, 684	640, 641, 681	643, 644, 670	671, 672	642, 685, 686	673, 674, 675	676, 677, 678	Rem. 640-8 660-689	640-8 660-689	651.2	650.2 652.2	Rem. 651	Rem. 650, 652	650-652	640-689					
1936	183	561		302	510		455		2,011	49	24	242	105	420	2,431	541	70	611	3,042	
1937	152	347		307	510		457		1,773	56	28	176	109	369	2,142	585	104	689	2,831	
1938	178	277		312	472		503		1,742	54	26	173	101	354	2,096	449	81	530	2,626	
1939	154	248	117	179	478		467		1,643	80	28	167	79	354	1,997	429	49	478	2,475	
1940	134	195	106	180	398	125	111	124	1,373	43	33	116	76	268	1,641	368	56	424	2,065	
1941	134	141	101	210	381	155	109	122	1,353	66	24	145	90	325	1,678	358	47	405	2,083	
1942	128	151	87	198	410	158	94	133	1,359	64	12	175	62	313	1,672	363	49	412	2,084	
1943	136	132	86	187	375	165	106	112	1,299	76	15	166	84	321	1,620	437	57	494	2,114	
1944	107	105	84	179	328	176	87	113	1,179	75	7	168	63	313	1,492	383	52	435	1,927	
1945	86	82	68	158	321	148	72	92	1,027	65	9	109	50	233	1,260	342	19	361	1,621	
1946	102	53	85	162	359	117	83	91	1,052	41	5	69	42	157	1,209	353	37	390	1,599	
1947	110	33	56	156	312	110	63	77	917	37	3	54	49	143	1,060	284	44	308	1,368	
1948	67	33	46	115	249	66	55	55	686	34	4	55	32	125	811	231	16	247	1,058	
1949	56	32	38	90	199	69	60	65	609	20	9	58	31	118	727	157	19	176	903	
1950	62	26	44	38	185	42	54	66	517	25	21	39	18	103	620	180	21	201	821	
1951	49	16	35	53	141	38	37	50	419	33	26	34	14	107	526	151	9	160	686	
1952	52	10	19	39	122	32	43	56	373	19	28	28	15	90	463	153	8	161	624	
1953	49	17	39	51	143	31	34	55	419	17	24	22	13	76	495	121	7	128	623	
1954	51	13	32	44	104	32	41	53	370	10	25	22	19	76	446	116	5	121	567	
1955	55	17	24	41	91	31	23	57	339	17	15	19	15	66	405	108	7	115	520	
1956	32	13	33	24	93	34	15	58	302	20	16	20	16	72	374	119	6	125	499	
1957	32	18	27	22	77	27	23	46	272	15	15	18	13	61	333	122	6	128	461	
1958	40	13	25	33	66	21	20	47	265	8	12	27	16	63	328	94	4	98	426	
1959	30	17	21	23	57	18	26	51	243	13	10	16	8	47	290	75	7	82	372	
1960	27	8	25	19	63	26	36	44	248	12	18	21	11	62	310	70	5	75	385	
1961	24	6	20	23	55	15	32	45	220	8	15	24	7	54	274	68	3	71	345	
1962	34	12	23	20	53	20	23	57	242	11	18	17	11	57	299	75	2	77	376	
1963	20	8	17	21	46	9	18	55	194	15	6	17	11	49	243	61	6	67	310	
1964	22	10	7	12	34	13	26	53	177	13	11	16	10	50	227	54	1	55	282	
1965	17	5	13	11	48	12	23	40	169	8	13	21	10	52	221	42	6	48	269	
1966	11	9	13	14	38	16	23	46	170	12	18	17	6	53	223	53	3	56	279	
MATERNAL MORTALITY RATES (complications of pregnancy, childbirth and puerperium, including abortion)														ASSOCIATED MATERNAL DEATHS						
1936	29	89	48		81		72		319	8	4	38	17	67	386	86	11	97	483	
1937	24	55	48		80		72		279	9	4	28	17	58	337	92	16	108	446	
1938	28	43	48		73		78		270	8	4	27	16	55	324	70	13	82	407	
1939	24	39	18	28	75		73		257	13	4	26	12	55	313	67	8	75	387	
1940	22	32	17	29	65	20	18	20	224	7	5	19	12	44	268	60	9	69	337	
1941	22	24	17	35	64	26	18	20	226	11	4	24	15	54	280	60	8	68	347	
1942	19	22	13	29	61	23	14	20	202	9	2	26	9	46	248	54	7	61	309	
1943	19	19	12	27	53	23	15	16	184	11	2	24	9	45	230	62	8	70	300	
1944	14	14	11	23	42	23	11	15	153	10	1	22	8	41	193	50	7	56	249	
1945	12	12	10	23	46	21	10	13	147	9	1	16	9	33	180	49	3	52	232	
1946	12	6	10	19	43	14	10	11	125	5	1	8	5	19	143	42	4	46	190	
1947	12	4	6	17	35	12	7	9	102	4	0	6	5	16	117	29	5	34	152	
1948	8	4	6	14	31	8	7	7	86	4	1	7	4	16	102	29	2	31	133	
1949	7	4	5	12	27	9	8	9	81	3	1	8	4	16	97	21	3	24	121	
1950	9	4	6	5	26	6	8	9	72	4	3	5	3	14	87	25	3	28	115	
1951	7	2	5	8	20	5	5	7	60	5	4	5	2	15	76	22	1	23	99	
1952	8	1	3	6	18	5	6	8	54	3	4	4	2	13	67	22	1	23	91	
1953	7	2	6	7	20	4	5	8	60	2	3	3	2	11	71	17	1	18	89	
1954	7	2	5	6	15	5	6	8	54	1	4	3	3	11	65	17	1	18	82	
1955	8	2	4	6	13	5	3	8	50	2	2	3	2	10	59	16	1	17	76	
1956	4	2	5	3	13	5	2	8	42	3	2	3	2	10	52	17	1	17	70	
1957	4	2	4	3	10	4	3	6	37	2	2	2	2	8	45	16	1	17	62	
1958	5	2	3	4	9	3	3	6	35	1	2	4	2	8	43	12	1	13	56	
1959	4	2	3	3	7	2	3	7	32	2	1	2	1	6	38	10	1	11	49	
1960	3	1	3	2	8	3	4	5	31	1	2	3	1	8	39	9	1	9	48	
1961	3	1	2	3	7	2	4	5	27	1	2	3	1	7	33	8	0	9	42	
1962	4	1	3	2	6	2	3	7	28	1	2	2	1	7	35	9	0	9	44	
1963	2	1	2	2	5	1	2	6	22	2	1	2	1	6	28	7	1	8	36	
1964	2	1	1	1	4	1	3	6	20	1	1	2	1	6	25	6	0	6	32	
1965	2	1	1	1	5	1	3	5	19	1	1	2	1	6	25	5	1	5	31	
1966	1	1	2	2	4	2	3	5	20	1	2	2	1	6	26	6	0	7	32	

Note. Figures for 1936 to 1938 are based on live and stillbirth registrations, and from 1939 onwards on occurrences.

\*Excludes the following cases in which it was stated that death followed the maternal condition after an interval of more than 12 months: 1951-40, 1952-35, 1953-32, 1954-34, 1955-34, 1956-25, 1957-16, 1958-22, 1959-21, 1960-26, 1961-11, 1962-20, 1963-24, 1964-25, 1965-9, 1966-17.

APPENDIX F2. Deaths certified as associated with pregnancy  
or childbearing but not assigned to those causes, 1966

England and Wales

ICD No.	Cause of Death	All ages	15-19	20-24	25-29	30-34	35-39	40-44	45 and over
	All Causes	56	8	8	14	9	12	4	1
002	Pulmonary tuberculosis	2	-	-	1	1	-	-	-
140-199	Malignant neoplasms	8	1	2	3	-	1	1	-
214	Uterine fibromyoma	2	-	-	1	1	-	-	-
224	Benign neoplasm of endocrine glands	1	-	-	1	-	-	-	-
239	Neoplasm of unspecified nature	1	-	-	-	-	1	-	-
241	Asthma	2	-	-	-	-	2	-	-
260	Diabetes mellitus	2	-	-	-	-	-	2	-
287	Obesity	1	-	-	-	-	1	-	-
296	Purpura	3	1	1	1	-	-	-	-
299	Other diseases of blood	2	-	-	1	-	1	-	-
330	Subarachnoid haemorrhage	1	-	-	1	-	-	-	-
331	Cerebral haemorrhage	2	1	-	-	-	1	-	-
410	Diseases of mitral valve	5	1	-	2	1	1	-	-
416	Other rheumatic heart disease	1	-	-	-	-	1	-	-
420.1	Myocardial infarction and atherosclerosis	3	-	1	-	-	1	-	1
421.1	Chronic endocarditis (aortic valve)	2	-	-	-	1	-	1	-
430.0	Acute bacterial endocarditis	1	-	-	-	-	1	-	-
431	Acute myocarditis	1	-	-	-	1	-	-	-
443	Hypertensive heart disease	1	-	-	-	1	-	-	-
444	Benign hypertension	1	1	-	-	-	-	-	-
451	Aortic aneurysm	1	1	-	-	-	-	-	-
456	Other arterial disease	2	1	1	-	-	-	-	-
481	Influenza	1	-	-	1	-	-	-	-
491	Bronchopneumonia	1	-	-	1	-	-	-	-
526	Bronchiectasis	1	-	1	-	-	-	-	-
584	Cholelithiasis	1	-	-	-	-	1	-	-
754.1	Patent ductus arteriosus	1	-	-	1	-	-	-	-
754.3	Interauricular septal defect	1	-	-	-	1	-	-	-
E800-E999	Accidents, poisonings, violence	5	1	2	-	2	-	-	-
	Associated with abortion (included above)	3	-	-	1	1	1	-	-

APPENDIX G. Deaths from selected causes by sex and age; and deaths in which autopsy or operation was known to have been performed (and the percentage of such deaths to all deaths), 1966

England and Wales

ICD No.	Causes of death			Males					Females					Persons
				All ages	0-	15-	45-	65 and over	All ages	0-	15-	45-	65 and over	
	ALL CAUSES	number of deaths autopsy or operation percentage	(a) (b) (c)	288,622 90,019 31	12,449 7,465 60	14,539 9,084 62	80,710 31,771 39	180,924 41,699 23	275,002 64,847 24	8,926 5,127 57	8,695 4,371 50	45,239 14,959 33	212,142 40,390 19	563,624 154,866 27
001-008	Tuberculosis, respiratory		(a) (b) (c)	1,559 587 38	5 4 80	99 52 53	693 277 40	762 254 33	531 210 40	2 2 100	86 36 42	219 95 43	224 77 34	2,090 797 38
010-019	Tuberculosis, other		(a) (b) (c)	119 66 55	7 4 57	31 17 55	56 32 57	25 13 52	145 86 59	13 8 62	25 18 72	43 24 56	64 36 56	264 152 58
020-029	Syphilitic disease		(a) (b) (c)	498 279 56	2 - -	12 8 67	144 90 63	340 181 53	340 212 62	1 1 100	3 2 67	73 44 60	263 165 63	838 491 59
056	Whooping cough		(a) (b) (c)	9 4 44	9 4 44	- - -	- - -	- - -	14 5 36	14 5 36	- - -	- - -	- - -	23 9 39
057	Meningococcal infections		(a) (b) (c)	60 42 70	49 36 73	3 2 67	5 1 20	3 3 100	45 31 69	33 21 64	4 4 100	5 3 60	3 3 100	105 73 70
080	Acute poliomyelitis		(a) (b) (c)	- - -	- - -	- - -	- - -	- - -	1 1 100	- - -	1 1 100	- - -	- - -	1 1 100
085	Measles		(a) (b) (c)	43 16 37	40 16 40	3 - -	- - -	- - -	37 17 46	31 17 55	4 - -	1 - -	1 - -	80 33 41
Rem. 001-136	Other diseases classified as infective or parasitic		(a) (b) (c)	453 257 57	117 79 68	75 48 64	143 88 62	118 42 36	522 222 43	85 51 60	66 42 64	167 73 44	204 56 27	975 479 49
151	Malignant neoplasm: stomach		(a) (b) (c)	7,520 1,405 19	- - -	188 29 15	2,755 489 18	4,577 887 19	5,653 803 14	- - -	99 12 12	1,261 213 17	4,293 578 13	13,173 2,208 17
162,163	Trachea, bronchus and lung		(a) (b) (c)	22,610 4,447 20	2 1 50	572 115 20	10,651 2,118 20	11,385 2,213 19	4,415 1,005 23	1 - -	211 54 26	1,869 398 21	2,334 553 24	27,025 5,452 20
170	Breast		(a) (b) (c)	100 17 17	- - -	8 - -	48 9 19	44 8 18	9,822 1,389 14	- - -	771 126 16	4,405 640 15	4,646 623 13	9,922 1,406 14
171-174	Uterus		(a) (b) (c)	- - -	- - -	- - -	- - -	- - -	3,950 544 14	1 - -	343 42 12	1,702 232 14	1,904 270 14	3,950 544 14
204	Leukaemia and aleukaemia		(a) (b) (c)	1,567 405 26	176 36 20	242 60 25	451 144 32	698 165 24	1,329 321 24	152 35 23	193 39 20	341 97 28	643 150 23	2,896 726 25
Rem. 140-205	Other malignant and lymphatic neoplasms		(a) (b) (c)	26,774 5,859 22	274 82 30	1,506 339 23	8,545 2,065 24	16,449 3,373 21	24,418 5,003 20	181 51 28	1,203 286 24	7,591 1,526 20	15,443 3,140 20	51,192 10,862 21
260	Diabetes mellitus		(a) (b) (c)	1,512 349 23	9 5 56	102 49 48	402 142 35	999 153 15	2,789 517 19	12 7 58	68 42 62	459 145 32	2,250 323 14	4,301 866 20
330-334	Vascular lesions affecting central nervous system		(a) (b) (c)	31,743 4,246 13	48 33 69	544 332 61	5,898 1,767 30	25,253 2,114 8	47,081 5,303 11	32 23 72	483 285 59	5,120 1,554 30	41,446 3,441 8	78,824 9,549 12
420	Arteriosclerotic heart disease, including coronary disease		(a) (b) (c)	69,547 28,168 41	1 - -	2,155 1,437 67	25,688 12,606 49	41,703 14,125 34	45,219 13,682 30	3 2 67	303 199 66	6,754 2,751 41	38,159 10,730 28	114,766 41,850 36
440-443	Hypertension with heart disease		(a) (b) (c)	3,280 857 26	- - -	38 24 63	795 315 40	2,447 518 21	4,935 844 17	1 1 100	26 19 73	523 188 36	4,385 636 15	8,215 1,701 21
410-416, 421-434	Other heart disease		(a) (b) (c)	22,766 3,446 15	48 31 65	638 418 66	3,322 1,229 37	18,758 1,768 9	36,133 4,117 11	39 23 59	589 324 55	3,040 1,048 34	32,465 2,722 8	58,899 7,563 13
444-468	Other circulatory disease		(a) (b) (c)	11,355 4,299 38	21 18 86	299 187 63	2,324 1,330 57	8,711 2,764 32	14,689 4,815 33	11 9 82	277 168 61	1,412 802 57	12,989 3,836 30	26,044 9,114 35
480-483	Influenza		(a) (b) (c)	1,639 224 14	34 20 59	64 37 58	331 104 31	1,210 63 5	2,033 167 8	40 19 48	65 32 49	217 49 23	1,711 67 4	3,672 391 11
490-493, 763	Pneumonia		(a) (b) (c)	16,439 4,794 29	1,634 1,251 77	325 183 56	2,194 1,044 48	12,286 2,316 19	19,603 3,900 20	1,187 881 74	244 129 53	1,413 542 38	16,759 2,348 14	36,042 8,694 24
500-502	Bronchitis		(a) (b) (c)	23,121 4,644 20	305 260 85	229 95 41	6,101 1,577 26	16,486 2,712 16	8,741 1,738 20	208 179 86	131 61 47	1,374 387 28	7,026 1,111 16	31,862 6,382 20

**APPENDIX G - continued**

ICD No.	Causes of death		Males					Females					Persons
			All ages	0-	15-	45-	65 and over	All ages	0-	15-	45-	65 and over	All ages
470-475, 510-527	Other diseases of respiratory system	(a) (b) (c)	3,499 1,640 47	155 135 87	128 59 46	1,049 560 53	2,167 886 41	1,882 575 31	126 99 79	117 56 48	351 130 37	1,288 290 23	5,381 2,215 41
540, 541	Ulcer of Stomach and duodenum	(a) (b) (c)	2,604 1,680 65	1 1 100	84 71 85	762 566 74	1,757 1,042 59	1,480 896 61	2 2 100	26 19 73	221 163 74	1,231 712 58	4,084 2,576 63
543, 571, 572, 764	Gastritis, Enteritis, and diarrhoea	(a) (b) (c)	1,046 571 55	301 188 62	70 40 57	221 139 63	454 204 45	1,700 809 48	228 128 56	77 44 57	248 143 58	1,147 494 43	2,746 1,380 50
590-594	Nephritis and nephrosis	(a) (b) (c)	1,493 456 31	31 16 52	269 131 49	511 167 33	682 142 21	1,247 355 28	18 11 61	148 67 45	353 115 33	728 162 22	2,740 811 30
610	Hyperplasia of Prostate	(a) (b) (c)	2,007 835 42	- - -	2 2 100	129 85 66	1,876 748 40	- - -	- - -	- - -	- - -	- - -	2,007 835 42
640-689	Pregnancy, childbirth, abortion	(a) (b) (c)	- - -	- - -	- - -	- - -	- - -	223 203 91	- - -	221 201 91	2 2 100	- - -	223 203 91
750-759	Congenital malformations	(a) (b) (c)	2,511 1,563 62	2,013 1,258 62	197 136 69	209 115 55	92 54 59	2,215 1,233 56	1,788 1,014 57	134 85 63	167 73 44	126 61 48	4,726 2,796 59
Rem. 210-759	Other Defined and ill-defined diseases	(a) (b) (c)	18,699 7,429 40	5,651 2,743 49	1,335 761 57	3,590 1,654 46	8,123 2,271 28	23,447 8,030 34	3,889 1,846 47	1,284 723 56	3,759 1,732 46	14,515 3,729 26	42,146 15,459 37
E810-E83	Motor Vehicle Accidents	(a) (b) (c)	5,293 4,497 85	521 426 82	2,664 2,265 85	1,143 977 85	965 829 86	2,161 1,838 85	260 215 83	526 464 88	509 421 85	866 738 85	7,454 6,335 85
E800-E802 E840-E962	All other accidents	(a) (b) (c)	5,734 4,432 77	949 776 82	1,552 1,246 80	1,334 1,093 82	1,899 1,317 69	5,879 4,035 69	528 442 84	331 258 78	662 543 82	4,358 2,792 64	11,613 8,467 73
E963, E970-E979	Suicide and self-inflicted injury	(a) (b) (c)	2,823 2,337 83	3 2 67	1,015 861 85	1,179 961 82	626 513 82	2,171 1,822 84	1 1 100	568 482 85	955 809 85	647 530 82	4,994 4,159 83
E984, E985 E980-E999	Homicide and operations of war	(a) (b) (c)	199 168 84	43 40 93	90 80 89	37 27 73	29 21 72	152 119 78	39 34 87	68 51 75	23 17 74	22 17 77	351 287 82

APPENDIX H1. Deaths from encephalitis certified as  
secondary to infectious disease by underlying cause,  
sex and age, 1966

England and Wales

ICD No.	Cause of death		All deaths	Deaths from encephalitis secondary to infectious diseases											
				All ages	0-	1-	2-	3-	4-	5-9	10-14	15-24	25-44	45-64	65 and over
085	Measles	M	43	8	4	2	-	1	-	1	-	-	-	-	-
		F	37	7	1	2	-	1	1	1	-	1	-	-	-
087	Chicken Pox	M	11	2	1	-	-	-	-	-	-	-	-	1	-
		F	6	-	-	-	-	-	-	-	-	-	-	-	-
088	Herpes zoster	M	13	-	-	-	-	-	-	-	-	-	-	-	-
		F	45	3	-	-	-	-	-	-	-	-	-	1	2
089	Mumps	M	3	2	-	-	-	1	-	-	-	1	-	-	-
		F	7	3	-	-	-	-	-	2	-	-	-	1	-
092	Infectious hepatitis	M	84	-	-	-	-	-	-	-	-	-	-	-	-
		F	144	1	-	-	-	-	-	-	-	1	-	-	-
093	Glandular fever	M	3	1	-	-	-	-	-	1	-	-	-	-	-
		F	5	1	-	-	-	-	-	-	-	1	-	-	-
096	Other diseases attributable to viruses	M	42	1	-	-	-	-	-	-	-	-	-	-	1
		F	37	2	-	-	1	-	-	-	1	-	-	-	-
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms	M	4	4	-	-	1	-	-	-	1	1	-	1	-
		F	2	2	-	-	-	-	-	1	1	-	-	-	-
	Total	M	203	18	5	2	1	2	-	2	1	2	-	2	1
		F	283	19	1	2	1	1	1	4	2	3	-	2	2

APPENDIX H2. Deaths due to tetanus, by sex and age, showing  
cause of tetanus, 1966

England and Wales

Age	Sex	Cause of tetanus
(a) Assigned to tetanus (ICD No. 061)		
8 years	F	Tetanus
10 years	M	Tetanus
14 years	M	Tetanus
18 years	M	Knee injury from fall to ground.
18 years	M	Tetanus
19 years	M	Tetanus
57 years	F	Tetanus
66 years	F	Tetanus
69 years	M	Scratched by cat.
69 years	M	Fall from pedal cycle.
70 years	M	Minor pricks to the hand.
70 years	F	Tetanus
73 years	M	Scratched hand on rose bush.
75 years	M	Wound due to chafing of leg by short rubber boot.
75 years	F	Grazed shin by fall in garden.
76 years	F	Tetanus
78 years	F	Tetanus
82 years	F	Grazed leg from tripping over box.
(b) Assigned elsewhere		
46 years	F	Laceration of hand by fall on glass.
54 years	M	Cut finger on lawn-mower blade.
65 years	M	Cut finger.
67 years	F	Infected pressure sore of left heel.
68 years	F	Leg wound from fall in garden.
69 years	M	Cut arm on garden stake.
75 years	F	Varicose ulcers of the leg.
77 years	F	Compound fracture of arm by fall in garden.
84 years	F	Wound of arm from fall in garden.

APPENDIX H3. Deaths connected with the administration of  
anaesthetics by cause, sex and age, 1966

England and Wales

ICD No.	Cause of death	All ages		0-		5-		15-		25-		35-		45-		55-		65 and over	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	All causes	114	112	8	4	8	2	3	7	4	12	8	14	11	10	31	14	41	49
010-019	Tuberculosis, other forms	1	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1
140-205	Malignant neoplasm including neoplasms of lymphatic and haematopoietic tissues	25	23	-	-	-	-	-	-	-	2	3	2	3	4	11	5	8	10
210-239	Benign neoplasms and neoplasms of unspecified nature	3	6	1	2	-	-	-	-	-	-	-	1	1	1	-	1	1	1
240-245	Allergic disorders	-	4	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	1
250-254	Diseases of thyroid gland	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
260	Diabetes mellitus	2	1	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-
300-309	Psychoses	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
330-334	Vascular lesions affecting central nervous system	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
370-389	Diseases of the eye	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
390-398	Diseases of the ear and mastoid process	1	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1
410-416	Chronic rheumatic heart disease	2	4	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	1
420-422	Arteriosclerotic and degenerative heart disease	7	8	-	-	-	-	-	-	-	-	-	1	1	-	3	2	3	5
450-456	Diseases of arteries	3	2	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	2
480-483	Influenza	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
500-502	Bronchitis	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
530-539	Diseases of buccal cavity and oesophagus	4	3	-	-	1	1	1	-	1	1	-	1	-	-	1	-	-	-
540-545	Diseases of stomach and duodenum	10	3	-	-	-	-	-	-	1	-	1	-	2	-	5	1	1	2
550-553	Appendicitis	3	3	1	-	2	-	2	-	1	-	-	-	-	-	-	-	-	-
560,561,570	Intestinal obstruction	8	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	6	5
572	Chronic enteritis and ulcerative colitis	1	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1
576	Peritonitis	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
580-587	Diseases of liver, gallbladder and pancreas	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5
590-617	Diseases of the urinary system	18	-	1	-	1	-	-	-	-	-	1	-	-	-	3	-	12	-
630-637	Diseases of uterus and other female genital organs	-	4	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1
640-678	Deliveries and complications of pregnancy and childbirth	-	7	-	-	-	-	-	3	-	3	-	1	-	-	-	-	-	-
730-738	Osteomyelitis and other disease of bone and joint	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
750-759	Congenital malformations	4	3	3	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-
780-789	Symptoms referable to systems or organs	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Rem.001-795	All other causes	6	3	-	-	2	-	1	1	1	1	1	1	-	-	-	-	1	-
E810-835	Motor vehicle accidents	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
E871	Accidental poisoning by barbituric acid and derivatives	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E900-904	Accidental falls	3	10	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	9
Rem.E800-E999	All other accidents and violence	8	4	2	1	1	-	-	-	-	-	1	-	1	-	3	1	-	2

# APPENDIX H4. Deaths by cause and sex according to type of institution, etc., in which they occurred, 1966

## England and Wales

ICD No.	Cause of death	Total deaths			Psychiatric hospitals				Other hospitals and institutions for the care of the sick				Other institutions		At deceased person's own home		In other private houses and other places	
					N.H.S.		Other than N.H.S.		N.H.S.		Other than N.H.S.		M	F	M	F	M	F
		M	F		M	F	M	F	M	F	M	F						
		288,622	275,002		7,530	10,589	156	370	141,631	129,904	4,343	9,206	7,899	13,421	110,195	99,215	16,868	12,294
<b>ALL CAUSES</b>																		
001-138	Infective and parasitic diseases	2,741	1,635		106	65	1	2	1,772	1,033	21	23	31	30	745	428	65	54
001-008	Tuberculosis of respiratory system	1,559	531		45	21	-	-	965	330	12	6	20	1	482	156	35	17
001-009	Tuberculosis, other forms	119	145		5	1	-	-	145	118	2	2	1	2	17	20	-	2
020-023	Syphilis and its sequelae	498	340		36	25	-	-	283	151	3	4	6	11	150	20	-	19
030-039	Gonococcal infection and other venereal diseases	8	1		-	-	-	-	7	1	-	-	-	-	1	-	-	-
040-049	Infectious diseases commonly arising in the perinatal tract	19	18		2	-	-	-	15	15	-	-	-	-	2	-	-	-
050-064	Other bacterial diseases	166	146		4	4	-	-	143	112	-	-	-	-	16	24	-	-
070-074	Spirochaetal diseases, except syphilis	14	1		-	-	-	-	10	-	-	-	-	-	1	-	-	4
080-096	Diseases attributed to viruses	302	378		13	13	1	2	215	260	3	9	4	14	61	70	2	-
100-108	Typhus and other rickettsial diseases	2	-		-	-	-	-	2	-	-	-	-	-	-	-	-	10
110-117	Malaria	4	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-
120-138	Other infective and parasitic diseases	53	75		1	1	-	-	37	45	-	-	-	-	15	26	-	2
<b>Neoplasms</b>																		
140-239		59,242	50,315		624	596	9	15	33,288	26,909	1,485	2,295	617	888	22,362	17,536	857	2,076
140-148	Malignant neoplasm of buccal cavity and pharynx	945	655		3	6	-	-	459	341	33	30	18	12	414	234	18	32
150-159	Malignant neoplasm of digestive organs and peritoneum	19,586	18,609		234	222	5	6	10,372	9,403	535	852	229	405	7,882	6,789	329	932
160-165	Malignant neoplasm of respiratory system	23,396	4,753		192	56	3	1	13,003	2,876	477	161	177	50	9,196	1,426	348	183
170-181	Malignant neoplasm of breast and genito-urinary organs	7,739	19,246		89	213	1	6	4,299	9,553	278	1,020	138	335	2,842	7,386	92	733
190-199	Malignant neoplasm of other and unspecified sites	3,504	3,466		50	43	-	1	2,148	2,133	102	145	41	52	1,127	983	36	109
200-205	Neoplasm of lymphatic and haematopoietic tissues	3,401	2,858		38	30	-	1	2,477	2,061	53	70	7	25	796	601	30	70
210-229	Benign neoplasm	307	307		10	17	-	-	229	309	1	14	3	5	61	78	3	10
230-239	Neoplasm of unspecified nature	364	295		8	9	-	-	301	233	6	3	4	4	44	39	1	7
<b>Allergic, endocrine system, metabolic, and nutritional diseases</b>																		
240-289		2,873	5,003		55	131	-	1	1,626	2,880	29	76	44	118	1,008	1,606	111	191
240-245	Allergic disorders	941	1,453		5	13	-	-	563	446	4	15	10	17	493	363	66	79
250-254	Diseases of thyroid gland	79	565		2	21	-	-	44	323	1	11	1	11	24	173	7	20
260	Diabetes mellitus	1,512	2,789		39	79	-	1	989	1,795	20	41	30	78	402	714	32	81
270-277	Diseases of other endocrine glands	95	132		6	8	-	-	63	82	-	4	-	4	22	33	2	1
280-289	Avitaminoses, and other metabolic diseases	248	364		3	10	-	-	167	234	4	5	3	6	67	97	4	10
<b>Diseases of the blood and blood-forming organs</b>																		
290-299		777	1,333		11	36	-	3	570	847	9	31	10	48	167	331	10	37
<b>Mental, psychoneurotic, and personality disorders</b>																		
300-326		489	823		166	292	5	-	205	386	3	17	44	30	59	84	7	14
300-309	Psychoses	365	702		151	272	1	-	148	325	2	16	44	28	18	53	1	6
310-318	Psychoneurotic disorders	12	31		1	3	-	-	5	19	1	-	-	-	5	6	-	3
320-326	Disorders of character, behaviour, and intelligence	112	90		14	17	4	-	52	42	-	1	-	2	36	25	6	3
<b>Diseases of the nervous system and sense organs</b>																		
330-398		34,535	50,250		1,099	1,373	19	68	19,054	25,574	717	2,222	1,716	3,260	11,300	16,288	630	1,465
330-334	Vascular lesions affecting central nervous system	31,743	47,681		931	1,225	13	65	17,423	23,622	688	2,078	1,583	3,104	10,557	15,577	568	1,410
340-345	Inflammatory diseases of central nervous system	677	829		18	16	1	-	492	600	16	30	34	25	105	147	11	41
350-357	Other diseases of central nervous system	1,975	2,222		148	131	5	3	1,042	1,260	33	110	98	130	603	546	46	11
360-369	Diseases of nerves and peripheral ganglia	42	53		1	-	-	-	36	30	-	1	-	-	5	2	-	-
370-379	Inflammatory diseases of eye	3	-		-	-	-	-	3	2	-	-	-	-	-	-	-	-
380-389	Other diseases and conditions of eye	12	26		-	-	-	-	9	23	-	2	-	1	2	2	-	-
390-398	Diseases of ear and mastoid process	83	55		1	1	-	-	49	37	-	1	-	-	28	14	5	2

# APPENDIX H4 - continued

ICD No.	Cause of death	Total deaths		Psychiatric hospitals				Other hospitals and institutions for the care of the sick				Other institutions				At deceased person's own home		In other private houses and other places	
				N.H.S.		Other than N.H.S.		N.H.S.				Other than N.H.S.							
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
400-468	Diseases of the circulatory system	106,989	101,011	2,826	4,243	75	198	39,175	35,342	1,278	3,244	3,222	6,182	51,430	46,299	8,983	5,503		
400-402	Rheumatic fever	41	35	1	-	-	-	29	20	1	-	-	-	8	10	2	5		
420-422	Chronic rheumatic heart disease	2,033	3,967	21	67	1	1	1,141	2,271	18	55	20	64	694	1,346	138	161		
430-434	Arteriosclerotic and degenerative heart disease	83,494	68,869	2,149	3,095	56	151	27,326	20,864	932	2,552	2,375	4,516	42,535	33,855	8,121	4,156		
440-443	Other diseases of heart	6,786	8,496	184	254	3	6	3,538	4,164	99	289	269	501	2,439	2,979	156	334		
440-443	Hypertensive heart disease	3,280	4,935	120	207	3	3	1,128	1,404	43	164	113	241	1,714	2,645	159	271		
444-447	Other hypertensive disease	1,892	2,154	59	94	-	2	1,853	1,767	32	55	46	97	1,795	1,036	87	103		
450-456	Diseases of arteries	7,585	9,294	243	382	10	29	3,457	3,684	137	401	363	703	2,883	3,735	272	360		
460-468	Diseases of veins and other diseases of circulatory system	2,078	3,241	49	144	2	6	1,585	2,168	16	59	16	60	362	691	48	113		
470-527	Diseases of the respiratory system	44,396	32,030	2,134	3,136	35	66	22,148	15,516	460	705	1,777	2,046	16,784	9,629	1,058	932		
470-475	Acute upper respiratory infections	61	68	4	8	-	-	24	407	1	3	1	3	23	26	8	5		
480-483	Influenza	1,639	2,053	66	131	2	14	348	407	13	48	195	292	966	1,056	47	85		
490-493	Pneumonia	46,137	19,374	1,568	2,694	25	42	9,666	10,796	218	459	685	1,148	3,570	3,810	385	425		
500-502	Bronchitis	23,121	8,741	533	227	5	9	10,390	3,398	168	128	802	503	10,817	4,125	526	353		
510-527	Other diseases of respiratory system	3,436	1,844	101	76	3	1	1,700	892	40	69	94	100	1,408	612	92	64		
530-587	Diseases of the digestive system	7,428	7,692	121	173	4	7	5,970	5,878	90	158	80	117	1,073	1,229	90	130		
530-539	Diseases of buccal cavity and oesophagus	134	142	8	10	-	-	106	104	1	4	3	7	13	16	3	1		
540-545	Diseases of the stomach and duodenum	2,730	1,586	35	33	1	-	2,173	1,154	33	33	37	32	426	303	25	31		
550-553	Appendicitis	237	215	-	-	-	-	209	183	5	5	1	-	21	24	1	2		
560-561	Hernia of abdominal cavity	631	759	18	18	-	-	481	596	5	10	9	9	106	114	12	12		
570-578	Other diseases of intestines and peritoneum	2,027	2,873	35	65	1	5	1,623	2,195	21	66	19	47	289	445	39	50		
580-587	Diseases of liver, gallbladder and pancreas	1,669	2,117	25	46	2	2	1,378	1,646	25	40	11	22	218	327	10	34		
590-637	Diseases of the genito-urinary system	5,259	3,896	144	114	1	2	3,863	2,731	85	91	110	83	997	784	59	91		
590-594	Nephritis and nephrosis	1,493	1,247	42	54	-	-	1,082	812	18	16	25	324	340	324	20	36		
600-609	Other diseases of urinary system	1,703	2,467	43	77	-	2	1,300	1,773	27	70	46	57	275	435	12	53		
610-617	Diseases of male genital organs	2,063	-	59	-	1	-	1,511	-	40	-	43	-	362	-	27	-		
620-626	Diseases of breast, ovary, Fallopian tube and parametrium	-	46	-	-	-	-	-	40	-	1	-	1	-	3	-	1		
630-637	Diseases of uterus and other female genital organs	-	136	-	3	-	-	-	106	-	4	-	-	-	22	-	1		
640-689	Deliveries and complications of pregnancy, childbirth, and the puerperium	-	223	-	1	-	-	-	183	-	1	-	-	-	32	-	6		
640-649	Complications of pregnancy	-	70	-	-	-	-	-	49	-	1	-	-	-	21	-	5		
650-652	Abortion	-	53	-	-	-	-	-	41	-	1	-	-	-	6	-	-		
660	Delivery without mention of complication	-	9	-	-	-	-	-	9	-	-	-	-	-	-	-	-		
670-678	Complication with specified complication	-	65	-	-	-	-	-	63	-	-	-	-	-	1	-	1		
680-689	Complication of the puerperium	-	26	-	1	-	-	-	21	-	-	-	-	-	4	-	-		
690-716	Diseases of the skin and cellular tissue	149	298	9	30	-	1	110	198	4	4	4	11	22	52	-	2		
690-698	Infections of skin and subcutaneous tissue	48	82	4	12	-	-	36	57	-	1	3	4	5	7	-	1		
700-716	Other diseases of skin and subcutaneous tissue	101	216	5	18	-	1	74	141	4	3	1	7	17	45	-	1		
720-749	Diseases of the bones and organs of movement	690	1,378	26	29	1	-	428	862	21	46	20	62	183	366	11	13		
720-727	Arthritis and rheumatism, except rheumatic fever	344	994	5	11	-	-	218	580	10	37	11	53	96	302	4	11		
730-738	Osteomyelitis and other diseases of bone and joint	159	277	8	13	1	-	118	215	4	4	2	6	26	39	-	-		
740-749	Other diseases of musculoskeletal system	187	107	13	5	-	-	92	67	7	5	7	3	61	25	7	2		

# APPENDIX H4 - continued

ICD No.	Cause of death	Total deaths		Psychiatric hospitals				Other hospitals and institutions for the care of the sick				Other institutions		At deceased person's own home		In other private houses and other places	
				N.H.S.		Other than N.H.S.		N.H.S.		Other than N.H.S.							
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
750-759	Congenital malformations	2,511	2,215	37	24	1	4	2,046	1,860	24	16	11	5	320	262	72	44
760-776	Certain diseases of early infancy	4,959	3,384	1	-	-	-	4,715	3,205	35	28	2	3	159	125	47	23
760-769	Birth injuries, asphyxia, and infections of the newborn	2,924	1,943	1	-	-	-	2,747	1,902	22	19	2	2	119	102	33	18
770-776	Other diseases peculiar to early infancy	2,035	1,441	-	-	-	-	1,968	1,403	13	9	-	1	40	23	14	5
780-795	Symptoms, senility, and ill-defined conditions	1,535	3,153	37	91	-	-	541	896	18	167	156	443	724	1,457	59	99
780-789	Symptoms referable to systems or organs	95	114	2	-	-	-	64	73	-	2	1	1	19	34	9	4
790-795	Senility and ill-defined diseases	1,440	3,039	35	91	-	-	477	823	18	165	155	442	705	1,423	50	95
E800-E999	Accidents, poisonings, and violence (external cause)	14,049	10,363	134	255	5	3	6,120	5,604	64	85	55	95	2,862	2,707	4,809	1,614
E800-E802	Railway accidents	121	18	-	-	-	-	30	6	1	-	-	-	1	-	89	12
E810-E825	Motor vehicle traffic accidents	5,218	2,145	13	5	1	-	3,111	1,354	31	15	3	4	29	21	2,030	716
E830-E835	Motor vehicle non-traffic accidents	75	16	1	-	-	-	48	6	-	-	-	-	-	2	26	8
E840-E845	Other road vehicle accidents	65	27	-	-	-	-	50	23	-	-	-	-	2	2	13	2
E850-E858	Water transport accidents	171	18	-	-	-	-	23	2	1	-	-	-	1	-	146	16
E860-E866	Aircraft accidents	61	1	-	-	-	-	4	-	2	-	-	-	1	-	54	1
E870-E868	Accidental poisoning by solid and liquid substances	394	456	6	5	-	-	114	155	-	1	1	4	205	251	58	40
E890-E895	Accidental poisoning by gases and vapours	430	498	-	-	-	-	53	61	1	-	-	3	294	362	82	52
E900-E904	Accidental falls	1,891	3,570	48	191	-	2	1,419	2,939	17	56	24	67	172	262	201	53
E910-E936	Other accidents	2,496	1,240	29	28	-	1	699	477	8	7	9	7	521	428	1,230	292
E940-E946	Complications due to non-therapeutic medical and surgical procedures	8	3	-	-	-	-	5	1	-	1	1	-	1	1	1	-
E950-E959	Therapeutic misadventure and late complications of therapeutic procedures	23	23	1	1	1	-	18	19	-	-	-	-	3	3	-	-
E960-E965	Late effects of injury and poisoning	114	25	8	3	-	-	65	14	-	2	-	-	39	6	2	-
E970-E979	Suicide and self-inflicted injury	2,823	2,171	27	22	3	-	420	496	2	3	17	10	1,541	1,272	813	368
E980-E985	Homicide and injury purposely inflicted by other persons (not in war)	178	152	1	-	-	-	61	21	1	-	-	-	51	77	64	54
E990-E999	Injury resulting from operations of war	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

APPENDIX H5. Deaths by cause and sex, according to method of certification, 1966

England and Wales

ICD No.	Cause of death	Total deaths			Coroner				Certifying medical practitioner																		
		Inquest held				Post-mortem without inquest				After post-mortem				Operation mentioned on death certificate				Other examination mentioned on death certificate				No examination mentioned				Uncertified	
		M	F		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			
	ALL CAUSES	288,622	275,002	13,385	8,267	2,829	2,396	45,740	30,939	27,654	22,391	3,240	3,250	133	107	195,127	207,259	514	393								
001-008	Tuberculosis of respiratory system	1,559	531	90	5	11	1	281	97	199	94	17	14	-	-	958	320	3	-								
010-019	Tuberculosis, other forms	119	145	1	4	1	-	22	19	41	59	2	4	-	-	52	59	-	-								
020-029	Syphilis and its sequelae	498	340	2	1	-	-	159	147	109	63	9	1	-	-	217	126	2	1								
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
045-048	Dysentery, all forms	10	10	-	-	-	-	1	2	3	1	-	-	-	-	6	7	-	-								
050-051	Scarlet fever and streptococcal sore throat	2	2	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-								
056	Whooping cough	9	14	-	-	-	-	-	-	4	4	-	-	-	-	5	9	-	-								
057	Meningococcal infections	60	45	-	-	-	-	25	23	17	8	-	-	-	-	18	14	-	-								
080	Acute poliomyelitis	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
085	Measles	43	37	1	-	-	-	6	10	9	7	-	-	-	-	1	20	-	-								
100-108	Typhus and other rickettsial diseases	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-								
110-117	Malaria	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
Rem.	All other diseases classified as																										
001-138	Infective and parasitic	436	509	22	13	4	2	81	75	142	130	2	-	-	-	184	289	1	-								
140-205	Malignant neoplasms	58,571	49,587	210	52	35	12	2,897	1,711	7,009	5,017	2,017	2,285	110	93	46,270	40,404	23	13								
210-239	Benign and unspecified neoplasms	671	728	12	12	3	2	99	142	174	190	21	44	3	2	359	336	-	-								
280	Diabetes mellitus	1,512	2,789	14	5	2	1	123	159	194	318	18	35	-	-	1,160	2,267	1	4								
290-293	Anaemias	558	1,124	3	2	-	-	38	78	108	160	2	-	-	-	406	883	1	1								
330-334	Vascular lesions affecting central nervous system	31,743	47,081	80	25	15	8	2,301	3,167	1,858	2,107	7	4	-	-	27,455	41,725	27	45								
340	Non-meningococcal meningitis	199	186	1	-	1	-	38	45	80	64	-	-	-	-	79	77	-	-								
400-402	Rheumatic fever	41	35	1	-	-	-	21	18	11	6	-	-	-	-	8	11	-	-								
410-416	Chronic rheumatic heart disease	2,033	3,967	26	10	2	1	479	728	332	637	32	43	-	-	1,159	2,543	3	5								
420-422	Arteriosclerotic and degenerative heart disease	83,494	68,889	356	97	66	21	24,970	12,668	4,546	2,871	20	14	5	-	53,219	53,002	312	216								
430-434	Other diseases of heart	6,786	8,496	17	16	6	2	237	269	493	440	6	6	1	-	5,911	7,752	15	11								
440-443	Hypertension with heart disease	3,280	4,935	14	6	-	1	610	594	232	244	1	-	-	-	2,421	4,084	2	6								
444-447	Hypertension without mention of heart	1,892	2,154	12	5	5	-	425	472	182	145	-	-	-	-	1,267	1,530	1	2								
480-483	Influenza	1,639	2,033	4	5	3	-	179	123	41	39	-	-	-	-	1,411	1,865	1	1								
490-493	Pneumonia	16,137	19,374	99	36	21	6	2,782	2,247	1,692	1,429	2	1	-	-	11,529	15,646	12	9								
500-502	Bronchitis	23,121	8,741	323	27	42	2	2,843	1,177	1,474	532	4	2	-	-	18,413	6,994	22	7								
540-541	Ulcer of stomach and duodenum	2,604	1,480	34	8	6	1	672	389	777	419	197	80	1	2	915	578	2	3								
550-553	Appendicitis	237	215	11	10	2	1	59	60	73	64	18	26	-	-	74	54	-	-								
560-561, 570	Intestinal obstruction and hernia	1,369	1,663	27	14	3	6	399	428	353	417	139	170	-	1	448	626	-	1								
543, 571, 572	Gastritis, duodenitis, enteritis, and colitis, except diarrhoea of the newborn	1,012	1,668	13	16	1	2	246	318	238	384	48	74	-	-	464	874	2	-								
581	Cirrhosis of liver	731	635	45	17	8	3	126	80	164	176	-	6	1	1	387	351	-	1								
590-594	Nephritis and nephrosis	1,493	1,247	4	2	1	-	91	107	360	244	1	2	1	1	1,035	890	-	1								
610	Hyperplasia of prostate	2,007	-	19	-	6	-	207	-	286	-	-	-	-	-	1,163	-	-	-								
640-689	Complications of pregnancy, childbirth, and the puerperium	-	223	-	55	-	7	-	104	-	39	-	5	-	-	-	-	-	-								
750-759	Congenital malformations	2,511	2,215	12	11	2	-	505	354	1,008	819	38	49	-	-	939	979	7	3								
760-762	Birth injuries, postnatal asphyxia and atelectasis	2,453	1,577	19	5	-	1	121	73	1,296	864	-	-	-	-	1,014	629	3	5								
763-768	Infections of the newborn	388	285	2	7	-	-	97	80	179	134	-	-	-	-	110	63	-	1								
769-776	Other diseases peculiar to early infancy, and immaturity unqualified	2,118	1,522	5	3	-	-	42	19	583	432	-	1	-	-	1,477	1,065	11	2								

APPENDIX H5 - continued

ICD No.	Cause of death	Total deaths		Coroner						Certifying medical practitioner										Uncertified	
				Inquest held				Post-mortem without inquest		After post-mortem		Operation mentioned on death certificate		Other examination mentioned on death certificate		No examination mentioned					
		With post-mortem	No post-mortem	M	F	M	F													M	F
780-795	Senility without mention of psychosis, ill-defined and unknown causes	1,535	3,153	40	31	11	8	23	55	31	16	2	-	-	-	1,421	3,029	7	14		
Rem. 140-795	All other diseases	21,697	27,002	604	213	102	48	4,300	4,712	3,324	3,776	303	352	10	7	13,026	17,864	28	30		
E810-E835	Motor vehicle accidents	5,293	2,161	4,497	1,838	789	323	-	-	-	-	-	-	-	-	1	-	6	-		
E800-E802 E840-E862	All other accidents	5,734	5,879	4,262	3,776	1,172	1,554	130	187	29	41	11	31	-	-	111	279	19	11		
E863 E870-E879	Suicide and self-inflicted injury	2,823	2,171	2,337	1,821	484	349	-	-	-	-	-	1	-	-	1	-	1	-		
E864, E865 E880-E899	Homicide and operations of war	199	152	165	119	25	33	3	-	-	-	-	-	-	-	6	-	-	-		



GENERAL REGISTER OFFICE

STUDIES ON  
MEDICAL AND POPULATION SUBJECTS

No. 19

**Regional and Social Factors  
in Infant Mortality**

by

C. C. Spicer, M.R.C.S., L.R.C.P., Dip. Bact., Dip.S.S.

and

L. Lipworth, M.B., Ch.B., B.Sc.

This study gives the results of a special investigation carried out by the General Register Office into the pattern of over 14,000 stillbirths and over 17,000 infant deaths registered in England and Wales in the twelve months April 1964 to March 1965.

The factors studied in the investigation were social class of father, parity and age of mother, and the geographical region to which the birth was assigned. The detailed tables, which it is hoped will be of value to research workers who may wish to make a further study of the subject, are prefaced by a short commentary which draws attention to the more significant findings and describes the methods adopted in the enquiry—in particular, those adopted for the statistical analysis of the data.

*Price 7s. 6d. net (By post 7s. 11d.)*

*Published by*

**HER MAJESTY'S STATIONERY OFFICE**

*and obtainable from the Government Bookshops in London (post orders to P.O. Box 569, S.E.1),  
Edinburgh, Cardiff, Belfast, Manchester, Birmingham and Bristol, or through any bookseller*

MINISTRY OF HEALTH  
AND GENERAL REGISTER OFFICE

# Report on Hospital In-patient Enquiry for the year 1963

## *Part I: Tables*

This volume, one of an annual series, contains detailed tables based on a ten per cent sample of discharges (including deaths) in 1963 from National Health Service hospitals (other than psychiatric hospitals) in England and Wales. It includes analyses by age, sex and hospital region of residence of hospital patients, by source of admission, diagnosis and duration of stay in hospital.

*Price 31s. net (By post 35s. 6d.)*

*Published by*

HER MAJESTY'S STATIONERY OFFICE

*and obtainable from the Government Bookshops in London (by post to P.O. Box 569, S.E.1),  
Edinburgh, Cardiff, Belfast, Manchester, Birmingham and Bristol, or through any bookseller*



**The Registrar General's  
Statistical Review of England and Wales  
for the Year 1961**

**Supplement on Cancer**

This volume contains survival data for cases of cancer of the cervix, uterine body, prostate, testis, and leukaemia, based on 1952-53 registrations under the National Cancer Registration Scheme, using, in certain instances, 1948-49 cases for purposes of comparison. The registrations in 1948-49 are also used for an examination of survival in the second five years after treatment for several sites, and registrations in 1954-55 in discussion of the effect on the prognosis of breast cancer of delay in seeking treatment.

Appendix tables give the number of newly diagnosed cases of cancer registered in 1961 by site, age, sex and area (urban or rural).

*Price 7s. 6d. net (By post 8s.)*

*Published by*

**HER MAJESTY'S STATIONERY OFFICE**

*and obtainable from the Government Bookshops in London (post orders to P.O. Box 569, S.E.1),  
Edinburgh, Cardiff, Belfast, Manchester, Birmingham and Bristol, or through any bookseller*

© *Crown copyright 1967*

Printed and published by  
HER MAJESTY'S STATIONERY OFFICE

To be purchased from  
49 High Holborn, London w.c.1  
423 Oxford Street, London w.1  
13A Castle Street, Edinburgh 2  
109 St. Mary Street, Cardiff CF1 1JW  
Brazennose Street, Manchester 2  
50 Fairfax Street, Bristol 1  
258/259 Broad Street, Birmingham 1  
7-11 Linenhall Street, Belfast 2 BT2 8AY  
or through any bookseller

*Printed in England*